Data for "Floor Model" Methodology

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	11B	68	11367.92	773018.40	58	0.6954	29	39	11.88	40.88	464713.65	NT
Adair	11B	68	34570.89	2350820.37	58	0.6954					2350820.37	T
Adair	133	80	946.84	75747.44	58	0.6954	29	51	15.53	44.53	42167.27	NT
Adair	133	80	3811.92	304953.57	58	0.6954					304953.57	T
Adair	133+	85	400.33	34028.22	58	0.6954	29	56	17.06	46.06	18438.33	NT
Adair	133+	85	1196.23	101679.97	58	0.6954					101679.97	T
Adair	133A	80	0.01	0.49	58	0.6954	29	51	15.53	44.53	0.27	NT
Adair	133A	80	0.00	0.39	58	0.6954					0.39	T
Adair	133A+	85	0.02	1.98	58	0.6954	29	56	17.06	46.06	1.07	NT
Adair	133A+	85	0.01	0.60	58	0.6954					0.60	T
Adair	133B	75	0.00	0.27	58	0.6954	29	46	14.01	43.01	0.15	NT
Adair	133B	75	0.00	0.24	58	0.6954					0.24	T
Adair	133B+	81	0.48	38.91	58	0.6954	29	52	15.84	44.84	21.54	NT
Adair	13B	65	548.41	35646.73	58	0.6954	29	36	10.97	39.97	21917.59	NT
Adair	13B	65	317.04	20607.41	58	0.6954					20607.41	T
Adair	175C2	28	15.23	426.55	58	0.6954	28	0	0.00	28.00	426.55	NT
Adair	175C2	28	213.11	5966.96	58	0.6954					5966.96	T
Adair	175D2	14	40.51	567.20	58	0.6954	14	0	0.00	14.00	567.20	NT
Adair	175D2	14	365.43	5115.97	58	0.6954					5115.97	T
Adair	179D	45	73.31	3299.09	58	0.6954	29	16	4.87	33.87	2483.38	NT
Adair	179D	45	204.02	9181.02	58	0.6954					9181.02	T
Adair	179D2	43	442.19	19014.34	58	0.6954	29	14	4.26	33.26	14709.32	NT
Adair	179D2	43	2195.02	94385.85	58	0.6954					94385.85	T
Adair	179E2	33	2289.35	75548.44	58	0.6954	29	4	1.22	30.22	69180.40	NT
Adair	179E2	33	4576.26	151016.69	58	0.6954					151016.69	T
Adair	179F2	14	1400.36	19605.07	58	0.6954	14	0	0.00	14.00	19605.07	NT
Adair	179F2	14	1219.86	17078.00	58	0.6954					17078.00	T
Adair	179G2	5	1.30	6.51	58	0.6954	5	0	0.00	5.00	6.51	NT
Adair	192C2	30	167.95	5038.52	58	0.6954	29	1	0.30	29.30	4921.73	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	192C2	30	2545.12	76353.60	58	0.6954					76353.60	T
Adair	192D2	15	259.03	3885.43	58	0.6954	15	0	0.00	15.00	3885.43	NT
Adair	192D2	15	4495.75	67436.25	58	0.6954					67436.25	T
Adair	201B	51	0.31	16.02	58	0.6954	29	22	6.70	35.70	11.21	NT
Adair	201B	51	0.01	0.28	58	0.6954					0.28	T
Adair	212	94	830.40	78057.96	58	0.6954	29	65	19.80	48.80	40522.88	NT
Adair	212	94	2334.34	219428.43	58	0.6954					219428.43	T
Adair	220	85	1359.07	115520.95	58	0.6954	29	56	17.06	46.06	62595.50	NT
Adair	220	85	2066.72	175671.14	58	0.6954					175671.14	T
Adair	222C	30	139.39	4181.65	58	0.6954	29	1	0.30	29.30	4084.72	NT
Adair	222C	30	1436.28	43088.33	58	0.6954					43088.33	T
Adair	222C2	25	228.06	5701.44	58	0.6954	25	0	0.00	25.00	5701.44	NT
Adair	222C2	25	3850.38	96259.59	58	0.6954					96259.59	T
Adair	222D2	10	274.31	2743.07	58	0.6954	10	0	0.00	10.00	2743.07	NT
Adair	222D2	10	3881.50	38814.98	58	0.6954					38814.98	T
Adair	24C	60	15.21	912.35	58	0.6954	29	31	9.44	38.44	584.55	NT
Adair	24C	60	233.61	14016.64	58	0.6954					14016.64	T
Adair	24C2	58	51.91	3010.63	58	0.6954	29	29	8.83	37.83	1963.84	NT
Adair	24C2	58	1256.48	72875.73	58	0.6954					72875.73	T
Adair	24D	50	147.40	7369.84	58	0.6954	29	21	6.40	35.40	5217.34	NT
Adair	24D	50	1628.28	81414.04	58	0.6954					81414.04	T
Adair	24D2	48	1687.05	80978.52	58	0.6954	29	19	5.79	34.79	58688.17	NT
Adair	24D2	48	25318.03	1215265.46	58	0.6954					1215265.46	T
Adair	24E	40	105.85	4234.13	58	0.6954	29	11	3.35	32.35	3424.42	NT
Adair	24E	40	575.13	23005.20	58	0.6954					23005.20	T
Adair	24E2	38	1193.56	45355.39	58	0.6954	29	9	2.74	31.74	37885.35	NT
Adair	24E2	38	12575.94	477885.69	58	0.6954					477885.69	T
Adair	24F2	18	190.29	3425.24	58	0.6954	18	0	0.00	18.00	3425.24	NT
Adair	24F2	18	840.15	15122.72	58	0.6954					15122.72	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	269	58	58.84	3412.71	58	0.6954	29	29	8.83	37.83	2226.11	NT
Adair	269	58	811.25	47052.68	58	0.6954					47052.68	T
Adair	273B	72	39.29	2829.20	58	0.6954	29	43	13.10	42.10	1654.21	NT
Adair	273B	72	552.31	39766.32	58	0.6954					39766.32	T
Adair	273C	57	53.60	3055.04	58	0.6954	29	28	8.53	37.53	2011.44	NT
Adair	273C	57	498.19	28396.66	58	0.6954					28396.66	T
Adair	287B	70	2866.96	200687.14	58	0.6954	29	41	12.49	41.49	118946.12	NT
Adair	287B	70	9615.79	673105.31	58	0.6954					673105.31	T
Adair	315	30	427.76	12832.87	58	0.6954	29	1	0.30	29.30	12535.40	NT
Adair	315	30	392.29	11768.66	58	0.6954					11768.66	T
Adair	368	95	132.50	12587.44	58	0.6954	29	66	20.10	49.10	6506.19	NT
Adair	368	95	4567.50	433912.57	58	0.6954					433912.57	T
Adair	368B	90	4.97	447.56	58	0.6954	29	61	18.58	47.58	236.62	NT
Adair	368B	90	240.27	21623.98	58	0.6954					21623.98	T
Adair	369	87	3.14	272.92	58	0.6954	29	58	17.67	46.67	146.39	NT
Adair	369	87	446.42	38838.40	58	0.6954					38838.40	T
Adair	370	92	37.37	3437.81	58	0.6954	29	63	19.19	48.19	1800.73	NT
Adair	370	92	1249.46	114950.59	58	0.6954					114950.59	T
Adair	370B	87	1798.95	156508.68	58	0.6954	29	58	17.67	46.67	83951.26	NT
Adair	370B	87	29617.02	2576680.81	58	0.6954					2576680.81	T
Adair	370C	72	1120.47	80673.97	58	0.6954	29	43	13.10	42.10	47169.40	NT
Adair	370C	72	17317.50	1246860.20	58	0.6954					1246860.20	T
Adair	370C2	67	1463.73	98070.14	58	0.6954	29	38	11.57	40.57	59390.69	NT
Adair	370C2	67	25190.31	1687750.62	58	0.6954					1687750.62	T
Adair	370D	62	228.37	14158.97	58	0.6954	29	33	10.05	39.05	8918.28	NT
Adair	370D	62	3663.51	227137.83	58	0.6954					227137.83	T
Adair	370D2	57	427.34	24358.15	58	0.6954	29	28	8.53	37.53	16037.40	NT
Adair	370D2	57	7181.62	409352.22	58	0.6954					409352.22	T
Adair	371C2	64	0.03	1.70	58	0.6954					1.70	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	412G	5	71.34	356.71	58	0.6954	5	0	0.00	5.00	356.71	NT
Adair	412G	5	1.12	5.58	58	0.6954					5.58	T
Adair	428B	93	197.85	18399.79	58	0.6954	29	64	19.49	48.49	9594.48	NT
Adair	428B	93	1729.06	160802.50	58	0.6954					160802.50	T
Adair	430	83	557.05	46235.20	58	0.6954	29	54	16.45	45.45	25317.06	NT
Adair	430	83	2175.18	180539.57	58	0.6954					180539.57	T
Adair	434D	55	23.97	1318.08	58	0.6954	29	26	7.92	36.92	884.78	NT
Adair	434D	55	335.03	18426.75	58	0.6954					18426.75	T
Adair	451D2	33	32.23	1063.61	58	0.6954	29	4	1.22	30.22	973.95	NT
Adair	451D2	33	304.33	10042.76	58	0.6954					10042.76	T
Adair	5030	0	372.75	0.00	58	0.6954	0	0	0.00	0.00	0.00	NT
Adair	5030	0	49.36	0.00	58	0.6954					0.00	T
Adair	5080	0	30.76	0.00	58	0.6954	0	0	0.00	0.00	0.00	NT
Adair	5080	0	6.79	0.00	58	0.6954					0.00	T
Adair	51	70	71.59	5011.39	58	0.6954	29	41	12.49	41.49	2970.22	NT
Adair	51	70	904.29	63300.03	58	0.6954					63300.03	T
Adair	54	70	205.22	14365.62	58	0.6954	29	41	12.49	41.49	8514.42	NT
Adair	54	70	2623.86	183670.27	58	0.6954					183670.27	T
Adair	54+	75	270.08	20256.27	58	0.6954	29	46	14.01	43.01	11616.73	NT
Adair	54+	75	1869.73	140230.00	58	0.6954					140230.00	T
Adair	570B	84	37.04	3111.62	58	0.6954	29	55	16.75	45.75	1694.83	NT
Adair	570B	84	1277.42	107302.90	58	0.6954					107302.90	T
Adair	570C	69	471.22	32514.30	58	0.6954	29	40	12.18	41.18	19406.80	NT
Adair	570C	69	9280.75	640371.50	58	0.6954					640371.50	T
Adair	570C2	64	459.66	29417.97	58	0.6954	29	35	10.66	39.66	18230.41	NT
Adair	570C2	64	11514.46	736925.70	58	0.6954					736925.70	T
Adair	570D2	54	109.83	5931.00	58	0.6954	29	25	7.62	36.62	4021.55	NT
Adair	570D2	54	1750.03	94501.64	58	0.6954					94501.64	T
Adair	65E2	24	0.00	0.03	58	0.6954	24	0	0.00	24.00	0.03	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	65E2	24	0.03	0.62	58	0.6954					0.62	T
Adair	675C	50	16.13	806.40	58	0.6954	29	21	6.40	35.40	570.88	NT
Adair	675C	50	219.98	10999.02	58	0.6954					10999.02	T
Adair	675D2	35	60.98	2134.15	58	0.6954	29	6	1.83	30.83	1879.73	NT
Adair	675D2	35	729.90	25546.67	58	0.6954					25546.67	T
Adair	69C	50	187.21	9360.44	58	0.6954	29	21	6.40	35.40	6626.56	NT
Adair	69C	50	3349.94	167496.87	58	0.6954					167496.87	T
Adair	69C2	41	21.04	862.83	58	0.6954	29	12	3.66	32.66	687.21	NT
Adair	69C2	41	357.60	14661.55	58	0.6954					14661.55	T
Adair	76B	82	54.24	4447.81	58	0.6954	29	53	16.14	45.14	2448.67	NT
Adair	76B	82	678.52	55638.87	58	0.6954					55638.87	T
Adair	76C	70	551.50	38604.71	58	0.6954	29	41	12.49	41.49	22880.79	NT
Adair	76C	70	2782.03	194742.12	58	0.6954					194742.12	T
Adair	76C2	67	607.21	40683.13	58	0.6954	29	38	11.57	40.57	24637.46	NT
Adair	76C2	67	4140.39	277405.94	58	0.6954					277405.94	T
Adair	76D	60	120.78	7246.96	58	0.6954	29	31	9.44	38.44	4643.20	NT
Adair	76D	60	586.18	35170.77	58	0.6954					35170.77	T
Adair	76D2	52	662.73	34462.01	58	0.6954	29	23	7.01	36.01	23862.16	NT
Adair	76D2	52	2757.89	143410.44	58	0.6954					143410.44	T
Adair	792D2	11	462.59	5088.51	58	0.6954	11	0	0.00	11.00	5088.51	NT
Adair	792D2	11	1496.45	16460.94	58	0.6954					16460.94	T
Adair	80C	67	119.57	8010.93	58	0.6954	29	38	11.57	40.57	4851.37	NT
Adair	80C	67	460.14	30829.08	58	0.6954					30829.08	T
Adair	80D2	52	374.71	19484.78	58	0.6954	29	23	7.01	36.01	13491.64	NT
Adair	80D2	52	490.01	25480.35	58	0.6954					25480.35	T
Adair	80E2	45	190.81	8586.47	58	0.6954	29	16	4.87	33.87	6463.44	NT
Adair	80E2	45	200.19	9008.44	58	0.6954					9008.44	T
Adair	822C	29	32.45	941.06	58	0.6954	29	0	0.00	29.00	941.06	NT
Adair	822C	29	516.91	14990.50	58	0.6954					14990.50	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	822C2	24	296.72	7121.28	58	0.6954	24	0	0.00	24.00	7121.28	NT
Adair	822C2	24	5261.61	126278.65	58	0.6954					126278.65	T
Adair	822D	20	57.82	1156.32	58	0.6954	20	0	0.00	20.00	1156.32	NT
Adair	822D	20	533.29	10665.79	58	0.6954					10665.79	T
Adair	822D2	15	994.42	14916.35	58	0.6954	15	0	0.00	15.00	14916.35	NT
Adair	822D2	15	15192.36	227885.35	58	0.6954					227885.35	T
Adair	822D3	10	23.97	239.66	58	0.6954	10	0	0.00	10.00	239.66	NT
Adair	822D3	10	398.70	3987.05	58	0.6954					3987.05	T
Adair	870B	87	37.13	3230.24	58	0.6954	29	58	17.67	46.67	1732.70	NT
Adair	870B	87	979.33	85201.93	58	0.6954					85201.93	T
Adair	876B	82	61.71	5060.20	58	0.6954	29	53	16.14	45.14	2785.81	NT
Adair	876B	82	644.12	52817.55	58	0.6954					52817.55	T
Adair	876C	72	76.89	5535.75	58	0.6954	29	43	13.10	42.10	3236.71	NT
Adair	876C	72	689.98	49678.46	58	0.6954					49678.46	T
Adair	8B	90	49.26	4433.56	58	0.6954	29	61	18.58	47.58	2343.90	NT
Adair	8B	90	873.34	78600.57	58	0.6954					78600.57	T
Adair	8C	66	40.87	2697.19	58	0.6954	29	37	11.27	40.27	1645.70	NT
Adair	8C	66	390.16	25750.51	58	0.6954					25750.51	T
Adair	93D2	33	590.61	19490.11	58	0.6954	29	4	1.22	30.22	17847.28	NT
Adair	93D2	33	5995.70	197858.02	58	0.6954					197858.02	T
Adair	93E2	23	186.00	4277.99	58	0.6954	23	0	0.00	23.00	4277.99	NT
Adair	93E2	23	1641.14	37746.28	58	0.6954					37746.28	T
Adair	93E3	5	0.02	0.10	58	0.6954	5	0	0.00	5.00	0.10	NT
Adair	93E3	5	0.03	0.16	58	0.6954					0.16	T
Adair	993D2	20	481.61	9632.21	58	0.6954	20	0	0.00	20.00	9632.21	NT
Adair	993D2	20	1448.28	28965.59	58	0.6954					28965.59	T
Adair	993E2	10	867.40	8673.96	58	0.6954	10	0	0.00	10.00	8673.96	NT
Adair	993E2	10	1018.57	10185.71	58	0.6954					10185.71	T
Adair	993F2	5	1156.58	5782.91	58	0.6954	5	0	0.00	5.00	5782.91	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	993F2	5	200.93	1004.67	58	0.6954					1004.67	T
Adair	AdC2	30	0.01	0.34	58	0.6954	29	1	0.30	29.30	0.33	NT
Adair	AdD2		0.09		58	0.6954					0.00	T
Adair	AsD3	20	0.16	3.14	58	0.6954					3.14	T
Adair	AsE3		0.00		58	0.6954					0.00	T
Adair	Au	20	1.67	33.30	58	0.6954	20	0	0.00	20.00	33.30	NT
Adair	Au	20	0.18	3.68	58	0.6954					3.68	T
Adair	AW	0	1.00	0.00	58	0.6954	0	0	0.00	0.00	0.00	NT
Adair	BW	0	1.35	0.00	58	0.6954	0	0	0.00	0.00	0.00	NT
Adair	C133A	80	0.13	10.66	58	0.6954	29	51	15.53	44.53	5.93	NT
Adair	C133A	80	0.81	65.14	58	0.6954					65.14	T
Adair	CeD2	28	0.22	6.06	58	0.6954	28	0	0.00	28.00	6.06	NT
Adair	CeE2	20	1.29	25.78	58	0.6954	20	0	0.00	20.00	25.78	NT
Adair	Cn		0.00		58	0.6954			0.00	0.00	0.00	NT
Adair	Cn		0.12		58	0.6954					0.00	T
Adair	CsB	78	0.10	7.57	58	0.6954	29	49	14.93	43.93	4.26	NT
Adair	CsC2	58	0.46	26.72	58	0.6954	29	29	8.83	37.83	17.43	NT
Adair	Cv	25	0.01	0.17	58	0.6954	25	0	0.00	25.00	0.17	NT
Adair	Cv	25	1.38	34.60	58	0.6954					34.60	T
Adair	CwB	65	0.40	25.86	58	0.6954	29	36	10.97	39.97	15.90	NT
Adair	CwB	65	2.25	146.41	58	0.6954					146.41	T
Adair	CyB	10	1.32	13.19	58	0.6954	10	0	0.00	10.00	13.19	NT
Adair	CyB	10	1.01	10.10	58	0.6954					10.10	T
Adair	GaE2	33	0.01	0.26	58	0.6954	29	4	1.22	30.22	0.23	NT
Adair	GaE2	33	0.57	18.79	58	0.6954					18.79	T
Adair	GaF2	13	0.42	5.46	58	0.6954	13	0	0.00	13.00	5.46	NT
Adair	GaF2	13	0.58	7.54	58	0.6954					7.54	T
Adair	GaG	5	0.10	0.50	58	0.6954	5	0	0.00	5.00	0.50	NT
Adair	INT	0	3.76	0.00	58	0.6954	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	INT	0	1.12	0.00	58	0.6954					0.00	T
Adair	JoB		0.08		58	0.6954			0.00	0.00	0.00	NT
Adair	JoB		0.34		58	0.6954					0.00	T
Adair	LaD2	52	3.30	171.67	58	0.6954					171.67	T
Adair	LcC2	30	0.40	12.01	58	0.6954					12.01	T
Adair	LcD2	15	1.82	27.36	58	0.6954					27.36	T
Adair	LcD3	5	0.08	0.42	58	0.6954					0.42	T
Adair	Nm	85	2.29	194.86	58	0.6954	29	56	17.06	46.06	105.58	NT
Adair	OmB	72	0.00	0.01	58	0.6954					0.01	T
Adair	SbB	87	0.09	7.92	58	0.6954	29	58	17.67	46.67	4.25	NT
Adair	SbB	87	0.81	70.15	58	0.6954					70.15	T
Adair	SbC	72	0.63	45.07	58	0.6954	29	43	13.10	42.10	26.35	NT
Adair	SbC2	67	0.09	6.14	58	0.6954	29	38	11.57	40.57	3.72	NT
Adair	SbC2	67	5.87	393.24	58	0.6954					393.24	T
Adair	SbD		0.00		58	0.6954			0.00	0.00	0.00	NT
Adair	SbD2	57	0.32	18.28	58	0.6954	29	28	8.53	37.53	12.04	NT
Adair	SbD2	57	1.08	61.64	58	0.6954					61.64	T
Adair	ShC2		0.11		58	0.6954					0.00	T
Adair	ShD2	48	0.44	21.32	58	0.6954					21.32	T
Adair	ShE	40	0.00	0.06	58	0.6954					0.06	T
Adair	ShE2	38	0.02	0.91	58	0.6954	29	9	2.74	31.74	0.76	NT
Adair	ShE2	38	10.14	385.33	58	0.6954					385.33	T
Adair	SlD2	25	0.04	1.12	58	0.6954	25	0	0.00	25.00	1.12	NT
Adair	SlD2	25	1.13	28.16	58	0.6954					28.16	T
Adair	SsD3		0.07		58	0.6954			0.00	0.00	0.00	NT
Adair	SsD3		0.22		58	0.6954					0.00	T
Adair	SyD2		0.17		58	0.6954					0.00	T
Adair	VeA	70	3.92	274.33	58	0.6954					274.33	T
Adair	W	0	2014.69	0.00	58	0.6954	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adair	W	0	62.54	0.00	58	0.6954					0.00	T
Adair	Wb	60	0.34	20.26	58	0.6954	29	31	9.44	38.44	12.98	NT
Adair	Wb	60	2.90	174.01	58	0.6954					174.01	T
Adair	ZoA	70	0.46	32.32	58	0.6954	29	41	12.49	41.49	19.16	NT
Adair	ZoA	70	1.74	121.80	58	0.6954					121.80	T
											0.00	
											0.00	
Adams	11B	68	4.28	290.85	57	0.7238	28	40	11.05	39.05	167.02	NT
Adams	11B	68	1.23	83.66	57	0.7238					83.66	T
Adams	133	80	0.57	45.34	57	0.7238	28	52	14.36	42.36	24.01	NT
Adams	133	80	1.99	159.00	57	0.7238					159.00	T
Adams	133+	85	0.73	62.04	57	0.7238	28	56	15.47	43.47	31.73	NT
Adams	133+	85	0.36	30.28	57	0.7238					30.28	T
Adams	133B	75	0.22	16.23	57	0.7238	28	46	12.71	40.71	8.81	NT
Adams	134	65	0.39	25.49	57	0.7238					25.49	T
Adams	15B	64	997.66	63850.18	57	0.7238	28	36	9.94	37.94	37854.38	NT
Adams	15B	64	3310.22	211854.23	57	0.7238					211854.23	T
Adams	16	86	577.53	49667.30	57	0.7238	28	58	16.02	44.02	25422.50	NT
Adams	16	86	507.72	43663.59	57	0.7238					43663.59	T
Adams	172	45	72.31	3254.06	57	0.7238	28	16	4.42	32.42	2344.31	NT
Adams	172	45	426.57	19195.49	57	0.7238					19195.49	T
Adams	179E	35	3974.75	139116.18	57	0.7238	28	6	1.66	29.66	117879.90	NT
Adams	179E	35	1354.15	47395.17	57	0.7238					47395.17	T
Adams	179E2	33	0.11	3.61	57	0.7238	28	4	1.10	29.10	3.18	NT
Adams	179F	15	2043.42	30651.32	57	0.7238	15	0	0.00	15.00	30651.32	NT
Adams	179F	15	221.49	3322.40	57	0.7238					3322.40	T
Adams	179G	5	128.00	640.00	57	0.7238	5	0	0.00	5.00	640.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adams	179G	5	12.34	61.72	57	0.7238					61.72	T
Adams	192C	35	0.41	14.49	57	0.7238	28	6	1.66	29.66	12.28	NT
Adams	192D2	15	418.62	6279.27	57	0.7238	15	0	0.00	15.00	6279.27	NT
Adams	192D2	15	819.79	12296.91	57	0.7238					12296.91	T
Adams	220	85	1301.03	110587.87	57	0.7238	28	56	15.47	43.47	56552.30	NT
Adams	220	85	2982.04	253473.25	57	0.7238					253473.25	T
Adams	222C	30	0.08	2.52	57	0.7238	28	2	0.55	28.55	2.40	NT
Adams	222C2	25	649.14	16228.50	57	0.7238	25	0	0.00	25.00	16228.50	NT
Adams	222C2	25	4217.40	105435.06	57	0.7238					105435.06	T
Adams	222D	15	400.55	6008.23	57	0.7238	15	0	0.00	15.00	6008.23	NT
Adams	222D	15	1117.50	16762.48	57	0.7238					16762.48	T
Adams	222D2	10	230.92	2309.19	57	0.7238	10	0	0.00	10.00	2309.19	NT
Adams	222D2	10	935.12	9351.16	57	0.7238					9351.16	T
Adams	222D3	5	29.92	149.61	57	0.7238	5	0	0.00	5.00	149.61	NT
Adams	222D3	5	103.68	518.42	57	0.7238					518.42	T
Adams	2368B	90	86.04	7743.72	57	0.7238	28	62	17.12	45.12	3882.56	NT
Adams	2368B	90	1724.15	155173.09	57	0.7238					155173.09	T
Adams	248	60	387.22	23233.30	57	0.7238	28	32	8.84	36.84	14264.62	NT
Adams	248	60	3228.37	193702.49	57	0.7238					193702.49	T
Adams	24C2	58	43.26	2509.08	57	0.7238	28	30	8.29	36.29	1569.73	NT
Adams	24C2	58	140.20	8131.41	57	0.7238					8131.41	T
Adams	24D	50	0.00	0.02	57	0.7238	28	22	6.08	34.08	0.02	NT
Adams	24D	50	0.12	5.80	57	0.7238					5.80	T
Adams	24D2	48	1814.35	87089.01	57	0.7238	28	20	5.52	33.52	60824.41	NT
Adams	24D2	48	7988.36	383441.49	57	0.7238					383441.49	T
Adams	24E	40	1077.22	43088.91	57	0.7238	28	12	3.31	31.31	33732.59	NT
Adams	24E	40	951.64	38065.40	57	0.7238					38065.40	T
Adams	24E2	38	3405.71	129416.91	57	0.7238	28	10	2.76	30.76	104766.39	NT
Adams	24E2	38	5989.07	227584.71	57	0.7238					227584.71	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adams	24F	20	924.36	18487.30	57	0.7238	20	0	0.00	20.00	18487.30	NT
Adams	24F	20	287.54	5750.76	57	0.7238					5750.76	T
Adams	269	58	29.71	1723.07	57	0.7238	28	30	8.29	36.29	1077.99	NT
Adams	269	58	201.80	11704.43	57	0.7238					11704.43	T
Adams	273B	72	146.31	10534.45	57	0.7238	28	44	12.15	40.15	5874.83	NT
Adams	273B	72	253.03	18218.22	57	0.7238					18218.22	T
Adams	273C	57	137.40	7831.89	57	0.7238	28	28	7.73	35.73	4909.85	NT
Adams	273C	57	320.70	18279.84	57	0.7238					18279.84	T
Adams	286B	65	0.30	19.70	57	0.7238	28	36	9.94	37.94	11.50	NT
Adams	286B	65	0.35	23.01	57	0.7238					23.01	T
Adams	324C2	38	13.02	494.87	57	0.7238	28	10	2.76	30.76	400.61	NT
Adams	324C2	38	74.83	2843.39	57	0.7238					2843.39	T
Adams	324D2	28	17.68	495.15	57	0.7238	28	0	0.00	28.00	495.15	NT
Adams	324D2	28	66.68	1867.16	57	0.7238					1867.16	T
Adams	354	5	29.33	146.65	57	0.7238	5	0	0.00	5.00	146.65	NT
Adams	354	5	18.28	91.42	57	0.7238					91.42	T
Adams	368	95	231.42	21985.13	57	0.7238	28	66	18.23	46.23	10698.47	NT
Adams	368	95	5246.82	498447.92	57	0.7238					498447.92	T
Adams	369	87	18.23	1586.22	57	0.7238	28	58	16.02	44.02	802.58	NT
Adams	369	87	896.65	78008.89	57	0.7238					78008.89	T
Adams	370	92	30.47	2802.85	57	0.7238	28	64	17.68	45.68	1391.58	NT
Adams	370	92	306.14	28164.51	57	0.7238					28164.51	T
Adams	370B	87	1691.12	147127.19	57	0.7238	28	58	16.02	44.02	74442.30	NT
Adams	370B	87	20988.11	1825965.16	57	0.7238					1825965.16	T
Adams	370C	72	0.09	6.35	57	0.7238					6.35	T
Adams	370C2	67	1.75	117.51	57	0.7238	28	38	10.50	38.50	67.52	NT
Adams	370C2	67	1.87	125.05	57	0.7238					125.05	T
Adams	370D2	57	0.72	40.85	57	0.7238	28	28	7.73	35.73	25.61	NT
Adams	370D2	57	0.73	41.41	57	0.7238					41.41	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adams	371C	69	0.02	1.27	57	0.7238	28	40	11.05	39.05	0.72	NT
Adams	371C	69	0.19	13.41	57	0.7238					13.41	T
Adams	371C2	64	4965.09	317766.01	57	0.7238	28	36	9.94	37.94	188391.55	NT
Adams	371C2	64	33012.74	2112815.31	57	0.7238					2112815.31	T
Adams	371D2	54	1280.22	69131.85	57	0.7238	28	26	7.18	35.18	45039.65	NT
Adams	371D2	54	7983.60	431114.26	57	0.7238					431114.26	T
Adams	421C2	38	143.51	5453.42	57	0.7238	28	10	2.76	30.76	4414.69	NT
Adams	421C2	38	203.48	7732.15	57	0.7238					7732.15	T
Adams	421D2	28	3407.72	95416.26	57	0.7238	28	0	0.00	28.00	95416.26	NT
Adams	421D2	28	4616.52	129262.45	57	0.7238					129262.45	T
Adams	421E2	18	464.29	8357.15	57	0.7238	18	0	0.00	18.00	8357.15	NT
Adams	421E2	18	279.14	5024.59	57	0.7238					5024.59	T
Adams	43	80	24.91	1992.78	57	0.7238	28	52	14.36	42.36	1055.24	NT
Adams	43	80	581.58	46526.31	57	0.7238					46526.31	T
Adams	434D	55	0.00	0.08	57	0.7238	28	26	7.18	35.18	0.05	NT
Adams	435	75	1187.66	89074.38	57	0.7238	28	46	12.71	40.71	48343.87	NT
Adams	435	75	2302.25	172668.49	57	0.7238					172668.49	T
Adams	45B	65	1114.39	72435.55	57	0.7238	28	36	9.94	37.94	42283.64	NT
Adams	45B	65	3579.32	232655.77	57	0.7238					232655.77	T
Adams	469C2	30	849.94	25498.14	57	0.7238	28	2	0.55	28.55	24267.77	NT
Adams	469C2	30	4927.50	147824.97	57	0.7238					147824.97	T
Adams	469C3	20	21.55	431.10	57	0.7238	20	0	0.00	20.00	431.10	NT
Adams	469C3	20	194.95	3898.94	57	0.7238					3898.94	T
Adams	470D2	25	4295.25	107381.18	57	0.7238	25	0	0.00	25.00	107381.18	NT
Adams	470D2	25	17556.98	438924.60	57	0.7238					438924.60	T
Adams	5030	0	126.92	0.00	57	0.7238	0	0	0.00	0.00	0.00	NT
Adams	5030	0	8.99	0.00	57	0.7238					0.00	T
Adams	5040	5	186.49	932.47	57	0.7238	5	0	0.00	5.00	932.47	NT
Adams	5040	5	102.22	511.08	57	0.7238					511.08	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adams	5041	0	120.29	0.00	57	0.7238	0	0	0.00	0.00	0.00	NT
Adams	5041	0	32.89	0.00	57	0.7238					0.00	T
Adams	54	70	2488.27	174179.24	57	0.7238	28	42	11.60	39.60	98536.68	NT
Adams	54	70	5638.37	394686.19	57	0.7238					394686.19	T
Adams	54+	75	439.32	32949.11	57	0.7238	28	46	12.71	40.71	17882.67	NT
Adams	54+	75	1697.29	127296.94	57	0.7238					127296.94	T
Adams	545B	52	15538.24	807988.27	57	0.7238	28	24	6.63	34.63	538070.47	NT
Adams	545B	52	15773.70	820232.62	57	0.7238					820232.62	T
Adams	569C	60	866.75	52004.84	57	0.7238	28	32	8.84	36.84	31929.58	NT
Adams	569C	60	9695.97	581758.22	57	0.7238					581758.22	T
Adams	570C2	64	0.12	7.93	57	0.7238					7.93	T
Adams	579E3	5	124.41	622.04	57	0.7238	5	0	0.00	5.00	622.04	NT
Adams	579E3	5	104.78	523.89	57	0.7238					523.89	T
Adams	7	91	7.76	706.26	57	0.7238	28	62	17.12	45.12	350.22	NT
Adams	7	91	190.95	17376.35	57	0.7238					17376.35	T
Adams	76B	82	124.29	10191.67	57	0.7238	28	54	14.91	42.91	5333.82	NT
Adams	76B	82	722.41	59237.94	57	0.7238					59237.94	T
Adams	76C	70	2009.18	140642.27	57	0.7238	28	42	11.60	39.60	79564.14	NT
Adams	76C	70	5273.90	369172.86	57	0.7238					369172.86	T
Adams	76C2	67	0.00	0.04	57	0.7238	28	38	10.50	38.50	0.02	NT
Adams	76C2	67	0.15	10.23	57	0.7238					10.23	T
Adams	76D	60	253.45	15207.05	57	0.7238	28	32	8.84	36.84	9336.72	NT
Adams	76D	60	558.14	33488.42	57	0.7238					33488.42	T
Adams	76D2	52	1221.52	63519.26	57	0.7238	28	24	6.63	34.63	42299.92	NT
Adams	76D2	52	2061.01	107172.57	57	0.7238					107172.57	T
Adams	792D2	11	0.06	0.66	57	0.7238	11	0	0.00	11.00	0.66	NT
Adams	792D2	11	0.56	6.14	57	0.7238					6.14	T
Adams	794C2	36	26.21	943.70	57	0.7238	28	8	2.21	30.21	791.91	NT
Adams	794C2	36	42.76	1539.44	57	0.7238					1539.44	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adams	7B	85	18.76	1594.27	57	0.7238	28	56	15.47	43.47	815.28	NT
Adams	7B	85	511.25	43456.53	57	0.7238					43456.53	T
Adams	822C	29	0.18	5.32	57	0.7238					5.32	T
Adams	822D	20	0.08	1.51	57	0.7238					1.51	T
Adams	822D2	15	257.78	3866.74	57	0.7238	15	0	0.00	15.00	3866.74	NT
Adams	822D2	15	796.46	11946.89	57	0.7238					11946.89	T
Adams	86	78	29.84	2327.62	57	0.7238	28	50	13.81	41.81	1247.67	NT
Adams	86	78	362.47	28272.80	57	0.7238					28272.80	T
Adams	870B	87	72.14	6276.15	57	0.7238	28	58	16.02	44.02	3175.56	NT
Adams	870B	87	820.28	71364.31	57	0.7238					71364.31	T
Adams	870C2	67	50.74	3399.84	57	0.7238	28	38	10.50	38.50	1953.42	NT
Adams	870C2	67	394.06	26402.28	57	0.7238					26402.28	T
Adams	870D2	62	6.28	389.40	57	0.7238	28	34	9.39	37.39	234.84	NT
Adams	870D2	62	109.63	6796.96	57	0.7238					6796.96	T
Adams	876B	82	103.35	8474.44	57	0.7238	28	54	14.91	42.91	4435.11	NT
Adams	876B	82	710.42	58254.80	57	0.7238					58254.80	T
Adams	876C2	65	97.51	6338.19	57	0.7238	28	36	9.94	37.94	3699.87	NT
Adams	876C2	65	444.32	28880.96	57	0.7238					28880.96	T
Adams	876D2	55	59.83	3290.77	57	0.7238	28	26	7.18	35.18	2104.97	NT
Adams	876D2	55	218.22	12002.10	57	0.7238					12002.10	T
Adams	88	92	45.38	4174.78	57	0.7238	28	64	17.68	45.68	2072.72	NT
Adams	88	92	996.32	91661.79	57	0.7238					91661.79	T
Adams	8B	90	307.18	27646.57	57	0.7238	28	62	17.12	45.12	13861.50	NT
Adams	8B	90	2262.83	203654.67	57	0.7238					203654.67	T
Adams	8C	66	0.63	41.76	57	0.7238	28	38	10.50	38.50	24.36	NT
Adams	8C	66	0.31	20.74	57	0.7238					20.74	T
Adams	93D	30	0.24	7.29	57	0.7238	28	2	0.55	28.55	6.93	NT
Adams	93D	30	0.12	3.73	57	0.7238					3.73	T
Adams	93D2	33	892.81	29462.86	57	0.7238	28	4	1.10	29.10	25985.18	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Adams	93D2	33	2409.38	79509.55	57	0.7238					79509.55	T
Adams	93E2	23	1411.39	32461.93	57	0.7238	23	0	0.00	23.00	32461.93	NT
Adams	93E2	23	2100.27	48306.23	57	0.7238					48306.23	T
Adams	AdD2		0.14		57	0.7238					0.00	T
Adams	AsD3	20	0.05	1.01	57	0.7238	20	0	0.00	20.00	1.01	NT
Adams	AsD3	20	0.54	10.75	57	0.7238					10.75	T
Adams	AW	0	5.77	0.00	57	0.7238	0	0	0.00	0.00	0.00	NT
Adams	Cn		0.00		57	0.7238			0.00	0.00	0.00	NT
Adams	Cn		0.02		57	0.7238					0.00	T
Adams	GaE2	33	0.02	0.58	57	0.7238	28	4	1.10	29.10	0.52	NT
Adams	JoB		0.06		57	0.7238			0.00	0.00	0.00	NT
Adams	JoB		0.63		57	0.7238					0.00	T
Adams	SbB	87	0.01	1.29	57	0.7238					1.29	T
Adams	SbC	72	0.01	0.97	57	0.7238					0.97	T
Adams	SbC2	67	0.37	24.66	57	0.7238					24.66	T
Adams	SbD2	57	0.27	15.67	57	0.7238					15.67	T
Adams	ShC2		0.32		57	0.7238					0.00	T
Adams	ShD2	48	0.00	0.12	57	0.7238	28	20	5.52	33.52	0.08	NT
Adams	SL	0	5.04	0.00	57	0.7238	0	0	0.00	0.00	0.00	NT
Adams	SyD2		0.05		57	0.7238					0.00	T
Adams	SyE2		0.01		57	0.7238					0.00	T
Adams	W	0	2502.36	0.00	57	0.7238	0	0	0.00	0.00	0.00	NT
Adams	W	0	35.51	0.00	57	0.7238					0.00	T
											0.00	
											0.00	
Allamakee	1120D	70	40.83	2858.02	59	0.8075	30	40	7.70	37.70	1539.25	NT
Allamakee	1120D	70	105.15	7360.27	59	0.8075					7360.27	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	1120E	60	111.39	6683.57	59	0.8075	30	30	5.78	35.78	3985.08	NT
Allamakee	1120E	60	199.98	11998.92	59	0.8075					11998.92	T
Allamakee	1120F	40	104.90	4196.15	59	0.8075	30	10	1.93	31.93	3349.06	NT
Allamakee	1120F	40	28.48	1139.08	59	0.8075					1139.08	T
Allamakee	1158	25	0.15	3.78	59	0.8075	25	0	0.00	25.00	3.78	NT
Allamakee	1158	25	0.00	0.03	59	0.8075					0.03	T
Allamakee	118	95	23.17	2201.34	59	0.8075	30	66	12.71	42.71	989.56	NT
Allamakee	118	95	101.82	9673.16	59	0.8075					9673.16	T
Allamakee	119B	95	59.35	5637.96	59	0.8075	30	66	12.71	42.71	2534.41	NT
Allamakee	119B	95	742.98	70583.47	59	0.8075					70583.47	T
Allamakee	120B	95	122.04	11594.27	59	0.8075	30	66	12.71	42.71	5211.93	NT
Allamakee	120B	95	1963.66	186547.44	59	0.8075					186547.44	T
Allamakee	120C	80	25.22	2017.56	59	0.8075	30	50	9.63	39.63	999.32	NT
Allamakee	120C	80	248.96	19916.59	59	0.8075					19916.59	T
Allamakee	1212	88	0.05	4.53	59	0.8075	30	58	11.17	41.17	2.12	NT
Allamakee	129B	63	1302.89	82082.10	59	0.8075	30	34	6.55	36.55	47614.13	NT
Allamakee	129B	63	599.81	37787.78	59	0.8075					37787.78	T
Allamakee	140B	45	135.87	6114.11	59	0.8075	30	16	3.08	33.08	4494.55	NT
Allamakee	140B	45	480.24	21610.70	59	0.8075					21610.70	T
Allamakee	140C	30	76.53	2295.95	59	0.8075	30	0	0.00	30.00	2295.95	NT
Allamakee	140C	30	162.96	4888.67	59	0.8075					4888.67	T
Allamakee	142	83	328.62	27275.20	59	0.8075	30	54	10.40	40.40	13274.48	NT
Allamakee	142	83	165.16	13707.90	59	0.8075					13707.90	T
Allamakee	1489B	82	0.32	26.13	59	0.8075	30	52	10.01	40.01	12.75	NT
Allamakee	1489B	82	0.30	24.49	59	0.8075					24.49	T
Allamakee	1490	25	1295.80	32394.99	59	0.8075	25	0	0.00	25.00	32394.99	NT
Allamakee	1490	25	184.78	4619.59	59	0.8075					4619.59	T
Allamakee	1496	30	1321.81	39654.23	59	0.8075	30	0	0.00	30.00	39654.23	NT
Allamakee	1496	30	290.50	8714.87	59	0.8075					8714.87	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	1496B	25	3537.14	88428.59	59	0.8075	25	0	0.00	25.00	88428.59	NT
Allamakee	1496B	25	400.62	10015.53	59	0.8075					10015.53	T
Allamakee	162B	90	974.11	87669.61	59	0.8075	30	60	11.55	41.55	40474.14	NT
Allamakee	162B	90	11913.05	1072174.14	59	0.8075					1072174.14	T
Allamakee	162B2	88	128.13	11275.66	59	0.8075	30	58	11.17	41.17	5274.58	NT
Allamakee	162B2	88	2888.10	254152.49	59	0.8075					254152.49	T
Allamakee	162C	75	691.04	51827.86	59	0.8075	30	46	8.86	38.86	26850.29	NT
Allamakee	162C	75	7610.87	570815.39	59	0.8075					570815.39	T
Allamakee	162C2	73	1293.10	94395.99	59	0.8075	30	44	8.47	38.47	49745.39	NT
Allamakee	162C2	73	18756.28	1369208.71	59	0.8075					1369208.71	T
Allamakee	162D	65	207.58	13492.55	59	0.8075	30	36	6.93	36.93	7665.85	NT
Allamakee	162D	65	1177.25	76521.14	59	0.8075					76521.14	T
Allamakee	162D2	63	851.69	53656.41	59	0.8075	30	34	6.55	36.55	31124.97	NT
Allamakee	162D2	63	7449.69	469330.64	59	0.8075					469330.64	T
Allamakee	162E2	53	66.53	3525.85	59	0.8075	30	24	4.62	34.62	2303.11	NT
Allamakee	162E2	53	261.29	13848.11	59	0.8075					13848.11	T
Allamakee	163B	85	391.54	33281.05	59	0.8075	30	56	10.78	40.78	15967.07	NT
Allamakee	163B	85	3254.58	276639.05	59	0.8075					276639.05	T
Allamakee	163B2	83	75.44	6261.13	59	0.8075	30	54	10.40	40.40	3047.21	NT
Allamakee	163B2	83	942.18	78201.32	59	0.8075					78201.32	T
Allamakee	163C	70	1055.20	73864.28	59	0.8075	30	40	7.70	37.70	39781.19	NT
Allamakee	163C	70	1144.48	80113.58	59	0.8075					80113.58	T
Allamakee	163C2	68	2959.22	201227.08	59	0.8075	30	38	7.32	37.32	110423.36	NT
Allamakee	163C2	68	32006.62	2176450.09	59	0.8075					2176450.09	T
Allamakee	163D	60	2465.82	147948.91	59	0.8075	30	30	5.78	35.78	88214.53	NT
Allamakee	163D	60	1506.28	90376.54	59	0.8075					90376.54	T
Allamakee	163D2	58	6626.91	384360.59	59	0.8075	30	28	5.39	35.39	234526.23	NT
Allamakee	163D2	58	34188.00	1982904.18	59	0.8075					1982904.18	T
Allamakee	163E	50	2031.42	101570.85	59	0.8075	30	20	3.85	33.85	68763.47	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	163E	50	1167.02	58350.86	59	0.8075					58350.86	T
Allamakee	163E2	48	2035.27	97693.12	59	0.8075	30	18	3.47	33.47	68110.42	NT
Allamakee	163E2	48	5239.81	251510.67	59	0.8075					251510.67	T
Allamakee	163F	30	925.18	27755.32	59	0.8075	30	0	0.00	30.00	27755.32	NT
Allamakee	163F	30	270.97	8128.99	59	0.8075					8128.99	T
Allamakee	163G	19	247.52	4702.91	59	0.8075	19	0	0.00	19.00	4702.91	NT
Allamakee	163G	19	23.75	451.16	59	0.8075					451.16	T
Allamakee	178B	74	50.91	3767.27	59	0.8075	30	44	8.47	38.47	1958.47	NT
Allamakee	178B	74	257.19	19031.92	59	0.8075					19031.92	T
Allamakee	1793G	5	746.37	3731.87	59	0.8075	5	0	0.00	5.00	3731.87	NT
Allamakee	1793G	5	30.01	150.06	59	0.8075					150.06	T
Allamakee	183D2	13	0.16	2.12	59	0.8075	13	0	0.00	13.00	2.12	NT
Allamakee	183E	5	12.97	64.85	59	0.8075	5	0	0.00	5.00	64.85	NT
Allamakee	183E	5	1.04	5.22	59	0.8075					5.22	T
Allamakee	183E2	5	2.55	12.76	59	0.8075	5	0	0.00	5.00	12.76	NT
Allamakee	183E2	5	1.40	7.00	59	0.8075					7.00	T
Allamakee	183F	5	0.31	1.55	59	0.8075					1.55	T
Allamakee	1936	25	0.01	0.19	59	0.8075	25	0	0.00	25.00	0.19	NT
Allamakee	196B	33	705.45	23279.96	59	0.8075	30	4	0.77	30.77	21706.79	NT
Allamakee	196B	33	160.20	5286.66	59	0.8075					5286.66	T
Allamakee	196C	18	259.21	4665.83	59	0.8075	18	0	0.00	18.00	4665.83	NT
Allamakee	196C	18	50.33	905.90	59	0.8075					905.90	T
Allamakee	206C	45	51.10	2299.31	59	0.8075	30	16	3.08	33.08	1690.25	NT
Allamakee	206C	45	186.63	8398.42	59	0.8075					8398.42	T
Allamakee	210E	10	231.06	2310.58	59	0.8075	10	0	0.00	10.00	2310.58	NT
Allamakee	210E	10	124.82	1248.24	59	0.8075					1248.24	T
Allamakee	210F	5	515.87	2579.34	59	0.8075	5	0	0.00	5.00	2579.34	NT
Allamakee	210F	5	94.03	470.13	59	0.8075					470.13	T
Allamakee	210G	5	2985.64	14928.21	59	0.8075	5	0	0.00	5.00	14928.21	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	210G	5	223.82	1119.10	59	0.8075					1119.10	T
Allamakee	249C	20	167.07	3341.34	59	0.8075	20	0	0.00	20.00	3341.34	NT
Allamakee	249C	20	118.67	2373.35	59	0.8075					2373.35	T
Allamakee	2670	83	1130.70	93848.11	59	0.8075	30	54	10.40	40.40	45674.63	NT
Allamakee	2670	83	4791.31	397678.55	59	0.8075					397678.55	T
Allamakee	2671	88	3.79	333.80	59	0.8075	30	58	11.17	41.17	156.14	NT
Allamakee	2671	88	1.74	152.92	59	0.8075					152.92	T
Allamakee	285F	5	0.12	0.59	59	0.8075					0.59	T
Allamakee	291	90	17.86	1607.72	59	0.8075	30	60	11.55	41.55	742.23	NT
Allamakee	291	90	227.38	20463.90	59	0.8075					20463.90	T
Allamakee	320	83	929.74	77168.32	59	0.8075	30	54	10.40	40.40	37556.80	NT
Allamakee	320	83	305.41	25349.33	59	0.8075					25349.33	T
Allamakee	40D	5	1137.87	5689.35	59	0.8075	5	0	0.00	5.00	5689.35	NT
Allamakee	40D	5	548.24	2741.20	59	0.8075					2741.20	T
Allamakee	41B	40	59.42	2376.79	59	0.8075	30	10	1.93	31.93	1896.97	NT
Allamakee	41B	40	131.85	5274.05	59	0.8075					5274.05	T
Allamakee	41C	25	73.75	1843.71	59	0.8075	25	0	0.00	25.00	1843.71	NT
Allamakee	41C	25	105.68	2642.08	59	0.8075					2642.08	T
Allamakee	41D	15	168.16	2522.38	59	0.8075	15	0	0.00	15.00	2522.38	NT
Allamakee	41D	15	134.61	2019.22	59	0.8075					2019.22	T
Allamakee	478G	5	997.60	4987.98	59	0.8075	5	0	0.00	5.00	4987.98	NT
Allamakee	478G	5	50.29	251.44	59	0.8075					251.44	T
Allamakee	484	90	464.09	41768.42	59	0.8075	30	60	11.55	41.55	19283.09	NT
Allamakee	484	90	981.74	88356.21	59	0.8075					88356.21	T
Allamakee	485	92	113.26	10419.71	59	0.8075	30	62	11.94	41.94	4749.46	NT
Allamakee	485	92	151.18	13908.92	59	0.8075					13908.92	T
Allamakee	487B	68	528.25	35921.33	59	0.8075	30	38	7.32	37.32	19711.83	NT
Allamakee	487B	68	973.53	66199.99	59	0.8075					66199.99	T
Allamakee	490	68	280.54	19076.46	59	0.8075	30	38	7.32	37.32	10468.21	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	490	68	271.58	18467.48	59	0.8075					18467.48	T
Allamakee	496B	25	3.18	79.39	59	0.8075	25	0	0.00	25.00	79.39	NT
Allamakee	499C	5	210.16	1050.80	59	0.8075	5	0	0.00	5.00	1050.80	NT
Allamakee	499C	5	179.41	897.07	59	0.8075					897.07	T
Allamakee	499D	5	536.24	2681.22	59	0.8075	5	0	0.00	5.00	2681.22	NT
Allamakee	499D	5	297.29	1486.43	59	0.8075					1486.43	T
Allamakee	499D2	5	193.84	969.22	59	0.8075	5	0	0.00	5.00	969.22	NT
Allamakee	499D2	5	476.82	2384.08	59	0.8075					2384.08	T
Allamakee	499E	5	2016.44	10082.19	59	0.8075	5	0	0.00	5.00	10082.19	NT
Allamakee	499E	5	713.47	3567.35	59	0.8075					3567.35	T
Allamakee	499E2	5	275.47	1377.35	59	0.8075	5	0	0.00	5.00	1377.35	NT
Allamakee	499E2	5	360.91	1804.57	59	0.8075					1804.57	T
Allamakee	499F	5	3877.05	19385.24	59	0.8075	5	0	0.00	5.00	19385.24	NT
Allamakee	499F	5	594.90	2974.49	59	0.8075					2974.49	T
Allamakee	499G	5	7761.54	38807.71	59	0.8075	5	0	0.00	5.00	38807.71	NT
Allamakee	499G	5	253.63	1268.16	59	0.8075					1268.16	T
Allamakee	5010	0	38.57	0.00	59	0.8075	0	0	0.00	0.00	0.00	NT
Allamakee	5010	0	1.61	0.00	59	0.8075					0.00	T
Allamakee	5030	0	156.05	0.00	59	0.8075	0	0	0.00	0.00	0.00	NT
Allamakee	5030	0	2.38	0.00	59	0.8075					0.00	T
Allamakee	5040	5	145.19	725.97	59	0.8075	5	0	0.00	5.00	725.97	NT
Allamakee	5040	5	46.90	234.48	59	0.8075					234.48	T
Allamakee	589	85	91.02	7736.60	59	0.8075	30	56	10.78	40.78	3711.75	NT
Allamakee	589	85	186.48	15850.77	59	0.8075					15850.77	T
Allamakee	589+	85	0.09	7.37	59	0.8075					7.37	T
Allamakee	612D2	30	0.00	0.12	59	0.8075					0.12	T
Allamakee	612E2	28	0.02	0.59	59	0.8075					0.59	T
Allamakee	63B	40	51.16	2046.27	59	0.8075	30	10	1.93	31.93	1633.18	NT
Allamakee	63B	40	81.99	3279.62	59	0.8075					3279.62	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	63C	21	239.13	5021.79	59	0.8075	21	0	0.00	21.00	5021.79	NT
Allamakee	63C	21	79.62	1672.01	59	0.8075					1672.01	T
Allamakee	63D	11	183.49	2018.35	59	0.8075	11	0	0.00	11.00	2018.35	NT
Allamakee	63D	11	109.28	1202.07	59	0.8075					1202.07	T
Allamakee	63E	5	353.77	1768.84	59	0.8075	5	0	0.00	5.00	1768.84	NT
Allamakee	63E	5	145.44	727.22	59	0.8075					727.22	T
Allamakee	63F	5	193.93	969.63	59	0.8075	5	0	0.00	5.00	969.63	NT
Allamakee	63F	5	27.39	136.96	59	0.8075					136.96	T
Allamakee	63G	5	1060.35	5301.76	59	0.8075	5	0	0.00	5.00	5301.76	NT
Allamakee	63G	5	31.95	159.76	59	0.8075					159.76	T
Allamakee	703C	41	111.83	4584.83	59	0.8075	30	12	2.31	32.31	3613.07	NT
Allamakee	703C	41	131.04	5372.56	59	0.8075					5372.56	T
Allamakee	703C2	36	130.94	4713.73	59	0.8075	30	6	1.16	31.16	4079.34	NT
Allamakee	703C2	36	640.22	23047.79	59	0.8075					23047.79	T
Allamakee	703D	26	1209.45	31445.69	59	0.8075	26	0	0.00	26.00	31445.69	NT
Allamakee	703D	26	689.56	17928.46	59	0.8075					17928.46	T
Allamakee	703D2	21	1442.80	30298.82	59	0.8075	21	0	0.00	21.00	30298.82	NT
Allamakee	703D2	21	4152.45	87201.51	59	0.8075					87201.51	T
Allamakee	703E	11	2188.68	24075.45	59	0.8075	11	0	0.00	11.00	24075.45	NT
Allamakee	703E	11	759.60	8355.56	59	0.8075					8355.56	T
Allamakee	703E2	6	1400.29	8401.77	59	0.8075	6	0	0.00	6.00	8401.77	NT
Allamakee	703E2	6	1897.11	11382.66	59	0.8075					11382.66	T
Allamakee	703F	5	837.02	4185.08	59	0.8075	5	0	0.00	5.00	4185.08	NT
Allamakee	703F	5	117.99	589.95	59	0.8075					589.95	T
Allamakee	721C	43	63.50	2730.31	59	0.8075	30	14	2.70	32.70	2075.99	NT
Allamakee	721C	43	326.41	14035.53	59	0.8075					14035.53	T
Allamakee	721D	28	69.20	1937.53	59	0.8075	28	0	0.00	28.00	1937.53	NT
Allamakee	721D	28	155.85	4363.80	59	0.8075					4363.80	T
Allamakee	740C	5	74.46	372.31	59	0.8075	5	0	0.00	5.00	372.31	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	740C	5	135.12	675.59	59	0.8075					675.59	T
Allamakee	740G	5	252.27	1261.35	59	0.8075	5	0	0.00	5.00	1261.35	NT
Allamakee	740G	5	28.69	143.45	59	0.8075					143.45	T
Allamakee	778B	69	43.20	2980.81	59	0.8075	30	40	7.70	37.70	1628.65	NT
Allamakee	778B	69	117.83	8130.43	59	0.8075					8130.43	T
Allamakee	793B	80	138.48	11078.77	59	0.8075	30	50	9.63	39.63	5487.45	NT
Allamakee	793B	80	157.14	12571.17	59	0.8075					12571.17	T
Allamakee	793C	65	140.66	9142.63	59	0.8075	30	36	6.93	36.93	5194.42	NT
Allamakee	793C	65	187.04	12157.75	59	0.8075					12157.75	T
Allamakee	793D2	53	85.77	4545.71	59	0.8075	30	24	4.62	34.62	2969.30	NT
Allamakee	793D2	53	69.68	3693.01	59	0.8075					3693.01	T
Allamakee	793E	45	132.78	5975.23	59	0.8075	30	16	3.08	33.08	4392.46	NT
Allamakee	793E	45	32.07	1443.02	59	0.8075					1443.02	T
Allamakee	826	95	17.30	1643.07	59	0.8075	30	66	12.71	42.71	738.61	NT
Allamakee	826	95	172.02	16342.01	59	0.8075					16342.01	T
Allamakee	837C	48	187.98	9022.93	59	0.8075	30	18	3.47	33.47	6290.67	NT
Allamakee	837C	48	70.87	3401.79	59	0.8075					3401.79	T
Allamakee	837C2	43	145.90	6273.64	59	0.8075	30	14	2.70	32.70	4770.15	NT
Allamakee	837C2	43	711.17	30580.50	59	0.8075					30580.50	T
Allamakee	837D	33	1926.46	63573.26	59	0.8075	30	4	0.77	30.77	59277.25	NT
Allamakee	837D	33	854.76	28207.16	59	0.8075					28207.16	T
Allamakee	837D2	28	2560.28	71687.74	59	0.8075	28	0	0.00	28.00	71687.74	NT
Allamakee	837D2	28	8076.17	226132.89	59	0.8075					226132.89	T
Allamakee	837E	18	4870.93	87676.78	59	0.8075	18	0	0.00	18.00	87676.78	NT
Allamakee	837E	18	1700.66	30611.95	59	0.8075					30611.95	T
Allamakee	837E2	13	2434.80	31652.46	59	0.8075	13	0	0.00	13.00	31652.46	NT
Allamakee	837E2	13	3456.04	44928.51	59	0.8075					44928.51	T
Allamakee	837F	5	2717.19	13585.93	59	0.8075	5	0	0.00	5.00	13585.93	NT
Allamakee	837F	5	444.92	2224.58	59	0.8075					2224.58	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	838C2	48	26.27	1260.99	59	0.8075	30	18	3.47	33.47	879.15	NT
Allamakee	838C2	48	187.60	9004.63	59	0.8075					9004.63	T
Allamakee	838D	38	65.88	2503.32	59	0.8075	30	8	1.54	31.54	2077.76	NT
Allamakee	838D	38	172.48	6554.33	59	0.8075					6554.33	T
Allamakee	838D2	33	227.23	7498.60	59	0.8075	30	4	0.77	30.77	6991.87	NT
Allamakee	838D2	33	1309.04	43198.40	59	0.8075					43198.40	T
Allamakee	838E2	18	129.94	2338.98	59	0.8075	18	0	0.00	18.00	2338.98	NT
Allamakee	838E2	18	253.83	4568.89	59	0.8075					4568.89	T
Allamakee	840E	5	102.53	512.66	59	0.8075	5	0	0.00	5.00	512.66	NT
Allamakee	840E	5	13.94	69.72	59	0.8075					69.72	T
Allamakee	840F	5	553.97	2769.86	59	0.8075	5	0	0.00	5.00	2769.86	NT
Allamakee	840F	5	45.77	228.84	59	0.8075					228.84	T
Allamakee	840G	5	46554.24	232771.22	59	0.8075	5	0	0.00	5.00	232771.22	NT
Allamakee	840G	5	340.61	1703.05	59	0.8075					1703.05	T
Allamakee	841G	5	2601.93	13009.67	59	0.8075	5	0	0.00	5.00	13009.67	NT
Allamakee	841G	5	154.35	771.77	59	0.8075					771.77	T
Allamakee	843	75	268.07	20104.99	59	0.8075	30	46	8.86	38.86	10415.73	NT
Allamakee	843	75	1416.29	106221.78	59	0.8075					106221.78	T
Allamakee	85	88	2027.43	178413.59	59	0.8075	30	58	11.17	41.17	83459.04	NT
Allamakee	85	88	2678.94	235746.28	59	0.8075					235746.28	T
Allamakee	85B	83	1942.34	161214.59	59	0.8075	30	54	10.40	40.40	78461.00	NT
Allamakee	85B	83	2608.15	216476.32	59	0.8075					216476.32	T
Allamakee	861D	60	72.15	4329.26	59	0.8075	30	30	5.78	35.78	2581.32	NT
Allamakee	861D	60	49.51	2970.48	59	0.8075					2970.48	T
Allamakee	861D2	58	82.52	4785.99	59	0.8075	30	28	5.39	35.39	2920.28	NT
Allamakee	861D2	58	111.21	6450.32	59	0.8075					6450.32	T
Allamakee	861E	50	816.98	40848.96	59	0.8075	30	20	3.85	33.85	27654.75	NT
Allamakee	861E	50	214.61	10730.63	59	0.8075					10730.63	T
Allamakee	861E2	48	136.92	6572.18	59	0.8075	30	18	3.47	33.47	4582.04	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	861E2	48	188.66	9055.67	59	0.8075					9055.67	T
Allamakee	861F	30	1169.13	35073.97	59	0.8075	30	0	0.00	30.00	35073.97	NT
Allamakee	861F	30	180.11	5403.21	59	0.8075					5403.21	T
Allamakee	861G	20	690.94	13818.78	59	0.8075	20	0	0.00	20.00	13818.78	NT
Allamakee	861G	20	26.27	525.33	59	0.8075					525.33	T
Allamakee	862D	65	106.18	6901.85	59	0.8075	30	36	6.93	36.93	3921.31	NT
Allamakee	862D	65	177.90	11563.58	59	0.8075					11563.58	T
Allamakee	862D2	63	59.98	3778.92	59	0.8075	30	34	6.55	36.55	2192.07	NT
Allamakee	862D2	63	278.47	17543.84	59	0.8075					17543.84	T
Allamakee	862E	55	990.46	54475.36	59	0.8075	30	26	5.01	35.01	34671.09	NT
Allamakee	862E	55	938.43	51613.81	59	0.8075					51613.81	T
Allamakee	862E2	53	244.38	12952.10	59	0.8075	30	24	4.62	34.62	8460.41	NT
Allamakee	862E2	53	404.07	21415.60	59	0.8075					21415.60	T
Allamakee	862F	35	471.38	16498.30	59	0.8075	30	6	1.16	31.16	14685.85	NT
Allamakee	862F	35	194.82	6818.76	59	0.8075					6818.76	T
Allamakee	903C2	43	58.53	2516.65	59	0.8075	30	14	2.70	32.70	1913.53	NT
Allamakee	903C2	43	251.35	10808.04	59	0.8075					10808.04	T
Allamakee	903D	33	33.97	1120.86	59	0.8075	30	4	0.77	30.77	1045.11	NT
Allamakee	903D	33	151.68	5005.53	59	0.8075					5005.53	T
Allamakee	903D2	28	88.12	2467.32	59	0.8075	28	0	0.00	28.00	2467.32	NT
Allamakee	903D2	28	470.04	13161.15	59	0.8075					13161.15	T
Allamakee	903E2	13	104.86	1363.17	59	0.8075	13	0	0.00	13.00	1363.17	NT
Allamakee	903E2	13	170.43	2215.58	59	0.8075					2215.58	T
Allamakee	912C	28	100.01	2800.20	59	0.8075	28	0	0.00	28.00	2800.20	NT
Allamakee	912C	28	82.12	2299.34	59	0.8075					2299.34	T
Allamakee	912D	13	1228.77	15973.98	59	0.8075	13	0	0.00	13.00	15973.98	NT
Allamakee	912D	13	342.94	4458.18	59	0.8075					4458.18	T
Allamakee	912D2	8	503.67	4029.40	59	0.8075	8	0	0.00	8.00	4029.40	NT
Allamakee	912D2	8	1074.75	8597.98	59	0.8075					8597.98	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	912E	10	4351.75	43517.48	59	0.8075	10	0	0.00	10.00	43517.48	NT
Allamakee	912E	10	1299.32	12993.16	59	0.8075					12993.16	T
Allamakee	912E2	5	928.43	4642.14	59	0.8075	5	0	0.00	5.00	4642.14	NT
Allamakee	912E2	5	1115.18	5575.88	59	0.8075					5575.88	T
Allamakee	912F	5	17867.99	89339.93	59	0.8075	5	0	0.00	5.00	89339.93	NT
Allamakee	912F	5	1414.33	7071.63	59	0.8075					7071.63	T
Allamakee	930	75	497.78	37333.21	59	0.8075	30	46	8.86	38.86	19341.09	NT
Allamakee	930	75	740.07	55505.14	59	0.8075					55505.14	T
Allamakee	951G	5	275.92	1379.62	59	0.8075	5	0	0.00	5.00	1379.62	NT
Allamakee	951G	5	28.64	143.20	59	0.8075					143.20	T
Allamakee	965C2	45	0.05	2.06	59	0.8075	30	16	3.08	33.08	1.51	NT
Allamakee	965D2	30	5.84	175.25	59	0.8075	30	0	0.00	30.00	175.25	NT
Allamakee	965D2	30	5.71	171.18	59	0.8075					171.18	T
Allamakee	965E2	20	0.35	7.06	59	0.8075	20	0	0.00	20.00	7.06	NT
Allamakee	965E2	20	4.66	93.15	59	0.8075					93.15	T
Allamakee	965G	8	5.76	46.07	59	0.8075	8	0	0.00	8.00	46.07	NT
Allamakee	977	95	18.62	1769.06	59	0.8075	30	66	12.71	42.71	795.24	NT
Allamakee	977	95	175.83	16703.92	59	0.8075					16703.92	T
Allamakee	977B	90	27.40	2465.91	59	0.8075	30	60	11.55	41.55	1138.43	NT
Allamakee	977B	90	171.93	15473.58	59	0.8075					15473.58	T
Allamakee	978B	85	123.02	10456.69	59	0.8075	30	56	10.78	40.78	5016.75	NT
Allamakee	978B	85	415.34	35303.58	59	0.8075					35303.58	T
Allamakee	978C	70	56.16	3931.11	59	0.8075	30	40	7.70	37.70	2117.18	NT
Allamakee	978C	70	159.96	11197.45	59	0.8075					11197.45	T
Allamakee	98	95	327.04	31068.59	59	0.8075	30	66	12.71	42.71	13966.15	NT
Allamakee	98	95	675.26	64149.36	59	0.8075					64149.36	T
Allamakee	981B	90	363.71	32733.83	59	0.8075	30	60	11.55	41.55	15112.12	NT
Allamakee	981B	90	672.60	60534.28	59	0.8075					60534.28	T
Allamakee	98B	90	105.66	9509.38	59	0.8075	30	60	11.55	41.55	4390.16	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Allamakee	98B	90	90.88	8178.84	59	0.8075					8178.84	T
Allamakee	INT	0	18.96	0.00	59	0.8075	0	0	0.00	0.00	0.00	NT
Allamakee	SL	0	6.51	0.00	59	0.8075	0	0	0.00	0.00	0.00	NT
Allamakee	W	0	293.51	0.00	59	0.8075	0	0	0.00	0.00	0.00	NT
Allamakee	W	0	10.27	0.00	59	0.8075					0.00	T
											0.00	
											0.00	
Appanoose	130	63	52.45	3304.25	44	0.7129	22	41	11.77	33.77	1771.24	NT
Appanoose	130	63	543.70	34253.05	44	0.7129					34253.05	T
Appanoose	131B	67	582.18	39006.35	44	0.7129	22	45	12.92	34.92	20329.59	NT
Appanoose	131B	67	2231.85	149534.09	44	0.7129					149534.09	T
Appanoose	131C	50	98.11	4905.37	44	0.7129	22	28	8.04	30.04	2947.03	NT
Appanoose	131C	50	509.63	25481.63	44	0.7129					25481.63	T
Appanoose	131C2	45	132.70	5971.38	44	0.7129	22	23	6.60	28.60	3795.58	NT
Appanoose	131C2	45	485.46	21845.54	44	0.7129					21845.54	T
Appanoose	132B	60	423.87	25432.14	44	0.7129	22	38	10.91	32.91	13949.44	NT
Appanoose	132B	60	668.20	40092.17	44	0.7129					40092.17	T
Appanoose	132B2	56	1313.03	73529.75	44	0.7129	22	34	9.76	31.76	41703.71	NT
Appanoose	132B2	56	857.36	48012.15	44	0.7129					48012.15	T
Appanoose	132C	44	13.29	584.82	44	0.7129	22	22	6.32	28.32	376.36	NT
Appanoose	132C	44	0.99	43.74	44	0.7129					43.74	T
Appanoose	132C2	40	1055.09	42203.41	44	0.7129	22	18	5.17	27.17	28664.35	NT
Appanoose	132C2	40	905.04	36201.78	44	0.7129					36201.78	T
Appanoose	132D2	28	79.49	2225.76	44	0.7129	22	6	1.72	23.72	1885.74	NT
Appanoose	132D2	28	163.12	4567.36	44	0.7129					4567.36	T
Appanoose	133	80	1.04	82.92	44	0.7129	22	58	16.65	38.65	40.06	NT
Appanoose	133+	85	56.02	4761.96	44	0.7129	22	63	18.09	40.09	2245.82	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	133+	85	167.20	14212.32	44	0.7129					14212.32	T
Appanoose	133A	80	192.26	15380.64	44	0.7129	22	58	16.65	38.65	7431.12	NT
Appanoose	133A	80	561.00	44879.71	44	0.7129					44879.71	T
Appanoose	133B	75	191.15	14336.05	44	0.7129	22	53	15.22	37.22	7113.80	NT
Appanoose	133B	75	314.09	23556.84	44	0.7129					23556.84	T
Appanoose	13B	65	17824.35	1158582.74	44	0.7129	22	43	12.35	34.35	612182.64	NT
Appanoose	13B	65	5544.92	360419.92	44	0.7129					360419.92	T
Appanoose	1715	25	0.33	8.28	44	0.7129	22	3	0.86	22.86	7.57	NT
Appanoose	1715	25	0.12	3.04	44	0.7129					3.04	T
Appanoose	172	45	771.79	34730.56	44	0.7129	22	23	6.60	28.60	22075.75	NT
Appanoose	172	45	469.70	21136.37	44	0.7129					21136.37	T
Appanoose	179D2	43	822.90	35384.76	44	0.7129	22	21	6.03	28.03	23065.18	NT
Appanoose	179D2	43	829.96	35688.37	44	0.7129					35688.37	T
Appanoose	179D3	40	208.55	8341.89	44	0.7129	22	18	5.17	27.17	5665.77	NT
Appanoose	179D3	40	285.55	11422.16	44	0.7129					11422.16	T
Appanoose	179E	35	421.95	14768.16	44	0.7129	22	13	3.73	25.73	10857.68	NT
Appanoose	179E	35	57.24	2003.39	44	0.7129					2003.39	T
Appanoose	179E2	33	6689.46	220752.05	44	0.7129	22	11	3.16	25.16	168294.01	NT
Appanoose	179E2	33	4579.42	151120.81	44	0.7129					151120.81	T
Appanoose	179E3	30	1130.42	33912.54	44	0.7129	22	8	2.30	24.30	27465.54	NT
Appanoose	179E3	30	1155.18	34655.39	44	0.7129					34655.39	T
Appanoose	179F2	14	1624.68	22745.49	44	0.7129	14	0	0.00	14.00	22745.49	NT
Appanoose	179F2	14	486.78	6814.97	44	0.7129					6814.97	T
Appanoose	192C	35	83.86	2935.27	44	0.7129	22	13	3.73	25.73	2158.03	NT
Appanoose	192C	35	140.62	4921.58	44	0.7129					4921.58	T
Appanoose	192C2	30	729.72	21891.60	44	0.7129	22	8	2.30	24.30	17729.86	NT
Appanoose	192C2	30	2874.60	86238.07	44	0.7129					86238.07	T
Appanoose	192D2	15	238.21	3573.09	44	0.7129	15	0	0.00	15.00	3573.09	NT
Appanoose	192D2	15	336.60	5049.06	44	0.7129					5049.06	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	208	55	219.25	12058.71	44	0.7129	22	33	9.47	31.47	6900.72	NT
Appanoose	208	55	266.41	14652.66	44	0.7129					14652.66	T
Appanoose	211	60	925.29	55517.12	44	0.7129	22	38	10.91	32.91	30450.95	NT
Appanoose	211	60	22838.90	1370333.95	44	0.7129					1370333.95	T
Appanoose	220	85	857.94	72924.62	44	0.7129	22	63	18.09	40.09	34392.37	NT
Appanoose	220	85	598.43	50866.87	44	0.7129					50866.87	T
Appanoose	222C	30	473.53	14205.97	44	0.7129	22	8	2.30	24.30	11505.32	NT
Appanoose	222C	30	1898.22	56946.60	44	0.7129					56946.60	T
Appanoose	222C2	25	4494.88	112372.03	44	0.7129	22	3	0.86	22.86	102758.82	NT
Appanoose	222C2	25	20417.45	510436.23	44	0.7129					510436.23	T
Appanoose	222C3	15	202.17	3032.54	44	0.7129	15	0	0.00	15.00	3032.54	NT
Appanoose	222C3	15	1163.79	17456.84	44	0.7129					17456.84	T
Appanoose	222D2	10	158.91	1589.13	44	0.7129	10	0	0.00	10.00	1589.13	NT
Appanoose	222D2	10	242.66	2426.58	44	0.7129					2426.58	T
Appanoose	23C2	50	0.03	1.28	44	0.7129					1.28	T
Appanoose	24D2	48	1226.33	58863.82	44	0.7129	22	26	7.46	29.46	36133.31	NT
Appanoose	24D2	48	2197.51	105480.53	44	0.7129					105480.53	T
Appanoose	24D3	45	181.12	8150.21	44	0.7129	22	23	6.60	28.60	5180.51	NT
Appanoose	24D3	45	396.12	17825.51	44	0.7129					17825.51	T
Appanoose	24E2	38	994.64	37796.13	44	0.7129	22	16	4.59	26.59	26450.93	NT
Appanoose	24E2	38	1390.89	52853.92	44	0.7129					52853.92	T
Appanoose	24E3	35	84.76	2966.77	44	0.7129	22	13	3.73	25.73	2181.19	NT
Appanoose	24E3	35	213.40	7468.91	44	0.7129					7468.91	T
Appanoose	260	50	42.42	2120.77	44	0.7129	22	28	8.04	30.04	1274.11	NT
Appanoose	260	50	132.66	6632.85	44	0.7129					6632.85	T
Appanoose	261	54	97.50	5264.83	44	0.7129	22	32	9.19	31.19	3040.65	NT
Appanoose	261	54	1433.44	77405.53	44	0.7129					77405.53	T
Appanoose	269A	58	134.88	7822.79	44	0.7129	22	36	10.34	32.34	4361.29	NT
Appanoose	269A	58	226.79	13153.69	44	0.7129					13153.69	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	269B	53	45.86	2430.47	44	0.7129	22	31	8.90	30.90	1417.01	NT
Appanoose	269B	53	105.11	5570.81	44	0.7129					5570.81	T
Appanoose	273B	72	313.29	22556.92	44	0.7129	22	50	14.36	36.36	11389.68	NT
Appanoose	273B	72	494.34	35592.73	44	0.7129					35592.73	T
Appanoose	273C	57	0.19	10.80	44	0.7129	22	35	10.05	32.05	6.07	NT
Appanoose	312B	60	1845.67	110740.20	44	0.7129	22	38	10.91	32.91	60740.63	NT
Appanoose	312B	60	21703.54	1302212.61	44	0.7129					1302212.61	T
Appanoose	312C2	35	104.37	3652.79	44	0.7129	22	13	3.73	25.73	2685.56	NT
Appanoose	312C2	35	664.88	23270.69	44	0.7129					23270.69	T
Appanoose	313D2	10	367.82	3678.25	44	0.7129	10	0	0.00	10.00	3678.25	NT
Appanoose	313D2	10	164.76	1647.59	44	0.7129					1647.59	T
Appanoose	313E2	5	400.42	2002.09	44	0.7129	5	0	0.00	5.00	2002.09	NT
Appanoose	313E2	5	100.08	500.38	44	0.7129					500.38	T
Appanoose	313F2	5	167.56	837.79	44	0.7129	5	0	0.00	5.00	837.79	NT
Appanoose	313F2	5	19.73	98.64	44	0.7129					98.64	T
Appanoose	315	30	661.46	19843.76	44	0.7129	22	8	2.30	24.30	16071.33	NT
Appanoose	315	30	304.64	9139.11	44	0.7129					9139.11	T
Appanoose	354	5	303.44	1517.19	44	0.7129	5	0	0.00	5.00	1517.19	NT
Appanoose	354	5	45.61	228.05	44	0.7129					228.05	T
Appanoose	362	70	78.78	5514.80	44	0.7129	22	48	13.78	35.78	2818.91	NT
Appanoose	362	70	2568.66	179806.02	44	0.7129					179806.02	T
Appanoose	364B	75	373.79	28034.28	44	0.7129	22	53	15.22	37.22	13911.10	NT
Appanoose	364B	75	3981.63	298622.32	44	0.7129					298622.32	T
Appanoose	405	55	0.68	37.25	44	0.7129	22	33	9.47	31.47	21.32	NT
Appanoose	405	55	4.28	235.14	44	0.7129					235.14	T
Appanoose	406	90	3866.41	347977.27	44	0.7129	22	68	19.52	41.52	160544.34	NT
Appanoose	406	90	1384.73	124626.00	44	0.7129					124626.00	T
Appanoose	413D2	5	820.35	4101.75	44	0.7129	5	0	0.00	5.00	4101.75	NT
Appanoose	413D2	5	148.32	741.61	44	0.7129					741.61	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	422	85	1379.51	117258.17	44	0.7129	22	63	18.09	40.09	55300.75	NT
Appanoose	422	85	715.93	60854.27	44	0.7129					60854.27	T
Appanoose	423D2	13	0.87	11.35	44	0.7129	13	0	0.00	13.00	11.35	NT
Appanoose	423D2	13	0.16	2.09	44	0.7129					2.09	T
Appanoose	424E2	5	0.78	3.89	44	0.7129	5	0	0.00	5.00	3.89	NT
Appanoose	425C	28	249.47	6985.10	44	0.7129	22	6	1.72	23.72	5918.03	NT
Appanoose	425C	28	57.40	1607.29	44	0.7129					1607.29	T
Appanoose	425C2	24	3515.44	84370.51	44	0.7129	22	2	0.57	22.57	79358.20	NT
Appanoose	425C2	24	1729.33	41503.90	44	0.7129					41503.90	T
Appanoose	425D	16	399.14	6386.21	44	0.7129	16	0	0.00	16.00	6386.21	NT
Appanoose	425D	16	44.95	719.18	44	0.7129					719.18	T
Appanoose	425D2	12	1722.72	20672.67	44	0.7129	12	0	0.00	12.00	20672.67	NT
Appanoose	425D2	12	807.30	9687.60	44	0.7129					9687.60	T
Appanoose	425D3	9	261.55	2353.94	44	0.7129	9	0	0.00	9.00	2353.94	NT
Appanoose	425D3	9	264.71	2382.41	44	0.7129					2382.41	T
Appanoose	452B	50	40.19	2009.27	44	0.7129	22	28	8.04	30.04	1207.12	NT
Appanoose	452B	50	142.90	7145.14	44	0.7129					7145.14	T
Appanoose	452C	35	240.84	8429.45	44	0.7129	22	13	3.73	25.73	6197.41	NT
Appanoose	452C	35	596.49	20877.17	44	0.7129					20877.17	T
Appanoose	452C2	30	255.77	7673.22	44	0.7129	22	8	2.30	24.30	6214.49	NT
Appanoose	452C2	30	669.25	20077.43	44	0.7129					20077.43	T
Appanoose	453A	53	226.16	11986.35	44	0.7129	22	31	8.90	30.90	6988.29	NT
Appanoose	453A	53	472.26	25029.67	44	0.7129					25029.67	T
Appanoose	453B	48	73.23	3514.94	44	0.7129	22	26	7.46	29.46	2157.63	NT
Appanoose	453B	48	153.76	7380.70	44	0.7129					7380.70	T
Appanoose	467	85	195.87	16648.64	44	0.7129	22	63	18.09	40.09	7851.75	NT
Appanoose	467	85	348.76	29644.19	44	0.7129					29644.19	T
Appanoose	484	90	20.23	1820.48	44	0.7129	22	68	19.52	41.52	839.91	NT
Appanoose	484	90	0.05	4.45	44	0.7129					4.45	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	5010	0	41.30	0.00	44	0.7129	0	0	0.00	0.00	0.00	NT
Appanoose	5010	0	7.75	0.00	44	0.7129					0.00	T
Appanoose	5020	0	124.19	0.00	44	0.7129	0	0	0.00	0.00	0.00	NT
Appanoose	5020	0	16.54	0.00	44	0.7129					0.00	T
Appanoose	5030	0	681.68	0.00	44	0.7129	0	0	0.00	0.00	0.00	NT
Appanoose	5030	0	79.38	0.00	44	0.7129					0.00	T
Appanoose	5040	5	93.69	468.43	44	0.7129	5	0	0.00	5.00	468.43	NT
Appanoose	5040	5	13.21	66.07	44	0.7129					66.07	T
Appanoose	5080	0	4.14	0.00	44	0.7129	0	0	0.00	0.00	0.00	NT
Appanoose	51	70	2.49	174.05	44	0.7129	22	48	13.78	35.78	88.97	NT
Appanoose	51	70	1.00	70.09	44	0.7129					70.09	T
Appanoose	51A	70	402.18	28152.85	44	0.7129	22	48	13.78	35.78	14390.45	NT
Appanoose	51A	70	1477.20	103404.20	44	0.7129					103404.20	T
Appanoose	51B	65	228.46	14849.81	44	0.7129	22	43	12.35	34.35	7846.48	NT
Appanoose	51B	65	371.36	24138.17	44	0.7129					24138.17	T
Appanoose	520	65	1094.70	71155.58	44	0.7129	22	43	12.35	34.35	37597.84	NT
Appanoose	520	65	568.61	36959.61	44	0.7129					36959.61	T
Appanoose	531B	58	1634.09	94777.32	44	0.7129	22	36	10.34	32.34	52839.34	NT
Appanoose	531B	58	9422.39	546498.68	44	0.7129					546498.68	T
Appanoose	531C	36	174.14	6268.95	44	0.7129	22	14	4.02	26.02	4530.95	NT
Appanoose	531C	36	674.07	24266.46	44	0.7129					24266.46	T
Appanoose	531C2	32	294.08	9410.43	44	0.7129	22	10	2.87	24.87	7313.96	NT
Appanoose	531C2	32	1469.76	47032.48	44	0.7129					47032.48	T
Appanoose	532B	48	527.96	25342.12	44	0.7129	22	26	7.46	29.46	15556.15	NT
Appanoose	532B	48	903.72	43378.68	44	0.7129					43378.68	T
Appanoose	532B2	43	403.19	17337.29	44	0.7129	22	21	6.03	28.03	11301.13	NT
Appanoose	532B2	43	475.72	20455.76	44	0.7129					20455.76	T
Appanoose	532C	32	311.26	9960.44	44	0.7129	22	10	2.87	24.87	7741.44	NT
Appanoose	532C	32	321.30	10281.54	44	0.7129					10281.54	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	532C2	28	843.16	23608.60	44	0.7129	22	6	1.72	23.72	20002.05	NT
Appanoose	532C2	28	1425.15	39904.15	44	0.7129					39904.15	T
Appanoose	534	43	489.47	21047.41	44	0.7129	22	21	6.03	28.03	13719.53	NT
Appanoose	534	43	553.66	23807.52	44	0.7129					23807.52	T
Appanoose	54	70	1.34	93.79	44	0.7129	22	48	13.78	35.78	47.94	NT
Appanoose	54	70	0.51	35.86	44	0.7129					35.86	T
Appanoose	54+	75	1.73	129.91	44	0.7129	22	53	15.22	37.22	64.46	NT
Appanoose	54A	70	397.15	27800.65	44	0.7129	22	48	13.78	35.78	14210.42	NT
Appanoose	54A	70	1104.49	77314.25	44	0.7129					77314.25	T
Appanoose	54B	65	140.15	9109.77	44	0.7129	22	43	12.35	34.35	4813.50	NT
Appanoose	54B	65	225.95	14686.54	44	0.7129					14686.54	T
Appanoose	56B	72	136.12	9800.90	44	0.7129	22	50	14.36	36.36	4948.77	NT
Appanoose	56B	72	212.04	15266.81	44	0.7129					15266.81	T
Appanoose	587	65	1601.29	104084.04	44	0.7129	22	43	12.35	34.35	54996.89	NT
Appanoose	587	65	2004.24	130275.28	44	0.7129					130275.28	T
Appanoose	58D2	28	0.39	10.83	44	0.7129	22	6	1.72	23.72	9.18	NT
Appanoose	58E2	18	2.86	51.45	44	0.7129	18	0	0.00	18.00	51.45	NT
Appanoose	592C2	21	438.97	9218.47	44	0.7129	21	0	0.00	21.00	9218.47	NT
Appanoose	592C2	21	1012.69	21266.41	44	0.7129					21266.41	T
Appanoose	592C3	5	28.87	144.35	44	0.7129	5	0	0.00	5.00	144.35	NT
Appanoose	592C3	5	90.31	451.57	44	0.7129					451.57	T
Appanoose	592D2	5	1699.88	8499.38	44	0.7129	5	0	0.00	5.00	8499.38	NT
Appanoose	592D2	5	1800.28	9001.42	44	0.7129					9001.42	T
Appanoose	592D3	5	1151.73	5758.64	44	0.7129	5	0	0.00	5.00	5758.64	NT
Appanoose	592D3	5	1491.08	7455.41	44	0.7129					7455.41	T
Appanoose	65D	35	4.01	140.27	44	0.7129	22	13	3.73	25.73	103.13	NT
Appanoose	65E	25	0.03	0.74	44	0.7129	22	3	0.86	22.86	0.67	NT
Appanoose	65E2	24	3409.87	81836.80	44	0.7129	22	2	0.57	22.57	76975.01	NT
Appanoose	65E2	24	1052.39	25257.35	44	0.7129					25257.35	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	65E3	25	690.74	17268.55	44	0.7129	22	3	0.86	22.86	15791.26	NT
Appanoose	65E3	25	489.16	12228.99	44	0.7129					12228.99	T
Appanoose	65F	10	1720.19	17201.94	44	0.7129	10	0	0.00	10.00	17201.94	NT
Appanoose	65F	10	147.21	1472.15	44	0.7129					1472.15	T
Appanoose	65F2	8	11878.29	95026.36	44	0.7129	8	0	0.00	8.00	95026.36	NT
Appanoose	65F2	8	1556.27	12450.17	44	0.7129					12450.17	T
Appanoose	65F3	5	591.20	2955.99	44	0.7129	5	0	0.00	5.00	2955.99	NT
Appanoose	65F3	5	278.62	1393.09	44	0.7129					1393.09	T
Appanoose	65G	5	89.26	446.31	44	0.7129	5	0	0.00	5.00	446.31	NT
Appanoose	65G	5	1.11	5.54	44	0.7129					5.54	T
Appanoose	65G2	5	874.08	4370.40	44	0.7129	5	0	0.00	5.00	4370.40	NT
Appanoose	65G2	5	69.99	349.95	44	0.7129					349.95	T
Appanoose	715	5	0.00	0.00	44	0.7129	5	0	0.00	5.00	0.00	NT
Appanoose	715	5	2.17	10.85	44	0.7129					10.85	T
Appanoose	732C2	40	6.41	256.47	44	0.7129	22	18	5.17	27.17	174.19	NT
Appanoose	732C2	40	0.02	0.66	44	0.7129					0.66	T
Appanoose	752C	40	178.03	7121.29	44	0.7129	22	18	5.17	27.17	4836.75	NT
Appanoose	752C	40	492.97	19718.69	44	0.7129					19718.69	T
Appanoose	752C2	35	291.42	10199.57	44	0.7129	22	13	3.73	25.73	7498.81	NT
Appanoose	752C2	35	1129.75	39541.38	44	0.7129					39541.38	T
Appanoose	792C2	26	4793.81	124639.16	44	0.7129	22	4	1.15	23.15	110969.12	NT
Appanoose	792C2	26	9320.80	242340.88	44	0.7129					242340.88	T
Appanoose	792C3	16	151.35	2421.60	44	0.7129	16	0	0.00	16.00	2421.60	NT
Appanoose	792C3	16	346.57	5545.10	44	0.7129					5545.10	T
Appanoose	792D2	11	1373.88	15112.72	44	0.7129	11	0	0.00	11.00	15112.72	NT
Appanoose	792D2	11	1685.81	18543.88	44	0.7129					18543.88	T
Appanoose	792D3	5	255.23	1276.15	44	0.7129	5	0	0.00	5.00	1276.15	NT
Appanoose	792D3	5	494.89	2474.43	44	0.7129					2474.43	T
Appanoose	795C2	15	227.28	3409.18	44	0.7129	15	0	0.00	15.00	3409.18	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	795C2	15	175.32	2629.73	44	0.7129					2629.73	T
Appanoose	795D2	5	202.37	1011.87	44	0.7129	5	0	0.00	5.00	1011.87	NT
Appanoose	795D2	5	137.34	686.70	44	0.7129					686.70	T
Appanoose	7A	85	177.89	15120.33	44	0.7129	22	63	18.09	40.09	7130.98	NT
Appanoose	7A	85	201.17	17099.32	44	0.7129					17099.32	T
Appanoose	822D2	15	1916.35	28745.32	44	0.7129	15	0	0.00	15.00	28745.32	NT
Appanoose	822D2	15	3532.89	52993.35	44	0.7129					52993.35	T
Appanoose	822D3	10	252.92	2529.15	44	0.7129	10	0	0.00	10.00	2529.15	NT
Appanoose	822D3	10	549.69	5496.93	44	0.7129					5496.93	T
Appanoose	93D2	33	1281.45	42287.69	44	0.7129	22	11	3.16	25.16	32238.72	NT
Appanoose	93D2	33	2081.90	68702.75	44	0.7129					68702.75	T
Appanoose	93D3	20	282.87	5657.37	44	0.7129	20	0	0.00	20.00	5657.37	NT
Appanoose	93D3	20	485.35	9706.94	44	0.7129					9706.94	T
Appanoose	94D2	10	267.84	2678.44	44	0.7129	10	0	0.00	10.00	2678.44	NT
Appanoose	94D2	10	191.37	1913.73	44	0.7129					1913.73	T
Appanoose	94D3	5	76.74	383.68	44	0.7129	5	0	0.00	5.00	383.68	NT
Appanoose	94D3	5	122.18	610.92	44	0.7129					610.92	T
Appanoose	94E2	5	498.72	2493.62	44	0.7129	5	0	0.00	5.00	2493.62	NT
Appanoose	94E2	5	217.07	1085.36	44	0.7129					1085.36	T
Appanoose	94E3	5	374.37	1871.84	44	0.7129	5	0	0.00	5.00	1871.84	NT
Appanoose	94E3	5	220.16	1100.78	44	0.7129					1100.78	T
Appanoose	993D2	20	3550.60	71011.93	44	0.7129	20	0	0.00	20.00	71011.93	NT
Appanoose	993D2	20	3457.43	69148.54	44	0.7129					69148.54	T
Appanoose	993D3	15	972.51	14587.67	44	0.7129	15	0	0.00	15.00	14587.67	NT
Appanoose	993D3	15	1195.28	17929.14	44	0.7129					17929.14	T
Appanoose	993E2	10	463.77	4637.75	44	0.7129	10	0	0.00	10.00	4637.75	NT
Appanoose	993E2	10	324.94	3249.38	44	0.7129					3249.38	T
Appanoose	993E3	5	217.05	1085.24	44	0.7129	5	0	0.00	5.00	1085.24	NT
Appanoose	993E3	5	231.06	1155.32	44	0.7129					1155.32	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	AaC2	30	0.42	12.61	44	0.7129					12.61	T
Appanoose	AaD2	15	0.19	2.87	44	0.7129	15	0	0.00	15.00	2.87	NT
Appanoose	AaD2	15	0.15	2.24	44	0.7129					2.24	T
Appanoose	AdC3	20	0.08	1.63	44	0.7129	20	0	0.00	20.00	1.63	NT
Appanoose	AdD3	5	0.07	0.33	44	0.7129	5	0	0.00	5.00	0.33	NT
Appanoose	AdD3	5	0.24	1.18	44	0.7129					1.18	T
Appanoose	AsD2	25	0.43	10.87	44	0.7129	22	3	0.86	22.86	9.94	NT
Appanoose	AsD2	25	0.05	1.31	44	0.7129					1.31	T
Appanoose	AW	0	1.19	0.00	44	0.7129	0	0	0.00	0.00	0.00	NT
Appanoose	ClC2	25	0.15	3.83	44	0.7129	22	3	0.86	22.86	3.50	NT
Appanoose	ClC2	25	0.11	2.82	44	0.7129					2.82	T
Appanoose	ClD2	10	0.06	0.62	44	0.7129	10	0	0.00	10.00	0.62	NT
Appanoose	ClD2	10	0.27	2.73	44	0.7129					2.73	T
Appanoose	Ed	60	0.05	3.12	44	0.7129					3.12	T
Appanoose	GaE2	33	0.15	4.95	44	0.7129	22	11	3.16	25.16	3.77	NT
Appanoose	GaE2	33	0.15	5.05	44	0.7129					5.05	T
Appanoose	INT	0	27.72	0.00	44	0.7129	0	0	0.00	0.00	0.00	NT
Appanoose	INT	0	10.61	0.00	44	0.7129					0.00	T
Appanoose	KnB	54	0.11	6.01	44	0.7129	22	32	9.19	31.19	3.47	NT
Appanoose	KnC	36	0.16	5.76	44	0.7129	22	14	4.02	26.02	4.16	NT
Appanoose	KnC	36	0.03	1.00	44	0.7129					1.00	T
Appanoose	LaD2	52	0.02	1.05	44	0.7129					1.05	T
Appanoose	LvC	36	0.08	2.91	44	0.7129	22	14	4.02	26.02	2.11	NT
Appanoose	OvB	60	0.69	41.65	44	0.7129	22	38	10.91	32.91	22.84	NT
Appanoose	OvB	60	0.21	12.75	44	0.7129					12.75	T
Appanoose	SeB	60	0.19	11.50	44	0.7129					11.50	T
Appanoose	SfC	40	0.36	14.37	44	0.7129	22	18	5.17	27.17	9.76	NT
Appanoose	SfC	40	0.40	16.18	44	0.7129					16.18	T
Appanoose	SfC2	35	0.27	9.41	44	0.7129					9.41	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Appanoose	ShD2	48	0.27	13.05	44	0.7129	22	26	7.46	29.46	8.01	NT
Appanoose	ShD2	48	0.37	17.75	44	0.7129					17.75	T
Appanoose	ShE2	38	0.05	1.86	44	0.7129	22	16	4.59	26.59	1.30	NT
Appanoose	ShE2	38	0.02	0.71	44	0.7129					0.71	T
Appanoose	SL	0	0.57	0.00	44	0.7129	0	0	0.00	0.00	0.00	NT
Appanoose	SoE3	35	0.05	1.85	44	0.7129	22	13	3.73	25.73	1.36	NT
Appanoose	SoE3	35	0.19	6.49	44	0.7129					6.49	T
Appanoose	T130	63	18.65	1175.00	44	0.7129	22	41	11.77	33.77	629.86	NT
Appanoose	T130	63	135.70	8549.04	44	0.7129					8549.04	T
Appanoose	T131B	67	68.41	4583.38	44	0.7129	22	45	12.92	34.92	2388.80	NT
Appanoose	T131B	67	370.75	24840.07	44	0.7129					24840.07	T
Appanoose	T131C	49	40.75	1996.82	44	0.7129	22	27	7.75	29.75	1212.42	NT
Appanoose	T131C	49	110.05	5392.36	44	0.7129					5392.36	T
Appanoose	T132B	60	101.82	6108.94	44	0.7129	22	38	10.91	32.91	3350.73	NT
Appanoose	T132B	60	189.21	11352.74	44	0.7129					11352.74	T
Appanoose	T132C2	40	80.49	3219.72	44	0.7129	22	18	5.17	27.17	2186.82	NT
Appanoose	T132C2	40	125.41	5016.38	44	0.7129					5016.38	T
Appanoose	W	0	3452.84	0.00	44	0.7129	0	0	0.00	0.00	0.00	NT
Appanoose	W	0	37.15	0.00	44	0.7129					0.00	T
											0.00	
											0.00	
Audubon	11B	68	6488.87	441242.88	61	0.6957	30	38	11.56	41.56	269699.33	NT
Audubon	11B	68	43549.22	2961346.93	61	0.6957					2961346.93	T
Audubon	133	80	923.12	73849.77	61	0.6957	30	50	15.22	45.22	41738.97	NT
Audubon	133	80	4934.79	394783.00	61	0.6957					394783.00	T
Audubon	133A+	85	0.30	25.47	61	0.6957	30	54	16.43	46.43	13.91	NT
Audubon	133A+	85	0.08	6.62	61	0.6957					6.62	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Audubon	179E	35	310.26	10859.16	61	0.6957	30	4	1.22	31.22	9685.50	NT
Audubon	179E	35	283.60	9926.11	61	0.6957					9926.11	T
Audubon	179F	15	536.49	8047.35	61	0.6957	15	0	0.00	15.00	8047.35	NT
Audubon	179F	15	509.34	7640.08	61	0.6957					7640.08	T
Audubon	179G	5	378.05	1890.23	61	0.6957	5	0	0.00	5.00	1890.23	NT
Audubon	179G	5	215.23	1076.17	61	0.6957					1076.17	T
Audubon	192C2	30	83.26	2497.95	61	0.6957	30	0	0.00	30.00	2497.95	NT
Audubon	192C2	30	926.72	27801.51	61	0.6957					27801.51	T
Audubon	192D2	15	78.35	1175.32	61	0.6957	15	0	0.00	15.00	1175.32	NT
Audubon	192D2	15	1560.79	23411.82	61	0.6957					23411.82	T
Audubon	192D3	5	3.47	17.35	61	0.6957	5	0	0.00	5.00	17.35	NT
Audubon	192D3	5	362.45	1812.26	61	0.6957					1812.26	T
Audubon	1C3	55	17.09	939.81	61	0.6957	30	24	7.30	37.30	637.42	NT
Audubon	1C3	55	501.14	27562.76	61	0.6957					27562.76	T
Audubon	212	94	181.51	17061.64	61	0.6957	30	64	19.48	49.48	8980.09	NT
Audubon	212	94	796.00	74823.54	61	0.6957					74823.54	T
Audubon	220	85	1080.97	91882.76	61	0.6957	30	54	16.43	46.43	50191.98	NT
Audubon	220	85	2129.63	181018.27	61	0.6957					181018.27	T
Audubon	222D2	10	43.99	439.93	61	0.6957	10	0	0.00	10.00	439.93	NT
Audubon	222D2	10	794.52	7945.21	61	0.6957					7945.21	T
Audubon	248	60	39.49	2369.66	61	0.6957	30	30	9.13	39.13	1545.37	NT
Audubon	248	60	898.97	53938.27	61	0.6957					53938.27	T
Audubon	24C2	58	0.14	8.35	61	0.6957					8.35	T
Audubon	24C3	55	72.64	3995.43	61	0.6957	30	24	7.30	37.30	2709.86	NT
Audubon	24C3	55	907.19	49895.53	61	0.6957					49895.53	T
Audubon	24D2	48	254.69	12225.02	61	0.6957	30	18	5.48	35.48	9035.66	NT
Audubon	24D2	48	2893.91	138907.51	61	0.6957					138907.51	T
Audubon	24D3	45	95.49	4297.01	61	0.6957	30	14	4.26	34.26	3271.47	NT
Audubon	24D3	45	1657.56	74590.20	61	0.6957					74590.20	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Audubon	24E3	35	937.13	32799.56	61	0.6957	30	4	1.22	31.22	29254.58	NT
Audubon	24E3	35	5021.66	175758.07	61	0.6957					175758.07	T
Audubon	24F3	15	765.24	11478.58	61	0.6957	15	0	0.00	15.00	11478.58	NT
Audubon	24F3	15	2042.61	30639.16	61	0.6957					30639.16	T
Audubon	268C	61	157.86	9629.40	61	0.6957	30	30	9.13	39.13	6176.86	NT
Audubon	268C	61	208.40	12712.32	61	0.6957					12712.32	T
Audubon	268D	50	208.71	10435.35	61	0.6957	30	20	6.09	36.09	7531.40	NT
Audubon	268D	50	260.92	13046.24	61	0.6957					13046.24	T
Audubon	268E	40	224.39	8975.44	61	0.6957	30	10	3.04	33.04	7414.39	NT
Audubon	268E	40	142.93	5717.14	61	0.6957					5717.14	T
Audubon	268F	20	127.01	2540.18	61	0.6957	20	0	0.00	20.00	2540.18	NT
Audubon	268F	20	295.20	5903.93	61	0.6957					5903.93	T
Audubon	273C	57	189.46	10799.21	61	0.6957	30	26	7.91	37.91	7182.76	NT
Audubon	273C	57	806.06	45945.20	61	0.6957					45945.20	T
Audubon	370B	87	46.49	4044.22	61	0.6957	30	56	17.04	47.04	2186.70	NT
Audubon	370B	87	795.36	69195.93	61	0.6957					69195.93	T
Audubon	370B2	81	32.07	2597.81	61	0.6957	30	50	15.22	45.22	1450.13	NT
Audubon	370B2	81	611.31	49516.04	61	0.6957					49516.04	T
Audubon	370C	72	4.28	307.96	61	0.6957	30	42	12.78	42.78	182.98	NT
Audubon	370C	72	280.49	20195.35	61	0.6957					20195.35	T
Audubon	370C2	67	117.28	7857.94	61	0.6957	30	36	10.95	40.95	4803.29	NT
Audubon	370C2	67	1802.88	120792.90	61	0.6957					120792.90	T
Audubon	370D2	57	89.93	5126.26	61	0.6957	30	26	7.91	37.91	3409.58	NT
Audubon	370D2	57	1297.19	73939.65	61	0.6957					73939.65	T
Audubon	430	83	745.26	61856.46	61	0.6957	30	52	15.82	45.82	34150.43	NT
Audubon	430	83	4253.59	353048.14	61	0.6957					353048.14	T
Audubon	5010	0	29.64	0.00	61	0.6957	0	0	0.00	0.00	0.00	NT
Audubon	5010	0	4.79	0.00	61	0.6957					0.00	T
Audubon	5040	5	191.68	958.41	61	0.6957	5	0	0.00	5.00	958.41	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Audubon	5040	5	72.45	362.26	61	0.6957					362.26	T
Audubon	509	90	32.81	2953.12	61	0.6957	30	60	18.26	48.26	1583.46	NT
Audubon	509	90	482.95	43465.29	61	0.6957					43465.29	T
Audubon	509B	84	97.61	8199.21	61	0.6957	30	54	16.43	46.43	4532.23	NT
Audubon	509B	84	1453.16	122065.84	61	0.6957					122065.84	T
Audubon	509C2	77	29.48	2269.96	61	0.6957	30	46	14.00	44.00	1297.06	NT
Audubon	509C2	77	311.04	23950.38	61	0.6957					23950.38	T
Audubon	54	70	1268.23	88776.36	61	0.6957	30	40	12.17	42.17	53483.95	NT
Audubon	54	70	7185.77	503003.71	61	0.6957					503003.71	T
Audubon	54+	75	0.04	2.96	61	0.6957	30	44	13.39	43.39	1.71	NT
Audubon	54+	75	0.59	43.92	61	0.6957					43.92	T
Audubon	59D2	58	0.12	7.05	61	0.6957					7.05	T
Audubon	71D	40	7.90	315.84	61	0.6957	30	10	3.04	33.04	260.91	NT
Audubon	71D	40	402.33	16093.10	61	0.6957					16093.10	T
Audubon	7B	85	7.87	668.78	61	0.6957	30	54	16.43	46.43	365.33	NT
Audubon	7B	85	103.76	8819.21	61	0.6957					8819.21	T
Audubon	822D2	15	4.34	65.04	61	0.6957	15	0	0.00	15.00	65.04	NT
Audubon	822D2	15	271.85	4077.70	61	0.6957					4077.70	T
Audubon	822D3	10	0.10	1.02	61	0.6957					1.02	T
Audubon	8B	90	351.46	31631.15	61	0.6957	30	60	18.26	48.26	16960.62	NT
Audubon	8B	90	4704.06	423365.17	61	0.6957					423365.17	T
Audubon	8C	66	156.43	10324.69	61	0.6957	30	36	10.95	40.95	6406.75	NT
Audubon	8C	66	1068.67	70532.05	61	0.6957					70532.05	T
Audubon	9	86	42.49	3654.22	61	0.6957	30	56	17.04	47.04	1998.81	NT
Audubon	9	86	586.42	50432.33	61	0.6957					50432.33	T
Audubon	924D2	23	0.48	11.10	61	0.6957					11.10	T
Audubon	93D2	33	664.08	21914.73	61	0.6957	30	2	0.61	30.61	20326.64	NT
Audubon	93D2	33	8707.41	287344.60	61	0.6957					287344.60	T
Audubon	93D3	20	203.74	4074.83	61	0.6957	20	0	0.00	20.00	4074.83	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Audubon	93D3	20	3298.71	65974.25	61	0.6957					65974.25	T
Audubon	93E2	23	672.96	15478.14	61	0.6957	23	0	0.00	23.00	15478.14	NT
Audubon	93E2	23	3926.30	90304.93	61	0.6957					90304.93	T
Audubon	93E3	5	501.57	2507.84	61	0.6957	5	0	0.00	5.00	2507.84	NT
Audubon	93E3	5	3365.97	16829.86	61	0.6957					16829.86	T
Audubon	980G	5	691.36	3456.81	61	0.6957	5	0	0.00	5.00	3456.81	NT
Audubon	980G	5	99.70	498.50	61	0.6957					498.50	T
Audubon	99C2	61	92.41	5636.82	61	0.6957	30	30	9.13	39.13	3615.79	NT
Audubon	99C2	61	5445.63	332183.48	61	0.6957					332183.48	T
Audubon	99D2	53	398.39	21114.50	61	0.6957	30	22	6.69	36.69	14618.64	NT
Audubon	99D2	53	17866.45	946921.69	61	0.6957					946921.69	T
Audubon	99D3	47	73.69	3463.28	61	0.6957	30	16	4.87	34.87	2569.37	NT
Audubon	99D3	47	1836.39	86310.15	61	0.6957					86310.15	T
Audubon	99E2	44	168.34	7406.82	61	0.6957	30	14	4.26	34.26	5767.25	NT
Audubon	99E2	44	2167.24	95358.50	61	0.6957					95358.50	T
Audubon	9B	85	856.03	72762.24	61	0.6957	30	54	16.43	46.43	39747.19	NT
Audubon	9B	85	9071.86	771108.45	61	0.6957					771108.45	T
Audubon	9B2	79	831.67	65701.61	61	0.6957	30	48	14.61	44.61	37097.62	NT
Audubon	9B2	79	12450.44	983585.02	61	0.6957					983585.02	T
Audubon	9C	66	144.23	9518.86	61	0.6957	30	36	10.95	40.95	5906.71	NT
Audubon	9C	66	2278.91	150408.33	61	0.6957					150408.33	T
Audubon	9C2	77	2144.12	165097.11	61	0.6957	30	46	14.00	44.00	94336.49	NT
Audubon	9C2	77	35255.51	2714673.95	61	0.6957					2714673.95	T
Audubon	9D2	52	2019.42	105009.99	61	0.6957	30	22	6.69	36.69	74101.92	NT
Audubon	9D2	52	35863.08	1864880.07	61	0.6957					1864880.07	T
Audubon	9E2	44	946.33	41638.32	61	0.6957	30	14	4.26	34.26	32421.30	NT
Audubon	9E2	44	4545.05	199982.08	61	0.6957					199982.08	T
Audubon	9E3	41	95.49	3915.09	61	0.6957	30	10	3.04	33.04	3155.28	NT
Audubon	9E3	41	1092.02	44773.02	61	0.6957					44773.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Audubon	AdD2		9.74		61	0.6957					0.00	T
Audubon	AW	0	4.02	0.00	61	0.6957	0	0	0.00	0.00	0.00	NT
Audubon	AW	0	0.38	0.00	61	0.6957					0.00	T
Audubon	Cg		0.00		61	0.6957					0.00	T
Audubon	GaF2	13	0.40	5.21	61	0.6957	13	0	0.00	13.00	5.21	NT
Audubon	INT	0	6.89	0.00	61	0.6957	0	0	0.00	0.00	0.00	NT
Audubon	JdB		0.04		61	0.6957			0.00	0.00	0.00	NT
Audubon	JdB		0.69		61	0.6957					0.00	T
Audubon	JoB		2.12		61	0.6957			0.00	0.00	0.00	NT
Audubon	JoB		16.24		61	0.6957					0.00	T
Audubon	LaC2	62	0.05	3.08	61	0.6957	30	32	9.74	39.74	1.97	NT
Audubon	LaD2	52	0.71	36.68	61	0.6957	30	22	6.69	36.69	25.89	NT
Audubon	LaE2	42	0.02	0.64	61	0.6957	30	12	3.65	33.65	0.51	NT
Audubon	MhB		0.16		61	0.6957			0.00	0.00	0.00	NT
Audubon	MhB		2.27		61	0.6957					0.00	T
Audubon	MhC		0.00		61	0.6957			0.00	0.00	0.00	NT
Audubon	MhC		0.11		61	0.6957					0.00	T
Audubon	MhC2		0.46		61	0.6957			0.00	0.00	0.00	NT
Audubon	MhC2		8.04		61	0.6957					0.00	T
Audubon	MhD2		0.09		61	0.6957			0.00	0.00	0.00	NT
Audubon	MhD2		12.08		61	0.6957					0.00	T
Audubon	MmA		0.09		61	0.6957					0.00	T
Audubon	MmB		0.00		61	0.6957			0.00	0.00	0.00	NT
Audubon	MmB		0.03		61	0.6957					0.00	T
Audubon	Nw		0.16		61	0.6957			0.00	0.00	0.00	NT
Audubon	Nw		0.07		61	0.6957					0.00	T
Audubon	SL	0	5.07	0.00	61	0.6957	0	0	0.00	0.00	0.00	NT
Audubon	SsE3		0.01		61	0.6957			0.00	0.00	0.00	NT
Audubon	SyD2		0.00		61	0.6957					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Audubon	W	0	782.33	0.00	61	0.6957	0	0	0.00	0.00	0.00	NT
Audubon	W	0	6.76	0.00	61	0.6957					0.00	T
											0.00	
											0.00	
Benton	1043	80	417.31	33384.61	77	0.7769	38	42	9.37	47.37	19767.94	NT
Benton	1043	80	1526.64	122131.10	77	0.7769					122131.10	T
Benton	1088	88	376.58	33138.62	77	0.7769	38	50	11.16	49.16	18510.56	NT
Benton	1088	88	2980.41	262275.77	77	0.7769					262275.77	T
Benton	109C	10	94.99	949.90	77	0.7769	10	0	0.00	10.00	949.90	NT
Benton	109C	10	205.54	2055.39	77	0.7769					2055.39	T
Benton	110B	47	157.03	7380.24	77	0.7769	38	8	1.78	39.78	6247.27	NT
Benton	110B	47	708.10	33280.51	77	0.7769					33280.51	T
Benton	110C	44	173.83	7648.67	77	0.7769	38	6	1.34	39.34	6838.37	NT
Benton	110C	44	326.42	14362.67	77	0.7769					14362.67	T
Benton	1119	100	48.25	4824.62	77	0.7769	38	62	13.83	51.83	2500.71	NT
Benton	1119	100	2679.32	267932.14	77	0.7769					267932.14	T
Benton	1133	25	342.48	8561.96	77	0.7769	25	0	0.00	25.00	8561.96	NT
Benton	1133	25	41.98	1049.52	77	0.7769					1049.52	T
Benton	1152	68	0.03	1.89	77	0.7769					1.89	T
Benton	1160	67	35.21	2359.08	77	0.7769	38	28	6.25	44.25	1557.94	NT
Benton	1160	67	997.39	66824.86	77	0.7769					66824.86	T
Benton	118	95	20.61	1957.82	77	0.7769	38	56	12.49	50.49	1040.60	NT
Benton	118	95	2613.26	248259.42	77	0.7769					248259.42	T
Benton	119	100	149.88	14988.15	77	0.7769	38	62	13.83	51.83	7768.69	NT
Benton	119	100	6979.22	697921.97	77	0.7769					697921.97	T
Benton	119B	95	68.52	6509.17	77	0.7769	38	56	12.49	50.49	3459.70	NT
Benton	119B	95	7223.43	686226.10	77	0.7769					686226.10	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	11B	68	3169.07	215496.51	77	0.7769	38	30	6.69	44.69	141635.08	NT
Benton	11B	68	56623.75	3850415.02	77	0.7769					3850415.02	T
Benton	120	100	25.89	2588.61	77	0.7769	38	62	13.83	51.83	1341.73	NT
Benton	120	100	821.58	82157.74	77	0.7769					82157.74	T
Benton	120B	95	838.89	79694.44	77	0.7769	38	56	12.49	50.49	42358.52	NT
Benton	120B	95	22277.53	2116365.47	77	0.7769					2116365.47	T
Benton	120C	80	72.80	5823.76	77	0.7769	38	42	9.37	47.37	3448.41	NT
Benton	120C	80	2666.33	213306.75	77	0.7769					213306.75	T
Benton	120C2	78	47.60	3712.42	77	0.7769	38	40	8.92	46.92	2233.35	NT
Benton	120C2	78	1415.58	110415.32	77	0.7769					110415.32	T
Benton	122	63	0.34	21.15	77	0.7769	38	24	5.35	43.35	14.56	NT
Benton	122	63	109.34	6888.70	77	0.7769					6888.70	T
Benton	1220	25	3.31	82.68	77	0.7769	25	0	0.00	25.00	82.68	NT
Benton	1220	25	3.14	78.50	77	0.7769					78.50	T
Benton	1226	72	98.80	7113.60	77	0.7769	38	34	7.59	45.59	4503.84	NT
Benton	1226	72	1136.15	81802.95	77	0.7769					81802.95	T
Benton	127	95	55.49	5271.42	77	0.7769	38	56	12.49	50.49	2801.82	NT
Benton	127	95	1324.06	125785.47	77	0.7769					125785.47	T
Benton	1291	95	22.01	2091.27	77	0.7769	38	56	12.49	50.49	1111.53	NT
Benton	1291	95	594.59	56486.36	77	0.7769					56486.36	T
Benton	133	80	5969.10	477528.29	77	0.7769	38	42	9.37	47.37	282757.63	NT
Benton	133	80	26825.06	2146005.02	77	0.7769					2146005.02	T
Benton	134	65	0.09	5.70	77	0.7769	38	26	5.80	43.80	3.84	NT
Benton	1485	25	794.49	19862.13	77	0.7769	25	0	0.00	25.00	19862.13	NT
Benton	1485	25	109.76	2744.12	77	0.7769					2744.12	T
Benton	1540	5	76.66	383.28	77	0.7769	5	0	0.00	5.00	383.28	NT
Benton	1540	5	0.30	1.50	77	0.7769					1.50	T
Benton	1585	5	2.56	12.79	77	0.7769	5	0	0.00	5.00	12.79	NT
Benton	1585	5	0.54	2.69	77	0.7769					2.69	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	159	38	260.04	9881.39	77	0.7769	38	0	0.00	38.00	9881.39	NT
Benton	159	38	370.61	14083.28	77	0.7769					14083.28	T
Benton	162B	90	180.86	16277.43	77	0.7769	38	52	11.60	49.60	8970.89	NT
Benton	162B	90	1691.15	152203.77	77	0.7769					152203.77	T
Benton	162C	75	155.47	11660.00	77	0.7769	38	36	8.03	46.03	7156.38	NT
Benton	162C	75	1246.44	93483.26	77	0.7769					93483.26	T
Benton	162C2	73	77.47	5655.40	77	0.7769	38	34	7.59	45.59	3531.56	NT
Benton	162C2	73	1533.14	111919.52	77	0.7769					111919.52	T
Benton	162D	65	80.30	5219.79	77	0.7769	38	26	5.80	43.80	3517.38	NT
Benton	162D	65	324.21	21073.96	77	0.7769					21073.96	T
Benton	162D2	63	40.99	2582.39	77	0.7769	38	24	5.35	43.35	1777.11	NT
Benton	162D2	63	721.60	45461.11	77	0.7769					45461.11	T
Benton	163B	85	396.87	33733.58	77	0.7769	38	46	10.26	48.26	19153.77	NT
Benton	163B	85	1411.29	119959.29	77	0.7769					119959.29	T
Benton	163C	70	1194.54	83617.81	77	0.7769	38	32	7.14	45.14	53920.59	NT
Benton	163C	70	1405.07	98354.70	77	0.7769					98354.70	T
Benton	163C2	68	671.87	45687.27	77	0.7769	38	30	6.69	44.69	30027.96	NT
Benton	163C2	68	3167.96	215421.28	77	0.7769					215421.28	T
Benton	163D	60	611.26	36675.60	77	0.7769	38	22	4.91	42.91	26228.07	NT
Benton	163D	60	794.15	47648.83	77	0.7769					47648.83	T
Benton	163D2	58	422.50	24504.96	77	0.7769	38	20	4.46	42.46	17940.16	NT
Benton	163D2	58	3041.25	176392.24	77	0.7769					176392.24	T
Benton	163D3	55	4.88	268.44	77	0.7769	38	16	3.57	41.57	202.89	NT
Benton	163E	50	875.30	43765.19	77	0.7769	38	12	2.68	40.68	35604.90	NT
Benton	163E	50	736.24	36812.03	77	0.7769					36812.03	T
Benton	163E2	48	719.10	34516.73	77	0.7769	38	10	2.23	40.23	28930.05	NT
Benton	163E2	48	2651.33	127263.82	77	0.7769					127263.82	T
Benton	163E3	46	0.01	0.27	77	0.7769	38	8	1.78	39.78	0.23	NT
Benton	163F	30	2288.80	68664.07	77	0.7769	30	0	0.00	30.00	68664.07	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	163F	30	639.49	19184.68	77	0.7769					19184.68	T
Benton	163F2	28	804.76	22533.39	77	0.7769	28	0	0.00	28.00	22533.39	NT
Benton	163F2	28	955.72	26760.28	77	0.7769					26760.28	T
Benton	163G	19	1967.01	37373.25	77	0.7769	19	0	0.00	19.00	37373.25	NT
Benton	163G	19	348.67	6624.74	77	0.7769					6624.74	T
Benton	1688	77	48.66	3747.05	77	0.7769	38	38	8.48	46.48	2261.75	NT
Benton	1688	77	906.04	69765.05	77	0.7769					69765.05	T
Benton	171B	82	65.65	5383.14	77	0.7769	38	44	9.82	47.82	3139.05	NT
Benton	171B	82	605.96	49688.74	77	0.7769					49688.74	T
Benton	171C	67	46.35	3105.21	77	0.7769	38	28	6.25	44.25	2050.68	NT
Benton	171C	67	459.44	30782.18	77	0.7769					30782.18	T
Benton	171C2	64	45.15	2889.90	77	0.7769	38	26	5.80	43.80	1977.80	NT
Benton	171C2	64	970.13	62088.06	77	0.7769					62088.06	T
Benton	171D	55	80.28	4415.25	77	0.7769	38	16	3.57	41.57	3337.10	NT
Benton	171D	55	320.03	17601.47	77	0.7769					17601.47	T
Benton	171D2	53	60.79	3221.87	77	0.7769	38	14	3.12	41.12	2499.89	NT
Benton	171D2	53	1047.10	55496.29	77	0.7769					55496.29	T
Benton	1727	68	37.33	2538.22	77	0.7769	38	30	6.69	44.69	1668.24	NT
Benton	1727	68	459.33	31234.62	77	0.7769					31234.62	T
Benton	175	60	12.71	762.40	77	0.7769	38	22	4.91	42.91	545.22	NT
Benton	175	60	336.62	20197.12	77	0.7769					20197.12	T
Benton	175B	56	268.89	15058.08	77	0.7769	38	18	4.02	42.02	11297.81	NT
Benton	175B	56	2765.76	154882.35	77	0.7769					154882.35	T
Benton	175C	41	101.04	4142.63	77	0.7769	38	2	0.45	38.45	3884.60	NT
Benton	175C	41	978.13	40103.47	77	0.7769					40103.47	T
Benton	177	64	45.72	2926.30	77	0.7769	38	26	5.80	43.80	2002.71	NT
Benton	177	64	343.13	21960.51	77	0.7769					21960.51	T
Benton	177B	60	54.96	3297.83	77	0.7769	38	22	4.91	42.91	2358.40	NT
Benton	177B	60	554.33	33259.54	77	0.7769					33259.54	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	177C	40	54.03	2161.16	77	0.7769	38	2	0.45	38.45	2077.21	NT
Benton	177C	40	379.59	15183.47	77	0.7769					15183.47	T
Benton	178	79	122.52	9678.82	77	0.7769	38	40	8.92	46.92	5748.98	NT
Benton	178	79	1445.94	114229.21	77	0.7769					114229.21	T
Benton	178A	79	2.29	180.55	77	0.7769					180.55	T
Benton	178B	74	98.29	7273.56	77	0.7769	38	36	8.03	46.03	4524.51	NT
Benton	178B	74	1155.62	85516.06	77	0.7769					85516.06	T
Benton	184B	90	33.80	3041.89	77	0.7769	38	52	11.60	49.60	1676.46	NT
Benton	184B	90	1810.17	162915.35	77	0.7769					162915.35	T
Benton	198B	80	68.70	5495.85	77	0.7769	38	42	9.37	47.37	3254.24	NT
Benton	198B	80	1355.71	108456.71	77	0.7769					108456.71	T
Benton	207C	42	68.08	2859.53	77	0.7769	38	4	0.89	38.89	2647.95	NT
Benton	207C	42	94.16	3954.88	77	0.7769					3954.88	T
Benton	213B	74	0.01	0.51	77	0.7769	38	36	8.03	46.03	0.32	NT
Benton	213B	74	0.12	8.55	77	0.7769					8.55	T
Benton	214C	45	50.59	2276.59	77	0.7769	38	6	1.34	39.34	1990.17	NT
Benton	214C	45	289.31	13018.77	77	0.7769					13018.77	T
Benton	220	85	255.48	21715.94	77	0.7769	38	46	10.26	48.26	12330.21	NT
Benton	220	85	457.17	38859.78	77	0.7769					38859.78	T
Benton	220B	85	2.66	226.11	77	0.7769	38	46	10.26	48.26	128.38	NT
Benton	221B	45	62.31	2804.10	77	0.7769	38	6	1.34	39.34	2451.32	NT
Benton	221B	45	67.24	3025.82	77	0.7769					3025.82	T
Benton	284	40	199.25	7970.06	77	0.7769	38	2	0.45	38.45	7660.46	NT
Benton	284	40	650.38	26015.21	77	0.7769					26015.21	T
Benton	284B	45	70.13	3155.65	77	0.7769	38	6	1.34	39.34	2758.64	NT
Benton	284B	45	384.89	17319.94	77	0.7769					17319.94	T
Benton	285C	5	42.73	213.67	77	0.7769	5	0	0.00	5.00	213.67	NT
Benton	285C	5	265.31	1326.55	77	0.7769					1326.55	T
Benton	291	90	21.38	1924.43	77	0.7769	38	52	11.60	49.60	1060.60	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	291	90	509.92	45893.02	77	0.7769					45893.02	T
Benton	291A	90	0.23	20.93	77	0.7769					20.93	T
Benton	293C	45	470.03	21151.52	77	0.7769	38	6	1.34	39.34	18490.47	NT
Benton	293C	45	1119.19	50363.58	77	0.7769					50363.58	T
Benton	293D	29	785.73	22786.18	77	0.7769	29	0	0.00	29.00	22786.18	NT
Benton	293D	29	2208.02	64032.60	77	0.7769					64032.60	T
Benton	293F	9	890.75	8016.77	77	0.7769	9	0	0.00	9.00	8016.77	NT
Benton	293F	9	420.77	3786.93	77	0.7769					3786.93	T
Benton	302B	74	51.64	3821.08	77	0.7769	38	36	8.03	46.03	2376.90	NT
Benton	302B	74	146.48	10839.86	77	0.7769					10839.86	T
Benton	302C	58	101.82	5905.55	77	0.7769	38	20	4.46	42.46	4323.48	NT
Benton	302C	58	158.59	9198.30	77	0.7769					9198.30	T
Benton	302C2	60	42.40	2543.88	77	0.7769	38	22	4.91	42.91	1819.22	NT
Benton	302C2	60	146.34	8780.37	77	0.7769					8780.37	T
Benton	315	30	5333.53	160005.89	77	0.7769	30	0	0.00	30.00	160005.89	NT
Benton	315	30	305.68	9170.41	77	0.7769					9170.41	T
Benton	350	73	96.03	7010.26	77	0.7769	38	34	7.59	45.59	4377.61	NT
Benton	350	73	1662.22	121341.76	77	0.7769					121341.76	T
Benton	350B	68	109.14	7421.82	77	0.7769	38	30	6.69	44.69	4877.99	NT
Benton	350B	68	1602.07	108940.78	77	0.7769					108940.78	T
Benton	352B	62	66.59	4128.62	77	0.7769	38	24	5.35	43.35	2887.00	NT
Benton	352B	62	289.57	17953.32	77	0.7769					17953.32	T
Benton	354	5	0.07	0.33	77	0.7769					0.33	T
Benton	377B	90	3364.22	302779.38	77	0.7769	38	52	11.60	49.60	166869.12	NT
Benton	377B	90	72316.62	6508495.49	77	0.7769					6508495.49	T
Benton	377C	75	613.73	46030.05	77	0.7769	38	36	8.03	46.03	28251.16	NT
Benton	377C	75	29522.31	2214173.25	77	0.7769					2214173.25	T
Benton	377C2	73	139.29	10168.48	77	0.7769	38	34	7.59	45.59	6349.79	NT
Benton	377C2	73	9059.95	661376.07	77	0.7769					661376.07	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	381B	90	0.03	2.97	77	0.7769					2.97	T
Benton	382	90	1.37	123.06	77	0.7769	38	52	11.60	49.60	67.82	NT
Benton	382	90	261.20	23507.67	77	0.7769					23507.67	T
Benton	391B	72	1690.51	121716.97	77	0.7769	38	34	7.59	45.59	77062.73	NT
Benton	391B	72	8965.03	645481.85	77	0.7769					645481.85	T
Benton	393B	42	0.01	0.53	77	0.7769	38	4	0.89	38.89	0.49	NT
Benton	398	81	4.32	349.74	77	0.7769	38	42	9.37	47.37	204.54	NT
Benton	398	81	285.74	23144.67	77	0.7769					23144.67	T
Benton	399	91	94.24	8575.52	77	0.7769	38	52	11.60	49.60	4674.24	NT
Benton	399	91	2640.68	240301.91	77	0.7769					240301.91	T
Benton	407B	72	87.93	6331.02	77	0.7769	38	34	7.59	45.59	4008.36	NT
Benton	407B	72	738.13	53145.60	77	0.7769					53145.60	T
Benton	408B	66	155.53	10265.11	77	0.7769	38	28	6.25	44.25	6881.79	NT
Benton	408B	66	2291.27	151223.92	77	0.7769					151223.92	T
Benton	408C	52	128.59	6686.93	77	0.7769	38	14	3.12	41.12	5288.26	NT
Benton	408C	52	1320.66	68674.07	77	0.7769					68674.07	T
Benton	409C	41	0.01	0.24	77	0.7769					0.24	T
Benton	41	40	50.78	2031.03	77	0.7769	38	2	0.45	38.45	1952.13	NT
Benton	41	40	493.38	19735.19	77	0.7769					19735.19	T
Benton	412C	13	86.39	1123.02	77	0.7769	13	0	0.00	13.00	1123.02	NT
Benton	412C	13	152.89	1987.52	77	0.7769					1987.52	T
Benton	412D	5	259.24	1296.22	77	0.7769	5	0	0.00	5.00	1296.22	NT
Benton	412D	5	120.45	602.26	77	0.7769					602.26	T
Benton	412F	5	395.40	1977.01	77	0.7769	5	0	0.00	5.00	1977.01	NT
Benton	412F	5	11.14	55.69	77	0.7769					55.69	T
Benton	41A	45	0.18	8.00	77	0.7769					8.00	T
Benton	41B	40	406.32	16252.71	77	0.7769	38	2	0.45	38.45	15621.37	NT
Benton	41B	40	1858.52	74340.87	77	0.7769					74340.87	T
Benton	41C	25	288.33	7208.36	77	0.7769	25	0	0.00	25.00	7208.36	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	41C	25	1154.54	28863.41	77	0.7769					28863.41	T
Benton	41D	15	81.49	1222.37	77	0.7769	15	0	0.00	15.00	1222.37	NT
Benton	41D	15	289.79	4346.92	77	0.7769					4346.92	T
Benton	420	100	132.68	13268.00	77	0.7769	38	62	13.83	51.83	6877.10	NT
Benton	420	100	2928.96	292895.76	77	0.7769					292895.76	T
Benton	420B	95	44.94	4269.48	77	0.7769	38	56	12.49	50.49	2269.28	NT
Benton	420B	95	743.53	70635.26	77	0.7769					70635.26	T
Benton	426B	85	138.46	11769.13	77	0.7769	38	46	10.26	48.26	6682.46	NT
Benton	426B	85	2186.03	185812.78	77	0.7769					185812.78	T
Benton	426C	70	58.05	4063.52	77	0.7769	38	32	7.14	45.14	2620.34	NT
Benton	426C	70	1255.84	87908.62	77	0.7769					87908.62	T
Benton	428B	93	86.00	7997.61	77	0.7769	38	54	12.05	50.05	4303.87	NT
Benton	428B	93	5576.79	518641.24	77	0.7769					518641.24	T
Benton	43	80	0.16	12.95	77	0.7769	38	42	9.37	47.37	7.67	NT
Benton	43	80	0.06	4.61	77	0.7769					4.61	T
Benton	484	90	1.60	143.65	77	0.7769					143.65	T
Benton	485	92	545.80	50214.03	77	0.7769	38	54	12.05	50.05	27316.10	NT
Benton	485	92	2331.97	214541.64	77	0.7769					214541.64	T
Benton	5030	0	250.98	0.00	77	0.7769	0	0	0.00	0.00	0.00	NT
Benton	5030	0	13.38	0.00	77	0.7769					0.00	T
Benton	5040	5	88.85	444.23	77	0.7769	5	0	0.00	5.00	444.23	NT
Benton	5040	5	16.89	84.46	77	0.7769					84.46	T
Benton	51	70	18.09	1266.10	77	0.7769	38	32	7.14	45.14	816.44	NT
Benton	51	70	454.03	31782.38	77	0.7769					31782.38	T
Benton	536	70	56.87	3981.02	77	0.7769	38	32	7.14	45.14	2567.14	NT
Benton	536	70	255.23	17866.25	77	0.7769					17866.25	T
Benton	54	70	412.89	28901.99	77	0.7769	38	32	7.14	45.14	18637.32	NT
Benton	54	70	710.62	49743.33	77	0.7769					49743.33	T
Benton	585	86	0.01	0.86	77	0.7769	38	48	10.71	48.71	0.49	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	587	65	0.03	2.22	77	0.7769	38	26	5.80	43.80	1.50	NT
Benton	5B	83	8.41	698.00	77	0.7769	38	44	9.82	47.82	402.12	NT
Benton	5B	83	0.00	0.19	77	0.7769					0.19	T
Benton	626	67	0.28	18.69	77	0.7769					18.69	T
Benton	63B	40	296.05	11841.83	77	0.7769	38	2	0.45	38.45	11381.83	NT
Benton	63B	40	541.11	21644.29	77	0.7769					21644.29	T
Benton	63C	21	589.02	12369.48	77	0.7769	21	0	0.00	21.00	12369.48	NT
Benton	63C	21	804.80	16900.74	77	0.7769					16900.74	T
Benton	63D	11	523.14	5754.59	77	0.7769	11	0	0.00	11.00	5754.59	NT
Benton	63D	11	336.67	3703.40	77	0.7769					3703.40	T
Benton	63F	5	260.10	1300.50	77	0.7769	5	0	0.00	5.00	1300.50	NT
Benton	63F	5	39.55	197.76	77	0.7769					197.76	T
Benton	65E2	24	116.03	2784.76	77	0.7769	24	0	0.00	24.00	2784.76	NT
Benton	65E2	24	450.08	10801.82	77	0.7769					10801.82	T
Benton	65F	10	232.93	2329.30	77	0.7769	10	0	0.00	10.00	2329.30	NT
Benton	65F	10	142.75	1427.55	77	0.7769					1427.55	T
Benton	65F2	8	0.67	5.38	77	0.7769	8	0	0.00	8.00	5.38	NT
Benton	65F2	8	0.32	2.58	77	0.7769					2.58	T
Benton	65F3	5	134.94	674.69	77	0.7769	5	0	0.00	5.00	674.69	NT
Benton	65F3	5	88.62	443.11	77	0.7769					443.11	T
Benton	7	91	8.19	745.38	77	0.7769					745.38	T
Benton	729B	83	934.24	77541.76	77	0.7769	38	44	9.82	47.82	44671.90	NT
Benton	729B	83	1227.66	101895.51	77	0.7769					101895.51	T
Benton	771B	87	145.70	12675.48	77	0.7769	38	48	10.71	48.71	7096.64	NT
Benton	771B	87	786.21	68400.42	77	0.7769					68400.42	T
Benton	771C	72	45.88	3303.32	77	0.7769	38	34	7.59	45.59	2091.43	NT
Benton	771C	72	601.71	43323.31	77	0.7769					43323.31	T
Benton	771C2	70	10.81	756.80	77	0.7769	38	32	7.14	45.14	488.02	NT
Benton	771C2	70	921.41	64498.42	77	0.7769					64498.42	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	778	74	29.37	2173.14	77	0.7769	38	36	8.03	46.03	1351.80	NT
Benton	778	74	175.72	13003.50	77	0.7769					13003.50	T
Benton	778B	69	100.87	6960.25	77	0.7769	38	30	6.69	44.69	4508.32	NT
Benton	778B	69	206.69	14261.81	77	0.7769					14261.81	T
Benton	782B	50	10.39	519.41	77	0.7769	38	12	2.68	40.68	422.57	NT
Benton	782B	50	98.00	4899.89	77	0.7769					4899.89	T
Benton	782C2	30	24.52	735.46	77	0.7769	30	0	0.00	30.00	735.46	NT
Benton	782C2	30	383.73	11512.05	77	0.7769					11512.05	T
Benton	809B	27	0.07	1.85	77	0.7769	27	0	0.00	27.00	1.85	NT
Benton	83B	87	574.79	50006.77	77	0.7769	38	48	10.71	48.71	27997.35	NT
Benton	83B	87	10220.74	889204.16	77	0.7769					889204.16	T
Benton	83C	72	304.05	21891.91	77	0.7769	38	34	7.59	45.59	13860.44	NT
Benton	83C	72	8590.64	618526.43	77	0.7769					618526.43	T
Benton	83C2	69	422.49	29152.15	77	0.7769	38	30	6.69	44.69	18882.57	NT
Benton	83C2	69	14315.15	987745.23	77	0.7769					987745.23	T
Benton	83D	62	30.83	1911.18	77	0.7769	38	24	5.35	43.35	1336.42	NT
Benton	83D	62	327.26	20289.98	77	0.7769					20289.98	T
Benton	83D2	58	63.52	3684.27	77	0.7769	38	20	4.46	42.46	2697.26	NT
Benton	83D2	58	1321.36	76638.65	77	0.7769					76638.65	T
Benton	84	76	256.74	19512.41	77	0.7769	38	38	8.48	46.48	11932.82	NT
Benton	84	76	1324.11	100632.30	77	0.7769					100632.30	T
Benton	88	92	0.52	47.63	77	0.7769	38	54	12.05	50.05	25.91	NT
Benton	88	92	0.50	45.56	77	0.7769					45.56	T
Benton	8B	90	0.13	11.73	77	0.7769	38	52	11.60	49.60	6.46	NT
Benton	911B	85	0.48	40.69	77	0.7769	38	46	10.26	48.26	23.10	NT
Benton	911B	85	4.52	384.50	77	0.7769					384.50	T
Benton	933	80	0.03	2.11	77	0.7769					2.11	T
Benton	977	95	0.00	0.08	77	0.7769	38	56	12.49	50.49	0.04	NT
Benton	977	95	3.00	285.38	77	0.7769					285.38	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Benton	INT	0	97.87	0.00	77	0.7769	0	0	0.00	0.00	0.00	NT
Benton	INT	0	49.09	0.00	77	0.7769					0.00	T
Benton	SL	0	2.03	0.00	77	0.7769	0	0	0.00	0.00	0.00	NT
Benton	W	0	1114.48	0.00	77	0.7769	0	0	0.00	0.00	0.00	NT
Benton	W	0	14.63	0.00	77	0.7769					0.00	T
											0.00	
											0.00	
Black Hawk	1043	80	0.03	2.18	77	0.8242					2.18	T
Black Hawk	1088	88	0.37	32.85	77	0.8242					32.85	T
Black Hawk	110B	47	0.12	5.50	77	0.8242					5.50	T
Black Hawk	1152	68	1278.08	86909.74	77	0.8242	38	30	5.27	43.27	55307.83	NT
Black Hawk	1152	68	7302.40	496562.99	77	0.8242					496562.99	T
Black Hawk	118	95	0.13	12.23	77	0.8242	38	56	9.84	47.84	6.16	NT
Black Hawk	118	95	16.71	1587.60	77	0.8242					1587.60	T
Black Hawk	119	100	9.20	919.51	77	0.8242					919.51	T
Black Hawk	119B	95	4.57	433.98	77	0.8242					433.98	T
Black Hawk	11B	68	0.81	54.78	77	0.8242	38	30	5.27	43.27	34.86	NT
Black Hawk	11B	68	9.36	636.66	77	0.8242					636.66	T
Black Hawk	120B	95	2.16	205.59	77	0.8242	38	56	9.84	47.84	103.54	NT
Black Hawk	120B	95	32.75	3111.29	77	0.8242					3111.29	T
Black Hawk	1226	72	227.32	16366.86	77	0.8242	38	34	5.98	43.98	9996.79	NT
Black Hawk	1226	72	3748.69	269905.53	77	0.8242					269905.53	T
Black Hawk	1285G	5	119.42	597.10	77	0.8242	5	0	0.00	5.00	597.10	NT
Black Hawk	1285G	5	54.96	274.81	77	0.8242					274.81	T
Black Hawk	133	80	725.29	58023.12	77	0.8242	38	42	7.38	45.38	32916.23	NT
Black Hawk	133	80	2989.92	239193.62	77	0.8242					239193.62	T
Black Hawk	135	78	149.33	11647.60	77	0.8242	38	40	7.03	45.03	6724.55	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	135	78	1208.41	94255.60	77	0.8242					94255.60	T
Black Hawk	1585	5	7861.89	39309.47	77	0.8242	5	0	0.00	5.00	39309.47	NT
Black Hawk	1585	5	687.44	3437.21	77	0.8242					3437.21	T
Black Hawk	1586	5	1396.89	6984.45	77	0.8242	5	0	0.00	5.00	6984.45	NT
Black Hawk	1586	5	88.56	442.82	77	0.8242					442.82	T
Black Hawk	159	38	323.52	12293.89	77	0.8242	38	0	0.00	38.00	12293.89	NT
Black Hawk	159	38	2601.29	98848.97	77	0.8242					98848.97	T
Black Hawk	159C	5	70.04	350.21	77	0.8242	5	0	0.00	5.00	350.21	NT
Black Hawk	159C	5	394.00	1969.98	77	0.8242					1969.98	T
Black Hawk	171B	82	140.43	11514.85	77	0.8242	38	44	7.74	45.74	6422.37	NT
Black Hawk	171B	82	666.68	54668.03	77	0.8242					54668.03	T
Black Hawk	175	60	57.46	3447.73	77	0.8242	38	22	3.87	41.87	2405.80	NT
Black Hawk	175	60	878.74	52724.67	77	0.8242					52724.67	T
Black Hawk	175B	56	198.51	11116.78	77	0.8242	38	18	3.16	41.16	8171.71	NT
Black Hawk	175B	56	1611.35	90235.88	77	0.8242					90235.88	T
Black Hawk	177	64	434.83	27829.06	77	0.8242	38	26	4.57	42.57	18511.02	NT
Black Hawk	177	64	5292.55	338722.90	77	0.8242					338722.90	T
Black Hawk	177B	60	102.03	6121.84	77	0.8242	38	22	3.87	41.87	4271.78	NT
Black Hawk	177B	60	1385.44	83126.65	77	0.8242					83126.65	T
Black Hawk	178	79	203.24	16055.58	77	0.8242	38	40	7.03	45.03	9152.09	NT
Black Hawk	178	79	4106.18	324388.36	77	0.8242					324388.36	T
Black Hawk	178B	74	99.10	7333.69	77	0.8242	38	36	6.33	44.33	4393.16	NT
Black Hawk	178B	74	1209.60	89510.62	77	0.8242					89510.62	T
Black Hawk	184	93	446.08	41485.55	77	0.8242	38	54	9.49	47.49	21185.82	NT
Black Hawk	184	93	9862.55	917216.91	77	0.8242					917216.91	T
Black Hawk	184B	90	0.08	6.79	77	0.8242	38	52	9.14	47.14	3.55	NT
Black Hawk	184B	90	0.02	1.47	77	0.8242					1.47	T
Black Hawk	198B	80	115.14	9211.15	77	0.8242	38	42	7.38	45.38	5225.44	NT
Black Hawk	198B	80	3492.32	279385.43	77	0.8242					279385.43	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	213B	74	78.31	5795.17	77	0.8242	38	36	6.33	44.33	3471.52	NT
Black Hawk	213B	74	421.01	31154.59	77	0.8242					31154.59	T
Black Hawk	221	25	81.45	2036.22	77	0.8242	25	0	0.00	25.00	2036.22	NT
Black Hawk	221	25	74.74	1868.61	77	0.8242					1868.61	T
Black Hawk	284	40	418.16	16726.26	77	0.8242	38	2	0.35	38.35	16036.97	NT
Black Hawk	284	40	4220.82	168832.87	77	0.8242					168832.87	T
Black Hawk	284B	45	105.88	4764.62	77	0.8242	38	6	1.05	39.05	4135.14	NT
Black Hawk	284B	45	948.34	42675.16	77	0.8242					42675.16	T
Black Hawk	290	74	24.80	1834.86	77	0.8242	38	36	6.33	44.33	1099.15	NT
Black Hawk	290	74	801.10	59281.63	77	0.8242					59281.63	T
Black Hawk	315	30	14.35	430.35	77	0.8242	30	0	0.00	30.00	430.35	NT
Black Hawk	350B	68	0.20	13.90	77	0.8242					13.90	T
Black Hawk	354	5	157.50	787.52	77	0.8242	5	0	0.00	5.00	787.52	NT
Black Hawk	354	5	88.35	441.75	77	0.8242					441.75	T
Black Hawk	377B	90	960.88	86479.53	77	0.8242	38	52	9.14	47.14	45297.59	NT
Black Hawk	377B	90	15840.33	1425629.32	77	0.8242					1425629.32	T
Black Hawk	377C	75	37.03	2777.02	77	0.8242	38	36	6.33	44.33	1641.36	NT
Black Hawk	377C	75	996.26	74719.14	77	0.8242					74719.14	T
Black Hawk	377C2	73	8.26	602.78	77	0.8242	38	34	5.98	43.98	363.13	NT
Black Hawk	377C2	73	564.46	41205.24	77	0.8242					41205.24	T
Black Hawk	382	90	360.45	32440.69	77	0.8242	38	52	9.14	47.14	16992.29	NT
Black Hawk	382	90	7741.88	696769.25	77	0.8242					696769.25	T
Black Hawk	391B	72	3150.27	226819.63	77	0.8242	38	34	5.98	43.98	138540.17	NT
Black Hawk	391B	72	26526.07	1909877.05	77	0.8242					1909877.05	T
Black Hawk	395B	87	1090.15	94843.21	77	0.8242	38	48	8.44	46.44	50624.91	NT
Black Hawk	395B	87	21874.11	1903047.27	77	0.8242					1903047.27	T
Black Hawk	398	81	164.11	13292.60	77	0.8242	38	42	7.38	45.38	7447.73	NT
Black Hawk	398	81	8384.50	679144.37	77	0.8242					679144.37	T
Black Hawk	399	91	754.66	68673.89	77	0.8242	38	52	9.14	47.14	35575.79	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	399	91	16286.09	1482034.46	77	0.8242					1482034.46	T
Black Hawk	4000	0	22.11	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4000	0	0.36	0.00	77	0.8242					0.00	T
Black Hawk	4007	0	22.32	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4007	0	39.62	0.00	77	0.8242					0.00	T
Black Hawk	4041	0	269.98	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4041	0	156.13	0.00	77	0.8242					0.00	T
Black Hawk	4041B	0	155.04	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4041B	0	131.60	0.00	77	0.8242					0.00	T
Black Hawk	4041C	0	28.93	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4041C	0	41.86	0.00	77	0.8242					0.00	T
Black Hawk	4041D	0	2.88	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4041D	0	2.06	0.00	77	0.8242					0.00	T
Black Hawk	4083B	0	193.85	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4083B	0	216.22	0.00	77	0.8242					0.00	T
Black Hawk	4083C	0	60.20	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4083C	0	15.92	0.00	77	0.8242					0.00	T
Black Hawk	4083D	0	0.05	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4083D	0	3.96	0.00	77	0.8242					0.00	T
Black Hawk	4084	0	13.90	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4084	0	4.11	0.00	77	0.8242					0.00	T
Black Hawk	4088	0	0.98	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4088	0	17.38	0.00	77	0.8242					0.00	T
Black Hawk	408B	66	282.39	18637.54	77	0.8242	38	28	4.92	42.92	12120.73	NT
Black Hawk	408B	66	2691.35	177628.82	77	0.8242					177628.82	T
Black Hawk	408C	52	39.72	2065.56	77	0.8242	38	14	2.46	40.46	1607.21	NT
Black Hawk	408C	52	338.45	17599.63	77	0.8242					17599.63	T
Black Hawk	41	40	229.88	9195.38	77	0.8242	38	2	0.35	38.35	8816.44	NT
Black Hawk	41	40	2042.43	81697.17	77	0.8242					81697.17	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	412C	13	60.22	782.85	77	0.8242	13	0	0.00	13.00	782.85	NT
Black Hawk	412C	13	112.92	1467.98	77	0.8242					1467.98	T
Black Hawk	4133	0	18.59	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4133	0	53.57	0.00	77	0.8242					0.00	T
Black Hawk	4135	0	0.88	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4135	0	1.21	0.00	77	0.8242					0.00	T
Black Hawk	4152	0	31.21	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4152	0	125.25	0.00	77	0.8242					0.00	T
Black Hawk	4159	0	88.86	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4159	0	246.57	0.00	77	0.8242					0.00	T
Black Hawk	4159C	0	12.90	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4159C	0	64.66	0.00	77	0.8242					0.00	T
Black Hawk	4171B	0	1.85	0.00	77	0.8242					0.00	T
Black Hawk	4175	0	0.90	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4175	0	7.28	0.00	77	0.8242					0.00	T
Black Hawk	4175B	0	0.43	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4175B	0	14.19	0.00	77	0.8242					0.00	T
Black Hawk	4177	0	37.00	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4177	0	62.95	0.00	77	0.8242					0.00	T
Black Hawk	4177B	0	5.02	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4177B	0	6.78	0.00	77	0.8242					0.00	T
Black Hawk	4178	0	23.07	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4178	0	30.94	0.00	77	0.8242					0.00	T
Black Hawk	4184	0	7.69	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4184	0	5.59	0.00	77	0.8242					0.00	T
Black Hawk	4198B	0	2.35	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4198B	0	7.25	0.00	77	0.8242					0.00	T
Black Hawk	41B	40	1020.20	40807.97	77	0.8242	38	2	0.35	38.35	39126.27	NT
Black Hawk	41B	40	5815.70	232628.12	77	0.8242					232628.12	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	41C	25	358.31	8957.75	77	0.8242	25	0	0.00	25.00	8957.75	NT
Black Hawk	41C	25	1164.08	29102.12	77	0.8242					29102.12	T
Black Hawk	41D	15	139.52	2092.84	77	0.8242	15	0	0.00	15.00	2092.84	NT
Black Hawk	41D	15	210.54	3158.14	77	0.8242					3158.14	T
Black Hawk	420B	95	0.08	7.25	77	0.8242					7.25	T
Black Hawk	4226	0	29.38	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4226	0	81.97	0.00	77	0.8242					0.00	T
Black Hawk	426B	85	253.77	21570.75	77	0.8242	38	46	8.09	46.09	11695.61	NT
Black Hawk	426B	85	3851.24	327355.44	77	0.8242					327355.44	T
Black Hawk	426C	70	156.94	10985.61	77	0.8242	38	32	5.63	43.63	6846.48	NT
Black Hawk	426C	70	1411.06	98774.01	77	0.8242					98774.01	T
Black Hawk	426C2	68	101.19	6881.08	77	0.8242	38	30	5.27	43.27	4379.00	NT
Black Hawk	426C2	68	1324.55	90069.49	77	0.8242					90069.49	T
Black Hawk	4284	0	118.96	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4284	0	167.86	0.00	77	0.8242					0.00	T
Black Hawk	4284B	0	17.53	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4284B	0	46.52	0.00	77	0.8242					0.00	T
Black Hawk	4377B	0	2.74	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4377B	0	1.53	0.00	77	0.8242					0.00	T
Black Hawk	4377C	0	0.32	0.00	77	0.8242					0.00	T
Black Hawk	4382	0	1.09	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4382	0	0.70	0.00	77	0.8242					0.00	T
Black Hawk	4391B	0	128.44	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4391B	0	205.44	0.00	77	0.8242					0.00	T
Black Hawk	4399	0	2.70	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4399	0	8.76	0.00	77	0.8242					0.00	T
Black Hawk	4408B	0	11.10	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4408B	0	56.54	0.00	77	0.8242					0.00	T
Black Hawk	4408C	0	2.43	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	4408C	0	1.44	0.00	77	0.8242					0.00	T
Black Hawk	4426B	0	8.01	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4426B	0	7.72	0.00	77	0.8242					0.00	T
Black Hawk	4426C	0	45.69	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4426C	0	87.93	0.00	77	0.8242					0.00	T
Black Hawk	4585	0	38.11	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4585	0	55.22	0.00	77	0.8242					0.00	T
Black Hawk	468B	62	125.02	7751.41	77	0.8242	38	24	4.22	42.22	5278.36	NT
Black Hawk	468B	62	1974.56	122422.97	77	0.8242					122422.97	T
Black Hawk	468C	47	11.69	549.57	77	0.8242	38	8	1.41	39.41	460.78	NT
Black Hawk	468C	47	169.55	7968.91	77	0.8242					7968.91	T
Black Hawk	471	86	54.13	4654.82	77	0.8242	38	48	8.44	46.44	2513.51	NT
Black Hawk	471	86	1106.73	95178.80	77	0.8242					95178.80	T
Black Hawk	4798	0	1.86	0.00	77	0.8242					0.00	T
Black Hawk	485	92	176.31	16220.77	77	0.8242	38	54	9.49	47.49	8373.66	NT
Black Hawk	485	92	1787.30	164431.14	77	0.8242					164431.14	T
Black Hawk	4911B	0	0.03	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4911B	0	3.14	0.00	77	0.8242					0.00	T
Black Hawk	4933	0	35.39	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4933	0	10.78	0.00	77	0.8242					0.00	T
Black Hawk	4946	0	13.52	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	4946	0	74.46	0.00	77	0.8242					0.00	T
Black Hawk	5010	0	249.77	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	5010	0	14.58	0.00	77	0.8242					0.00	T
Black Hawk	5030	0	35.53	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	5030	0	9.01	0.00	77	0.8242					0.00	T
Black Hawk	5040	5	150.78	753.91	77	0.8242	5	0	0.00	5.00	753.91	NT
Black Hawk	5040	5	178.43	892.15	77	0.8242					892.15	T
Black Hawk	5053	0	43.35	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	5053	0	5.26	0.00	77	0.8242					0.00	T
Black Hawk	536	70	0.74	51.84	77	0.8242	38	32	5.63	43.63	32.31	NT
Black Hawk	585	86	974.62	83817.31	77	0.8242	38	48	8.44	46.44	45259.79	NT
Black Hawk	585	86	3859.88	331949.39	77	0.8242					331949.39	T
Black Hawk	626	67	161.83	10842.30	77	0.8242	38	28	4.92	42.92	6945.93	NT
Black Hawk	626	67	2362.30	158274.30	77	0.8242					158274.30	T
Black Hawk	63B	40	293.71	11748.57	77	0.8242	38	2	0.35	38.35	11264.41	NT
Black Hawk	63B	40	1006.07	40242.64	77	0.8242					40242.64	T
Black Hawk	63C	21	178.31	3744.58	77	0.8242	21	0	0.00	21.00	3744.58	NT
Black Hawk	63C	21	230.84	4847.65	77	0.8242					4847.65	T
Black Hawk	63D	11	81.52	896.68	77	0.8242	11	0	0.00	11.00	896.68	NT
Black Hawk	63D	11	54.79	602.65	77	0.8242					602.65	T
Black Hawk	7	91	145.84	13271.86	77	0.8242	38	52	9.14	47.14	6875.35	NT
Black Hawk	7	91	2632.11	239521.93	77	0.8242					239521.93	T
Black Hawk	761	83	40.31	3346.00	77	0.8242	38	44	7.74	45.74	1843.73	NT
Black Hawk	761	83	806.59	66947.18	77	0.8242					66947.18	T
Black Hawk	771B	87	39.21	3411.11	77	0.8242	38	48	8.44	46.44	1820.76	NT
Black Hawk	771B	87	422.33	36742.85	77	0.8242					36742.85	T
Black Hawk	775B	52	81.55	4240.69	77	0.8242	38	14	2.46	40.46	3299.68	NT
Black Hawk	775B	52	561.40	29193.04	77	0.8242					29193.04	T
Black Hawk	776C	8	33.47	267.76	77	0.8242	8	0	0.00	8.00	267.76	NT
Black Hawk	776C	8	343.41	2747.27	77	0.8242					2747.27	T
Black Hawk	777	58	155.78	9035.31	77	0.8242	38	20	3.52	41.52	6467.41	NT
Black Hawk	777	58	723.11	41940.54	77	0.8242					41940.54	T
Black Hawk	781B	60	45.45	2727.05	77	0.8242	38	22	3.87	41.87	1902.92	NT
Black Hawk	781B	60	320.45	19226.97	77	0.8242					19226.97	T
Black Hawk	781C2	35	19.13	669.70	77	0.8242	35	0	0.00	35.00	669.70	NT
Black Hawk	781C2	35	108.49	3797.23	77	0.8242					3797.23	T
Black Hawk	782B	50	46.92	2346.22	77	0.8242	38	12	2.11	40.11	1882.12	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	782B	50	1015.73	50786.26	77	0.8242					50786.26	T
Black Hawk	798	60	31.59	1895.46	77	0.8242	38	22	3.87	41.87	1322.64	NT
Black Hawk	798	60	734.76	44085.59	77	0.8242					44085.59	T
Black Hawk	809B	27	42.93	1159.08	77	0.8242	27	0	0.00	27.00	1159.08	NT
Black Hawk	809B	27	309.09	8345.47	77	0.8242					8345.47	T
Black Hawk	83B	87	1767.95	153811.51	77	0.8242	38	48	8.44	46.44	82100.70	NT
Black Hawk	83B	87	24942.43	2169991.47	77	0.8242					2169991.47	T
Black Hawk	83C	72	152.52	10981.35	77	0.8242	38	34	5.98	43.98	6707.35	NT
Black Hawk	83C	72	2431.32	175055.00	77	0.8242					175055.00	T
Black Hawk	83C2	69	122.50	8452.79	77	0.8242	38	30	5.27	43.27	5301.25	NT
Black Hawk	83C2	69	3501.79	241623.80	77	0.8242					241623.80	T
Black Hawk	83D2	58	17.17	995.82	77	0.8242	38	20	3.52	41.52	712.80	NT
Black Hawk	83D2	58	113.87	6604.24	77	0.8242					6604.24	T
Black Hawk	84	76	1116.46	84850.98	77	0.8242	38	38	6.68	44.68	49883.89	NT
Black Hawk	84	76	9974.47	758059.95	77	0.8242					758059.95	T
Black Hawk	877B	93	236.00	21948.12	77	0.8242	38	54	9.49	47.49	11208.45	NT
Black Hawk	877B	93	5601.40	520930.00	77	0.8242					520930.00	T
Black Hawk	88	92	181.14	16665.13	77	0.8242	38	54	9.49	47.49	8603.05	NT
Black Hawk	88	92	3449.90	317391.16	77	0.8242					317391.16	T
Black Hawk	884	95	74.41	7069.09	77	0.8242	38	56	9.84	47.84	3560.20	NT
Black Hawk	884	95	3105.89	295059.38	77	0.8242					295059.38	T
Black Hawk	911B	85	458.88	39004.94	77	0.8242	38	46	8.09	46.09	21148.38	NT
Black Hawk	911B	85	5095.54	433121.24	77	0.8242					433121.24	T
Black Hawk	933	80	951.26	76100.82	77	0.8242	38	42	7.38	45.38	43171.61	NT
Black Hawk	933	80	7582.80	606624.00	77	0.8242					606624.00	T
Black Hawk	933B	80	9.12	729.60	77	0.8242					729.60	T
Black Hawk	982	93	112.99	10507.94	77	0.8242	38	54	9.49	47.49	5366.19	NT
Black Hawk	982	93	2760.70	256744.70	77	0.8242					256744.70	T
Black Hawk	AW	0	5.21	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Black Hawk	AW	0	0.31	0.00	77	0.8242					0.00	T
Black Hawk	SL	0	2.21	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	W	0	863.07	0.00	77	0.8242	0	0	0.00	0.00	0.00	NT
Black Hawk	W	0	20.66	0.00	77	0.8242					0.00	T
											0.00	
											0.00	
Boone	107	70	1554.48	108813.48	78	0.8014	39	31	6.16	45.16	70194.96	NT
Boone	107	70	26693.04	1868512.53	78	0.8014					1868512.53	T
Boone	108B	47	0.15	7.20	78	0.8014					7.20	T
Boone	1135	25	2727.16	68179.07	78	0.8014	25	0	0.00	25.00	68179.07	NT
Boone	1135	25	840.95	21023.70	78	0.8014					21023.70	T
Boone	1138B	80	1.46	116.57	78	0.8014					116.57	T
Boone	1236C	62	0.04	2.56	78	0.8014	39	23	4.57	43.57	1.80	NT
Boone	1236C	62	0.44	27.25	78	0.8014					27.25	T
Boone	135	78	2103.29	164056.69	78	0.8014	39	39	7.75	46.75	98319.17	NT
Boone	135	78	3932.89	306765.41	78	0.8014					306765.41	T
Boone	138B	73	2710.51	197867.02	78	0.8014	39	34	6.75	45.75	124012.21	NT
Boone	138B	73	55672.46	4064089.38	78	0.8014					4064089.38	T
Boone	138C	67	586.67	39306.84	78	0.8014	39	28	5.56	44.56	26142.45	NT
Boone	138C	67	9883.03	662162.85	78	0.8014					662162.85	T
Boone	138C2	59	891.86	52619.52	78	0.8014	39	20	3.97	42.97	38324.85	NT
Boone	138C2	59	12516.30	738461.41	78	0.8014					738461.41	T
Boone	138D2	56	207.59	11625.06	78	0.8014	39	17	3.38	42.38	8796.89	NT
Boone	138D2	56	1075.07	60203.97	78	0.8014					60203.97	T
Boone	1507	75	1.33	99.52	78	0.8014					99.52	T
Boone	1555	86	0.23	19.67	78	0.8014	39	47	9.33	48.33	11.06	NT
Boone	1555	86	1.51	129.76	78	0.8014					129.76	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Boone	1636	25	776.09	19402.28	78	0.8014	25	0	0.00	25.00	19402.28	NT
Boone	1636	25	88.86	2221.47	78	0.8014					2221.47	T
Boone	167	49	49.66	2433.36	78	0.8014	39	10	1.99	40.99	2035.38	NT
Boone	167	49	48.33	2368.28	78	0.8014					2368.28	T
Boone	168B	74	2891.58	213976.82	78	0.8014	39	35	6.95	45.95	132870.93	NT
Boone	168B	74	2984.25	220834.31	78	0.8014					220834.31	T
Boone	168C	58	813.35	47174.03	78	0.8014	39	19	3.77	42.77	34789.54	NT
Boone	168C	58	549.16	31851.00	78	0.8014					31851.00	T
Boone	168C2	56	309.77	17347.15	78	0.8014	39	17	3.38	42.38	13126.90	NT
Boone	168C2	56	462.70	25911.25	78	0.8014					25911.25	T
Boone	168D2	47	261.56	12293.47	78	0.8014	39	8	1.59	40.59	10616.54	NT
Boone	168D2	47	101.17	4754.86	78	0.8014					4754.86	T
Boone	168E	38	400.55	15220.77	78	0.8014	38	0	0.00	38.00	15220.77	NT
Boone	168E	38	26.80	1018.29	78	0.8014					1018.29	T
Boone	1836B	68	4.50	306.30	78	0.8014	39	29	5.76	44.76	201.61	NT
Boone	201B	51	0.04	1.98	78	0.8014	39	12	2.38	41.38	1.60	NT
Boone	201B	51	0.01	0.65	78	0.8014					0.65	T
Boone	203	71	89.28	6338.96	78	0.8014	39	32	6.36	45.36	4049.37	NT
Boone	203	71	949.05	67382.85	78	0.8014					67382.85	T
Boone	221	25	44.26	1106.56	78	0.8014	25	0	0.00	25.00	1106.56	NT
Boone	221	25	471.79	11794.85	78	0.8014					11794.85	T
Boone	224	52	24.10	1253.45	78	0.8014	39	13	2.58	41.58	1002.32	NT
Boone	224	52	177.45	9227.53	78	0.8014					9227.53	T
Boone	236B	79	816.62	64512.64	78	0.8014	39	40	7.94	46.94	38335.21	NT
Boone	236B	79	2288.84	180818.43	78	0.8014					180818.43	T
Boone	236C2	62	257.59	15970.77	78	0.8014	39	23	4.57	43.57	11222.76	NT
Boone	236C2	62	584.90	36264.06	78	0.8014					36264.06	T
Boone	2485B	5	1237.03	6185.13	78	0.8014	5	0	0.00	5.00	6185.13	NT
Boone	2485B	5	27.56	137.78	78	0.8014					137.78	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Boone	259	41	59.96	2458.46	78	0.8014	39	2	0.40	39.40	2362.35	NT
Boone	259	41	1009.27	41380.21	78	0.8014					41380.21	T
Boone	262G	11	4.19	46.12	78	0.8014	11	0	0.00	11.00	46.12	NT
Boone	27B	82	0.05	4.41	78	0.8014					4.41	T
Boone	27C	61	160.39	9783.88	78	0.8014	39	22	4.37	43.37	6956.05	NT
Boone	27C	61	932.24	56866.51	78	0.8014					56866.51	T
Boone	28B	14	101.70	1423.83	78	0.8014	14	0	0.00	14.00	1423.83	NT
Boone	28B	14	608.41	8517.76	78	0.8014					8517.76	T
Boone	28C	31	124.34	3854.42	78	0.8014	31	0	0.00	31.00	3854.42	NT
Boone	28C	31	410.98	12740.24	78	0.8014					12740.24	T
Boone	307	61	334.60	20410.43	78	0.8014	39	22	4.37	43.37	14511.22	NT
Boone	307	61	671.33	40951.13	78	0.8014					40951.13	T
Boone	308	43	58.14	2500.01	78	0.8014	39	4	0.79	39.79	2313.64	NT
Boone	308	43	332.89	14314.36	78	0.8014					14314.36	T
Boone	308B	36	88.69	3192.93	78	0.8014	36	0	0.00	36.00	3192.93	NT
Boone	308B	36	544.79	19612.39	78	0.8014					19612.39	T
Boone	325	87	438.42	38142.67	78	0.8014	39	48	9.53	48.53	21277.82	NT
Boone	325	87	1584.71	137869.42	78	0.8014					137869.42	T
Boone	335	59	1.69	99.98	78	0.8014	39	20	3.97	42.97	72.82	NT
Boone	335	59	129.79	7657.84	78	0.8014					7657.84	T
Boone	34C2	15	0.13	1.99	78	0.8014					1.99	T
Boone	354	5	120.48	602.39	78	0.8014	5	0	0.00	5.00	602.39	NT
Boone	354	5	47.55	237.73	78	0.8014					237.73	T
Boone	355	82	795.05	65194.44	78	0.8014	39	43	8.54	47.54	37796.72	NT
Boone	355	82	1236.24	101371.28	78	0.8014					101371.28	T
Boone	356G	5	12452.06	62260.28	78	0.8014	5	0	0.00	5.00	62260.28	NT
Boone	356G	5	259.15	1295.77	78	0.8014					1295.77	T
Boone	383	76	14.09	1070.79	78	0.8014	39	37	7.35	46.35	653.02	NT
Boone	383	76	879.41	66835.52	78	0.8014					66835.52	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Boone	385	82	0.02	1.25	78	0.8014	39	43	8.54	47.54	0.73	NT
Boone	385	82	0.53	43.65	78	0.8014					43.65	T
Boone	385B	83	4.12	342.17	78	0.8014	39	44	8.74	47.74	196.81	NT
Boone	385B	83	430.39	35722.54	78	0.8014					35722.54	T
Boone	4055	0	2.03	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	4055	0	8.28	0.00	78	0.8014					0.00	T
Boone	4138B	0	3.07	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	4138B	0	8.75	0.00	78	0.8014					0.00	T
Boone	4138C	0	0.86	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	4138C	0	3.40	0.00	78	0.8014					0.00	T
Boone	444C	45	42.19	1898.64	78	0.8014	39	6	1.19	40.19	1695.77	NT
Boone	444C	45	39.84	1792.65	78	0.8014					1792.65	T
Boone	4507	0	3.12	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	4507	0	17.49	0.00	78	0.8014					0.00	T
Boone	485	92	219.50	20193.63	78	0.8014	39	53	10.53	49.53	10870.71	NT
Boone	485	92	627.29	57710.31	78	0.8014					57710.31	T
Boone	485B	82	142.29	11667.48	78	0.8014	39	43	8.54	47.54	6764.27	NT
Boone	485B	82	1841.84	151031.17	78	0.8014					151031.17	T
Boone	5010	0	259.44	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	5010	0	30.07	0.00	78	0.8014					0.00	T
Boone	5020	0	41.94	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	5020	0	18.00	0.00	78	0.8014					0.00	T
Boone	5040	5	157.06	785.29	78	0.8014	5	0	0.00	5.00	785.29	NT
Boone	5040	5	94.94	474.72	78	0.8014					474.72	T
Boone	507	71	1277.93	90732.78	78	0.8014	39	32	6.36	45.36	57960.61	NT
Boone	507	71	71374.01	5067554.97	78	0.8014					5067554.97	T
Boone	511	57	3.32	189.39	78	0.8014	39	18	3.57	42.57	141.46	NT
Boone	511	57	547.75	31221.69	78	0.8014					31221.69	T
Boone	536	70	139.07	9734.58	78	0.8014	39	31	6.16	45.16	6279.72	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Boone	536	70	227.62	15933.36	78	0.8014					15933.36	T
Boone	55	73	1390.52	101507.95	78	0.8014	39	34	6.75	45.75	63619.62	NT
Boone	55	73	40640.47	2966754.32	78	0.8014					2966754.32	T
Boone	5507	61	0.11	6.91	78	0.8014					6.91	T
Boone	559	40	46.10	1844.01	78	0.8014	39	1	0.20	39.20	1807.07	NT
Boone	559	40	1493.01	59720.28	78	0.8014					59720.28	T
Boone	566B	81	243.54	19726.62	78	0.8014	39	42	8.34	47.34	11529.41	NT
Boone	566B	81	422.51	34223.24	78	0.8014					34223.24	T
Boone	566C	65	421.23	27379.93	78	0.8014	39	26	5.16	44.16	18603.02	NT
Boone	566C	65	243.68	15839.06	78	0.8014					15839.06	T
Boone	566D	55	94.57	5201.38	78	0.8014	39	16	3.18	42.18	3988.76	NT
Boone	566D	55	59.61	3278.62	78	0.8014					3278.62	T
Boone	583	69	1.71	118.07	78	0.8014	39	30	5.96	44.96	76.93	NT
Boone	585B	70	1262.54	88377.80	78	0.8014	39	31	6.16	45.16	57012.01	NT
Boone	585B	70	2375.53	166286.94	78	0.8014					166286.94	T
Boone	6	43	33.44	1438.04	78	0.8014	39	4	0.79	39.79	1330.84	NT
Boone	6	43	4023.10	172993.40	78	0.8014					172993.40	T
Boone	625	70	0.18	12.50	78	0.8014	39	31	6.16	45.16	8.07	NT
Boone	62C2	53	147.48	7816.22	78	0.8014	39	14	2.78	41.78	6161.60	NT
Boone	62C2	53	1502.11	79612.05	78	0.8014					79612.05	T
Boone	62D2	38	715.63	27193.95	78	0.8014	38	0	0.00	38.00	27193.95	NT
Boone	62D2	38	3004.54	114172.66	78	0.8014					114172.66	T
Boone	62E2	28	583.69	16343.19	78	0.8014	28	0	0.00	28.00	16343.19	NT
Boone	62E2	28	912.53	25550.84	78	0.8014					25550.84	T
Boone	62F	7	312.33	2186.31	78	0.8014	7	0	0.00	7.00	2186.31	NT
Boone	62F	7	193.24	1352.67	78	0.8014					1352.67	T
Boone	636	53	134.32	7118.87	78	0.8014	39	14	2.78	41.78	5611.88	NT
Boone	636	53	215.12	11401.29	78	0.8014					11401.29	T
Boone	639D	28	16.25	455.01	78	0.8014	28	0	0.00	28.00	455.01	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Boone	639D	28	136.75	3829.07	78	0.8014					3829.07	T
Boone	639E	17	68.71	1168.07	78	0.8014	17	0	0.00	17.00	1168.07	NT
Boone	639E	17	276.36	4698.20	78	0.8014					4698.20	T
Boone	655	71	17.92	1272.27	78	0.8014	39	32	6.36	45.36	812.73	NT
Boone	655	71	1577.25	111984.93	78	0.8014					111984.93	T
Boone	733	64	63.01	4032.62	78	0.8014	39	25	4.97	43.97	2770.22	NT
Boone	733	64	255.92	16378.61	78	0.8014					16378.61	T
Boone	736B	87	0.00	0.01	78	0.8014					0.01	T
Boone	73D	5	145.53	727.67	78	0.8014	5	0	0.00	5.00	727.67	NT
Boone	73D	5	216.50	1082.48	78	0.8014					1082.48	T
Boone	73F	5	297.02	1485.10	78	0.8014	5	0	0.00	5.00	1485.10	NT
Boone	73F	5	122.20	611.00	78	0.8014					611.00	T
Boone	778	74	121.53	8993.46	78	0.8014	39	35	6.95	45.95	5584.58	NT
Boone	778	74	174.28	12896.44	78	0.8014					12896.44	T
Boone	778B	69	188.64	13016.41	78	0.8014	39	30	5.96	44.96	8481.04	NT
Boone	778B	69	273.40	18864.87	78	0.8014					18864.87	T
Boone	778C	40	61.35	2453.97	78	0.8014	39	1	0.20	39.20	2404.81	NT
Boone	778C	40	48.34	1933.46	78	0.8014					1933.46	T
Boone	823	38	61.96	2354.42	78	0.8014	38	0	0.00	38.00	2354.42	NT
Boone	823	38	391.50	14877.06	78	0.8014					14877.06	T
Boone	823B	35	52.59	1840.66	78	0.8014	35	0	0.00	35.00	1840.66	NT
Boone	823B	35	388.35	13592.12	78	0.8014					13592.12	T
Boone	823C2	29	60.58	1756.89	78	0.8014	29	0	0.00	29.00	1756.89	NT
Boone	823C2	29	196.26	5691.57	78	0.8014					5691.57	T
Boone	828B	45	46.66	2099.89	78	0.8014	39	6	1.19	40.19	1875.51	NT
Boone	828B	45	861.08	38748.65	78	0.8014					38748.65	T
Boone	828C	31	49.55	1536.17	78	0.8014	31	0	0.00	31.00	1536.17	NT
Boone	828C	31	438.84	13603.98	78	0.8014					13603.98	T
Boone	828C2	30	90.46	2713.72	78	0.8014	30	0	0.00	30.00	2713.72	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Boone	828C2	30	1856.48	55694.35	78	0.8014					55694.35	T
Boone	829D2	28	93.38	2614.73	78	0.8014	28	0	0.00	28.00	2614.73	NT
Boone	829D2	28	758.85	21247.76	78	0.8014					21247.76	T
Boone	829E2	11	99.01	1089.07	78	0.8014	11	0	0.00	11.00	1089.07	NT
Boone	829E2	11	190.18	2091.98	78	0.8014					2091.98	T
Boone	855	77	2.60	200.29	78	0.8014	39	38	7.55	46.55	121.08	NT
Boone	855	77	0.04	3.35	78	0.8014					3.35	T
Boone	90	42	67.88	2851.17	78	0.8014	39	3	0.60	39.60	2687.96	NT
Boone	90	42	4467.91	187652.33	78	0.8014					187652.33	T
Boone	95	57	128.31	7313.91	78	0.8014	39	18	3.57	42.57	5462.95	NT
Boone	95	57	13489.97	768928.20	78	0.8014					768928.20	T
Boone	AW	0	12.53	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	AW	0	0.00	0.00	78	0.8014					0.00	T
Boone	INT	0	16.73	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	INT	0	8.00	0.00	78	0.8014					0.00	T
Boone	SL	0	4.31	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	W	0	297.92	0.00	78	0.8014	0	0	0.00	0.00	0.00	NT
Boone	W	0	1.05	0.00	78	0.8014					0.00	T
											0.00	
											0.00	
Bremer	109B	25	22.05	551.33	78	0.806	25	0	0.00	25.00	551.33	NT
Bremer	109B	25	113.15	2828.71	78	0.806					2828.71	T
Bremer	109C	10	44.88	448.81	78	0.806	10	0	0.00	10.00	448.81	NT
Bremer	109C	10	93.90	939.02	78	0.806					939.02	T
Bremer	109D	5	34.87	174.36	78	0.806	5	0	0.00	5.00	174.36	NT
Bremer	109D	5	44.18	220.89	78	0.806					220.89	T
Bremer	1152	68	1446.57	98367.05	78	0.806	39	29	5.63	44.63	64554.83	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Bremer	1152	68	5635.21	383194.35	78	0.806					383194.35	T
Bremer	1226	72	483.18	34788.63	78	0.806	39	33	6.40	45.40	21937.13	NT
Bremer	1226	72	4060.05	292323.83	78	0.806					292323.83	T
Bremer	127	95	22.61	2148.31	78	0.806	39	56	10.86	49.86	1127.62	NT
Bremer	127	95	538.42	51150.03	78	0.806					51150.03	T
Bremer	135	78	1258.73	98181.02	78	0.806	39	39	7.57	46.57	58614.07	NT
Bremer	135	78	899.31	70145.92	78	0.806					70145.92	T
Bremer	153	60	544.42	32665.17	78	0.806	39	21	4.07	43.07	23450.32	NT
Bremer	153	60	405.42	24324.95	78	0.806					24324.95	T
Bremer	1585	5	3993.52	19967.61	78	0.806	5	0	0.00	5.00	19967.61	NT
Bremer	1585	5	242.28	1211.39	78	0.806					1211.39	T
Bremer	1586	5	3315.13	16575.65	78	0.806	5	0	0.00	5.00	16575.65	NT
Bremer	1586	5	117.52	587.61	78	0.806					587.61	T
Bremer	159	38	0.05	1.74	78	0.806					1.74	T
Bremer	173	60	248.57	14914.28	78	0.806	39	21	4.07	43.07	10706.96	NT
Bremer	173	60	821.29	49277.32	78	0.806					49277.32	T
Bremer	175	60	0.06	3.79	78	0.806					3.79	T
Bremer	175B	56	530.39	29701.62	78	0.806	39	17	3.30	42.30	22434.27	NT
Bremer	175B	56	4297.33	240650.27	78	0.806					240650.27	T
Bremer	175C	41	99.68	4087.01	78	0.806	39	2	0.39	39.39	3926.32	NT
Bremer	175C	41	626.56	25688.81	78	0.806					25688.81	T
Bremer	177	64	0.88	56.28	78	0.806					56.28	T
Bremer	178	79	638.85	50468.89	78	0.806	39	40	7.76	46.76	29872.47	NT
Bremer	178	79	6111.78	482830.26	78	0.806					482830.26	T
Bremer	178B	74	312.57	23130.12	78	0.806	39	35	6.79	45.79	14312.55	NT
Bremer	178B	74	1733.00	128241.75	78	0.806					128241.75	T
Bremer	178C	54	21.29	1149.87	78	0.806	39	15	2.91	41.91	892.43	NT
Bremer	178C	54	77.50	4185.02	78	0.806					4185.02	T
Bremer	184	93	149.82	13933.67	78	0.806	39	54	10.48	49.48	7412.71	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Bremer	184	93	3926.68	365181.60	78	0.806					365181.60	T
Bremer	1936	25	0.21	5.27	78	0.806	25	0	0.00	25.00	5.27	NT
Bremer	198B	80	1409.74	112779.34	78	0.806	39	41	7.95	46.95	66193.01	NT
Bremer	198B	80	22632.77	1810621.29	78	0.806					1810621.29	T
Bremer	213B	74	0.12	8.92	78	0.806	39	35	6.79	45.79	5.52	NT
Bremer	213B	74	0.17	12.91	78	0.806					12.91	T
Bremer	214C2	33	0.01	0.27	78	0.806					0.27	T
Bremer	221	25	195.73	4893.35	78	0.806	25	0	0.00	25.00	4893.35	NT
Bremer	221	25	222.55	5563.86	78	0.806					5563.86	T
Bremer	27B	82	0.17	14.22	78	0.806	39	43	8.34	47.34	8.21	NT
Bremer	27B	82	0.34	27.75	78	0.806					27.75	T
Bremer	284	40	0.97	38.76	78	0.806	39	1	0.19	39.19	37.98	NT
Bremer	284	40	0.27	10.89	78	0.806					10.89	T
Bremer	284B	45	108.66	4889.72	78	0.806	39	6	1.16	40.16	4364.24	NT
Bremer	284B	45	764.56	34405.10	78	0.806					34405.10	T
Bremer	285	30	72.82	2184.60	78	0.806	30	0	0.00	30.00	2184.60	NT
Bremer	285	30	315.83	9474.76	78	0.806					9474.76	T
Bremer	285C	5	67.86	339.32	78	0.806	5	0	0.00	5.00	339.32	NT
Bremer	285C	5	210.91	1054.56	78	0.806					1054.56	T
Bremer	315	30	0.07	2.10	78	0.806					2.10	T
Bremer	323B	72	424.42	30558.15	78	0.806	39	33	6.40	45.40	19269.46	NT
Bremer	323B	72	2845.39	204868.03	78	0.806					204868.03	T
Bremer	344D	5	70.73	353.64	78	0.806	5	0	0.00	5.00	353.64	NT
Bremer	344D	5	199.78	998.88	78	0.806					998.88	T
Bremer	344G	5	209.41	1047.03	78	0.806	5	0	0.00	5.00	1047.03	NT
Bremer	344G	5	58.83	294.16	78	0.806					294.16	T
Bremer	354	5	902.82	4514.11	78	0.806	5	0	0.00	5.00	4514.11	NT
Bremer	354	5	29.24	146.20	78	0.806					146.20	T
Bremer	377B	90	60.08	5407.52	78	0.806	39	51	9.89	48.89	2937.73	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Bremer	377B	90	846.05	76144.23	78	0.806					76144.23	T
Bremer	377C	75	3.24	242.98	78	0.806	39	36	6.98	45.98	148.97	NT
Bremer	377C	75	40.41	3030.38	78	0.806					3030.38	T
Bremer	382	90	86.90	7820.99	78	0.806	39	51	9.89	48.89	4248.88	NT
Bremer	382	90	3636.41	327276.92	78	0.806					327276.92	T
Bremer	391B	72	287.14	20674.44	78	0.806	39	33	6.40	45.40	13036.95	NT
Bremer	391B	72	2697.82	194243.20	78	0.806					194243.20	T
Bremer	394B	85	243.84	20726.34	78	0.806	39	46	8.92	47.92	11685.76	NT
Bremer	394B	85	3504.80	297908.13	78	0.806					297908.13	T
Bremer	394C	70	63.77	4463.91	78	0.806	39	31	6.01	45.01	2870.55	NT
Bremer	394C	70	1084.54	75917.85	78	0.806					75917.85	T
Bremer	395B	87	702.00	61074.09	78	0.806	39	48	9.31	48.31	33915.07	NT
Bremer	395B	87	10886.86	947156.43	78	0.806					947156.43	T
Bremer	398	81	786.15	63678.05	78	0.806	39	42	8.15	47.15	37065.34	NT
Bremer	398	81	31496.11	2551185.08	78	0.806					2551185.08	T
Bremer	399	91	1303.13	118584.48	78	0.806	39	52	10.09	49.09	63967.86	NT
Bremer	399	91	31992.95	2911358.57	78	0.806					2911358.57	T
Bremer	399B	84	1.50	125.63	78	0.806					125.63	T
Bremer	408B	66	99.69	6579.46	78	0.806	39	27	5.24	44.24	4410.03	NT
Bremer	408B	66	1297.81	85655.62	78	0.806					85655.62	T
Bremer	41	40	0.02	0.76	78	0.806					0.76	T
Bremer	41B	40	505.35	20213.85	78	0.806	39	1	0.19	39.19	19806.54	NT
Bremer	41B	40	3438.79	137551.76	78	0.806					137551.76	T
Bremer	41C	25	326.82	8170.56	78	0.806	25	0	0.00	25.00	8170.56	NT
Bremer	41C	25	1455.96	36399.11	78	0.806					36399.11	T
Bremer	43	80	14.06	1124.79	78	0.806	39	41	7.95	46.95	660.17	NT
Bremer	43	80	157.01	12561.13	78	0.806					12561.13	T
Bremer	471	86	649.57	55862.65	78	0.806	39	47	9.12	48.12	31255.80	NT
Bremer	471	86	4524.37	389096.09	78	0.806					389096.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Bremer	485	92	550.15	50613.57	78	0.806	39	53	10.28	49.28	27112.37	NT
Bremer	485	92	900.52	82847.40	78	0.806					82847.40	T
Bremer	4946	0	7.80	0.00	78	0.806	0	0	0.00	0.00	0.00	NT
Bremer	4946	0	20.67	0.00	78	0.806					0.00	T
Bremer	5010	0	51.47	0.00	78	0.806	0	0	0.00	0.00	0.00	NT
Bremer	5010	0	0.57	0.00	78	0.806					0.00	T
Bremer	5030	0	156.76	0.00	78	0.806	0	0	0.00	0.00	0.00	NT
Bremer	5030	0	0.98	0.00	78	0.806					0.00	T
Bremer	5040	5	87.35	436.76	78	0.806	5	0	0.00	5.00	436.76	NT
Bremer	5040	5	31.32	156.59	78	0.806					156.59	T
Bremer	5080	0	61.33	0.00	78	0.806	0	0	0.00	0.00	0.00	NT
Bremer	5080	0	0.17	0.00	78	0.806					0.00	T
Bremer	50B	36	132.28	4762.14	78	0.806	36	0	0.00	36.00	4762.14	NT
Bremer	50B	36	191.58	6896.90	78	0.806					6896.90	T
Bremer	582B	78	443.78	34614.91	78	0.806	39	39	7.57	46.57	20665.10	NT
Bremer	582B	78	3316.84	258713.48	78	0.806					258713.48	T
Bremer	582C	64	105.14	6728.94	78	0.806	39	25	4.85	43.85	4610.37	NT
Bremer	582C	64	287.94	18428.43	78	0.806					18428.43	T
Bremer	585	86	1348.97	116011.05	78	0.806	39	47	9.12	48.12	64909.53	NT
Bremer	585	86	979.05	84198.40	78	0.806					84198.40	T
Bremer	620B	95	69.84	6634.68	78	0.806	39	56	10.86	49.86	3482.44	NT
Bremer	620B	95	491.41	46684.24	78	0.806					46684.24	T
Bremer	620C2	78	78.65	6134.83	78	0.806	39	39	7.57	46.57	3662.49	NT
Bremer	620C2	78	489.48	38179.16	78	0.806					38179.16	T
Bremer	626	67	973.08	65196.55	78	0.806	39	28	5.43	44.43	43236.02	NT
Bremer	626	67	2953.36	197875.43	78	0.806					197875.43	T
Bremer	63B	40	84.67	3386.64	78	0.806	39	1	0.19	39.19	3318.40	NT
Bremer	63B	40	179.25	7170.10	78	0.806					7170.10	T
Bremer	63C	21	192.10	4034.00	78	0.806	21	0	0.00	21.00	4034.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Bremer	63C	21	308.31	6474.42	78	0.806					6474.42	T
Bremer	63E	5	170.74	853.68	78	0.806	5	0	0.00	5.00	853.68	NT
Bremer	63E	5	66.47	332.35	78	0.806					332.35	T
Bremer	663B	85	39.60	3365.63	78	0.806	39	46	8.92	47.92	1897.58	NT
Bremer	663B	85	212.30	18045.42	78	0.806					18045.42	T
Bremer	663C	70	186.19	13033.35	78	0.806	39	31	6.01	45.01	8381.19	NT
Bremer	663C	70	305.80	21406.17	78	0.806					21406.17	T
Bremer	663D2	58	101.76	5902.15	78	0.806	39	19	3.69	42.69	4343.78	NT
Bremer	663D2	58	91.13	5285.80	78	0.806					5285.80	T
Bremer	663D3	55	29.44	1619.04	78	0.806	39	16	3.10	42.10	1239.42	NT
Bremer	663D3	55	74.90	4119.27	78	0.806					4119.27	T
Bremer	663E2	48	102.88	4938.24	78	0.806	39	9	1.75	40.75	4191.94	NT
Bremer	663E2	48	130.04	6241.80	78	0.806					6241.80	T
Bremer	663G	20	348.48	6969.58	78	0.806	20	0	0.00	20.00	6969.58	NT
Bremer	663G	20	97.09	1941.88	78	0.806					1941.88	T
Bremer	775	57	101.62	5792.49	78	0.806	39	18	3.49	42.49	4318.15	NT
Bremer	775	57	340.97	19435.33	78	0.806					19435.33	T
Bremer	775B	52	158.13	8222.94	78	0.806	39	13	2.52	41.52	6566.02	NT
Bremer	775B	52	482.30	25079.70	78	0.806					25079.70	T
Bremer	775C	37	136.74	5059.42	78	0.806	37	0	0.00	37.00	5059.42	NT
Bremer	775C	37	190.23	7038.68	78	0.806					7038.68	T
Bremer	777	58	0.06	3.63	78	0.806					3.63	T
Bremer	777B	53	0.17	9.24	78	0.806					9.24	T
Bremer	778	74	252.25	18666.40	78	0.806	39	35	6.79	45.79	11550.46	NT
Bremer	778	74	1170.27	86599.71	78	0.806					86599.71	T
Bremer	8041	45	131.06	5897.71	78	0.806	39	6	1.16	40.16	5263.90	NT
Bremer	8041	45	706.79	31805.50	78	0.806					31805.50	T
Bremer	8041B	40	339.59	13583.77	78	0.806	39	1	0.19	39.19	13310.05	NT
Bremer	8041B	40	748.71	29948.24	78	0.806					29948.24	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Bremer	813B	80	115.07	9205.68	78	0.806	39	41	7.95	46.95	5403.04	NT
Bremer	813B	80	794.21	63536.73	78	0.806					63536.73	T
Bremer	813C	65	42.41	2756.46	78	0.806	39	26	5.04	44.04	1867.78	NT
Bremer	813C	65	179.95	11696.88	78	0.806					11696.88	T
Bremer	814B	58	96.36	5588.60	78	0.806	39	19	3.69	42.69	4113.02	NT
Bremer	814B	58	539.22	31274.51	78	0.806					31274.51	T
Bremer	814C	43	119.21	5125.94	78	0.806	39	4	0.78	39.78	4741.62	NT
Bremer	814C	43	639.13	27482.42	78	0.806					27482.42	T
Bremer	814D	26	41.39	1076.25	78	0.806	26	0	0.00	26.00	1076.25	NT
Bremer	814D	26	74.58	1939.19	78	0.806					1939.19	T
Bremer	8175B	55	354.00	19469.88	78	0.806	39	16	3.10	42.10	14904.73	NT
Bremer	8175B	55	1989.64	109430.07	78	0.806					109430.07	T
Bremer	83B	87	962.87	83769.73	78	0.806	39	48	9.31	48.31	46518.20	NT
Bremer	83B	87	12299.68	1070072.04	78	0.806					1070072.04	T
Bremer	83C	72	378.71	27266.98	78	0.806	39	33	6.40	45.40	17194.10	NT
Bremer	83C	72	4221.34	303936.13	78	0.806					303936.13	T
Bremer	84	76	4367.08	331897.85	78	0.806	39	37	7.18	46.18	201662.88	NT
Bremer	84	76	22082.26	1678252.02	78	0.806					1678252.02	T
Bremer	884	95	36.62	3479.14	78	0.806	39	56	10.86	49.86	1826.15	NT
Bremer	884	95	581.51	55243.68	78	0.806					55243.68	T
Bremer	930	75	218.65	16398.38	78	0.806	39	36	6.98	45.98	10054.18	NT
Bremer	930	75	133.26	9994.38	78	0.806					9994.38	T
Bremer	982	93	64.00	5951.80	78	0.806	39	54	10.48	49.48	3166.36	NT
Bremer	982	93	1011.85	94101.91	78	0.806					94101.91	T
Bremer	AW	0	2.01	0.00	78	0.806	0	0	0.00	0.00	0.00	NT
Bremer	SL	0	1.43	0.00	78	0.806	0	0	0.00	0.00	0.00	NT
Bremer	SL	0	0.29	0.00	78	0.806					0.00	T
Bremer	W	0	1011.00	0.00	78	0.806	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Bremer	W	0	33.72	0.00	78	0.806					0.00	T
											0.00	
											0.00	
Buchanan	109B	25	104.23	2605.65	74	0.8078	25	0	0.00	25.00	2605.65	NT
Buchanan	109B	25	407.01	10175.27	74	0.8078					10175.27	T
Buchanan	109C	10	0.05	0.47	74	0.8078					0.47	T
Buchanan	110	52	59.24	3080.36	74	0.8078	37	15	2.88	39.88	2362.58	NT
Buchanan	110	52	195.75	10178.99	74	0.8078					10178.99	T
Buchanan	110B	47	344.70	16200.81	74	0.8078	37	10	1.92	38.92	13416.34	NT
Buchanan	110B	47	1200.56	56426.24	74	0.8078					56426.24	T
Buchanan	1152	68	997.98	67862.50	74	0.8078	37	31	5.96	42.96	42871.33	NT
Buchanan	1152	68	5217.69	354803.13	74	0.8078					354803.13	T
Buchanan	1226	72	248.15	17866.50	74	0.8078	37	35	6.73	43.73	10850.67	NT
Buchanan	1226	72	2845.48	204874.33	74	0.8078					204874.33	T
Buchanan	141	40	33.65	1345.87	74	0.8078	37	3	0.58	37.58	1264.33	NT
Buchanan	141	40	429.37	17174.86	74	0.8078					17174.86	T
Buchanan	1585	5	10823.21	54116.03	74	0.8078	5	0	0.00	5.00	54116.03	NT
Buchanan	1585	5	647.37	3236.84	74	0.8078					3236.84	T
Buchanan	1586	5	0.00	0.01	74	0.8078	5	0	0.00	5.00	0.01	NT
Buchanan	1586	5	0.05	0.23	74	0.8078					0.23	T
Buchanan	159	38	271.27	10308.31	74	0.8078	37	1	0.19	37.19	10089.18	NT
Buchanan	159	38	985.32	37442.05	74	0.8078					37442.05	T
Buchanan	159C	5	170.15	850.77	74	0.8078	5	0	0.00	5.00	850.77	NT
Buchanan	159C	5	324.96	1624.80	74	0.8078					1624.80	T
Buchanan	171B	82	901.28	73905.10	74	0.8078	37	45	8.65	45.65	41142.61	NT
Buchanan	171B	82	7409.14	607549.40	74	0.8078					607549.40	T
Buchanan	171C2	64	54.10	3462.26	74	0.8078	37	27	5.19	42.19	2282.35	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buchanan	171C2	64	566.63	36264.56	74	0.8078					36264.56	T
Buchanan	175	60	33.49	2009.57	74	0.8078	37	23	4.42	41.42	1387.30	NT
Buchanan	175	60	526.25	31574.82	74	0.8078					31574.82	T
Buchanan	175B	56	339.34	19003.06	74	0.8078	37	19	3.65	40.65	13794.79	NT
Buchanan	175B	56	2293.57	128439.75	74	0.8078					128439.75	T
Buchanan	175C	41	0.67	27.62	74	0.8078					27.62	T
Buchanan	177	64	604.14	38664.64	74	0.8078	37	27	5.19	42.19	25488.09	NT
Buchanan	177	64	4789.86	306551.30	74	0.8078					306551.30	T
Buchanan	177B	60	68.69	4121.54	74	0.8078	37	23	4.42	41.42	2845.28	NT
Buchanan	177B	60	189.91	11394.60	74	0.8078					11394.60	T
Buchanan	178	79	125.90	9945.98	74	0.8078	37	42	8.07	45.07	5674.55	NT
Buchanan	178	79	917.19	72458.12	74	0.8078					72458.12	T
Buchanan	184	93	95.18	8851.77	74	0.8078	37	56	10.76	47.76	4546.11	NT
Buchanan	184	93	1220.68	113523.16	74	0.8078					113523.16	T
Buchanan	198B	80	117.42	9393.34	74	0.8078	37	43	8.26	45.26	5314.82	NT
Buchanan	198B	80	3888.23	311058.50	74	0.8078					311058.50	T
Buchanan	205B	64	96.10	6150.33	74	0.8078	37	27	5.19	42.19	4054.35	NT
Buchanan	205B	64	280.23	17934.66	74	0.8078					17934.66	T
Buchanan	207B	48	95.05	4562.22	74	0.8078	37	11	2.11	39.11	3717.66	NT
Buchanan	207B	48	311.89	14970.51	74	0.8078					14970.51	T
Buchanan	213B	74	146.19	10817.92	74	0.8078	37	37	7.11	44.11	6448.56	NT
Buchanan	213B	74	563.66	41710.99	74	0.8078					41710.99	T
Buchanan	214	63	14.89	938.17	74	0.8078	37	26	5.00	42.00	625.41	NT
Buchanan	214	63	375.11	23632.06	74	0.8078					23632.06	T
Buchanan	214C	45	16.78	755.28	74	0.8078					755.28	T
Buchanan	221	25	191.48	4786.90	74	0.8078	25	0	0.00	25.00	4786.90	NT
Buchanan	221	25	491.58	12289.51	74	0.8078					12289.51	T
Buchanan	241B	35	196.21	6867.41	74	0.8078	35	0	0.00	35.00	6867.41	NT
Buchanan	241B	35	1923.94	67337.81	74	0.8078					67337.81	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buchanan	27B	82	0.15	11.96	74	0.8078					11.96	T
Buchanan	284	40	507.23	20289.06	74	0.8078	37	3	0.58	37.58	19059.85	NT
Buchanan	284	40	3117.24	124689.45	74	0.8078					124689.45	T
Buchanan	284B	45	115.28	5187.49	74	0.8078	37	8	1.54	38.54	4442.52	NT
Buchanan	284B	45	701.55	31569.63	74	0.8078					31569.63	T
Buchanan	285C	5	2.01	10.05	74	0.8078					10.05	T
Buchanan	290	74	34.07	2521.06	74	0.8078	37	37	7.11	44.11	1502.81	NT
Buchanan	290	74	377.72	27951.50	74	0.8078					27951.50	T
Buchanan	315	30	0.87	26.22	74	0.8078	30	0	0.00	30.00	26.22	NT
Buchanan	315	30	0.11	3.33	74	0.8078					3.33	T
Buchanan	354	5	244.82	1224.11	74	0.8078	5	0	0.00	5.00	1224.11	NT
Buchanan	354	5	150.30	751.51	74	0.8078					751.51	T
Buchanan	377B	90	65.23	5870.73	74	0.8078	37	53	10.19	47.19	3078.00	NT
Buchanan	377B	90	891.16	80204.38	74	0.8078					80204.38	T
Buchanan	382	90	40.18	3616.37	74	0.8078	37	53	10.19	47.19	1896.05	NT
Buchanan	382	90	1298.39	116854.83	74	0.8078					116854.83	T
Buchanan	391B	72	7073.00	509256.34	74	0.8078	37	35	6.73	43.73	309281.28	NT
Buchanan	391B	72	75973.53	5470093.81	74	0.8078					5470093.81	T
Buchanan	393B	42	0.01	0.33	74	0.8078	37	5	0.96	37.96	0.29	NT
Buchanan	398	81	145.92	11819.39	74	0.8078	37	44	8.46	45.46	6632.98	NT
Buchanan	398	81	9685.88	784556.46	74	0.8078					784556.46	T
Buchanan	399	91	954.45	86855.09	74	0.8078	37	54	10.38	47.38	45220.77	NT
Buchanan	399	91	27085.85	2464812.48	74	0.8078					2464812.48	T
Buchanan	407B	72	217.83	15683.93	74	0.8078	37	35	6.73	43.73	9525.16	NT
Buchanan	407B	72	3327.87	239606.86	74	0.8078					239606.86	T
Buchanan	408B	66	1324.43	87412.19	74	0.8078	37	29	5.57	42.57	56385.90	NT
Buchanan	408B	66	18568.43	1225516.16	74	0.8078					1225516.16	T
Buchanan	408C	52	69.58	3618.20	74	0.8078	37	15	2.88	39.88	2775.09	NT
Buchanan	408C	52	1438.55	74804.40	74	0.8078					74804.40	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buchanan	409B	57	0.00	0.08	74	0.8078	37	20	3.84	40.84	0.06	NT
Buchanan	409B	57	0.03	1.83	74	0.8078					1.83	T
Buchanan	41	40	150.48	6019.25	74	0.8078	37	3	0.58	37.58	5654.57	NT
Buchanan	41	40	1482.71	59308.39	74	0.8078					59308.39	T
Buchanan	412C	13	191.56	2490.30	74	0.8078	13	0	0.00	13.00	2490.30	NT
Buchanan	412C	13	358.28	4657.59	74	0.8078					4657.59	T
Buchanan	41B	40	944.28	37771.02	74	0.8078	37	3	0.58	37.58	35482.66	NT
Buchanan	41B	40	8940.36	357614.23	74	0.8078					357614.23	T
Buchanan	41C	25	136.08	3402.02	74	0.8078	25	0	0.00	25.00	3402.02	NT
Buchanan	41C	25	654.77	16369.32	74	0.8078					16369.32	T
Buchanan	468B	62	0.47	29.04	74	0.8078					29.04	T
Buchanan	471	86	438.94	37749.12	74	0.8078	37	49	9.42	46.42	20374.78	NT
Buchanan	471	86	7536.88	648171.63	74	0.8078					648171.63	T
Buchanan	485	92	144.97	13337.00	74	0.8078	37	55	10.57	47.57	6896.24	NT
Buchanan	485	92	418.00	38455.71	74	0.8078					38455.71	T
Buchanan	499B	23	142.32	3273.41	74	0.8078	23	0	0.00	23.00	3273.41	NT
Buchanan	499B	23	212.20	4880.54	74	0.8078					4880.54	T
Buchanan	499D	5	344.98	1724.88	74	0.8078	5	0	0.00	5.00	1724.88	NT
Buchanan	499D	5	271.46	1357.31	74	0.8078					1357.31	T
Buchanan	499F	5	351.70	1758.48	74	0.8078	5	0	0.00	5.00	1758.48	NT
Buchanan	499F	5	70.81	354.04	74	0.8078					354.04	T
Buchanan	5010	0	135.56	0.00	74	0.8078	0	0	0.00	0.00	0.00	NT
Buchanan	5010	0	18.26	0.00	74	0.8078					0.00	T
Buchanan	5030	0	326.64	0.00	74	0.8078	0	0	0.00	0.00	0.00	NT
Buchanan	5030	0	17.39	0.00	74	0.8078					0.00	T
Buchanan	5040	5	95.01	475.07	74	0.8078	5	0	0.00	5.00	475.07	NT
Buchanan	5040	5	66.99	334.94	74	0.8078					334.94	T
Buchanan	512B	40	3.24	129.60	74	0.8078					129.60	T
Buchanan	551	58	4.90	283.94	74	0.8078					283.94	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buchanan	585	86	2134.15	183536.49	74	0.8078	37	49	9.42	46.42	99062.32	NT
Buchanan	585	86	3826.00	329035.94	74	0.8078					329035.94	T
Buchanan	626	67	317.39	21264.92	74	0.8078	37	30	5.77	42.77	13573.37	NT
Buchanan	626	67	3014.93	201999.99	74	0.8078					201999.99	T
Buchanan	63B	40	913.52	36540.85	74	0.8078	37	3	0.58	37.58	34327.02	NT
Buchanan	63B	40	2916.56	116662.40	74	0.8078					116662.40	T
Buchanan	63C	21	326.67	6860.11	74	0.8078	21	0	0.00	21.00	6860.11	NT
Buchanan	63C	21	335.78	7051.45	74	0.8078					7051.45	T
Buchanan	663B	85	54.63	4643.49	74	0.8078	37	48	9.23	46.23	2525.27	NT
Buchanan	663B	85	180.66	15355.72	74	0.8078					15355.72	T
Buchanan	663C2	60	138.68	8320.60	74	0.8078	37	23	4.42	41.42	5744.07	NT
Buchanan	663C2	60	186.47	11188.44	74	0.8078					11188.44	T
Buchanan	663F	30	269.15	8074.44	74	0.8078	30	0	0.00	30.00	8074.44	NT
Buchanan	663F	30	95.47	2863.99	74	0.8078					2863.99	T
Buchanan	761	83	98.80	8200.65	74	0.8078	37	46	8.84	45.84	4529.25	NT
Buchanan	761	83	1033.47	85778.14	74	0.8078					85778.14	T
Buchanan	776	33	139.45	4601.72	74	0.8078	33	0	0.00	33.00	4601.72	NT
Buchanan	776	33	451.12	14886.92	74	0.8078					14886.92	T
Buchanan	776C	8	271.17	2169.39	74	0.8078	8	0	0.00	8.00	2169.39	NT
Buchanan	776C	8	1008.87	8070.94	74	0.8078					8070.94	T
Buchanan	777	58	732.24	42470.16	74	0.8078	37	21	4.04	41.04	30048.52	NT
Buchanan	777	58	2580.21	149651.92	74	0.8078					149651.92	T
Buchanan	782B	50	52.22	2611.03	74	0.8078	37	13	2.50	39.50	2062.64	NT
Buchanan	782B	50	1832.04	91602.00	74	0.8078					91602.00	T
Buchanan	798B	60	29.08	1744.72	74	0.8078	37	23	4.42	41.42	1204.46	NT
Buchanan	798B	60	1150.48	69028.63	74	0.8078					69028.63	T
Buchanan	807B	50	95.09	4754.53	74	0.8078	37	13	2.50	39.50	3755.94	NT
Buchanan	807B	50	1791.51	89575.36	74	0.8078					89575.36	T
Buchanan	809B	27	184.02	4968.41	74	0.8078	27	0	0.00	27.00	4968.41	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buchanan	809B	27	721.00	19466.88	74	0.8078					19466.88	T
Buchanan	813	85	29.38	2496.92	74	0.8078	37	48	9.23	46.23	1357.90	NT
Buchanan	813	85	408.05	34684.43	74	0.8078					34684.43	T
Buchanan	83B	87	2624.91	228367.56	74	0.8078	37	50	9.61	46.61	122347.26	NT
Buchanan	83B	87	58937.06	5127524.38	74	0.8078					5127524.38	T
Buchanan	83C	72	47.57	3425.30	74	0.8078	37	35	6.73	43.73	2080.25	NT
Buchanan	83C	72	365.38	26307.40	74	0.8078					26307.40	T
Buchanan	83C2	69	61.82	4265.38	74	0.8078	37	32	6.15	43.15	2667.43	NT
Buchanan	83C2	69	2160.56	149078.50	74	0.8078					149078.50	T
Buchanan	84	76	1214.04	92267.32	74	0.8078	37	39	7.50	44.50	54019.84	NT
Buchanan	84	76	12761.82	969898.36	74	0.8078					969898.36	T
Buchanan	883B	75	261.37	19602.69	74	0.8078	37	38	7.30	44.30	11579.60	NT
Buchanan	883B	75	5445.22	408391.57	74	0.8078					408391.57	T
Buchanan	AW	0	10.55	0.00	74	0.8078	0	0	0.00	0.00	0.00	NT
Buchanan	AW	0	0.28	0.00	74	0.8078					0.00	T
Buchanan	BW	0	0.52	0.00	74	0.8078					0.00	T
Buchanan	INT	0	4.72	0.00	74	0.8078	0	0	0.00	0.00	0.00	NT
Buchanan	INT	0	14.16	0.00	74	0.8078					0.00	T
Buchanan	SL	0	15.54	0.00	74	0.8078	0	0	0.00	0.00	0.00	NT
Buchanan	SL	0	0.00	0.00	74	0.8078					0.00	T
Buchanan	W	0	824.06	0.00	74	0.8078	0	0	0.00	0.00	0.00	NT
Buchanan	W	0	19.57	0.00	74	0.8078					0.00	T
											0.00	
											0.00	
Buena Vista	107	70	786.30	55040.94	73	0.797	36	34	6.90	42.90	33733.81	NT
Buena Vista	107	70	27139.66	1899775.88	73	0.797					1899775.88	T
Buena Vista	108	52	34.47	1792.30	73	0.797	36	16	3.25	39.25	1352.78	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buena Vista	108	52	1150.88	59846.01	73	0.797					59846.01	T
Buena Vista	108B	47	304.40	14306.91	73	0.797	36	10	2.03	38.03	11576.42	NT
Buena Vista	108B	47	3948.56	185582.54	73	0.797					185582.54	T
Buena Vista	108C2	25	115.50	2887.42	73	0.797	25	0	0.00	25.00	2887.42	NT
Buena Vista	108C2	25	652.25	16306.35	73	0.797					16306.35	T
Buena Vista	1091	82	0.86	70.48	73	0.797	36	46	9.34	45.34	38.97	NT
Buena Vista	1091	82	5.63	461.99	73	0.797					461.99	T
Buena Vista	1092	79	0.48	38.20	73	0.797	36	42	8.53	44.53	21.53	NT
Buena Vista	1092	79	0.64	50.89	73	0.797					50.89	T
Buena Vista	1133	25	2.81	70.32	73	0.797	25	0	0.00	25.00	70.32	NT
Buena Vista	1133	25	0.09	2.19	73	0.797					2.19	T
Buena Vista	133	80	2858.87	228709.39	73	0.797	36	44	8.93	44.93	128454.63	NT
Buena Vista	133	80	6084.42	486753.96	73	0.797					486753.96	T
Buena Vista	138B	73	3550.83	259210.81	73	0.797	36	36	7.31	43.31	153779.48	NT
Buena Vista	138B	73	51646.47	3770192.29	73	0.797					3770192.29	T
Buena Vista	138C2	59	809.22	47744.02	73	0.797	36	22	4.47	40.47	32745.92	NT
Buena Vista	138C2	59	10666.62	629330.41	73	0.797					629330.41	T
Buena Vista	138D2	56	56.97	3190.30	73	0.797	36	20	4.06	40.06	2282.20	NT
Buena Vista	138D2	56	335.77	18802.92	73	0.797					18802.92	T
Buena Vista	175B	56	19.12	1070.83	73	0.797	36	20	4.06	40.06	766.02	NT
Buena Vista	175B	56	362.87	20320.91	73	0.797					20320.91	T
Buena Vista	201B	51	0.59	29.95	73	0.797	36	14	2.84	38.84	22.81	NT
Buena Vista	202	60	32.11	1926.87	73	0.797	36	24	4.87	40.87	1312.58	NT
Buena Vista	202	60	1128.83	67729.82	73	0.797					67729.82	T
Buena Vista	203	71	36.80	2612.54	73	0.797	36	34	6.90	42.90	1578.64	NT
Buena Vista	203	71	1069.93	75965.36	73	0.797					75965.36	T
Buena Vista	221	25	0.04	1.05	73	0.797	25	0	0.00	25.00	1.05	NT
Buena Vista	236F	19	199.14	3783.73	73	0.797	19	0	0.00	19.00	3783.73	NT
Buena Vista	236F	19	8.89	169.00	73	0.797					169.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buena Vista	236G	9	284.10	2556.91	73	0.797	9	0	0.00	9.00	2556.91	NT
Buena Vista	236G	9	3.21	28.86	73	0.797					28.86	T
Buena Vista	250B	76	207.84	15795.99	73	0.797	36	40	8.12	44.12	9169.99	NT
Buena Vista	250B	76	1674.57	127267.53	73	0.797					127267.53	T
Buena Vista	251	84	43.77	3676.97	73	0.797	36	48	9.74	45.74	2002.37	NT
Buena Vista	251	84	1483.59	124621.53	73	0.797					124621.53	T
Buena Vista	259	41	31.62	1296.57	73	0.797	36	4	0.81	36.81	1164.13	NT
Buena Vista	259	41	747.03	30628.07	73	0.797					30628.07	T
Buena Vista	274	39	3.81	148.50	73	0.797	36	2	0.41	36.41	138.62	NT
Buena Vista	274	39	103.34	4030.20	73	0.797					4030.20	T
Buena Vista	27B	82	0.01	0.95	73	0.797	36	46	9.34	45.34	0.53	NT
Buena Vista	27B	82	0.82	67.30	73	0.797					67.30	T
Buena Vista	27C	61	260.98	15920.06	73	0.797	36	24	4.87	40.87	10666.96	NT
Buena Vista	27C	61	188.51	11499.04	73	0.797					11499.04	T
Buena Vista	27D	52	0.51	26.41	73	0.797	36	16	3.25	39.25	19.93	NT
Buena Vista	27D	52	0.18	9.34	73	0.797					9.34	T
Buena Vista	282	78	0.00	0.24	73	0.797					0.24	T
Buena Vista	308B	36	34.75	1251.07	73	0.797	36	0	0.00	36.00	1251.07	NT
Buena Vista	308B	36	359.95	12958.16	73	0.797					12958.16	T
Buena Vista	31	75	485.60	36420.20	73	0.797	36	38	7.71	43.71	21227.64	NT
Buena Vista	31	75	3082.09	231156.81	73	0.797					231156.81	T
Buena Vista	310	79	91.49	7227.74	73	0.797	36	42	8.53	44.53	4073.70	NT
Buena Vista	310	79	837.28	66145.46	73	0.797					66145.46	T
Buena Vista	310B	71	1342.61	95325.52	73	0.797	36	34	6.90	42.90	57600.78	NT
Buena Vista	310B	71	19534.11	1386922.12	73	0.797					1386922.12	T
Buena Vista	310C2	56	3.81	213.09	73	0.797	36	20	4.06	40.06	152.43	NT
Buena Vista	310C2	56	316.29	17712.24	73	0.797					17712.24	T
Buena Vista	32	77	29.53	2274.05	73	0.797	36	40	8.12	44.12	1303.00	NT
Buena Vista	32	77	338.20	26041.31	73	0.797					26041.31	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buena Vista	34B	15	63.44	951.57	73	0.797	15	0	0.00	15.00	951.57	NT
Buena Vista	34B	15	1089.64	16344.63	73	0.797					16344.63	T
Buena Vista	34C2	15	84.43	1266.50	73	0.797	15	0	0.00	15.00	1266.50	NT
Buena Vista	34C2	15	230.40	3455.94	73	0.797					3455.94	T
Buena Vista	354	5	6.45	32.24	73	0.797	5	0	0.00	5.00	32.24	NT
Buena Vista	354	5	0.85	4.27	73	0.797					4.27	T
Buena Vista	376F	16	0.04	0.57	73	0.797	16	0	0.00	16.00	0.57	NT
Buena Vista	376F	16	0.02	0.30	73	0.797					0.30	T
Buena Vista	384	67	70.90	4750.53	73	0.797	36	30	6.09	42.09	2984.33	NT
Buena Vista	384	67	1757.09	117724.87	73	0.797					117724.87	T
Buena Vista	384B	66	52.81	3485.20	73	0.797	36	30	6.09	42.09	2222.61	NT
Buena Vista	384B	66	396.20	26149.04	73	0.797					26149.04	T
Buena Vista	384C	52	56.65	2945.66	73	0.797	36	16	3.25	39.25	2223.30	NT
Buena Vista	384C	52	145.00	7540.14	73	0.797					7540.14	T
Buena Vista	390	59	65.91	3888.64	73	0.797	36	22	4.47	40.47	2667.08	NT
Buena Vista	390	59	3675.90	216878.39	73	0.797					216878.39	T
Buena Vista	41C	25	0.15	3.84	73	0.797	25	0	0.00	25.00	3.84	NT
Buena Vista	428B	93	4.80	446.35	73	0.797	36	56	11.37	47.37	227.34	NT
Buena Vista	428B	93	533.22	49589.30	73	0.797					49589.30	T
Buena Vista	433E	25	0.40	10.11	73	0.797	25	0	0.00	25.00	10.11	NT
Buena Vista	433E	25	0.20	4.89	73	0.797					4.89	T
Buena Vista	433F	5	1.99	9.95	73	0.797	5	0	0.00	5.00	9.95	NT
Buena Vista	433F	5	0.13	0.64	73	0.797					0.64	T
Buena Vista	433G	5	6.22	31.08	73	0.797	5	0	0.00	5.00	31.08	NT
Buena Vista	433G	5	0.85	4.24	73	0.797					4.24	T
Buena Vista	455	74	2.44	180.46	73	0.797					180.46	T
Buena Vista	485	92	133.94	12322.43	73	0.797	36	56	11.37	47.37	6344.44	NT
Buena Vista	485	92	631.09	58060.59	73	0.797					58060.59	T
Buena Vista	485B	82	368.02	30177.33	73	0.797	36	46	9.34	45.34	16685.12	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buena Vista	485B	82	1025.90	84123.62	73	0.797					84123.62	T
Buena Vista	501	0	452.87	0.00	73	0.797	0	0	0.00	0.00	0.00	NT
Buena Vista	501	0	67.91	0.00	73	0.797					0.00	T
Buena Vista	504	0	75.82	0.00	73	0.797	0	0	0.00	0.00	0.00	NT
Buena Vista	504	0	42.29	0.00	73	0.797					0.00	T
Buena Vista	506	69	6.88	474.75	73	0.797	36	32	6.50	42.50	292.39	NT
Buena Vista	506	69	430.74	29720.95	73	0.797					29720.95	T
Buena Vista	507	71	1058.03	75119.84	73	0.797	36	34	6.90	42.90	45391.43	NT
Buena Vista	507	71	45568.33	3235351.70	73	0.797					3235351.70	T
Buena Vista	5080	0	7.77	0.00	73	0.797	0	0	0.00	0.00	0.00	NT
Buena Vista	511	57	128.13	7303.18	73	0.797	36	20	4.06	40.06	5132.73	NT
Buena Vista	511	57	2147.10	122384.54	73	0.797					122384.54	T
Buena Vista	541C	12	0.25	3.01	73	0.797	12	0	0.00	12.00	3.01	NT
Buena Vista	55	73	1613.89	117814.26	73	0.797	36	36	7.31	43.31	69894.52	NT
Buena Vista	55	73	44730.46	3265323.66	73	0.797					3265323.66	T
Buena Vista	558	60	7.69	461.28	73	0.797	36	24	4.87	40.87	314.23	NT
Buena Vista	558	60	274.62	16477.32	73	0.797					16477.32	T
Buena Vista	559	40	113.96	4558.21	73	0.797	36	4	0.81	36.81	4194.92	NT
Buena Vista	559	40	2514.17	100566.85	73	0.797					100566.85	T
Buena Vista	577B	73	87.23	6367.62	73	0.797	36	36	7.31	43.31	3777.66	NT
Buena Vista	577B	73	478.86	34956.55	73	0.797					34956.55	T
Buena Vista	577C	53	49.99	2649.26	73	0.797	36	16	3.25	39.25	1961.85	NT
Buena Vista	577C	53	129.88	6883.40	73	0.797					6883.40	T
Buena Vista	577C2	67	126.34	8464.57	73	0.797	36	30	6.09	42.09	5317.52	NT
Buena Vista	577C2	67	524.22	35122.81	73	0.797					35122.81	T
Buena Vista	585B	70	1586.54	111057.56	73	0.797	36	34	6.90	42.90	68065.59	NT
Buena Vista	585B	70	1145.27	80168.65	73	0.797					80168.65	T
Buena Vista	6	43	169.36	7282.51	73	0.797	36	6	1.22	37.22	6303.27	NT
Buena Vista	6	43	8190.49	352190.91	73	0.797					352190.91	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buena Vista	606	54	13.41	724.21	73	0.797	36	18	3.65	39.65	531.81	NT
Buena Vista	606	54	531.64	28708.63	73	0.797					28708.63	T
Buena Vista	62C	48	190.16	9127.75	73	0.797	36	12	2.44	38.44	7309.05	NT
Buena Vista	62C	48	1245.99	59807.69	73	0.797					59807.69	T
Buena Vista	62D	39	526.94	20550.79	73	0.797	36	2	0.41	36.41	19183.89	NT
Buena Vista	62D	39	1357.24	52932.38	73	0.797					52932.38	T
Buena Vista	62E	30	610.17	18305.00	73	0.797	30	0	0.00	30.00	18305.00	NT
Buena Vista	62E	30	345.39	10361.78	73	0.797					10361.78	T
Buena Vista	62F	7	1092.92	7650.41	73	0.797	7	0	0.00	7.00	7650.41	NT
Buena Vista	62F	7	164.19	1149.36	73	0.797					1149.36	T
Buena Vista	62G	5	2887.60	14437.99	73	0.797	5	0	0.00	5.00	14437.99	NT
Buena Vista	62G	5	156.80	783.98	73	0.797					783.98	T
Buena Vista	733	64	530.40	33945.57	73	0.797	36	28	5.68	41.68	22109.18	NT
Buena Vista	733	64	1708.87	109367.69	73	0.797					109367.69	T
Buena Vista	73C	5	38.84	194.22	73	0.797	5	0	0.00	5.00	194.22	NT
Buena Vista	73C	5	282.64	1413.21	73	0.797					1413.21	T
Buena Vista	73D	5	58.50	292.50	73	0.797	5	0	0.00	5.00	292.50	NT
Buena Vista	73D	5	162.10	810.49	73	0.797					810.49	T
Buena Vista	77B	76	1524.36	115851.38	73	0.797	36	40	8.12	44.12	67254.78	NT
Buena Vista	77B	76	22052.31	1675975.75	73	0.797					1675975.75	T
Buena Vista	77C2	53	575.28	30489.93	73	0.797	36	16	3.25	39.25	22578.66	NT
Buena Vista	77C2	53	2912.89	154383.17	73	0.797					154383.17	T
Buena Vista	78B	69	153.78	10611.06	73	0.797	36	32	6.50	42.50	6535.18	NT
Buena Vista	78B	69	3644.04	251438.95	73	0.797					251438.95	T
Buena Vista	78C2	51	48.82	2489.96	73	0.797	36	14	2.84	38.84	1896.37	NT
Buena Vista	78C2	51	1764.98	90013.84	73	0.797					90013.84	T
Buena Vista	90	42	0.03	1.42	73	0.797	36	6	1.22	37.22	1.26	NT
Buena Vista	90	42	0.01	0.43	73	0.797					0.43	T
Buena Vista	91	84	412.92	34685.63	73	0.797	36	48	9.74	45.74	18888.81	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Buena Vista	91	84	12859.16	1080169.41	73	0.797					1080169.41	T
Buena Vista	91B	81	307.37	24897.34	73	0.797	36	44	8.93	44.93	13810.95	NT
Buena Vista	91B	81	11186.66	906119.81	73	0.797					906119.81	T
Buena Vista	92	79	290.40	22941.41	73	0.797	36	42	8.53	44.53	12930.24	NT
Buena Vista	92	79	7459.51	589301.17	73	0.797					589301.17	T
Buena Vista	928	78	0.03	2.37	73	0.797	36	42	8.53	44.53	1.35	NT
Buena Vista	928	78	0.21	16.73	73	0.797					16.73	T
Buena Vista	928B	73	0.04	2.92	73	0.797					2.92	T
Buena Vista	95	57	22.25	1267.98	73	0.797	36	20	4.06	40.06	891.15	NT
Buena Vista	95	57	2970.40	169313.02	73	0.797					169313.02	T
Buena Vista	C458	25	430.75	10768.67	73	0.797	25	0	0.00	25.00	10768.67	NT
Buena Vista	C458	25	87.22	2180.61	73	0.797					2180.61	T
Buena Vista	C585	25	1026.41	25660.30	73	0.797	25	0	0.00	25.00	25660.30	NT
Buena Vista	C585	25	508.04	12701.10	73	0.797					12701.10	T
Buena Vista	INT	0	6.25	0.00	73	0.797	0	0	0.00	0.00	0.00	NT
Buena Vista	SL	0	89.14	0.00	73	0.797	0	0	0.00	0.00	0.00	NT
Buena Vista	SL	0	0.85	0.00	73	0.797					0.00	T
Buena Vista	T310	79	20.04	1583.51	73	0.797	36	42	8.53	44.53	892.50	NT
Buena Vista	T310	79	322.73	25495.70	73	0.797					25495.70	T
Buena Vista	W	0	455.42	0.00	73	0.797	0	0	0.00	0.00	0.00	NT
Buena Vista	W	0	4.08	0.00	73	0.797					0.00	T
											0.00	
											0.00	
Butler	109C	10	63.48	634.75	73	0.7892	10	0	0.00	10.00	634.75	NT
Butler	109C	10	130.27	1302.67	73	0.7892					1302.67	T
Butler	110B	47	101.54	4772.26	73	0.7892	36	10	2.11	38.11	3869.39	NT
Butler	110B	47	405.42	19054.72	73	0.7892					19054.72	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Butler	110C	44	92.77	4081.99	73	0.7892	36	8	1.69	37.69	3496.26	NT
Butler	110C	44	183.72	8083.88	73	0.7892					8083.88	T
Butler	1152	68	1529.66	104016.66	73	0.7892	36	32	6.75	42.75	65386.09	NT
Butler	1152	68	14454.46	982903.51	73	0.7892					982903.51	T
Butler	118	95	67.06	6370.47	73	0.7892	36	58	12.23	48.23	3233.95	NT
Butler	118	95	1580.33	150131.56	73	0.7892					150131.56	T
Butler	119	100	64.74	6473.82	73	0.7892	36	64	13.49	49.49	3203.97	NT
Butler	119	100	1941.01	194101.40	73	0.7892					194101.40	T
Butler	11B	68	464.37	31576.90	73	0.7892	36	32	6.75	42.75	19849.61	NT
Butler	11B	68	1832.88	124636.05	73	0.7892					124636.05	T
Butler	120	100	7.29	729.08	73	0.7892	36	64	13.49	49.49	360.83	NT
Butler	120	100	274.97	27497.39	73	0.7892					27497.39	T
Butler	120B	95	56.36	5354.04	73	0.7892	36	58	12.23	48.23	2717.96	NT
Butler	120B	95	991.77	94217.70	73	0.7892					94217.70	T
Butler	1226	72	707.33	50928.10	73	0.7892	36	36	7.59	43.59	30831.87	NT
Butler	1226	72	10968.00	789696.23	73	0.7892					789696.23	T
Butler	133	80	293.76	23500.52	73	0.7892	36	44	9.28	45.28	13299.89	NT
Butler	133	80	2471.62	197729.32	73	0.7892					197729.32	T
Butler	135	78	5003.02	390235.80	73	0.7892	36	42	8.85	44.85	224403.60	NT
Butler	135	78	12305.15	959801.58	73	0.7892					959801.58	T
Butler	150B	59	211.35	12469.75	73	0.7892	36	22	4.64	40.64	8588.83	NT
Butler	150B	59	892.13	52635.69	73	0.7892					52635.69	T
Butler	153	60	913.46	54807.44	73	0.7892	36	24	5.06	41.06	37505.83	NT
Butler	153	60	769.76	46185.38	73	0.7892					46185.38	T
Butler	1585	5	6016.20	30081.01	73	0.7892	5	0	0.00	5.00	30081.01	NT
Butler	1585	5	220.10	1100.51	73	0.7892					1100.51	T
Butler	162C	75	106.92	8019.31	73	0.7892	36	38	8.01	44.01	4705.78	NT
Butler	162C	75	119.71	8977.94	73	0.7892					8977.94	T
Butler	162C2	73	297.50	21717.49	73	0.7892	36	36	7.59	43.59	12967.66	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Butler	162C2	73	1685.26	123023.75	73	0.7892					123023.75	T
Butler	171	85	6.21	527.66	73	0.7892	36	48	10.12	46.12	286.29	NT
Butler	171	85	158.21	13448.22	73	0.7892					13448.22	T
Butler	171B	82	284.82	23355.47	73	0.7892	36	46	9.70	45.70	13015.49	NT
Butler	171B	82	3317.94	272071.34	73	0.7892					272071.34	T
Butler	171C2	64	253.22	16205.89	73	0.7892	36	28	5.90	41.90	10610.40	NT
Butler	171C2	64	1593.09	101957.76	73	0.7892					101957.76	T
Butler	171D2	53	146.22	7749.65	73	0.7892	36	16	3.37	39.37	5757.08	NT
Butler	171D2	53	527.49	27957.02	73	0.7892					27957.02	T
Butler	171F	25	117.45	2936.35	73	0.7892	25	0	0.00	25.00	2936.35	NT
Butler	171F	25	24.34	608.58	73	0.7892					608.58	T
Butler	173	60	230.81	13848.67	73	0.7892	36	24	5.06	41.06	9476.92	NT
Butler	173	60	3300.93	198055.57	73	0.7892					198055.57	T
Butler	173B	55	291.16	16013.72	73	0.7892	36	18	3.79	39.79	11586.48	NT
Butler	173B	55	2404.98	132273.74	73	0.7892					132273.74	T
Butler	174	75	37.40	2805.02	73	0.7892	36	38	8.01	44.01	1646.00	NT
Butler	174	75	580.43	43532.22	73	0.7892					43532.22	T
Butler	174B	70	174.75	12232.31	73	0.7892	36	34	7.17	43.17	7543.35	NT
Butler	174B	70	2921.48	204503.47	73	0.7892					204503.47	T
Butler	174C	55	57.21	3146.78	73	0.7892	36	18	3.79	39.79	2276.80	NT
Butler	174C	55	542.40	29831.73	73	0.7892					29831.73	T
Butler	175	60	35.77	2146.17	73	0.7892	36	24	5.06	41.06	1468.67	NT
Butler	175	60	767.69	46061.52	73	0.7892					46061.52	T
Butler	175B	56	802.11	44918.22	73	0.7892	36	20	4.22	40.22	32257.70	NT
Butler	175B	56	6668.62	373442.77	73	0.7892					373442.77	T
Butler	175C	41	340.62	13965.25	73	0.7892	36	4	0.84	36.84	12549.38	NT
Butler	175C	41	1605.45	65823.31	73	0.7892					65823.31	T
Butler	177	64	669.65	42857.52	73	0.7892	36	28	5.90	41.90	28059.89	NT
Butler	177	64	9198.55	588707.26	73	0.7892					588707.26	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Butler	177B	60	168.40	10103.83	73	0.7892	36	24	5.06	41.06	6914.25	NT
Butler	177B	60	1846.68	110800.60	73	0.7892					110800.60	T
Butler	177C	40	82.97	3318.60	73	0.7892	36	4	0.84	36.84	3056.70	NT
Butler	177C	40	353.12	14124.93	73	0.7892					14124.93	T
Butler	178	79	328.11	25920.61	73	0.7892	36	42	8.85	44.85	14716.87	NT
Butler	178	79	4949.81	391035.01	73	0.7892					391035.01	T
Butler	178B	74	45.14	3340.46	73	0.7892	36	38	8.01	44.01	1986.69	NT
Butler	178B	74	466.74	34539.09	73	0.7892					34539.09	T
Butler	184	93	191.88	17844.87	73	0.7892	36	56	11.80	47.80	9172.80	NT
Butler	184	93	8108.37	754078.13	73	0.7892					754078.13	T
Butler	198B	80	813.21	65057.02	73	0.7892	36	44	9.28	45.28	36818.37	NT
Butler	198B	80	23368.66	1869492.82	73	0.7892					1869492.82	T
Butler	201B	51	158.63	8090.36	73	0.7892	36	14	2.95	38.95	6179.01	NT
Butler	201B	51	558.63	28490.14	73	0.7892					28490.14	T
Butler	213	79	39.57	3125.75	73	0.7892	36	42	8.85	44.85	1774.70	NT
Butler	213	79	526.88	41623.79	73	0.7892					41623.79	T
Butler	213B	74	209.44	15498.92	73	0.7892	36	38	8.01	44.01	9217.75	NT
Butler	213B	74	2153.00	159321.81	73	0.7892					159321.81	T
Butler	214B	58	174.53	10122.71	73	0.7892	36	22	4.64	40.64	7092.46	NT
Butler	214B	58	1501.25	87072.21	73	0.7892					87072.21	T
Butler	214C	45	157.32	7079.28	73	0.7892	36	8	1.69	37.69	5928.72	NT
Butler	214C	45	304.74	13713.13	73	0.7892					13713.13	T
Butler	214C2	33	103.20	3405.74	73	0.7892	33	0	0.00	33.00	3405.74	NT
Butler	214C2	33	606.65	20019.51	73	0.7892					20019.51	T
Butler	221B	45	101.38	4562.27	73	0.7892	36	8	1.69	37.69	3820.79	NT
Butler	221B	45	230.79	10385.58	73	0.7892					10385.58	T
Butler	241C2	33	169.87	5605.81	73	0.7892	33	0	0.00	33.00	5605.81	NT
Butler	241C2	33	1255.77	41440.37	73	0.7892					41440.37	T
Butler	241E2	5	125.31	626.56	73	0.7892	5	0	0.00	5.00	626.56	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Butler	241E2	5	130.09	650.47	73	0.7892					650.47	T
Butler	27B	82	207.12	16983.76	73	0.7892	36	46	9.70	45.70	9464.68	NT
Butler	27B	82	1333.36	109335.58	73	0.7892					109335.58	T
Butler	284	40	768.37	30734.78	73	0.7892	36	4	0.84	36.84	28309.20	NT
Butler	284	40	6448.93	257957.04	73	0.7892					257957.04	T
Butler	284B	45	186.35	8385.73	73	0.7892	36	8	1.69	37.69	7022.84	NT
Butler	284B	45	1206.29	54282.97	73	0.7892					54282.97	T
Butler	284C	30	79.46	2383.93	73	0.7892	30	0	0.00	30.00	2383.93	NT
Butler	284C	30	304.84	9145.21	73	0.7892					9145.21	T
Butler	285C	5	74.49	372.44	73	0.7892	5	0	0.00	5.00	372.44	NT
Butler	285C	5	470.69	2353.44	73	0.7892					2353.44	T
Butler	350	73	23.54	1718.10	73	0.7892	36	36	7.59	43.59	1025.89	NT
Butler	350	73	693.02	50590.61	73	0.7892					50590.61	T
Butler	354	5	555.18	2775.88	73	0.7892	5	0	0.00	5.00	2775.88	NT
Butler	354	5	92.39	461.97	73	0.7892					461.97	T
Butler	377B	90	759.55	68359.08	73	0.7892	36	54	11.38	47.38	35989.69	NT
Butler	377B	90	12463.27	1121694.11	73	0.7892					1121694.11	T
Butler	377C2	73	56.37	4115.31	73	0.7892	36	36	7.59	43.59	2457.28	NT
Butler	377C2	73	1017.84	74302.11	73	0.7892					74302.11	T
Butler	382	90	110.35	9931.89	73	0.7892	36	54	11.38	47.38	5228.94	NT
Butler	382	90	5322.72	479044.85	73	0.7892					479044.85	T
Butler	391B	72	1085.56	78160.45	73	0.7892	36	36	7.59	43.59	47318.34	NT
Butler	391B	72	11272.50	811619.97	73	0.7892					811619.97	T
Butler	394	89	46.10	4102.53	73	0.7892	36	52	10.96	46.96	2164.74	NT
Butler	394	89	1405.16	125058.96	73	0.7892					125058.96	T
Butler	394B	85	411.09	34943.04	73	0.7892	36	48	10.12	46.12	18959.02	NT
Butler	394B	85	7911.43	672471.79	73	0.7892					672471.79	T
Butler	394C	70	45.03	3152.02	73	0.7892	36	34	7.17	43.17	1943.77	NT
Butler	394C	70	447.11	31297.46	73	0.7892					31297.46	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Butler	394C2	68	167.71	11404.06	73	0.7892	36	32	6.75	42.75	7168.73	NT
Butler	394C2	68	2567.25	174572.96	73	0.7892					174572.96	T
Butler	398	81	65.65	5317.65	73	0.7892	36	44	9.28	45.28	2972.32	NT
Butler	398	81	3548.78	287450.80	73	0.7892					287450.80	T
Butler	399	91	272.44	24792.26	73	0.7892	36	54	11.38	47.38	12909.19	NT
Butler	399	91	7934.86	722071.81	73	0.7892					722071.81	T
Butler	404	65	4.27	277.30	73	0.7892	36	28	5.90	41.90	178.76	NT
Butler	404	65	245.40	15950.93	73	0.7892					15950.93	T
Butler	407B	72	51.00	3672.25	73	0.7892	36	36	7.59	43.59	2223.18	NT
Butler	407B	72	663.59	47778.30	73	0.7892					47778.30	T
Butler	408B	66	184.98	12208.68	73	0.7892	36	30	6.32	42.32	7829.09	NT
Butler	408B	66	1304.08	86069.10	73	0.7892					86069.10	T
Butler	408C	52	126.55	6580.59	73	0.7892	36	16	3.37	39.37	4982.62	NT
Butler	408C	52	1083.47	56340.27	73	0.7892					56340.27	T
Butler	412C	13	303.26	3942.37	73	0.7892	13	0	0.00	13.00	3942.37	NT
Butler	412C	13	619.98	8059.72	73	0.7892					8059.72	T
Butler	412F	5	272.34	1361.72	73	0.7892	5	0	0.00	5.00	1361.72	NT
Butler	412F	5	91.19	455.97	73	0.7892					455.97	T
Butler	41B	40	534.40	21376.00	73	0.7892	36	4	0.84	36.84	19689.01	NT
Butler	41B	40	3524.86	140994.55	73	0.7892					140994.55	T
Butler	41C	25	590.13	14753.23	73	0.7892	25	0	0.00	25.00	14753.23	NT
Butler	41C	25	2399.19	59979.87	73	0.7892					59979.87	T
Butler	41D	15	163.33	2449.93	73	0.7892	15	0	0.00	15.00	2449.93	NT
Butler	41D	15	238.76	3581.44	73	0.7892					3581.44	T
Butler	428B	93	29.12	2708.24	73	0.7892	36	56	11.80	47.80	1392.12	NT
Butler	428B	93	547.19	50888.84	73	0.7892					50888.84	T
Butler	43	80	78.82	6305.38	73	0.7892	36	44	9.28	45.28	3568.47	NT
Butler	43	80	1718.84	137507.25	73	0.7892					137507.25	T
Butler	430	83	30.80	2556.71	73	0.7892	36	46	9.70	45.70	1407.63	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Butler	430	83	32.12	2666.27	73	0.7892					2666.27	T
Butler	457	82	536.39	43983.66	73	0.7892	36	46	9.70	45.70	24511.13	NT
Butler	457	82	911.03	74704.48	73	0.7892					74704.48	T
Butler	485	92	1071.79	98604.51	73	0.7892	36	56	11.80	47.80	51236.62	NT
Butler	485	92	4219.35	388180.40	73	0.7892					388180.40	T
Butler	5010	0	258.47	0.00	73	0.7892	0	0	0.00	0.00	0.00	NT
Butler	5010	0	6.82	0.00	73	0.7892					0.00	T
Butler	5030	0	257.19	0.00	73	0.7892	0	0	0.00	0.00	0.00	NT
Butler	5030	0	15.03	0.00	73	0.7892					0.00	T
Butler	5040	5	168.29	841.43	73	0.7892	5	0	0.00	5.00	841.43	NT
Butler	5040	5	109.54	547.70	73	0.7892					547.70	T
Butler	585	86	2387.40	205316.75	73	0.7892	36	50	10.54	46.54	111109.78	NT
Butler	585	86	372.93	32071.70	73	0.7892					32071.70	T
Butler	621	25	34.28	856.94	73	0.7892	25	0	0.00	25.00	856.94	NT
Butler	621	25	150.81	3770.13	73	0.7892					3770.13	T
Butler	63C	21	116.62	2449.08	73	0.7892	21	0	0.00	21.00	2449.08	NT
Butler	63C	21	216.79	4552.58	73	0.7892					4552.58	T
Butler	662D	63	147.91	9318.23	73	0.7892	36	26	5.48	41.48	6135.36	NT
Butler	662D	63	65.17	4105.92	73	0.7892					4105.92	T
Butler	662D3	58	245.51	14239.59	73	0.7892	36	22	4.64	40.64	9976.95	NT
Butler	662D3	58	2467.49	143114.61	73	0.7892					143114.61	T
Butler	662F	45	424.74	19113.11	73	0.7892	36	8	1.69	37.69	16006.76	NT
Butler	662F	45	87.32	3929.36	73	0.7892					3929.36	T
Butler	662F3	40	140.54	5621.62	73	0.7892	36	4	0.84	36.84	5177.96	NT
Butler	662F3	40	162.69	6507.56	73	0.7892					6507.56	T
Butler	713B	69	45.92	3168.20	73	0.7892	36	32	6.75	42.75	1962.70	NT
Butler	713B	69	255.32	17617.33	73	0.7892					17617.33	T
Butler	714B	53	69.80	3699.66	73	0.7892	36	16	3.37	39.37	2748.41	NT
Butler	714B	53	236.42	12530.14	73	0.7892					12530.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Butler	733	64	122.85	7862.40	73	0.7892	36	28	5.90	41.90	5147.71	NT
Butler	733	64	651.53	41698.08	73	0.7892					41698.08	T
Butler	771B	87	18.53	1612.28	73	0.7892	36	50	10.54	46.54	862.48	NT
Butler	771B	87	297.60	25890.98	73	0.7892					25890.98	T
Butler	777	58	30.32	1758.48	73	0.7892	36	22	4.64	40.64	1232.08	NT
Butler	777	58	180.34	10459.84	73	0.7892					10459.84	T
Butler	777B	53	53.10	2814.55	73	0.7892	36	16	3.37	39.37	2090.88	NT
Butler	777B	53	296.26	15701.94	73	0.7892					15701.94	T
Butler	781B	60	148.38	8902.58	73	0.7892	36	24	5.06	41.06	6092.21	NT
Butler	781B	60	632.64	37958.48	73	0.7892					37958.48	T
Butler	781C2	35	35.49	1242.10	73	0.7892	35	0	0.00	35.00	1242.10	NT
Butler	781C2	35	213.10	7458.49	73	0.7892					7458.49	T
Butler	782B	50	52.83	2641.62	73	0.7892	36	14	2.95	38.95	2057.89	NT
Butler	782B	50	878.47	43923.69	73	0.7892					43923.69	T
Butler	782C2	30	12.56	376.81	73	0.7892	30	0	0.00	30.00	376.81	NT
Butler	782C2	30	183.50	5505.10	73	0.7892					5505.10	T
Butler	783B	63	362.19	22818.15	73	0.7892	36	26	5.48	41.48	15024.05	NT
Butler	783B	63	5870.64	369850.09	73	0.7892					369850.09	T
Butler	783C	43	34.31	1475.12	73	0.7892	36	6	1.26	37.26	1278.38	NT
Butler	783C	43	420.00	18060.13	73	0.7892					18060.13	T
Butler	783C2	41	52.08	2135.36	73	0.7892	36	4	0.84	36.84	1918.86	NT
Butler	783C2	41	1515.34	62128.84	73	0.7892					62128.84	T
Butler	784B	50	29.58	1479.00	73	0.7892	36	14	2.95	38.95	1152.17	NT
Butler	784B	50	386.86	19342.83	73	0.7892					19342.83	T
Butler	798B	60	179.04	10742.12	73	0.7892	36	24	5.06	41.06	7351.05	NT
Butler	798B	60	6040.20	362412.08	73	0.7892					362412.08	T
Butler	83B	87	1866.58	162392.60	73	0.7892	36	50	10.54	46.54	86870.71	NT
Butler	83B	87	27673.73	2407614.81	73	0.7892					2407614.81	T
Butler	83C	72	86.29	6212.71	73	0.7892	36	36	7.59	43.59	3761.18	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Butler	83C	72	1318.55	94935.58	73	0.7892					94935.58	T
Butler	83C2	69	666.90	46015.95	73	0.7892	36	32	6.75	42.75	28506.95	NT
Butler	83C2	69	12125.17	836636.49	73	0.7892					836636.49	T
Butler	83D2	58	69.01	4002.62	73	0.7892	36	22	4.64	40.64	2804.43	NT
Butler	83D2	58	747.44	43351.56	73	0.7892					43351.56	T
Butler	84	76	2159.99	164159.32	73	0.7892	36	40	8.43	44.43	95972.72	NT
Butler	84	76	27031.37	2054383.99	73	0.7892					2054383.99	T
Butler	88	92	26.41	2429.72	73	0.7892	36	56	11.80	47.80	1262.52	NT
Butler	88	92	1004.46	92410.49	73	0.7892					92410.49	T
Butler	976	95	96.02	9121.62	73	0.7892	36	58	12.23	48.23	4630.56	NT
Butler	976	95	1741.37	165430.52	73	0.7892					165430.52	T
Butler	976B	90	26.03	2342.80	73	0.7892	36	54	11.38	47.38	1233.44	NT
Butler	976B	90	244.59	22012.98	73	0.7892					22012.98	T
Butler	981B	90	59.26	5333.51	73	0.7892	36	54	11.38	47.38	2807.99	NT
Butler	981B	90	418.45	37660.13	73	0.7892					37660.13	T
Butler	AW	0	2.84	0.00	73	0.7892	0	0	0.00	0.00	0.00	NT
Butler	BW	0	1.74	0.00	73	0.7892	0	0	0.00	0.00	0.00	NT
Butler	BW	0	4.94	0.00	73	0.7892					0.00	T
Butler	INT	0	6.16	0.00	73	0.7892	0	0	0.00	0.00	0.00	NT
Butler	INT	0	14.31	0.00	73	0.7892					0.00	T
Butler	SL	0	15.78	0.00	73	0.7892	0	0	0.00	0.00	0.00	NT
Butler	W	0	1400.53	0.00	73	0.7892	0	0	0.00	0.00	0.00	NT
Butler	W	0	10.98	0.00	73	0.7892					0.00	T
											0.00	
											0.00	
Calhoun	1048	5	13.46	67.31	78	0.7903	5	0	0.00	5.00	67.31	NT
Calhoun	1048	5	4.18	20.91	78	0.7903					20.91	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Calhoun	107	70	1580.60	110642.21	78	0.7903	39	31	6.50	45.50	71918.55	NT
Calhoun	107	70	87269.74	6108881.52	78	0.7903					6108881.52	T
Calhoun	108	52	145.01	7540.47	78	0.7903	39	13	2.73	41.73	6050.66	NT
Calhoun	108	52	1370.78	71280.47	78	0.7903					71280.47	T
Calhoun	108B	47	349.46	16424.59	78	0.7903	39	8	1.68	40.68	14215.17	NT
Calhoun	108B	47	2572.00	120883.95	78	0.7903					120883.95	T
Calhoun	108C2	25	35.85	896.27	78	0.7903	25	0	0.00	25.00	896.27	NT
Calhoun	108C2	25	256.92	6422.90	78	0.7903					6422.90	T
Calhoun	135	78	3348.23	261161.83	78	0.7903	39	39	8.18	47.18	157963.73	NT
Calhoun	135	78	5601.35	436905.35	78	0.7903					436905.35	T
Calhoun	135B	73	144.86	10574.69	78	0.7903	39	34	7.13	46.13	6682.31	NT
Calhoun	135B	73	860.33	62804.23	78	0.7903					62804.23	T
Calhoun	138B	73	2505.76	182920.68	78	0.7903	39	34	7.13	46.13	115590.33	NT
Calhoun	138B	73	57901.28	4226793.68	78	0.7903					4226793.68	T
Calhoun	138C	67	140.90	9440.12	78	0.7903	39	28	5.87	44.87	6322.29	NT
Calhoun	138C	67	724.87	48566.35	78	0.7903					48566.35	T
Calhoun	138C2	59	699.26	41256.50	78	0.7903	39	20	4.19	43.19	30203.95	NT
Calhoun	138C2	59	11080.99	653778.21	78	0.7903					653778.21	T
Calhoun	138D2	56	136.61	7649.90	78	0.7903	39	17	3.56	42.56	5814.59	NT
Calhoun	138D2	56	453.46	25393.52	78	0.7903					25393.52	T
Calhoun	1458	25	910.49	22762.27	78	0.7903	25	0	0.00	25.00	22762.27	NT
Calhoun	1458	25	146.72	3667.89	78	0.7903					3667.89	T
Calhoun	1585B	25	219.49	5487.18	78	0.7903	25	0	0.00	25.00	5487.18	NT
Calhoun	1585B	25	72.78	1819.46	78	0.7903					1819.46	T
Calhoun	202	60	36.63	2198.06	78	0.7903	39	21	4.40	43.40	1590.07	NT
Calhoun	202	60	1010.27	60616.19	78	0.7903					60616.19	T
Calhoun	203	71	21.49	1525.68	78	0.7903	39	32	6.71	45.71	982.25	NT
Calhoun	203	71	735.61	52228.16	78	0.7903					52228.16	T
Calhoun	227	62	2.35	145.54	78	0.7903					145.54	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Calhoun	228	82	12.34	1011.75	78	0.7903					1011.75	T
Calhoun	2315	25	0.00	0.12	78	0.7903					0.12	T
Calhoun	236B	79	127.99	10110.91	78	0.7903	39	40	8.39	47.39	6065.01	NT
Calhoun	236B	79	61.79	4881.33	78	0.7903					4881.33	T
Calhoun	259	41	45.42	1862.13	78	0.7903	39	2	0.42	39.42	1790.34	NT
Calhoun	259	41	665.72	27294.71	78	0.7903					27294.71	T
Calhoun	274	39	5.02	195.65	78	0.7903	39	0	0.00	39.00	195.65	NT
Calhoun	274	39	388.45	15149.69	78	0.7903					15149.69	T
Calhoun	27B	82	52.24	4283.41	78	0.7903	39	43	9.02	48.02	2508.25	NT
Calhoun	27B	82	376.16	30845.41	78	0.7903					30845.41	T
Calhoun	288	81	27.31	2211.79	78	0.7903	39	42	8.81	47.81	1305.43	NT
Calhoun	288	81	1277.07	103443.06	78	0.7903					103443.06	T
Calhoun	28B	14	0.07	0.92	78	0.7903					0.92	T
Calhoun	28C2	22	0.10	2.13	78	0.7903					2.13	T
Calhoun	308	43	23.67	1017.74	78	0.7903	39	4	0.84	39.84	942.92	NT
Calhoun	308	43	326.12	14023.34	78	0.7903					14023.34	T
Calhoun	308B	36	16.24	584.65	78	0.7903	36	0	0.00	36.00	584.65	NT
Calhoun	308B	36	149.79	5392.49	78	0.7903					5392.49	T
Calhoun	34B	15	15.09	226.38	78	0.7903	15	0	0.00	15.00	226.38	NT
Calhoun	34B	15	315.61	4734.12	78	0.7903					4734.12	T
Calhoun	34C2	15	12.27	184.09	78	0.7903	15	0	0.00	15.00	184.09	NT
Calhoun	34C2	15	136.42	2046.27	78	0.7903					2046.27	T
Calhoun	383	76	7.52	571.40	78	0.7903					571.40	T
Calhoun	388	77	31.08	2393.13	78	0.7903	39	38	7.97	46.97	1459.76	NT
Calhoun	388	77	2765.27	212925.65	78	0.7903					212925.65	T
Calhoun	4	41	19.50	799.34	78	0.7903	39	2	0.42	39.42	768.53	NT
Calhoun	4	41	899.70	36887.87	78	0.7903					36887.87	T
Calhoun	48	41	30.70	1258.61	78	0.7903	39	2	0.42	39.42	1210.09	NT
Calhoun	48	41	1344.56	55126.77	78	0.7903					55126.77	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Calhoun	485	92	78.28	7201.53	78	0.7903	39	53	11.11	50.11	3922.81	NT
Calhoun	485	92	467.30	42991.72	78	0.7903					42991.72	T
Calhoun	485B	82	58.91	4830.82	78	0.7903	39	43	9.02	48.02	2828.80	NT
Calhoun	485B	82	590.50	48421.09	78	0.7903					48421.09	T
Calhoun	5010	0	257.40	0.00	78	0.7903	0	0	0.00	0.00	0.00	NT
Calhoun	5010	0	93.25	0.00	78	0.7903					0.00	T
Calhoun	5040	5	98.80	494.01	78	0.7903	5	0	0.00	5.00	494.01	NT
Calhoun	5040	5	380.70	1903.52	78	0.7903					1903.52	T
Calhoun	506	69	29.95	2066.25	78	0.7903	39	30	6.29	45.29	1356.27	NT
Calhoun	506	69	1299.44	89661.14	78	0.7903					89661.14	T
Calhoun	507	71	922.32	65484.40	78	0.7903	39	32	6.71	45.71	42159.41	NT
Calhoun	507	71	57424.37	4077129.96	78	0.7903					4077129.96	T
Calhoun	508	70	3.89	272.31	78	0.7903	39	31	6.50	45.50	177.00	NT
Calhoun	508	70	298.87	20920.99	78	0.7903					20920.99	T
Calhoun	52B	78	24.57	1916.37	78	0.7903	39	39	8.18	47.18	1159.12	NT
Calhoun	52B	78	658.67	51376.16	78	0.7903					51376.16	T
Calhoun	55	73	1711.22	124919.14	78	0.7903	39	34	7.13	46.13	78938.29	NT
Calhoun	55	73	60954.09	4449648.62	78	0.7903					4449648.62	T
Calhoun	559	40	93.64	3745.54	78	0.7903	39	1	0.21	39.21	3671.54	NT
Calhoun	559	40	841.51	33660.54	78	0.7903					33660.54	T
Calhoun	585B	70	108.25	7577.48	78	0.7903	39	31	6.50	45.50	4925.44	NT
Calhoun	585B	70	184.82	12937.56	78	0.7903					12937.56	T
Calhoun	6	43	178.27	7665.47	78	0.7903	39	4	0.84	39.84	7101.93	NT
Calhoun	6	43	14849.65	638534.94	78	0.7903					638534.94	T
Calhoun	62C2	53	122.27	6480.44	78	0.7903	39	14	2.94	41.94	5127.59	NT
Calhoun	62C2	53	1250.41	66271.94	78	0.7903					66271.94	T
Calhoun	62D2	38	399.60	15184.82	78	0.7903	38	0	0.00	38.00	15184.82	NT
Calhoun	62D2	38	1070.52	40679.68	78	0.7903					40679.68	T
Calhoun	62E	30	433.43	13002.85	78	0.7903	30	0	0.00	30.00	13002.85	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Calhoun	62E	30	264.83	7944.76	78	0.7903					7944.76	T
Calhoun	62E2	28	0.10	2.85	78	0.7903	28	0	0.00	28.00	2.85	NT
Calhoun	62F	7	273.04	1911.26	78	0.7903	7	0	0.00	7.00	1911.26	NT
Calhoun	62F	7	131.77	922.39	78	0.7903					922.39	T
Calhoun	62G	5	413.14	2065.72	78	0.7903	5	0	0.00	5.00	2065.72	NT
Calhoun	62G	5	23.29	116.43	78	0.7903					116.43	T
Calhoun	639D	28	0.33	9.29	78	0.7903					9.29	T
Calhoun	733	64	126.36	8086.91	78	0.7903	39	25	5.24	44.24	5590.39	NT
Calhoun	733	64	788.21	50445.29	78	0.7903					50445.29	T
Calhoun	90	42	203.26	8536.89	78	0.7903	39	3	0.63	39.63	8054.98	NT
Calhoun	90	42	3301.40	138658.81	78	0.7903					138658.81	T
Calhoun	95	57	89.06	5076.53	78	0.7903	39	18	3.77	42.77	3809.59	NT
Calhoun	95	57	7508.74	427997.91	78	0.7903					427997.91	T
Calhoun	AW	0	14.46	0.00	78	0.7903	0	0	0.00	0.00	0.00	NT
Calhoun	W	0	222.73	0.00	78	0.7903	0	0	0.00	0.00	0.00	NT
Calhoun	W	0	0.42	0.00	78	0.7903					0.00	T
											0.00	
											0.00	
Carroll	107	70	347.21	24304.64	69	0.7438	34	36	9.22	43.22	15007.49	NT
Carroll	107	70	15417.20	1079203.92	69	0.7438					1079203.92	T
Carroll	108	52	91.27	4746.02	69	0.7438	34	18	4.61	38.61	3524.07	NT
Carroll	108	52	999.46	51972.00	69	0.7438					51972.00	T
Carroll	108B	47	132.71	6237.37	69	0.7438	34	12	3.07	37.07	4920.15	NT
Carroll	108B	47	1015.99	47751.48	69	0.7438					47751.48	T
Carroll	108C2	25	73.51	1837.64	69	0.7438	25	0	0.00	25.00	1837.64	NT
Carroll	108C2	25	317.66	7941.59	69	0.7438					7941.59	T
Carroll	11B	68	3048.02	207265.30	69	0.7438	34	34	8.71	42.71	130183.34	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Carroll	11B	68	35156.89	2390668.36	69	0.7438					2390668.36	T
Carroll	133	80	501.56	40124.71	69	0.7438	34	46	11.79	45.79	22963.97	NT
Carroll	133	80	3818.03	305442.35	69	0.7438					305442.35	T
Carroll	133+	85	987.76	83959.51	69	0.7438	34	50	12.81	46.81	46236.99	NT
Carroll	133+	85	7487.03	636397.89	69	0.7438					636397.89	T
Carroll	135	78	911.36	71085.69	69	0.7438	34	44	11.27	45.27	41259.60	NT
Carroll	135	78	3721.49	290276.48	69	0.7438					290276.48	T
Carroll	138B	73	1522.31	111128.64	69	0.7438	34	38	9.74	43.74	66579.14	NT
Carroll	138B	73	24514.95	1789591.43	69	0.7438					1789591.43	T
Carroll	138B2	78	300.06	23404.97	69	0.7438	34	44	11.27	45.27	13584.72	NT
Carroll	138B2	78	7981.12	622527.15	69	0.7438					622527.15	T
Carroll	138C	67	116.65	7815.67	69	0.7438	34	32	8.20	42.20	4922.52	NT
Carroll	138C	67	1050.99	70416.06	69	0.7438					70416.06	T
Carroll	138C2	59	941.78	55564.78	69	0.7438	34	24	6.15	40.15	37811.17	NT
Carroll	138C2	59	15783.68	931237.30	69	0.7438					931237.30	T
Carroll	138D2	56	314.13	17591.05	69	0.7438	34	22	5.64	39.64	12450.82	NT
Carroll	138D2	56	2603.33	145786.37	69	0.7438					145786.37	T
Carroll	1458	25	31.48	786.90	69	0.7438	25	0	0.00	25.00	786.90	NT
Carroll	179E2	33	63.40	2092.07	69	0.7438	33	0	0.00	33.00	2092.07	NT
Carroll	179E2	33	172.93	5706.61	69	0.7438					5706.61	T
Carroll	179F	15	173.01	2595.16	69	0.7438	15	0	0.00	15.00	2595.16	NT
Carroll	179F	15	17.29	259.39	69	0.7438					259.39	T
Carroll	179F2	14	279.76	3916.69	69	0.7438	14	0	0.00	14.00	3916.69	NT
Carroll	179F2	14	448.01	6272.09	69	0.7438					6272.09	T
Carroll	179G	5	129.88	649.41	69	0.7438	5	0	0.00	5.00	649.41	NT
Carroll	179G	5	58.04	290.21	69	0.7438					290.21	T
Carroll	192D2	15	26.84	402.64	69	0.7438	15	0	0.00	15.00	402.64	NT
Carroll	192D2	15	307.99	4619.80	69	0.7438					4619.80	T
Carroll	1C3	55	94.13	5177.42	69	0.7438	34	20	5.12	39.12	3682.93	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Carroll	1C3	55	1546.77	85072.56	69	0.7438					85072.56	T
Carroll	1D3	45	63.09	2839.21	69	0.7438	34	10	2.56	36.56	2306.83	NT
Carroll	1D3	45	1395.84	62812.58	69	0.7438					62812.58	T
Carroll	201B	51	808.81	41249.44	69	0.7438	34	16	4.10	38.10	30815.11	NT
Carroll	201B	51	2957.55	150834.96	69	0.7438					150834.96	T
Carroll	203	71	77.77	5521.83	69	0.7438	34	36	9.22	43.22	3361.56	NT
Carroll	203	71	1467.25	104174.49	69	0.7438					104174.49	T
Carroll	220	85	1.31	111.31	69	0.7438	34	50	12.81	46.81	61.30	NT
Carroll	220	85	2.78	235.98	69	0.7438					235.98	T
Carroll	2315	25	1100.88	27521.88	69	0.7438	25	0	0.00	25.00	27521.88	NT
Carroll	2315	25	441.96	11048.90	69	0.7438					11048.90	T
Carroll	236C	61	156.57	9550.96	69	0.7438	34	26	6.66	40.66	6366.45	NT
Carroll	236C	61	143.28	8740.36	69	0.7438					8740.36	T
Carroll	24E2	38	0.87	32.91	69	0.7438					32.91	T
Carroll	24E3	35	0.22	7.82	69	0.7438					7.82	T
Carroll	24F2	18	0.14	2.47	69	0.7438					2.47	T
Carroll	259	41	27.16	1113.37	69	0.7438	34	6	1.54	35.54	965.02	NT
Carroll	259	41	415.80	17047.83	69	0.7438					17047.83	T
Carroll	268C	61	124.44	7590.91	69	0.7438	34	26	6.66	40.66	5059.93	NT
Carroll	268C	61	565.13	34473.19	69	0.7438					34473.19	T
Carroll	268D2	47	132.45	6225.17	69	0.7438	34	12	3.07	37.07	4910.52	NT
Carroll	268D2	47	413.38	19428.98	69	0.7438					19428.98	T
Carroll	268E2	37	97.90	3622.28	69	0.7438	34	2	0.51	34.51	3378.74	NT
Carroll	268E2	37	259.21	9590.68	69	0.7438					9590.68	T
Carroll	273B	72	0.16	11.79	69	0.7438					11.79	T
Carroll	27B	82	69.55	5703.24	69	0.7438	34	48	12.30	46.30	3220.08	NT
Carroll	27B	82	531.22	43560.31	69	0.7438					43560.31	T
Carroll	27C	61	77.23	4711.17	69	0.7438	34	26	6.66	40.66	3140.36	NT
Carroll	27C	61	280.37	17102.76	69	0.7438					17102.76	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Carroll	28B	14	50.35	704.94	69	0.7438	14	0	0.00	14.00	704.94	NT
Carroll	28B	14	452.28	6331.91	69	0.7438					6331.91	T
Carroll	28B2	34	21.07	716.24	69	0.7438	34	0	0.00	34.00	716.24	NT
Carroll	28B2	34	178.69	6075.45	69	0.7438					6075.45	T
Carroll	28C2	22	120.42	2649.19	69	0.7438	22	0	0.00	22.00	2649.19	NT
Carroll	28C2	22	596.77	13128.98	69	0.7438					13128.98	T
Carroll	28D2	12	126.12	1513.40	69	0.7438	12	0	0.00	12.00	1513.40	NT
Carroll	28D2	12	403.36	4840.31	69	0.7438					4840.31	T
Carroll	308	43	122.94	5286.54	69	0.7438	34	8	2.05	36.05	4432.04	NT
Carroll	308	43	1443.81	62083.76	69	0.7438					62083.76	T
Carroll	308B	36	85.23	3068.33	69	0.7438	34	2	0.51	34.51	2941.54	NT
Carroll	308B	36	714.61	25726.12	69	0.7438					25726.12	T
Carroll	34B	15	36.26	543.89	69	0.7438	15	0	0.00	15.00	543.89	NT
Carroll	34B	15	414.90	6223.48	69	0.7438					6223.48	T
Carroll	34C2	15	31.05	465.70	69	0.7438	15	0	0.00	15.00	465.70	NT
Carroll	34C2	15	256.83	3852.49	69	0.7438					3852.49	T
Carroll	430	83	889.93	73864.47	69	0.7438	34	48	12.30	46.30	41201.78	NT
Carroll	430	83	4264.89	353985.69	69	0.7438					353985.69	T
Carroll	48	41	30.04	1231.70	69	0.7438	34	6	1.54	35.54	1067.59	NT
Carroll	48	41	545.92	22382.80	69	0.7438					22382.80	T
Carroll	485	92	242.25	22286.91	69	0.7438	34	58	14.86	48.86	11836.19	NT
Carroll	485	92	1528.40	140612.42	69	0.7438					140612.42	T
Carroll	485B	82	41.35	3390.95	69	0.7438	34	48	12.30	46.30	1914.55	NT
Carroll	485B	82	386.63	31703.75	69	0.7438					31703.75	T
Carroll	5010	0	171.64	0.00	69	0.7438	0	0	0.00	0.00	0.00	NT
Carroll	5010	0	58.75	0.00	69	0.7438					0.00	T
Carroll	5040	5	155.15	775.76	69	0.7438	5	0	0.00	5.00	775.76	NT
Carroll	5040	5	220.09	1100.44	69	0.7438					1100.44	T
Carroll	507	71	273.38	19409.89	69	0.7438	34	36	9.22	43.22	11816.30	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Carroll	507	71	13343.54	947391.01	69	0.7438					947391.01	T
Carroll	509B	84	40.98	3442.32	69	0.7438	34	50	12.81	46.81	1918.28	NT
Carroll	509B	84	627.54	52713.20	69	0.7438					52713.20	T
Carroll	54	70	155.37	10875.76	69	0.7438	34	36	9.22	43.22	6715.50	NT
Carroll	54	70	1866.59	130661.21	69	0.7438					130661.21	T
Carroll	55	73	674.70	49252.82	69	0.7438	34	38	9.74	43.74	29508.24	NT
Carroll	55	73	25414.56	1855263.18	69	0.7438					1855263.18	T
Carroll	559	40	12.08	483.34	69	0.7438	34	6	1.54	35.54	429.42	NT
Carroll	559	40	353.33	14133.17	69	0.7438					14133.17	T
Carroll	585B	70	0.03	2.37	69	0.7438	34	36	9.22	43.22	1.46	NT
Carroll	59C2	55	26.78	1472.86	69	0.7438	34	20	5.12	39.12	1047.71	NT
Carroll	59C2	55	213.89	11764.10	69	0.7438					11764.10	T
Carroll	59D2	58	108.21	6276.22	69	0.7438	34	24	6.15	40.15	4344.53	NT
Carroll	59D2	58	2149.99	124699.22	69	0.7438					124699.22	T
Carroll	59E2	33	130.32	4300.71	69	0.7438	33	0	0.00	33.00	4300.71	NT
Carroll	59E2	33	1129.96	37288.74	69	0.7438					37288.74	T
Carroll	59F2	16	252.75	4043.97	69	0.7438	16	0	0.00	16.00	4043.97	NT
Carroll	59F2	16	706.34	11301.45	69	0.7438					11301.45	T
Carroll	5B	83	156.37	12979.05	69	0.7438	34	48	12.30	46.30	7239.75	NT
Carroll	5B	83	723.97	60089.92	69	0.7438					60089.92	T
Carroll	6	43	51.48	2213.74	69	0.7438	34	8	2.05	36.05	1855.91	NT
Carroll	6	43	4000.01	172000.38	69	0.7438					172000.38	T
Carroll	62C2	53	56.67	3003.69	69	0.7438	34	18	4.61	38.61	2188.25	NT
Carroll	62C2	53	735.39	38975.66	69	0.7438					38975.66	T
Carroll	62D2	38	312.24	11865.00	69	0.7438	34	4	1.02	35.02	10936.03	NT
Carroll	62D2	38	989.19	37589.08	69	0.7438					37589.08	T
Carroll	62E2	28	299.21	8377.77	69	0.7438	28	0	0.00	28.00	8377.77	NT
Carroll	62E2	28	319.13	8935.62	69	0.7438					8935.62	T
Carroll	62F	7	451.22	3158.51	69	0.7438	7	0	0.00	7.00	3158.51	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Carroll	62F	7	155.23	1086.58	69	0.7438					1086.58	T
Carroll	62G	5	691.18	3455.91	69	0.7438	5	0	0.00	5.00	3455.91	NT
Carroll	62G	5	108.04	540.18	69	0.7438					540.18	T
Carroll	638C2	52	16.24	844.56	69	0.7438	34	18	4.61	38.61	627.12	NT
Carroll	638C2	52	607.20	31574.65	69	0.7438					31574.65	T
Carroll	638D2	45	43.87	1974.34	69	0.7438	34	10	2.56	36.56	1604.13	NT
Carroll	638D2	45	732.39	32957.73	69	0.7438					32957.73	T
Carroll	639C	34	15.52	527.56	69	0.7438	34	0	0.00	34.00	527.56	NT
Carroll	639C	34	202.45	6883.21	69	0.7438					6883.21	T
Carroll	639D	28	73.87	2068.30	69	0.7438	28	0	0.00	28.00	2068.30	NT
Carroll	639D	28	356.94	9994.25	69	0.7438					9994.25	T
Carroll	71D2	34	3.26	110.94	69	0.7438	34	0	0.00	34.00	110.94	NT
Carroll	71D2	34	442.98	15061.17	69	0.7438					15061.17	T
Carroll	733	64	377.97	24190.38	69	0.7438	34	30	7.69	41.69	15756.26	NT
Carroll	733	64	4676.08	299269.19	69	0.7438					299269.19	T
Carroll	76C2	67	0.04	2.72	69	0.7438	34	32	8.20	42.20	1.71	NT
Carroll	822D2	15	0.01	0.22	69	0.7438	15	0	0.00	15.00	0.22	NT
Carroll	822D3	10	5.52	55.20	69	0.7438	10	0	0.00	10.00	55.20	NT
Carroll	822D3	10	332.43	3324.25	69	0.7438					3324.25	T
Carroll	823	38	20.67	785.50	69	0.7438	34	4	1.02	35.02	724.00	NT
Carroll	823	38	120.66	4584.94	69	0.7438					4584.94	T
Carroll	8B	90	37.12	3340.57	69	0.7438	34	56	14.35	48.35	1794.53	NT
Carroll	8B	90	801.17	72104.92	69	0.7438					72104.92	T
Carroll	8C	66	50.21	3313.57	69	0.7438	34	32	8.20	42.20	2118.60	NT
Carroll	8C	66	492.22	32486.35	69	0.7438					32486.35	T
Carroll	9	86	50.47	4340.49	69	0.7438	34	52	13.32	47.32	2388.40	NT
Carroll	9	86	1152.36	99102.54	69	0.7438					99102.54	T
Carroll	90	42	5.54	232.85	69	0.7438	34	8	2.05	36.05	199.86	NT
Carroll	90	42	415.67	17458.04	69	0.7438					17458.04	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Carroll	924D2	23	68.58	1577.44	69	0.7438	23	0	0.00	23.00	1577.44	NT
Carroll	924D2	23	1615.88	37165.21	69	0.7438					37165.21	T
Carroll	924E2	13	161.91	2104.79	69	0.7438	13	0	0.00	13.00	2104.79	NT
Carroll	924E2	13	2059.85	26778.11	69	0.7438					26778.11	T
Carroll	93D2	33	0.06	2.11	69	0.7438	33	0	0.00	33.00	2.11	NT
Carroll	93E3	5	0.08	0.39	69	0.7438					0.39	T
Carroll	95	57	12.45	709.63	69	0.7438	34	22	5.64	39.64	493.46	NT
Carroll	95	57	2077.46	118415.01	69	0.7438					118415.01	T
Carroll	993D2	20	33.53	670.63	69	0.7438	20	0	0.00	20.00	670.63	NT
Carroll	993D2	20	153.96	3079.10	69	0.7438					3079.10	T
Carroll	993E2	10	188.40	1884.01	69	0.7438	10	0	0.00	10.00	1884.01	NT
Carroll	993E2	10	518.78	5187.82	69	0.7438					5187.82	T
Carroll	99C2	61	481.71	29384.58	69	0.7438	34	26	6.66	40.66	19587.09	NT
Carroll	99C2	61	16462.14	1004190.67	69	0.7438					1004190.67	T
Carroll	99D2	53	433.69	22985.41	69	0.7438	34	18	4.61	38.61	16745.35	NT
Carroll	99D2	53	16502.17	874615.19	69	0.7438					874615.19	T
Carroll	99D3	47	7.17	336.84	69	0.7438					336.84	T
Carroll	99E2	44	84.45	3715.88	69	0.7438	34	10	2.56	36.56	3087.72	NT
Carroll	99E2	44	1119.93	49277.09	69	0.7438					49277.09	T
Carroll	9B	85	426.07	36216.04	69	0.7438	34	50	12.81	46.81	19944.39	NT
Carroll	9B	85	8838.57	751278.86	69	0.7438					751278.86	T
Carroll	9B2	79	818.05	64626.12	69	0.7438	34	44	11.27	45.27	37035.51	NT
Carroll	9B2	79	18084.56	1428680.48	69	0.7438					1428680.48	T
Carroll	9C	66	131.16	8656.79	69	0.7438	34	32	8.20	42.20	5534.89	NT
Carroll	9C	66	1443.20	95251.41	69	0.7438					95251.41	T
Carroll	9C2	77	1211.63	93295.82	69	0.7438	34	42	10.76	44.76	54233.22	NT
Carroll	9C2	77	23293.82	1793623.94	69	0.7438					1793623.94	T
Carroll	9D2	52	780.77	40600.23	69	0.7438	34	18	4.61	38.61	30146.92	NT
Carroll	9D2	52	17574.76	913887.53	69	0.7438					913887.53	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Carroll	9E2	44	63.65	2800.58	69	0.7438	34	10	2.56	36.56	2327.15	NT
Carroll	9E2	44	873.51	38434.49	69	0.7438					38434.49	T
Carroll	C133A	80	0.02	1.88	69	0.7438	34	46	11.79	45.79	1.08	NT
Carroll	C133A	80	0.02	1.60	69	0.7438					1.60	T
Carroll	SL	0	17.51	0.00	69	0.7438	0	0	0.00	0.00	0.00	NT
Carroll	SL	0	0.61	0.00	69	0.7438					0.00	T
Carroll	W	0	412.44	0.00	69	0.7438	0	0	0.00	0.00	0.00	NT
Carroll	W	0	25.18	0.00	69	0.7438					0.00	T
											0.00	
											0.00	
Cass	11B	68	5.26	357.55	63	0.7222	32	36	10.00	42.00	220.84	NT
Cass	11B	68	37.07	2521.07	63	0.7222					2521.07	T
Cass	1220	25	0.02	0.42	63	0.7222	25	0	0.00	25.00	0.42	NT
Cass	1220	25	0.09	2.37	63	0.7222					2.37	T
Cass	1299	95	0.00	0.10	63	0.7222	32	64	17.78	49.78	0.05	NT
Cass	1299	95	0.04	3.65	63	0.7222					3.65	T
Cass	133	80	0.01	0.67	63	0.7222	32	48	13.33	45.33	0.38	NT
Cass	133	80	5.26	420.71	63	0.7222					420.71	T
Cass	133+	85	0.31	26.50	63	0.7222	32	54	15.00	47.00	14.65	NT
Cass	133+	85	2.20	187.20	63	0.7222					187.20	T
Cass	179F	15	0.63	9.52	63	0.7222	15	0	0.00	15.00	9.52	NT
Cass	192C2	30	1.69	50.57	63	0.7222	30	0	0.00	30.00	50.57	NT
Cass	192C2	30	1.08	32.26	63	0.7222					32.26	T
Cass	192D2	15	0.48	7.22	63	0.7222	15	0	0.00	15.00	7.22	NT
Cass	192D2	15	5.65	84.79	63	0.7222					84.79	T
Cass	212	94	0.74	69.40	63	0.7222	32	62	17.22	49.22	36.34	NT
Cass	212	94	0.27	25.11	63	0.7222					25.11	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	220	85	21.66	1841.28	63	0.7222	32	54	15.00	47.00	1018.14	NT
Cass	220	85	41.90	3561.40	63	0.7222					3561.40	T
Cass	222D2	10	0.00	0.00	63	0.7222	10	0	0.00	10.00	0.00	NT
Cass	222D2	10	0.39	3.86	63	0.7222					3.86	T
Cass	24C3	55	0.10	5.43	63	0.7222					5.43	T
Cass	24D	50	0.20	10.10	63	0.7222	32	18	5.00	37.00	7.47	NT
Cass	24D	50	0.07	3.62	63	0.7222					3.62	T
Cass	24D2	48	0.05	2.36	63	0.7222	32	16	4.44	36.44	1.79	NT
Cass	24D2	48	7.17	344.18	63	0.7222					344.18	T
Cass	24D3	45	8.21	369.45	63	0.7222					369.45	T
Cass	24E	40	0.00	0.04	63	0.7222	32	8	2.22	34.22	0.03	NT
Cass	24E	40	0.22	8.87	63	0.7222					8.87	T
Cass	24E2	38	0.36	13.50	63	0.7222	32	6	1.67	33.67	11.96	NT
Cass	24E2	38	0.17	6.39	63	0.7222					6.39	T
Cass	24E3	35	0.14	4.78	63	0.7222					4.78	T
Cass	268D	50	0.01	0.54	63	0.7222	32	18	5.00	37.00	0.40	NT
Cass	273B	72	0.00	0.32	63	0.7222					0.32	T
Cass	370B	87	4.82	419.74	63	0.7222					419.74	T
Cass	370C	72	0.03	1.87	63	0.7222	32	40	11.11	43.11	1.12	NT
Cass	370C	72	0.07	4.72	63	0.7222					4.72	T
Cass	370C2	67	0.22	14.79	63	0.7222	32	36	10.00	42.00	9.27	NT
Cass	370C2	67	8.61	576.57	63	0.7222					576.57	T
Cass	370D	62	0.04	2.46	63	0.7222					2.46	T
Cass	370D2	57	0.15	8.78	63	0.7222	32	26	7.22	39.22	6.04	NT
Cass	370D2	57	3.41	194.27	63	0.7222					194.27	T
Cass	371C2	64	1.73	110.81	63	0.7222					110.81	T
Cass	371D2	54	0.36	19.62	63	0.7222					19.62	T
Cass	430	83	5.80	481.62	63	0.7222					481.62	T
Cass	431B	73	0.60	43.58	63	0.7222					43.58	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	435	75	0.00	0.20	63	0.7222	32	44	12.22	44.22	0.12	NT
Cass	435	75	0.03	2.09	63	0.7222					2.09	T
Cass	470D2	25	2.10	52.56	63	0.7222					52.56	T
Cass	5010	0	4.89	0.00	63	0.7222	0	0	0.00	0.00	0.00	NT
Cass	5010	0	3.57	0.00	63	0.7222					0.00	T
Cass	5030	0	70.56	0.00	63	0.7222	0	0	0.00	0.00	0.00	NT
Cass	5030	0	7.78	0.00	63	0.7222					0.00	T
Cass	5040	5	97.81	489.05	63	0.7222	5	0	0.00	5.00	489.05	NT
Cass	5040	5	79.08	395.42	63	0.7222					395.42	T
Cass	509	90	0.08	6.76	63	0.7222	32	58	16.11	48.11	3.62	NT
Cass	509	90	1.16	104.13	63	0.7222					104.13	T
Cass	509B	84	0.48	40.12	63	0.7222					40.12	T
Cass	54	70	0.89	62.17	63	0.7222	32	38	10.56	42.56	37.79	NT
Cass	54	70	3.01	210.56	63	0.7222					210.56	T
Cass	545B	52	4.94	256.86	63	0.7222					256.86	T
Cass	76B	82	0.32	26.62	63	0.7222					26.62	T
Cass	76F	26	0.22	5.72	63	0.7222	26	0	0.00	26.00	5.72	NT
Cass	76F	26	0.00	0.10	63	0.7222					0.10	T
Cass	822D2	15	1.61	24.09	63	0.7222					24.09	T
Cass	870B	87	0.60	51.93	63	0.7222	32	56	15.56	47.56	28.39	NT
Cass	870B	87	3.37	293.09	63	0.7222					293.09	T
Cass	870C2	67	0.54	36.06	63	0.7222	32	36	10.00	42.00	22.61	NT
Cass	870C2	67	2.12	141.99	63	0.7222					141.99	T
Cass	88	92	1.00	92.12	63	0.7222	32	60	16.67	48.67	48.73	NT
Cass	88	92	15.85	1458.66	63	0.7222					1458.66	T
Cass	8B	90	4.83	435.11	63	0.7222					435.11	T
Cass	93D2	33	0.01	0.49	63	0.7222	32	2	0.56	32.56	0.48	NT
Cass	93D2	33	19.22	634.27	63	0.7222					634.27	T
Cass	93E2	23	0.05	1.14	63	0.7222	23	0	0.00	23.00	1.14	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	93E2	23	0.13	3.02	63	0.7222					3.02	T
Cass	93E3	5	1.88	9.41	63	0.7222					9.41	T
Cass	99C2	61	2.32	141.55	63	0.7222					141.55	T
Cass	99D2	53	0.14	7.41	63	0.7222	32	22	6.11	38.11	5.33	NT
Cass	99D2	53	90.96	4820.78	63	0.7222					4820.78	T
Cass	99D3	47	0.24	11.27	63	0.7222					11.27	T
Cass	99E2	44	0.01	0.27	63	0.7222	32	12	3.33	35.33	0.21	NT
Cass	99E2	44	0.78	34.23	63	0.7222					34.23	T
Cass	9B	85	0.00	0.34	63	0.7222	32	54	15.00	47.00	0.19	NT
Cass	9B	85	41.02	3486.89	63	0.7222					3486.89	T
Cass	9B2	79	10.26	810.69	63	0.7222					810.69	T
Cass	9C	66	0.05	3.47	63	0.7222	32	34	9.45	41.45	2.18	NT
Cass	9C	66	4.67	307.90	63	0.7222					307.90	T
Cass	9C2	77	0.01	1.10	63	0.7222	32	46	12.78	44.78	0.64	NT
Cass	9C2	77	37.35	2875.63	63	0.7222					2875.63	T
Cass	9D2	52	0.83	43.30	63	0.7222	32	20	5.56	37.56	31.27	NT
Cass	9D2	52	16.99	883.28	63	0.7222					883.28	T
Cass	AdC2	30	311.25	9337.42	63	0.7222	30	0	0.00	30.00	9337.42	NT
Cass	AdC2	30	1496.88	44906.30	63	0.7222					44906.30	T
Cass	AdD		125.41		63	0.7222			0.00	0.00	0.00	NT
Cass	AdD		678.64		63	0.7222					0.00	T
Cass	AdD2		1342.23		63	0.7222			0.00	0.00	0.00	NT
Cass	AdD2		9790.45		63	0.7222					0.00	T
Cass	AdE2		207.16		63	0.7222			0.00	0.00	0.00	NT
Cass	AdE2		358.77		63	0.7222					0.00	T
Cass	ArC3		35.52		63	0.7222			0.00	0.00	0.00	NT
Cass	ArC3		272.79		63	0.7222					0.00	T
Cass	AsD3	20	698.41	13968.27	63	0.7222	20	0	0.00	20.00	13968.27	NT
Cass	AsD3	20	3553.23	71064.67	63	0.7222					71064.67	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	AsE3		692.79		63	0.7222			0.00	0.00	0.00	NT
Cass	AsE3		1844.08		63	0.7222					0.00	T
Cass	Au	20	245.77	4915.38	63	0.7222	20	0	0.00	20.00	4915.38	NT
Cass	Au	20	263.45	5268.99	63	0.7222					5268.99	T
Cass	Ay		11.83		63	0.7222			0.00	0.00	0.00	NT
Cass	Ay		67.09		63	0.7222					0.00	T
Cass	Br	82	42.18	3458.45	63	0.7222	32	50	13.89	45.89	1935.47	NT
Cass	Br	82	1053.31	86371.13	63	0.7222					86371.13	T
Cass	Ca		4.17		63	0.7222			0.00	0.00	0.00	NT
Cass	Ca		87.86		63	0.7222					0.00	T
Cass	CdC		36.13		63	0.7222			0.00	0.00	0.00	NT
Cass	CdC		284.54		63	0.7222					0.00	T
Cass	CdC2		111.12		63	0.7222			0.00	0.00	0.00	NT
Cass	CdC2		789.27		63	0.7222					0.00	T
Cass	CdD		23.38		63	0.7222			0.00	0.00	0.00	NT
Cass	CdD		97.39		63	0.7222					0.00	T
Cass	CdD2		208.77		63	0.7222			0.00	0.00	0.00	NT
Cass	CdD2		1209.65		63	0.7222					0.00	T
Cass	CeD3		120.90		63	0.7222			0.00	0.00	0.00	NT
Cass	CeD3		513.67		63	0.7222					0.00	T
Cass	Cg		347.98		63	0.7222			0.00	0.00	0.00	NT
Cass	Cg		2252.88		63	0.7222					0.00	T
Cass	Ch	65	384.52	24993.56	63	0.7222	32	34	9.45	41.45	15936.35	NT
Cass	Ch	65	2624.28	170578.01	63	0.7222					170578.01	T
Cass	Cn		515.15		63	0.7222			0.00	0.00	0.00	NT
Cass	Cn		1410.97		63	0.7222					0.00	T
Cass	CoA		12.34		63	0.7222			0.00	0.00	0.00	NT
Cass	CoA		118.28		63	0.7222					0.00	T
Cass	GaD		179.08		63	0.7222			0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	GaD		33.08		63	0.7222					0.00	T
Cass	GaD2	43	113.84	4894.92	63	0.7222	32	12	3.33	35.33	4022.21	NT
Cass	GaD2	43	150.77	6482.90	63	0.7222					6482.90	T
Cass	GaE	35	263.02	9205.75	63	0.7222	32	4	1.11	33.11	8708.95	NT
Cass	GaE	35	67.42	2359.84	63	0.7222					2359.84	T
Cass	GaE2	33	381.39	12585.74	63	0.7222	32	2	0.56	32.56	12416.25	NT
Cass	GaE2	33	225.78	7450.83	63	0.7222					7450.83	T
Cass	GaF2	13	149.49	1943.36	63	0.7222	13	0	0.00	13.00	1943.36	NT
Cass	GaF2	13	26.46	343.97	63	0.7222					343.97	T
Cass	GrE3	30	117.56	3526.70	63	0.7222	30	0	0.00	30.00	3526.70	NT
Cass	GrE3	30	60.59	1817.58	63	0.7222					1817.58	T
Cass	HaD2		97.71		63	0.7222			0.00	0.00	0.00	NT
Cass	HaD2		284.44		63	0.7222					0.00	T
Cass	Hu	58	3.39	196.73	63	0.7222	32	26	7.22	39.22	133.04	NT
Cass	Hu	58	155.99	9047.29	63	0.7222					9047.29	T
Cass	INT	0	3.71	0.00	63	0.7222	0	0	0.00	0.00	0.00	NT
Cass	INT	0	8.76	0.00	63	0.7222					0.00	T
Cass	JdA		188.07		63	0.7222			0.00	0.00	0.00	NT
Cass	JdA		3080.79		63	0.7222					0.00	T
Cass	JdB		1377.74		63	0.7222			0.00	0.00	0.00	NT
Cass	JdB		12051.70		63	0.7222					0.00	T
Cass	JdC		63.81		63	0.7222			0.00	0.00	0.00	NT
Cass	JdC		417.81		63	0.7222					0.00	T
Cass	JoB		16864.34		63	0.7222			0.00	0.00	0.00	NT
Cass	JoB		40837.72		63	0.7222					0.00	T
Cass	Ke	86	492.90	42389.23	63	0.7222	32	54	15.00	47.00	23166.80	NT
Cass	Ke	86	1929.05	165898.57	63	0.7222					165898.57	T
Cass	LaB	82	215.51	17671.62	63	0.7222	32	50	13.89	45.89	9889.64	NT
Cass	LaB	82	669.88	54930.46	63	0.7222					54930.46	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	LaC	67	308.37	20660.52	63	0.7222	32	36	10.00	42.00	12951.62	NT
Cass	LaC	67	294.79	19750.74	63	0.7222					19750.74	T
Cass	LaC2	62	424.90	26343.61	63	0.7222	32	30	8.33	40.33	17137.79	NT
Cass	LaC2	62	1174.46	72816.72	63	0.7222					72816.72	T
Cass	LaD	57	262.93	14987.04	63	0.7222	32	26	7.22	39.22	10312.87	NT
Cass	LaD	57	225.66	12862.79	63	0.7222					12862.79	T
Cass	LaD2	52	565.51	29406.30	63	0.7222	32	20	5.56	37.56	21238.13	NT
Cass	LaD2	52	1609.48	83692.88	63	0.7222					83692.88	T
Cass	LaE		194.59		63	0.7222			0.00	0.00	0.00	NT
Cass	LaE		86.70		63	0.7222					0.00	T
Cass	LaE2	42	395.28	16601.74	63	0.7222	32	10	2.78	34.78	13747.03	NT
Cass	LaE2	42	336.01	14112.44	63	0.7222					14112.44	T
Cass	LbB	82	43.09	3533.00	63	0.7222	32	50	13.89	45.89	1977.19	NT
Cass	LbB	82	305.66	25063.91	63	0.7222					25063.91	T
Cass	LdD3		52.98		63	0.7222			0.00	0.00	0.00	NT
Cass	LdD3		303.52		63	0.7222					0.00	T
Cass	LdE3		135.39		63	0.7222			0.00	0.00	0.00	NT
Cass	LdE3		150.54		63	0.7222					0.00	T
Cass	Ma		241.67		63	0.7222			0.00	0.00	0.00	NT
Cass	Ma		131.18		63	0.7222					0.00	T
Cass	MhA		113.82		63	0.7222			0.00	0.00	0.00	NT
Cass	MhA		2296.27		63	0.7222					0.00	T
Cass	MhB		2062.00		63	0.7222			0.00	0.00	0.00	NT
Cass	MhB		25423.27		63	0.7222					0.00	T
Cass	MhC		523.68		63	0.7222			0.00	0.00	0.00	NT
Cass	MhC		5841.33		63	0.7222					0.00	T
Cass	MhC2		1463.91		63	0.7222			0.00	0.00	0.00	NT
Cass	MhC2		19061.25		63	0.7222					0.00	T
Cass	MhC3		49.32		63	0.7222			0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	MhC3		784.26		63	0.7222					0.00	T
Cass	MhD		417.16		63	0.7222			0.00	0.00	0.00	NT
Cass	MhD		3177.25		63	0.7222					0.00	T
Cass	MhD2		2428.60		63	0.7222			0.00	0.00	0.00	NT
Cass	MhD2		35398.50		63	0.7222					0.00	T
Cass	MhD3		114.26		63	0.7222			0.00	0.00	0.00	NT
Cass	MhD3		2910.96		63	0.7222					0.00	T
Cass	MhE2		555.23		63	0.7222			0.00	0.00	0.00	NT
Cass	MhE2		2234.64		63	0.7222					0.00	T
Cass	MhE3		83.93		63	0.7222			0.00	0.00	0.00	NT
Cass	MhE3		890.48		63	0.7222					0.00	T
Cass	MmA		263.64		63	0.7222			0.00	0.00	0.00	NT
Cass	MmA		2722.30		63	0.7222					0.00	T
Cass	MmB		250.65		63	0.7222			0.00	0.00	0.00	NT
Cass	MmB		2344.04		63	0.7222					0.00	T
Cass	MmC2		76.41		63	0.7222			0.00	0.00	0.00	NT
Cass	MmC2		822.61		63	0.7222					0.00	T
Cass	Mn		51.52		63	0.7222			0.00	0.00	0.00	NT
Cass	Mn		995.57		63	0.7222					0.00	T
Cass	Ne		155.80		63	0.7222			0.00	0.00	0.00	NT
Cass	Ne		2069.85		63	0.7222					0.00	T
Cass	No		2590.89		63	0.7222			0.00	0.00	0.00	NT
Cass	No		6959.34		63	0.7222					0.00	T
Cass	Nw		1192.53		63	0.7222			0.00	0.00	0.00	NT
Cass	Nw		1311.95		63	0.7222					0.00	T
Cass	OmB	72	90.79	6536.92	63	0.7222	32	40	11.11	43.11	3914.16	NT
Cass	OmB	72	448.40	32284.85	63	0.7222					32284.85	T
Cass	Sa		45.74		63	0.7222			0.00	0.00	0.00	NT
Cass	Sa		32.48		63	0.7222					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	SbA	92	81.99	7542.76	63	0.7222	32	60	16.67	48.67	3990.12	NT
Cass	SbA	92	1629.80	149941.81	63	0.7222					149941.81	T
Cass	SbB	87	1189.30	103468.98	63	0.7222	32	56	15.56	47.56	56559.24	NT
Cass	SbB	87	12123.65	1054757.74	63	0.7222					1054757.74	T
Cass	SbC	72	434.50	31284.26	63	0.7222	32	40	11.11	43.11	18732.32	NT
Cass	SbC	72	2702.73	194596.42	63	0.7222					194596.42	T
Cass	SbC2	67	1645.80	110268.77	63	0.7222	32	36	10.00	42.00	69125.02	NT
Cass	SbC2	67	14369.62	962764.59	63	0.7222					962764.59	T
Cass	SbD		278.82		63	0.7222			0.00	0.00	0.00	NT
Cass	SbD		1087.83		63	0.7222					0.00	T
Cass	SbD2	57	1406.99	80198.40	63	0.7222	32	26	7.22	39.22	55186.07	NT
Cass	SbD2	57	11381.61	648751.75	63	0.7222					648751.75	T
Cass	SbD3		80.31		63	0.7222			0.00	0.00	0.00	NT
Cass	SbD3		589.42		63	0.7222					0.00	T
Cass	SbE2		211.33		63	0.7222			0.00	0.00	0.00	NT
Cass	SbE2		331.94		63	0.7222					0.00	T
Cass	SbE3		101.19		63	0.7222			0.00	0.00	0.00	NT
Cass	SbE3		331.71		63	0.7222					0.00	T
Cass	ShC2		54.41		63	0.7222			0.00	0.00	0.00	NT
Cass	ShC2		396.63		63	0.7222					0.00	T
Cass	ShD	50	187.73	9386.56	63	0.7222	32	18	5.00	37.00	6946.13	NT
Cass	ShD	50	585.94	29296.76	63	0.7222					29296.76	T
Cass	ShD2	48	579.24	27803.42	63	0.7222	32	16	4.44	36.44	21110.21	NT
Cass	ShD2	48	3507.63	168366.35	63	0.7222					168366.35	T
Cass	ShE	40	651.31	26052.40	63	0.7222	32	8	2.22	34.22	22289.40	NT
Cass	ShE	40	619.34	24773.59	63	0.7222					24773.59	T
Cass	ShE2	38	1181.48	44896.40	63	0.7222	32	6	1.67	33.67	39776.80	NT
Cass	ShE2	38	2716.80	103238.37	63	0.7222					103238.37	T
Cass	ShF2	18	470.04	8460.79	63	0.7222	18	0	0.00	18.00	8460.79	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	ShF2	18	356.09	6409.58	63	0.7222					6409.58	T
Cass	SsD3		105.18		63	0.7222			0.00	0.00	0.00	NT
Cass	SsD3		1092.76		63	0.7222					0.00	T
Cass	SsE3		280.63		63	0.7222			0.00	0.00	0.00	NT
Cass	SsE3		1149.90		63	0.7222					0.00	T
Cass	SsF3		185.07		63	0.7222			0.00	0.00	0.00	NT
Cass	SsF3		327.55		63	0.7222					0.00	T
Cass	SyC2		45.82		63	0.7222			0.00	0.00	0.00	NT
Cass	SyC2		213.42		63	0.7222					0.00	T
Cass	SyD		215.93		63	0.7222			0.00	0.00	0.00	NT
Cass	SyD		451.20		63	0.7222					0.00	T
Cass	SyD2		1543.68		63	0.7222			0.00	0.00	0.00	NT
Cass	SyD2		8307.96		63	0.7222					0.00	T
Cass	SyE2		1771.10		63	0.7222			0.00	0.00	0.00	NT
Cass	SyE2		2886.32		63	0.7222					0.00	T
Cass	SyF2		150.17		63	0.7222			0.00	0.00	0.00	NT
Cass	SyF2		195.61		63	0.7222					0.00	T
Cass	SyF3		209.82		63	0.7222			0.00	0.00	0.00	NT
Cass	SyF3		266.46		63	0.7222					0.00	T
Cass	W	0	743.41	0.00	63	0.7222	0	0	0.00	0.00	0.00	NT
Cass	W	0	143.31	0.00	63	0.7222					0.00	T
Cass	Wa	45	220.82	9936.77	63	0.7222	32	14	3.89	35.89	7924.95	NT
Cass	Wa	45	2064.26	92891.48	63	0.7222					92891.48	T
Cass	Wb	60	196.35	11781.22	63	0.7222	32	28	7.78	39.78	7810.64	NT
Cass	Wb	60	1028.34	61700.41	63	0.7222					61700.41	T
Cass	Zk		150.54		63	0.7222			0.00	0.00	0.00	NT
Cass	Zk		1802.80		63	0.7222					0.00	T
Cass	Zo	70	466.81	32676.66	63	0.7222	32	38	10.56	42.56	19865.73	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cass	Zo	70	4825.17	337762.21	63	0.7222					337762.21	T
											0.00	
											0.00	
Cedar	110C	44	40.85	1797.55	81	0.728	40	4	1.09	41.09	1678.58	NT
Cedar	110C	44	333.47	14672.56	81	0.728					14672.56	T
Cedar	110E	17	98.99	1682.79	81	0.728	17	0	0.00	17.00	1682.79	NT
Cedar	110E	17	310.19	5273.23	81	0.728					5273.23	T
Cedar	1118	95	8.37	795.28	81	0.728	40	54	14.69	54.69	457.81	NT
Cedar	1118	95	308.15	29274.23	81	0.728					29274.23	T
Cedar	1119	100	26.94	2694.32	81	0.728	40	60	16.32	56.32	1517.44	NT
Cedar	1119	100	859.63	85962.62	81	0.728					85962.62	T
Cedar	1160	67	34.31	2298.80	81	0.728	40	26	7.07	47.07	1615.06	NT
Cedar	1160	67	384.85	25784.91	81	0.728					25784.91	T
Cedar	118	95	35.79	3400.08	81	0.728	40	54	14.69	54.69	1957.30	NT
Cedar	118	95	3019.04	286808.36	81	0.728					286808.36	T
Cedar	119	100	321.76	32176.49	81	0.728	40	60	16.32	56.32	18121.80	NT
Cedar	119	100	12729.07	1272907.04	81	0.728					1272907.04	T
Cedar	119B	95	111.58	10600.07	81	0.728	40	54	14.69	54.69	6102.07	NT
Cedar	119B	95	5389.20	511974.03	81	0.728					511974.03	T
Cedar	11B	68	0.62	42.10	81	0.728	40	28	7.62	47.62	29.48	NT
Cedar	11B	68	1.01	68.42	81	0.728					68.42	T
Cedar	120	100	9.21	921.06	81	0.728	40	60	16.32	56.32	518.74	NT
Cedar	120	100	414.44	41444.48	81	0.728					41444.48	T
Cedar	120B	95	2740.45	260342.79	81	0.728	40	54	14.69	54.69	149869.75	NT
Cedar	120B	95	50457.70	4793481.48	81	0.728					4793481.48	T
Cedar	120C	80	322.77	25821.59	81	0.728	40	40	10.88	50.88	16422.53	NT
Cedar	120C	80	6187.84	495026.98	81	0.728					495026.98	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	120C2	78	667.59	52071.74	81	0.728	40	38	10.34	50.34	33603.63	NT
Cedar	120C2	78	21401.23	1669295.66	81	0.728					1669295.66	T
Cedar	120D2	68	54.71	3720.29	81	0.728	40	28	7.62	47.62	2605.08	NT
Cedar	120D2	68	1963.10	133490.73	81	0.728					133490.73	T
Cedar	121	95	56.06	5325.49	81	0.728	40	54	14.69	54.69	3065.69	NT
Cedar	121	95	1271.63	120805.10	81	0.728					120805.10	T
Cedar	1212	88	0.24	21.14	81	0.728	40	48	13.06	53.06	12.75	NT
Cedar	122	63	15.46	973.96	81	0.728	40	22	5.98	45.98	710.90	NT
Cedar	122	63	340.51	21452.44	81	0.728					21452.44	T
Cedar	1220	25	945.02	23625.60	81	0.728	25	0	0.00	25.00	23625.60	NT
Cedar	1220	25	126.28	3157.07	81	0.728					3157.07	T
Cedar	1291	95	119.00	11305.32	81	0.728	40	54	14.69	54.69	6508.06	NT
Cedar	1291	95	1715.63	162985.07	81	0.728					162985.07	T
Cedar	129B	63	0.14	9.05	81	0.728	40	22	5.98	45.98	6.61	NT
Cedar	1315	34	2570.92	87411.30	81	0.728	34	0	0.00	34.00	87411.30	NT
Cedar	1315	34	264.81	9003.47	81	0.728					9003.47	T
Cedar	133	80	1895.34	151627.48	81	0.728	40	40	10.88	50.88	96435.07	NT
Cedar	133	80	8450.36	676028.46	81	0.728					676028.46	T
Cedar	133+	85	1124.63	95593.32	81	0.728	40	44	11.97	51.97	58444.63	NT
Cedar	133+	85	3071.00	261034.98	81	0.728					261034.98	T
Cedar	136	70	200.42	14029.28	81	0.728	40	30	8.16	48.16	9652.14	NT
Cedar	136	70	469.21	32844.63	81	0.728					32844.63	T
Cedar	142B	65	1.71	111.34	81	0.728	40	24	6.53	46.53	79.70	NT
Cedar	143	60	137.18	8230.51	81	0.728	40	20	5.44	45.44	6233.24	NT
Cedar	143	60	552.60	33156.23	81	0.728					33156.23	T
Cedar	143B	55	0.02	1.12	81	0.728	40	14	3.81	43.81	0.89	NT
Cedar	143B	55	0.01	0.68	81	0.728					0.68	T
Cedar	154F	5	0.31	1.55	81	0.728	5	0	0.00	5.00	1.55	NT
Cedar	160	67	55.02	3686.52	81	0.728	40	26	7.07	47.07	2590.02	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	160	67	1235.06	82749.13	81	0.728					82749.13	T
Cedar	162B	90	914.46	82301.07	81	0.728	40	50	13.60	53.60	49014.86	NT
Cedar	162B	90	7412.23	667100.76	81	0.728					667100.76	T
Cedar	162C	75	248.22	18616.22	81	0.728	40	34	9.25	49.25	12224.15	NT
Cedar	162C	75	1069.11	80183.44	81	0.728					80183.44	T
Cedar	162C2	73	935.63	68301.33	81	0.728	40	32	8.70	48.70	45569.15	NT
Cedar	162C2	73	13223.53	965317.58	81	0.728					965317.58	T
Cedar	162D2	63	694.11	43728.91	81	0.728	40	22	5.98	45.98	31917.94	NT
Cedar	162D2	63	9546.02	601399.15	81	0.728					601399.15	T
Cedar	162D3	60	108.99	6539.59	81	0.728	40	20	5.44	45.44	4952.65	NT
Cedar	162D3	60	2669.71	160182.59	81	0.728					160182.59	T
Cedar	162E3	50	114.99	5749.52	81	0.728	40	10	2.72	42.72	4912.39	NT
Cedar	162E3	50	580.68	29034.05	81	0.728					29034.05	T
Cedar	163B	85	768.20	65297.08	81	0.728	40	44	11.97	51.97	39921.87	NT
Cedar	163B	85	3117.26	264967.15	81	0.728					264967.15	T
Cedar	163B2	83	0.20	16.35	81	0.728					16.35	T
Cedar	163C	70	1297.21	90804.84	81	0.728	40	30	8.16	48.16	62473.73	NT
Cedar	163C	70	819.76	57383.28	81	0.728					57383.28	T
Cedar	163C2	68	2177.26	148053.39	81	0.728	40	28	7.62	47.62	103672.21	NT
Cedar	163C2	68	9900.67	673245.65	81	0.728					673245.65	T
Cedar	163D	60	1667.29	100037.16	81	0.728	40	20	5.44	45.44	75761.48	NT
Cedar	163D	60	545.11	32706.66	81	0.728					32706.66	T
Cedar	163D2	58	2646.12	153474.70	81	0.728	40	18	4.90	44.90	118800.01	NT
Cedar	163D2	58	6565.42	380794.15	81	0.728					380794.15	T
Cedar	163D3	55	951.87	52352.89	81	0.728	40	14	3.81	43.81	41699.55	NT
Cedar	163D3	55	5585.62	307209.04	81	0.728					307209.04	T
Cedar	163E	50	1308.32	65416.06	81	0.728	40	10	2.72	42.72	55891.49	NT
Cedar	163E	50	310.05	15502.49	81	0.728					15502.49	T
Cedar	163E2	48	1355.85	65080.89	81	0.728	40	8	2.18	42.18	57184.41	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	163E2	48	2001.60	96076.77	81	0.728					96076.77	T
Cedar	163E3	46	1040.24	47851.01	81	0.728	40	6	1.63	41.63	43307.25	NT
Cedar	163E3	46	3638.69	167379.80	81	0.728					167379.80	T
Cedar	163F	30	2838.20	85146.11	81	0.728	30	0	0.00	30.00	85146.11	NT
Cedar	163F	30	307.72	9231.51	81	0.728					9231.51	T
Cedar	163F2	28	3544.86	99256.22	81	0.728	28	0	0.00	28.00	99256.22	NT
Cedar	163F2	28	1829.32	51220.83	81	0.728					51220.83	T
Cedar	163G	19	902.59	17149.22	81	0.728	19	0	0.00	19.00	17149.22	NT
Cedar	163G	19	35.22	669.21	81	0.728					669.21	T
Cedar	171B	82	19.54	1601.90	81	0.728	40	42	11.42	51.42	1004.58	NT
Cedar	171B	82	306.92	25167.38	81	0.728					25167.38	T
Cedar	171C2	64	129.28	8273.66	81	0.728	40	24	6.53	46.53	6014.95	NT
Cedar	171C2	64	1445.92	92538.98	81	0.728					92538.98	T
Cedar	171D2	53	64.29	3407.51	81	0.728	40	12	3.26	43.26	2781.56	NT
Cedar	171D2	53	423.19	22429.21	81	0.728					22429.21	T
Cedar	174B	70	17.85	1249.16	81	0.728					1249.16	T
Cedar	175A	60	0.19	11.29	81	0.728	40	20	5.44	45.44	8.55	NT
Cedar	175B	56	63.18	3538.25	81	0.728	40	16	4.35	44.35	2802.30	NT
Cedar	175B	56	931.77	52179.17	81	0.728					52179.17	T
Cedar	175C	41	49.93	2047.02	81	0.728	40	0	0.00	40.00	1997.09	NT
Cedar	175C	41	630.44	25848.02	81	0.728					25848.02	T
Cedar	177	64	118.99	7615.36	81	0.728	40	24	6.53	46.53	5536.37	NT
Cedar	177	64	672.82	43060.40	81	0.728					43060.40	T
Cedar	184	93	191.51	17810.20	81	0.728	40	52	14.14	54.14	10368.98	NT
Cedar	184	93	8977.12	834871.93	81	0.728					834871.93	T
Cedar	184A	95	0.19	17.90	81	0.728					17.90	T
Cedar	184B	90	0.37	33.01	81	0.728					33.01	T
Cedar	212	94	727.57	68391.96	81	0.728	40	54	14.69	54.69	39789.57	NT
Cedar	212	94	1227.74	115407.99	81	0.728					115407.99	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	214D	23	0.06	1.28	81	0.728					1.28	T
Cedar	220	85	674.11	57299.38	81	0.728	40	44	11.97	51.97	35032.17	NT
Cedar	220	85	628.12	53390.03	81	0.728					53390.03	T
Cedar	220A	90	1.90	171.23	81	0.728	40	50	13.60	53.60	101.98	NT
Cedar	221	25	44.21	1105.29	81	0.728	25	0	0.00	25.00	1105.29	NT
Cedar	221	25	60.54	1513.58	81	0.728					1513.58	T
Cedar	2636	25	1.23	30.69	81	0.728	25	0	0.00	25.00	30.69	NT
Cedar	291	90	201.60	18144.05	81	0.728	40	50	13.60	53.60	10805.79	NT
Cedar	291	90	8303.83	747344.25	81	0.728					747344.25	T
Cedar	291A	90	1.77	159.39	81	0.728					159.39	T
Cedar	291B	85	56.02	4761.68	81	0.728	40	44	11.97	51.97	2911.23	NT
Cedar	291B	85	2068.83	175850.60	81	0.728					175850.60	T
Cedar	293C	45	190.30	8563.43	81	0.728	40	4	1.09	41.09	7818.99	NT
Cedar	293C	45	294.20	13239.02	81	0.728					13239.02	T
Cedar	293D	29	0.39	11.23	81	0.728	29	0	0.00	29.00	11.23	NT
Cedar	293D	29	0.14	4.15	81	0.728					4.15	T
Cedar	293D2	28	1.12	31.41	81	0.728	28	0	0.00	28.00	31.41	NT
Cedar	293D2	28	0.00	0.13	81	0.728					0.13	T
Cedar	293E	25	443.57	11089.26	81	0.728	25	0	0.00	25.00	11089.26	NT
Cedar	293E	25	586.86	14671.49	81	0.728					14671.49	T
Cedar	293E2	18	0.38	6.81	81	0.728	18	0	0.00	18.00	6.81	NT
Cedar	293F	9	0.84	7.57	81	0.728	9	0	0.00	9.00	7.57	NT
Cedar	293F	9	0.32	2.86	81	0.728					2.86	T
Cedar	293G	5	280.84	1404.18	81	0.728	5	0	0.00	5.00	1404.18	NT
Cedar	293G	5	38.61	193.03	81	0.728					193.03	T
Cedar	3133	80	0.65	51.80	81	0.728	40	40	10.88	50.88	32.95	NT
Cedar	3133	80	3.56	284.78	81	0.728					284.78	T
Cedar	315	30	8.56	256.87	81	0.728	30	0	0.00	30.00	256.87	NT
Cedar	315	30	3.55	106.45	81	0.728					106.45	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	320	83	0.22	18.40	81	0.728	40	42	11.42	51.42	11.40	NT
Cedar	350B	68	0.12	8.41	81	0.728	40	28	7.62	47.62	5.89	NT
Cedar	350B	68	1.63	111.15	81	0.728					111.15	T
Cedar	350C	49	0.02	1.22	81	0.728					1.22	T
Cedar	352B	62	75.90	4705.98	81	0.728	40	22	5.98	45.98	3490.32	NT
Cedar	352B	62	384.90	23864.08	81	0.728					23864.08	T
Cedar	352C2	40	62.60	2504.05	81	0.728	40	0	0.00	40.00	2504.05	NT
Cedar	352C2	40	373.84	14953.52	81	0.728					14953.52	T
Cedar	354	5	211.60	1058.01	81	0.728	5	0	0.00	5.00	1058.01	NT
Cedar	354	5	20.74	103.71	81	0.728					103.71	T
Cedar	377B	90	657.11	59140.28	81	0.728	40	50	13.60	53.60	35221.32	NT
Cedar	377B	90	11172.35	1005511.41	81	0.728					1005511.41	T
Cedar	377C	75	30.63	2297.05	81	0.728	40	34	9.25	49.25	1508.33	NT
Cedar	377C	75	936.05	70203.48	81	0.728					70203.48	T
Cedar	377C2	73	66.97	4888.51	81	0.728	40	32	8.70	48.70	3261.50	NT
Cedar	377C2	73	1586.80	115836.49	81	0.728					115836.49	T
Cedar	382	90	93.56	8420.20	81	0.728	40	50	13.60	53.60	5014.70	NT
Cedar	382	90	5436.39	489275.43	81	0.728					489275.43	T
Cedar	412E	5	328.24	1641.18	81	0.728	5	0	0.00	5.00	1641.18	NT
Cedar	412E	5	127.68	638.40	81	0.728					638.40	T
Cedar	41B	40	68.77	2750.75	81	0.728	40	0	0.00	40.00	2750.75	NT
Cedar	41B	40	298.80	11952.10	81	0.728					11952.10	T
Cedar	41C	25	80.68	2017.04	81	0.728	25	0	0.00	25.00	2017.04	NT
Cedar	41C	25	398.05	9951.22	81	0.728					9951.22	T
Cedar	41D	15	2.55	38.27	81	0.728					38.27	T
Cedar	41E	5	70.55	352.74	81	0.728	5	0	0.00	5.00	352.74	NT
Cedar	41E	5	168.41	842.04	81	0.728					842.04	T
Cedar	42	40	0.08	3.03	81	0.728					3.03	T
Cedar	420B	95	115.57	10979.40	81	0.728	40	54	14.69	54.69	6320.44	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	420B	95	1746.67	165933.37	81	0.728					165933.37	T
Cedar	428B	93	37.21	3460.47	81	0.728	40	52	14.14	54.14	2014.66	NT
Cedar	428B	93	1869.42	173855.89	81	0.728					173855.89	T
Cedar	430	83	138.32	11480.72	81	0.728	40	42	11.42	51.42	7113.06	NT
Cedar	430	83	625.91	51950.35	81	0.728					51950.35	T
Cedar	442C	55	31.03	1706.45	81	0.728	40	14	3.81	43.81	1359.21	NT
Cedar	442C	55	213.39	11736.69	81	0.728					11736.69	T
Cedar	450B	68	92.97	6321.96	81	0.728	40	28	7.62	47.62	4426.86	NT
Cedar	450B	68	1352.41	91963.94	81	0.728					91963.94	T
Cedar	450C	53	37.98	2012.83	81	0.728	40	12	3.26	43.26	1643.07	NT
Cedar	450C	53	328.56	17413.61	81	0.728					17413.61	T
Cedar	462B	90	172.12	15490.90	81	0.728	40	50	13.60	53.60	9225.69	NT
Cedar	462B	90	750.73	67565.40	81	0.728					67565.40	T
Cedar	462C	75	102.06	7654.63	81	0.728	40	34	9.25	49.25	5026.33	NT
Cedar	462C	75	375.66	28174.44	81	0.728					28174.44	T
Cedar	463B	85	149.76	12729.78	81	0.728	40	44	11.97	51.97	7782.84	NT
Cedar	463B	85	392.57	33368.56	81	0.728					33368.56	T
Cedar	467	85	338.32	28757.42	81	0.728	40	44	11.97	51.97	17581.95	NT
Cedar	467	85	1164.78	99006.08	81	0.728					99006.08	T
Cedar	478G	5	771.73	3858.65	81	0.728	5	0	0.00	5.00	3858.65	NT
Cedar	478G	5	52.02	260.08	81	0.728					260.08	T
Cedar	480F2	29	0.30	8.61	81	0.728	29	0	0.00	29.00	8.61	NT
Cedar	485	92	1084.98	99817.78	81	0.728	40	52	14.14	54.14	58744.93	NT
Cedar	485	92	795.23	73161.37	81	0.728					73161.37	T
Cedar	488C2	71	0.17	11.90	81	0.728	40	30	8.16	48.16	8.07	NT
Cedar	488C3	68	9.11	619.35	81	0.728					619.35	T
Cedar	4946	0	2.52	0.00	81	0.728	0	0	0.00	0.00	0.00	NT
Cedar	4946	0	21.25	0.00	81	0.728					0.00	T
Cedar	5010	0	30.17	0.00	81	0.728	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	5030	0	178.81	0.00	81	0.728	0	0	0.00	0.00	0.00	NT
Cedar	5030	0	0.88	0.00	81	0.728					0.00	T
Cedar	5040	5	23.25	116.24	81	0.728	5	0	0.00	5.00	116.24	NT
Cedar	5040	5	22.68	113.40	81	0.728					113.40	T
Cedar	5053	0	7.94	0.00	81	0.728	0	0	0.00	0.00	0.00	NT
Cedar	5053	0	1.39	0.00	81	0.728					0.00	T
Cedar	520	65	27.06	1758.92	81	0.728	40	24	6.53	46.53	1259.06	NT
Cedar	520	65	220.56	14336.16	81	0.728					14336.16	T
Cedar	520B	60	29.90	1793.73	81	0.728	40	20	5.44	45.44	1358.45	NT
Cedar	520B	60	576.81	34608.55	81	0.728					34608.55	T
Cedar	63B	40	148.04	5921.61	81	0.728	40	0	0.00	40.00	5921.61	NT
Cedar	63B	40	317.42	12696.65	81	0.728					12696.65	T
Cedar	63C	21	566.34	11893.14	81	0.728	21	0	0.00	21.00	11893.14	NT
Cedar	63C	21	407.52	8557.90	81	0.728					8557.90	T
Cedar	63E	5	675.43	3377.14	81	0.728	5	0	0.00	5.00	3377.14	NT
Cedar	63E	5	256.34	1281.68	81	0.728					1281.68	T
Cedar	63F	5	0.04	0.21	81	0.728	5	0	0.00	5.00	0.21	NT
Cedar	65D2	38	58.80	2234.44	81	0.728	38	0	0.00	38.00	2234.44	NT
Cedar	65D2	38	467.94	17781.86	81	0.728					17781.86	T
Cedar	65E2	24	289.97	6959.32	81	0.728	24	0	0.00	24.00	6959.32	NT
Cedar	65E2	24	815.58	19573.84	81	0.728					19573.84	T
Cedar	65F	10	1.10	10.98	81	0.728	10	0	0.00	10.00	10.98	NT
Cedar	65F2	8	255.30	2042.40	81	0.728	8	0	0.00	8.00	2042.40	NT
Cedar	65F2	8	155.63	1245.04	81	0.728					1245.04	T
Cedar	662C2	72	121.36	8737.86	81	0.728	40	32	8.70	48.70	5910.68	NT
Cedar	662C2	72	794.48	57202.63	81	0.728					57202.63	T
Cedar	662D2	61	80.58	4915.36	81	0.728	40	20	5.44	45.44	3661.54	NT
Cedar	662D2	61	938.39	57241.54	81	0.728					57241.54	T
Cedar	662D3	58	9.21	534.32	81	0.728	40	18	4.90	44.90	413.60	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	662D3	58	288.05	16706.77	81	0.728					16706.77	T
Cedar	662E3	48	66.88	3210.22	81	0.728	40	8	2.18	42.18	2820.71	NT
Cedar	662E3	48	566.36	27185.22	81	0.728					27185.22	T
Cedar	727	75	4.29	321.39	81	0.728					321.39	T
Cedar	729B	83	2525.43	209611.06	81	0.728	40	42	11.42	51.42	129867.94	NT
Cedar	729B	83	2036.90	169062.59	81	0.728					169062.59	T
Cedar	760	80	12.79	1023.04	81	0.728	40	40	10.88	50.88	650.65	NT
Cedar	760	80	901.62	72129.59	81	0.728					72129.59	T
Cedar	761	83	104.75	8694.15	81	0.728	40	42	11.42	51.42	5386.60	NT
Cedar	761	83	5038.73	418214.76	81	0.728					418214.76	T
Cedar	761A	90	0.34	30.54	81	0.728					30.54	T
Cedar	761B	85	0.04	3.04	81	0.728					3.04	T
Cedar	771B	87	142.28	12378.49	81	0.728	40	46	12.51	52.51	7471.49	NT
Cedar	771B	87	986.89	85859.04	81	0.728					85859.04	T
Cedar	8041B	40	85.77	3430.89	81	0.728	40	0	0.00	40.00	3430.89	NT
Cedar	8041B	40	376.86	15074.29	81	0.728					15074.29	T
Cedar	8041C	40	20.83	833.34	81	0.728	40	0	0.00	40.00	833.34	NT
Cedar	8041C	40	37.49	1499.61	81	0.728					1499.61	T
Cedar	814D	26	284.58	7399.01	81	0.728	26	0	0.00	26.00	7399.01	NT
Cedar	814D	26	659.85	17156.19	81	0.728					17156.19	T
Cedar	826	95	26.41	2509.06	81	0.728	40	54	14.69	54.69	1444.38	NT
Cedar	826	95	359.69	34170.65	81	0.728					34170.65	T
Cedar	83B	87	74.97	6522.03	81	0.728	40	46	12.51	52.51	3936.61	NT
Cedar	83B	87	1523.01	132501.54	81	0.728					132501.54	T
Cedar	83C	72	20.57	1481.34	81	0.728	40	32	8.70	48.70	1002.04	NT
Cedar	83C	72	538.32	38758.77	81	0.728					38758.77	T
Cedar	83C2	69	35.44	2445.43	81	0.728	40	28	7.62	47.62	1687.56	NT
Cedar	83C2	69	916.50	63238.81	81	0.728					63238.81	T
Cedar	88	92	37.17	3419.36	81	0.728	40	52	14.14	54.14	2012.37	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cedar	88	92	499.47	45951.03	81	0.728					45951.03	T
Cedar	884	95	7.34	696.84	81	0.728	40	54	14.69	54.69	401.15	NT
Cedar	884	95	730.40	69387.58	81	0.728					69387.58	T
Cedar	8B	90	75.18	6765.81	81	0.728	40	50	13.60	53.60	4029.42	NT
Cedar	8B	90	1469.80	132282.23	81	0.728					132282.23	T
Cedar	911B	85	3631.53	308679.85	81	0.728	40	44	11.97	51.97	188723.23	NT
Cedar	911B	85	25810.09	2193857.36	81	0.728					2193857.36	T
Cedar	916B	77	5.81	447.29	81	0.728	40	36	9.79	49.79	289.24	NT
Cedar	916B	77	1.75	134.73	81	0.728					134.73	T
Cedar	916B2	75	0.05	3.90	81	0.728					3.90	T
Cedar	916C2	62	3.36	208.05	81	0.728	40	22	5.98	45.98	154.31	NT
Cedar	933	80	0.66	52.84	81	0.728	40	40	10.88	50.88	33.61	NT
Cedar	933	80	0.34	26.96	81	0.728					26.96	T
Cedar	977	95	13.84	1314.56	81	0.728	40	54	14.69	54.69	756.74	NT
Cedar	977	95	342.46	32533.57	81	0.728					32533.57	T
Cedar	982	93	35.02	3256.93	81	0.728	40	52	14.14	54.14	1896.16	NT
Cedar	982	93	1429.35	132929.17	81	0.728					132929.17	T
Cedar	AW	0	12.57	0.00	81	0.728	0	0	0.00	0.00	0.00	NT
Cedar	AW	0	0.01	0.00	81	0.728					0.00	T
Cedar	SL	0	32.77	0.00	81	0.728	0	0	0.00	0.00	0.00	NT
Cedar	T163B	85	0.05	4.32	81	0.728	40	44	11.97	51.97	2.64	NT
Cedar	W	0	399.47	0.00	81	0.728	0	0	0.00	0.00	0.00	NT
Cedar	W	0	22.46	0.00	81	0.728					0.00	T
											0.00	
											0.00	
Cerro Gordo	107	70	1019.94	71396.00	73	0.8031	36	34	6.69	42.69	43546.05	NT
Cerro Gordo	107	70	24270.97	1698968.17	73	0.8031					1698968.17	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	1152	68	883.73	60093.32	73	0.8031	36	32	6.30	42.30	37382.28	NT
Cerro Gordo	1152	68	10276.98	698834.37	73	0.8031					698834.37	T
Cerro Gordo	1173	65	0.02	1.51	73	0.8031					1.51	T
Cerro Gordo	1226	72	357.38	25731.23	73	0.8031	36	36	7.09	43.09	15398.85	NT
Cerro Gordo	1226	72	6066.47	436785.79	73	0.8031					436785.79	T
Cerro Gordo	135	78	2804.16	218724.48	73	0.8031	36	42	8.27	44.27	124139.60	NT
Cerro Gordo	135	78	2372.34	185042.75	73	0.8031					185042.75	T
Cerro Gordo	138	90	21.53	1937.68	73	0.8031	36	54	10.63	46.63	1003.99	NT
Cerro Gordo	138	90	324.72	29224.74	73	0.8031					29224.74	T
Cerro Gordo	138B	73	1282.73	93639.19	73	0.8031	36	36	7.09	43.09	55270.73	NT
Cerro Gordo	138B	73	18245.41	1331914.80	73	0.8031					1331914.80	T
Cerro Gordo	138C	67	73.54	4926.99	73	0.8031	36	30	5.91	41.91	3081.72	NT
Cerro Gordo	138C	67	209.40	14029.63	73	0.8031					14029.63	T
Cerro Gordo	138C2	59	420.26	24795.59	73	0.8031	36	22	4.33	40.33	16950.01	NT
Cerro Gordo	138C2	59	6393.87	377238.53	73	0.8031					377238.53	T
Cerro Gordo	138D2	56	59.28	3319.45	73	0.8031	36	20	3.94	39.94	2367.36	NT
Cerro Gordo	138D2	56	537.53	30101.86	73	0.8031					30101.86	T
Cerro Gordo	153	60	57.78	3466.81	73	0.8031	36	24	4.73	40.73	2353.13	NT
Cerro Gordo	153	60	286.61	17196.43	73	0.8031					17196.43	T
Cerro Gordo	169B	85	135.39	11508.47	73	0.8031	36	48	9.45	45.45	6153.81	NT
Cerro Gordo	169B	85	2102.85	178741.91	73	0.8031					178741.91	T
Cerro Gordo	171	85	25.34	2154.09	73	0.8031	36	48	9.45	45.45	1151.83	NT
Cerro Gordo	171	85	209.00	17764.81	73	0.8031					17764.81	T
Cerro Gordo	171B	82	210.77	17283.35	73	0.8031	36	46	9.06	45.06	9496.87	NT
Cerro Gordo	171B	82	2607.01	213774.77	73	0.8031					213774.77	T
Cerro Gordo	171C2	64	44.86	2870.93	73	0.8031	36	28	5.51	41.51	1862.21	NT
Cerro Gordo	171C2	64	190.45	12188.64	73	0.8031					12188.64	T
Cerro Gordo	171D2	53	81.49	4319.17	73	0.8031	36	16	3.15	39.15	3190.51	NT
Cerro Gordo	171D2	53	77.06	4084.26	73	0.8031					4084.26	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	171F	25	121.24	3031.09	73	0.8031	25	0	0.00	25.00	3031.09	NT
Cerro Gordo	171F	25	41.70	1042.48	73	0.8031					1042.48	T
Cerro Gordo	173	60	38.61	2316.88	73	0.8031	36	24	4.73	40.73	1572.61	NT
Cerro Gordo	173	60	1027.20	61632.29	73	0.8031					61632.29	T
Cerro Gordo	174	75	47.46	3559.13	73	0.8031	36	38	7.48	43.48	2063.45	NT
Cerro Gordo	174	75	684.00	51299.88	73	0.8031					51299.88	T
Cerro Gordo	174B	70	136.22	9535.18	73	0.8031	36	34	6.69	42.69	5815.72	NT
Cerro Gordo	174B	70	2116.23	148136.42	73	0.8031					148136.42	T
Cerro Gordo	175	60	11.18	670.85	73	0.8031	36	24	4.73	40.73	455.35	NT
Cerro Gordo	175	60	198.53	11911.75	73	0.8031					11911.75	T
Cerro Gordo	175B	56	94.24	5277.66	73	0.8031	36	20	3.94	39.94	3763.91	NT
Cerro Gordo	175B	56	1730.28	96895.60	73	0.8031					96895.60	T
Cerro Gordo	177	64	820.18	52491.59	73	0.8031	36	28	5.51	41.51	34048.34	NT
Cerro Gordo	177	64	8821.89	564600.95	73	0.8031					564600.95	T
Cerro Gordo	177B	60	625.42	37525.21	73	0.8031	36	24	4.73	40.73	25470.61	NT
Cerro Gordo	177B	60	5060.17	303610.09	73	0.8031					303610.09	T
Cerro Gordo	177C	40	62.28	2491.32	73	0.8031	36	4	0.79	36.79	2291.24	NT
Cerro Gordo	177C	40	138.87	5554.95	73	0.8031					5554.95	T
Cerro Gordo	177C2	37	29.46	1089.88	73	0.8031	36	0	0.00	36.00	1060.42	NT
Cerro Gordo	177C2	37	193.51	7159.80	73	0.8031					7159.80	T
Cerro Gordo	178	79	259.39	20491.99	73	0.8031	36	42	8.27	44.27	11483.24	NT
Cerro Gordo	178	79	3019.77	238562.10	73	0.8031					238562.10	T
Cerro Gordo	178B	74	124.39	9204.62	73	0.8031	36	38	7.48	43.48	5408.61	NT
Cerro Gordo	178B	74	824.41	61006.65	73	0.8031					61006.65	T
Cerro Gordo	184	93	54.87	5103.16	73	0.8031	36	56	11.03	47.03	2580.47	NT
Cerro Gordo	184	93	3481.81	323808.61	73	0.8031					323808.61	T
Cerro Gordo	188	72	128.68	9265.06	73	0.8031	36	36	7.09	43.09	5544.67	NT
Cerro Gordo	188	72	923.77	66511.28	73	0.8031					66511.28	T
Cerro Gordo	1936	25	708.61	17715.29	73	0.8031	25	0	0.00	25.00	17715.29	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	1936	25	45.28	1132.04	73	0.8031					1132.04	T
Cerro Gordo	198B	80	440.57	35245.99	73	0.8031	36	44	8.66	44.66	19677.66	NT
Cerro Gordo	198B	80	14417.58	1153406.39	73	0.8031					1153406.39	T
Cerro Gordo	201B	51	390.10	19895.25	73	0.8031	36	14	2.76	38.76	15119.06	NT
Cerro Gordo	201B	51	229.74	11716.79	73	0.8031					11716.79	T
Cerro Gordo	213	79	73.19	5782.04	73	0.8031	36	42	8.27	44.27	3240.13	NT
Cerro Gordo	213	79	973.65	76918.17	73	0.8031					76918.17	T
Cerro Gordo	213B	74	202.87	15012.33	73	0.8031	36	38	7.48	43.48	8821.21	NT
Cerro Gordo	213B	74	1149.98	85098.83	73	0.8031					85098.83	T
Cerro Gordo	214	63	48.36	3046.71	73	0.8031	36	26	5.12	41.12	1988.55	NT
Cerro Gordo	214	63	403.96	25449.67	73	0.8031					25449.67	T
Cerro Gordo	214B	58	372.71	21617.27	73	0.8031	36	22	4.33	40.33	15032.13	NT
Cerro Gordo	214B	58	2047.95	118781.08	73	0.8031					118781.08	T
Cerro Gordo	214C	45	150.30	6763.48	73	0.8031	36	8	1.58	37.58	5647.53	NT
Cerro Gordo	214C	45	302.52	13613.29	73	0.8031					13613.29	T
Cerro Gordo	216B	65	55.43	3602.66	73	0.8031	36	28	5.51	41.51	2300.89	NT
Cerro Gordo	216B	65	564.16	36670.12	73	0.8031					36670.12	T
Cerro Gordo	217	86	38.57	3317.07	73	0.8031	36	50	9.85	45.85	1768.27	NT
Cerro Gordo	217	86	1178.28	101331.69	73	0.8031					101331.69	T
Cerro Gordo	217B	79	31.52	2490.16	73	0.8031	36	42	8.27	44.27	1395.43	NT
Cerro Gordo	217B	79	275.94	21799.51	73	0.8031					21799.51	T
Cerro Gordo	221	25	282.97	7074.28	73	0.8031	25	0	0.00	25.00	7074.28	NT
Cerro Gordo	221	25	1337.63	33440.81	73	0.8031					33440.81	T
Cerro Gordo	221B	45	105.62	4753.09	73	0.8031	36	8	1.58	37.58	3968.85	NT
Cerro Gordo	221B	45	92.17	4147.74	73	0.8031					4147.74	T
Cerro Gordo	235	82	0.23	18.93	73	0.8031	36	46	9.06	45.06	10.40	NT
Cerro Gordo	235	82	1.09	89.65	73	0.8031					89.65	T
Cerro Gordo	236B	79	454.47	35902.81	73	0.8031	36	42	8.27	44.27	20119.12	NT
Cerro Gordo	236B	79	4045.57	319600.13	73	0.8031					319600.13	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	236C	61	173.41	10578.30	73	0.8031	36	24	4.73	40.73	7062.42	NT
Cerro Gordo	236C	61	95.98	5854.85	73	0.8031					5854.85	T
Cerro Gordo	236C2	62	465.32	28850.06	73	0.8031	36	26	5.12	41.12	19133.82	NT
Cerro Gordo	236C2	62	5622.11	348571.01	73	0.8031					348571.01	T
Cerro Gordo	236D2	48	296.30	14222.37	73	0.8031	36	12	2.36	38.36	11366.87	NT
Cerro Gordo	236D2	48	1491.73	71603.27	73	0.8031					71603.27	T
Cerro Gordo	236E2	38	188.58	7166.15	73	0.8031	36	2	0.39	36.39	6863.25	NT
Cerro Gordo	236E2	38	444.98	16909.06	73	0.8031					16909.06	T
Cerro Gordo	236F	19	406.23	7718.41	73	0.8031	19	0	0.00	19.00	7718.41	NT
Cerro Gordo	236F	19	166.19	3157.59	73	0.8031					3157.59	T
Cerro Gordo	274	39	6.09	237.53	73	0.8031	36	2	0.39	36.39	221.65	NT
Cerro Gordo	274	39	152.30	5939.79	73	0.8031					5939.79	T
Cerro Gordo	27B	82	258.52	21198.98	73	0.8031	36	46	9.06	45.06	11648.43	NT
Cerro Gordo	27B	82	1116.98	91592.22	73	0.8031					91592.22	T
Cerro Gordo	284	40	36.01	1440.54	73	0.8031	36	4	0.79	36.79	1324.85	NT
Cerro Gordo	284	40	264.33	10573.15	73	0.8031					10573.15	T
Cerro Gordo	284B	45	114.98	5174.15	73	0.8031	36	8	1.58	37.58	4320.44	NT
Cerro Gordo	284B	45	963.84	43372.64	73	0.8031					43372.64	T
Cerro Gordo	284C	30	101.87	3055.98	73	0.8031	30	0	0.00	30.00	3055.98	NT
Cerro Gordo	284C	30	530.40	15911.91	73	0.8031					15911.91	T
Cerro Gordo	29	85	24.87	2114.18	73	0.8031	36	48	9.45	45.45	1130.50	NT
Cerro Gordo	29	85	826.63	70263.24	73	0.8031					70263.24	T
Cerro Gordo	325	87	13.96	1214.50	73	0.8031	36	50	9.85	45.85	639.98	NT
Cerro Gordo	325	87	223.82	19472.08	73	0.8031					19472.08	T
Cerro Gordo	329	83	213.50	17720.68	73	0.8031	36	46	9.06	45.06	9619.85	NT
Cerro Gordo	329	83	4211.11	349522.28	73	0.8031					349522.28	T
Cerro Gordo	335	59	179.53	10592.17	73	0.8031	36	22	4.33	40.33	7240.70	NT
Cerro Gordo	335	59	2199.24	129755.05	73	0.8031					129755.05	T
Cerro Gordo	354	5	512.59	2562.94	73	0.8031	5	0	0.00	5.00	2562.94	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	354	5	106.57	532.87	73	0.8031					532.87	T
Cerro Gordo	377	93	70.26	6534.05	73	0.8031	36	56	11.03	47.03	3304.01	NT
Cerro Gordo	377	93	1830.39	170225.94	73	0.8031					170225.94	T
Cerro Gordo	377B	90	54.18	4876.13	73	0.8031	36	54	10.63	46.63	2526.52	NT
Cerro Gordo	377B	90	1395.79	125621.24	73	0.8031					125621.24	T
Cerro Gordo	382	90	33.29	2996.05	73	0.8031	36	54	10.63	46.63	1552.37	NT
Cerro Gordo	382	90	3330.75	299767.88	73	0.8031					299767.88	T
Cerro Gordo	391B	72	61.71	4443.21	73	0.8031	36	36	7.09	43.09	2659.04	NT
Cerro Gordo	391B	72	1037.03	74666.03	73	0.8031					74666.03	T
Cerro Gordo	398	81	23.20	1879.37	73	0.8031	36	44	8.66	44.66	1036.29	NT
Cerro Gordo	398	81	1374.23	111312.49	73	0.8031					111312.49	T
Cerro Gordo	399	91	358.38	32612.92	73	0.8031	36	54	10.63	46.63	16712.37	NT
Cerro Gordo	399	91	11014.54	1002323.49	73	0.8031					1002323.49	T
Cerro Gordo	407B	72	45.84	3300.36	73	0.8031	36	36	7.09	43.09	1975.10	NT
Cerro Gordo	407B	72	2875.18	207013.30	73	0.8031					207013.30	T
Cerro Gordo	412C	13	370.13	4811.73	73	0.8031	13	0	0.00	13.00	4811.73	NT
Cerro Gordo	412C	13	714.22	9284.85	73	0.8031					9284.85	T
Cerro Gordo	412E	5	171.33	856.65	73	0.8031	5	0	0.00	5.00	856.65	NT
Cerro Gordo	412E	5	88.80	443.98	73	0.8031					443.98	T
Cerro Gordo	41B	40	12.62	504.70	73	0.8031	36	4	0.79	36.79	464.17	NT
Cerro Gordo	41B	40	220.69	8827.42	73	0.8031					8827.42	T
Cerro Gordo	41C	25	59.21	1480.31	73	0.8031	25	0	0.00	25.00	1480.31	NT
Cerro Gordo	41C	25	295.77	7394.28	73	0.8031					7394.28	T
Cerro Gordo	444	63	58.57	3690.06	73	0.8031	36	26	5.12	41.12	2408.46	NT
Cerro Gordo	444	63	620.42	39086.65	73	0.8031					39086.65	T
Cerro Gordo	457	82	58.79	4820.56	73	0.8031	36	46	9.06	45.06	2648.81	NT
Cerro Gordo	457	82	201.67	16536.71	73	0.8031					16536.71	T
Cerro Gordo	471	86	151.38	13018.91	73	0.8031	36	50	9.85	45.85	6940.14	NT
Cerro Gordo	471	86	1699.83	146185.57	73	0.8031					146185.57	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	5010	0	161.48	0.00	73	0.8031	0	0	0.00	0.00	0.00	NT
Cerro Gordo	5010	0	45.87	0.00	73	0.8031					0.00	T
Cerro Gordo	5030	0	185.25	0.00	73	0.8031	0	0	0.00	0.00	0.00	NT
Cerro Gordo	5030	0	3.58	0.00	73	0.8031					0.00	T
Cerro Gordo	5040	5	503.82	2519.10	73	0.8031	5	0	0.00	5.00	2519.10	NT
Cerro Gordo	5040	5	396.00	1980.01	73	0.8031					1980.01	T
Cerro Gordo	5060	0	92.14	0.00	73	0.8031	0	0	0.00	0.00	0.00	NT
Cerro Gordo	507	71	428.28	30408.22	73	0.8031	36	34	6.69	42.69	18285.45	NT
Cerro Gordo	507	71	9566.25	679203.65	73	0.8031					679203.65	T
Cerro Gordo	536	70	147.55	10328.28	73	0.8031	36	34	6.69	42.69	6299.45	NT
Cerro Gordo	536	70	52.39	3667.38	73	0.8031					3667.38	T
Cerro Gordo	537	65	1.09	70.91	73	0.8031	36	28	5.51	41.51	45.29	NT
Cerro Gordo	537	65	0.08	5.20	73	0.8031					5.20	T
Cerro Gordo	55	73	304.48	22226.76	73	0.8031	36	36	7.09	43.09	13119.39	NT
Cerro Gordo	55	73	8472.67	618504.96	73	0.8031					618504.96	T
Cerro Gordo	551	58	208.61	12099.53	73	0.8031	36	22	4.33	40.33	8413.72	NT
Cerro Gordo	551	58	1261.11	73144.52	73	0.8031					73144.52	T
Cerro Gordo	558	60	30.12	1807.18	73	0.8031	36	24	4.73	40.73	1226.64	NT
Cerro Gordo	558	60	849.93	50995.62	73	0.8031					50995.62	T
Cerro Gordo	559	40	334.92	13396.89	73	0.8031	36	4	0.79	36.79	12320.99	NT
Cerro Gordo	559	40	1901.86	76074.24	73	0.8031					76074.24	T
Cerro Gordo	583	69	60.76	4192.61	73	0.8031	36	32	6.30	42.30	2570.30	NT
Cerro Gordo	583	69	734.94	50711.04	73	0.8031					50711.04	T
Cerro Gordo	6	43	506.84	21793.95	73	0.8031	36	6	1.18	37.18	18844.87	NT
Cerro Gordo	6	43	5175.47	222545.03	73	0.8031					222545.03	T
Cerro Gordo	611	85	40.81	3469.04	73	0.8031	36	48	9.45	45.45	1854.96	NT
Cerro Gordo	611	85	543.04	46158.04	73	0.8031					46158.04	T
Cerro Gordo	612B	65	30.93	2010.53	73	0.8031	36	28	5.51	41.51	1284.05	NT
Cerro Gordo	612B	65	407.79	26506.38	73	0.8031					26506.38	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	612C2	50	221.47	11073.62	73	0.8031	36	14	2.76	38.76	8583.52	NT
Cerro Gordo	612C2	50	803.14	40157.24	73	0.8031					40157.24	T
Cerro Gordo	612D2	30	0.39	11.80	73	0.8031	30	0	0.00	30.00	11.80	NT
Cerro Gordo	612D2	30	0.10	2.96	73	0.8031					2.96	T
Cerro Gordo	612E2	28	339.38	9502.75	73	0.8031	28	0	0.00	28.00	9502.75	NT
Cerro Gordo	612E2	28	228.81	6406.62	73	0.8031					6406.62	T
Cerro Gordo	612G2	5	165.63	828.14	73	0.8031	5	0	0.00	5.00	828.14	NT
Cerro Gordo	612G2	5	6.64	33.19	73	0.8031					33.19	T
Cerro Gordo	613	83	82.73	6866.28	73	0.8031	36	46	9.06	45.06	3727.43	NT
Cerro Gordo	613	83	1677.56	139237.25	73	0.8031					139237.25	T
Cerro Gordo	613B	78	271.90	21208.03	73	0.8031	36	42	8.27	44.27	12036.86	NT
Cerro Gordo	613B	78	2508.62	195672.18	73	0.8031					195672.18	T
Cerro Gordo	613C	63	88.08	5548.83	73	0.8031	36	26	5.12	41.12	3621.66	NT
Cerro Gordo	613C	63	198.57	12509.64	73	0.8031					12509.64	T
Cerro Gordo	614B	58	64.27	3727.73	73	0.8031	36	22	4.33	40.33	2592.17	NT
Cerro Gordo	614B	58	508.69	29503.76	73	0.8031					29503.76	T
Cerro Gordo	614C3	21	49.17	1032.59	73	0.8031	21	0	0.00	21.00	1032.59	NT
Cerro Gordo	614C3	21	159.09	3340.96	73	0.8031					3340.96	T
Cerro Gordo	621	25	434.12	10853.05	73	0.8031	25	0	0.00	25.00	10853.05	NT
Cerro Gordo	621	25	2024.06	50601.44	73	0.8031					50601.44	T
Cerro Gordo	626	67	33.38	2236.51	73	0.8031	36	30	5.91	41.91	1398.89	NT
Cerro Gordo	626	67	821.98	55072.35	73	0.8031					55072.35	T
Cerro Gordo	62C3	46	11.15	512.74	73	0.8031	36	10	1.97	37.97	423.22	NT
Cerro Gordo	62C3	46	533.98	24562.88	73	0.8031					24562.88	T
Cerro Gordo	62D3	36	85.26	3069.50	73	0.8031	36	0	0.00	36.00	3069.50	NT
Cerro Gordo	62D3	36	1225.76	44127.38	73	0.8031					44127.38	T
Cerro Gordo	62E3	26	85.18	2214.63	73	0.8031	26	0	0.00	26.00	2214.63	NT
Cerro Gordo	62E3	26	989.09	25716.47	73	0.8031					25716.47	T
Cerro Gordo	631B	82	0.01	0.57	73	0.8031	36	46	9.06	45.06	0.31	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	631B	82	0.16	13.06	73	0.8031					13.06	T
Cerro Gordo	638C2	52	58.15	3023.90	73	0.8031	36	16	3.15	39.15	2276.67	NT
Cerro Gordo	638C2	52	1414.93	73576.19	73	0.8031					73576.19	T
Cerro Gordo	638D2	45	82.50	3712.72	73	0.8031	36	8	1.58	37.58	3100.14	NT
Cerro Gordo	638D2	45	1078.41	48528.55	73	0.8031					48528.55	T
Cerro Gordo	651	57	265.75	15147.51	73	0.8031	36	20	3.94	39.94	10613.36	NT
Cerro Gordo	651	57	958.24	54619.45	73	0.8031					54619.45	T
Cerro Gordo	695	52	205.85	10704.41	73	0.8031	36	16	3.15	39.15	8059.27	NT
Cerro Gordo	695	52	592.45	30807.19	73	0.8031					30807.19	T
Cerro Gordo	706	63	24.92	1570.18	73	0.8031	36	26	5.12	41.12	1024.84	NT
Cerro Gordo	706	63	663.50	41800.73	73	0.8031					41800.73	T
Cerro Gordo	706B	58	98.67	5723.11	73	0.8031	36	22	4.33	40.33	3979.71	NT
Cerro Gordo	706B	58	1591.94	92332.35	73	0.8031					92332.35	T
Cerro Gordo	733	64	572.07	36612.25	73	0.8031	36	28	5.51	41.51	23748.31	NT
Cerro Gordo	733	64	616.67	39467.10	73	0.8031					39467.10	T
Cerro Gordo	73C	5	91.50	457.49	73	0.8031	5	0	0.00	5.00	457.49	NT
Cerro Gordo	73C	5	500.84	2504.19	73	0.8031					2504.19	T
Cerro Gordo	73E	5	111.99	559.94	73	0.8031	5	0	0.00	5.00	559.94	NT
Cerro Gordo	73E	5	239.21	1196.07	73	0.8031					1196.07	T
Cerro Gordo	755	93	57.35	5333.57	73	0.8031	36	56	11.03	47.03	2696.97	NT
Cerro Gordo	755	93	1714.04	159406.04	73	0.8031					159406.04	T
Cerro Gordo	777	58	53.94	3128.71	73	0.8031	36	22	4.33	40.33	2175.63	NT
Cerro Gordo	777	58	368.49	21372.65	73	0.8031					21372.65	T
Cerro Gordo	777B	53	122.37	6485.75	73	0.8031	36	16	3.15	39.15	4790.94	NT
Cerro Gordo	777B	53	1157.99	61373.40	73	0.8031					61373.40	T
Cerro Gordo	777C2	28	43.87	1228.43	73	0.8031	28	0	0.00	28.00	1228.43	NT
Cerro Gordo	777C2	28	382.32	10704.83	73	0.8031					10704.83	T
Cerro Gordo	782	55	9.62	529.13	73	0.8031	36	18	3.54	39.54	380.44	NT
Cerro Gordo	782	55	606.23	33342.70	73	0.8031					33342.70	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	782B	50	75.06	3753.06	73	0.8031	36	14	2.76	38.76	2909.11	NT
Cerro Gordo	782B	50	2303.64	115181.89	73	0.8031					115181.89	T
Cerro Gordo	782C2	30	24.94	748.34	73	0.8031	30	0	0.00	30.00	748.34	NT
Cerro Gordo	782C2	30	219.75	6592.61	73	0.8031					6592.61	T
Cerro Gordo	83	88	131.92	11608.71	73	0.8031	36	52	10.24	46.24	6099.69	NT
Cerro Gordo	83	88	2277.77	200443.77	73	0.8031					200443.77	T
Cerro Gordo	836B	67	59.55	3989.93	73	0.8031	36	30	5.91	41.91	2495.61	NT
Cerro Gordo	836B	67	342.09	22920.17	73	0.8031					22920.17	T
Cerro Gordo	836C2	41	124.91	5121.35	73	0.8031	36	4	0.79	36.79	4595.17	NT
Cerro Gordo	836C2	41	538.85	22092.82	73	0.8031					22092.82	T
Cerro Gordo	83B	87	1285.21	111813.16	73	0.8031	36	50	9.85	45.85	58920.39	NT
Cerro Gordo	83B	87	20319.67	1767810.98	73	0.8031					1767810.98	T
Cerro Gordo	83C2	69	39.07	2695.90	73	0.8031	36	32	6.30	42.30	1652.73	NT
Cerro Gordo	83C2	69	328.83	22689.19	73	0.8031					22689.19	T
Cerro Gordo	84	76	754.99	57378.91	73	0.8031	36	40	7.88	43.88	33125.75	NT
Cerro Gordo	84	76	27868.66	2118018.25	73	0.8031					2118018.25	T
Cerro Gordo	855	77	10.49	808.11	73	0.8031	36	40	7.88	43.88	460.48	NT
Cerro Gordo	855	77	443.95	34184.14	73	0.8031					34184.14	T
Cerro Gordo	936	75	920.96	69071.72	73	0.8031	36	38	7.48	43.48	40045.20	NT
Cerro Gordo	936	75	284.75	21355.97	73	0.8031					21355.97	T
Cerro Gordo	95	57	679.05	38705.79	73	0.8031	36	20	3.94	39.94	27119.86	NT
Cerro Gordo	95	57	11766.05	670664.98	73	0.8031					670664.98	T
Cerro Gordo	956	57	232.77	13267.70	73	0.8031	36	20	3.94	39.94	9296.23	NT
Cerro Gordo	956	57	3162.09	180239.23	73	0.8031					180239.23	T
Cerro Gordo	96	71	0.05	3.24	73	0.8031					3.24	T
Cerro Gordo	976	95	22.27	2115.57	73	0.8031	36	58	11.42	47.42	1056.01	NT
Cerro Gordo	976	95	330.53	31400.76	73	0.8031					31400.76	T
Cerro Gordo	AW	0	2.79	0.00	73	0.8031	0	0	0.00	0.00	0.00	NT
Cerro Gordo	AW	0	0.03	0.00	73	0.8031					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cerro Gordo	C315	5	0.03	0.13	73	0.8031	5	0	0.00	5.00	0.13	NT
Cerro Gordo	SL	0	6.41	0.00	73	0.8031	0	0	0.00	0.00	0.00	NT
Cerro Gordo	SL	0	22.82	0.00	73	0.8031					0.00	T
Cerro Gordo	W	0	416.81	0.00	73	0.8031	0	0	0.00	0.00	0.00	NT
Cerro Gordo	W	0	81.27	0.00	73	0.8031					0.00	T
											0.00	
											0.00	
Cherokee	100C2	63	0.03	2.00	66	0.7778	33	30	6.67	39.67	1.26	NT
Cherokee	108	52	248.70	12932.16	66	0.7778	33	19	4.22	37.22	9256.89	NT
Cherokee	108	52	794.38	41307.76	66	0.7778					41307.76	T
Cherokee	108B	47	157.96	7423.99	66	0.7778	33	14	3.11	36.11	5703.96	NT
Cherokee	108B	47	376.08	17675.72	66	0.7778					17675.72	T
Cherokee	11B	68	3090.15	210130.11	66	0.7778	33	35	7.78	40.78	126006.99	NT
Cherokee	11B	68	17159.93	1166875.19	66	0.7778					1166875.19	T
Cherokee	1220	25	0.04	1.04	66	0.7778	25	0	0.00	25.00	1.04	NT
Cherokee	1220	25	0.07	1.80	66	0.7778					1.80	T
Cherokee	133	80	4604.16	368332.51	66	0.7778	33	47	10.44	43.44	200020.21	NT
Cherokee	133	80	10264.26	821140.68	66	0.7778					821140.68	T
Cherokee	135	78	1732.11	135104.66	66	0.7778	33	45	10.00	43.00	74479.04	NT
Cherokee	135	78	2971.83	231802.77	66	0.7778					231802.77	T
Cherokee	1609	25	2254.03	56350.63	66	0.7778	25	0	0.00	25.00	56350.63	NT
Cherokee	1609	25	863.20	21580.02	66	0.7778					21580.02	T
Cherokee	1639G	5	278.16	1390.78	66	0.7778	5	0	0.00	5.00	1390.78	NT
Cherokee	1639G	5	14.03	70.17	66	0.7778					70.17	T
Cherokee	1658C	25	1882.60	47064.94	66	0.7778	25	0	0.00	25.00	47064.94	NT
Cherokee	1658C	25	95.22	2380.50	66	0.7778					2380.50	T
Cherokee	1785	25	978.56	24463.90	66	0.7778	25	0	0.00	25.00	24463.90	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cherokee	1785	25	181.66	4541.46	66	0.7778					4541.46	T
Cherokee	189	68	418.62	28466.31	66	0.7778	33	35	7.78	40.78	17070.16	NT
Cherokee	189	68	1176.14	79977.29	66	0.7778					79977.29	T
Cherokee	1C3	55	37.86	2082.51	66	0.7778	33	22	4.89	37.89	1434.60	NT
Cherokee	1C3	55	226.20	12441.06	66	0.7778					12441.06	T
Cherokee	1D3	45	91.09	4098.99	66	0.7778	33	12	2.67	35.67	3248.81	NT
Cherokee	1D3	45	386.09	17374.24	66	0.7778					17374.24	T
Cherokee	1E3	35	120.74	4225.75	66	0.7778	33	2	0.44	33.44	4037.93	NT
Cherokee	1E3	35	182.53	6388.41	66	0.7778					6388.41	T
Cherokee	1G	5	94.76	473.79	66	0.7778	5	0	0.00	5.00	473.79	NT
Cherokee	1G	5	2.14	10.69	66	0.7778					10.69	T
Cherokee	220	85	0.04	3.21	66	0.7778	33	52	11.55	44.55	1.68	NT
Cherokee	220	85	0.26	21.83	66	0.7778					21.83	T
Cherokee	26	85	63.15	5367.82	66	0.7778	33	52	11.55	44.55	2813.65	NT
Cherokee	26	85	485.08	41231.94	66	0.7778					41231.94	T
Cherokee	27	73	39.71	2898.76	66	0.7778	33	40	8.89	41.89	1663.33	NT
Cherokee	27	73	415.46	30328.84	66	0.7778					30328.84	T
Cherokee	277C	62	0.18	10.92	66	0.7778	33	29	6.44	39.44	6.95	NT
Cherokee	277C	62	0.03	2.15	66	0.7778					2.15	T
Cherokee	27B	82	243.73	19985.69	66	0.7778	33	49	10.89	43.89	10696.68	NT
Cherokee	27B	82	731.67	59996.87	66	0.7778					59996.87	T
Cherokee	27C	61	742.81	45311.31	66	0.7778	33	28	6.22	39.22	29134.13	NT
Cherokee	27C	61	846.31	51625.01	66	0.7778					51625.01	T
Cherokee	28B	14	133.58	1870.08	66	0.7778	14	0	0.00	14.00	1870.08	NT
Cherokee	28B	14	413.89	5794.43	66	0.7778					5794.43	T
Cherokee	28D	12	111.99	1343.87	66	0.7778	12	0	0.00	12.00	1343.87	NT
Cherokee	28D	12	299.90	3598.84	66	0.7778					3598.84	T
Cherokee	309	61	144.60	8820.34	66	0.7778	33	28	6.22	39.22	5671.28	NT
Cherokee	309	61	860.92	52515.98	66	0.7778					52515.98	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cherokee	309B	56	118.97	6662.51	66	0.7778	33	23	5.11	38.11	4534.15	NT
Cherokee	309B	56	227.20	12723.31	66	0.7778					12723.31	T
Cherokee	31	75	611.82	45886.37	66	0.7778	33	42	9.33	42.33	25899.74	NT
Cherokee	31	75	3102.20	232665.02	66	0.7778					232665.02	T
Cherokee	310	79	437.32	34548.28	66	0.7778	33	46	10.22	43.22	18901.49	NT
Cherokee	310	79	7554.09	596772.95	66	0.7778					596772.95	T
Cherokee	310B	71	5783.22	410608.62	66	0.7778	33	38	8.44	41.44	239677.46	NT
Cherokee	310B	71	88851.87	6308483.07	66	0.7778					6308483.07	T
Cherokee	310B2	69	447.68	30890.20	66	0.7778	33	36	8.00	41.00	18354.69	NT
Cherokee	310B2	69	16559.58	1142610.76	66	0.7778					1142610.76	T
Cherokee	310C	56	2330.69	130518.81	66	0.7778	33	23	5.11	38.11	88824.11	NT
Cherokee	310C	56	23779.70	1331663.42	66	0.7778					1331663.42	T
Cherokee	310C2	56	1693.21	94819.79	66	0.7778	33	23	5.11	38.11	64529.27	NT
Cherokee	310C2	56	35686.66	1998452.99	66	0.7778					1998452.99	T
Cherokee	310D2	44	766.35	33719.37	66	0.7778	33	11	2.44	35.44	27162.64	NT
Cherokee	310D2	44	2994.62	131763.42	66	0.7778					131763.42	T
Cherokee	311	70	0.00	0.11	66	0.7778					0.11	T
Cherokee	33D	36	550.67	19824.13	66	0.7778	33	3	0.67	33.67	18539.19	NT
Cherokee	33D	36	551.22	19843.80	66	0.7778					19843.80	T
Cherokee	33F	8	1457.85	11662.78	66	0.7778	8	0	0.00	8.00	11662.78	NT
Cherokee	33F	8	319.40	2555.18	66	0.7778					2555.18	T
Cherokee	33G	5	4977.51	24887.53	66	0.7778	5	0	0.00	5.00	24887.53	NT
Cherokee	33G	5	216.28	1081.42	66	0.7778					1081.42	T
Cherokee	354	5	30.11	150.56	66	0.7778	5	0	0.00	5.00	150.56	NT
Cherokee	354	5	0.08	0.42	66	0.7778					0.42	T
Cherokee	35F	15	0.07	1.07	66	0.7778	15	0	0.00	15.00	1.07	NT
Cherokee	35G	5	16.20	81.02	66	0.7778	5	0	0.00	5.00	81.02	NT
Cherokee	35G	5	0.04	0.18	66	0.7778					0.18	T
Cherokee	428B	93	10.88	1012.14	66	0.7778	33	60	13.33	46.33	504.24	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cherokee	428B	93	556.16	51722.90	66	0.7778					51722.90	T
Cherokee	433D	36	117.95	4246.07	66	0.7778	33	3	0.67	33.67	3970.85	NT
Cherokee	433D	36	71.18	2562.43	66	0.7778					2562.43	T
Cherokee	433E	25	0.87	21.68	66	0.7778	25	0	0.00	25.00	21.68	NT
Cherokee	433E	25	0.20	4.89	66	0.7778					4.89	T
Cherokee	433F	5	264.25	1321.24	66	0.7778	5	0	0.00	5.00	1321.24	NT
Cherokee	433F	5	28.33	141.64	66	0.7778					141.64	T
Cherokee	433G	5	5570.92	27854.60	66	0.7778	5	0	0.00	5.00	27854.60	NT
Cherokee	433G	5	219.05	1095.24	66	0.7778					1095.24	T
Cherokee	485	92	674.61	62064.33	66	0.7778	33	59	13.11	46.11	31106.24	NT
Cherokee	485	92	982.66	90404.51	66	0.7778					90404.51	T
Cherokee	485B	82	529.08	43384.58	66	0.7778	33	49	10.89	43.89	23220.17	NT
Cherokee	485B	82	1014.05	83152.00	66	0.7778					83152.00	T
Cherokee	5010	0	510.08	0.00	66	0.7778	0	0	0.00	0.00	0.00	NT
Cherokee	5010	0	46.09	0.00	66	0.7778					0.00	T
Cherokee	5040	5	377.81	1889.06	66	0.7778	5	0	0.00	5.00	1889.06	NT
Cherokee	5040	5	205.71	1028.53	66	0.7778					1028.53	T
Cherokee	505	51	0.56	28.81	66	0.7778	33	18	4.00	37.00	20.90	NT
Cherokee	505	51	225.50	11500.69	66	0.7778					11500.69	T
Cherokee	54	70	46.77	3273.83	66	0.7778	33	37	8.22	41.22	1927.89	NT
Cherokee	54	70	593.59	41550.97	66	0.7778					41550.97	T
Cherokee	577B2	59	40.54	2391.89	66	0.7778	33	26	5.78	38.78	1572.05	NT
Cherokee	577B2	59	490.73	28953.02	66	0.7778					28953.02	T
Cherokee	577C	53	117.79	6243.13	66	0.7778	33	20	4.44	37.44	4410.71	NT
Cherokee	577C	53	154.00	8161.84	66	0.7778					8161.84	T
Cherokee	577C2	67	147.28	9867.96	66	0.7778	33	34	7.55	40.55	5973.03	NT
Cherokee	577C2	67	778.27	52144.20	66	0.7778					52144.20	T
Cherokee	577D2	37	452.08	16727.05	66	0.7778	33	4	0.89	33.89	15320.53	NT
Cherokee	577D2	37	610.34	22582.49	66	0.7778					22582.49	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cherokee	585B	70	614.84	43039.00	66	0.7778	33	37	8.22	41.22	25344.68	NT
Cherokee	585B	70	130.58	9140.51	66	0.7778					9140.51	T
Cherokee	59E	28	0.07	2.10	66	0.7778					2.10	T
Cherokee	62F	7	0.27	1.88	66	0.7778	7	0	0.00	7.00	1.88	NT
Cherokee	62F	7	0.06	0.41	66	0.7778					0.41	T
Cherokee	62G	5	0.83	4.16	66	0.7778	5	0	0.00	5.00	4.16	NT
Cherokee	62G	5	0.06	0.29	66	0.7778					0.29	T
Cherokee	633G	5	1083.37	5416.85	66	0.7778	5	0	0.00	5.00	5416.85	NT
Cherokee	633G	5	53.95	269.75	66	0.7778					269.75	T
Cherokee	639G	5	0.48	2.40	66	0.7778	5	0	0.00	5.00	2.40	NT
Cherokee	666B	64	0.55	35.19	66	0.7778	33	31	6.89	39.89	21.93	NT
Cherokee	666B	64	0.69	44.41	66	0.7778					44.41	T
Cherokee	72B	34	66.69	2267.62	66	0.7778	33	1	0.22	33.22	2215.75	NT
Cherokee	72B	34	200.11	6803.79	66	0.7778					6803.79	T
Cherokee	72C	24	99.42	2385.97	66	0.7778	24	0	0.00	24.00	2385.97	NT
Cherokee	72C	24	165.13	3963.08	66	0.7778					3963.08	T
Cherokee	733	64	0.07	4.63	66	0.7778	33	31	6.89	39.89	2.89	NT
Cherokee	733	64	0.31	19.63	66	0.7778					19.63	T
Cherokee	739G	5	801.66	4008.29	66	0.7778	5	0	0.00	5.00	4008.29	NT
Cherokee	739G	5	48.31	241.57	66	0.7778					241.57	T
Cherokee	740C	5	327.20	1636.02	66	0.7778	5	0	0.00	5.00	1636.02	NT
Cherokee	740C	5	454.34	2271.71	66	0.7778					2271.71	T
Cherokee	740E	5	802.42	4012.08	66	0.7778	5	0	0.00	5.00	4012.08	NT
Cherokee	740E	5	387.59	1937.93	66	0.7778					1937.93	T
Cherokee	740G	5	1433.17	7165.86	66	0.7778	5	0	0.00	5.00	7165.86	NT
Cherokee	740G	5	156.72	783.60	66	0.7778					783.60	T
Cherokee	77B	76	195.16	14832.40	66	0.7778	33	43	9.55	42.55	8305.09	NT
Cherokee	77B	76	2210.79	168019.86	66	0.7778					168019.86	T
Cherokee	77B2	67	154.00	10317.75	66	0.7778	33	34	7.55	40.55	6245.29	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cherokee	77B2	67	2686.26	179979.40	66	0.7778					179979.40	T
Cherokee	77C	55	114.98	6323.73	66	0.7778	33	22	4.89	37.89	4356.29	NT
Cherokee	77C	55	242.55	13340.34	66	0.7778					13340.34	T
Cherokee	77C2	53	244.47	12957.16	66	0.7778	33	20	4.44	37.44	9154.11	NT
Cherokee	77C2	53	1381.22	73204.65	66	0.7778					73204.65	T
Cherokee	785	68	0.68	46.26	66	0.7778	33	35	7.78	40.78	27.74	NT
Cherokee	785	68	1.34	91.15	66	0.7778					91.15	T
Cherokee	78B	69	55.85	3853.68	66	0.7778	33	36	8.00	41.00	2289.82	NT
Cherokee	78B	69	1313.38	90623.35	66	0.7778					90623.35	T
Cherokee	78B2	65	47.88	3112.42	66	0.7778	33	32	7.11	40.11	1920.62	NT
Cherokee	78B2	65	2100.80	136551.79	66	0.7778					136551.79	T
Cherokee	78C	52	83.72	4353.66	66	0.7778	33	19	4.22	37.22	3116.37	NT
Cherokee	78C	52	281.21	14622.88	66	0.7778					14622.88	T
Cherokee	78C2	51	180.32	9196.11	66	0.7778	33	18	4.00	37.00	6671.61	NT
Cherokee	78C2	51	1950.79	99490.09	66	0.7778					99490.09	T
Cherokee	810	78	402.92	31427.39	66	0.7778	33	45	10.00	43.00	17324.95	NT
Cherokee	810	78	5331.60	415864.92	66	0.7778					415864.92	T
Cherokee	810B	73	375.00	27375.26	66	0.7778	33	40	8.89	41.89	15708.15	NT
Cherokee	810B	73	2413.01	176149.61	66	0.7778					176149.61	T
Cherokee	810C2	54	182.38	9848.33	66	0.7778	33	21	4.67	37.67	6869.43	NT
Cherokee	810C2	54	616.96	33316.09	66	0.7778					33316.09	T
Cherokee	878B	74	44.66	3305.01	66	0.7778	33	41	9.11	42.11	1880.74	NT
Cherokee	878B	74	231.41	17124.21	66	0.7778					17124.21	T
Cherokee	878C2	44	47.85	2105.43	66	0.7778	33	11	2.44	35.44	1696.03	NT
Cherokee	878C2	44	148.14	6518.04	66	0.7778					6518.04	T
Cherokee	8B	90	34.95	3145.47	66	0.7778	33	57	12.67	45.67	1595.99	NT
Cherokee	8B	90	301.83	27164.55	66	0.7778					27164.55	T
Cherokee	91	84	119.05	10000.39	66	0.7778	33	51	11.33	44.33	5277.85	NT
Cherokee	91	84	5393.96	453092.96	66	0.7778					453092.96	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Cherokee	91B	81	565.19	45780.01	66	0.7778	33	48	10.67	43.67	24679.15	NT
Cherokee	91B	81	20135.72	1630992.96	66	0.7778					1630992.96	T
Cherokee	92	79	953.54	75329.47	66	0.7778	33	46	10.22	43.22	41213.04	NT
Cherokee	92	79	21507.69	1699107.68	66	0.7778					1699107.68	T
Cherokee	96	71	67.44	4788.07	66	0.7778	33	38	8.44	41.44	2794.86	NT
Cherokee	96	71	780.62	55424.25	66	0.7778					55424.25	T
Cherokee	AW	0	2.86	0.00	66	0.7778	0	0	0.00	0.00	0.00	NT
Cherokee	SL	0	115.90	0.00	66	0.7778	0	0	0.00	0.00	0.00	NT
Cherokee	SL	0	23.58	0.00	66	0.7778					0.00	T
Cherokee	W	0	1259.32	0.00	66	0.7778	0	0	0.00	0.00	0.00	NT
Cherokee	W	0	19.16	0.00	66	0.7778					0.00	T
											0.00	
											0.00	
Chickasaw	1152	68	693.20	47137.63	72	0.7179	36	32	9.03	45.03	31212.87	NT
Chickasaw	1152	68	4385.47	298211.85	72	0.7179					298211.85	T
Chickasaw	1226	72	521.29	37532.68	72	0.7179	36	36	10.16	46.16	24060.32	NT
Chickasaw	1226	72	5425.38	390627.61	72	0.7179					390627.61	T
Chickasaw	135	78	582.44	45430.13	72	0.7179	36	42	11.85	47.85	27868.59	NT
Chickasaw	135	78	1054.93	82284.39	72	0.7179					82284.39	T
Chickasaw	1489B	82	0.02	1.32	72	0.7179	36	46	12.98	48.98	0.79	NT
Chickasaw	1489B	82	0.04	3.64	72	0.7179					3.64	T
Chickasaw	153	60	183.21	10992.62	72	0.7179	36	24	6.77	42.77	7835.98	NT
Chickasaw	153	60	411.50	24689.73	72	0.7179					24689.73	T
Chickasaw	1537	25	0.17	4.37	72	0.7179	25	0	0.00	25.00	4.37	NT
Chickasaw	1585	5	5072.37	25361.85	72	0.7179	5	0	0.00	5.00	25361.85	NT
Chickasaw	1585	5	310.29	1551.43	72	0.7179					1551.43	T
Chickasaw	171B	82	1148.00	94136.03	72	0.7179	36	46	12.98	48.98	56225.16	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Chickasaw	171B	82	9406.57	771338.44	72	0.7179					771338.44	T
Chickasaw	171C	67	258.15	17296.16	72	0.7179	36	31	8.75	44.75	11551.02	NT
Chickasaw	171C	67	1413.92	94732.40	72	0.7179					94732.40	T
Chickasaw	171C2	64	230.87	14775.61	72	0.7179	36	28	7.90	43.90	10134.87	NT
Chickasaw	171C2	64	2392.88	153144.64	72	0.7179					153144.64	T
Chickasaw	1727	68	154.53	10507.91	72	0.7179	36	32	9.03	45.03	6957.97	NT
Chickasaw	1727	68	1013.45	68914.73	72	0.7179					68914.73	T
Chickasaw	173	60	8.57	513.91	72	0.7179	36	24	6.77	42.77	366.34	NT
Chickasaw	173	60	312.71	18762.82	72	0.7179					18762.82	T
Chickasaw	175B	56	217.19	12162.54	72	0.7179	36	20	5.64	41.64	9044.15	NT
Chickasaw	175B	56	1353.72	75808.06	72	0.7179					75808.06	T
Chickasaw	175C	41	72.10	2956.02	72	0.7179	36	5	1.41	37.41	2697.23	NT
Chickasaw	175C	41	233.21	9561.69	72	0.7179					9561.69	T
Chickasaw	177	64	583.99	37375.16	72	0.7179	36	28	7.90	43.90	25636.33	NT
Chickasaw	177	64	4592.63	293928.59	72	0.7179					293928.59	T
Chickasaw	177A	63	0.03	1.79	72	0.7179	36	27	7.62	43.62	1.24	NT
Chickasaw	177B	60	351.30	21078.06	72	0.7179	36	24	6.77	42.77	15025.28	NT
Chickasaw	177B	60	2672.02	160320.98	72	0.7179					160320.98	T
Chickasaw	178	79	0.96	75.48	72	0.7179	36	43	12.13	48.13	45.99	NT
Chickasaw	178	79	0.43	33.77	72	0.7179					33.77	T
Chickasaw	178B	74	0.25	18.32	72	0.7179	36	38	10.72	46.72	11.56	NT
Chickasaw	178B	74	0.48	35.28	72	0.7179					35.28	T
Chickasaw	1936	25	4890.82	122270.44	72	0.7179	25	0	0.00	25.00	122270.44	NT
Chickasaw	1936	25	426.57	10664.27	72	0.7179					10664.27	T
Chickasaw	198B	80	1197.66	95812.63	72	0.7179	36	44	12.41	48.41	57981.49	NT
Chickasaw	198B	80	17476.45	1398116.09	72	0.7179					1398116.09	T
Chickasaw	213B	74	37.85	2800.76	72	0.7179	36	38	10.72	46.72	1768.25	NT
Chickasaw	213B	74	336.45	24897.17	72	0.7179					24897.17	T
Chickasaw	214B	58	78.79	4569.99	72	0.7179	36	22	6.21	42.21	3325.55	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Chickasaw	214B	58	417.58	24219.36	72	0.7179					24219.36	T
Chickasaw	214C	45	50.94	2292.48	72	0.7179	36	9	2.54	38.54	1963.32	NT
Chickasaw	214C	45	46.96	2113.19	72	0.7179					2113.19	T
Chickasaw	221B	45	257.63	11593.24	72	0.7179	36	9	2.54	38.54	9928.68	NT
Chickasaw	221B	45	382.18	17198.22	72	0.7179					17198.22	T
Chickasaw	241C	20	0.03	0.60	72	0.7179					0.60	T
Chickasaw	265	53	0.07	3.92	72	0.7179					3.92	T
Chickasaw	265B	43	0.07	3.16	72	0.7179	36	7	1.97	37.97	2.79	NT
Chickasaw	265B	43	0.03	1.12	72	0.7179					1.12	T
Chickasaw	27B	82	0.17	13.94	72	0.7179	36	46	12.98	48.98	8.32	NT
Chickasaw	27B	82	0.29	23.75	72	0.7179					23.75	T
Chickasaw	284	40	46.31	1852.42	72	0.7179	36	4	1.13	37.13	1719.44	NT
Chickasaw	284	40	186.10	7443.89	72	0.7179					7443.89	T
Chickasaw	284B	45	268.86	12098.68	72	0.7179	36	9	2.54	38.54	10361.55	NT
Chickasaw	284B	45	2130.48	95871.65	72	0.7179					95871.65	T
Chickasaw	284C	30	21.17	635.08	72	0.7179	30	0	0.00	30.00	635.08	NT
Chickasaw	284C	30	182.99	5489.80	72	0.7179					5489.80	T
Chickasaw	284C2	25	39.99	999.75	72	0.7179	25	0	0.00	25.00	999.75	NT
Chickasaw	284C2	25	477.75	11943.87	72	0.7179					11943.87	T
Chickasaw	285	30	74.90	2246.94	72	0.7179	30	0	0.00	30.00	2246.94	NT
Chickasaw	285	30	366.84	11005.05	72	0.7179					11005.05	T
Chickasaw	285B	25	261.17	6529.14	72	0.7179	25	0	0.00	25.00	6529.14	NT
Chickasaw	285B	25	1153.98	28849.49	72	0.7179					28849.49	T
Chickasaw	285C2	5	0.03	0.13	72	0.7179					0.13	T
Chickasaw	285D	5	212.08	1060.41	72	0.7179	5	0	0.00	5.00	1060.41	NT
Chickasaw	285D	5	613.65	3068.24	72	0.7179					3068.24	T
Chickasaw	302B	74	71.69	5305.00	72	0.7179	36	38	10.72	46.72	3349.31	NT
Chickasaw	302B	74	123.95	9172.23	72	0.7179					9172.23	T
Chickasaw	302C	58	40.80	2366.31	72	0.7179	36	22	6.21	42.21	1721.95	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Chickasaw	302C	58	53.07	3077.85	72	0.7179					3077.85	T
Chickasaw	303	79	0.10	7.83	72	0.7179	36	43	12.13	48.13	4.77	NT
Chickasaw	323B	72	313.40	22564.85	72	0.7179	36	36	10.16	46.16	14465.20	NT
Chickasaw	323B	72	839.73	60460.83	72	0.7179					60460.83	T
Chickasaw	391B	72	2788.55	200775.27	72	0.7179	36	36	10.16	46.16	128706.99	NT
Chickasaw	391B	72	23294.30	1677189.25	72	0.7179					1677189.25	T
Chickasaw	394B	85	603.67	51312.13	72	0.7179	36	49	13.82	49.82	30076.69	NT
Chickasaw	394B	85	8416.33	715387.89	72	0.7179					715387.89	T
Chickasaw	394C	70	76.44	5350.85	72	0.7179	36	34	9.59	45.59	3485.04	NT
Chickasaw	394C	70	1046.51	73256.00	72	0.7179					73256.00	T
Chickasaw	394C2	68	66.57	4526.91	72	0.7179	36	32	9.03	45.03	2997.56	NT
Chickasaw	394C2	68	1630.76	110891.68	72	0.7179					110891.68	T
Chickasaw	395B	87	0.54	46.89	72	0.7179					46.89	T
Chickasaw	398	81	375.46	30412.22	72	0.7179	36	45	12.69	48.69	18282.81	NT
Chickasaw	398	81	10164.89	823355.94	72	0.7179					823355.94	T
Chickasaw	399	91	539.65	49107.73	72	0.7179	36	55	15.52	51.52	27800.10	NT
Chickasaw	399	91	10073.82	916717.48	72	0.7179					916717.48	T
Chickasaw	399B	84	627.24	52687.82	72	0.7179	36	48	13.54	49.54	31073.77	NT
Chickasaw	399B	84	12010.49	1008881.06	72	0.7179					1008881.06	T
Chickasaw	407B	72	523.72	37707.78	72	0.7179	36	36	10.16	46.16	24172.57	NT
Chickasaw	407B	72	7240.88	521343.50	72	0.7179					521343.50	T
Chickasaw	408B	66	54.56	3600.95	72	0.7179	36	30	8.46	44.46	2425.89	NT
Chickasaw	408B	66	389.33	25695.96	72	0.7179					25695.96	T
Chickasaw	408C	52	50.46	2624.12	72	0.7179	36	16	4.51	40.51	2044.47	NT
Chickasaw	408C	52	259.41	13489.52	72	0.7179					13489.52	T
Chickasaw	412C	13	80.75	1049.81	72	0.7179	13	0	0.00	13.00	1049.81	NT
Chickasaw	412C	13	262.40	3411.22	72	0.7179					3411.22	T
Chickasaw	412E	5	67.30	336.51	72	0.7179	5	0	0.00	5.00	336.51	NT
Chickasaw	412E	5	51.37	256.87	72	0.7179					256.87	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Chickasaw	41B	40	4.37	174.85	72	0.7179					174.85	T
Chickasaw	457	82	13.27	1087.98	72	0.7179	36	46	12.98	48.98	649.82	NT
Chickasaw	457	82	124.34	10195.82	72	0.7179					10195.82	T
Chickasaw	471	86	425.59	36600.46	72	0.7179	36	50	14.11	50.11	21324.02	NT
Chickasaw	471	86	5432.90	467229.44	72	0.7179					467229.44	T
Chickasaw	471B	79	795.87	62874.04	72	0.7179	36	43	12.13	48.13	38305.65	NT
Chickasaw	471B	79	9937.43	785057.33	72	0.7179					785057.33	T
Chickasaw	472	74	120.03	8882.04	72	0.7179	36	38	10.72	46.72	5607.66	NT
Chickasaw	472	74	2287.66	169287.18	72	0.7179					169287.18	T
Chickasaw	482B	78	421.70	32892.79	72	0.7179	36	42	11.85	47.85	20177.70	NT
Chickasaw	482B	78	3674.90	286642.45	72	0.7179					286642.45	T
Chickasaw	482C	66	0.07	4.80	72	0.7179					4.80	T
Chickasaw	482C2	62	180.31	11179.40	72	0.7179	36	26	7.33	43.33	7813.79	NT
Chickasaw	482C2	62	1892.68	117345.89	72	0.7179					117345.89	T
Chickasaw	485	92	605.43	55699.40	72	0.7179	36	56	15.80	51.80	31359.73	NT
Chickasaw	485	92	1733.25	159459.20	72	0.7179					159459.20	T
Chickasaw	491B	74	0.19	13.87	72	0.7179	36	38	10.72	46.72	8.76	NT
Chickasaw	491B	74	0.07	5.34	72	0.7179					5.34	T
Chickasaw	5010	0	139.79	0.00	72	0.7179	0	0	0.00	0.00	0.00	NT
Chickasaw	5010	0	26.43	0.00	72	0.7179					0.00	T
Chickasaw	5030	0	156.28	0.00	72	0.7179	0	0	0.00	0.00	0.00	NT
Chickasaw	5030	0	14.12	0.00	72	0.7179					0.00	T
Chickasaw	5040	5	35.41	177.03	72	0.7179	5	0	0.00	5.00	177.03	NT
Chickasaw	5040	5	30.61	153.04	72	0.7179					153.04	T
Chickasaw	512C2	20	0.01	0.27	72	0.7179					0.27	T
Chickasaw	582B	78	1.18	91.97	72	0.7179	36	42	11.85	47.85	56.42	NT
Chickasaw	582B	78	0.02	1.65	72	0.7179					1.65	T
Chickasaw	582C2	62	0.00	0.05	72	0.7179					0.05	T
Chickasaw	585	86	3323.47	285818.58	72	0.7179	36	50	14.11	50.11	166522.56	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Chickasaw	585	86	2394.73	205947.09	72	0.7179					205947.09	T
Chickasaw	621B	20	115.72	2314.38	72	0.7179	20	0	0.00	20.00	2314.38	NT
Chickasaw	621B	20	162.91	3258.13	72	0.7179					3258.13	T
Chickasaw	626	67	506.48	33934.49	72	0.7179	36	31	8.75	44.75	22662.72	NT
Chickasaw	626	67	4695.62	314606.84	72	0.7179					314606.84	T
Chickasaw	63B	40	2.92	116.97	72	0.7179					116.97	T
Chickasaw	63C	21	99.36	2086.50	72	0.7179	21	0	0.00	21.00	2086.50	NT
Chickasaw	63C	21	90.64	1903.50	72	0.7179					1903.50	T
Chickasaw	713B	69	16.81	1159.90	72	0.7179	36	33	9.31	45.31	761.66	NT
Chickasaw	713B	69	190.77	13163.32	72	0.7179					13163.32	T
Chickasaw	714B	53	29.19	1546.90	72	0.7179	36	17	4.80	40.80	1190.69	NT
Chickasaw	714B	53	244.49	12957.72	72	0.7179					12957.72	T
Chickasaw	775	57	0.92	52.54	72	0.7179					52.54	T
Chickasaw	775B	52	68.75	3575.02	72	0.7179	36	16	4.51	40.51	2785.32	NT
Chickasaw	775B	52	267.90	13930.70	72	0.7179					13930.70	T
Chickasaw	775C	37	94.49	3496.15	72	0.7179	36	1	0.28	36.28	3428.32	NT
Chickasaw	775C	37	133.35	4933.97	72	0.7179					4933.97	T
Chickasaw	776B	28	109.46	3065.00	72	0.7179	28	0	0.00	28.00	3065.00	NT
Chickasaw	776B	28	787.15	22040.13	72	0.7179					22040.13	T
Chickasaw	776C	8	0.22	1.75	72	0.7179	8	0	0.00	8.00	1.75	NT
Chickasaw	776C	8	0.13	1.05	72	0.7179					1.05	T
Chickasaw	776D2	5	136.06	680.29	72	0.7179	5	0	0.00	5.00	680.29	NT
Chickasaw	776D2	5	742.15	3710.76	72	0.7179					3710.76	T
Chickasaw	777	58	858.21	49776.28	72	0.7179	36	22	6.21	42.21	36221.86	NT
Chickasaw	777	58	5010.88	290631.31	72	0.7179					290631.31	T
Chickasaw	777B	53	332.25	17609.34	72	0.7179	36	17	4.80	40.80	13554.44	NT
Chickasaw	777B	53	1893.03	100330.75	72	0.7179					100330.75	T
Chickasaw	781B	60	176.47	10588.16	72	0.7179	36	24	6.77	42.77	7547.66	NT
Chickasaw	781B	60	1757.52	105450.99	72	0.7179					105450.99	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Chickasaw	781C	40	0.07	2.72	72	0.7179	36	4	1.13	37.13	2.53	NT
Chickasaw	781C2	35	30.43	1064.96	72	0.7179	35	0	0.00	35.00	1064.96	NT
Chickasaw	781C2	35	832.88	29150.81	72	0.7179					29150.81	T
Chickasaw	782B	50	76.10	3805.24	72	0.7179	36	14	3.95	39.95	3040.34	NT
Chickasaw	782B	50	1516.54	75826.88	72	0.7179					75826.88	T
Chickasaw	782C2	30	15.18	455.49	72	0.7179	30	0	0.00	30.00	455.49	NT
Chickasaw	782C2	30	176.64	5299.23	72	0.7179					5299.23	T
Chickasaw	783B	63	167.26	10537.43	72	0.7179	36	27	7.62	43.62	7295.37	NT
Chickasaw	783B	63	2100.38	132323.91	72	0.7179					132323.91	T
Chickasaw	783C	43	44.75	1924.22	72	0.7179	36	7	1.97	37.97	1699.34	NT
Chickasaw	783C	43	929.10	39951.38	72	0.7179					39951.38	T
Chickasaw	783C2	41	46.02	1886.89	72	0.7179	36	5	1.41	37.41	1721.70	NT
Chickasaw	783C2	41	1632.20	66920.10	72	0.7179					66920.10	T
Chickasaw	784B	50	157.77	7888.52	72	0.7179	36	14	3.95	39.95	6302.84	NT
Chickasaw	784B	50	1777.95	88897.66	72	0.7179					88897.66	T
Chickasaw	797	56	139.93	7836.02	72	0.7179	36	20	5.64	41.64	5826.92	NT
Chickasaw	797	56	2510.38	140581.16	72	0.7179					140581.16	T
Chickasaw	798B	60	249.75	14984.80	72	0.7179	36	24	6.77	42.77	10681.76	NT
Chickasaw	798B	60	3603.79	216227.45	72	0.7179					216227.45	T
Chickasaw	809C	9	25.49	229.43	72	0.7179	9	0	0.00	9.00	229.43	NT
Chickasaw	809C	9	112.10	1008.91	72	0.7179					1008.91	T
Chickasaw	813B	80	0.06	4.92	72	0.7179					4.92	T
Chickasaw	83B	87	1407.68	122468.36	72	0.7179	36	51	14.39	50.39	70929.03	NT
Chickasaw	83B	87	19114.37	1662950.10	72	0.7179					1662950.10	T
Chickasaw	83C	72	187.05	13467.64	72	0.7179	36	36	10.16	46.16	8633.43	NT
Chickasaw	83C	72	2999.75	215981.66	72	0.7179					215981.66	T
Chickasaw	83C2	69	184.96	12761.96	72	0.7179	36	33	9.31	45.31	8380.23	NT
Chickasaw	83C2	69	4583.48	316259.81	72	0.7179					316259.81	T
Chickasaw	84	76	5798.20	440662.96	72	0.7179	36	40	11.28	47.28	274161.94	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Chickasaw	84	76	42447.89	3226039.81	72	0.7179					3226039.81	T
Chickasaw	914B	53	0.07	3.88	72	0.7179					3.88	T
Chickasaw	96	71	0.00	0.12	72	0.7179	36	35	9.87	45.87	0.08	NT
Chickasaw	96	71	0.24	16.70	72	0.7179					16.70	T
Chickasaw	INT	0	48.90	0.00	72	0.7179	0	0	0.00	0.00	0.00	NT
Chickasaw	INT	0	2.62	0.00	72	0.7179					0.00	T
Chickasaw	SL	0	12.56	0.00	72	0.7179	0	0	0.00	0.00	0.00	NT
Chickasaw	W	0	1191.08	0.00	72	0.7179	0	0	0.00	0.00	0.00	NT
Chickasaw	W	0	13.62	0.00	72	0.7179					0.00	T
											0.00	
											0.00	
Clarke	1131C	45	0.10	4.50	44	0.7234					4.50	T
Clarke	11B	68	0.27	18.30	44	0.7234	22	46	12.72	34.72	9.34	NT
Clarke	11B	68	0.01	1.00	44	0.7234					1.00	T
Clarke	131B	67	109.84	7359.31	44	0.7234	22	45	12.45	34.45	3783.68	NT
Clarke	131B	67	575.34	38547.60	44	0.7234					38547.60	T
Clarke	131C	50	1812.01	90600.26	44	0.7234	22	28	7.74	29.74	53897.73	NT
Clarke	131C	50	3848.80	192439.85	44	0.7234					192439.85	T
Clarke	131C2	45	337.87	15203.96	44	0.7234	22	23	6.36	28.36	9582.48	NT
Clarke	131C2	45	1101.67	49575.35	44	0.7234					49575.35	T
Clarke	132C	44	449.54	19779.64	44	0.7234	22	22	6.09	28.09	12625.34	NT
Clarke	132C	44	103.40	4549.51	44	0.7234					4549.51	T
Clarke	132C2	40	0.41	16.50	44	0.7234	22	18	4.98	26.98	11.13	NT
Clarke	132C2	40	0.08	3.34	44	0.7234					3.34	T
Clarke	133	80	473.35	37868.21	44	0.7234	22	58	16.04	38.04	18007.66	NT
Clarke	133	80	929.34	74347.05	44	0.7234					74347.05	T
Clarke	133B	75	99.51	7462.94	44	0.7234	22	53	14.66	36.66	3647.87	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	133B	75	217.58	16318.54	44	0.7234					16318.54	T
Clarke	13B	65	16842.22	1094744.54	44	0.7234	22	43	11.89	33.89	570846.96	NT
Clarke	13B	65	4997.81	324857.33	44	0.7234					324857.33	T
Clarke	1711	25	0.17	4.24	44	0.7234	22	3	0.83	22.83	3.87	NT
Clarke	1711	25	0.13	3.31	44	0.7234					3.31	T
Clarke	1715	25	3909.62	97740.41	44	0.7234	22	3	0.83	22.83	89255.76	NT
Clarke	1715	25	943.25	23581.22	44	0.7234					23581.22	T
Clarke	179D	45	208.62	9387.97	44	0.7234	22	23	6.36	28.36	5916.88	NT
Clarke	179D	45	160.74	7233.33	44	0.7234					7233.33	T
Clarke	179D2	43	77.43	3329.48	44	0.7234	22	21	5.81	27.81	2153.21	NT
Clarke	179D2	43	198.25	8524.55	44	0.7234					8524.55	T
Clarke	179E	35	2955.89	103456.17	44	0.7234	22	13	3.60	25.60	75658.38	NT
Clarke	179E	35	1245.13	43579.47	44	0.7234					43579.47	T
Clarke	179E2	33	3706.58	122316.98	44	0.7234	22	11	3.04	25.04	92822.28	NT
Clarke	179E2	33	3913.33	129139.89	44	0.7234					129139.89	T
Clarke	179E3	30	145.42	4362.53	44	0.7234	22	8	2.21	24.21	3520.97	NT
Clarke	179E3	30	172.25	5167.53	44	0.7234					5167.53	T
Clarke	179F	15	8146.31	122194.63	44	0.7234	15	0	0.00	15.00	122194.63	NT
Clarke	179F	15	1070.38	16055.73	44	0.7234					16055.73	T
Clarke	179F2	14	3695.96	51743.40	44	0.7234	14	0	0.00	14.00	51743.40	NT
Clarke	179F2	14	2297.42	32163.87	44	0.7234					32163.87	T
Clarke	192C	35	125.83	4403.88	44	0.7234	22	13	3.60	25.60	3220.59	NT
Clarke	192C	35	330.81	11578.30	44	0.7234					11578.30	T
Clarke	192C2	30	390.69	11720.61	44	0.7234	22	8	2.21	24.21	9459.63	NT
Clarke	192C2	30	1440.69	43220.83	44	0.7234					43220.83	T
Clarke	192D	20	283.90	5677.94	44	0.7234	20	0	0.00	20.00	5677.94	NT
Clarke	192D	20	453.28	9065.57	44	0.7234					9065.57	T
Clarke	192D2	15	1297.22	19458.28	44	0.7234	15	0	0.00	15.00	19458.28	NT
Clarke	192D2	15	3168.27	47524.09	44	0.7234					47524.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	192D3	5	36.95	184.73	44	0.7234	5	0	0.00	5.00	184.73	NT
Clarke	192D3	5	200.76	1003.82	44	0.7234					1003.82	T
Clarke	211	60	3.13	187.77	44	0.7234	22	38	10.51	32.51	101.74	NT
Clarke	211	60	606.14	36368.69	44	0.7234					36368.69	T
Clarke	212	94	0.01	0.68	44	0.7234	22	72	19.92	41.92	0.30	NT
Clarke	220	85	578.63	49183.94	44	0.7234	22	63	17.43	39.43	22813.13	NT
Clarke	220	85	1018.75	86593.43	44	0.7234					86593.43	T
Clarke	222C	30	235.24	7057.20	44	0.7234	22	8	2.21	24.21	5695.82	NT
Clarke	222C	30	694.05	20821.59	44	0.7234					20821.59	T
Clarke	222C2	25	2506.67	62666.77	44	0.7234	22	3	0.83	22.83	57226.79	NT
Clarke	222C2	25	10440.03	261000.76	44	0.7234					261000.76	T
Clarke	222C3	15	107.89	1618.36	44	0.7234	15	0	0.00	15.00	1618.36	NT
Clarke	222C3	15	594.01	8910.20	44	0.7234					8910.20	T
Clarke	222D2	10	301.63	3016.35	44	0.7234	10	0	0.00	10.00	3016.35	NT
Clarke	222D2	10	622.59	6225.89	44	0.7234					6225.89	T
Clarke	23C	55	972.19	53470.41	44	0.7234	22	33	9.13	31.13	30262.11	NT
Clarke	23C	55	4617.15	253942.98	44	0.7234					253942.98	T
Clarke	23C2	50	2593.39	129669.69	44	0.7234	22	28	7.74	29.74	77139.98	NT
Clarke	23C2	50	22545.89	1127294.26	44	0.7234					1127294.26	T
Clarke	24D	50	138.92	6946.06	44	0.7234	22	28	7.74	29.74	4132.18	NT
Clarke	24D	50	261.47	13073.44	44	0.7234					13073.44	T
Clarke	24D2	48	412.33	19791.92	44	0.7234	22	26	7.19	29.19	12036.62	NT
Clarke	24D2	48	913.54	43849.96	44	0.7234					43849.96	T
Clarke	24E	40	971.09	38843.65	44	0.7234	22	18	4.98	26.98	26198.88	NT
Clarke	24E	40	931.45	37257.94	44	0.7234					37257.94	T
Clarke	24E2	38	6666.96	253344.51	44	0.7234	22	16	4.43	26.43	176178.44	NT
Clarke	24E2	38	7150.38	271714.63	44	0.7234					271714.63	T
Clarke	24E3	35	232.14	8124.93	44	0.7234	22	13	3.60	25.60	5941.83	NT
Clarke	24E3	35	427.51	14962.91	44	0.7234					14962.91	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	24F	20	169.59	3391.74	44	0.7234	20	0	0.00	20.00	3391.74	NT
Clarke	24F	20	163.66	3273.22	44	0.7234					3273.22	T
Clarke	24F2	18	1170.65	21071.64	44	0.7234	18	0	0.00	18.00	21071.64	NT
Clarke	24F2	18	849.27	15286.93	44	0.7234					15286.93	T
Clarke	269	58	35.46	2056.63	44	0.7234	22	36	9.96	31.96	1133.19	NT
Clarke	269	58	228.59	13258.37	44	0.7234					13258.37	T
Clarke	273B	72	448.27	32275.27	44	0.7234	22	50	13.83	35.83	16061.43	NT
Clarke	273B	72	867.59	62466.33	44	0.7234					62466.33	T
Clarke	273C	57	543.25	30965.24	44	0.7234	22	35	9.68	31.68	17210.70	NT
Clarke	273C	57	799.99	45599.32	44	0.7234					45599.32	T
Clarke	362	70	263.25	18427.71	44	0.7234	22	48	13.28	35.28	9286.72	NT
Clarke	362	70	7888.52	552196.32	44	0.7234					552196.32	T
Clarke	364B	75	1431.29	107347.01	44	0.7234	22	53	14.66	36.66	52470.93	NT
Clarke	364B	75	18849.18	1413688.19	44	0.7234					1413688.19	T
Clarke	368	95	34.07	3236.48	44	0.7234	22	73	20.19	42.19	1437.40	NT
Clarke	368	95	540.69	51366.01	44	0.7234					51366.01	T
Clarke	368B	90	212.78	19149.90	44	0.7234	22	68	18.81	40.81	8683.16	NT
Clarke	368B	90	2657.04	239133.68	44	0.7234					239133.68	T
Clarke	369	87	5.98	520.61	44	0.7234	22	65	17.98	39.98	239.23	NT
Clarke	369	87	358.49	31189.03	44	0.7234					31189.03	T
Clarke	370B	87	117.20	10196.33	44	0.7234	22	65	17.98	39.98	4685.51	NT
Clarke	370B	87	852.59	74174.90	44	0.7234					74174.90	T
Clarke	370C	72	330.06	23764.20	44	0.7234	22	50	13.83	35.83	11825.99	NT
Clarke	370C	72	1431.13	103041.58	44	0.7234					103041.58	T
Clarke	370C2	67	202.00	13533.77	44	0.7234	22	45	12.45	34.45	6958.18	NT
Clarke	370C2	67	987.47	66160.23	44	0.7234					66160.23	T
Clarke	371C	69	0.08	5.76	44	0.7234	22	47	13.00	35.00	2.92	NT
Clarke	423C2	27	84.35	2277.32	44	0.7234	22	5	1.38	23.38	1972.25	NT
Clarke	423C2	27	196.29	5299.77	44	0.7234					5299.77	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	423D	18	645.47	11618.50	44	0.7234	18	0	0.00	18.00	11618.50	NT
Clarke	423D	18	605.03	10890.49	44	0.7234					10890.49	T
Clarke	423D2	13	1362.31	17710.00	44	0.7234	13	0	0.00	13.00	17710.00	NT
Clarke	423D2	13	2598.89	33785.61	44	0.7234					33785.61	T
Clarke	425D	16	1904.81	30476.98	44	0.7234	16	0	0.00	16.00	30476.98	NT
Clarke	425D	16	192.14	3074.31	44	0.7234					3074.31	T
Clarke	425D2	12	259.86	3118.34	44	0.7234	12	0	0.00	12.00	3118.34	NT
Clarke	425D2	12	116.67	1400.07	44	0.7234					1400.07	T
Clarke	430	83	247.89	20575.12	44	0.7234	22	61	16.87	38.87	9636.25	NT
Clarke	430	83	534.99	44403.82	44	0.7234					44403.82	T
Clarke	451D2	33	0.02	0.55	44	0.7234					0.55	T
Clarke	452C	35	0.13	4.52	44	0.7234	22	13	3.60	25.60	3.31	NT
Clarke	452C	35	0.48	16.65	44	0.7234					16.65	T
Clarke	452C2	30	154.84	4645.13	44	0.7234	22	8	2.21	24.21	3749.05	NT
Clarke	452C2	30	194.44	5833.17	44	0.7234					5833.17	T
Clarke	484	90	381.43	34328.88	44	0.7234	22	68	18.81	40.81	15565.78	NT
Clarke	484	90	1485.87	133728.19	44	0.7234					133728.19	T
Clarke	5030	0	134.57	0.00	44	0.7234	0	0	0.00	0.00	0.00	NT
Clarke	5030	0	13.14	0.00	44	0.7234					0.00	T
Clarke	5040	5	270.00	1350.00	44	0.7234	5	0	0.00	5.00	1350.00	NT
Clarke	5040	5	84.97	424.84	44	0.7234					424.84	T
Clarke	51	70	44.32	3102.64	44	0.7234	22	48	13.28	35.28	1563.59	NT
Clarke	51	70	320.20	22414.19	44	0.7234					22414.19	T
Clarke	51B	65	179.14	11644.06	44	0.7234	22	43	11.89	33.89	6071.72	NT
Clarke	51B	65	583.57	37932.22	44	0.7234					37932.22	T
Clarke	54	70	320.99	22469.37	44	0.7234	22	48	13.28	35.28	11323.53	NT
Clarke	54	70	1595.33	111673.34	44	0.7234					111673.34	T
Clarke	54+	75	91.13	6834.83	44	0.7234	22	53	14.66	36.66	3340.85	NT
Clarke	54+	75	602.20	45165.32	44	0.7234					45165.32	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	56C	52	449.39	23368.38	44	0.7234	22	30	8.30	30.30	13615.68	NT
Clarke	56C	52	284.84	14811.83	44	0.7234					14811.83	T
Clarke	570C	69	32.67	2254.12	44	0.7234	22	47	13.00	35.00	1143.40	NT
Clarke	570C	69	245.42	16933.83	44	0.7234					16933.83	T
Clarke	570C2	64	350.17	22410.58	44	0.7234	22	42	11.62	33.62	11771.58	NT
Clarke	570C2	64	2630.37	168343.47	44	0.7234					168343.47	T
Clarke	592C2	21	116.49	2446.35	44	0.7234	21	0	0.00	21.00	2446.35	NT
Clarke	592C2	21	495.81	10412.09	44	0.7234					10412.09	T
Clarke	592D2	5	97.13	485.63	44	0.7234	5	0	0.00	5.00	485.63	NT
Clarke	592D2	5	219.33	1096.66	44	0.7234					1096.66	T
Clarke	65D	35	198.41	6944.46	44	0.7234	22	13	3.60	25.60	5078.54	NT
Clarke	65D	35	20.00	700.13	44	0.7234					700.13	T
Clarke	65E	25	460.62	11515.56	44	0.7234	22	3	0.83	22.83	10515.91	NT
Clarke	65E	25	76.46	1911.60	44	0.7234					1911.60	T
Clarke	65F	10	3972.34	39723.43	44	0.7234	10	0	0.00	10.00	39723.43	NT
Clarke	65F	10	130.59	1305.90	44	0.7234					1305.90	T
Clarke	65F2	8	261.37	2090.99	44	0.7234	8	0	0.00	8.00	2090.99	NT
Clarke	65F2	8	71.52	572.16	44	0.7234					572.16	T
Clarke	65G	5	347.78	1738.89	44	0.7234	5	0	0.00	5.00	1738.89	NT
Clarke	65G	5	6.11	30.53	44	0.7234					30.53	T
Clarke	69C	50	20.71	1035.46	44	0.7234	22	28	7.74	29.74	615.99	NT
Clarke	69C	50	180.85	9042.62	44	0.7234					9042.62	T
Clarke	69C2	41	34.06	1396.37	44	0.7234	22	19	5.26	27.26	928.26	NT
Clarke	69C2	41	838.72	34387.37	44	0.7234					34387.37	T
Clarke	730C	45	1168.13	52565.77	44	0.7234	22	23	6.36	28.36	33130.22	NT
Clarke	730C	45	40.53	1823.65	44	0.7234					1823.65	T
Clarke	76C2	67	318.42	21334.35	44	0.7234	22	45	12.45	34.45	10968.72	NT
Clarke	76C2	67	576.09	38597.91	44	0.7234					38597.91	T
Clarke	792C	31	242.70	7523.59	44	0.7234	22	9	2.49	24.49	5943.49	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	792C	31	534.57	16571.65	44	0.7234					16571.65	T
Clarke	792C2	26	89.46	2325.93	44	0.7234	22	4	1.11	23.11	2067.08	NT
Clarke	792C2	26	295.87	7692.66	44	0.7234					7692.66	T
Clarke	792D	18	4335.13	78032.41	44	0.7234	18	0	0.00	18.00	78032.41	NT
Clarke	792D	18	1845.36	33216.57	44	0.7234					33216.57	T
Clarke	792D2	11	2966.69	32633.54	44	0.7234	11	0	0.00	11.00	32633.54	NT
Clarke	792D2	11	4633.52	50968.67	44	0.7234					50968.67	T
Clarke	792D3	5	61.18	305.90	44	0.7234	5	0	0.00	5.00	305.90	NT
Clarke	792D3	5	138.36	691.80	44	0.7234					691.80	T
Clarke	822C	29	118.59	3439.08	44	0.7234	22	7	1.94	23.94	2838.57	NT
Clarke	822C	29	392.28	11376.25	44	0.7234					11376.25	T
Clarke	822C2	24	641.79	15402.92	44	0.7234	22	2	0.55	22.55	14474.39	NT
Clarke	822C2	24	3349.42	80386.17	44	0.7234					80386.17	T
Clarke	822C3	20	42.37	847.46	44	0.7234	20	0	0.00	20.00	847.46	NT
Clarke	822C3	20	274.49	5489.84	44	0.7234					5489.84	T
Clarke	822D	20	253.03	5060.68	44	0.7234	20	0	0.00	20.00	5060.68	NT
Clarke	822D	20	465.16	9303.21	44	0.7234					9303.21	T
Clarke	822D2	15	5961.26	89418.85	44	0.7234	15	0	0.00	15.00	89418.85	NT
Clarke	822D2	15	12558.44	188376.62	44	0.7234					188376.62	T
Clarke	822D3	10	277.52	2775.16	44	0.7234	10	0	0.00	10.00	2775.16	NT
Clarke	822D3	10	1029.52	10295.22	44	0.7234					10295.22	T
Clarke	87B	60	945.51	56730.30	44	0.7234	22	38	10.51	32.51	30739.13	NT
Clarke	87B	60	567.32	34039.38	44	0.7234					34039.38	T
Clarke	892C2	16	70.09	1121.47	44	0.7234	16	0	0.00	16.00	1121.47	NT
Clarke	892C2	16	200.26	3204.22	44	0.7234					3204.22	T
Clarke	93D	30	91.01	2730.31	44	0.7234	22	8	2.21	24.21	2203.61	NT
Clarke	93D	30	182.33	5469.86	44	0.7234					5469.86	T
Clarke	93D2	33	1116.50	36844.36	44	0.7234	22	11	3.04	25.04	27959.96	NT
Clarke	93D2	33	2662.18	87852.08	44	0.7234					87852.08	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	93D3	20	207.09	4141.87	44	0.7234	20	0	0.00	20.00	4141.87	NT
Clarke	93D3	20	627.00	12539.97	44	0.7234					12539.97	T
Clarke	94D	25	391.39	9784.85	44	0.7234	22	3	0.83	22.83	8935.45	NT
Clarke	94D	25	410.68	10266.92	44	0.7234					10266.92	T
Clarke	94D2	10	785.90	7859.04	44	0.7234	10	0	0.00	10.00	7859.04	NT
Clarke	94D2	10	1776.80	17767.97	44	0.7234					17767.97	T
Clarke	94E2	5	261.95	1309.74	44	0.7234	5	0	0.00	5.00	1309.74	NT
Clarke	94E2	5	396.08	1980.38	44	0.7234					1980.38	T
Clarke	980B	25	0.20	4.94	44	0.7234	22	3	0.83	22.83	4.51	NT
Clarke	980B	25	0.03	0.82	44	0.7234					0.82	T
Clarke	993D2	20	395.95	7919.03	44	0.7234	20	0	0.00	20.00	7919.03	NT
Clarke	993D2	20	687.44	13748.84	44	0.7234					13748.84	T
Clarke	993E2	10	300.72	3007.25	44	0.7234	10	0	0.00	10.00	3007.25	NT
Clarke	993E2	10	396.06	3960.62	44	0.7234					3960.62	T
Clarke	AW	0	25.36	0.00	44	0.7234	0	0	0.00	0.00	0.00	NT
Clarke	BW	0	0.88	0.00	44	0.7234	0	0	0.00	0.00	0.00	NT
Clarke	BW	0	6.89	0.00	44	0.7234					0.00	T
Clarke	CoC2	45	0.45	20.21	44	0.7234					20.21	T
Clarke	CsC2	58	0.05	2.78	44	0.7234					2.78	T
Clarke	CyB	10	4.42	44.19	44	0.7234	10	0	0.00	10.00	44.19	NT
Clarke	CyB	10	0.06	0.60	44	0.7234					0.60	T
Clarke	GaD2	43	0.31	13.24	44	0.7234					13.24	T
Clarke	GaE2	33	0.31	10.27	44	0.7234	22	11	3.04	25.04	7.79	NT
Clarke	GaF2	13	9.89	128.61	44	0.7234	13	0	0.00	13.00	128.61	NT
Clarke	GaF2	13	0.95	12.39	44	0.7234					12.39	T
Clarke	Ke	86	0.81	69.74	44	0.7234	22	64	17.70	39.70	32.20	NT
Clarke	KkD2	12	0.08	0.90	44	0.7234	12	0	0.00	12.00	0.90	NT
Clarke	KkD2	12	0.12	1.41	44	0.7234					1.41	T
Clarke	LaB	82	0.00	0.07	44	0.7234	22	60	16.60	38.60	0.03	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	LaB	82	0.04	2.90	44	0.7234					2.90	T
Clarke	LaC2	62	1.14	70.50	44	0.7234	22	40	11.06	33.06	37.59	NT
Clarke	LaC2	62	0.28	17.49	44	0.7234					17.49	T
Clarke	LcD2	15	6.53	97.96	44	0.7234	15	0	0.00	15.00	97.96	NT
Clarke	LcD2	15	0.48	7.14	44	0.7234					7.14	T
Clarke	LeE3	25	17.33	433.22	44	0.7234	22	3	0.83	22.83	395.61	NT
Clarke	MbA	95	0.06	5.95	44	0.7234					5.95	T
Clarke	MbB	90	0.16	14.25	44	0.7234					14.25	T
Clarke	NlC2	64	0.12	7.62	44	0.7234	22	42	11.62	33.62	4.00	NT
Clarke	NlC2	64	0.02	1.29	44	0.7234					1.29	T
Clarke	Nm	85	2.44	207.57	44	0.7234	22	63	17.43	39.43	96.28	NT
Clarke	Nm	85	0.01	0.74	44	0.7234					0.74	T
Clarke	Nn	25	10.34	258.57	44	0.7234	22	3	0.83	22.83	236.13	NT
Clarke	Nn	25	0.00	0.02	44	0.7234					0.02	T
Clarke	SbB	87	0.02	1.97	44	0.7234					1.97	T
Clarke	SbC2	67	0.30	19.88	44	0.7234					19.88	T
Clarke	SbD2	57	0.02	1.09	44	0.7234	22	35	9.68	31.68	0.61	NT
Clarke	SbD2	57	0.07	3.89	44	0.7234					3.89	T
Clarke	ShF2	18	0.12	2.22	44	0.7234	18	0	0.00	18.00	2.22	NT
Clarke	ShF2	18	0.06	1.09	44	0.7234					1.09	T
Clarke	SL	0	14.50	0.00	44	0.7234	0	0	0.00	0.00	0.00	NT
Clarke	SlE2	10	0.02	0.19	44	0.7234	10	0	0.00	10.00	0.19	NT
Clarke	SlE2	10	0.61	6.10	44	0.7234					6.10	T
Clarke	VeB	65	0.03	2.08	44	0.7234	22	43	11.89	33.89	1.08	NT
Clarke	VeB	65	0.11	6.86	44	0.7234					6.86	T
Clarke	W	0	1504.31	0.00	44	0.7234	0	0	0.00	0.00	0.00	NT
Clarke	W	0	5.34	0.00	44	0.7234					0.00	T
Clarke	WoB	85	0.01	1.08	44	0.7234	22	63	17.43	39.43	0.50	NT
Clarke	WoB	85	0.08	7.07	44	0.7234					7.07	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clarke	ZoA	70	0.13	8.91	44	0.7234					8.91	T
Clarke	ZoB	65	0.38	25.00	44	0.7234	22	43	11.89	33.89	13.04	NT
											0.00	
											0.00	
Clay	1053	69	11.62	801.54	71	0.7701	36	34	7.82	43.82	508.99	NT
Clay	1053	69	493.44	34047.67	71	0.7701					34047.67	T
Clay	107	70	300.18	21012.25	71	0.7701	36	34	7.82	43.82	13152.65	NT
Clay	107	70	12674.00	887179.75	71	0.7701					887179.75	T
Clay	108	52	1233.86	64160.60	71	0.7701	36	16	3.68	39.68	48957.50	NT
Clay	108	52	11619.07	604191.59	71	0.7701					604191.59	T
Clay	108B	47	526.34	24737.98	71	0.7701	36	12	2.76	38.76	20400.31	NT
Clay	108B	47	3886.88	182683.27	71	0.7701					182683.27	T
Clay	108C2	25	1.81	45.23	71	0.7701	25	0	0.00	25.00	45.23	NT
Clay	108C2	25	28.30	707.46	71	0.7701					707.46	T
Clay	1091	82	1409.25	115558.80	71	0.7701	36	46	10.58	46.58	65636.55	NT
Clay	1091	82	45937.46	3766871.96	71	0.7701					3766871.96	T
Clay	1092	79	295.53	23346.56	71	0.7701	36	44	10.12	46.12	13628.36	NT
Clay	1092	79	35177.93	2779056.81	71	0.7701					2779056.81	T
Clay	1133	25	2535.11	63377.65	71	0.7701	25	0	0.00	25.00	63377.65	NT
Clay	1133	25	496.29	12407.14	71	0.7701					12407.14	T
Clay	1259	52	119.79	6229.12	71	0.7701	36	16	3.68	39.68	4753.11	NT
Clay	1259	52	657.98	34215.03	71	0.7701					34215.03	T
Clay	133	80	2334.83	186786.17	71	0.7701	36	44	10.12	46.12	107671.95	NT
Clay	133	80	4396.49	351718.85	71	0.7701					351718.85	T
Clay	135	78	535.04	41733.25	71	0.7701	36	42	9.66	45.66	24427.76	NT
Clay	135	78	2520.77	196620.43	71	0.7701					196620.43	T
Clay	1385	73	16.71	1219.50	71	0.7701	36	38	8.74	44.74	747.34	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clay	1385	73	923.84	67440.32	71	0.7701					67440.32	T
Clay	138B	73	1203.62	87864.13	71	0.7701	36	38	8.74	44.74	53845.31	NT
Clay	138B	73	21026.50	1534934.19	71	0.7701					1534934.19	T
Clay	138C2	59	561.77	33144.37	71	0.7701	36	24	5.52	41.52	23323.30	NT
Clay	138C2	59	7360.99	434298.34	71	0.7701					434298.34	T
Clay	1508	64	47.32	3028.53	71	0.7701	36	28	6.44	42.44	2008.16	NT
Clay	1508	64	1932.73	123694.61	71	0.7701					123694.61	T
Clay	1585	5	3350.27	16751.33	71	0.7701	5	0	0.00	5.00	16751.33	NT
Clay	1585	5	1083.03	5415.17	71	0.7701					5415.17	T
Clay	1658C	25	1.57	39.16	71	0.7701	25	0	0.00	25.00	39.16	NT
Clay	1658C	25	0.01	0.13	71	0.7701					0.13	T
Clay	175	60	41.44	2486.66	71	0.7701	36	24	5.52	41.52	1720.67	NT
Clay	175	60	480.28	28816.51	71	0.7701					28816.51	T
Clay	175B	56	117.75	6594.02	71	0.7701	36	20	4.60	40.60	4780.43	NT
Clay	175B	56	1480.34	82898.89	71	0.7701					82898.89	T
Clay	191	76	60.22	4576.39	71	0.7701	36	40	9.20	45.20	2721.51	NT
Clay	191	76	3629.20	275819.53	71	0.7701					275819.53	T
Clay	201B	51	1416.85	72259.55	71	0.7701	36	16	3.68	39.68	56218.50	NT
Clay	201B	51	1327.27	67690.78	71	0.7701					67690.78	T
Clay	202	60	206.58	12394.74	71	0.7701	36	24	5.52	41.52	8576.66	NT
Clay	202	60	4035.29	242117.18	71	0.7701					242117.18	T
Clay	203	71	289.31	20541.03	71	0.7701	36	36	8.28	44.28	12809.62	NT
Clay	203	71	4883.45	346725.02	71	0.7701					346725.02	T
Clay	221	25	289.06	7226.59	71	0.7701	25	0	0.00	25.00	7226.59	NT
Clay	221	25	393.39	9834.74	71	0.7701					9834.74	T
Clay	236G	9	1.88	16.96	71	0.7701	9	0	0.00	9.00	16.96	NT
Clay	259	41	609.60	24993.53	71	0.7701	36	6	1.38	37.38	22786.42	NT
Clay	259	41	6841.96	280520.18	71	0.7701					280520.18	T
Clay	274	39	1.23	48.13	71	0.7701	36	4	0.92	36.92	45.56	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clay	274	39	114.38	4460.84	71	0.7701					4460.84	T
Clay	27B	82	243.51	19967.67	71	0.7701	36	46	10.58	46.58	11341.49	NT
Clay	27B	82	1393.21	114243.08	71	0.7701					114243.08	T
Clay	27C	61	422.41	25766.95	71	0.7701	36	26	5.98	41.98	17731.63	NT
Clay	27C	61	523.58	31938.47	71	0.7701					31938.47	T
Clay	27D	52	95.68	4975.29	71	0.7701	36	16	3.68	39.68	3796.37	NT
Clay	27D	52	124.02	6449.01	71	0.7701					6449.01	T
Clay	282	78	397.97	31041.44	71	0.7701	36	42	9.66	45.66	18169.51	NT
Clay	282	78	11374.22	887189.47	71	0.7701					887189.47	T
Clay	308	43	100.60	4325.66	71	0.7701	36	8	1.84	37.84	3806.50	NT
Clay	308	43	1604.52	68994.27	71	0.7701					68994.27	T
Clay	308B	36	78.88	2839.53	71	0.7701	36	0	0.00	36.00	2839.53	NT
Clay	308B	36	637.16	22937.63	71	0.7701					22937.63	T
Clay	31	75	702.01	52650.83	71	0.7701	36	40	9.20	45.20	31728.09	NT
Clay	31	75	5444.84	408363.12	71	0.7701					408363.12	T
Clay	310	79	0.18	14.43	71	0.7701					14.43	T
Clay	310B	71	2.67	189.57	71	0.7701	36	36	8.28	44.28	118.22	NT
Clay	34B	15	18.59	278.85	71	0.7701	15	0	0.00	15.00	278.85	NT
Clay	34B	15	101.35	1520.29	71	0.7701					1520.29	T
Clay	354	5	444.98	2224.89	71	0.7701	5	0	0.00	5.00	2224.89	NT
Clay	354	5	137.13	685.67	71	0.7701					685.67	T
Clay	375	70	61.30	4290.85	71	0.7701	36	34	7.82	43.82	2685.87	NT
Clay	375	70	1580.61	110642.64	71	0.7701					110642.64	T
Clay	376F	16	487.89	7806.26	71	0.7701	16	0	0.00	16.00	7806.26	NT
Clay	376F	16	8.98	143.69	71	0.7701					143.69	T
Clay	379	67	8.61	576.56	71	0.7701	36	32	7.36	43.36	373.10	NT
Clay	379	67	217.05	14542.04	71	0.7701					14542.04	T
Clay	379B	62	79.73	4943.10	71	0.7701	36	26	5.98	41.98	3346.75	NT
Clay	379B	62	701.68	43504.03	71	0.7701					43504.03	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clay	379C2	47	36.37	1709.27	71	0.7701	36	12	2.76	38.76	1409.56	NT
Clay	379C2	47	77.85	3658.87	71	0.7701					3658.87	T
Clay	384	67	16.94	1134.81	71	0.7701	36	32	7.36	43.36	734.35	NT
Clay	384	67	167.87	11247.22	71	0.7701					11247.22	T
Clay	390	59	17.06	1006.83	71	0.7701	36	24	5.52	41.52	708.49	NT
Clay	390	59	1507.23	88926.49	71	0.7701					88926.49	T
Clay	397	72	217.90	15688.82	71	0.7701	36	36	8.28	44.28	9647.84	NT
Clay	397	72	7541.52	542989.21	71	0.7701					542989.21	T
Clay	41C	25	47.62	1190.46	71	0.7701	25	0	0.00	25.00	1190.46	NT
Clay	41C	25	722.83	18070.72	71	0.7701					18070.72	T
Clay	428B	93	0.83	77.34	71	0.7701	36	58	13.33	49.33	41.02	NT
Clay	428B	93	13.57	1261.81	71	0.7701					1261.81	T
Clay	433E	25	661.12	16527.98	71	0.7701	25	0	0.00	25.00	16527.98	NT
Clay	433E	25	468.06	11701.56	71	0.7701					11701.56	T
Clay	433F	5	1883.22	9416.10	71	0.7701	5	0	0.00	5.00	9416.10	NT
Clay	433F	5	308.59	1542.93	71	0.7701					1542.93	T
Clay	433G	5	2179.88	10899.41	71	0.7701	5	0	0.00	5.00	10899.41	NT
Clay	433G	5	125.66	628.30	71	0.7701					628.30	T
Clay	455	74	259.37	19193.25	71	0.7701	36	38	8.74	44.74	11603.15	NT
Clay	455	74	9289.28	687406.82	71	0.7701					687406.82	T
Clay	456	73	140.97	10290.67	71	0.7701	36	38	8.74	44.74	6306.38	NT
Clay	456	73	3819.89	278851.63	71	0.7701					278851.63	T
Clay	48	41	63.66	2609.98	71	0.7701	36	6	1.38	37.38	2379.50	NT
Clay	48	41	194.50	7974.64	71	0.7701					7974.64	T
Clay	485	92	265.23	24401.03	71	0.7701	36	56	12.87	48.87	12962.89	NT
Clay	485	92	728.54	67025.92	71	0.7701					67025.92	T
Clay	485B	82	1.35	110.85	71	0.7701	36	46	10.58	46.58	62.96	NT
Clay	501	0	1.42	0.00	71	0.7701	0	0	0.00	0.00	0.00	NT
Clay	501	0	2.30	0.00	71	0.7701					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clay	5010	0	365.97	0.00	71	0.7701	0	0	0.00	0.00	0.00	NT
Clay	5010	0	51.04	0.00	71	0.7701					0.00	T
Clay	5040	5	72.76	363.80	71	0.7701	5	0	0.00	5.00	363.80	NT
Clay	5040	5	86.84	434.18	71	0.7701					434.18	T
Clay	506	69	0.56	38.31	71	0.7701	36	34	7.82	43.82	24.33	NT
Clay	506	69	341.90	23591.26	71	0.7701					23591.26	T
Clay	5060	0	3.50	0.00	71	0.7701	0	0	0.00	0.00	0.00	NT
Clay	5060	0	2.79	0.00	71	0.7701					0.00	T
Clay	507	71	378.21	26852.97	71	0.7701	36	36	8.28	44.28	16745.81	NT
Clay	507	71	10939.39	776696.45	71	0.7701					776696.45	T
Clay	54	70	537.56	37629.24	71	0.7701	36	34	7.82	43.82	23554.08	NT
Clay	54	70	596.89	41782.51	71	0.7701					41782.51	T
Clay	541C	12	205.73	2468.81	71	0.7701	12	0	0.00	12.00	2468.81	NT
Clay	541C	12	971.14	11653.62	71	0.7701					11653.62	T
Clay	55	73	383.93	28026.81	71	0.7701	36	38	8.74	44.74	17175.52	NT
Clay	55	73	12771.20	932297.55	71	0.7701					932297.55	T
Clay	559	40	422.28	16891.31	71	0.7701	36	4	0.92	36.92	15590.51	NT
Clay	559	40	4966.69	198667.50	71	0.7701					198667.50	T
Clay	577B	73	1258.96	91904.32	71	0.7701	36	38	8.74	44.74	56321.24	NT
Clay	577B	73	15367.32	1121814.53	71	0.7701					1121814.53	T
Clay	577C	53	3.12	165.41	71	0.7701					165.41	T
Clay	577C2	67	533.45	35740.85	71	0.7701	36	32	7.36	43.36	23128.49	NT
Clay	577C2	67	2234.82	149732.75	71	0.7701					149732.75	T
Clay	585B	70	4.00	280.13	71	0.7701	36	34	7.82	43.82	175.35	NT
Clay	6	43	129.31	5560.39	71	0.7701	36	8	1.84	37.84	4893.04	NT
Clay	6	43	3653.40	157096.38	71	0.7701					157096.38	T
Clay	62D	39	1.73	67.41	71	0.7701	36	4	0.92	36.92	63.81	NT
Clay	62D	39	10.96	427.28	71	0.7701					427.28	T
Clay	62E	30	2.08	62.47	71	0.7701	30	0	0.00	30.00	62.47	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clay	62E	30	0.24	7.26	71	0.7701					7.26	T
Clay	62F	7	386.32	2704.25	71	0.7701	7	0	0.00	7.00	2704.25	NT
Clay	62F	7	67.37	471.57	71	0.7701					471.57	T
Clay	62G	5	41.08	205.40	71	0.7701	5	0	0.00	5.00	205.40	NT
Clay	62G	5	0.57	2.86	71	0.7701					2.86	T
Clay	637D2	37	629.76	23301.09	71	0.7701	36	2	0.46	36.46	22960.89	NT
Clay	637D2	37	789.53	29212.73	71	0.7701					29212.73	T
Clay	638C2	52	38.39	1996.07	71	0.7701	36	16	3.68	39.68	1523.10	NT
Clay	638C2	52	598.68	31131.42	71	0.7701					31131.42	T
Clay	672	38	63.16	2399.93	71	0.7701	36	2	0.46	36.46	2302.66	NT
Clay	672	38	1429.01	54302.24	71	0.7701					54302.24	T
Clay	672B	33	39.42	1300.95	71	0.7701	33	0	0.00	33.00	1300.95	NT
Clay	672B	33	516.68	17050.43	71	0.7701					17050.43	T
Clay	672C2	18	12.97	233.43	71	0.7701	18	0	0.00	18.00	233.43	NT
Clay	672C2	18	119.31	2147.51	71	0.7701					2147.51	T
Clay	709	63	37.56	2366.14	71	0.7701	36	28	6.44	42.44	1593.84	NT
Clay	709	63	258.15	16263.60	71	0.7701					16263.60	T
Clay	72	35	2.31	80.82	71	0.7701	35	0	0.00	35.00	80.82	NT
Clay	72	35	2.41	84.19	71	0.7701					84.19	T
Clay	72B	34	1.13	38.34	71	0.7701	34	0	0.00	34.00	38.34	NT
Clay	72B	34	7.08	240.88	71	0.7701					240.88	T
Clay	72C2	19	0.64	12.15	71	0.7701	19	0	0.00	19.00	12.15	NT
Clay	72C2	19	0.98	18.60	71	0.7701					18.60	T
Clay	733	64	438.19	28044.33	71	0.7701	36	28	6.44	42.44	18595.67	NT
Clay	733	64	814.65	52137.62	71	0.7701					52137.62	T
Clay	735	57	37.22	2121.53	71	0.7701	36	22	5.06	41.06	1528.16	NT
Clay	735	57	58.84	3353.60	71	0.7701					3353.60	T
Clay	73D	5	1.62	8.11	71	0.7701	5	0	0.00	5.00	8.11	NT
Clay	73D	5	1.51	7.56	71	0.7701					7.56	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clay	73E	5	0.00	0.01	71	0.7701	5	0	0.00	5.00	0.01	NT
Clay	73G	5	5.52	27.61	71	0.7701	5	0	0.00	5.00	27.61	NT
Clay	73G	5	0.75	3.76	71	0.7701					3.76	T
Clay	740D	7	166.20	1163.42	71	0.7701	7	0	0.00	7.00	1163.42	NT
Clay	740D	7	309.98	2169.84	71	0.7701					2169.84	T
Clay	77B	76	1193.59	90713.09	71	0.7701	36	40	9.20	45.20	53945.64	NT
Clay	77B	76	12217.80	928552.88	71	0.7701					928552.88	T
Clay	77C	55	223.86	12312.54	71	0.7701	36	20	4.60	40.60	9088.45	NT
Clay	77C	55	214.70	11808.66	71	0.7701					11808.66	T
Clay	77C2	53	255.05	13517.68	71	0.7701	36	18	4.14	40.14	10237.27	NT
Clay	77C2	53	677.23	35893.42	71	0.7701					35893.42	T
Clay	810	78	35.02	2731.26	71	0.7701	36	42	9.66	45.66	1598.69	NT
Clay	810	78	501.02	39079.75	71	0.7701					39079.75	T
Clay	810B	73	4.94	360.71	71	0.7701	36	38	8.74	44.74	221.05	NT
Clay	810B	73	58.13	4243.85	71	0.7701					4243.85	T
Clay	828B	45	6.16	277.30	71	0.7701	36	10	2.30	38.30	236.01	NT
Clay	828B	45	6.99	314.46	71	0.7701					314.46	T
Clay	828C2	30	0.28	8.27	71	0.7701	30	0	0.00	30.00	8.27	NT
Clay	828C2	30	5.88	176.36	71	0.7701					176.36	T
Clay	835D2	35	355.22	12432.64	71	0.7701	35	0	0.00	35.00	12432.64	NT
Clay	835D2	35	1878.74	65755.84	71	0.7701					65755.84	T
Clay	835E2	36	301.21	10843.40	71	0.7701	36	0	0.00	36.00	10843.40	NT
Clay	835E2	36	238.96	8602.55	71	0.7701					8602.55	T
Clay	854D	5	13.93	69.65	71	0.7701	5	0	0.00	5.00	69.65	NT
Clay	854D	5	2.08	10.41	71	0.7701					10.41	T
Clay	874	46	5.93	272.66	71	0.7701	36	10	2.30	38.30	227.01	NT
Clay	874	46	255.05	11732.32	71	0.7701					11732.32	T
Clay	874B	41	16.30	668.32	71	0.7701	36	6	1.38	37.38	609.31	NT
Clay	874B	41	302.60	12406.79	71	0.7701					12406.79	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clay	874C2	21	5.76	120.91	71	0.7701	21	0	0.00	21.00	120.91	NT
Clay	874C2	21	53.60	1125.66	71	0.7701					1125.66	T
Clay	875	46	13.79	634.43	71	0.7701	36	10	2.30	38.30	528.22	NT
Clay	875	46	472.74	21745.92	71	0.7701					21745.92	T
Clay	875B	63	65.20	4107.83	71	0.7701	36	28	6.44	42.44	2767.06	NT
Clay	875B	63	1629.69	102670.73	71	0.7701					102670.73	T
Clay	875C2	21	16.36	343.62	71	0.7701	21	0	0.00	21.00	343.62	NT
Clay	875C2	21	160.49	3370.34	71	0.7701					3370.34	T
Clay	878	78	26.17	2040.94	71	0.7701	36	42	9.66	45.66	1194.62	NT
Clay	878	78	331.83	25882.86	71	0.7701					25882.86	T
Clay	878B	74	26.31	1946.94	71	0.7701	36	38	8.74	44.74	1177.01	NT
Clay	878B	74	546.44	40436.32	71	0.7701					40436.32	T
Clay	879	73	44.58	3254.20	71	0.7701	36	38	8.74	44.74	1994.25	NT
Clay	879	73	1327.00	96870.74	71	0.7701					96870.74	T
Clay	90	42	155.60	6535.15	71	0.7701	36	6	1.38	37.38	5816.19	NT
Clay	90	42	709.11	29782.59	71	0.7701					29782.59	T
Clay	91	84	1.27	106.74	71	0.7701	36	48	11.04	47.04	59.77	NT
Clay	91	84	1.88	157.64	71	0.7701					157.64	T
Clay	92	79	0.01	0.94	71	0.7701	36	44	10.12	46.12	0.55	NT
Clay	92	79	0.28	22.43	71	0.7701					22.43	T
Clay	928	78	112.09	8743.00	71	0.7701	36	42	9.66	45.66	5117.55	NT
Clay	928	78	1439.37	112271.08	71	0.7701					112271.08	T
Clay	928B	73	17.18	1253.94	71	0.7701	36	38	8.74	44.74	768.44	NT
Clay	928B	73	351.70	25673.98	71	0.7701					25673.98	T
Clay	95	57	36.32	2070.42	71	0.7701	36	22	5.06	41.06	1491.35	NT
Clay	95	57	1759.65	100300.06	71	0.7701					100300.06	T
Clay	992	58	0.75	43.34	71	0.7701	36	22	5.06	41.06	30.68	NT
Clay	992	58	633.31	36731.88	71	0.7701					36731.88	T
Clay	AW	0	1.51	0.00	71	0.7701	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clay	C458	25	60.05	1501.34	71	0.7701	25	0	0.00	25.00	1501.34	NT
Clay	C585	25	0.33	8.35	71	0.7701	25	0	0.00	25.00	8.35	NT
Clay	C585	25	3.46	86.48	71	0.7701					86.48	T
Clay	SL	0	6.29	0.00	71	0.7701	0	0	0.00	0.00	0.00	NT
Clay	W	0	572.66	0.00	71	0.7701	0	0	0.00	0.00	0.00	NT
Clay	W	0	17.48	0.00	71	0.7701					0.00	T
											0.00	
											0.00	
Clayton	109B	25	216.16	5403.97	56	0.7788	25	0	0.00	25.00	5403.97	NT
Clayton	109B	25	778.07	19451.68	56	0.7788					19451.68	T
Clayton	109C	10	208.32	2083.15	56	0.7788	10	0	0.00	10.00	2083.15	NT
Clayton	109C	10	579.81	5798.09	56	0.7788					5798.09	T
Clayton	109D	5	183.59	917.95	56	0.7788	5	0	0.00	5.00	917.95	NT
Clayton	109D	5	182.85	914.23	56	0.7788					914.23	T
Clayton	110	52	25.57	1329.55	56	0.7788	28	24	5.31	33.31	851.65	NT
Clayton	110	52	57.58	2994.30	56	0.7788					2994.30	T
Clayton	110B	47	30.60	1438.33	56	0.7788	28	19	4.20	32.20	985.49	NT
Clayton	110B	47	121.45	5708.21	56	0.7788					5708.21	T
Clayton	110C	44	52.87	2326.28	56	0.7788	28	16	3.54	31.54	1667.47	NT
Clayton	110C	44	152.01	6688.62	56	0.7788					6688.62	T
Clayton	1158	25	1728.79	43219.76	56	0.7788	25	0	0.00	25.00	43219.76	NT
Clayton	1158	25	384.89	9622.31	56	0.7788					9622.31	T
Clayton	115F	5	0.03	0.15	56	0.7788	5	0	0.00	5.00	0.15	NT
Clayton	115F	5	0.00	0.01	56	0.7788					0.01	T
Clayton	120B	95	83.71	7952.70	56	0.7788	28	67	14.82	42.82	3584.61	NT
Clayton	120B	95	1621.77	154067.70	56	0.7788					154067.70	T
Clayton	120C	80	13.19	1055.58	56	0.7788	28	52	11.50	39.50	521.23	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	120C	80	329.47	26357.99	56	0.7788					26357.99	T
Clayton	1212	88	384.50	33835.72	56	0.7788	28	60	13.27	41.27	15868.95	NT
Clayton	1212	88	917.76	80762.85	56	0.7788					80762.85	T
Clayton	1219	83	14.53	1206.16	56	0.7788	28	55	12.17	40.17	583.69	NT
Clayton	1219	83	70.46	5848.30	56	0.7788					5848.30	T
Clayton	1226	72	14.87	1070.98	56	0.7788	28	44	9.73	37.73	561.26	NT
Clayton	1226	72	123.68	8905.23	56	0.7788					8905.23	T
Clayton	129B	63	2626.35	165460.34	56	0.7788	28	35	7.74	35.74	93871.16	NT
Clayton	129B	63	3274.94	206321.30	56	0.7788					206321.30	T
Clayton	133	80	109.32	8745.56	56	0.7788	28	52	11.50	39.50	4318.38	NT
Clayton	133	80	212.43	16994.26	56	0.7788					16994.26	T
Clayton	136	70	55.86	3909.89	56	0.7788	28	42	9.29	37.29	2082.88	NT
Clayton	136	70	249.61	17472.98	56	0.7788					17472.98	T
Clayton	142	83	117.17	9724.73	56	0.7788	28	55	12.17	40.17	4706.07	NT
Clayton	142	83	189.05	15690.84	56	0.7788					15690.84	T
Clayton	142B	65	0.00	0.03	56	0.7788					0.03	T
Clayton	1490	25	3071.66	76791.38	56	0.7788	25	0	0.00	25.00	76791.38	NT
Clayton	1490	25	1490.73	37268.20	56	0.7788					37268.20	T
Clayton	1496B	25	0.68	16.91	56	0.7788	25	0	0.00	25.00	16.91	NT
Clayton	158	85	2951.96	250916.52	56	0.7788	28	57	12.61	40.61	119874.33	NT
Clayton	158	85	4938.81	419798.71	56	0.7788					419798.71	T
Clayton	162B	90	480.90	43281.31	56	0.7788	28	62	13.71	41.71	20060.60	NT
Clayton	162B	90	6530.50	587745.06	56	0.7788					587745.06	T
Clayton	162C	75	600.90	45067.49	56	0.7788	28	47	10.40	38.40	23072.39	NT
Clayton	162C	75	10621.86	796639.56	56	0.7788					796639.56	T
Clayton	162C2	73	694.53	50700.54	56	0.7788	28	45	9.95	37.95	26360.11	NT
Clayton	162C2	73	14802.46	1080579.73	56	0.7788					1080579.73	T
Clayton	162D	65	144.43	9387.90	56	0.7788	28	37	8.18	36.18	5226.09	NT
Clayton	162D	65	1047.17	68065.91	56	0.7788					68065.91	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	162D2	63	981.45	61831.62	56	0.7788	28	35	7.74	35.74	35079.14	NT
Clayton	162D2	63	22429.36	1413049.79	56	0.7788					1413049.79	T
Clayton	162E2	53	83.50	4425.43	56	0.7788	28	25	5.53	33.53	2799.71	NT
Clayton	162E2	53	601.28	31867.94	56	0.7788					31867.94	T
Clayton	163B	85	278.29	23654.91	56	0.7788	28	57	12.61	40.61	11301.04	NT
Clayton	163B	85	2967.73	252257.38	56	0.7788					252257.38	T
Clayton	163C	70	1569.15	109840.60	56	0.7788	28	42	9.29	37.29	58514.28	NT
Clayton	163C	70	8352.94	584705.56	56	0.7788					584705.56	T
Clayton	163C2	68	1685.33	114602.13	56	0.7788	28	40	8.85	36.85	62100.87	NT
Clayton	163C2	68	20905.05	1421543.41	56	0.7788					1421543.41	T
Clayton	163D	60	3762.63	225758.07	56	0.7788	28	32	7.08	35.08	131987.20	NT
Clayton	163D	60	3504.72	210283.02	56	0.7788					210283.02	T
Clayton	163D2	58	7384.94	428326.32	56	0.7788	28	30	6.64	34.64	255784.66	NT
Clayton	163D2	58	59180.15	3432448.66	56	0.7788					3432448.66	T
Clayton	163D3	55	126.98	6984.13	56	0.7788	28	27	5.97	33.97	4313.95	NT
Clayton	163D3	55	1366.48	75156.46	56	0.7788					75156.46	T
Clayton	163E	50	6419.16	320957.92	56	0.7788	28	22	4.87	32.87	210974.63	NT
Clayton	163E	50	3136.91	156845.64	56	0.7788					156845.64	T
Clayton	163E2	48	7687.17	368984.10	56	0.7788	28	20	4.42	32.42	249248.76	NT
Clayton	163E2	48	30005.09	1440244.41	56	0.7788					1440244.41	T
Clayton	163E3	46	679.14	31240.37	56	0.7788	28	18	3.98	31.98	21719.93	NT
Clayton	163E3	46	4014.69	184675.62	56	0.7788					184675.62	T
Clayton	163F	30	6822.01	204660.21	56	0.7788	28	2	0.44	28.44	194034.25	NT
Clayton	163F	30	2936.61	88098.42	56	0.7788					88098.42	T
Clayton	163F2	28	2487.49	69649.75	56	0.7788	28	0	0.00	28.00	69649.75	NT
Clayton	163F2	28	4753.33	133093.33	56	0.7788					133093.33	T
Clayton	163F3	25	399.13	9978.17	56	0.7788	25	0	0.00	25.00	9978.17	NT
Clayton	163F3	25	1472.82	36820.52	56	0.7788					36820.52	T
Clayton	163G	19	3565.46	67743.68	56	0.7788	19	0	0.00	19.00	67743.68	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	163G	19	820.36	15586.92	56	0.7788					15586.92	T
Clayton	171B	82	137.83	11301.84	56	0.7788	28	54	11.94	39.94	5505.48	NT
Clayton	171B	82	1407.79	115439.11	56	0.7788					115439.11	T
Clayton	171C2	64	27.68	1771.33	56	0.7788	28	36	7.96	35.96	995.35	NT
Clayton	171C2	64	201.18	12875.55	56	0.7788					12875.55	T
Clayton	175B	56	0.44	24.50	56	0.7788	28	28	6.19	34.19	14.96	NT
Clayton	175C	41	0.77	31.47	56	0.7788	28	13	2.88	30.88	23.70	NT
Clayton	177	64	63.98	4094.59	56	0.7788	28	36	7.96	35.96	2300.85	NT
Clayton	177	64	433.13	27720.51	56	0.7788					27720.51	T
Clayton	177B	60	2.01	120.80	56	0.7788	28	32	7.08	35.08	70.62	NT
Clayton	177B	60	34.02	2041.04	56	0.7788					2041.04	T
Clayton	178	79	12.60	995.27	56	0.7788	28	51	11.28	39.28	494.88	NT
Clayton	178	79	189.82	14995.56	56	0.7788					14995.56	T
Clayton	183C	33	37.36	1232.80	56	0.7788	28	5	1.11	29.11	1087.33	NT
Clayton	183C	33	182.78	6031.89	56	0.7788					6031.89	T
Clayton	183D	18	424.10	7633.76	56	0.7788	18	0	0.00	18.00	7633.76	NT
Clayton	183D	18	335.65	6041.69	56	0.7788					6041.69	T
Clayton	183D2	13	355.61	4622.94	56	0.7788	13	0	0.00	13.00	4622.94	NT
Clayton	183D2	13	1387.89	18042.60	56	0.7788					18042.60	T
Clayton	183E	5	2988.02	14940.09	56	0.7788	5	0	0.00	5.00	14940.09	NT
Clayton	183E	5	1673.24	8366.18	56	0.7788					8366.18	T
Clayton	183E2	5	2586.63	12933.17	56	0.7788	5	0	0.00	5.00	12933.17	NT
Clayton	183E2	5	6648.71	33243.54	56	0.7788					33243.54	T
Clayton	183E3	5	73.79	368.96	56	0.7788	5	0	0.00	5.00	368.96	NT
Clayton	183E3	5	273.61	1368.04	56	0.7788					1368.04	T
Clayton	183F	5	2184.47	10922.37	56	0.7788	5	0	0.00	5.00	10922.37	NT
Clayton	183F	5	1396.44	6982.20	56	0.7788					6982.20	T
Clayton	196C	18	268.59	4834.63	56	0.7788	18	0	0.00	18.00	4834.63	NT
Clayton	196C	18	35.05	630.92	56	0.7788					630.92	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	198B	80	0.21	16.96	56	0.7788	28	52	11.50	39.50	8.38	NT
Clayton	198B	80	0.14	11.12	56	0.7788					11.12	T
Clayton	213	79	0.28	22.39	56	0.7788					22.39	T
Clayton	213B	74	42.95	3178.00	56	0.7788	28	46	10.18	38.18	1639.47	NT
Clayton	213B	74	707.31	52340.85	56	0.7788					52340.85	T
Clayton	214	63	0.04	2.31	56	0.7788					2.31	T
Clayton	214B	58	43.02	2494.96	56	0.7788	28	30	6.64	34.64	1489.92	NT
Clayton	214B	58	560.37	32501.52	56	0.7788					32501.52	T
Clayton	215E	10	71.40	714.01	56	0.7788	10	0	0.00	10.00	714.01	NT
Clayton	215E	10	272.27	2722.66	56	0.7788					2722.66	T
Clayton	221B	45	121.45	5465.23	56	0.7788	28	17	3.76	31.76	3857.28	NT
Clayton	221B	45	76.78	3454.90	56	0.7788					3454.90	T
Clayton	249	45	87.76	3949.31	56	0.7788	28	17	3.76	31.76	2787.37	NT
Clayton	249	45	54.63	2458.16	56	0.7788					2458.16	T
Clayton	249C	20	63.07	1261.45	56	0.7788	20	0	0.00	20.00	1261.45	NT
Clayton	249C	20	29.05	581.02	56	0.7788					581.02	T
Clayton	265B	43	0.12	5.03	56	0.7788					5.03	T
Clayton	27B	82	0.01	0.79	56	0.7788	28	54	11.94	39.94	0.39	NT
Clayton	284	40	58.02	2320.97	56	0.7788	28	12	2.65	30.65	1778.70	NT
Clayton	284	40	339.21	13568.37	56	0.7788					13568.37	T
Clayton	284B	45	19.39	872.39	56	0.7788	28	17	3.76	31.76	615.72	NT
Clayton	284B	45	45.22	2035.10	56	0.7788					2035.10	T
Clayton	285B	25	0.06	1.41	56	0.7788	25	0	0.00	25.00	1.41	NT
Clayton	285B	25	0.01	0.16	56	0.7788					0.16	T
Clayton	291	90	25.34	2280.17	56	0.7788	28	62	13.71	41.71	1056.85	NT
Clayton	291	90	472.16	42494.48	56	0.7788					42494.48	T
Clayton	315	30	3.27	98.08	56	0.7788	28	2	0.44	28.44	92.99	NT
Clayton	315	30	1.74	52.15	56	0.7788					52.15	T
Clayton	320	83	1281.82	106390.67	56	0.7788	28	55	12.17	40.17	51485.39	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	320	83	1971.90	163668.06	56	0.7788					163668.06	T
Clayton	323B	72	190.75	13733.94	56	0.7788	28	44	9.73	37.73	7197.50	NT
Clayton	323B	72	844.80	60825.69	56	0.7788					60825.69	T
Clayton	391B	72	212.77	15319.18	56	0.7788	28	44	9.73	37.73	8028.27	NT
Clayton	391B	72	3342.93	240691.15	56	0.7788					240691.15	T
Clayton	394B	85	0.04	3.13	56	0.7788					3.13	T
Clayton	40	5	14.92	74.59	56	0.7788	5	0	0.00	5.00	74.59	NT
Clayton	40	5	7.68	38.40	56	0.7788					38.40	T
Clayton	408B	66	61.31	4046.33	56	0.7788	28	38	8.41	36.41	2231.96	NT
Clayton	408B	66	1183.35	78101.17	56	0.7788					78101.17	T
Clayton	408C	52	8.60	447.29	56	0.7788	28	24	5.31	33.31	286.51	NT
Clayton	408C	52	95.39	4960.48	56	0.7788					4960.48	T
Clayton	41B	40	74.05	2961.91	56	0.7788	28	12	2.65	30.65	2269.89	NT
Clayton	41B	40	431.84	17273.55	56	0.7788					17273.55	T
Clayton	41C	25	77.43	1935.84	56	0.7788	25	0	0.00	25.00	1935.84	NT
Clayton	41C	25	209.88	5247.10	56	0.7788					5247.10	T
Clayton	444B	60	265.49	15929.23	56	0.7788	28	32	7.08	35.08	9312.87	NT
Clayton	444B	60	714.15	42849.12	56	0.7788					42849.12	T
Clayton	444C	45	179.52	8078.29	56	0.7788	28	17	3.76	31.76	5701.55	NT
Clayton	444C	45	331.83	14932.13	56	0.7788					14932.13	T
Clayton	444D	30	130.75	3922.40	56	0.7788	28	2	0.44	28.44	3718.75	NT
Clayton	444D	30	104.40	3132.06	56	0.7788					3132.06	T
Clayton	462B	90	23.90	2150.81	56	0.7788	28	62	13.71	41.71	996.89	NT
Clayton	462B	90	280.69	25262.47	56	0.7788					25262.47	T
Clayton	463B	85	71.28	6058.84	56	0.7788	28	57	12.61	40.61	2894.59	NT
Clayton	463B	85	406.48	34550.86	56	0.7788					34550.86	T
Clayton	463C	70	103.00	7210.08	56	0.7788	28	42	9.29	37.29	3840.95	NT
Clayton	463C	70	360.80	25255.72	56	0.7788					25255.72	T
Clayton	471	86	37.54	3228.10	56	0.7788	28	58	12.83	40.83	1532.58	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	471	86	297.12	25552.04	56	0.7788					25552.04	T
Clayton	478G	5	31420.11	157100.53	56	0.7788	5	0	0.00	5.00	157100.53	NT
Clayton	478G	5	633.05	3165.26	56	0.7788					3165.26	T
Clayton	480B	80	6.24	499.23	56	0.7788	28	52	11.50	39.50	246.51	NT
Clayton	480B	80	53.44	4275.51	56	0.7788					4275.51	T
Clayton	480C	65	30.27	1967.26	56	0.7788	28	37	8.18	36.18	1095.14	NT
Clayton	480C	65	150.77	9800.24	56	0.7788					9800.24	T
Clayton	480D2	53	59.79	3168.97	56	0.7788	28	25	5.53	33.53	2004.82	NT
Clayton	480D2	53	281.29	14908.39	56	0.7788					14908.39	T
Clayton	480E2	43	50.96	2191.42	56	0.7788	28	15	3.32	31.32	1596.07	NT
Clayton	480E2	43	146.43	6296.49	56	0.7788					6296.49	T
Clayton	483C	40	3.11	124.21	56	0.7788	28	12	2.65	30.65	95.19	NT
Clayton	483C	40	7.13	285.15	56	0.7788					285.15	T
Clayton	483D2	20	44.49	889.84	56	0.7788	20	0	0.00	20.00	889.84	NT
Clayton	483D2	20	365.78	7315.51	56	0.7788					7315.51	T
Clayton	483E2	8	194.81	1558.48	56	0.7788	8	0	0.00	8.00	1558.48	NT
Clayton	483E2	8	1044.49	8355.94	56	0.7788					8355.94	T
Clayton	485	92	169.64	15606.50	56	0.7788	28	64	14.16	42.16	7151.31	NT
Clayton	485	92	782.92	72028.43	56	0.7788					72028.43	T
Clayton	487B	68	1510.12	102688.16	56	0.7788	28	40	8.85	36.85	55644.90	NT
Clayton	487B	68	6732.10	457782.62	56	0.7788					457782.62	T
Clayton	488C2	71	0.33	23.40	56	0.7788					23.40	T
Clayton	489	85	292.13	24830.77	56	0.7788	28	57	12.61	40.61	11862.80	NT
Clayton	489	85	912.46	77558.92	56	0.7788					77558.92	T
Clayton	490	68	417.65	28400.19	56	0.7788	28	40	8.85	36.85	15389.56	NT
Clayton	490	68	703.22	47818.98	56	0.7788					47818.98	T
Clayton	496B	25	6064.78	151619.41	56	0.7788	25	0	0.00	25.00	151619.41	NT
Clayton	496B	25	748.50	18712.42	56	0.7788					18712.42	T
Clayton	497E	5	805.21	4026.06	56	0.7788	5	0	0.00	5.00	4026.06	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	497E	5	499.49	2497.45	56	0.7788					2497.45	T
Clayton	497F	5	9925.44	49627.20	56	0.7788	5	0	0.00	5.00	49627.20	NT
Clayton	497F	5	2334.13	11670.64	56	0.7788					11670.64	T
Clayton	497G	5	0.89	4.47	56	0.7788	5	0	0.00	5.00	4.47	NT
Clayton	499B	23	193.43	4448.87	56	0.7788	23	0	0.00	23.00	4448.87	NT
Clayton	499B	23	308.53	7096.25	56	0.7788					7096.25	T
Clayton	499D	5	1222.29	6111.47	56	0.7788	5	0	0.00	5.00	6111.47	NT
Clayton	499D	5	1085.70	5428.52	56	0.7788					5428.52	T
Clayton	499D2	5	0.00	0.01	56	0.7788	5	0	0.00	5.00	0.01	NT
Clayton	499E	5	1.99	9.94	56	0.7788	5	0	0.00	5.00	9.94	NT
Clayton	499F	5	21853.25	109266.24	56	0.7788	5	0	0.00	5.00	109266.24	NT
Clayton	499F	5	5054.44	25272.19	56	0.7788					25272.19	T
Clayton	499G	5	0.78	3.92	56	0.7788					3.92	T
Clayton	5010	0	72.64	0.00	56	0.7788	0	0	0.00	0.00	0.00	NT
Clayton	5010	0	2.78	0.00	56	0.7788					0.00	T
Clayton	5030	0	301.83	0.00	56	0.7788	0	0	0.00	0.00	0.00	NT
Clayton	5030	0	15.75	0.00	56	0.7788					0.00	T
Clayton	5040	5	37.94	189.69	56	0.7788	5	0	0.00	5.00	189.69	NT
Clayton	5040	5	22.50	112.49	56	0.7788					112.49	T
Clayton	512B	40	32.56	1302.49	56	0.7788	28	12	2.65	30.65	998.18	NT
Clayton	512B	40	166.89	6675.78	56	0.7788					6675.78	T
Clayton	512D2	15	181.10	2716.54	56	0.7788	15	0	0.00	15.00	2716.54	NT
Clayton	512D2	15	459.04	6885.66	56	0.7788					6885.66	T
Clayton	551	58	117.51	6815.69	56	0.7788	28	30	6.64	34.64	4070.14	NT
Clayton	551	58	202.46	11742.60	56	0.7788					11742.60	T
Clayton	563D2	54	0.33	17.57	56	0.7788					17.57	T
Clayton	563E2	45	1.45	65.29	56	0.7788	28	17	3.76	31.76	46.08	NT
Clayton	563E2	45	2.33	104.82	56	0.7788					104.82	T
Clayton	589	85	445.54	37871.04	56	0.7788	28	57	12.61	40.61	18092.73	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	589	85	900.33	76527.87	56	0.7788					76527.87	T
Clayton	589+	85	406.95	34590.73	56	0.7788	28	57	12.61	40.61	16525.58	NT
Clayton	589+	85	736.47	62599.79	56	0.7788					62599.79	T
Clayton	612D2	30	60.95	1828.58	56	0.7788	28	2	0.44	28.44	1733.64	NT
Clayton	612D2	30	433.97	13019.04	56	0.7788					13019.04	T
Clayton	612E2	28	365.34	10229.39	56	0.7788	28	0	0.00	28.00	10229.39	NT
Clayton	612E2	28	1565.60	43836.73	56	0.7788					43836.73	T
Clayton	626	67	0.13	8.46	56	0.7788					8.46	T
Clayton	63B	40	318.92	12756.72	56	0.7788	28	12	2.65	30.65	9776.24	NT
Clayton	63B	40	587.82	23512.86	56	0.7788					23512.86	T
Clayton	63C	21	569.31	11955.47	56	0.7788	21	0	0.00	21.00	11955.47	NT
Clayton	63C	21	792.89	16650.59	56	0.7788					16650.59	T
Clayton	63E	5	725.75	3628.77	56	0.7788	5	0	0.00	5.00	3628.77	NT
Clayton	63E	5	270.82	1354.08	56	0.7788					1354.08	T
Clayton	65D2	38	43.59	1656.38	56	0.7788	28	10	2.21	30.21	1316.91	NT
Clayton	65D2	38	423.63	16097.92	56	0.7788					16097.92	T
Clayton	65F2	8	465.81	3726.44	56	0.7788	8	0	0.00	8.00	3726.44	NT
Clayton	65F2	8	1183.63	9469.05	56	0.7788					9469.05	T
Clayton	65F3	5	27.54	137.72	56	0.7788	5	0	0.00	5.00	137.72	NT
Clayton	65F3	5	107.22	536.10	56	0.7788					536.10	T
Clayton	703D2	21	0.09	1.96	56	0.7788					1.96	T
Clayton	703E	11	1.49	16.44	56	0.7788	11	0	0.00	11.00	16.44	NT
Clayton	703E	11	0.05	0.59	56	0.7788					0.59	T
Clayton	703E2	6	2.72	16.34	56	0.7788	6	0	0.00	6.00	16.34	NT
Clayton	703E2	6	10.95	65.71	56	0.7788					65.71	T
Clayton	703F	5	0.66	3.28	56	0.7788	5	0	0.00	5.00	3.28	NT
Clayton	703F	5	0.02	0.11	56	0.7788					0.11	T
Clayton	712F	5	0.41	2.03	56	0.7788	5	0	0.00	5.00	2.03	NT
Clayton	714B	53	171.74	9102.25	56	0.7788	28	25	5.53	33.53	5758.46	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	714B	53	700.37	37119.57	56	0.7788					37119.57	T
Clayton	714C	33	118.00	3893.93	56	0.7788	28	5	1.11	29.11	3434.45	NT
Clayton	714C	33	247.52	8168.02	56	0.7788					8168.02	T
Clayton	763D2	56	91.71	5135.95	56	0.7788	28	28	6.19	34.19	3136.01	NT
Clayton	763D2	56	994.97	55718.24	56	0.7788					55718.24	T
Clayton	763D3	51	10.67	544.32	56	0.7788	28	23	5.09	33.09	353.14	NT
Clayton	763D3	51	125.98	6424.91	56	0.7788					6424.91	T
Clayton	763E2	45	552.99	24884.69	56	0.7788	28	17	3.76	31.76	17563.28	NT
Clayton	763E2	45	3291.32	148109.40	56	0.7788					148109.40	T
Clayton	763E3	40	202.89	8115.50	56	0.7788	28	12	2.65	30.65	6219.39	NT
Clayton	763E3	40	1397.90	55916.15	56	0.7788					55916.15	T
Clayton	763F2	26	1118.24	29074.25	56	0.7788	26	0	0.00	26.00	29074.25	NT
Clayton	763F2	26	2603.14	67681.51	56	0.7788					67681.51	T
Clayton	763F3	21	315.35	6622.40	56	0.7788	21	0	0.00	21.00	6622.40	NT
Clayton	763F3	21	1323.40	27791.30	56	0.7788					27791.30	T
Clayton	776B	28	32.69	915.41	56	0.7788	28	0	0.00	28.00	915.41	NT
Clayton	776B	28	127.71	3576.00	56	0.7788					3576.00	T
Clayton	776C	8	69.46	555.65	56	0.7788	8	0	0.00	8.00	555.65	NT
Clayton	776C	8	195.75	1566.00	56	0.7788					1566.00	T
Clayton	777	58	255.75	14833.41	56	0.7788	28	30	6.64	34.64	8858.11	NT
Clayton	777	58	421.00	24417.89	56	0.7788					24417.89	T
Clayton	777B	53	60.92	3228.77	56	0.7788	28	25	5.53	33.53	2042.65	NT
Clayton	777B	53	145.76	7725.19	56	0.7788					7725.19	T
Clayton	793	85	659.56	56062.93	56	0.7788	28	57	12.61	40.61	26783.83	NT
Clayton	793	85	892.62	75872.74	56	0.7788					75872.74	T
Clayton	826	95	30.08	2858.06	56	0.7788	28	67	14.82	42.82	1288.24	NT
Clayton	826	95	517.59	49171.10	56	0.7788					49171.10	T
Clayton	83B	87	151.90	13215.57	56	0.7788	28	59	13.05	41.05	6235.74	NT
Clayton	83B	87	2735.50	237988.73	56	0.7788					237988.73	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	84	76	62.14	4722.99	56	0.7788	28	48	10.62	38.62	2399.87	NT
Clayton	84	76	277.03	21054.08	56	0.7788					21054.08	T
Clayton	840G	5	0.27	1.34	56	0.7788	5	0	0.00	5.00	1.34	NT
Clayton	840G	5	2.01	10.06	56	0.7788					10.06	T
Clayton	841G	5	0.01	0.04	56	0.7788	5	0	0.00	5.00	0.04	NT
Clayton	841G	5	0.02	0.12	56	0.7788					0.12	T
Clayton	863B	40	9.66	386.58	56	0.7788	28	12	2.65	30.65	296.26	NT
Clayton	863B	40	69.39	2775.77	56	0.7788					2775.77	T
Clayton	863D	20	283.20	5663.94	56	0.7788	20	0	0.00	20.00	5663.94	NT
Clayton	863D	20	196.12	3922.34	56	0.7788					3922.34	T
Clayton	902C	55	16.75	920.99	56	0.7788	28	27	5.97	33.97	568.88	NT
Clayton	902C	55	53.66	2951.41	56	0.7788					2951.41	T
Clayton	902D2	47	97.68	4591.18	56	0.7788	28	19	4.20	32.20	3145.72	NT
Clayton	902D2	47	1718.19	80755.02	56	0.7788					80755.02	T
Clayton	903E2	13	0.20	2.55	56	0.7788	13	0	0.00	13.00	2.55	NT
Clayton	903E2	13	0.20	2.54	56	0.7788					2.54	T
Clayton	926	90	61.17	5505.20	56	0.7788	28	62	13.71	41.71	2551.62	NT
Clayton	926	90	411.40	37026.44	56	0.7788					37026.44	T
Clayton	930	75	241.98	18148.32	56	0.7788	28	47	10.40	38.40	9291.07	NT
Clayton	930	75	405.38	30403.31	56	0.7788					30403.31	T
Clayton	930B	60	1103.56	66213.86	56	0.7788	28	32	7.08	35.08	38711.27	NT
Clayton	930B	60	1507.90	90474.12	56	0.7788					90474.12	T
Clayton	951F	5	168.65	843.25	56	0.7788	5	0	0.00	5.00	843.25	NT
Clayton	951F	5	14.55	72.74	56	0.7788					72.74	T
Clayton	964F	5	0.98	4.90	56	0.7788	5	0	0.00	5.00	4.90	NT
Clayton	977	95	51.14	4858.29	56	0.7788	28	67	14.82	42.82	2189.83	NT
Clayton	977	95	743.35	70618.13	56	0.7788					70618.13	T
Clayton	978	90	110.65	9958.46	56	0.7788	28	62	13.71	41.71	4615.68	NT
Clayton	978	90	550.01	49500.50	56	0.7788					49500.50	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clayton	98	95	735.91	69911.68	56	0.7788	28	67	14.82	42.82	31512.07	NT
Clayton	98	95	1905.75	181046.70	56	0.7788					181046.70	T
Clayton	981B	90	471.41	42427.11	56	0.7788	28	62	13.71	41.71	19664.68	NT
Clayton	981B	90	2216.65	199498.23	56	0.7788					199498.23	T
Clayton	AW	0	25.57	0.00	56	0.7788	0	0	0.00	0.00	0.00	NT
Clayton	AW	0	0.34	0.00	56	0.7788					0.00	T
Clayton	C158	25	0.45	11.19	56	0.7788	25	0	0.00	25.00	11.19	NT
Clayton	INT	0	3.75	0.00	56	0.7788	0	0	0.00	0.00	0.00	NT
Clayton	INT	0	2.59	0.00	56	0.7788					0.00	T
Clayton	SL	0	8.65	0.00	56	0.7788	0	0	0.00	0.00	0.00	NT
Clayton	W	0	606.51	0.00	56	0.7788	0	0	0.00	0.00	0.00	NT
Clayton	W	0	18.58	0.00	56	0.7788					0.00	T
											0.00	
											0.00	
Clinton	110C	44	165.16	7266.82	67	0.6984	34	10	3.02	37.02	6113.38	NT
Clinton	110C	44	372.40	16385.40	67	0.6984					16385.40	T
Clinton	1118	95	14.68	1394.68	67	0.6984	34	62	18.70	52.70	773.67	NT
Clinton	1118	95	742.76	70561.87	67	0.6984					70561.87	T
Clinton	1119	100	33.11	3310.87	67	0.6984	34	66	19.91	53.91	1784.74	NT
Clinton	1119	100	1583.02	158301.94	67	0.6984					158301.94	T
Clinton	1142	25	1348.04	33701.00	67	0.6984	25	0	0.00	25.00	33701.00	NT
Clinton	1142	25	648.03	16200.76	67	0.6984					16200.76	T
Clinton	1152	68	744.10	50599.11	67	0.6984	34	34	10.25	44.25	32929.90	NT
Clinton	1152	68	7500.81	510054.82	67	0.6984					510054.82	T
Clinton	1160	67	14.42	966.08	67	0.6984	34	34	10.25	44.25	638.11	NT
Clinton	1160	67	594.86	39855.69	67	0.6984					39855.69	T
Clinton	118	95	26.07	2476.86	67	0.6984	34	62	18.70	52.70	1373.98	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	118	95	328.95	31250.05	67	0.6984					31250.05	T
Clinton	119	100	79.42	7942.21	67	0.6984	34	66	19.91	53.91	4281.30	NT
Clinton	119	100	2107.63	210763.31	67	0.6984					210763.31	T
Clinton	11B	68	1483.17	100855.56	67	0.6984	34	34	10.25	44.25	65636.80	NT
Clinton	11B	68	11087.52	753951.53	67	0.6984					753951.53	T
Clinton	120	100	13.56	1356.17	67	0.6984	34	66	19.91	53.91	731.05	NT
Clinton	120	100	442.96	44296.29	67	0.6984					44296.29	T
Clinton	120B	95	724.72	68848.33	67	0.6984	34	62	18.70	52.70	38192.13	NT
Clinton	120B	95	14965.08	1421682.54	67	0.6984					1421682.54	T
Clinton	120C	80	310.24	24819.21	67	0.6984	34	46	13.87	47.87	14852.31	NT
Clinton	120C	80	7087.66	567012.98	67	0.6984					567012.98	T
Clinton	120C2	78	102.33	7981.99	67	0.6984	34	44	13.27	47.27	4837.33	NT
Clinton	120C2	78	3723.54	290436.37	67	0.6984					290436.37	T
Clinton	120D	70	21.77	1523.74	67	0.6984	34	36	10.86	44.86	976.45	NT
Clinton	120D	70	297.79	20845.03	67	0.6984					20845.03	T
Clinton	120D2	68	55.80	3794.19	67	0.6984	34	34	10.25	44.25	2469.26	NT
Clinton	120D2	68	1785.08	121385.68	67	0.6984					121385.68	T
Clinton	1226	72	62.60	4507.26	67	0.6984	34	38	11.46	45.46	2845.89	NT
Clinton	1226	72	1581.77	113887.21	67	0.6984					113887.21	T
Clinton	1291	95	94.97	9022.27	67	0.6984	34	62	18.70	52.70	5004.91	NT
Clinton	1291	95	3105.06	294980.31	67	0.6984					294980.31	T
Clinton	129B	63	18.66	1175.62	67	0.6984	34	30	9.05	43.05	803.30	NT
Clinton	129B	63	2.30	145.03	67	0.6984					145.03	T
Clinton	133	80	1149.09	91926.80	67	0.6984	34	46	13.87	47.87	55010.84	NT
Clinton	133	80	9449.97	755997.71	67	0.6984					755997.71	T
Clinton	133+	85	907.60	77145.96	67	0.6984	34	52	15.68	49.68	45092.45	NT
Clinton	133+	85	5868.75	498843.48	67	0.6984					498843.48	T
Clinton	142	83	2560.31	212505.94	67	0.6984	34	50	15.08	49.08	125660.14	NT
Clinton	142	83	5763.16	478342.65	67	0.6984					478342.65	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	142B	65	5495.72	357221.69	67	0.6984	34	32	9.65	43.65	239894.70	NT
Clinton	142B	65	8391.47	545445.57	67	0.6984					545445.57	T
Clinton	143	60	66.24	3974.31	67	0.6984	34	26	7.84	41.84	2771.52	NT
Clinton	143	60	1339.57	80373.96	67	0.6984					80373.96	T
Clinton	1539	25	9.15	228.76	67	0.6984	25	0	0.00	25.00	228.76	NT
Clinton	159	38	409.17	15548.53	67	0.6984	34	4	1.21	35.21	14405.46	NT
Clinton	159	38	775.79	29479.94	67	0.6984					29479.94	T
Clinton	159C	5	40.44	202.18	67	0.6984	5	0	0.00	5.00	202.18	NT
Clinton	159C	5	66.38	331.89	67	0.6984					331.89	T
Clinton	160	67	37.36	2503.05	67	0.6984	34	34	10.25	44.25	1653.30	NT
Clinton	160	67	1290.60	86470.09	67	0.6984					86470.09	T
Clinton	162B	90	173.00	15569.80	67	0.6984	34	56	16.89	50.89	8803.79	NT
Clinton	162B	90	2943.32	264898.65	67	0.6984					264898.65	T
Clinton	162C	75	376.51	28238.40	67	0.6984	34	42	12.67	46.67	17570.76	NT
Clinton	162C	75	5572.06	417904.14	67	0.6984					417904.14	T
Clinton	162C2	73	365.19	26658.59	67	0.6984	34	40	12.06	46.06	16821.93	NT
Clinton	162C2	73	6900.40	503729.35	67	0.6984					503729.35	T
Clinton	162D	65	89.71	5831.38	67	0.6984	34	32	9.65	43.65	3916.10	NT
Clinton	162D	65	994.91	64669.40	67	0.6984					64669.40	T
Clinton	162D2	63	393.16	24768.83	67	0.6984	34	30	9.05	43.05	16924.58	NT
Clinton	162D2	63	8472.79	533785.57	67	0.6984					533785.57	T
Clinton	162E2	53	79.63	4220.18	67	0.6984	34	20	6.03	40.03	3187.59	NT
Clinton	162E2	53	1968.87	104350.22	67	0.6984					104350.22	T
Clinton	163B	85	153.47	13045.06	67	0.6984	34	52	15.68	49.68	7624.94	NT
Clinton	163B	85	1819.41	154650.03	67	0.6984					154650.03	T
Clinton	163C	70	255.70	17898.70	67	0.6984	34	36	10.86	44.86	11469.90	NT
Clinton	163C	70	956.47	66952.84	67	0.6984					66952.84	T
Clinton	163C2	68	1848.80	125718.08	67	0.6984	34	34	10.25	44.25	81817.32	NT
Clinton	163C2	68	17982.74	1222826.38	67	0.6984					1222826.38	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	163D	60	0.10	5.87	67	0.6984	34	26	7.84	41.84	4.09	NT
Clinton	163D	60	0.32	19.01	67	0.6984					19.01	T
Clinton	163D2	58	2735.82	158677.61	67	0.6984	34	24	7.24	41.24	112820.87	NT
Clinton	163D2	58	15640.58	907153.50	67	0.6984					907153.50	T
Clinton	163D3	55	1474.43	81093.65	67	0.6984	34	22	6.64	40.64	59913.76	NT
Clinton	163D3	55	12919.46	710570.34	67	0.6984					710570.34	T
Clinton	163E	50	0.30	14.82	67	0.6984					14.82	T
Clinton	163E2	48	809.16	38839.55	67	0.6984	34	14	4.22	38.22	30927.93	NT
Clinton	163E2	48	3115.90	149563.17	67	0.6984					149563.17	T
Clinton	163E3	46	1568.20	72137.15	67	0.6984	34	12	3.62	37.62	58994.39	NT
Clinton	163E3	46	13405.29	616643.30	67	0.6984					616643.30	T
Clinton	163F	30	4.93	147.80	67	0.6984	30	0	0.00	30.00	147.80	NT
Clinton	163F	30	0.62	18.61	67	0.6984					18.61	T
Clinton	163F2	28	1211.67	33926.68	67	0.6984	28	0	0.00	28.00	33926.68	NT
Clinton	163F2	28	989.25	27698.94	67	0.6984					27698.94	T
Clinton	163F3	25	3040.53	76013.13	67	0.6984	25	0	0.00	25.00	76013.13	NT
Clinton	163F3	25	12771.16	319278.92	67	0.6984					319278.92	T
Clinton	163G	19	2033.20	38630.77	67	0.6984	19	0	0.00	19.00	38630.77	NT
Clinton	163G	19	1261.66	23971.47	67	0.6984					23971.47	T
Clinton	163G3	15	583.93	8759.02	67	0.6984	15	0	0.00	15.00	8759.02	NT
Clinton	163G3	15	722.43	10836.49	67	0.6984					10836.49	T
Clinton	1727	68	319.72	21740.83	67	0.6984	34	34	10.25	44.25	14148.94	NT
Clinton	1727	68	6191.84	421045.10	67	0.6984					421045.10	T
Clinton	1730B	25	1.41	35.26	67	0.6984					35.26	T
Clinton	175	60	37.13	2227.66	67	0.6984	34	26	7.84	41.84	1553.48	NT
Clinton	175	60	679.91	40794.33	67	0.6984					40794.33	T
Clinton	175B	56	242.94	13604.88	67	0.6984	34	22	6.64	40.64	9872.09	NT
Clinton	175B	56	4062.88	227521.54	67	0.6984					227521.54	T
Clinton	175C	41	98.92	4055.64	67	0.6984	34	8	2.41	36.41	3601.88	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	175C	41	923.74	37873.49	67	0.6984					37873.49	T
Clinton	175D	36	14.59	525.35	67	0.6984	34	2	0.60	34.60	504.96	NT
Clinton	175D	36	332.61	11973.92	67	0.6984					11973.92	T
Clinton	177	64	61.86	3958.88	67	0.6984	34	30	9.05	43.05	2662.84	NT
Clinton	177	64	1161.94	74364.10	67	0.6984					74364.10	T
Clinton	1777	64	165.08	10565.21	67	0.6984	34	30	9.05	43.05	7106.42	NT
Clinton	1777	64	703.20	45004.52	67	0.6984					45004.52	T
Clinton	177B	60	162.86	9771.35	67	0.6984	34	26	7.84	41.84	6814.15	NT
Clinton	177B	60	3586.98	215218.79	67	0.6984					215218.79	T
Clinton	177C	40	44.53	1781.30	67	0.6984	34	6	1.81	35.81	1594.69	NT
Clinton	177C	40	404.07	16162.89	67	0.6984					16162.89	T
Clinton	178	79	41.29	3262.26	67	0.6984	34	46	13.87	47.87	1976.91	NT
Clinton	178	79	794.23	62744.22	67	0.6984					62744.22	T
Clinton	178B	74	79.41	5876.41	67	0.6984	34	40	12.06	46.06	3657.99	NT
Clinton	178B	74	738.42	54643.00	67	0.6984					54643.00	T
Clinton	179D2	43	31.21	1342.22	67	0.6984	34	10	3.02	37.02	1155.43	NT
Clinton	179D2	43	452.06	19438.47	67	0.6984					19438.47	T
Clinton	184	93	133.55	12419.96	67	0.6984	34	60	18.10	52.10	6957.32	NT
Clinton	184	93	7491.55	696714.06	67	0.6984					696714.06	T
Clinton	1954	40	68.98	2759.31	67	0.6984	34	6	1.81	35.81	2470.24	NT
Clinton	1954	40	115.56	4622.59	67	0.6984					4622.59	T
Clinton	213B	74	27.46	2032.19	67	0.6984	34	40	12.06	46.06	1265.01	NT
Clinton	213B	74	304.63	22542.30	67	0.6984					22542.30	T
Clinton	214B	58	51.62	2993.85	67	0.6984	34	24	7.24	41.24	2128.65	NT
Clinton	214B	58	335.21	19442.29	67	0.6984					19442.29	T
Clinton	214C	45	116.09	5224.17	67	0.6984	34	12	3.62	37.62	4367.31	NT
Clinton	214C	45	580.53	26123.96	67	0.6984					26123.96	T
Clinton	216B	65	30.81	2002.73	67	0.6984	34	32	9.65	43.65	1344.95	NT
Clinton	216B	65	512.71	33326.32	67	0.6984					33326.32	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	216C	51	34.60	1764.41	67	0.6984	34	18	5.43	39.43	1364.09	NT
Clinton	216C	51	245.27	12508.67	67	0.6984					12508.67	T
Clinton	217B	79	78.33	6187.68	67	0.6984	34	46	13.87	47.87	3749.70	NT
Clinton	217B	79	906.44	71609.03	67	0.6984					71609.03	T
Clinton	217C	60	29.94	1796.34	67	0.6984	34	26	7.84	41.84	1252.70	NT
Clinton	217C	60	238.47	14308.09	67	0.6984					14308.09	T
Clinton	220	85	0.08	6.42	67	0.6984	34	52	15.68	49.68	3.75	NT
Clinton	220	85	8.80	748.09	67	0.6984					748.09	T
Clinton	221	25	409.31	10232.83	67	0.6984	25	0	0.00	25.00	10232.83	NT
Clinton	221	25	704.81	17620.34	67	0.6984					17620.34	T
Clinton	249	45	84.75	3813.75	67	0.6984	34	12	3.62	37.62	3188.23	NT
Clinton	249	45	179.91	8095.93	67	0.6984					8095.93	T
Clinton	249B	40	52.08	2083.16	67	0.6984	34	6	1.81	35.81	1864.93	NT
Clinton	249B	40	111.15	4446.02	67	0.6984					4446.02	T
Clinton	284B	45	46.04	2071.67	67	0.6984	34	12	3.62	37.62	1731.88	NT
Clinton	284B	45	644.08	28983.47	67	0.6984					28983.47	T
Clinton	284C	30	66.87	2006.01	67	0.6984	30	0	0.00	30.00	2006.01	NT
Clinton	284C	30	558.29	16748.73	67	0.6984					16748.73	T
Clinton	285B	25	5.49	137.34	67	0.6984	25	0	0.00	25.00	137.34	NT
Clinton	285B	25	132.27	3306.75	67	0.6984					3306.75	T
Clinton	285D	5	62.47	312.34	67	0.6984	5	0	0.00	5.00	312.34	NT
Clinton	285D	5	402.55	2012.74	67	0.6984					2012.74	T
Clinton	285F2	7	134.12	938.84	67	0.6984	7	0	0.00	7.00	938.84	NT
Clinton	285F2	7	251.88	1763.15	67	0.6984					1763.15	T
Clinton	291	90	89.12	8020.46	67	0.6984	34	56	16.89	50.89	4535.09	NT
Clinton	291	90	2915.29	262376.48	67	0.6984					262376.48	T
Clinton	293E	25	146.76	3669.06	67	0.6984	25	0	0.00	25.00	3669.06	NT
Clinton	293E	25	453.20	11330.05	67	0.6984					11330.05	T
Clinton	315	30	5382.24	161467.20	67	0.6984	30	0	0.00	30.00	161467.20	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	315	30	177.40	5321.96	67	0.6984					5321.96	T
Clinton	350	73	21.60	1576.47	67	0.6984	34	40	12.06	46.06	994.78	NT
Clinton	350	73	782.38	57113.86	67	0.6984					57113.86	T
Clinton	350B	68	283.67	19289.58	67	0.6984	34	34	10.25	44.25	12553.66	NT
Clinton	350B	68	4934.75	335562.88	67	0.6984					335562.88	T
Clinton	350C	49	50.00	2450.07	67	0.6984	34	16	4.83	38.83	1941.33	NT
Clinton	350C	49	513.53	25163.02	67	0.6984					25163.02	T
Clinton	351	73	307.17	22423.06	67	0.6984	34	40	12.06	46.06	14149.26	NT
Clinton	351	73	8266.58	603460.11	67	0.6984					603460.11	T
Clinton	352B	62	60.90	3776.09	67	0.6984	34	28	8.44	42.44	2585.08	NT
Clinton	352B	62	414.88	25722.53	67	0.6984					25722.53	T
Clinton	353	64	44.03	2818.09	67	0.6984	34	30	9.05	43.05	1895.51	NT
Clinton	353	64	185.95	11900.95	67	0.6984					11900.95	T
Clinton	353B	58	160.82	9327.55	67	0.6984	34	24	7.24	41.24	6631.95	NT
Clinton	353B	58	330.48	19168.02	67	0.6984					19168.02	T
Clinton	353C	38	79.54	3022.36	67	0.6984	34	4	1.21	35.21	2800.17	NT
Clinton	353C	38	207.73	7893.67	67	0.6984					7893.67	T
Clinton	354	5	986.11	4930.54	67	0.6984	5	0	0.00	5.00	4930.54	NT
Clinton	354	5	569.59	2847.93	67	0.6984					2847.93	T
Clinton	373E2	5	44.28	221.42	67	0.6984	5	0	0.00	5.00	221.42	NT
Clinton	373E2	5	250.40	1252.01	67	0.6984					1252.01	T
Clinton	377B	90	415.25	37372.19	67	0.6984	34	56	16.89	50.89	21131.73	NT
Clinton	377B	90	8032.04	722883.45	67	0.6984					722883.45	T
Clinton	377C	75	59.62	4471.80	67	0.6984	34	42	12.67	46.67	2782.49	NT
Clinton	377C	75	1336.45	100233.38	67	0.6984					100233.38	T
Clinton	382	90	60.36	5432.13	67	0.6984	34	56	16.89	50.89	3071.55	NT
Clinton	382	90	4416.91	397521.54	67	0.6984					397521.54	T
Clinton	399	91	9.04	822.68	67	0.6984	34	58	17.49	51.49	465.52	NT
Clinton	399	91	772.03	70254.31	67	0.6984					70254.31	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	404	65	145.06	9428.96	67	0.6984	34	32	9.65	43.65	6332.08	NT
Clinton	404	65	1558.18	101281.80	67	0.6984					101281.80	T
Clinton	407B	72	26.94	1939.48	67	0.6984	34	38	11.46	45.46	1224.59	NT
Clinton	407B	72	1715.50	123515.78	67	0.6984					123515.78	T
Clinton	408B	66	13.08	863.46	67	0.6984	34	32	9.65	43.65	571.08	NT
Clinton	408B	66	473.29	31236.98	67	0.6984					31236.98	T
Clinton	409B	57	32.73	1865.75	67	0.6984	34	24	7.24	41.24	1349.84	NT
Clinton	409B	57	542.53	30924.05	67	0.6984					30924.05	T
Clinton	412D	5	236.04	1180.18	67	0.6984	5	0	0.00	5.00	1180.18	NT
Clinton	412D	5	329.11	1645.56	67	0.6984					1645.56	T
Clinton	412F	5	0.20	1.01	67	0.6984	5	0	0.00	5.00	1.01	NT
Clinton	41B	40	278.54	11141.41	67	0.6984	34	6	1.81	35.81	9974.23	NT
Clinton	41B	40	3219.15	128765.80	67	0.6984					128765.80	T
Clinton	41C	25	374.27	9356.71	67	0.6984	25	0	0.00	25.00	9356.71	NT
Clinton	41C	25	2472.78	61819.48	67	0.6984					61819.48	T
Clinton	41E	5	410.34	2051.69	67	0.6984	5	0	0.00	5.00	2051.69	NT
Clinton	41E	5	655.40	3276.99	67	0.6984					3276.99	T
Clinton	42	40	269.05	10762.11	67	0.6984	34	6	1.81	35.81	9634.67	NT
Clinton	42	40	728.19	29127.57	67	0.6984					29127.57	T
Clinton	420	100	14.78	1478.40	67	0.6984	34	66	19.91	53.91	796.94	NT
Clinton	420	100	344.37	34436.77	67	0.6984					34436.77	T
Clinton	420B	95	50.45	4793.09	67	0.6984	34	62	18.70	52.70	2658.86	NT
Clinton	420B	95	1264.08	120087.68	67	0.6984					120087.68	T
Clinton	426B	85	61.89	5260.72	67	0.6984	34	52	15.68	49.68	3074.93	NT
Clinton	426B	85	933.23	79324.69	67	0.6984					79324.69	T
Clinton	428B	93	107.31	9979.90	67	0.6984	34	60	18.10	52.10	5590.46	NT
Clinton	428B	93	2117.76	196951.72	67	0.6984					196951.72	T
Clinton	430	83	0.06	4.95	67	0.6984					4.95	T
Clinton	450B	68	0.06	4.20	67	0.6984					4.20	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	462	95	11.41	1084.08	67	0.6984	34	62	18.70	52.70	601.37	NT
Clinton	462	95	97.31	9244.39	67	0.6984					9244.39	T
Clinton	462B	90	50.72	4564.37	67	0.6984	34	56	16.89	50.89	2580.88	NT
Clinton	462B	90	520.68	46861.36	67	0.6984					46861.36	T
Clinton	462C	75	64.18	4813.42	67	0.6984	34	42	12.67	46.67	2995.05	NT
Clinton	462C	75	397.66	29824.64	67	0.6984					29824.64	T
Clinton	463B	85	35.56	3022.22	67	0.6984	34	52	15.68	49.68	1766.51	NT
Clinton	463B	85	252.68	21477.56	67	0.6984					21477.56	T
Clinton	463C	70	0.01	0.44	67	0.6984	34	36	10.86	44.86	0.28	NT
Clinton	463C	70	0.05	3.77	67	0.6984					3.77	T
Clinton	478G	5	2725.15	13625.76	67	0.6984	5	0	0.00	5.00	13625.76	NT
Clinton	478G	5	447.09	2235.43	67	0.6984					2235.43	T
Clinton	488D2	61	5.55	338.73	67	0.6984					338.73	T
Clinton	488D3	58	6.61	383.29	67	0.6984					383.29	T
Clinton	488E3	48	6.13	294.39	67	0.6984					294.39	T
Clinton	499D	5	217.32	1086.61	67	0.6984	5	0	0.00	5.00	1086.61	NT
Clinton	499D	5	253.52	1267.59	67	0.6984					1267.59	T
Clinton	499F	5	1246.07	6230.36	67	0.6984	5	0	0.00	5.00	6230.36	NT
Clinton	499F	5	693.87	3469.34	67	0.6984					3469.34	T
Clinton	499G	5	3.61	18.07	67	0.6984	5	0	0.00	5.00	18.07	NT
Clinton	5010	0	120.48	0.00	67	0.6984	0	0	0.00	0.00	0.00	NT
Clinton	5010	0	20.07	0.00	67	0.6984					0.00	T
Clinton	5030	0	175.85	0.00	67	0.6984	0	0	0.00	0.00	0.00	NT
Clinton	5030	0	16.72	0.00	67	0.6984					0.00	T
Clinton	5040	5	302.66	1513.31	67	0.6984	5	0	0.00	5.00	1513.31	NT
Clinton	5040	5	97.32	486.62	67	0.6984					486.62	T
Clinton	51	70	84.38	5906.35	67	0.6984	34	36	10.86	44.86	3784.92	NT
Clinton	51	70	848.49	59394.05	67	0.6984					59394.05	T
Clinton	54	70	46.89	3282.60	67	0.6984	34	36	10.86	44.86	2103.57	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	54	70	729.77	51083.59	67	0.6984					51083.59	T
Clinton	591B	73	18.01	1314.70	67	0.6984	34	40	12.06	46.06	829.60	NT
Clinton	591B	73	729.21	53232.13	67	0.6984					53232.13	T
Clinton	623D2	58	7.11	412.38	67	0.6984					412.38	T
Clinton	623E2	48	0.22	10.69	67	0.6984	34	14	4.22	38.22	8.51	NT
Clinton	623E2	48	6.12	293.99	67	0.6984					293.99	T
Clinton	623E3	45	5.52	248.39	67	0.6984	34	12	3.62	37.62	207.65	NT
Clinton	623E3	45	0.00	0.11	67	0.6984					0.11	T
Clinton	623F2	28	3.37	94.23	67	0.6984	28	0	0.00	28.00	94.23	NT
Clinton	623F3	25	0.89	22.37	67	0.6984	25	0	0.00	25.00	22.37	NT
Clinton	623F3	25	3.01	75.32	67	0.6984					75.32	T
Clinton	63C	21	239.86	5036.98	67	0.6984	21	0	0.00	21.00	5036.98	NT
Clinton	63C	21	411.42	8639.90	67	0.6984					8639.90	T
Clinton	63E	5	581.26	2906.29	67	0.6984	5	0	0.00	5.00	2906.29	NT
Clinton	63E	5	578.98	2894.90	67	0.6984					2894.90	T
Clinton	63G	5	247.81	1239.04	67	0.6984	5	0	0.00	5.00	1239.04	NT
Clinton	63G	5	35.36	176.79	67	0.6984					176.79	T
Clinton	65E2	24	74.64	1791.43	67	0.6984	24	0	0.00	24.00	1791.43	NT
Clinton	65E2	24	442.89	10629.34	67	0.6984					10629.34	T
Clinton	65E3	25	170.60	4265.10	67	0.6984	25	0	0.00	25.00	4265.10	NT
Clinton	65E3	25	835.12	20877.96	67	0.6984					20877.96	T
Clinton	65F2	8	161.80	1294.42	67	0.6984	8	0	0.00	8.00	1294.42	NT
Clinton	65F2	8	198.93	1591.40	67	0.6984					1591.40	T
Clinton	65F3	5	651.79	3258.96	67	0.6984	5	0	0.00	5.00	3258.96	NT
Clinton	65F3	5	1807.53	9037.65	67	0.6984					9037.65	T
Clinton	65G	5	381.61	1908.03	67	0.6984	5	0	0.00	5.00	1908.03	NT
Clinton	65G	5	246.59	1232.93	67	0.6984					1232.93	T
Clinton	65G3	5	313.02	1565.10	67	0.6984	5	0	0.00	5.00	1565.10	NT
Clinton	65G3	5	403.30	2016.48	67	0.6984					2016.48	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	662C2	72	23.13	1665.52	67	0.6984	34	38	11.46	45.46	1051.61	NT
Clinton	662C2	72	276.24	19889.05	67	0.6984					19889.05	T
Clinton	662D2	61	114.12	6961.06	67	0.6984	34	28	8.44	42.44	4843.62	NT
Clinton	662D2	61	1019.12	62166.03	67	0.6984					62166.03	T
Clinton	662E2	47	102.46	4815.62	67	0.6984	34	14	4.22	38.22	3916.27	NT
Clinton	662E2	47	672.13	31589.93	67	0.6984					31589.93	T
Clinton	688	85	32.35	2749.54	67	0.6984	34	52	15.68	49.68	1607.13	NT
Clinton	688	85	553.34	47034.16	67	0.6984					47034.16	T
Clinton	729B	83	0.12	9.66	67	0.6984					9.66	T
Clinton	733	64	33.00	2112.20	67	0.6984	34	30	9.05	43.05	1420.72	NT
Clinton	733	64	586.30	37523.23	67	0.6984					37523.23	T
Clinton	760	80	97.10	7768.20	67	0.6984	34	46	13.87	47.87	4648.65	NT
Clinton	760	80	4488.93	359114.49	67	0.6984					359114.49	T
Clinton	763F3	21	2.02	42.35	67	0.6984	21	0	0.00	21.00	42.35	NT
Clinton	763F3	21	0.82	17.19	67	0.6984					17.19	T
Clinton	777B	53	91.86	4868.67	67	0.6984	34	20	6.03	40.03	3677.41	NT
Clinton	777B	53	481.22	25504.60	67	0.6984					25504.60	T
Clinton	777C	34	49.79	1692.99	67	0.6984	34	0	0.00	34.00	1692.99	NT
Clinton	777C	34	125.62	4270.96	67	0.6984					4270.96	T
Clinton	809B	27	49.79	1344.30	67	0.6984	27	0	0.00	27.00	1344.30	NT
Clinton	809B	27	389.34	10512.27	67	0.6984					10512.27	T
Clinton	820B	75	1.13	84.84	67	0.6984	34	42	12.67	46.67	52.79	NT
Clinton	83B	87	77.44	6737.28	67	0.6984	34	54	16.29	50.29	3894.18	NT
Clinton	83B	87	2149.49	187005.59	67	0.6984					187005.59	T
Clinton	83C	72	46.24	3329.06	67	0.6984	34	38	11.46	45.46	2101.97	NT
Clinton	83C	72	809.11	58255.74	67	0.6984					58255.74	T
Clinton	83C2	69	30.35	2094.40	67	0.6984	34	36	10.86	44.86	1361.59	NT
Clinton	83C2	69	593.07	40921.91	67	0.6984					40921.91	T
Clinton	84	76	24.94	1895.14	67	0.6984	34	42	12.67	46.67	1163.70	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	84	76	1098.40	83478.34	67	0.6984					83478.34	T
Clinton	88	92	83.71	7701.60	67	0.6984	34	58	17.49	51.49	4310.62	NT
Clinton	88	92	2444.22	224867.95	67	0.6984					224867.95	T
Clinton	911B	85	0.11	9.43	67	0.6984	34	52	15.68	49.68	5.51	NT
Clinton	911B	85	0.85	71.89	67	0.6984					71.89	T
Clinton	918	87	181.34	15776.31	67	0.6984	34	54	16.29	50.29	9118.78	NT
Clinton	918	87	5151.24	448158.02	67	0.6984					448158.02	T
Clinton	919	90	58.02	5222.22	67	0.6984	34	56	16.89	50.89	2952.85	NT
Clinton	919	90	2378.95	214105.39	67	0.6984					214105.39	T
Clinton	920	87	26.70	2322.90	67	0.6984	34	54	16.29	50.29	1342.65	NT
Clinton	920	87	1668.98	145201.02	67	0.6984					145201.02	T
Clinton	920B	82	228.31	18721.43	67	0.6984	34	48	14.48	48.48	11067.74	NT
Clinton	920B	82	4100.85	336269.44	67	0.6984					336269.44	T
Clinton	923	85	37.71	3205.29	67	0.6984	34	52	15.68	49.68	1873.52	NT
Clinton	923	85	85.84	7296.04	67	0.6984					7296.04	T
Clinton	926	90	0.68	60.93	67	0.6984					60.93	T
Clinton	930	75	0.23	17.16	67	0.6984	34	42	12.67	46.67	10.68	NT
Clinton	930	75	0.00	0.29	67	0.6984					0.29	T
Clinton	933	80	807.24	64579.14	67	0.6984	34	46	13.87	47.87	38645.45	NT
Clinton	933	80	7755.98	620478.33	67	0.6984					620478.33	T
Clinton	949	30	224.68	6740.36	67	0.6984	30	0	0.00	30.00	6740.36	NT
Clinton	949	30	499.73	14991.83	67	0.6984					14991.83	T
Clinton	951F	5	143.81	719.04	67	0.6984	5	0	0.00	5.00	719.04	NT
Clinton	951F	5	44.50	222.49	67	0.6984					222.49	T
Clinton	953	25	47.80	1194.97	67	0.6984	25	0	0.00	25.00	1194.97	NT
Clinton	953	25	35.31	882.82	67	0.6984					882.82	T
Clinton	960	62	852.23	52837.96	67	0.6984	34	28	8.44	42.44	36172.53	NT
Clinton	960	62	2718.48	168545.83	67	0.6984					168545.83	T
Clinton	961	47	1988.20	93445.46	67	0.6984	34	14	4.22	38.22	75993.83	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Clinton	961	47	2862.26	134526.45	67	0.6984					134526.45	T
Clinton	962	60	244.14	14648.44	67	0.6984	34	26	7.84	41.84	10215.23	NT
Clinton	962	60	2206.23	132374.03	67	0.6984					132374.03	T
Clinton	963	72	27.82	2003.22	67	0.6984	34	38	11.46	45.46	1264.83	NT
Clinton	963	72	292.84	21084.56	67	0.6984					21084.56	T
Clinton	976	95	25.04	2378.61	67	0.6984	34	62	18.70	52.70	1319.48	NT
Clinton	976	95	536.43	50960.52	67	0.6984					50960.52	T
Clinton	AW	0	1.55	0.00	67	0.6984	0	0	0.00	0.00	0.00	NT
Clinton	AW	0	0.20	0.00	67	0.6984					0.00	T
Clinton	INT	0	37.43	0.00	67	0.6984	0	0	0.00	0.00	0.00	NT
Clinton	INT	0	107.38	0.00	67	0.6984					0.00	T
Clinton	SL	0	26.47	0.00	67	0.6984	0	0	0.00	0.00	0.00	NT
Clinton	SL	0	0.08	0.00	67	0.6984					0.00	T
Clinton	W	0	859.02	0.00	67	0.6984	0	0	0.00	0.00	0.00	NT
Clinton	W	0	53.53	0.00	67	0.6984					0.00	T
											0.00	
											0.00	
Crawford	100B	80	171.78	13742.57	59	0.707	30	50	14.65	44.65	7670.07	NT
Crawford	100B	80	4038.21	323056.45	59	0.707					323056.45	T
Crawford	100C	58	0.11	6.46	59	0.707					6.46	T
Crawford	100C2	63	1387.73	87426.79	59	0.707	30	34	9.96	39.96	55456.34	NT
Crawford	100C2	63	21943.96	1382469.75	59	0.707					1382469.75	T
Crawford	100D2	53	1815.97	96246.21	59	0.707	30	24	7.03	37.03	67248.86	NT
Crawford	100D2	53	31697.02	1679941.82	59	0.707					1679941.82	T
Crawford	100D3	50	289.77	14488.27	59	0.707	30	20	5.86	35.86	10390.99	NT
Crawford	100D3	50	8039.42	401971.22	59	0.707					401971.22	T
Crawford	100E2	43	1780.17	76547.16	59	0.707	30	14	4.10	34.10	60707.24	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Crawford	100E2	43	11655.95	501205.94	59	0.707					501205.94	T
Crawford	100E3	40	803.69	32147.61	59	0.707	30	10	2.93	32.93	26465.52	NT
Crawford	100E3	40	7426.63	297065.01	59	0.707					297065.01	T
Crawford	100F2	23	885.98	20377.46	59	0.707	23	0	0.00	23.00	20377.46	NT
Crawford	100F2	23	831.98	19135.60	59	0.707					19135.60	T
Crawford	100F3	20	452.49	9049.82	59	0.707	20	0	0.00	20.00	9049.82	NT
Crawford	100F3	20	1029.67	20593.32	59	0.707					20593.32	T
Crawford	10B	80	61.69	4935.58	59	0.707	30	50	14.65	44.65	2754.67	NT
Crawford	10B	80	961.80	76944.19	59	0.707					76944.19	T
Crawford	10B2	78	53.36	4162.30	59	0.707	30	48	14.06	44.06	2351.38	NT
Crawford	10B2	78	688.17	53676.94	59	0.707					53676.94	T
Crawford	10C	65	8.11	527.29	59	0.707					527.29	T
Crawford	10C2	63	878.22	55327.69	59	0.707	30	34	9.96	39.96	35095.32	NT
Crawford	10C2	63	8859.08	558122.13	59	0.707					558122.13	T
Crawford	10D	55	0.58	31.63	59	0.707	30	26	7.62	37.62	21.64	NT
Crawford	10D	55	1.17	64.14	59	0.707					64.14	T
Crawford	10D2	53	735.61	38987.15	59	0.707	30	24	7.03	37.03	27240.98	NT
Crawford	10D2	53	10289.03	545318.65	59	0.707					545318.65	T
Crawford	10D3	50	107.49	5374.52	59	0.707	30	20	5.86	35.86	3854.61	NT
Crawford	10D3	50	2608.82	130440.95	59	0.707					130440.95	T
Crawford	10E2	43	932.54	40099.33	59	0.707	30	14	4.10	34.10	31801.57	NT
Crawford	10E2	43	5188.30	223097.06	59	0.707					223097.06	T
Crawford	10E3	40	580.70	23227.85	59	0.707	30	10	2.93	32.93	19122.33	NT
Crawford	10E3	40	4108.66	164346.35	59	0.707					164346.35	T
Crawford	10F	22	0.10	2.24	59	0.707	22	0	0.00	22.00	2.24	NT
Crawford	10F2	23	873.52	20090.89	59	0.707	23	0	0.00	23.00	20090.89	NT
Crawford	10F2	23	627.84	14440.29	59	0.707					14440.29	T
Crawford	10F3	20	486.82	9736.33	59	0.707	20	0	0.00	20.00	9736.33	NT
Crawford	10F3	20	876.20	17523.92	59	0.707					17523.92	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Crawford	10G	15	0.04	0.59	59	0.707	15	0	0.00	15.00	0.59	NT
Crawford	111D3	45	34.74	1563.08	59	0.707	30	16	4.69	34.69	1204.89	NT
Crawford	111D3	45	976.47	43941.24	59	0.707					43941.24	T
Crawford	111E3	36	176.55	6355.96	59	0.707	30	6	1.76	31.76	5607.02	NT
Crawford	111E3	36	1471.02	52956.87	59	0.707					52956.87	T
Crawford	11B	68	0.02	1.05	59	0.707	30	38	11.13	41.13	0.63	NT
Crawford	11B	68	0.10	6.93	59	0.707					6.93	T
Crawford	1220	25	1347.60	33689.98	59	0.707	25	0	0.00	25.00	33689.98	NT
Crawford	1220	25	744.86	18621.51	59	0.707					18621.51	T
Crawford	125D3	23	57.42	1320.71	59	0.707	23	0	0.00	23.00	1320.71	NT
Crawford	125D3	23	237.15	5454.41	59	0.707					5454.41	T
Crawford	125E3	13	67.52	877.71	59	0.707	13	0	0.00	13.00	877.71	NT
Crawford	125E3	13	219.62	2855.10	59	0.707					2855.10	T
Crawford	12B	80	1057.34	84587.30	59	0.707	30	50	14.65	44.65	47210.28	NT
Crawford	12B	80	6131.00	490479.61	59	0.707					490479.61	T
Crawford	12C	65	2088.95	135781.70	59	0.707	30	36	10.55	40.55	84702.71	NT
Crawford	12C	65	5028.63	326860.88	59	0.707					326860.88	T
Crawford	12D	60	0.17	10.10	59	0.707	30	30	8.79	38.79	6.53	NT
Crawford	12D	60	0.15	8.76	59	0.707					8.76	T
Crawford	133	80	100.31	8024.81	59	0.707	30	50	14.65	44.65	4478.84	NT
Crawford	133	80	849.93	67994.62	59	0.707					67994.62	T
Crawford	133+	85	361.91	30762.06	59	0.707	30	56	16.41	46.41	16795.36	NT
Crawford	133+	85	1934.55	164436.92	59	0.707					164436.92	T
Crawford	17B	57	2265.44	129129.81	59	0.707	30	28	8.20	38.20	86548.69	NT
Crawford	17B	57	5231.85	298215.41	59	0.707					298215.41	T
Crawford	1C	60	41.45	2486.95	59	0.707	30	30	8.79	38.79	1607.82	NT
Crawford	1C	60	597.55	35852.74	59	0.707					35852.74	T
Crawford	1C3	55	470.18	25859.98	59	0.707	30	26	7.62	37.62	17687.28	NT
Crawford	1C3	55	9767.08	537189.27	59	0.707					537189.27	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Crawford	1D	50	0.00	0.07	59	0.707	30	20	5.86	35.86	0.05	NT
Crawford	1D	50	0.81	40.62	59	0.707					40.62	T
Crawford	1D3	45	414.27	18642.20	59	0.707	30	16	4.69	34.69	14370.23	NT
Crawford	1D3	45	7263.10	326839.46	59	0.707					326839.46	T
Crawford	1E	35	0.04	1.45	59	0.707	30	6	1.76	31.76	1.31	NT
Crawford	1E	35	0.11	3.68	59	0.707					3.68	T
Crawford	1E3	35	546.56	19129.70	59	0.707	30	6	1.76	31.76	17357.74	NT
Crawford	1E3	35	7078.50	247747.55	59	0.707					247747.55	T
Crawford	1F	14	0.05	0.64	59	0.707	14	0	0.00	14.00	0.64	NT
Crawford	1F	14	0.07	0.96	59	0.707					0.96	T
Crawford	1F3	15	221.19	3317.91	59	0.707	15	0	0.00	15.00	3317.91	NT
Crawford	1F3	15	822.53	12338.01	59	0.707					12338.01	T
Crawford	212	94	311.31	29263.15	59	0.707	30	64	18.75	48.75	15176.99	NT
Crawford	212	94	4184.96	393385.84	59	0.707					393385.84	T
Crawford	212+	90	376.45	33880.43	59	0.707	30	60	17.58	47.58	17911.45	NT
Crawford	212+	90	2348.79	211390.66	59	0.707					211390.66	T
Crawford	220	85	1563.52	132899.51	59	0.707	30	56	16.41	46.41	72560.01	NT
Crawford	220	85	5020.73	426762.39	59	0.707					426762.39	T
Crawford	22D2	46	13.58	624.80	59	0.707	30	16	4.69	34.69	471.15	NT
Crawford	22D2	46	238.61	10976.29	59	0.707					10976.29	T
Crawford	22D3	43	26.77	1151.11	59	0.707	30	14	4.10	34.10	912.91	NT
Crawford	22D3	43	763.75	32841.08	59	0.707					32841.08	T
Crawford	22E3	43	74.70	3212.19	59	0.707	30	14	4.10	34.10	2547.49	NT
Crawford	22E3	43	886.19	38106.01	59	0.707					38106.01	T
Crawford	26	85	220.53	18745.15	59	0.707	30	56	16.41	46.41	10234.41	NT
Crawford	26	85	1944.93	165319.17	59	0.707					165319.17	T
Crawford	266	85	31.50	2677.49	59	0.707	30	56	16.41	46.41	1461.85	NT
Crawford	266	85	959.73	81576.70	59	0.707					81576.70	T
Crawford	266+	90	103.56	9320.46	59	0.707	30	60	17.58	47.58	4927.42	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Crawford	266+	90	679.30	61137.31	59	0.707					61137.31	T
Crawford	268D	50	212.00	10599.87	59	0.707	30	20	5.86	35.86	7602.23	NT
Crawford	268D	50	34.94	1746.95	59	0.707					1746.95	T
Crawford	268E	40	568.94	22757.57	59	0.707	30	10	2.93	32.93	18735.17	NT
Crawford	268E	40	107.41	4296.45	59	0.707					4296.45	T
Crawford	268F	20	854.77	17095.37	59	0.707	20	0	0.00	20.00	17095.37	NT
Crawford	268F	20	99.15	1983.02	59	0.707					1983.02	T
Crawford	26B	73	0.11	8.02	59	0.707					8.02	T
Crawford	33E	19	0.28	5.33	59	0.707					5.33	T
Crawford	35D2	40	61.50	2459.89	59	0.707	30	10	2.93	32.93	2025.10	NT
Crawford	35D2	40	339.17	13566.62	59	0.707					13566.62	T
Crawford	35E2	30	1201.55	36046.45	59	0.707	30	0	0.00	30.00	36046.45	NT
Crawford	35E2	30	3833.12	114993.68	59	0.707					114993.68	T
Crawford	35F2	8	1580.31	12642.48	59	0.707	8	0	0.00	8.00	12642.48	NT
Crawford	35F2	8	1038.81	8310.50	59	0.707					8310.50	T
Crawford	35G	5	281.66	1408.30	59	0.707	5	0	0.00	5.00	1408.30	NT
Crawford	35G	5	73.34	366.71	59	0.707					366.71	T
Crawford	430	83	321.90	26717.81	59	0.707	30	54	15.82	45.82	14750.16	NT
Crawford	430	83	1228.49	101965.03	59	0.707					101965.03	T
Crawford	431B	73	11156.73	814441.60	59	0.707	30	44	12.89	42.89	478534.64	NT
Crawford	431B	73	39280.90	2867505.67	59	0.707					2867505.67	T
Crawford	5010	0	99.43	0.00	59	0.707	0	0	0.00	0.00	0.00	NT
Crawford	5010	0	25.10	0.00	59	0.707					0.00	T
Crawford	5040	5	295.29	1476.46	59	0.707	5	0	0.00	5.00	1476.46	NT
Crawford	5040	5	164.89	824.46	59	0.707					824.46	T
Crawford	5080	0	81.29	0.00	59	0.707	0	0	0.00	0.00	0.00	NT
Crawford	5080	0	31.46	0.00	59	0.707					0.00	T
Crawford	509B	84	32.07	2693.93	59	0.707	30	54	15.82	45.82	1469.54	NT
Crawford	509B	84	756.49	63544.79	59	0.707					63544.79	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Crawford	509C	81	18.87	1528.65	59	0.707	30	52	15.24	45.24	853.71	NT
Crawford	509C	81	106.52	8627.97	59	0.707					8627.97	T
Crawford	509C2	77	39.66	3053.49	59	0.707	30	48	14.06	44.06	1747.39	NT
Crawford	509C2	77	428.28	32977.53	59	0.707					32977.53	T
Crawford	509D2	54	47.96	2589.68	59	0.707	30	24	7.03	37.03	1775.95	NT
Crawford	509D2	54	248.09	13396.66	59	0.707					13396.66	T
Crawford	509E2	44	39.78	1750.47	59	0.707	30	14	4.10	34.10	1356.69	NT
Crawford	509E2	44	25.81	1135.80	59	0.707					1135.80	T
Crawford	510	85	42.47	3609.61	59	0.707	30	56	16.41	46.41	1970.76	NT
Crawford	510	85	1192.35	101349.38	59	0.707					101349.38	T
Crawford	510B	80	88.97	7117.86	59	0.707	30	50	14.65	44.65	3972.66	NT
Crawford	510B	80	1135.18	90814.62	59	0.707					90814.62	T
Crawford	510C	63	0.00	0.21	59	0.707					0.21	T
Crawford	510C2	63	44.48	2802.44	59	0.707	30	34	9.96	39.96	1777.64	NT
Crawford	510C2	63	579.46	36506.15	59	0.707					36506.15	T
Crawford	510D2	53	43.61	2311.39	59	0.707	30	24	7.03	37.03	1615.01	NT
Crawford	510D2	53	276.56	14657.80	59	0.707					14657.80	T
Crawford	510E2	43	25.21	1084.20	59	0.707	30	14	4.10	34.10	859.85	NT
Crawford	510E2	43	187.32	8054.63	59	0.707					8054.63	T
Crawford	54	70	107.60	7531.79	59	0.707	30	40	11.72	41.72	4488.95	NT
Crawford	54	70	702.94	49205.76	59	0.707					49205.76	T
Crawford	54+	75	41.76	3132.36	59	0.707	30	46	13.48	43.48	1815.85	NT
Crawford	54+	75	513.07	38480.47	59	0.707					38480.47	T
Crawford	59D2	58	197.53	11456.57	59	0.707	30	28	8.20	38.20	7546.33	NT
Crawford	59D2	58	1652.17	95825.96	59	0.707					95825.96	T
Crawford	59E2	33	386.73	12761.97	59	0.707	30	4	1.17	31.17	12055.03	NT
Crawford	59E2	33	828.69	27346.89	59	0.707					27346.89	T
Crawford	630	85	894.68	76047.97	59	0.707	30	56	16.41	46.41	41520.40	NT
Crawford	630	85	5561.08	472691.65	59	0.707					472691.65	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Crawford	670	80	137.70	11016.04	59	0.707	30	50	14.65	44.65	6148.33	NT
Crawford	670	80	478.25	38259.82	59	0.707					38259.82	T
Crawford	700	85	11.52	979.16	59	0.707	30	56	16.41	46.41	534.60	NT
Crawford	700	85	178.84	15201.62	59	0.707					15201.62	T
Crawford	700B	80	111.04	8883.39	59	0.707	30	50	14.65	44.65	4958.04	NT
Crawford	700B	80	1348.95	107915.98	59	0.707					107915.98	T
Crawford	700C2	63	64.49	4062.86	59	0.707	30	34	9.96	39.96	2577.14	NT
Crawford	700C2	63	644.15	40581.67	59	0.707					40581.67	T
Crawford	700D2	53	50.71	2687.86	59	0.707	30	24	7.03	37.03	1878.06	NT
Crawford	700D2	53	315.06	16698.16	59	0.707					16698.16	T
Crawford	717D	5	603.35	3016.74	59	0.707	5	0	0.00	5.00	3016.74	NT
Crawford	717D	5	335.42	1677.09	59	0.707					1677.09	T
Crawford	740D	7	34.97	244.82	59	0.707	7	0	0.00	7.00	244.82	NT
Crawford	740D	7	205.45	1438.14	59	0.707					1438.14	T
Crawford	740E	5	51.31	256.57	59	0.707	5	0	0.00	5.00	256.57	NT
Crawford	740E	5	146.50	732.49	59	0.707					732.49	T
Crawford	740F	7	104.75	733.27	59	0.707	7	0	0.00	7.00	733.27	NT
Crawford	740F	7	115.43	808.00	59	0.707					808.00	T
Crawford	8B	90	2582.13	232391.48	59	0.707	30	60	17.58	47.58	122857.63	NT
Crawford	8B	90	16998.69	1529881.90	59	0.707					1529881.90	T
Crawford	8C	66	2325.76	153500.28	59	0.707	30	36	10.55	40.55	94304.99	NT
Crawford	8C	66	4805.18	317141.90	59	0.707					317141.90	T
Crawford	9	86	3.40	292.49	59	0.707	30	56	16.41	46.41	157.84	NT
Crawford	9	86	86.50	7439.27	59	0.707					7439.27	T
Crawford	980C	5	978.93	4894.65	59	0.707	5	0	0.00	5.00	4894.65	NT
Crawford	980C	5	364.74	1823.68	59	0.707					1823.68	T
Crawford	99C2	61	70.37	4292.65	59	0.707	30	32	9.38	39.38	2770.94	NT
Crawford	99C2	61	2663.84	162494.02	59	0.707					162494.02	T
Crawford	99D2	53	294.98	15634.12	59	0.707	30	24	7.03	37.03	10923.82	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Crawford	99D2	53	11413.27	604903.21	59	0.707					604903.21	T
Crawford	99E2	44	29.50	1297.90	59	0.707	30	14	4.10	34.10	1005.93	NT
Crawford	99E2	44	1457.64	64136.15	59	0.707					64136.15	T
Crawford	9B	85	476.19	40476.35	59	0.707	30	56	16.41	46.41	22099.14	NT
Crawford	9B	85	9976.84	848031.50	59	0.707					848031.50	T
Crawford	9B2	79	177.36	14011.30	59	0.707	30	50	14.65	44.65	7919.04	NT
Crawford	9B2	79	4272.62	337536.80	59	0.707					337536.80	T
Crawford	9C	66	217.07	14326.34	59	0.707	30	36	10.55	40.55	8801.58	NT
Crawford	9C	66	3807.10	251268.48	59	0.707					251268.48	T
Crawford	9C2	77	1359.29	104665.32	59	0.707	30	48	14.06	44.06	59895.75	NT
Crawford	9C2	77	26996.72	2078747.30	59	0.707					2078747.30	T
Crawford	9D	56	40.29	2256.28	59	0.707	30	26	7.62	37.62	1515.65	NT
Crawford	9D	56	266.10	14901.69	59	0.707					14901.69	T
Crawford	9D2	52	1981.95	103061.58	59	0.707	30	22	6.45	36.45	72234.28	NT
Crawford	9D2	52	36926.25	1920165.18	59	0.707					1920165.18	T
Crawford	9E2	44	1049.19	46164.34	59	0.707	30	14	4.10	34.10	35779.46	NT
Crawford	9E2	44	5556.43	244482.99	59	0.707					244482.99	T
Crawford	9E3	41	1147.15	47032.98	59	0.707	30	12	3.52	33.52	38447.74	NT
Crawford	9E3	41	4379.14	179544.63	59	0.707					179544.63	T
Crawford	AW	0	13.02	0.00	59	0.707	0	0	0.00	0.00	0.00	NT
Crawford	AW	0	0.04	0.00	59	0.707					0.00	T
Crawford	SL	0	72.44	0.00	59	0.707	0	0	0.00	0.00	0.00	NT
Crawford	SL	0	4.19	0.00	59	0.707					0.00	T
Crawford	W	0	1308.20	0.00	59	0.707	0	0	0.00	0.00	0.00	NT
Crawford	W	0	29.33	0.00	59	0.707					0.00	T
											0.00	
											0.00	

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	107	70	1398.94	97925.98	80	0.7759	40	30	6.72	46.72	65362.80	NT
Dallas	107	70	24990.26	1749318.48	80	0.7759					1749318.48	T
Dallas	108C2	25	0.03	0.79	80	0.7759	25	0	0.00	25.00	0.79	NT
Dallas	11B	68	1517.40	103182.90	80	0.7759	40	28	6.27	46.27	70217.17	NT
Dallas	11B	68	753.59	51244.35	80	0.7759					51244.35	T
Dallas	1220	25	766.97	19174.31	80	0.7759	25	0	0.00	25.00	19174.31	NT
Dallas	1220	25	124.92	3122.92	80	0.7759					3122.92	T
Dallas	1314	25	2612.36	65308.99	80	0.7759	25	0	0.00	25.00	65308.99	NT
Dallas	1314	25	457.34	11433.62	80	0.7759					11433.62	T
Dallas	133	80	783.99	62719.57	80	0.7759	40	40	8.96	48.96	38387.51	NT
Dallas	133	80	1332.82	106625.62	80	0.7759					106625.62	T
Dallas	133A	80	0.08	6.25	80	0.7759	40	40	8.96	48.96	3.83	NT
Dallas	133A+	85	0.22	19.06	80	0.7759	40	45	10.08	50.08	11.23	NT
Dallas	133A+	85	0.06	4.95	80	0.7759					4.95	T
Dallas	133B	75	0.05	3.38	80	0.7759	40	35	7.84	47.84	2.16	NT
Dallas	135	78	2855.07	222695.70	80	0.7759	40	38	8.52	48.52	138516.16	NT
Dallas	135	78	4587.00	357786.07	80	0.7759					357786.07	T
Dallas	138B	73	4353.05	317772.48	80	0.7759	40	33	7.40	47.40	206314.00	NT
Dallas	138B	73	65654.64	4792788.88	80	0.7759					4792788.88	T
Dallas	138C	67	307.28	20587.86	80	0.7759	40	27	6.05	46.05	14150.53	NT
Dallas	138C	67	1051.20	70430.54	80	0.7759					70430.54	T
Dallas	138C2	59	2087.19	123144.43	80	0.7759	40	19	4.26	44.26	92374.81	NT
Dallas	138C2	59	13303.67	784916.69	80	0.7759					784916.69	T
Dallas	138D2	56	1123.73	62929.16	80	0.7759	40	16	3.59	43.59	48978.66	NT
Dallas	138D2	56	1756.92	98387.26	80	0.7759					98387.26	T
Dallas	1585	5	791.65	3958.26	80	0.7759	5	0	0.00	5.00	3958.26	NT
Dallas	1585	5	63.72	318.61	80	0.7759					318.61	T
Dallas	1636	25	0.44	10.90	80	0.7759	25	0	0.00	25.00	10.90	NT
Dallas	1636	25	0.88	21.97	80	0.7759					21.97	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	168B	74	660.39	48868.49	80	0.7759	40	34	7.62	47.62	31447.14	NT
Dallas	168B	74	993.40	73511.75	80	0.7759					73511.75	T
Dallas	168C	58	470.48	27288.01	80	0.7759	40	18	4.03	44.03	20717.15	NT
Dallas	168C	58	99.33	5761.38	80	0.7759					5761.38	T
Dallas	168C2	56	380.75	21321.90	80	0.7759	40	16	3.59	43.59	16595.14	NT
Dallas	168C2	56	518.56	29039.19	80	0.7759					29039.19	T
Dallas	168D2	47	455.79	21422.13	80	0.7759	40	7	1.57	41.57	18946.59	NT
Dallas	168D2	47	396.65	18642.36	80	0.7759					18642.36	T
Dallas	168E	38	579.16	22007.99	80	0.7759	38	0	0.00	38.00	22007.99	NT
Dallas	168E	38	131.34	4991.09	80	0.7759					4991.09	T
Dallas	168F	17	1392.08	23665.31	80	0.7759	17	0	0.00	17.00	23665.31	NT
Dallas	168F	17	71.97	1223.51	80	0.7759					1223.51	T
Dallas	169B	85	957.50	81387.16	80	0.7759	40	45	10.08	50.08	47955.71	NT
Dallas	169B	85	10459.37	889046.07	80	0.7759					889046.07	T
Dallas	169C2	74	864.12	63944.62	80	0.7759	40	34	7.62	47.62	41148.71	NT
Dallas	169C2	74	4072.34	301352.85	80	0.7759					301352.85	T
Dallas	175B	56	44.07	2468.09	80	0.7759	40	16	3.59	43.59	1920.95	NT
Dallas	175B	56	250.67	14037.64	80	0.7759					14037.64	T
Dallas	175C	41	43.08	1766.44	80	0.7759	40	1	0.22	40.22	1733.01	NT
Dallas	175C	41	117.02	4797.68	80	0.7759					4797.68	T
Dallas	179E2	33	0.03	0.93	80	0.7759	33	0	0.00	33.00	0.93	NT
Dallas	179E2	33	0.08	2.71	80	0.7759					2.71	T
Dallas	179F	15	1105.91	16588.64	80	0.7759	15	0	0.00	15.00	16588.64	NT
Dallas	179F	15	82.62	1239.35	80	0.7759					1239.35	T
Dallas	179G2	5	0.02	0.08	80	0.7759	5	0	0.00	5.00	0.08	NT
Dallas	201B	51	2508.18	127917.00	80	0.7759	40	11	2.47	42.47	106509.96	NT
Dallas	201B	51	1751.56	89329.51	80	0.7759					89329.51	T
Dallas	203	71	110.89	7873.31	80	0.7759	40	31	6.95	46.95	5206.04	NT
Dallas	203	71	1599.64	113574.48	80	0.7759					113574.48	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	220	85	1275.03	108377.63	80	0.7759	40	45	10.08	50.08	63859.29	NT
Dallas	220	85	2289.81	194633.83	80	0.7759					194633.83	T
Dallas	2315	25	0.53	13.17	80	0.7759	25	0	0.00	25.00	13.17	NT
Dallas	236B	79	12.48	985.73	80	0.7759	40	39	8.74	48.74	608.16	NT
Dallas	236B	79	0.53	42.23	80	0.7759					42.23	T
Dallas	24D2	48	241.07	11571.28	80	0.7759	40	8	1.79	41.79	10074.92	NT
Dallas	24D2	48	204.61	9821.42	80	0.7759					9821.42	T
Dallas	24E	40	589.07	23562.64	80	0.7759	40	0	0.00	40.00	23562.64	NT
Dallas	24E	40	302.64	12105.65	80	0.7759					12105.65	T
Dallas	24E2	38	0.08	3.05	80	0.7759					3.05	T
Dallas	259	41	170.40	6986.28	80	0.7759	40	1	0.22	40.22	6854.07	NT
Dallas	259	41	1945.42	79762.12	80	0.7759					79762.12	T
Dallas	27B	82	204.59	16776.54	80	0.7759	40	42	9.41	49.41	10109.34	NT
Dallas	27B	82	1079.70	88535.31	80	0.7759					88535.31	T
Dallas	27C	61	224.48	13693.06	80	0.7759	40	21	4.71	44.71	10035.46	NT
Dallas	27C	61	412.54	25165.12	80	0.7759					25165.12	T
Dallas	308	43	153.79	6613.16	80	0.7759	40	3	0.67	40.67	6255.17	NT
Dallas	308	43	1099.17	47264.31	80	0.7759					47264.31	T
Dallas	308B	36	110.02	3960.69	80	0.7759	36	0	0.00	36.00	3960.69	NT
Dallas	308B	36	751.51	27054.18	80	0.7759					27054.18	T
Dallas	325	87	124.84	10861.08	80	0.7759	40	47	10.53	50.53	6308.50	NT
Dallas	325	87	451.04	39240.50	80	0.7759					39240.50	T
Dallas	356G	5	4384.64	21923.21	80	0.7759	5	0	0.00	5.00	21923.21	NT
Dallas	356G	5	122.86	614.29	80	0.7759					614.29	T
Dallas	368	95	82.63	7849.66	80	0.7759	40	55	12.33	52.33	4323.55	NT
Dallas	368	95	1434.04	136233.61	80	0.7759					136233.61	T
Dallas	370B	87	544.79	47396.41	80	0.7759	40	47	10.53	50.53	27529.52	NT
Dallas	370B	87	6449.12	561073.56	80	0.7759					561073.56	T
Dallas	370C2	67	1186.39	79487.93	80	0.7759	40	27	6.05	46.05	54633.95	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	370C2	67	6275.28	420443.70	80	0.7759					420443.70	T
Dallas	370D2	57	105.94	6038.45	80	0.7759	40	17	3.81	43.81	4641.10	NT
Dallas	370D2	57	304.89	17378.93	80	0.7759					17378.93	T
Dallas	370E2	47	0.03	1.33	80	0.7759					1.33	T
Dallas	415F	5	13.78	68.88	80	0.7759	5	0	0.00	5.00	68.88	NT
Dallas	419F	7	977.76	6844.29	80	0.7759	7	0	0.00	7.00	6844.29	NT
Dallas	419F	7	170.93	1196.50	80	0.7759					1196.50	T
Dallas	419G	5	715.60	3578.02	80	0.7759	5	0	0.00	5.00	3578.02	NT
Dallas	419G	5	15.08	75.41	80	0.7759					75.41	T
Dallas	485	92	316.33	29102.45	80	0.7759	40	52	11.65	51.65	16339.51	NT
Dallas	485	92	1292.36	118897.06	80	0.7759					118897.06	T
Dallas	485A	92	0.00	0.14	80	0.7759	40	52	11.65	51.65	0.08	NT
Dallas	485A	92	0.02	1.76	80	0.7759					1.76	T
Dallas	5010	0	416.29	0.00	80	0.7759	0	0	0.00	0.00	0.00	NT
Dallas	5010	0	78.94	0.00	80	0.7759					0.00	T
Dallas	5040	5	155.69	778.44	80	0.7759	5	0	0.00	5.00	778.44	NT
Dallas	5040	5	56.95	284.76	80	0.7759					284.76	T
Dallas	5060	0	79.90	0.00	80	0.7759	0	0	0.00	0.00	0.00	NT
Dallas	5060	0	1.86	0.00	80	0.7759					0.00	T
Dallas	507	71	1049.71	74529.22	80	0.7759	40	31	6.95	46.95	49280.72	NT
Dallas	507	71	44772.39	3178839.45	80	0.7759					3178839.45	T
Dallas	51A	70	2.47	173.20	80	0.7759	40	30	6.72	46.72	115.61	NT
Dallas	536	70	618.39	43287.09	80	0.7759	40	30	6.72	46.72	28892.90	NT
Dallas	536	70	1758.91	123124.01	80	0.7759					123124.01	T
Dallas	55	73	1365.43	99676.64	80	0.7759	40	33	7.40	47.40	64715.12	NT
Dallas	55	73	35415.09	2585301.40	80	0.7759					2585301.40	T
Dallas	55A	90	0.07	6.33	80	0.7759					6.33	T
Dallas	566B	81	202.53	16404.79	80	0.7759	40	41	9.19	49.19	9961.98	NT
Dallas	566B	81	449.81	36434.85	80	0.7759					36434.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	585B	70	0.62	43.15	80	0.7759	40	30	6.72	46.72	28.80	NT
Dallas	585B	70	0.02	1.07	80	0.7759					1.07	T
Dallas	6	43	27.19	1169.13	80	0.7759	40	3	0.67	40.67	1105.84	NT
Dallas	6	43	1354.29	58234.59	80	0.7759					58234.59	T
Dallas	62C2	53	167.72	8888.98	80	0.7759	40	13	2.91	42.91	7197.27	NT
Dallas	62C2	53	1562.64	82819.98	80	0.7759					82819.98	T
Dallas	62D2	38	800.02	30400.66	80	0.7759	38	0	0.00	38.00	30400.66	NT
Dallas	62D2	38	1525.37	57964.12	80	0.7759					57964.12	T
Dallas	62E	30	1643.59	49307.66	80	0.7759	30	0	0.00	30.00	49307.66	NT
Dallas	62E	30	733.01	21990.41	80	0.7759					21990.41	T
Dallas	62E2	28	0.06	1.80	80	0.7759	28	0	0.00	28.00	1.80	NT
Dallas	62F	7	899.00	6293.01	80	0.7759	7	0	0.00	7.00	6293.01	NT
Dallas	62F	7	111.40	779.79	80	0.7759					779.79	T
Dallas	62F2	12	0.03	0.38	80	0.7759	12	0	0.00	12.00	0.38	NT
Dallas	636	53	4.34	230.04	80	0.7759					230.04	T
Dallas	638C2	52	41.51	2158.39	80	0.7759	40	12	2.69	42.69	1771.92	NT
Dallas	638C2	52	614.60	31959.24	80	0.7759					31959.24	T
Dallas	638D2	45	71.81	3231.44	80	0.7759	40	5	1.12	41.12	2952.85	NT
Dallas	638D2	45	282.08	12693.81	80	0.7759					12693.81	T
Dallas	65G	5	2474.90	12374.51	80	0.7759	5	0	0.00	5.00	12374.51	NT
Dallas	65G	5	72.25	361.27	80	0.7759					361.27	T
Dallas	7	91	144.42	13142.37	80	0.7759	40	51	11.43	51.43	7427.47	NT
Dallas	7	91	1366.19	124323.29	80	0.7759					124323.29	T
Dallas	736B	87	791.61	68870.31	80	0.7759	40	47	10.53	50.53	40002.33	NT
Dallas	736B	87	1766.17	153656.37	80	0.7759					153656.37	T
Dallas	736C2	70	816.52	57156.15	80	0.7759	40	30	6.72	46.72	38150.09	NT
Dallas	736C2	70	1234.11	86387.43	80	0.7759					86387.43	T
Dallas	73D	5	0.05	0.24	80	0.7759	5	0	0.00	5.00	0.24	NT
Dallas	73D	5	0.02	0.12	80	0.7759					0.12	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	73F	5	0.00	0.01	80	0.7759					0.01	T
Dallas	76B	82	131.64	10794.80	80	0.7759	40	42	9.41	49.41	6504.81	NT
Dallas	76B	82	886.68	72707.46	80	0.7759					72707.46	T
Dallas	76C2	67	1332.57	89281.87	80	0.7759	40	27	6.05	46.05	61365.56	NT
Dallas	76C2	67	2595.98	173930.80	80	0.7759					173930.80	T
Dallas	76D2	52	342.46	17808.02	80	0.7759	40	12	2.69	42.69	14619.43	NT
Dallas	76D2	52	372.14	19351.24	80	0.7759					19351.24	T
Dallas	778	74	3.22	238.12	80	0.7759					238.12	T
Dallas	778B	69	1.98	136.46	80	0.7759					136.46	T
Dallas	80B	77	92.97	7158.71	80	0.7759	40	37	8.29	48.29	4489.69	NT
Dallas	80B	77	414.07	31883.49	80	0.7759					31883.49	T
Dallas	80C	67	173.47	11622.32	80	0.7759	40	27	6.05	46.05	7988.30	NT
Dallas	80C	67	5.85	391.87	80	0.7759					391.87	T
Dallas	80C2	57	937.76	53452.26	80	0.7759	40	17	3.81	43.81	41082.94	NT
Dallas	80C2	57	1037.81	59155.20	80	0.7759					59155.20	T
Dallas	80D2	52	479.37	24927.05	80	0.7759	40	12	2.69	42.69	20463.77	NT
Dallas	80D2	52	306.08	15916.22	80	0.7759					15916.22	T
Dallas	822D2	15	522.80	7842.03	80	0.7759	15	0	0.00	15.00	7842.03	NT
Dallas	822D2	15	705.19	10577.83	80	0.7759					10577.83	T
Dallas	823	38	33.68	1279.85	80	0.7759	38	0	0.00	38.00	1279.85	NT
Dallas	823	38	346.88	13181.44	80	0.7759					13181.44	T
Dallas	823B	35	115.85	4054.61	80	0.7759	35	0	0.00	35.00	4054.61	NT
Dallas	823B	35	539.22	18872.74	80	0.7759					18872.74	T
Dallas	823C	15	51.35	770.21	80	0.7759	15	0	0.00	15.00	770.21	NT
Dallas	823C	15	195.61	2934.13	80	0.7759					2934.13	T
Dallas	828B	45	54.73	2462.90	80	0.7759	40	5	1.12	41.12	2250.57	NT
Dallas	828B	45	402.98	18133.88	80	0.7759					18133.88	T
Dallas	828C2	30	160.31	4809.30	80	0.7759	30	0	0.00	30.00	4809.30	NT
Dallas	828C2	30	678.15	20344.62	80	0.7759					20344.62	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	829D2	28	210.66	5898.61	80	0.7759	28	0	0.00	28.00	5898.61	NT
Dallas	829D2	28	348.61	9761.07	80	0.7759					9761.07	T
Dallas	88	92	118.83	10932.27	80	0.7759	40	52	11.65	51.65	6137.90	NT
Dallas	88	92	862.75	79373.23	80	0.7759					79373.23	T
Dallas	8B	90	85.35	7681.78	80	0.7759	40	50	11.21	51.21	4370.51	NT
Dallas	8B	90	242.44	21819.45	80	0.7759					21819.45	T
Dallas	90	42	21.89	919.30	80	0.7759	40	2	0.45	40.45	885.33	NT
Dallas	90	42	322.77	13556.36	80	0.7759					13556.36	T
Dallas	93D2	33	820.78	27085.60	80	0.7759	33	0	0.00	33.00	27085.60	NT
Dallas	93D2	33	982.99	32438.65	80	0.7759					32438.65	T
Dallas	93E	14	98.21	1374.92	80	0.7759	14	0	0.00	14.00	1374.92	NT
Dallas	93E	14	56.99	797.87	80	0.7759					797.87	T
Dallas	95	57	38.80	2211.44	80	0.7759	40	17	3.81	43.81	1699.69	NT
Dallas	95	57	1746.48	99549.30	80	0.7759					99549.30	T
Dallas	956	57	11.54	657.98	80	0.7759	40	17	3.81	43.81	505.72	NT
Dallas	956	57	1389.52	79202.61	80	0.7759					79202.61	T
Dallas	993D2	20	1039.36	20787.29	80	0.7759	20	0	0.00	20.00	20787.29	NT
Dallas	993D2	20	890.52	17810.33	80	0.7759					17810.33	T
Dallas	993E	12	2255.72	27068.59	80	0.7759	12	0	0.00	12.00	27068.59	NT
Dallas	993E	12	566.59	6799.05	80	0.7759					6799.05	T
Dallas	993E2	10	0.19	1.94	80	0.7759	10	0	0.00	10.00	1.94	NT
Dallas	AW	0	5.55	0.00	80	0.7759	0	0	0.00	0.00	0.00	NT
Dallas	C133A	80	0.02	1.21	80	0.7759	40	40	8.96	48.96	0.74	NT
Dallas	CnC	30	0.28	8.48	80	0.7759	30	0	0.00	30.00	8.48	NT
Dallas	CsB	78	0.03	2.12	80	0.7759	40	38	8.52	48.52	1.32	NT
Dallas	CsB	78	0.45	35.09	80	0.7759					35.09	T
Dallas	CsC2	58	0.01	0.39	80	0.7759	40	18	4.03	44.03	0.30	NT
Dallas	CwB	65	0.01	0.46	80	0.7759	40	25	5.60	45.60	0.32	NT
Dallas	CwB	65	0.09	5.96	80	0.7759					5.96	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	CyB	10	5.69	56.87	80	0.7759	10	0	0.00	10.00	56.87	NT
Dallas	CyB	10	0.14	1.42	80	0.7759					1.42	T
Dallas	GaD2	43	0.01	0.46	80	0.7759	40	3	0.67	40.67	0.44	NT
Dallas	INT	0	156.15	0.00	80	0.7759	0	0	0.00	0.00	0.00	NT
Dallas	INT	0	12.64	0.00	80	0.7759					0.00	T
Dallas	LaD	57	0.08	4.59	80	0.7759					4.59	T
Dallas	LcC	35	2.48	86.81	80	0.7759	35	0	0.00	35.00	86.81	NT
Dallas	LcD	20	3.11	62.14	80	0.7759	20	0	0.00	20.00	62.14	NT
Dallas	LcD	20	0.10	1.94	80	0.7759					1.94	T
Dallas	LcD2	15	13.29	199.33	80	0.7759	15	0	0.00	15.00	199.33	NT
Dallas	LcD2	15	5.44	81.57	80	0.7759					81.57	T
Dallas	MbA	95	14.94	1418.87	80	0.7759					1418.87	T
Dallas	NoB	60	0.04	2.42	80	0.7759	40	20	4.48	44.48	1.80	NT
Dallas	OmC	57	0.04	2.10	80	0.7759	40	17	3.81	43.81	1.62	NT
Dallas	SbA	92	0.61	56.12	80	0.7759					56.12	T
Dallas	SbB	87	1.87	162.73	80	0.7759	40	47	10.53	50.53	94.52	NT
Dallas	SbB	87	34.94	3039.41	80	0.7759					3039.41	T
Dallas	SbC	72	20.87	1502.33	80	0.7759					1502.33	T
Dallas	SbC2	67	6.13	410.72	80	0.7759	40	27	6.05	46.05	282.30	NT
Dallas	SbC2	67	23.33	1563.00	80	0.7759					1563.00	T
Dallas	ShF2	18	14.27	256.83	80	0.7759	18	0	0.00	18.00	256.83	NT
Dallas	SL	0	30.46	0.00	80	0.7759	0	0	0.00	0.00	0.00	NT
Dallas	SL	0	4.05	0.00	80	0.7759					0.00	T
Dallas	SlD	30	0.04	1.31	80	0.7759					1.31	T
Dallas	SlD2	25	3.60	90.03	80	0.7759	25	0	0.00	25.00	90.03	NT
Dallas	SlD2	25	3.65	91.27	80	0.7759					91.27	T
Dallas	SlE2	10	3.94	39.39	80	0.7759	10	0	0.00	10.00	39.39	NT
Dallas	SlE2	10	0.00	0.02	80	0.7759					0.02	T
Dallas	StG	5	0.02	0.10	80	0.7759	5	0	0.00	5.00	0.10	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dallas	W	0	1322.17	0.00	80	0.7759	0	0	0.00	0.00	0.00	NT
Dallas	W	0	28.53	0.00	80	0.7759					0.00	T
Dallas	Wc	87	3.98	345.97	80	0.7759					345.97	T
											0.00	
											0.00	
Davis	1130	60	12.96	777.71	44	0.7238	22	38	10.50	32.50	421.20	NT
Davis	1130	60	207.03	12422.02	44	0.7238					12422.02	T
Davis	1132B	60	0.00	0.26	44	0.7238					0.26	T
Davis	1139	45	195.20	8784.16	44	0.7238	22	23	6.35	28.35	5534.53	NT
Davis	1139	45	239.63	10783.53	44	0.7238					10783.53	T
Davis	1220	25	0.11	2.67	44	0.7238	22	3	0.83	22.83	2.44	NT
Davis	1220	25	0.25	6.31	44	0.7238					6.31	T
Davis	1260	50	32.54	1627.00	44	0.7238	22	28	7.73	29.73	967.53	NT
Davis	1260	50	290.57	14528.59	44	0.7238					14528.59	T
Davis	130	63	35.50	2236.26	44	0.7238	22	41	11.32	33.32	1182.88	NT
Davis	130	63	536.31	33787.54	44	0.7238					33787.54	T
Davis	1315	34	2.18	74.24	44	0.7238	22	12	3.31	25.31	55.28	NT
Davis	1315	34	0.04	1.25	44	0.7238					1.25	T
Davis	131B	67	321.38	21532.60	44	0.7238	22	45	12.43	34.43	11064.87	NT
Davis	131B	67	1427.68	95654.66	44	0.7238					95654.66	T
Davis	131C2	45	679.00	30554.80	44	0.7238	22	23	6.35	28.35	19251.29	NT
Davis	131C2	45	1309.21	58914.29	44	0.7238					58914.29	T
Davis	132B	60	503.58	30214.83	44	0.7238	22	38	10.50	32.50	16364.15	NT
Davis	132B	60	945.88	56752.69	44	0.7238					56752.69	T
Davis	132C	44	1707.46	75128.02	44	0.7238	22	22	6.08	28.08	47939.19	NT
Davis	132C	44	203.73	8964.03	44	0.7238					8964.03	T
Davis	132C2	40	2332.05	93282.10	44	0.7238	22	18	4.97	26.97	62899.19	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	132C2	40	2824.04	112961.65	44	0.7238					112961.65	T
Davis	13B	65	13702.59	890668.32	44	0.7238	22	43	11.88	33.88	464197.14	NT
Davis	13B	65	5336.17	346851.18	44	0.7238					346851.18	T
Davis	1715	25	7432.60	185814.92	44	0.7238	22	3	0.83	22.83	169675.78	NT
Davis	1715	25	4619.28	115481.98	44	0.7238					115481.98	T
Davis	173	60	0.47	28.32	44	0.7238					28.32	T
Davis	178	79	0.05	3.58	44	0.7238	22	57	15.74	37.74	1.71	NT
Davis	178	79	1.20	95.02	44	0.7238					95.02	T
Davis	179D2	43	2906.00	124957.88	44	0.7238	22	21	5.80	27.80	80787.31	NT
Davis	179D2	43	2600.07	111803.10	44	0.7238					111803.10	T
Davis	179E	35	504.62	17661.74	44	0.7238	22	13	3.59	25.59	12913.56	NT
Davis	179E	35	158.68	5553.96	44	0.7238					5553.96	T
Davis	179E2	33	7353.27	242657.81	44	0.7238	22	11	3.04	25.04	184112.57	NT
Davis	179E2	33	5576.72	184031.70	44	0.7238					184031.70	T
Davis	179E3	30	200.12	6003.75	44	0.7238	22	8	2.21	24.21	4844.94	NT
Davis	179E3	30	329.49	9884.77	44	0.7238					9884.77	T
Davis	179F	15	776.73	11650.93	44	0.7238	15	0	0.00	15.00	11650.93	NT
Davis	179F	15	207.59	3113.91	44	0.7238					3113.91	T
Davis	179F2	14	1257.23	17601.18	44	0.7238	14	0	0.00	14.00	17601.18	NT
Davis	179F2	14	1073.27	15025.77	44	0.7238					15025.77	T
Davis	179F3	10	186.38	1863.77	44	0.7238	10	0	0.00	10.00	1863.77	NT
Davis	179F3	10	313.22	3132.19	44	0.7238					3132.19	T
Davis	192C2	30	280.78	8423.50	44	0.7238	22	8	2.21	24.21	6797.65	NT
Davis	192C2	30	1038.40	31152.12	44	0.7238					31152.12	T
Davis	192D2	15	323.55	4853.22	44	0.7238	15	0	0.00	15.00	4853.22	NT
Davis	192D2	15	578.80	8682.06	44	0.7238					8682.06	T
Davis	1977	85	29.89	2541.05	44	0.7238	22	63	17.40	39.40	1177.87	NT
Davis	1977	85	231.94	19714.89	44	0.7238					19714.89	T
Davis	208	55	0.38	20.75	44	0.7238	22	33	9.11	31.11	11.74	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	211	60	628.55	37712.91	44	0.7238	22	38	10.50	32.50	20425.06	NT
Davis	211	60	20640.81	1238448.34	44	0.7238					1238448.34	T
Davis	220	85	5.20	442.37	44	0.7238	22	63	17.40	39.40	205.05	NT
Davis	220	85	5.81	494.06	44	0.7238					494.06	T
Davis	222C	30	0.06	1.79	44	0.7238	22	8	2.21	24.21	1.44	NT
Davis	222C2	25	3184.84	79620.91	44	0.7238	22	3	0.83	22.83	72705.35	NT
Davis	222C2	25	10778.32	269458.07	44	0.7238					269458.07	T
Davis	222C3	15	23.48	352.20	44	0.7238	15	0	0.00	15.00	352.20	NT
Davis	222C3	15	159.88	2398.16	44	0.7238					2398.16	T
Davis	223C2	22	3617.43	79583.52	44	0.7238	22	0	0.00	22.00	79583.52	NT
Davis	223C2	22	12393.73	272662.11	44	0.7238					272662.11	T
Davis	223C3	13	41.07	533.88	44	0.7238	13	0	0.00	13.00	533.88	NT
Davis	223C3	13	185.45	2410.88	44	0.7238					2410.88	T
Davis	231	63	1.24	78.41	44	0.7238					78.41	T
Davis	24D2	48	241.54	11593.78	44	0.7238	22	26	7.18	29.18	7048.34	NT
Davis	24D2	48	350.39	16818.72	44	0.7238					16818.72	T
Davis	24E2	38	250.20	9507.68	44	0.7238	22	16	4.42	26.42	6610.14	NT
Davis	24E2	38	343.36	13047.50	44	0.7238					13047.50	T
Davis	260	50	47.13	2356.72	44	0.7238	22	28	7.73	29.73	1401.48	NT
Davis	260	50	261.78	13088.79	44	0.7238					13088.79	T
Davis	261	54	194.05	10478.48	44	0.7238	22	32	8.84	30.84	5984.06	NT
Davis	261	54	3935.88	212537.48	44	0.7238					212537.48	T
Davis	263	53	178.35	9452.74	44	0.7238	22	31	8.56	30.56	5450.88	NT
Davis	263	53	382.07	20249.57	44	0.7238					20249.57	T
Davis	269	58	143.51	8323.83	44	0.7238	22	36	9.94	31.94	4584.30	NT
Davis	269	58	940.17	54529.59	44	0.7238					54529.59	T
Davis	273B	72	216.29	15572.61	44	0.7238	22	50	13.81	35.81	7745.21	NT
Davis	273B	72	247.06	17788.44	44	0.7238					17788.44	T
Davis	3051	77	0.05	4.15	44	0.7238					4.15	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	312B	60	1586.83	95209.53	44	0.7238	22	38	10.50	32.50	51564.85	NT
Davis	312B	60	15777.21	946632.44	44	0.7238					946632.44	T
Davis	312B2	55	63.32	3482.64	44	0.7238	22	33	9.11	31.11	1970.20	NT
Davis	312B2	55	1509.44	83019.02	44	0.7238					83019.02	T
Davis	313E2	5	218.05	1090.24	44	0.7238	5	0	0.00	5.00	1090.24	NT
Davis	313E2	5	118.00	590.00	44	0.7238					590.00	T
Davis	313F		0.39		44	0.7238			0.00	0.00	0.00	NT
Davis	313F		0.04		44	0.7238					0.00	T
Davis	313G		444.66		44	0.7238			0.00	0.00	0.00	NT
Davis	313G		19.80		44	0.7238					0.00	T
Davis	313G2		244.58		44	0.7238			0.00	0.00	0.00	NT
Davis	313G2		42.00		44	0.7238					0.00	T
Davis	3220	95	0.01	0.86	44	0.7238					0.86	T
Davis	3587	72	0.03	2.24	44	0.7238					2.24	T
Davis	362	70	66.82	4677.71	44	0.7238	22	48	13.26	35.26	2356.07	NT
Davis	362	70	1337.05	93593.74	44	0.7238					93593.74	T
Davis	364B	75	166.85	12513.44	44	0.7238	22	53	14.64	36.64	6113.00	NT
Davis	364B	75	1029.00	77175.13	44	0.7238					77175.13	T
Davis	405	55	670.97	36903.37	44	0.7238	22	33	9.11	31.11	20876.98	NT
Davis	405	55	1061.64	58390.11	44	0.7238					58390.11	T
Davis	423D2	13	1682.63	21874.16	44	0.7238	13	0	0.00	13.00	21874.16	NT
Davis	423D2	13	2359.65	30675.39	44	0.7238					30675.39	T
Davis	423D3	5	33.82	169.11	44	0.7238	5	0	0.00	5.00	169.11	NT
Davis	423D3	5	82.17	410.83	44	0.7238					410.83	T
Davis	424D2	15	1597.01	23955.22	44	0.7238	15	0	0.00	15.00	23955.22	NT
Davis	424D2	15	1027.85	15417.81	44	0.7238					15417.81	T
Davis	424E2	5	602.14	3010.68	44	0.7238	5	0	0.00	5.00	3010.68	NT
Davis	424E2	5	201.43	1007.16	44	0.7238					1007.16	T
Davis	425C	28	421.51	11802.22	44	0.7238	22	6	1.66	23.66	9971.70	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	425C	28	87.33	2445.24	44	0.7238					2445.24	T
Davis	425C2	24	1356.29	32551.03	44	0.7238	22	2	0.55	22.55	30587.66	NT
Davis	425C2	24	1333.97	32015.31	44	0.7238					32015.31	T
Davis	425D	16	2691.16	43058.48	44	0.7238	16	0	0.00	16.00	43058.48	NT
Davis	425D	16	133.23	2131.70	44	0.7238					2131.70	T
Davis	425D2	12	5606.76	67281.18	44	0.7238	12	0	0.00	12.00	67281.18	NT
Davis	425D2	12	2982.44	35789.31	44	0.7238					35789.31	T
Davis	425D3	9	253.07	2277.62	44	0.7238	9	0	0.00	9.00	2277.62	NT
Davis	425D3	9	263.50	2371.48	44	0.7238					2371.48	T
Davis	430	83	151.26	12554.64	44	0.7238	22	61	16.85	38.85	5876.21	NT
Davis	430	83	496.95	41246.46	44	0.7238					41246.46	T
Davis	451D2	33	75.62	2495.58	44	0.7238	22	11	3.04	25.04	1893.48	NT
Davis	451D2	33	77.96	2572.62	44	0.7238					2572.62	T
Davis	452C2	30	216.74	6502.23	44	0.7238	22	8	2.21	24.21	5247.21	NT
Davis	452C2	30	567.34	17020.22	44	0.7238					17020.22	T
Davis	453	53	231.78	12284.38	44	0.7238	22	31	8.56	30.56	7083.73	NT
Davis	453	53	756.20	40078.42	44	0.7238					40078.42	T
Davis	484	90	444.91	40041.61	44	0.7238	22	68	18.78	40.78	18144.01	NT
Davis	484	90	342.36	30812.38	44	0.7238					30812.38	T
Davis	5010	0	7.96	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT
Davis	5020	0	78.58	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT
Davis	5020	0	0.24	0.00	44	0.7238					0.00	T
Davis	5021	0	345.42	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT
Davis	5021	0	11.84	0.00	44	0.7238					0.00	T
Davis	5030	0	95.44	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT
Davis	5030	0	0.40	0.00	44	0.7238					0.00	T
Davis	5040	5	67.56	337.82	44	0.7238	5	0	0.00	5.00	337.82	NT
Davis	5040	5	15.39	76.97	44	0.7238					76.97	T
Davis	51	70	511.83	35827.87	44	0.7238	22	48	13.26	35.26	18045.78	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	51	70	2738.92	191724.41	44	0.7238					191724.41	T
Davis	51+	70	155.78	10904.76	44	0.7238	22	48	13.26	35.26	5492.51	NT
Davis	51+	70	948.07	66365.21	44	0.7238					66365.21	T
Davis	51B	65	149.08	9690.49	44	0.7238	22	43	11.88	33.88	5050.47	NT
Davis	51B	65	260.22	16914.53	44	0.7238					16914.53	T
Davis	51B+	65	41.10	2671.59	44	0.7238	22	43	11.88	33.88	1392.37	NT
Davis	51B+	65	88.33	5741.24	44	0.7238					5741.24	T
Davis	520	65	268.97	17483.31	44	0.7238	22	43	11.88	33.88	9111.92	NT
Davis	520	65	1214.94	78971.29	44	0.7238					78971.29	T
Davis	520B	60	156.39	9383.50	44	0.7238	22	38	10.50	32.50	5082.04	NT
Davis	520B	60	207.18	12430.92	44	0.7238					12430.92	T
Davis	531B	58	2293.86	133043.99	44	0.7238	22	36	9.94	31.94	73273.29	NT
Davis	531B	58	14723.31	853951.93	44	0.7238					853951.93	T
Davis	531C	36	117.30	4222.82	44	0.7238	22	14	3.87	25.87	3034.19	NT
Davis	531C	36	279.36	10057.11	44	0.7238					10057.11	T
Davis	531C2	32	699.18	22373.90	44	0.7238	22	10	2.76	24.76	17313.20	NT
Davis	531C2	32	2704.08	86530.69	44	0.7238					86530.69	T
Davis	532B	48	198.86	9545.10	44	0.7238	22	26	7.18	29.18	5802.87	NT
Davis	532B	48	438.57	21051.45	44	0.7238					21051.45	T
Davis	532C	32	321.66	10292.99	44	0.7238	22	10	2.76	24.76	7964.85	NT
Davis	532C	32	51.40	1644.76	44	0.7238					1644.76	T
Davis	532C2	28	468.36	13114.00	44	0.7238	22	6	1.66	23.66	11080.02	NT
Davis	532C2	28	727.42	20367.64	44	0.7238					20367.64	T
Davis	54	70	376.00	26319.94	44	0.7238	22	48	13.26	35.26	13256.83	NT
Davis	54	70	2270.14	158909.98	44	0.7238					158909.98	T
Davis	54+	75	164.81	12361.05	44	0.7238	22	53	14.64	36.64	6038.55	NT
Davis	54+	75	647.35	48550.96	44	0.7238					48550.96	T
Davis	54B	65	0.06	3.62	44	0.7238	22	43	11.88	33.88	1.88	NT
Davis	54B	65	0.32	20.90	44	0.7238					20.90	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	56B	72	151.83	10932.11	44	0.7238	22	50	13.81	35.81	5437.20	NT
Davis	56B	72	121.16	8723.32	44	0.7238					8723.32	T
Davis	587	65	364.55	23695.88	44	0.7238	22	43	11.88	33.88	12349.78	NT
Davis	587	65	2445.16	158935.41	44	0.7238					158935.41	T
Davis	58D2	28	121.12	3391.41	44	0.7238	22	6	1.66	23.66	2865.41	NT
Davis	58D2	28	102.25	2862.97	44	0.7238					2862.97	T
Davis	58E	20	0.14	2.79	44	0.7238	20	0	0.00	20.00	2.79	NT
Davis	58G	5	0.53	2.67	44	0.7238	5	0	0.00	5.00	2.67	NT
Davis	58G	5	3.39	16.96	44	0.7238					16.96	T
Davis	592C2	21	182.96	3842.25	44	0.7238	21	0	0.00	21.00	3842.25	NT
Davis	592C2	21	255.80	5371.72	44	0.7238					5371.72	T
Davis	592D2	5	1125.74	5628.72	44	0.7238	5	0	0.00	5.00	5628.72	NT
Davis	592D2	5	1542.07	7710.35	44	0.7238					7710.35	T
Davis	592D3	5	97.21	486.03	44	0.7238	5	0	0.00	5.00	486.03	NT
Davis	592D3	5	125.23	626.14	44	0.7238					626.14	T
Davis	594C2	18	318.07	5725.20	44	0.7238	18	0	0.00	18.00	5725.20	NT
Davis	594C2	18	494.42	8899.62	44	0.7238					8899.62	T
Davis	594D2	5	1398.31	6991.53	44	0.7238	5	0	0.00	5.00	6991.53	NT
Davis	594D2	5	1412.35	7061.77	44	0.7238					7061.77	T
Davis	594E2	5	0.49	2.43	44	0.7238	5	0	0.00	5.00	2.43	NT
Davis	594E2	5	0.17	0.85	44	0.7238					0.85	T
Davis	65E	25	919.88	22997.08	44	0.7238	22	3	0.83	22.83	20999.64	NT
Davis	65E	25	93.03	2325.69	44	0.7238					2325.69	T
Davis	65E2	24	3366.74	80801.82	44	0.7238	22	2	0.55	22.55	75928.12	NT
Davis	65E2	24	1476.55	35437.08	44	0.7238					35437.08	T
Davis	65F	10	9818.78	98187.81	44	0.7238	10	0	0.00	10.00	98187.81	NT
Davis	65F	10	263.10	2631.00	44	0.7238					2631.00	T
Davis	65F2	8	5855.10	46840.83	44	0.7238	8	0	0.00	8.00	46840.83	NT
Davis	65F2	8	869.18	6953.43	44	0.7238					6953.43	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	65F3	5	0.06	0.31	44	0.7238	5	0	0.00	5.00	0.31	NT
Davis	65G	5	3.78	18.91	44	0.7238	5	0	0.00	5.00	18.91	NT
Davis	65G	5	0.00	0.02	44	0.7238					0.02	T
Davis	688	85	0.62	52.53	44	0.7238					52.53	T
Davis	715	5	2425.76	12128.78	44	0.7238	5	0	0.00	5.00	12128.78	NT
Davis	715	5	3070.00	15350.00	44	0.7238					15350.00	T
Davis	730B	61	2927.92	178603.06	44	0.7238	22	39	10.77	32.77	95953.18	NT
Davis	730B	61	523.62	31940.90	44	0.7238					31940.90	T
Davis	731C2	45	0.44	19.96	44	0.7238	22	23	6.35	28.35	12.57	NT
Davis	731C2	45	0.51	22.92	44	0.7238					22.92	T
Davis	732C2	40	1.25	50.01	44	0.7238	22	18	4.97	26.97	33.72	NT
Davis	732C2	40	0.36	14.58	44	0.7238					14.58	T
Davis	732D2	28	0.08	2.37	44	0.7238					2.37	T
Davis	792C	31	368.96	11437.80	44	0.7238	22	9	2.49	24.49	9034.31	NT
Davis	792C	31	453.58	14060.90	44	0.7238					14060.90	T
Davis	792C2	26	4389.54	114128.04	44	0.7238	22	4	1.10	23.10	101419.45	NT
Davis	792C2	26	10212.11	265514.84	44	0.7238					265514.84	T
Davis	792C3	16	28.76	460.15	44	0.7238	16	0	0.00	16.00	460.15	NT
Davis	792C3	16	139.77	2236.27	44	0.7238					2236.27	T
Davis	792D	18	103.83	1868.90	44	0.7238	18	0	0.00	18.00	1868.90	NT
Davis	792D	18	54.47	980.42	44	0.7238					980.42	T
Davis	792D2	11	3424.01	37664.15	44	0.7238	11	0	0.00	11.00	37664.15	NT
Davis	792D2	11	4339.35	47732.88	44	0.7238					47732.88	T
Davis	792D3	5	64.41	322.06	44	0.7238	5	0	0.00	5.00	322.06	NT
Davis	792D3	5	65.33	326.63	44	0.7238					326.63	T
Davis	795D2	5	157.47	787.34	44	0.7238	5	0	0.00	5.00	787.34	NT
Davis	795D2	5	90.76	453.79	44	0.7238					453.79	T
Davis	80B	77	106.25	8181.50	44	0.7238	22	55	15.19	37.19	3951.66	NT
Davis	80B	77	230.72	17765.08	44	0.7238					17765.08	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	80C	67	137.51	9213.08	44	0.7238	22	45	12.43	34.43	4734.29	NT
Davis	80C	67	4.71	315.46	44	0.7238					315.46	T
Davis	80C2	57	321.27	18312.14	44	0.7238	22	35	9.67	31.67	10173.52	NT
Davis	80C2	57	543.19	30961.85	44	0.7238					30961.85	T
Davis	80D2	52	53.39	2776.43	44	0.7238	22	30	8.29	30.29	1617.06	NT
Davis	80D2	52	56.09	2916.73	44	0.7238					2916.73	T
Davis	822D2	15	541.67	8125.07	44	0.7238	15	0	0.00	15.00	8125.07	NT
Davis	822D2	15	717.82	10767.35	44	0.7238					10767.35	T
Davis	831B	65	146.07	9494.73	44	0.7238	22	43	11.88	33.88	4948.45	NT
Davis	831B	65	716.11	46547.15	44	0.7238					46547.15	T
Davis	831C2	40	308.22	12328.78	44	0.7238	22	18	4.97	26.97	8313.17	NT
Davis	831C2	40	864.26	34570.40	44	0.7238					34570.40	T
Davis	832B	55	239.93	13196.12	44	0.7238	22	33	9.11	31.11	7465.31	NT
Davis	832B	55	713.51	39243.15	44	0.7238					39243.15	T
Davis	832C2	30	333.61	10008.16	44	0.7238	22	8	2.21	24.21	8076.45	NT
Davis	832C2	30	791.59	23747.57	44	0.7238					23747.57	T
Davis	88	92	1.72	157.83	44	0.7238					157.83	T
Davis	93D2	33	236.10	7791.37	44	0.7238	22	11	3.04	25.04	5911.57	NT
Davis	93D2	33	589.85	19465.04	44	0.7238					19465.04	T
Davis	94D3	5	0.09	0.46	44	0.7238	5	0	0.00	5.00	0.46	NT
Davis	94E2	5	147.29	736.45	44	0.7238	5	0	0.00	5.00	736.45	NT
Davis	94E2	5	186.56	932.80	44	0.7238					932.80	T
Davis	993D2	20	4594.54	91890.72	44	0.7238	20	0	0.00	20.00	91890.72	NT
Davis	993D2	20	6343.60	126871.92	44	0.7238					126871.92	T
Davis	993D3	15	266.21	3993.08	44	0.7238	15	0	0.00	15.00	3993.08	NT
Davis	993D3	15	500.00	7500.03	44	0.7238					7500.03	T
Davis	994E2	5	999.72	4998.60	44	0.7238	5	0	0.00	5.00	4998.60	NT
Davis	994E2	5	442.91	2214.57	44	0.7238					2214.57	T
Davis	AW	0	23.60	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Davis	AW	0	0.14	0.00	44	0.7238					0.00	T
Davis	BW	0	1.01	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT
Davis	BW	0	10.99	0.00	44	0.7238					0.00	T
Davis	INT	0	0.22	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT
Davis	SL	0	6.57	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT
Davis	W	0	3151.45	0.00	44	0.7238	0	0	0.00	0.00	0.00	NT
Davis	W	0	41.83	0.00	44	0.7238					0.00	T
											0.00	
											0.00	
Decatur	1130	60	75.28	4516.92	41	0.7361	20	40	10.56	30.56	2300.32	NT
Decatur	1130	60	972.60	58356.02	41	0.7361					58356.02	T
Decatur	1131B	65	412.58	26817.77	41	0.7361	20	44	11.61	31.61	13042.35	NT
Decatur	1131B	65	2513.36	163368.27	41	0.7361					163368.27	T
Decatur	1131C	45	371.22	16704.76	41	0.7361	20	24	6.33	26.33	9775.48	NT
Decatur	1131C	45	697.17	31372.72	41	0.7361					31372.72	T
Decatur	1132C	30	278.65	8359.36	41	0.7361	20	10	2.64	22.64	6308.25	NT
Decatur	1132C	30	373.83	11214.75	41	0.7361					11214.75	T
Decatur	1220	25	0.11	2.71	41	0.7361	20	4	1.06	21.06	2.28	NT
Decatur	131B	67	117.05	7842.11	41	0.7361	20	46	12.14	32.14	3761.80	NT
Decatur	131B	67	402.62	26975.84	41	0.7361					26975.84	T
Decatur	131C	50	935.55	46777.43	41	0.7361	20	30	7.92	27.92	26117.71	NT
Decatur	131C	50	1119.41	55970.64	41	0.7361					55970.64	T
Decatur	131C2	45	786.07	35373.11	41	0.7361	20	24	6.33	26.33	20700.03	NT
Decatur	131C2	45	2617.56	117790.42	41	0.7361					117790.42	T
Decatur	132C	44	648.21	28521.43	41	0.7361	20	24	6.33	26.33	17069.82	NT
Decatur	132C	44	315.69	13890.51	41	0.7361					13890.51	T
Decatur	132C2	40	237.71	9508.60	41	0.7361	20	20	5.28	25.28	6008.96	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	132C2	40	383.56	15342.57	41	0.7361					15342.57	T
Decatur	13B	65	17290.60	1123888.86	41	0.7361	20	44	11.61	31.61	546583.46	NT
Decatur	13B	65	5133.48	333676.05	41	0.7361					333676.05	T
Decatur	1715	25	8102.23	202555.68	41	0.7361	20	4	1.06	21.06	170597.25	NT
Decatur	1715	25	1340.41	33510.24	41	0.7361					33510.24	T
Decatur	172	45	27.43	1234.20	41	0.7361	20	24	6.33	26.33	722.24	NT
Decatur	172	45	1729.88	77844.45	41	0.7361					77844.45	T
Decatur	179D	45	0.03	1.51	41	0.7361	20	24	6.33	26.33	0.89	NT
Decatur	179D2	43	2051.73	88224.22	41	0.7361	20	22	5.81	25.81	52946.43	NT
Decatur	179D2	43	1842.71	79236.63	41	0.7361					79236.63	T
Decatur	179E	35	449.82	15743.61	41	0.7361	20	14	3.69	23.69	10658.24	NT
Decatur	179E	35	128.06	4481.96	41	0.7361					4481.96	T
Decatur	179E2	33	14458.43	477128.27	41	0.7361	20	12	3.17	23.17	334955.61	NT
Decatur	179E2	33	8788.22	290011.39	41	0.7361					290011.39	T
Decatur	179F	15	991.11	14866.58	41	0.7361	15	0	0.00	15.00	14866.58	NT
Decatur	179F	15	163.22	2448.25	41	0.7361					2448.25	T
Decatur	179F2	14	4351.48	60920.66	41	0.7361	14	0	0.00	14.00	60920.66	NT
Decatur	179F2	14	1560.38	21845.35	41	0.7361					21845.35	T
Decatur	192C	35	183.30	6415.39	41	0.7361	20	14	3.69	23.69	4343.15	NT
Decatur	192C	35	342.90	12001.61	41	0.7361					12001.61	T
Decatur	192C2	30	359.70	10790.87	41	0.7361	20	10	2.64	22.64	8143.15	NT
Decatur	192C2	30	694.68	20840.49	41	0.7361					20840.49	T
Decatur	192D2	15	1254.25	18813.80	41	0.7361	15	0	0.00	15.00	18813.80	NT
Decatur	192D2	15	2226.44	33396.63	41	0.7361					33396.63	T
Decatur	208	55	37.25	2048.51	41	0.7361	20	34	8.97	28.97	1079.10	NT
Decatur	208	55	304.80	16763.84	41	0.7361					16763.84	T
Decatur	211	60	40.56	2433.59	41	0.7361	20	40	10.56	30.56	1239.34	NT
Decatur	211	60	2010.34	120620.16	41	0.7361					120620.16	T
Decatur	220	85	273.88	23279.55	41	0.7361	20	64	16.89	36.89	10103.21	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	220	85	2035.28	172998.61	41	0.7361					172998.61	T
Decatur	222C	30	491.26	14737.95	41	0.7361	20	10	2.64	22.64	11121.75	NT
Decatur	222C	30	1500.75	45022.55	41	0.7361					45022.55	T
Decatur	222C2	25	1605.57	40139.30	41	0.7361	20	4	1.06	21.06	33806.28	NT
Decatur	222C2	25	7204.81	180120.23	41	0.7361					180120.23	T
Decatur	222D2	10	774.29	7742.94	41	0.7361	10	0	0.00	10.00	7742.94	NT
Decatur	222D2	10	1793.65	17936.47	41	0.7361					17936.47	T
Decatur	223C2	22	245.55	5402.06	41	0.7361	20	2	0.53	20.53	5040.57	NT
Decatur	223C2	22	1036.15	22795.41	41	0.7361					22795.41	T
Decatur	223D2	9	307.00	2763.04	41	0.7361	9	0	0.00	9.00	2763.04	NT
Decatur	223D2	9	321.81	2896.33	41	0.7361					2896.33	T
Decatur	232C	33	910.47	30045.62	41	0.7361	20	12	3.17	23.17	21092.76	NT
Decatur	232C	33	426.12	14061.83	41	0.7361					14061.83	T
Decatur	232C2	29	126.64	3672.47	41	0.7361	20	8	2.11	22.11	2800.09	NT
Decatur	232C2	29	212.81	6171.56	41	0.7361					6171.56	T
Decatur	23C	55	617.01	33935.66	41	0.7361	20	34	8.97	28.97	17876.44	NT
Decatur	23C	55	1558.31	85706.93	41	0.7361					85706.93	T
Decatur	23C2	50	1687.00	84350.12	41	0.7361	20	30	7.92	27.92	47096.05	NT
Decatur	23C2	50	11929.42	596471.06	41	0.7361					596471.06	T
Decatur	24D	50	36.88	1843.93	41	0.7361	20	30	7.92	27.92	1029.54	NT
Decatur	24D	50	65.87	3293.51	41	0.7361					3293.51	T
Decatur	24D2	48	1940.61	93149.23	41	0.7361	20	28	7.39	27.39	53151.73	NT
Decatur	24D2	48	2501.55	120074.26	41	0.7361					120074.26	T
Decatur	24E2	38	2599.88	98795.32	41	0.7361	20	18	4.75	24.75	64347.47	NT
Decatur	24E2	38	2734.87	103925.00	41	0.7361					103925.00	T
Decatur	24F2	18	279.11	5024.05	41	0.7361	18	0	0.00	18.00	5024.05	NT
Decatur	24F2	18	246.73	4441.07	41	0.7361					4441.07	T
Decatur	269	58	212.37	12317.22	41	0.7361	20	38	10.03	30.03	6376.97	NT
Decatur	269	58	2762.29	160212.79	41	0.7361					160212.79	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	269B	53	0.00	0.10	41	0.7361	20	32	8.44	28.44	0.05	NT
Decatur	269B	53	0.03	1.45	41	0.7361					1.45	T
Decatur	273B	72	476.82	34331.08	41	0.7361	20	52	13.72	33.72	16079.72	NT
Decatur	273B	72	870.49	62675.57	41	0.7361					62675.57	T
Decatur	273C	57	419.36	23903.44	41	0.7361	20	36	9.50	29.50	12371.25	NT
Decatur	273C	57	410.91	23421.62	41	0.7361					23421.62	T
Decatur	312B	60	235.27	14116.32	41	0.7361	20	40	10.56	30.56	7188.97	NT
Decatur	312B	60	2104.61	126276.39	41	0.7361					126276.39	T
Decatur	312C	40	82.25	3289.95	41	0.7361	20	20	5.28	25.28	2079.09	NT
Decatur	312C	40	299.84	11993.42	41	0.7361					11993.42	T
Decatur	312C2	35	478.19	16736.75	41	0.7361	20	14	3.69	23.69	11330.59	NT
Decatur	312C2	35	3162.82	110698.56	41	0.7361					110698.56	T
Decatur	362	70	181.76	12723.00	41	0.7361	20	50	13.20	33.20	6033.43	NT
Decatur	362	70	5019.69	351378.52	41	0.7361					351378.52	T
Decatur	364B	75	930.97	69822.61	41	0.7361	20	54	14.25	34.25	31886.22	NT
Decatur	364B	75	8307.45	623058.42	41	0.7361					623058.42	T
Decatur	423C2	27	259.56	7008.04	41	0.7361	20	6	1.58	21.58	5602.13	NT
Decatur	423C2	27	640.75	17300.17	41	0.7361					17300.17	T
Decatur	423D2	13	2895.52	37641.72	41	0.7361	13	0	0.00	13.00	37641.72	NT
Decatur	423D2	13	4349.05	56537.61	41	0.7361					56537.61	T
Decatur	425C	28	654.94	18338.45	41	0.7361	20	8	2.11	22.11	14481.61	NT
Decatur	425C	28	285.91	8005.49	41	0.7361					8005.49	T
Decatur	425D	16	4582.21	73315.43	41	0.7361	16	0	0.00	16.00	73315.43	NT
Decatur	425D	16	413.45	6615.18	41	0.7361					6615.18	T
Decatur	425D2	12	4280.27	51363.28	41	0.7361	12	0	0.00	12.00	51363.28	NT
Decatur	425D2	12	2013.16	24157.95	41	0.7361					24157.95	T
Decatur	425D3	9	110.70	996.27	41	0.7361	9	0	0.00	9.00	996.27	NT
Decatur	425D3	9	145.48	1309.30	41	0.7361					1309.30	T
Decatur	43	80	21.90	1751.60	41	0.7361	20	60	15.83	35.83	784.59	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	43	80	493.46	39476.58	41	0.7361					39476.58	T
Decatur	430	83	0.02	1.31	41	0.7361	20	62	16.36	36.36	0.57	NT
Decatur	430	83	0.49	40.36	41	0.7361					40.36	T
Decatur	451C2	43	139.73	6008.21	41	0.7361	20	22	5.81	25.81	3605.74	NT
Decatur	451C2	43	154.92	6661.62	41	0.7361					6661.62	T
Decatur	451D2	33	549.66	18138.74	41	0.7361	20	12	3.17	23.17	12733.84	NT
Decatur	451D2	33	547.18	18056.78	41	0.7361					18056.78	T
Decatur	451E2	23	876.54	20160.42	41	0.7361	20	2	0.53	20.53	17993.44	NT
Decatur	451E2	23	415.56	9557.83	41	0.7361					9557.83	T
Decatur	452C	35	1492.33	52231.48	41	0.7361	20	14	3.69	23.69	35360.11	NT
Decatur	452C	35	1699.58	59485.31	41	0.7361					59485.31	T
Decatur	452C2	30	906.23	27186.94	41	0.7361	20	10	2.64	22.64	20516.17	NT
Decatur	452C2	30	1942.63	58278.90	41	0.7361					58278.90	T
Decatur	453	53	144.67	7667.61	41	0.7361	20	32	8.44	28.44	4115.16	NT
Decatur	453	53	970.71	51447.74	41	0.7361					51447.74	T
Decatur	484	90	238.46	21461.83	41	0.7361	20	70	18.47	38.47	9174.45	NT
Decatur	484	90	1602.99	144269.21	41	0.7361					144269.21	T
Decatur	5030	0	298.86	0.00	41	0.7361	0	0	0.00	0.00	0.00	NT
Decatur	5030	0	1.27	0.00	41	0.7361					0.00	T
Decatur	5040	5	52.53	262.63	41	0.7361	5	0	0.00	5.00	262.63	NT
Decatur	5040	5	81.32	406.60	41	0.7361					406.60	T
Decatur	51	70	190.88	13361.26	41	0.7361	20	50	13.20	33.20	6336.10	NT
Decatur	51	70	1485.26	103968.41	41	0.7361					103968.41	T
Decatur	51B	65	774.25	50326.38	41	0.7361	20	44	11.61	31.61	24475.34	NT
Decatur	51B	65	2102.13	136638.29	41	0.7361					136638.29	T
Decatur	520	65	48.05	3123.38	41	0.7361	20	44	11.61	31.61	1519.00	NT
Decatur	520	65	407.43	26483.09	41	0.7361					26483.09	T
Decatur	520B	60	331.35	19881.06	41	0.7361	20	40	10.56	30.56	10124.76	NT
Decatur	520B	60	884.40	53063.77	41	0.7361					53063.77	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	531B	58	108.16	6273.55	41	0.7361	20	38	10.03	30.03	3247.99	NT
Decatur	531B	58	445.28	25826.17	41	0.7361					25826.17	T
Decatur	531C	36	189.42	6819.18	41	0.7361	20	16	4.22	24.22	4588.24	NT
Decatur	531C	36	417.11	15015.86	41	0.7361					15015.86	T
Decatur	531C2	32	603.65	19316.79	41	0.7361	20	12	3.17	23.17	13984.63	NT
Decatur	531C2	32	1764.87	56475.92	41	0.7361					56475.92	T
Decatur	532C	32	243.67	7797.37	41	0.7361	20	12	3.17	23.17	5645.00	NT
Decatur	532C	32	133.09	4259.02	41	0.7361					4259.02	T
Decatur	532C2	28	115.28	3227.96	41	0.7361	20	8	2.11	22.11	2549.08	NT
Decatur	532C2	28	157.55	4411.28	41	0.7361					4411.28	T
Decatur	54	70	355.52	24886.29	41	0.7361	20	50	13.20	33.20	11801.43	NT
Decatur	54	70	2000.06	140004.40	41	0.7361					140004.40	T
Decatur	54+	75	534.13	40059.44	41	0.7361	20	54	14.25	34.25	18294.13	NT
Decatur	54+	75	3938.88	295416.14	41	0.7361					295416.14	T
Decatur	56B	72	75.36	5426.11	41	0.7361	20	52	13.72	33.72	2541.44	NT
Decatur	56B	72	190.06	13684.49	41	0.7361					13684.49	T
Decatur	56C	52	829.98	43158.91	41	0.7361	20	32	8.44	28.44	23608.59	NT
Decatur	56C	52	572.18	29753.42	41	0.7361					29753.42	T
Decatur	587	65	192.67	12523.62	41	0.7361	20	44	11.61	31.61	6090.64	NT
Decatur	587	65	1549.31	100705.47	41	0.7361					100705.47	T
Decatur	58E	20	299.12	5982.39	41	0.7361	20	0	0.00	20.00	5982.39	NT
Decatur	58E	20	16.64	332.89	41	0.7361					332.89	T
Decatur	58E2	18	671.28	12083.11	41	0.7361	18	0	0.00	18.00	12083.11	NT
Decatur	58E2	18	180.98	3257.59	41	0.7361					3257.59	T
Decatur	592C	25	179.62	4490.61	41	0.7361	20	4	1.06	21.06	3782.10	NT
Decatur	592C	25	291.00	7274.99	41	0.7361					7274.99	T
Decatur	592C2	21	535.89	11253.61	41	0.7361	20	0	0.00	20.00	10717.72	NT
Decatur	592C2	21	1252.40	26300.39	41	0.7361					26300.39	T
Decatur	592D2	5	2452.41	12262.03	41	0.7361	5	0	0.00	5.00	12262.03	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	592D2	5	3038.24	15191.22	41	0.7361					15191.22	T
Decatur	594D	8	289.99	2319.94	41	0.7361	8	0	0.00	8.00	2319.94	NT
Decatur	594D	8	131.89	1055.16	41	0.7361					1055.16	T
Decatur	594D2	5	532.61	2663.04	41	0.7361	5	0	0.00	5.00	2663.04	NT
Decatur	594D2	5	691.25	3456.23	41	0.7361					3456.23	T
Decatur	65D	35	291.42	10199.69	41	0.7361	20	14	3.69	23.69	6905.07	NT
Decatur	65D	35	65.20	2282.15	41	0.7361					2282.15	T
Decatur	65E	25	656.19	16404.84	41	0.7361	20	4	1.06	21.06	13816.55	NT
Decatur	65E	25	27.11	677.77	41	0.7361					677.77	T
Decatur	65E2	24	2643.29	63439.01	41	0.7361	20	4	1.06	21.06	55656.10	NT
Decatur	65E2	24	1095.30	26287.17	41	0.7361					26287.17	T
Decatur	65F2	8	9634.52	77076.15	41	0.7361	8	0	0.00	8.00	77076.15	NT
Decatur	65F2	8	1642.24	13137.95	41	0.7361					13137.95	T
Decatur	65G	5	11266.34	56331.72	41	0.7361	5	0	0.00	5.00	56331.72	NT
Decatur	65G	5	197.97	989.86	41	0.7361					989.86	T
Decatur	678G	5	177.60	888.02	41	0.7361	5	0	0.00	5.00	888.02	NT
Decatur	678G	5	6.60	32.99	41	0.7361					32.99	T
Decatur	715	5	1388.24	6941.19	41	0.7361	5	0	0.00	5.00	6941.19	NT
Decatur	715	5	5799.50	28997.50	41	0.7361					28997.50	T
Decatur	730C	45	6707.13	301820.87	41	0.7361	20	24	6.33	26.33	176622.89	NT
Decatur	730C	45	759.71	34186.74	41	0.7361					34186.74	T
Decatur	792C	31	588.52	18244.18	41	0.7361	20	10	2.64	22.64	13323.55	NT
Decatur	792C	31	602.87	18688.83	41	0.7361					18688.83	T
Decatur	792C2	26	899.00	23374.10	41	0.7361	20	6	1.58	21.58	19403.56	NT
Decatur	792C2	26	1374.82	35745.28	41	0.7361					35745.28	T
Decatur	792D	18	824.35	14838.30	41	0.7361	18	0	0.00	18.00	14838.30	NT
Decatur	792D	18	442.04	7956.74	41	0.7361					7956.74	T
Decatur	792D2	11	10107.61	111183.72	41	0.7361	11	0	0.00	11.00	111183.72	NT
Decatur	792D2	11	11504.18	126545.97	41	0.7361					126545.97	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	792D3	5	84.33	421.64	41	0.7361	5	0	0.00	5.00	421.64	NT
Decatur	792D3	5	355.37	1776.85	41	0.7361					1776.85	T
Decatur	822C2	24	607.69	14584.56	41	0.7361	20	4	1.06	21.06	12795.28	NT
Decatur	822C2	24	1985.82	47659.61	41	0.7361					47659.61	T
Decatur	822D2	15	2952.89	44293.33	41	0.7361	15	0	0.00	15.00	44293.33	NT
Decatur	822D2	15	6283.72	94255.73	41	0.7361					94255.73	T
Decatur	831C2	40	686.88	27475.32	41	0.7361	20	20	5.28	25.28	17363.03	NT
Decatur	831C2	40	2145.39	85815.58	41	0.7361					85815.58	T
Decatur	832C2	30	191.37	5741.07	41	0.7361	20	10	2.64	22.64	4332.41	NT
Decatur	832C2	30	749.23	22476.93	41	0.7361					22476.93	T
Decatur	88	92	24.64	2266.70	41	0.7361	20	72	19.00	39.00	960.90	NT
Decatur	88	92	490.80	45153.91	41	0.7361					45153.91	T
Decatur	94D2	10	3.13	31.31	41	0.7361					31.31	T
Decatur	94E	15	222.78	3341.75	41	0.7361	15	0	0.00	15.00	3341.75	NT
Decatur	94E	15	102.99	1544.83	41	0.7361					1544.83	T
Decatur	94E2	5	1486.93	7434.65	41	0.7361	5	0	0.00	5.00	7434.65	NT
Decatur	94E2	5	1141.20	5706.01	41	0.7361					5706.01	T
Decatur	994E	10	612.77	6127.66	41	0.7361	10	0	0.00	10.00	6127.66	NT
Decatur	994E	10	99.38	993.76	41	0.7361					993.76	T
Decatur	994E2	5	1890.70	9453.48	41	0.7361	5	0	0.00	5.00	9453.48	NT
Decatur	994E2	5	991.03	4955.16	41	0.7361					4955.16	T
Decatur	AaC	35	17.55	614.17	41	0.7361	20	14	3.69	23.69	415.79	NT
Decatur	AaC	35	0.06	2.21	41	0.7361					2.21	T
Decatur	AaC2	30	4.26	127.89	41	0.7361	20	10	2.64	22.64	96.51	NT
Decatur	AaC2	30	0.19	5.68	41	0.7361					5.68	T
Decatur	AaD	20	3.87	77.36	41	0.7361	20	0	0.00	20.00	77.36	NT
Decatur	AaD	20	0.31	6.23	41	0.7361					6.23	T
Decatur	AaD2	15	18.54	278.16	41	0.7361	15	0	0.00	15.00	278.16	NT
Decatur	AsD3	20	8.95	178.97	41	0.7361	20	0	0.00	20.00	178.97	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	AW	0	0.33	0.00	41	0.7361	0	0	0.00	0.00	0.00	NT
Decatur	ClC	30	0.10	2.97	41	0.7361					2.97	T
Decatur	ClC2	25	0.15	3.86	41	0.7361					3.86	T
Decatur	Co	80	0.20	16.38	41	0.7361	20	60	15.83	35.83	7.34	NT
Decatur	Co	80	0.02	1.34	41	0.7361					1.34	T
Decatur	CoB	75	19.00	1425.12	41	0.7361	20	54	14.25	34.25	650.81	NT
Decatur	CoB	75	0.03	1.99	41	0.7361					1.99	T
Decatur	GaE	35	0.22	7.53	41	0.7361	20	14	3.69	23.69	5.10	NT
Decatur	GaE2	33	3.41	112.65	41	0.7361	20	12	3.17	23.17	79.08	NT
Decatur	GaE2	33	9.48	312.77	41	0.7361					312.77	T
Decatur	GaF	13	0.27	3.51	41	0.7361	13	0	0.00	13.00	3.51	NT
Decatur	GaF2	13	0.25	3.28	41	0.7361	13	0	0.00	13.00	3.28	NT
Decatur	GaF2	13	0.51	6.68	41	0.7361					6.68	T
Decatur	GrE3	30	0.91	27.34	41	0.7361	20	10	2.64	22.64	20.63	NT
Decatur	GrE3	30	0.08	2.53	41	0.7361					2.53	T
Decatur	KnC	36	2.51	90.32	41	0.7361	20	16	4.22	24.22	60.77	NT
Decatur	KnC2	31	0.01	0.21	41	0.7361					0.21	T
Decatur	Ln	89	15.08	1342.27	41	0.7361	20	68	17.95	37.95	572.28	NT
Decatur	Ln	89	8.58	763.79	41	0.7361					763.79	T
Decatur	LoF2	10	0.74	7.40	41	0.7361	10	0	0.00	10.00	7.40	NT
Decatur	LvC	36	0.12	4.43	41	0.7361	20	16	4.22	24.22	2.98	NT
Decatur	OmB	72	1.44	103.84	41	0.7361	20	52	13.72	33.72	48.64	NT
Decatur	OmB	72	1.66	119.68	41	0.7361					119.68	T
Decatur	OvB	60	17.38	1043.06	41	0.7361	20	40	10.56	30.56	531.20	NT
Decatur	OvB	60	0.46	27.51	41	0.7361					27.51	T
Decatur	SeB	60	0.13	7.89	41	0.7361					7.89	T
Decatur	SfC	40	0.23	9.24	41	0.7361					9.24	T
Decatur	ShD2	48	0.00	0.18	41	0.7361	20	28	7.39	27.39	0.10	NT
Decatur	ShD2	48	0.52	25.05	41	0.7361					25.05	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Decatur	ShE	40	14.77	590.71	41	0.7361	20	20	5.28	25.28	373.30	NT
Decatur	ShE	40	0.00	0.03	41	0.7361					0.03	T
Decatur	ShE2	38	49.60	1884.91	41	0.7361	20	18	4.75	24.75	1227.68	NT
Decatur	ShE2	38	0.87	33.23	41	0.7361					33.23	T
Decatur	ShF2	18	2.10	37.74	41	0.7361	18	0	0.00	18.00	37.74	NT
Decatur	SL	0	16.43	0.00	41	0.7361	0	0	0.00	0.00	0.00	NT
Decatur	SL	0	1.73	0.00	41	0.7361					0.00	T
Decatur	SoE3	35	6.22	217.55	41	0.7361	20	14	3.69	23.69	147.28	NT
Decatur	Ve	70	0.06	4.34	41	0.7361	20	50	13.20	33.20	2.06	NT
Decatur	Ve	70	0.00	0.00	41	0.7361					0.00	T
Decatur	W	0	2972.79	0.00	41	0.7361	0	0	0.00	0.00	0.00	NT
Decatur	W	0	59.87	0.00	41	0.7361					0.00	T
											0.00	
											0.00	
Delaware	109B	25	427.84	10696.00	68	0.7528	25	0	0.00	25.00	10696.00	NT
Delaware	109B	25	1687.80	42195.03	68	0.7528					42195.03	T
Delaware	109C	10	717.96	7179.60	68	0.7528	10	0	0.00	10.00	7179.60	NT
Delaware	109C	10	2071.94	20719.37	68	0.7528					20719.37	T
Delaware	109D	5	0.10	0.48	68	0.7528	5	0	0.00	5.00	0.48	NT
Delaware	110B	47	203.89	9582.76	68	0.7528	34	13	3.21	37.21	7587.42	NT
Delaware	110B	47	1034.55	48623.66	68	0.7528					48623.66	T
Delaware	110C	44	222.20	9776.91	68	0.7528	34	10	2.47	36.47	8104.17	NT
Delaware	110C	44	952.71	41919.15	68	0.7528					41919.15	T
Delaware	110D	22	0.38	8.33	68	0.7528	22	0	0.00	22.00	8.33	NT
Delaware	1152	68	824.15	56042.30	68	0.7528	34	34	8.40	42.40	34947.98	NT
Delaware	1152	68	4821.39	327854.57	68	0.7528					327854.57	T
Delaware	119	100	6.96	696.09	68	0.7528	34	66	16.32	50.32	350.24	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	119	100	612.09	61208.86	68	0.7528					61208.86	T
Delaware	11B	68	937.74	63766.41	68	0.7528	34	34	8.40	42.40	39764.74	NT
Delaware	11B	68	6625.02	450501.10	68	0.7528					450501.10	T
Delaware	120B	95	187.05	17770.04	68	0.7528	34	61	15.08	49.08	9180.42	NT
Delaware	120B	95	4455.63	423285.01	68	0.7528					423285.01	T
Delaware	120C	80	38.04	3043.18	68	0.7528	34	46	11.37	45.37	1725.91	NT
Delaware	120C	80	1262.91	101033.02	68	0.7528					101033.02	T
Delaware	120C2	78	0.13	9.79	68	0.7528					9.79	T
Delaware	1226	72	250.08	18005.75	68	0.7528	34	38	9.39	43.39	10851.87	NT
Delaware	1226	72	3864.00	278208.14	68	0.7528					278208.14	T
Delaware	129B	63	1071.34	67494.60	68	0.7528	34	29	7.17	41.17	44105.90	NT
Delaware	129B	63	1861.95	117303.08	68	0.7528					117303.08	T
Delaware	133+	85	187.41	15929.62	68	0.7528	34	51	12.61	46.61	8734.53	NT
Delaware	133+	85	411.53	34979.76	68	0.7528					34979.76	T
Delaware	142	83	1.82	151.37	68	0.7528					151.37	T
Delaware	1485	25	2974.34	74358.46	68	0.7528	25	0	0.00	25.00	74358.46	NT
Delaware	1485	25	264.93	6623.23	68	0.7528					6623.23	T
Delaware	1490	25	0.05	1.29	68	0.7528	25	0	0.00	25.00	1.29	NT
Delaware	1490	25	0.01	0.20	68	0.7528					0.20	T
Delaware	153	60	35.10	2106.10	68	0.7528	34	26	6.43	40.43	1419.06	NT
Delaware	153	60	260.32	15619.06	68	0.7528					15619.06	T
Delaware	158	85	498.94	42409.74	68	0.7528	34	51	12.61	46.61	23254.11	NT
Delaware	158	85	137.37	11676.05	68	0.7528					11676.05	T
Delaware	1585	5	3174.80	15874.02	68	0.7528	5	0	0.00	5.00	15874.02	NT
Delaware	1585	5	182.31	911.56	68	0.7528					911.56	T
Delaware	159	38	50.52	1919.62	68	0.7528	34	4	0.99	34.99	1767.51	NT
Delaware	159	38	197.99	7523.59	68	0.7528					7523.59	T
Delaware	159C	5	40.10	200.52	68	0.7528	5	0	0.00	5.00	200.52	NT
Delaware	159C	5	244.75	1223.74	68	0.7528					1223.74	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	162B	90	77.13	6941.89	68	0.7528	34	56	13.84	47.84	3690.25	NT
Delaware	162B	90	1853.68	166831.38	68	0.7528					166831.38	T
Delaware	162C	75	139.33	10449.85	68	0.7528	34	41	10.14	44.14	6149.41	NT
Delaware	162C	75	2626.31	196973.31	68	0.7528					196973.31	T
Delaware	162C2	73	248.60	18148.03	68	0.7528	34	39	9.64	43.64	10849.24	NT
Delaware	162C2	73	5567.12	406399.56	68	0.7528					406399.56	T
Delaware	162D	65	13.44	873.51	68	0.7528	34	31	7.66	41.66	559.89	NT
Delaware	162D	65	171.27	11132.85	68	0.7528					11132.85	T
Delaware	162D2	63	188.09	11849.70	68	0.7528	34	29	7.17	41.17	7743.46	NT
Delaware	162D2	63	5657.93	356449.43	68	0.7528					356449.43	T
Delaware	163C	70	139.09	9736.14	68	0.7528	34	36	8.90	42.90	5966.75	NT
Delaware	163C	70	579.28	40549.88	68	0.7528					40549.88	T
Delaware	163C2	68	188.48	12816.70	68	0.7528	34	34	8.40	42.40	7992.50	NT
Delaware	163C2	68	1777.95	120900.27	68	0.7528					120900.27	T
Delaware	163D	60	558.32	33499.28	68	0.7528	34	26	6.43	40.43	22571.37	NT
Delaware	163D	60	336.46	20187.71	68	0.7528					20187.71	T
Delaware	163D2	58	1324.93	76846.00	68	0.7528	34	24	5.93	39.93	52908.21	NT
Delaware	163D2	58	10424.13	604599.81	68	0.7528					604599.81	T
Delaware	163D3	55	25.83	1420.48	68	0.7528	34	21	5.19	39.19	1012.18	NT
Delaware	163D3	55	528.43	29063.80	68	0.7528					29063.80	T
Delaware	163E	50	988.21	49410.42	68	0.7528	34	16	3.96	37.96	37507.65	NT
Delaware	163E	50	375.00	18749.84	68	0.7528					18749.84	T
Delaware	163E2	48	1971.51	94632.58	68	0.7528	34	14	3.46	37.46	73854.42	NT
Delaware	163E2	48	8407.20	403545.46	68	0.7528					403545.46	T
Delaware	163E3	46	170.46	7841.16	68	0.7528	34	12	2.97	36.97	6301.29	NT
Delaware	163E3	46	863.63	39726.95	68	0.7528					39726.95	T
Delaware	163F	30	2549.87	76496.07	68	0.7528	30	0	0.00	30.00	76496.07	NT
Delaware	163F	30	554.97	16649.13	68	0.7528					16649.13	T
Delaware	163F2	28	1241.08	34750.24	68	0.7528	28	0	0.00	28.00	34750.24	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	163F2	28	1830.86	51264.07	68	0.7528					51264.07	T
Delaware	163F3	25	140.06	3501.61	68	0.7528	25	0	0.00	25.00	3501.61	NT
Delaware	163F3	25	486.44	12160.93	68	0.7528					12160.93	T
Delaware	163G	19	2307.65	43845.37	68	0.7528	19	0	0.00	19.00	43845.37	NT
Delaware	163G	19	327.97	6231.41	68	0.7528					6231.41	T
Delaware	171B	82	422.53	34647.08	68	0.7528	34	48	11.87	45.87	19379.38	NT
Delaware	171B	82	5682.74	465985.07	68	0.7528					465985.07	T
Delaware	171C2	64	59.45	3804.63	68	0.7528	34	30	7.42	41.42	2462.07	NT
Delaware	171C2	64	963.63	61672.20	68	0.7528					61672.20	T
Delaware	174B	70	97.63	6833.78	68	0.7528	34	36	8.90	42.90	4188.05	NT
Delaware	174B	70	2172.94	152106.03	68	0.7528					152106.03	T
Delaware	174C	55	34.90	1919.26	68	0.7528	34	21	5.19	39.19	1367.60	NT
Delaware	174C	55	649.33	35713.07	68	0.7528					35713.07	T
Delaware	175	60	11.76	705.44	68	0.7528	34	26	6.43	40.43	475.32	NT
Delaware	175	60	230.79	13847.29	68	0.7528					13847.29	T
Delaware	175B	56	254.18	14234.15	68	0.7528	34	22	5.44	39.44	10024.50	NT
Delaware	175B	56	4520.50	253148.16	68	0.7528					253148.16	T
Delaware	175C	41	55.83	2289.06	68	0.7528	34	7	1.73	35.73	1994.86	NT
Delaware	175C	41	1030.60	42254.63	68	0.7528					42254.63	T
Delaware	177	64	493.79	31602.86	68	0.7528	34	30	7.42	41.42	20451.00	NT
Delaware	177	64	4642.16	297098.14	68	0.7528					297098.14	T
Delaware	177B	60	76.69	4601.45	68	0.7528	34	26	6.43	40.43	3100.40	NT
Delaware	177B	60	659.01	39540.78	68	0.7528					39540.78	T
Delaware	178	79	56.12	4433.87	68	0.7528	34	45	11.12	45.12	2532.58	NT
Delaware	178	79	543.33	42923.26	68	0.7528					42923.26	T
Delaware	178B	74	8.83	653.55	68	0.7528	34	40	9.89	43.89	387.61	NT
Delaware	178B	74	78.41	5802.67	68	0.7528					5802.67	T
Delaware	183C	33	68.42	2257.71	68	0.7528	33	0	0.00	33.00	2257.71	NT
Delaware	183C	33	336.20	11094.71	68	0.7528					11094.71	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	183D	18	0.01	0.12	68	0.7528	18	0	0.00	18.00	0.12	NT
Delaware	183D	18	0.96	17.31	68	0.7528					17.31	T
Delaware	183E	5	253.13	1265.66	68	0.7528	5	0	0.00	5.00	1265.66	NT
Delaware	183E	5	309.80	1548.98	68	0.7528					1548.98	T
Delaware	198B	80	159.59	12767.18	68	0.7528	34	46	11.37	45.37	7240.78	NT
Delaware	198B	80	3050.83	244066.24	68	0.7528					244066.24	T
Delaware	205B	64	47.57	3044.47	68	0.7528	34	30	7.42	41.42	1970.15	NT
Delaware	205B	64	346.19	22156.00	68	0.7528					22156.00	T
Delaware	207B	48	131.52	6313.03	68	0.7528	34	14	3.46	37.46	4926.90	NT
Delaware	207B	48	458.14	21990.55	68	0.7528					21990.55	T
Delaware	207C	42	69.86	2934.07	68	0.7528	34	8	1.98	35.98	2513.35	NT
Delaware	207C	42	286.80	12045.62	68	0.7528					12045.62	T
Delaware	213B	74	118.86	8795.93	68	0.7528	34	40	9.89	43.89	5216.70	NT
Delaware	213B	74	1489.71	110238.46	68	0.7528					110238.46	T
Delaware	214B	58	185.64	10766.87	68	0.7528	34	24	5.93	39.93	7412.96	NT
Delaware	214B	58	1932.21	112068.12	68	0.7528					112068.12	T
Delaware	215C	20	275.46	5509.17	68	0.7528	20	0	0.00	20.00	5509.17	NT
Delaware	215C	20	1436.16	28723.14	68	0.7528					28723.14	T
Delaware	221	25	89.92	2248.05	68	0.7528	25	0	0.00	25.00	2248.05	NT
Delaware	221	25	305.68	7641.88	68	0.7528					7641.88	T
Delaware	241B	35	141.72	4960.30	68	0.7528	34	1	0.25	34.25	4853.61	NT
Delaware	241B	35	2105.95	73708.41	68	0.7528					73708.41	T
Delaware	27B	82	0.07	5.61	68	0.7528	34	48	11.87	45.87	3.14	NT
Delaware	284	40	164.97	6598.63	68	0.7528	34	6	1.48	35.48	5853.51	NT
Delaware	284	40	1291.95	51677.87	68	0.7528					51677.87	T
Delaware	284B	45	166.36	7486.03	68	0.7528	34	11	2.72	36.72	6108.47	NT
Delaware	284B	45	818.48	36831.81	68	0.7528					36831.81	T
Delaware	285B	25	58.22	1455.42	68	0.7528	25	0	0.00	25.00	1455.42	NT
Delaware	285B	25	274.39	6859.79	68	0.7528					6859.79	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	293C	45	0.04	2.02	68	0.7528	34	11	2.72	36.72	1.65	NT
Delaware	302B	74	115.22	8526.44	68	0.7528	34	40	9.89	43.89	5056.87	NT
Delaware	302B	74	499.88	36990.97	68	0.7528					36990.97	T
Delaware	315	30	1.78	53.43	68	0.7528	30	0	0.00	30.00	53.43	NT
Delaware	315	30	0.42	12.65	68	0.7528					12.65	T
Delaware	323B	72	203.68	14664.77	68	0.7528	34	38	9.39	43.39	8838.29	NT
Delaware	323B	72	621.00	44712.25	68	0.7528					44712.25	T
Delaware	353B	58	81.03	4699.69	68	0.7528	34	24	5.93	39.93	3235.72	NT
Delaware	353B	58	171.92	9971.47	68	0.7528					9971.47	T
Delaware	377B	90	282.40	25415.99	68	0.7528	34	56	13.84	47.84	13510.91	NT
Delaware	377B	90	7460.80	671472.34	68	0.7528					671472.34	T
Delaware	377C	75	14.52	1089.01	68	0.7528	34	41	10.14	44.14	640.85	NT
Delaware	377C	75	549.95	41245.88	68	0.7528					41245.88	T
Delaware	377C2	73	16.29	1189.30	68	0.7528	34	39	9.64	43.64	710.99	NT
Delaware	377C2	73	406.17	29650.62	68	0.7528					29650.62	T
Delaware	391B	72	3385.62	243764.53	68	0.7528	34	38	9.39	43.39	146914.17	NT
Delaware	391B	72	60311.56	4342432.24	68	0.7528					4342432.24	T
Delaware	394B	85	1.22	103.72	68	0.7528					103.72	T
Delaware	394C	70	0.00	0.01	68	0.7528	34	36	8.90	42.90	0.01	NT
Delaware	394C	70	0.00	0.09	68	0.7528					0.09	T
Delaware	399	91	31.16	2835.15	68	0.7528	34	57	14.09	48.09	1498.28	NT
Delaware	399	91	1885.81	171608.56	68	0.7528					171608.56	T
Delaware	407B	72	71.07	5116.79	68	0.7528	34	38	9.39	43.39	3083.83	NT
Delaware	407B	72	1495.12	107648.71	68	0.7528					107648.71	T
Delaware	408B	66	290.60	19179.65	68	0.7528	34	32	7.91	41.91	12179.19	NT
Delaware	408B	66	6108.79	403180.41	68	0.7528					403180.41	T
Delaware	408C	52	47.86	2488.73	68	0.7528	34	18	4.45	38.45	1840.20	NT
Delaware	408C	52	1020.58	53070.08	68	0.7528					53070.08	T
Delaware	41	40	15.51	620.28	68	0.7528	34	6	1.48	35.48	550.24	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	41	40	219.42	8776.91	68	0.7528					8776.91	T
Delaware	412C	13	588.45	7649.82	68	0.7528	13	0	0.00	13.00	7649.82	NT
Delaware	412C	13	2125.15	27626.89	68	0.7528					27626.89	T
Delaware	412D	5	1.48	7.39	68	0.7528	5	0	0.00	5.00	7.39	NT
Delaware	412D	5	0.02	0.08	68	0.7528					0.08	T
Delaware	41B	40	278.11	11124.35	68	0.7528	34	6	1.48	35.48	9868.19	NT
Delaware	41B	40	3762.90	150516.05	68	0.7528					150516.05	T
Delaware	41C	25	127.86	3196.49	68	0.7528	25	0	0.00	25.00	3196.49	NT
Delaware	41C	25	1465.98	36649.52	68	0.7528					36649.52	T
Delaware	426B	85	65.78	5590.94	68	0.7528	34	51	12.61	46.61	3065.62	NT
Delaware	426B	85	1553.15	132017.47	68	0.7528					132017.47	T
Delaware	426C	70	34.09	2386.21	68	0.7528	34	36	8.90	42.90	1462.38	NT
Delaware	426C	70	499.57	34969.67	68	0.7528					34969.67	T
Delaware	428B	93	35.08	3262.77	68	0.7528	34	59	14.58	48.58	1704.53	NT
Delaware	428B	93	863.98	80350.45	68	0.7528					80350.45	T
Delaware	468B	62	41.56	2576.97	68	0.7528	34	28	6.92	40.92	1700.86	NT
Delaware	468B	62	401.11	24868.89	68	0.7528					24868.89	T
Delaware	468C	47	57.94	2723.13	68	0.7528	34	13	3.21	37.21	2156.12	NT
Delaware	468C	47	512.39	24082.41	68	0.7528					24082.41	T
Delaware	471	86	8.91	766.33	68	0.7528	34	52	12.85	46.85	417.51	NT
Delaware	471	86	553.80	47626.69	68	0.7528					47626.69	T
Delaware	478G	5	3273.06	16365.29	68	0.7528	5	0	0.00	5.00	16365.29	NT
Delaware	478G	5	74.12	370.59	68	0.7528					370.59	T
Delaware	480C	65	0.31	20.14	68	0.7528	34	31	7.66	41.66	12.91	NT
Delaware	480C	65	0.08	5.13	68	0.7528					5.13	T
Delaware	480D	55	3.18	174.98	68	0.7528	34	21	5.19	39.19	124.68	NT
Delaware	480D	55	0.21	11.62	68	0.7528					11.62	T
Delaware	480D2	53	1.42	75.06	68	0.7528	34	19	4.70	38.70	54.80	NT
Delaware	480D2	53	0.05	2.71	68	0.7528					2.71	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	480F2	29	0.59	17.03	68	0.7528					17.03	T
Delaware	485	92	423.57	38968.03	68	0.7528	34	58	14.34	48.34	20474.14	NT
Delaware	485	92	1179.12	108479.28	68	0.7528					108479.28	T
Delaware	488C2	71	1.84	130.32	68	0.7528	34	37	9.15	43.15	79.20	NT
Delaware	488C2	71	183.89	13055.84	68	0.7528					13055.84	T
Delaware	488D2	61	26.75	1632.04	68	0.7528	34	27	6.67	40.67	1088.23	NT
Delaware	488D2	61	911.98	55630.86	68	0.7528					55630.86	T
Delaware	489	85	198.43	16866.16	68	0.7528	34	51	12.61	46.61	9248.05	NT
Delaware	489	85	1695.45	144112.85	68	0.7528					144112.85	T
Delaware	496B	25	2.94	73.60	68	0.7528	25	0	0.00	25.00	73.60	NT
Delaware	497E	5	0.05	0.26	68	0.7528					0.26	T
Delaware	497F	5	21.04	105.21	68	0.7528	5	0	0.00	5.00	105.21	NT
Delaware	499B	23	169.94	3908.60	68	0.7528	23	0	0.00	23.00	3908.60	NT
Delaware	499B	23	195.55	4497.60	68	0.7528					4497.60	T
Delaware	499D	5	2793.08	13965.40	68	0.7528	5	0	0.00	5.00	13965.40	NT
Delaware	499D	5	3136.28	15681.42	68	0.7528					15681.42	T
Delaware	499F	5	2483.10	12415.52	68	0.7528	5	0	0.00	5.00	12415.52	NT
Delaware	499F	5	685.47	3427.34	68	0.7528					3427.34	T
Delaware	5010	0	84.93	0.00	68	0.7528	0	0	0.00	0.00	0.00	NT
Delaware	5010	0	21.93	0.00	68	0.7528					0.00	T
Delaware	5030	0	398.53	0.00	68	0.7528	0	0	0.00	0.00	0.00	NT
Delaware	5030	0	15.00	0.00	68	0.7528					0.00	T
Delaware	5040	5	46.05	230.23	68	0.7528	5	0	0.00	5.00	230.23	NT
Delaware	5040	5	110.62	553.11	68	0.7528					553.11	T
Delaware	5042	0	24.83	0.00	68	0.7528	0	0	0.00	0.00	0.00	NT
Delaware	5042	0	19.12	0.00	68	0.7528					0.00	T
Delaware	512D	15	1.13	17.00	68	0.7528					17.00	T
Delaware	520	65	2.51	162.84	68	0.7528					162.84	T
Delaware	585	86	1217.09	104669.34	68	0.7528	34	52	12.85	46.85	57025.81	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	585	86	1917.37	164894.03	68	0.7528					164894.03	T
Delaware	589+	85	0.00	0.11	68	0.7528	34	51	12.61	46.61	0.06	NT
Delaware	589+	85	0.50	42.86	68	0.7528					42.86	T
Delaware	626	67	133.57	8948.87	68	0.7528	34	33	8.16	42.16	5630.79	NT
Delaware	626	67	874.10	58564.55	68	0.7528					58564.55	T
Delaware	63B	40	324.09	12963.62	68	0.7528	34	6	1.48	35.48	11499.77	NT
Delaware	63B	40	1153.88	46155.26	68	0.7528					46155.26	T
Delaware	63C	21	721.42	15149.81	68	0.7528	21	0	0.00	21.00	15149.81	NT
Delaware	63C	21	2100.39	44108.11	68	0.7528					44108.11	T
Delaware	63D	11	507.06	5577.69	68	0.7528	11	0	0.00	11.00	5577.69	NT
Delaware	63D	11	1064.68	11711.45	68	0.7528					11711.45	T
Delaware	63E	5	546.29	2731.45	68	0.7528	5	0	0.00	5.00	2731.45	NT
Delaware	63E	5	287.84	1439.19	68	0.7528					1439.19	T
Delaware	63F	5	0.49	2.44	68	0.7528	5	0	0.00	5.00	2.44	NT
Delaware	63F	5	0.08	0.38	68	0.7528					0.38	T
Delaware	65D2	38	17.81	676.76	68	0.7528	34	4	0.99	34.99	623.13	NT
Delaware	65D2	38	221.12	8402.56	68	0.7528					8402.56	T
Delaware	65E3	25	35.84	896.09	68	0.7528	25	0	0.00	25.00	896.09	NT
Delaware	65E3	25	296.62	7415.52	68	0.7528					7415.52	T
Delaware	65F	10	0.01	0.08	68	0.7528					0.08	T
Delaware	663D2	58	152.43	8841.07	68	0.7528	34	24	5.93	39.93	6087.05	NT
Delaware	663D2	58	1521.33	88236.85	68	0.7528					88236.85	T
Delaware	663E2	48	263.90	12667.26	68	0.7528	34	14	3.46	37.46	9885.95	NT
Delaware	663E2	48	746.80	35846.60	68	0.7528					35846.60	T
Delaware	663E3	45	44.84	2017.67	68	0.7528	34	11	2.72	36.72	1646.38	NT
Delaware	663E3	45	522.34	23505.26	68	0.7528					23505.26	T
Delaware	663F	30	0.77	23.04	68	0.7528	30	0	0.00	30.00	23.04	NT
Delaware	714C	33	0.09	3.09	68	0.7528	33	0	0.00	33.00	3.09	NT
Delaware	763E2	45	109.60	4932.04	68	0.7528	34	11	2.72	36.72	4024.46	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	763E2	45	595.68	26805.42	68	0.7528					26805.42	T
Delaware	763F2	26	82.46	2143.99	68	0.7528	26	0	0.00	26.00	2143.99	NT
Delaware	763F2	26	223.98	5823.39	68	0.7528					5823.39	T
Delaware	771B	87	34.76	3023.90	68	0.7528	34	53	13.10	47.10	1637.13	NT
Delaware	771B	87	650.86	56625.16	68	0.7528					56625.16	T
Delaware	771C	72	18.26	1315.00	68	0.7528	34	38	9.39	43.39	792.54	NT
Delaware	771C	72	436.80	31449.95	68	0.7528					31449.95	T
Delaware	776	33	211.45	6977.92	68	0.7528	33	0	0.00	33.00	6977.92	NT
Delaware	776	33	466.52	15395.16	68	0.7528					15395.16	T
Delaware	776C	8	521.30	4170.43	68	0.7528	8	0	0.00	8.00	4170.43	NT
Delaware	776C	8	1999.59	15996.70	68	0.7528					15996.70	T
Delaware	777	58	345.05	20013.03	68	0.7528	34	24	5.93	39.93	13778.90	NT
Delaware	777	58	1145.26	66424.90	68	0.7528					66424.90	T
Delaware	777B	53	2.58	136.91	68	0.7528					136.91	T
Delaware	781B	60	3.86	231.80	68	0.7528	34	26	6.43	40.43	156.18	NT
Delaware	781B	60	512.65	30758.72	68	0.7528					30758.72	T
Delaware	782B	50	32.10	1604.82	68	0.7528	34	16	3.96	37.96	1218.22	NT
Delaware	782B	50	926.09	46304.73	68	0.7528					46304.73	T
Delaware	793	85	170.55	14496.99	68	0.7528	34	51	12.61	46.61	7948.99	NT
Delaware	793	85	418.19	35545.98	68	0.7528					35545.98	T
Delaware	798B	60	6.53	391.81	68	0.7528	34	26	6.43	40.43	264.00	NT
Delaware	798B	60	523.39	31403.43	68	0.7528					31403.43	T
Delaware	809B	27	115.75	3125.12	68	0.7528	27	0	0.00	27.00	3125.12	NT
Delaware	809B	27	1110.10	29972.72	68	0.7528					29972.72	T
Delaware	809C	9	67.65	608.85	68	0.7528	9	0	0.00	9.00	608.85	NT
Delaware	809C	9	420.89	3788.05	68	0.7528					3788.05	T
Delaware	826	95	56.22	5341.37	68	0.7528	34	61	15.08	49.08	2759.48	NT
Delaware	826	95	1016.49	96566.11	68	0.7528					96566.11	T
Delaware	83B	87	1915.56	166653.56	68	0.7528	34	53	13.10	47.10	90225.86	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	83B	87	45820.47	3986381.08	68	0.7528					3986381.08	T
Delaware	83C	72	62.18	4476.76	68	0.7528	34	38	9.39	43.39	2698.09	NT
Delaware	83C	72	921.89	66375.99	68	0.7528					66375.99	T
Delaware	83C2	69	4.32	298.37	68	0.7528	34	35	8.65	42.65	184.44	NT
Delaware	83C2	69	425.74	29375.91	68	0.7528					29375.91	T
Delaware	84	76	174.39	13253.93	68	0.7528	34	42	10.38	44.38	7740.02	NT
Delaware	84	76	730.67	55530.75	68	0.7528					55530.75	T
Delaware	863D	20	1.99	39.74	68	0.7528	20	0	0.00	20.00	39.74	NT
Delaware	863D	20	0.01	0.28	68	0.7528					0.28	T
Delaware	883B	75	124.26	9319.17	68	0.7528	34	41	10.14	44.14	5484.05	NT
Delaware	883B	75	3528.39	264629.37	68	0.7528					264629.37	T
Delaware	907B	65	14.74	958.23	68	0.7528	34	31	7.66	41.66	614.20	NT
Delaware	907B	65	403.43	26222.69	68	0.7528					26222.69	T
Delaware	930B	60	0.34	20.36	68	0.7528	34	26	6.43	40.43	13.72	NT
Delaware	930B	60	0.35	21.00	68	0.7528					21.00	T
Delaware	933	80	0.00	0.17	68	0.7528					0.17	T
Delaware	933B	80	96.32	7705.97	68	0.7528	34	46	11.37	45.37	4370.36	NT
Delaware	933B	80	4451.54	356123.39	68	0.7528					356123.39	T
Delaware	977	95	44.64	4240.90	68	0.7528	34	61	15.08	49.08	2190.95	NT
Delaware	977	95	370.51	35198.79	68	0.7528					35198.79	T
Delaware	981	95	114.04	10834.06	68	0.7528	34	61	15.08	49.08	5597.13	NT
Delaware	981	95	418.57	39764.54	68	0.7528					39764.54	T
Delaware	981B	90	231.92	20872.38	68	0.7528	34	56	13.84	47.84	11095.57	NT
Delaware	981B	90	1500.50	135045.41	68	0.7528					135045.41	T
Delaware	INT	0	0.82	0.00	68	0.7528	0	0	0.00	0.00	0.00	NT
Delaware	INT	0	0.00	0.00	68	0.7528					0.00	T
Delaware	SL	0	12.11	0.00	68	0.7528	0	0	0.00	0.00	0.00	NT
Delaware	SL	0	0.67	0.00	68	0.7528					0.00	T
Delaware	W	0	713.17	0.00	68	0.7528	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Delaware	W	0	16.36	0.00	68	0.7528					0.00	T
											0.00	
											0.00	
Des Moines	122	63	1.39	87.75	77	0.7557	38	24	5.86	43.86	61.10	NT
Des Moines	122	63	416.59	26245.08	77	0.7557					26245.08	T
Des Moines	1273B	68	53.17	3615.48	77	0.7557	38	30	7.33	45.33	2410.09	NT
Des Moines	1273B	68	230.66	15685.15	77	0.7557					15685.15	T
Des Moines	1273C	55	233.67	12852.03	77	0.7557	38	16	3.91	41.91	9792.97	NT
Des Moines	1273C	55	270.22	14861.91	77	0.7557					14861.91	T
Des Moines	130	63	4.68	295.07	77	0.7557	38	24	5.86	43.86	205.44	NT
Des Moines	130	63	168.25	10599.55	77	0.7557					10599.55	T
Des Moines	1316	5	1030.97	5154.84	77	0.7557	5	0	0.00	5.00	5154.84	NT
Des Moines	1316	5	141.49	707.45	77	0.7557					707.45	T
Des Moines	131B	67	104.83	7023.38	77	0.7557	38	28	6.84	44.84	4700.46	NT
Des Moines	131B	67	954.24	63934.27	77	0.7557					63934.27	T
Des Moines	131C2	45	76.32	3434.34	77	0.7557	38	6	1.47	39.47	3011.98	NT
Des Moines	131C2	45	206.68	9300.45	77	0.7557					9300.45	T
Des Moines	132B	60	190.92	11455.17	77	0.7557	38	22	5.37	43.37	8281.06	NT
Des Moines	132B	60	946.32	56779.48	77	0.7557					56779.48	T
Des Moines	132C	44	245.24	10790.34	77	0.7557	38	6	1.47	39.47	9678.40	NT
Des Moines	132C	44	105.50	4642.09	77	0.7557					4642.09	T
Des Moines	132C2	40	173.53	6941.30	77	0.7557	38	2	0.49	38.49	6679.02	NT
Des Moines	132C2	40	318.25	12730.17	77	0.7557					12730.17	T
Des Moines	133	80	397.89	31830.86	77	0.7557	38	42	10.26	48.26	19202.21	NT
Des Moines	133	80	1019.27	81541.52	77	0.7557					81541.52	T
Des Moines	133B	75	1077.20	80790.26	77	0.7557	38	36	8.79	46.79	50407.52	NT
Des Moines	133B	75	1501.92	112644.09	77	0.7557					112644.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Des Moines	134	65	0.69	44.92	77	0.7557	38	26	6.35	44.35	30.65	NT
Des Moines	134	65	0.06	3.75	77	0.7557					3.75	T
Des Moines	135	78	296.20	23103.54	77	0.7557	38	40	9.77	47.77	14150.03	NT
Des Moines	135	78	3114.56	242935.88	77	0.7557					242935.88	T
Des Moines	158	85	22.90	1946.56	77	0.7557	38	46	11.24	49.24	1127.58	NT
Des Moines	158	85	235.08	19981.76	77	0.7557					19981.76	T
Des Moines	1587	80	274.86	21988.41	77	0.7557	38	42	10.26	48.26	13264.67	NT
Des Moines	1587	80	4277.37	342189.39	77	0.7557					342189.39	T
Des Moines	163B	85	166.32	14137.01	77	0.7557	38	46	11.24	49.24	8189.12	NT
Des Moines	163B	85	830.39	70582.95	77	0.7557					70582.95	T
Des Moines	163C	70	669.22	46845.39	77	0.7557	38	32	7.82	45.82	30662.05	NT
Des Moines	163C	70	233.80	16366.15	77	0.7557					16366.15	T
Des Moines	163C2	68	101.62	6909.84	77	0.7557	38	30	7.33	45.33	4606.12	NT
Des Moines	163C2	68	178.76	12155.35	77	0.7557					12155.35	T
Des Moines	163D	60	44.54	2672.30	77	0.7557	38	22	5.37	43.37	1931.83	NT
Des Moines	163D	60	8.70	522.01	77	0.7557					522.01	T
Des Moines	172	45	254.39	11447.77	77	0.7557	38	6	1.47	39.47	10039.90	NT
Des Moines	172	45	3906.06	175772.72	77	0.7557					175772.72	T
Des Moines	173	60	78.18	4690.81	77	0.7557	38	22	5.37	43.37	3391.03	NT
Des Moines	173	60	1068.83	64130.02	77	0.7557					64130.02	T
Des Moines	1730B	25	0.18	4.57	77	0.7557	25	0	0.00	25.00	4.57	NT
Des Moines	174	75	28.62	2146.74	77	0.7557	38	36	8.79	46.79	1339.42	NT
Des Moines	174	75	285.13	21384.71	77	0.7557					21384.71	T
Des Moines	174B	70	40.00	2799.94	77	0.7557	38	32	7.82	45.82	1832.66	NT
Des Moines	174B	70	410.39	28727.46	77	0.7557					28727.46	T
Des Moines	175	60	40.53	2431.68	77	0.7557	38	22	5.37	43.37	1757.89	NT
Des Moines	175	60	272.54	16352.40	77	0.7557					16352.40	T
Des Moines	175B	56	65.35	3659.79	77	0.7557	38	18	4.40	42.40	2770.82	NT
Des Moines	175B	56	266.15	14904.55	77	0.7557					14904.55	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Des Moines	179D2	43	82.22	3535.39	77	0.7557	38	4	0.98	38.98	3204.64	NT
Des Moines	179D2	43	110.60	4755.81	77	0.7557					4755.81	T
Des Moines	179E	35	127.48	4461.97	77	0.7557	35	0	0.00	35.00	4461.97	NT
Des Moines	179E	35	10.60	370.96	77	0.7557					370.96	T
Des Moines	179E2	33	182.65	6027.61	77	0.7557	33	0	0.00	33.00	6027.61	NT
Des Moines	179E2	33	120.75	3984.91	77	0.7557					3984.91	T
Des Moines	180	76	552.37	41979.93	77	0.7557	38	38	9.28	47.28	26117.81	NT
Des Moines	180	76	6005.83	456443.37	77	0.7557					456443.37	T
Des Moines	1826	93	66.64	6197.42	77	0.7557	38	54	13.19	51.19	3411.39	NT
Des Moines	1826	93	962.85	89545.34	77	0.7557					89545.34	T
Des Moines	208	55	802.02	44110.86	77	0.7557	38	16	3.91	41.91	33611.51	NT
Des Moines	208	55	758.05	41692.51	77	0.7557					41692.51	T
Des Moines	220	85	1410.20	119866.79	77	0.7557	38	46	11.24	49.24	69435.03	NT
Des Moines	220	85	1734.00	147389.81	77	0.7557					147389.81	T
Des Moines	2208	52	28.80	1497.48	77	0.7557	38	14	3.42	41.42	1192.80	NT
Des Moines	2208	52	239.08	12432.42	77	0.7557					12432.42	T
Des Moines	2226	80	30.38	2430.07	77	0.7557	38	42	10.26	48.26	1465.96	NT
Des Moines	2226	80	1056.66	84532.87	77	0.7557					84532.87	T
Des Moines	222C	30	291.51	8745.16	77	0.7557	30	0	0.00	30.00	8745.16	NT
Des Moines	222C	30	782.43	23472.95	77	0.7557					23472.95	T
Des Moines	223C2	22	175.32	3856.96	77	0.7557	22	0	0.00	22.00	3856.96	NT
Des Moines	223C2	22	370.65	8154.25	77	0.7557					8154.25	T
Des Moines	223D2	9	122.56	1103.03	77	0.7557	9	0	0.00	9.00	1103.03	NT
Des Moines	223D2	9	141.38	1272.45	77	0.7557					1272.45	T
Des Moines	2484	25	510.44	12761.11	77	0.7557	25	0	0.00	25.00	12761.11	NT
Des Moines	2484	25	83.54	2088.56	77	0.7557					2088.56	T
Des Moines	263	53	25.20	1335.77	77	0.7557	38	14	3.42	41.42	1043.92	NT
Des Moines	263	53	170.39	9030.42	77	0.7557					9030.42	T
Des Moines	263B	48	52.28	2509.58	77	0.7557	38	10	2.44	40.44	2114.47	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Des Moines	263B	48	170.88	8202.45	77	0.7557					8202.45	T
Des Moines	279	88	1244.97	109557.51	77	0.7557	38	50	12.22	50.22	62516.26	NT
Des Moines	279	88	28743.38	2529417.08	77	0.7557					2529417.08	T
Des Moines	280	95	1251.73	118914.16	77	0.7557	38	56	13.68	51.68	64690.31	NT
Des Moines	280	95	25728.48	2444205.96	77	0.7557					2444205.96	T
Des Moines	281B	90	216.30	19466.79	77	0.7557	38	52	12.70	50.70	10967.07	NT
Des Moines	281B	90	3376.90	303920.90	77	0.7557					303920.90	T
Des Moines	281C2	72	118.76	8550.71	77	0.7557	38	34	8.31	46.31	5499.32	NT
Des Moines	281C2	72	1388.83	99995.74	77	0.7557					99995.74	T
Des Moines	291	90	21.39	1924.72	77	0.7557	38	52	12.70	50.70	1084.34	NT
Des Moines	291	90	235.78	21220.34	77	0.7557					21220.34	T
Des Moines	3133	80	0.07	5.58	77	0.7557	38	42	10.26	48.26	3.36	NT
Des Moines	3133	80	3.55	284.13	77	0.7557					284.13	T
Des Moines	362	70	12.17	851.83	77	0.7557	38	32	7.82	45.82	557.55	NT
Des Moines	362	70	764.29	53500.30	77	0.7557					53500.30	T
Des Moines	364B	75	27.83	2087.33	77	0.7557	38	36	8.79	46.79	1302.35	NT
Des Moines	364B	75	942.88	70715.93	77	0.7557					70715.93	T
Des Moines	3834	68	0.74	50.02	77	0.7557	38	30	7.33	45.33	33.34	NT
Des Moines	3834	68	1.66	113.07	77	0.7557					113.07	T
Des Moines	3960	78	0.74	57.91	77	0.7557	38	40	9.77	47.77	35.47	NT
Des Moines	4000	0	80.05	0.00	77	0.7557	0	0	0.00	0.00	0.00	NT
Des Moines	4000	0	0.25	0.00	77	0.7557					0.00	T
Des Moines	41	40	102.29	4091.41	77	0.7557	38	2	0.49	38.49	3936.82	NT
Des Moines	41	40	493.67	19746.87	77	0.7557					19746.87	T
Des Moines	41B	40	101.08	4043.29	77	0.7557	38	2	0.49	38.49	3890.52	NT
Des Moines	41B	40	183.93	7357.06	77	0.7557					7357.06	T
Des Moines	424D	20	143.98	2879.54	77	0.7557	20	0	0.00	20.00	2879.54	NT
Des Moines	424D	20	45.71	914.27	77	0.7557					914.27	T
Des Moines	424D2	15	642.79	9641.83	77	0.7557	15	0	0.00	15.00	9641.83	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Des Moines	424D2	15	423.82	6357.24	77	0.7557					6357.24	T
Des Moines	425D	16	225.25	3603.98	77	0.7557	16	0	0.00	16.00	3603.98	NT
Des Moines	425D	16	55.97	895.54	77	0.7557					895.54	T
Des Moines	425D2	12	632.90	7594.78	77	0.7557	12	0	0.00	12.00	7594.78	NT
Des Moines	425D2	12	531.59	6379.13	77	0.7557					6379.13	T
Des Moines	430	83	146.33	12145.80	77	0.7557	38	44	10.75	48.75	7133.71	NT
Des Moines	430	83	1285.81	106722.28	77	0.7557					106722.28	T
Des Moines	453	53	19.53	1035.32	77	0.7557	38	14	3.42	41.42	809.11	NT
Des Moines	453	53	180.48	9565.40	77	0.7557					9565.40	T
Des Moines	478G	5	355.32	1776.58	77	0.7557	5	0	0.00	5.00	1776.58	NT
Des Moines	478G	5	2.11	10.53	77	0.7557					10.53	T
Des Moines	484	90	335.82	30223.85	77	0.7557	38	52	12.70	50.70	17027.31	NT
Des Moines	484	90	1772.82	159554.05	77	0.7557					159554.05	T
Des Moines	499F	5	158.19	790.95	77	0.7557	5	0	0.00	5.00	790.95	NT
Des Moines	499F	5	23.43	117.17	77	0.7557					117.17	T
Des Moines	5010	0	43.91	0.00	77	0.7557	0	0	0.00	0.00	0.00	NT
Des Moines	5010	0	3.43	0.00	77	0.7557					0.00	T
Des Moines	5030	0	328.75	0.00	77	0.7557	0	0	0.00	0.00	0.00	NT
Des Moines	5030	0	8.07	0.00	77	0.7557					0.00	T
Des Moines	5040	5	19.27	96.37	77	0.7557	5	0	0.00	5.00	96.37	NT
Des Moines	5040	5	4.59	22.94	77	0.7557					22.94	T
Des Moines	5080	0	1.37	0.00	77	0.7557	0	0	0.00	0.00	0.00	NT
Des Moines	51	70	28.75	2012.25	77	0.7557	38	32	7.82	45.82	1317.09	NT
Des Moines	51	70	749.41	52458.37	77	0.7557					52458.37	T
Des Moines	520	65	28.51	1853.42	77	0.7557	38	26	6.35	44.35	1264.65	NT
Des Moines	520	65	377.64	24546.29	77	0.7557					24546.29	T
Des Moines	520B	60	0.71	42.51	77	0.7557	38	22	5.37	43.37	30.73	NT
Des Moines	54	70	293.59	20551.60	77	0.7557	38	32	7.82	45.82	13451.79	NT
Des Moines	54	70	2762.13	193349.03	77	0.7557					193349.03	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Des Moines	56B	72	246.20	17726.19	77	0.7557	38	34	8.31	46.31	11400.45	NT
Des Moines	56B	72	318.65	22942.48	77	0.7557					22942.48	T
Des Moines	570B	84	278.58	23400.70	77	0.7557	38	46	11.24	49.24	13716.66	NT
Des Moines	570B	84	3068.93	257790.35	77	0.7557					257790.35	T
Des Moines	570C2	64	265.34	16981.45	77	0.7557	38	26	6.35	44.35	11768.09	NT
Des Moines	570C2	64	1471.26	94160.93	77	0.7557					94160.93	T
Des Moines	571B	82	323.89	26559.34	77	0.7557	38	44	10.75	48.75	15789.59	NT
Des Moines	571B	82	2218.36	181905.64	77	0.7557					181905.64	T
Des Moines	571C2	62	666.19	41303.83	77	0.7557	38	24	5.86	43.86	29221.26	NT
Des Moines	571C2	62	1950.20	120912.71	77	0.7557					120912.71	T
Des Moines	572B	77	91.76	7065.70	77	0.7557	38	38	9.28	47.28	4338.83	NT
Des Moines	572B	77	609.53	46933.65	77	0.7557					46933.65	T
Des Moines	572C2	57	553.06	31524.41	77	0.7557	38	18	4.40	42.40	23448.30	NT
Des Moines	572C2	57	1065.18	60715.07	77	0.7557					60715.07	T
Des Moines	58E	20	210.30	4205.92	77	0.7557	20	0	0.00	20.00	4205.92	NT
Des Moines	58E	20	70.74	1414.72	77	0.7557					1414.72	T
Des Moines	65D2	38	139.63	5305.86	77	0.7557	38	0	0.00	38.00	5305.86	NT
Des Moines	65D2	38	73.21	2782.10	77	0.7557					2782.10	T
Des Moines	65E	25	7127.57	178189.28	77	0.7557	25	0	0.00	25.00	178189.28	NT
Des Moines	65E	25	964.83	24120.66	77	0.7557					24120.66	T
Des Moines	65E2	24	1223.50	29363.95	77	0.7557	24	0	0.00	24.00	29363.95	NT
Des Moines	65E2	24	815.66	19575.82	77	0.7557					19575.82	T
Des Moines	65F	10	10179.73	101797.35	77	0.7557	10	0	0.00	10.00	101797.35	NT
Des Moines	65F	10	497.71	4977.14	77	0.7557					4977.14	T
Des Moines	65G	5	2772.23	13861.14	77	0.7557	5	0	0.00	5.00	13861.14	NT
Des Moines	65G	5	33.46	167.29	77	0.7557					167.29	T
Des Moines	730B	61	3192.61	194748.97	77	0.7557	38	22	5.37	43.37	138478.01	NT
Des Moines	730B	61	448.07	27332.15	77	0.7557					27332.15	T
Des Moines	732C2	40	2.30	91.83	77	0.7557	38	2	0.49	38.49	88.36	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Des Moines	74	78	8.41	656.26	77	0.7557	38	40	9.77	47.77	401.94	NT
Des Moines	74	78	543.76	42413.59	77	0.7557					42413.59	T
Des Moines	75	75	540.40	40529.67	77	0.7557	38	36	8.79	46.79	25287.70	NT
Des Moines	75	75	8166.27	612470.44	77	0.7557					612470.44	T
Des Moines	76B	82	362.65	29737.55	77	0.7557	38	44	10.75	48.75	17679.05	NT
Des Moines	76B	82	2225.79	182514.98	77	0.7557					182514.98	T
Des Moines	76C	70	191.88	13431.42	77	0.7557	38	32	7.82	45.82	8791.36	NT
Des Moines	76C	70	214.03	14982.44	77	0.7557					14982.44	T
Des Moines	76C2	67	289.47	19394.43	77	0.7557	38	28	6.84	44.84	12979.91	NT
Des Moines	76C2	67	1013.97	67935.76	77	0.7557					67935.76	T
Des Moines	779	85	0.86	72.81	77	0.7557	38	46	11.24	49.24	42.18	NT
Des Moines	779	85	636.43	54096.31	77	0.7557					54096.31	T
Des Moines	793	85	32.39	2753.28	77	0.7557	38	46	11.24	49.24	1594.89	NT
Des Moines	793	85	354.82	30159.28	77	0.7557					30159.28	T
Des Moines	793B	80	61.92	4953.66	77	0.7557	38	42	10.26	48.26	2988.33	NT
Des Moines	793B	80	243.54	19483.58	77	0.7557					19483.58	T
Des Moines	795D2	5	141.88	709.42	77	0.7557	5	0	0.00	5.00	709.42	NT
Des Moines	795D2	5	109.68	548.39	77	0.7557					548.39	T
Des Moines	80B	77	2808.95	216289.53	77	0.7557	38	38	9.28	47.28	132816.94	NT
Des Moines	80B	77	10318.04	794489.04	77	0.7557					794489.04	T
Des Moines	80C	67	6919.27	463591.15	77	0.7557	38	28	6.84	44.84	310262.88	NT
Des Moines	80C	67	2356.94	157914.75	77	0.7557					157914.75	T
Des Moines	80C2	57	3923.66	223648.77	77	0.7557	38	18	4.40	42.40	166353.09	NT
Des Moines	80C2	57	6283.80	358176.52	77	0.7557					358176.52	T
Des Moines	80D	55	409.16	22503.78	77	0.7557	38	16	3.91	41.91	17147.39	NT
Des Moines	80D	55	180.96	9953.00	77	0.7557					9953.00	T
Des Moines	80D2	52	184.86	9612.80	77	0.7557	38	14	3.42	41.42	7657.01	NT
Des Moines	80D2	52	318.48	16561.06	77	0.7557					16561.06	T
Des Moines	834	68	325.33	22122.39	77	0.7557	38	30	7.33	45.33	14746.85	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Des Moines	834	68	2841.47	193219.70	77	0.7557					193219.70	T
Des Moines	880B	78	39.65	3092.91	77	0.7557	38	40	9.77	47.77	1894.29	NT
Des Moines	880B	78	99.05	7725.55	77	0.7557					7725.55	T
Des Moines	893D2	19	837.72	15916.65	77	0.7557	19	0	0.00	19.00	15916.65	NT
Des Moines	893D2	19	1392.54	26458.17	77	0.7557					26458.17	T
Des Moines	950	45	33.37	1501.58	77	0.7557	38	6	1.47	39.47	1316.91	NT
Des Moines	950	45	79.16	3562.12	77	0.7557					3562.12	T
Des Moines	950D	11	44.13	485.44	77	0.7557	11	0	0.00	11.00	485.44	NT
Des Moines	950D	11	14.51	159.63	77	0.7557					159.63	T
Des Moines	960	62	209.84	13010.22	77	0.7557	38	24	5.86	43.86	9204.35	NT
Des Moines	960	62	2826.26	175227.89	77	0.7557					175227.89	T
Des Moines	961	47	79.46	3734.58	77	0.7557	38	8	1.95	39.95	3174.74	NT
Des Moines	961	47	88.13	4142.31	77	0.7557					4142.31	T
Des Moines	AW	0	5.40	0.00	77	0.7557	0	0	0.00	0.00	0.00	NT
Des Moines	INT	0	98.49	0.00	77	0.7557	0	0	0.00	0.00	0.00	NT
Des Moines	INT	0	8.84	0.00	77	0.7557					0.00	T
Des Moines	SL	0	12.09	0.00	77	0.7557	0	0	0.00	0.00	0.00	NT
Des Moines	W	0	1405.16	0.00	77	0.7557	0	0	0.00	0.00	0.00	NT
Des Moines	W	0	4.42	0.00	77	0.7557					0.00	T
											0.00	
											0.00	
Dickinson	107	70	968.98	67828.81	67	0.7668	34	36	8.40	42.40	41080.23	NT
Dickinson	107	70	16060.81	1124256.54	67	0.7668					1124256.54	T
Dickinson	108	52	212.61	11055.58	67	0.7668	34	18	4.20	38.20	8121.09	NT
Dickinson	108	52	2897.78	150684.71	67	0.7668					150684.71	T
Dickinson	108B	47	339.18	15941.25	67	0.7668	34	14	3.26	37.26	12639.31	NT
Dickinson	108B	47	1571.38	73854.84	67	0.7668					73854.84	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dickinson	108C	27	49.18	1327.86	67	0.7668	27	0	0.00	27.00	1327.86	NT
Dickinson	108C	27	153.45	4143.04	67	0.7668					4143.04	T
Dickinson	1202		10.32		67	0.7668			0.00	0.00	0.00	NT
Dickinson	1202		507.78		67	0.7668					0.00	T
Dickinson	133	80	10.86	868.61	67	0.7668					868.61	T
Dickinson	135	78	1645.62	128358.45	67	0.7668	34	44	10.26	44.26	72836.51	NT
Dickinson	135	78	1617.81	126189.27	67	0.7668					126189.27	T
Dickinson	1384B		114.08		67	0.7668			0.00	0.00	0.00	NT
Dickinson	1384B		1551.63		67	0.7668					0.00	T
Dickinson	1384C		44.62		67	0.7668			0.00	0.00	0.00	NT
Dickinson	1384C		359.52		67	0.7668					0.00	T
Dickinson	138B	73	3091.94	225711.62	67	0.7668	34	40	9.33	43.33	133967.58	NT
Dickinson	138B	73	32580.83	2378400.81	67	0.7668					2378400.81	T
Dickinson	138C	67	1713.98	114836.49	67	0.7668	34	34	7.93	41.93	71865.02	NT
Dickinson	138C	67	1955.73	131033.82	67	0.7668					131033.82	T
Dickinson	138C2	59	1337.35	78903.76	67	0.7668	34	26	6.06	40.06	53578.59	NT
Dickinson	138C2	59	14953.61	882263.08	67	0.7668					882263.08	T
Dickinson	138D	52	936.26	48685.33	67	0.7668	34	18	4.20	38.20	35762.75	NT
Dickinson	138D	52	470.65	24473.79	67	0.7668					24473.79	T
Dickinson	138D2	56	339.88	19033.44	67	0.7668	34	22	5.13	39.13	13299.75	NT
Dickinson	138D2	56	2678.34	149986.96	67	0.7668					149986.96	T
Dickinson	1458	25	304.98	7624.53	67	0.7668	25	0	0.00	25.00	7624.53	NT
Dickinson	1458	25	17.79	444.75	67	0.7668					444.75	T
Dickinson	1511	5	655.16	3275.79	67	0.7668	5	0	0.00	5.00	3275.79	NT
Dickinson	1511	5	119.93	599.65	67	0.7668					599.65	T
Dickinson	1585	5	1.04	5.20	67	0.7668	5	0	0.00	5.00	5.20	NT
Dickinson	201B	51	1847.45	94220.06	67	0.7668	34	18	4.20	38.20	70568.24	NT
Dickinson	201B	51	4116.03	209917.72	67	0.7668					209917.72	T
Dickinson	202	60	28.17	1690.27	67	0.7668	34	26	6.06	40.06	1128.63	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dickinson	202	60	759.08	45544.54	67	0.7668					45544.54	T
Dickinson	203	71	44.18	3136.76	67	0.7668	34	38	8.86	42.86	1893.61	NT
Dickinson	203	71	891.17	63272.90	67	0.7668					63272.90	T
Dickinson	259	41	69.99	2869.78	67	0.7668	34	8	1.87	35.87	2510.40	NT
Dickinson	259	41	688.34	28222.11	67	0.7668					28222.11	T
Dickinson	274	39	21.63	843.73	67	0.7668	34	6	1.40	35.40	765.83	NT
Dickinson	274	39	301.77	11769.09	67	0.7668					11769.09	T
Dickinson	27B	82	478.27	39218.52	67	0.7668	34	48	11.19	45.19	21614.95	NT
Dickinson	27B	82	1327.41	108847.47	67	0.7668					108847.47	T
Dickinson	27C	61	459.33	28019.18	67	0.7668	34	28	6.53	40.53	18616.50	NT
Dickinson	27C	61	339.27	20695.24	67	0.7668					20695.24	T
Dickinson	282	78	102.01	7956.63	67	0.7668	34	44	10.26	44.26	4514.96	NT
Dickinson	282	78	3548.54	276786.36	67	0.7668					276786.36	T
Dickinson	28B	14	11.01	154.15	67	0.7668	14	0	0.00	14.00	154.15	NT
Dickinson	28B	14	296.97	4157.57	67	0.7668					4157.57	T
Dickinson	308	43	74.64	3209.40	67	0.7668	34	10	2.33	36.33	2711.72	NT
Dickinson	308	43	638.91	27473.07	67	0.7668					27473.07	T
Dickinson	308B	36	95.71	3445.57	67	0.7668	34	2	0.47	34.47	3298.79	NT
Dickinson	308B	36	459.97	16558.91	67	0.7668					16558.91	T
Dickinson	32	77	52.66	4055.04	67	0.7668	34	44	10.26	44.26	2330.90	NT
Dickinson	32	77	1691.33	130232.71	67	0.7668					130232.71	T
Dickinson	330	81	46.02	3727.45	67	0.7668	34	48	11.19	45.19	2079.72	NT
Dickinson	330	81	2463.82	199569.69	67	0.7668					199569.69	T
Dickinson	331	74	13.40	991.86	67	0.7668	34	40	9.33	43.33	580.75	NT
Dickinson	331	74	1224.09	90582.38	67	0.7668					90582.38	T
Dickinson	384	67	114.50	7671.81	67	0.7668	34	34	7.93	41.93	4801.04	NT
Dickinson	384	67	2669.49	178855.78	67	0.7668					178855.78	T
Dickinson	390	59	162.25	9572.89	67	0.7668	34	26	6.06	40.06	6500.35	NT
Dickinson	390	59	3768.99	222370.39	67	0.7668					222370.39	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dickinson	397	72	41.76	3006.83	67	0.7668	34	38	8.86	42.86	1789.97	NT
Dickinson	397	72	1145.30	82461.81	67	0.7668					82461.81	T
Dickinson	433E	25	0.02	0.39	67	0.7668	25	0	0.00	25.00	0.39	NT
Dickinson	433E	25	0.05	1.31	67	0.7668					1.31	T
Dickinson	433F	5	0.05	0.25	67	0.7668	5	0	0.00	5.00	0.25	NT
Dickinson	433F	5	2.43	12.13	67	0.7668					12.13	T
Dickinson	433G	5	0.20	1.00	67	0.7668	5	0	0.00	5.00	1.00	NT
Dickinson	456	73	75.78	5532.16	67	0.7668	34	40	9.33	43.33	3283.53	NT
Dickinson	456	73	4051.62	295768.39	67	0.7668					295768.39	T
Dickinson	474B	40	57.75	2310.10	67	0.7668	34	6	1.40	35.40	2044.40	NT
Dickinson	474B	40	748.97	29958.95	67	0.7668					29958.95	T
Dickinson	474C2	27	39.68	1071.45	67	0.7668	27	0	0.00	27.00	1071.45	NT
Dickinson	474C2	27	142.32	3842.67	67	0.7668					3842.67	T
Dickinson	485	92	323.67	29778.04	67	0.7668	34	58	13.53	47.53	15382.82	NT
Dickinson	485	92	232.94	21430.27	67	0.7668					21430.27	T
Dickinson	485B	82	470.62	38590.56	67	0.7668	34	48	11.19	45.19	21268.86	NT
Dickinson	485B	82	1158.21	94973.55	67	0.7668					94973.55	T
Dickinson	5010	0	400.21	0.00	67	0.7668	0	0	0.00	0.00	0.00	NT
Dickinson	5010	0	14.16	0.00	67	0.7668					0.00	T
Dickinson	5040	5	169.99	849.94	67	0.7668	5	0	0.00	5.00	849.94	NT
Dickinson	5040	5	110.50	552.48	67	0.7668					552.48	T
Dickinson	507	71	689.94	48985.52	67	0.7668	34	38	8.86	42.86	29571.80	NT
Dickinson	507	71	11091.73	787512.64	67	0.7668					787512.64	T
Dickinson	511	57	592.95	33798.00	67	0.7668	34	24	5.60	39.60	23478.82	NT
Dickinson	511	57	1822.79	103899.20	67	0.7668					103899.20	T
Dickinson	55	73	1518.27	110834.01	67	0.7668	34	40	9.33	43.33	65783.78	NT
Dickinson	55	73	36586.28	2670798.18	67	0.7668					2670798.18	T
Dickinson	559	40	64.50	2580.02	67	0.7668	34	6	1.40	35.40	2283.27	NT
Dickinson	559	40	1060.31	42412.54	67	0.7668					42412.54	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dickinson	577	78	18.16	1416.83	67	0.7668	34	44	10.26	44.26	803.98	NT
Dickinson	577	78	340.86	26586.69	67	0.7668					26586.69	T
Dickinson	577B	73	373.81	27288.40	67	0.7668	34	40	9.33	43.33	16196.60	NT
Dickinson	577B	73	3675.31	268297.95	67	0.7668					268297.95	T
Dickinson	577C2	67	113.83	7626.93	67	0.7668	34	34	7.93	41.93	4772.95	NT
Dickinson	577C2	67	244.32	16369.64	67	0.7668					16369.64	T
Dickinson	6	43	940.37	40435.78	67	0.7668	34	10	2.33	36.33	34165.42	NT
Dickinson	6	43	7007.77	301334.05	67	0.7668					301334.05	T
Dickinson	62C2	53	97.53	5169.10	67	0.7668	34	20	4.66	38.66	3770.90	NT
Dickinson	62C2	53	823.45	43643.02	67	0.7668					43643.02	T
Dickinson	62D	39	191.40	7464.44	67	0.7668	34	6	1.40	35.40	6775.27	NT
Dickinson	62D	39	124.91	4871.31	67	0.7668					4871.31	T
Dickinson	62D2	38	172.10	6539.87	67	0.7668	34	4	0.93	34.93	6012.00	NT
Dickinson	62D2	38	764.52	29051.62	67	0.7668					29051.62	T
Dickinson	62E	30	613.73	18411.80	67	0.7668	30	0	0.00	30.00	18411.80	NT
Dickinson	62E	30	393.31	11799.33	67	0.7668					11799.33	T
Dickinson	62G	5	784.00	3920.02	67	0.7668	5	0	0.00	5.00	3920.02	NT
Dickinson	62G	5	89.70	448.48	67	0.7668					448.48	T
Dickinson	655	71	129.87	9220.53	67	0.7668	34	38	8.86	42.86	5566.29	NT
Dickinson	655	71	5787.85	410937.02	67	0.7668					410937.02	T
Dickinson	72	35	138.13	4834.49	67	0.7668	34	2	0.47	34.47	4760.78	NT
Dickinson	72	35	564.98	19774.42	67	0.7668					19774.42	T
Dickinson	72B	34	381.48	12970.41	67	0.7668	34	0	0.00	34.00	12970.41	NT
Dickinson	72B	34	2211.80	75201.12	67	0.7668					75201.12	T
Dickinson	72C2	19	383.77	7291.59	67	0.7668	19	0	0.00	19.00	7291.59	NT
Dickinson	72C2	19	875.44	16633.33	67	0.7668					16633.33	T
Dickinson	733	64	882.07	56452.46	67	0.7668	34	30	7.00	41.00	36161.33	NT
Dickinson	733	64	934.78	59825.75	67	0.7668					59825.75	T
Dickinson	73D	5	157.26	786.32	67	0.7668	5	0	0.00	5.00	786.32	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dickinson	73D	5	143.28	716.41	67	0.7668					716.41	T
Dickinson	73E	5	119.23	596.16	67	0.7668	5	0	0.00	5.00	596.16	NT
Dickinson	73E	5	36.36	181.79	67	0.7668					181.79	T
Dickinson	73G	5	267.14	1335.70	67	0.7668	5	0	0.00	5.00	1335.70	NT
Dickinson	73G	5	18.32	91.61	67	0.7668					91.61	T
Dickinson	740D	7	0.11	0.79	67	0.7668					0.79	T
Dickinson	77B	76	199.43	15156.72	67	0.7668	34	42	9.79	43.79	8733.94	NT
Dickinson	77B	76	2591.00	196915.67	67	0.7668					196915.67	T
Dickinson	878	78	33.97	2649.35	67	0.7668	34	44	10.26	44.26	1503.36	NT
Dickinson	878	78	576.66	44979.85	67	0.7668					44979.85	T
Dickinson	878B	74	124.31	9199.03	67	0.7668	34	40	9.33	43.33	5386.16	NT
Dickinson	878B	74	1498.96	110923.36	67	0.7668					110923.36	T
Dickinson	879	73	41.47	3027.09	67	0.7668	34	40	9.33	43.33	1796.68	NT
Dickinson	879	73	1936.82	141387.90	67	0.7668					141387.90	T
Dickinson	91	84	5.02	421.38	67	0.7668	34	50	11.66	45.66	229.05	NT
Dickinson	91	84	933.24	78392.20	67	0.7668					78392.20	T
Dickinson	91B	81	33.28	2695.87	67	0.7668	34	48	11.19	45.19	1504.15	NT
Dickinson	91B	81	1043.64	84535.03	67	0.7668					84535.03	T
Dickinson	92	79	43.13	3407.63	67	0.7668	34	46	10.73	44.73	1929.29	NT
Dickinson	92	79	1383.38	109287.13	67	0.7668					109287.13	T
Dickinson	95	57	17.13	976.48	67	0.7668	34	24	5.60	39.60	678.34	NT
Dickinson	95	57	753.11	42927.36	67	0.7668					42927.36	T
Dickinson	AW	0	4.41	0.00	67	0.7668	0	0	0.00	0.00	0.00	NT
Dickinson	AW	0	0.35	0.00	67	0.7668					0.00	T
Dickinson	INT	0	4.17	0.00	67	0.7668					0.00	T
Dickinson	SL	0	4.36	0.00	67	0.7668	0	0	0.00	0.00	0.00	NT
Dickinson	SL	0	1.15	0.00	67	0.7668					0.00	T
Dickinson	W	0	1023.45	0.00	67	0.7668	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dickinson	W	0	17.49	0.00	67	0.7668					0.00	T
											0.00	
											0.00	
Dubuque	109C	10	270.11	2701.06	59	0.7795	10	0	0.00	10.00	2701.06	NT
Dubuque	109C	10	808.04	8080.41	59	0.7795					8080.41	T
Dubuque	109D	5	204.00	1019.98	59	0.7795	5	0	0.00	5.00	1019.98	NT
Dubuque	109D	5	286.62	1433.12	59	0.7795					1433.12	T
Dubuque	109E	5	10.61	53.07	59	0.7795	5	0	0.00	5.00	53.07	NT
Dubuque	109E	5	8.22	41.08	59	0.7795					41.08	T
Dubuque	110B	47	39.34	1849.08	59	0.7795	30	18	3.97	33.97	1336.41	NT
Dubuque	110B	47	249.86	11743.59	59	0.7795					11743.59	T
Dubuque	110C	44	217.35	9563.53	59	0.7795	30	14	3.09	33.09	7191.56	NT
Dubuque	110C	44	761.75	33517.19	59	0.7795					33517.19	T
Dubuque	110D	22	127.59	2807.02	59	0.7795	22	0	0.00	22.00	2807.02	NT
Dubuque	110D	22	283.71	6241.72	59	0.7795					6241.72	T
Dubuque	110E	17	0.60	10.12	59	0.7795	17	0	0.00	17.00	10.12	NT
Dubuque	110E	17	5.24	89.14	59	0.7795					89.14	T
Dubuque	1152	68	41.12	2796.39	59	0.7795	30	38	8.38	38.38	1578.27	NT
Dubuque	1152	68	270.41	18387.66	59	0.7795					18387.66	T
Dubuque	118	95	1.90	180.62	59	0.7795					180.62	T
Dubuque	119	100	3.85	384.61	59	0.7795	30	70	15.44	45.44	174.75	NT
Dubuque	119	100	410.29	41029.21	59	0.7795					41029.21	T
Dubuque	119B	95	14.76	1402.60	59	0.7795					1402.60	T
Dubuque	11B	68	2.47	167.71	59	0.7795					167.71	T
Dubuque	120B	95	143.47	13629.50	59	0.7795	30	66	14.55	44.55	6391.95	NT
Dubuque	120B	95	2720.09	258408.50	59	0.7795					258408.50	T
Dubuque	120C	80	309.09	24727.24	59	0.7795	30	50	11.03	41.03	12680.44	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	120C	80	6401.83	512146.24	59	0.7795					512146.24	T
Dubuque	120C2	78	12.96	1011.12	59	0.7795	30	48	10.58	40.58	526.09	NT
Dubuque	120C2	78	386.20	30123.41	59	0.7795					30123.41	T
Dubuque	129B	63	5641.99	355445.61	59	0.7795	30	34	7.50	37.50	211557.84	NT
Dubuque	129B	63	6745.79	424984.52	59	0.7795					424984.52	T
Dubuque	142	83	2812.08	233402.51	59	0.7795	30	54	11.91	41.91	117845.77	NT
Dubuque	142	83	2241.54	186047.44	59	0.7795					186047.44	T
Dubuque	1485	25	2.75	68.79	59	0.7795	25	0	0.00	25.00	68.79	NT
Dubuque	1485	25	0.19	4.76	59	0.7795					4.76	T
Dubuque	1490	25	22.17	554.21	59	0.7795	25	0	0.00	25.00	554.21	NT
Dubuque	1490	25	0.42	10.49	59	0.7795					10.49	T
Dubuque	158	85	1238.31	105256.38	59	0.7795	30	56	12.35	42.35	52439.97	NT
Dubuque	158	85	1166.36	99140.18	59	0.7795					99140.18	T
Dubuque	162B	90	230.99	20788.81	59	0.7795	30	60	13.23	43.23	9985.56	NT
Dubuque	162B	90	2244.11	201969.54	59	0.7795					201969.54	T
Dubuque	162C	75	554.38	41578.44	59	0.7795	30	46	10.14	40.14	22254.44	NT
Dubuque	162C	75	9366.67	702500.55	59	0.7795					702500.55	T
Dubuque	162C2	73	850.01	62050.61	59	0.7795	30	44	9.70	39.70	33747.03	NT
Dubuque	162C2	73	15319.75	1118341.57	59	0.7795					1118341.57	T
Dubuque	162D	65	393.34	25567.20	59	0.7795	30	36	7.94	37.94	14922.59	NT
Dubuque	162D	65	4760.78	309450.43	59	0.7795					309450.43	T
Dubuque	162D2	63	1105.54	69649.05	59	0.7795	30	34	7.50	37.50	41454.45	NT
Dubuque	162D2	63	19264.83	1213684.01	59	0.7795					1213684.01	T
Dubuque	162E2	53	284.72	15089.91	59	0.7795	30	24	5.29	35.29	10048.17	NT
Dubuque	162E2	53	2363.86	125284.55	59	0.7795					125284.55	T
Dubuque	163B	85	103.05	8758.92	59	0.7795	30	56	12.35	42.35	4363.80	NT
Dubuque	163B	85	641.39	54518.26	59	0.7795					54518.26	T
Dubuque	163C	70	1056.40	73947.84	59	0.7795	30	40	8.82	38.82	41009.36	NT
Dubuque	163C	70	2705.30	189371.19	59	0.7795					189371.19	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	163C2	68	2401.92	163330.58	59	0.7795	30	38	8.38	38.38	92183.30	NT
Dubuque	163C2	68	17556.38	1193834.00	59	0.7795					1193834.00	T
Dubuque	163D	60	4315.49	258929.59	59	0.7795	30	30	6.62	36.62	158011.78	NT
Dubuque	163D	60	2998.78	179926.54	59	0.7795					179926.54	T
Dubuque	163D2	58	7613.65	441591.71	59	0.7795	30	28	6.17	36.17	275416.18	NT
Dubuque	163D2	58	37132.69	2153696.07	59	0.7795					2153696.07	T
Dubuque	163D3	55	251.80	13849.24	59	0.7795	30	26	5.73	35.73	8997.72	NT
Dubuque	163D3	55	1195.41	65747.72	59	0.7795					65747.72	T
Dubuque	163E	50	2008.38	100418.76	59	0.7795	30	20	4.41	34.41	69108.19	NT
Dubuque	163E	50	810.91	40545.60	59	0.7795					40545.60	T
Dubuque	163E2	48	1794.41	86131.73	59	0.7795	30	18	3.97	33.97	60954.35	NT
Dubuque	163E2	48	5062.01	242976.57	59	0.7795					242976.57	T
Dubuque	163E3	46	171.53	7890.54	59	0.7795	30	16	3.53	33.53	5751.18	NT
Dubuque	163E3	46	494.34	22739.69	59	0.7795					22739.69	T
Dubuque	163F	30	3786.50	113594.89	59	0.7795	30	0	0.00	30.00	113594.89	NT
Dubuque	163F	30	1383.43	41502.75	59	0.7795					41502.75	T
Dubuque	163F2	28	1490.89	41744.90	59	0.7795	28	0	0.00	28.00	41744.90	NT
Dubuque	163F2	28	2598.33	72753.29	59	0.7795					72753.29	T
Dubuque	163F3	25	128.20	3205.00	59	0.7795	25	0	0.00	25.00	3205.00	NT
Dubuque	163F3	25	322.75	8068.71	59	0.7795					8068.71	T
Dubuque	163G	19	1685.54	32025.18	59	0.7795	19	0	0.00	19.00	32025.18	NT
Dubuque	163G	19	449.23	8535.46	59	0.7795					8535.46	T
Dubuque	171B	82	52.87	4335.67	59	0.7795	30	52	11.47	41.47	2192.48	NT
Dubuque	171B	82	719.10	58966.42	59	0.7795					58966.42	T
Dubuque	171C	67	147.35	9872.39	59	0.7795	30	38	8.38	38.38	5655.11	NT
Dubuque	171C	67	1430.97	95874.85	59	0.7795					95874.85	T
Dubuque	171C2	64	14.92	955.16	59	0.7795	30	34	7.50	37.50	559.62	NT
Dubuque	171C2	64	242.16	15498.31	59	0.7795					15498.31	T
Dubuque	171D	55	48.00	2640.14	59	0.7795	30	26	5.73	35.73	1715.27	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	171D	55	223.79	12308.29	59	0.7795					12308.29	T
Dubuque	171D2	53	14.15	750.19	59	0.7795	30	24	5.29	35.29	499.54	NT
Dubuque	171D2	53	215.46	11419.47	59	0.7795					11419.47	T
Dubuque	175B	56	53.26	2982.47	59	0.7795	30	26	5.73	35.73	1903.08	NT
Dubuque	175B	56	480.65	26916.62	59	0.7795					26916.62	T
Dubuque	175C	41	48.85	2002.95	59	0.7795	30	12	2.65	32.65	1594.84	NT
Dubuque	175C	41	588.23	24117.63	59	0.7795					24117.63	T
Dubuque	183D	18	380.29	6845.29	59	0.7795	18	0	0.00	18.00	6845.29	NT
Dubuque	183D	18	553.56	9964.07	59	0.7795					9964.07	T
Dubuque	183D2	13	470.54	6116.96	59	0.7795	13	0	0.00	13.00	6116.96	NT
Dubuque	183D2	13	1048.40	13629.22	59	0.7795					13629.22	T
Dubuque	183E	5	965.34	4826.68	59	0.7795	5	0	0.00	5.00	4826.68	NT
Dubuque	183E	5	542.32	2711.62	59	0.7795					2711.62	T
Dubuque	183E2	5	775.30	3876.52	59	0.7795	5	0	0.00	5.00	3876.52	NT
Dubuque	183E2	5	1518.29	7591.43	59	0.7795					7591.43	T
Dubuque	198B	80	32.03	2562.63	59	0.7795	30	50	11.03	41.03	1314.15	NT
Dubuque	198B	80	1388.90	111112.16	59	0.7795					111112.16	T
Dubuque	249B	40	191.36	7654.42	59	0.7795	30	10	2.21	32.21	6162.77	NT
Dubuque	249B	40	14.35	574.19	59	0.7795					574.19	T
Dubuque	27B	82	223.02	18287.76	59	0.7795	30	52	11.47	41.47	9247.81	NT
Dubuque	27B	82	1218.71	99934.32	59	0.7795					99934.32	T
Dubuque	284B	45	84.35	3795.77	59	0.7795	30	16	3.53	33.53	2828.10	NT
Dubuque	284B	45	128.08	5763.55	59	0.7795					5763.55	T
Dubuque	285D	5	79.13	395.65	59	0.7795	5	0	0.00	5.00	395.65	NT
Dubuque	285D	5	88.42	442.09	59	0.7795					442.09	T
Dubuque	291	90	12.85	1156.49	59	0.7795	30	60	13.23	43.23	555.50	NT
Dubuque	291	90	469.12	42221.23	59	0.7795					42221.23	T
Dubuque	291B	85	1.40	118.95	59	0.7795					118.95	T
Dubuque	293C	45	2.02	91.00	59	0.7795	30	16	3.53	33.53	67.80	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	293C	45	3.16	142.35	59	0.7795					142.35	T
Dubuque	293D	29	0.02	0.72	59	0.7795	29	0	0.00	29.00	0.72	NT
Dubuque	293D	29	9.38	272.16	59	0.7795					272.16	T
Dubuque	293F	9	0.06	0.58	59	0.7795	9	0	0.00	9.00	0.58	NT
Dubuque	293F	9	9.53	85.77	59	0.7795					85.77	T
Dubuque	315	30	1564.13	46923.91	59	0.7795	30	0	0.00	30.00	46923.91	NT
Dubuque	315	30	173.05	5191.49	59	0.7795					5191.49	T
Dubuque	320	83	2310.96	191809.44	59	0.7795	30	54	11.91	41.91	96845.28	NT
Dubuque	320	83	2512.85	208566.73	59	0.7795					208566.73	T
Dubuque	323B	72	0.03	2.28	59	0.7795	30	42	9.26	39.26	1.24	NT
Dubuque	323B	72	0.12	8.28	59	0.7795					8.28	T
Dubuque	391B	72	183.14	13185.79	59	0.7795	30	42	9.26	39.26	7190.10	NT
Dubuque	391B	72	2633.11	189583.61	59	0.7795					189583.61	T
Dubuque	394B	85	61.94	5265.13	59	0.7795	30	56	12.35	42.35	2623.15	NT
Dubuque	394B	85	1784.49	151682.06	59	0.7795					151682.06	T
Dubuque	394C	70	26.32	1842.44	59	0.7795	30	40	8.82	38.82	1021.76	NT
Dubuque	394C	70	535.86	37509.92	59	0.7795					37509.92	T
Dubuque	407B	72	48.39	3484.26	59	0.7795	30	42	9.26	39.26	1899.94	NT
Dubuque	407B	72	1785.73	128572.41	59	0.7795					128572.41	T
Dubuque	408B	66	17.11	1129.27	59	0.7795	30	36	7.94	37.94	649.13	NT
Dubuque	408B	66	254.93	16825.69	59	0.7795					16825.69	T
Dubuque	408C	52	121.42	6313.71	59	0.7795	30	22	4.85	34.85	4231.52	NT
Dubuque	408C	52	975.32	50716.82	59	0.7795					50716.82	T
Dubuque	412C	13	588.44	7649.78	59	0.7795	13	0	0.00	13.00	7649.78	NT
Dubuque	412C	13	864.10	11233.31	59	0.7795					11233.31	T
Dubuque	412D	5	1344.56	6722.80	59	0.7795	5	0	0.00	5.00	6722.80	NT
Dubuque	412D	5	1240.56	6202.80	59	0.7795					6202.80	T
Dubuque	412E	5	0.30	1.50	59	0.7795	5	0	0.00	5.00	1.50	NT
Dubuque	412E	5	0.80	4.02	59	0.7795					4.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	412F	5	4.38	21.88	59	0.7795	5	0	0.00	5.00	21.88	NT
Dubuque	4163C	0	0.32	0.00	59	0.7795					0.00	T
Dubuque	4163D	0	0.22	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT
Dubuque	4163D	0	0.01	0.00	59	0.7795					0.00	T
Dubuque	41C	25	64.23	1605.69	59	0.7795	25	0	0.00	25.00	1605.69	NT
Dubuque	41C	25	503.35	12583.68	59	0.7795					12583.68	T
Dubuque	428B	93	26.76	2488.95	59	0.7795	30	64	14.11	44.11	1180.57	NT
Dubuque	428B	93	385.10	35813.88	59	0.7795					35813.88	T
Dubuque	462B	90	35.21	3169.23	59	0.7795	30	60	13.23	43.23	1522.29	NT
Dubuque	462B	90	325.74	29316.56	59	0.7795					29316.56	T
Dubuque	463B	85	0.02	1.29	59	0.7795	30	56	12.35	42.35	0.64	NT
Dubuque	478G	5	17575.19	87875.94	59	0.7795	5	0	0.00	5.00	87875.94	NT
Dubuque	478G	5	751.76	3758.81	59	0.7795					3758.81	T
Dubuque	480C	65	94.75	6158.70	59	0.7795	30	36	7.94	37.94	3594.60	NT
Dubuque	480C	65	999.45	64964.07	59	0.7795					64964.07	T
Dubuque	480C2	63	45.92	2893.17	59	0.7795	30	34	7.50	37.50	1721.99	NT
Dubuque	480C2	63	731.87	46107.56	59	0.7795					46107.56	T
Dubuque	480D	55	125.12	6881.48	59	0.7795	30	26	5.73	35.73	4470.84	NT
Dubuque	480D	55	368.38	20261.12	59	0.7795					20261.12	T
Dubuque	480D2	53	419.57	22237.11	59	0.7795	30	24	5.29	35.29	14807.40	NT
Dubuque	480D2	53	3889.67	206152.76	59	0.7795					206152.76	T
Dubuque	480F2	29	610.22	17696.45	59	0.7795	29	0	0.00	29.00	17696.45	NT
Dubuque	480F2	29	1405.60	40762.50	59	0.7795					40762.50	T
Dubuque	482B	78	62.75	4894.78	59	0.7795	30	48	10.58	40.58	2546.79	NT
Dubuque	482B	78	960.67	74932.07	59	0.7795					74932.07	T
Dubuque	482C	66	93.61	6178.07	59	0.7795	30	36	7.94	37.94	3551.27	NT
Dubuque	482C	66	1437.47	94873.14	59	0.7795					94873.14	T
Dubuque	482C2	62	17.30	1072.34	59	0.7795	30	32	7.06	37.06	640.91	NT
Dubuque	482C2	62	337.56	20928.50	59	0.7795					20928.50	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	482D2	54	68.32	3689.43	59	0.7795	30	24	5.29	35.29	2411.25	NT
Dubuque	482D2	54	543.62	29355.57	59	0.7795					29355.57	T
Dubuque	482F2	18	67.32	1211.67	59	0.7795	18	0	0.00	18.00	1211.67	NT
Dubuque	482F2	18	68.43	1231.72	59	0.7795					1231.72	T
Dubuque	485	92	146.27	13456.77	59	0.7795	30	62	13.67	43.67	6387.72	NT
Dubuque	485	92	503.93	46361.71	59	0.7795					46361.71	T
Dubuque	487B	68	649.36	44156.55	59	0.7795	30	38	8.38	38.38	24921.83	NT
Dubuque	487B	68	2646.22	179943.06	59	0.7795					179943.06	T
Dubuque	488C2	71	32.35	2296.62	59	0.7795	30	42	9.26	39.26	1269.97	NT
Dubuque	488C2	71	1624.65	115349.93	59	0.7795					115349.93	T
Dubuque	488D2	61	237.26	14473.06	59	0.7795	30	32	7.06	37.06	8792.03	NT
Dubuque	488D2	61	6144.20	374795.94	59	0.7795					374795.94	T
Dubuque	489	85	0.00	0.01	59	0.7795	30	56	12.35	42.35	0.00	NT
Dubuque	490	68	193.69	13170.95	59	0.7795	30	38	8.38	38.38	7433.65	NT
Dubuque	490	68	89.79	6105.96	59	0.7795					6105.96	T
Dubuque	496B	25	2521.95	63048.68	59	0.7795	25	0	0.00	25.00	63048.68	NT
Dubuque	496B	25	376.34	9408.57	59	0.7795					9408.57	T
Dubuque	497F	5	1140.10	5700.50	59	0.7795	5	0	0.00	5.00	5700.50	NT
Dubuque	497F	5	123.08	615.39	59	0.7795					615.39	T
Dubuque	499D	5	3449.54	17247.70	59	0.7795	5	0	0.00	5.00	17247.70	NT
Dubuque	499D	5	1964.76	9823.79	59	0.7795					9823.79	T
Dubuque	499F	5	11663.32	58316.61	59	0.7795	5	0	0.00	5.00	58316.61	NT
Dubuque	499F	5	2372.13	11860.63	59	0.7795					11860.63	T
Dubuque	5030	0	424.63	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT
Dubuque	5030	0	3.00	0.00	59	0.7795					0.00	T
Dubuque	5040	5	0.40	2.02	59	0.7795					2.02	T
Dubuque	5040B	0	584.14	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT
Dubuque	5040B	0	80.30	0.00	59	0.7795					0.00	T
Dubuque	5040D	0	149.14	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	5040D	0	43.57	0.00	59	0.7795					0.00	T
Dubuque	512D	15	19.91	298.68	59	0.7795	15	0	0.00	15.00	298.68	NT
Dubuque	512D	15	302.87	4543.06	59	0.7795					4543.06	T
Dubuque	520	65	135.50	8807.39	59	0.7795	30	36	7.94	37.94	5140.54	NT
Dubuque	520	65	1376.12	89447.89	59	0.7795					89447.89	T
Dubuque	523E2	41	0.43	17.48	59	0.7795	30	12	2.65	32.65	13.92	NT
Dubuque	523E2	41	4.70	192.83	59	0.7795					192.83	T
Dubuque	563D	56	761.59	42649.25	59	0.7795	30	26	5.73	35.73	27214.03	NT
Dubuque	563D	56	375.56	21031.24	59	0.7795					21031.24	T
Dubuque	563D2	54	2234.68	120672.56	59	0.7795	30	24	5.29	35.29	78866.22	NT
Dubuque	563D2	54	9115.14	492217.72	59	0.7795					492217.72	T
Dubuque	563E	47	1193.36	56087.94	59	0.7795	30	18	3.97	33.97	40537.26	NT
Dubuque	563E	47	594.83	27957.10	59	0.7795					27957.10	T
Dubuque	563E2	45	2465.97	110968.50	59	0.7795	30	16	3.53	33.53	82678.93	NT
Dubuque	563E2	45	6534.30	294043.46	59	0.7795					294043.46	T
Dubuque	589+	85	351.72	29896.26	59	0.7795	30	56	12.35	42.35	14894.67	NT
Dubuque	589+	85	1660.78	141166.66	59	0.7795					141166.66	T
Dubuque	623D2	58	0.04	2.31	59	0.7795	30	28	6.17	36.17	1.44	NT
Dubuque	623D2	58	0.52	29.99	59	0.7795					29.99	T
Dubuque	626	67	49.66	3327.02	59	0.7795	30	38	8.38	38.38	1905.78	NT
Dubuque	626	67	701.38	46992.64	59	0.7795					46992.64	T
Dubuque	63C	21	335.74	7050.46	59	0.7795	21	0	0.00	21.00	7050.46	NT
Dubuque	63C	21	920.13	19322.75	59	0.7795					19322.75	T
Dubuque	63D	11	607.24	6679.60	59	0.7795	11	0	0.00	11.00	6679.60	NT
Dubuque	63D	11	850.59	9356.47	59	0.7795					9356.47	T
Dubuque	63F	5	599.10	2995.52	59	0.7795	5	0	0.00	5.00	2995.52	NT
Dubuque	63F	5	216.72	1083.62	59	0.7795					1083.62	T
Dubuque	65D2	38	0.12	4.41	59	0.7795	30	8	1.76	31.76	3.69	NT
Dubuque	65D2	38	0.31	11.81	59	0.7795					11.81	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	65E2	24	87.22	2093.40	59	0.7795	24	0	0.00	24.00	2093.40	NT
Dubuque	65E2	24	400.48	9611.45	59	0.7795					9611.45	T
Dubuque	65E3	25	0.08	2.05	59	0.7795	25	0	0.00	25.00	2.05	NT
Dubuque	65F	10	152.54	1525.42	59	0.7795	10	0	0.00	10.00	1525.42	NT
Dubuque	65F	10	281.75	2817.52	59	0.7795					2817.52	T
Dubuque	663D2	58	133.65	7751.73	59	0.7795	30	28	6.17	36.17	4834.67	NT
Dubuque	663D2	58	116.86	6777.98	59	0.7795					6777.98	T
Dubuque	663E2	48	7.50	360.12	59	0.7795					360.12	T
Dubuque	663F	30	346.52	10395.47	59	0.7795	30	0	0.00	30.00	10395.47	NT
Dubuque	663F	30	87.29	2618.75	59	0.7795					2618.75	T
Dubuque	703D	26	0.02	0.42	59	0.7795	26	0	0.00	26.00	0.42	NT
Dubuque	703E2	6	0.29	1.72	59	0.7795	6	0	0.00	6.00	1.72	NT
Dubuque	712E	5	167.74	838.70	59	0.7795	5	0	0.00	5.00	838.70	NT
Dubuque	712E	5	252.84	1264.19	59	0.7795					1264.19	T
Dubuque	712F	5	4254.54	21272.70	59	0.7795	5	0	0.00	5.00	21272.70	NT
Dubuque	712F	5	1285.17	6425.87	59	0.7795					6425.87	T
Dubuque	714C	33	120.33	3970.87	59	0.7795	30	4	0.88	30.88	3716.02	NT
Dubuque	714C	33	556.64	18369.13	59	0.7795					18369.13	T
Dubuque	763E2	45	357.10	16069.45	59	0.7795	30	16	3.53	33.53	11972.81	NT
Dubuque	763E2	45	3533.45	159005.41	59	0.7795					159005.41	T
Dubuque	763E3	40	0.70	28.10	59	0.7795	30	10	2.21	32.21	22.62	NT
Dubuque	763F2	26	253.55	6592.33	59	0.7795	26	0	0.00	26.00	6592.33	NT
Dubuque	763F2	26	1402.11	36454.99	59	0.7795					36454.99	T
Dubuque	771B	87	0.22	19.10	59	0.7795					19.10	T
Dubuque	771C	72	2.52	181.23	59	0.7795					181.23	T
Dubuque	775E	16	2.04	32.57	59	0.7795	16	0	0.00	16.00	32.57	NT
Dubuque	777	58	0.06	3.63	59	0.7795					3.63	T
Dubuque	777B	53	200.26	10613.82	59	0.7795	30	24	5.29	35.29	7067.60	NT
Dubuque	777B	53	1010.51	53557.24	59	0.7795					53557.24	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	799G	5	0.35	1.76	59	0.7795	5	0	0.00	5.00	1.76	NT
Dubuque	814B	58	55.70	3230.88	59	0.7795	30	28	6.17	36.17	2015.06	NT
Dubuque	814B	58	504.21	29244.03	59	0.7795					29244.03	T
Dubuque	814C	43	94.70	4071.97	59	0.7795	30	14	3.09	33.09	3133.24	NT
Dubuque	814C	43	487.25	20951.68	59	0.7795					20951.68	T
Dubuque	826	95	0.22	20.87	59	0.7795					20.87	T
Dubuque	83B	87	174.35	15168.42	59	0.7795	30	58	12.79	42.79	7460.25	NT
Dubuque	83B	87	1826.50	158905.80	59	0.7795					158905.80	T
Dubuque	83C	72	29.99	2159.44	59	0.7795	30	42	9.26	39.26	1177.52	NT
Dubuque	83C	72	631.59	45474.25	59	0.7795					45474.25	T
Dubuque	84	76	46.65	3545.72	59	0.7795	30	46	10.14	40.14	1872.84	NT
Dubuque	84	76	944.29	71765.76	59	0.7795					71765.76	T
Dubuque	915C	30	42.97	1289.19	59	0.7795	30	0	0.00	30.00	1289.19	NT
Dubuque	915C	30	191.85	5755.41	59	0.7795					5755.41	T
Dubuque	915C2	25	53.91	1347.65	59	0.7795	25	0	0.00	25.00	1347.65	NT
Dubuque	915C2	25	175.25	4381.27	59	0.7795					4381.27	T
Dubuque	915D2	15	480.44	7206.59	59	0.7795	15	0	0.00	15.00	7206.59	NT
Dubuque	915D2	15	834.03	12510.47	59	0.7795					12510.47	T
Dubuque	930B	60	979.19	58751.19	59	0.7795	30	30	6.62	36.62	35852.91	NT
Dubuque	930B	60	2946.12	176767.11	59	0.7795					176767.11	T
Dubuque	939D2	5	0.01	0.03	59	0.7795	5	0	0.00	5.00	0.03	NT
Dubuque	951F	5	208.19	1040.96	59	0.7795	5	0	0.00	5.00	1040.96	NT
Dubuque	951F	5	9.36	46.82	59	0.7795					46.82	T
Dubuque	964F	5	250.39	1251.94	59	0.7795	5	0	0.00	5.00	1251.94	NT
Dubuque	964F	5	32.73	163.63	59	0.7795					163.63	T
Dubuque	97	92	51.71	4757.77	59	0.7795	30	62	13.67	43.67	2258.44	NT
Dubuque	97	92	359.59	33082.72	59	0.7795					33082.72	T
Dubuque	978B	85	91.56	7782.80	59	0.7795	30	56	12.35	42.35	3877.48	NT
Dubuque	978B	85	494.51	42032.96	59	0.7795					42032.96	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Dubuque	981B	90	122.72	11044.68	59	0.7795	30	60	13.23	43.23	5305.13	NT
Dubuque	981B	90	831.92	74873.12	59	0.7795					74873.12	T
Dubuque	AW	0	19.83	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT
Dubuque	AW	0	0.67	0.00	59	0.7795					0.00	T
Dubuque	BW	0	3.71	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT
Dubuque	INT	0	7.34	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT
Dubuque	INT	0	3.05	0.00	59	0.7795					0.00	T
Dubuque	SL	0	23.80	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT
Dubuque	W	0	569.77	0.00	59	0.7795	0	0	0.00	0.00	0.00	NT
Dubuque	W	0	5.65	0.00	59	0.7795					0.00	T
											0.00	
											0.00	
Emmet	107	70	86.82	6077.35	35	0.7609	35	35	8.37	43.37	3765.22	NT
Emmet	107	70	15288.90	1070222.74	35	0.7609					1070222.74	T
Emmet	108	52	0.15	7.92	35	0.7609	35	17	4.06	39.06	5.95	NT
Emmet	108	52	423.42	22017.71	35	0.7609					22017.71	T
Emmet	1133	25	44.32	1107.95	35	0.7609	25	0	0.00	25.00	1107.95	NT
Emmet	1133	25	153.47	3836.85	35	0.7609					3836.85	T
Emmet	133	80	42.23	3378.20	35	0.7609	35	45	10.76	45.76	1932.31	NT
Emmet	133	80	781.44	62515.01	35	0.7609					62515.01	T
Emmet	133B	75	0.00	0.10	35	0.7609					0.10	T
Emmet	135	78	12.87	1003.62	35	0.7609	35	43	10.28	45.28	582.63	NT
Emmet	135	78	359.13	28012.42	35	0.7609					28012.42	T
Emmet	138B	73	142.12	10374.43	35	0.7609	35	38	9.09	44.09	6265.27	NT
Emmet	138B	73	32632.64	2382182.74	35	0.7609					2382182.74	T
Emmet	138C	67	26.84	1798.52	35	0.7609	35	32	7.65	42.65	1144.91	NT
Emmet	138C	67	588.37	39420.85	35	0.7609					39420.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Emmet	138C2	59	97.28	5739.68	35	0.7609	35	24	5.74	40.74	3963.14	NT
Emmet	138C2	59	8041.38	474441.40	35	0.7609					474441.40	T
Emmet	138D	52	8.27	430.21	35	0.7609	35	17	4.06	39.06	323.19	NT
Emmet	138D	52	78.49	4081.38	35	0.7609					4081.38	T
Emmet	138D2	56	31.00	1736.21	35	0.7609	35	21	5.02	40.02	1240.80	NT
Emmet	138D2	56	786.20	44027.37	35	0.7609					44027.37	T
Emmet	1458	25	50.59	1264.71	35	0.7609	25	0	0.00	25.00	1264.71	NT
Emmet	1458	25	86.43	2160.63	35	0.7609					2160.63	T
Emmet	1511	5	0.68	3.41	35	0.7609	5	0	0.00	5.00	3.41	NT
Emmet	1585	5	5.67	28.36	35	0.7609	5	0	0.00	5.00	28.36	NT
Emmet	1585	5	17.42	87.10	35	0.7609					87.10	T
Emmet	1707B	59	6.70	395.49	35	0.7609	35	24	5.74	40.74	273.08	NT
Emmet	1707B	59	564.36	33297.42	35	0.7609					33297.42	T
Emmet	181B	54	0.00	0.15	35	0.7609					0.15	T
Emmet	201B	51	0.30	15.14	35	0.7609	35	16	3.83	38.83	11.52	NT
Emmet	201B	51	0.05	2.57	35	0.7609					2.57	T
Emmet	221	25	64.53	1613.29	35	0.7609	25	0	0.00	25.00	1613.29	NT
Emmet	221	25	4319.72	107993.05	35	0.7609					107993.05	T
Emmet	224	52	8.43	438.12	35	0.7609	35	17	4.06	39.06	329.13	NT
Emmet	224	52	227.32	11820.58	35	0.7609					11820.58	T
Emmet	236B	79	43.02	3398.48	35	0.7609	35	44	10.52	45.52	1958.23	NT
Emmet	236B	79	145.38	11484.78	35	0.7609					11484.78	T
Emmet	236C	61	75.69	4617.16	35	0.7609	35	26	6.22	41.22	3119.73	NT
Emmet	236C	61	170.34	10390.76	35	0.7609					10390.76	T
Emmet	236D	47	20.15	947.18	35	0.7609	35	12	2.87	37.87	763.17	NT
Emmet	236D	47	61.77	2902.96	35	0.7609					2902.96	T
Emmet	236F	19	19.69	374.08	35	0.7609	19	0	0.00	19.00	374.08	NT
Emmet	236F	19	33.03	627.58	35	0.7609					627.58	T
Emmet	236G	9	125.82	1132.42	35	0.7609	9	0	0.00	9.00	1132.42	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Emmet	236G	9	25.94	233.48	35	0.7609					233.48	T
Emmet	259	41	10.90	446.77	35	0.7609	35	6	1.43	36.43	397.02	NT
Emmet	259	41	433.50	17773.61	35	0.7609					17773.61	T
Emmet	27	73	219.49	16022.47	35	0.7609					16022.47	T
Emmet	27B	82	193.53	15869.16	35	0.7609					15869.16	T
Emmet	27C	61	1.52	92.75	35	0.7609	35	26	6.22	41.22	62.67	NT
Emmet	27C	61	71.77	4377.87	35	0.7609					4377.87	T
Emmet	28	38	159.57	6063.79	35	0.7609					6063.79	T
Emmet	28B	14	1.10	15.41	35	0.7609	14	0	0.00	14.00	15.41	NT
Emmet	28B	14	422.06	5908.81	35	0.7609					5908.81	T
Emmet	34	15	5.09	76.34	35	0.7609	15	0	0.00	15.00	76.34	NT
Emmet	34	15	108.24	1623.63	35	0.7609					1623.63	T
Emmet	34C2	15	8.60	129.07	35	0.7609	15	0	0.00	15.00	129.07	NT
Emmet	34C2	15	181.21	2718.21	35	0.7609					2718.21	T
Emmet	354	5	578.77	2893.87	35	0.7609	5	0	0.00	5.00	2893.87	NT
Emmet	354	5	120.29	601.46	35	0.7609					601.46	T
Emmet	384	67	820.27	54958.16	35	0.7609					54958.16	T
Emmet	390	59	0.11	6.67	35	0.7609	35	24	5.74	40.74	4.60	NT
Emmet	390	59	906.46	53481.17	35	0.7609					53481.17	T
Emmet	485	92	5.94	546.31	35	0.7609	35	57	13.63	48.63	288.77	NT
Emmet	485	92	303.41	27913.54	35	0.7609					27913.54	T
Emmet	485B	82	34.20	2804.32	35	0.7609	35	47	11.24	46.24	1581.28	NT
Emmet	485B	82	1637.62	134284.83	35	0.7609					134284.83	T
Emmet	5010	0	22.26	0.00	35	0.7609	0	0	0.00	0.00	0.00	NT
Emmet	5010	0	77.61	0.00	35	0.7609					0.00	T
Emmet	5040	5	5.29	26.43	35	0.7609	5	0	0.00	5.00	26.43	NT
Emmet	5040	5	44.49	222.46	35	0.7609					222.46	T
Emmet	5043	0	4.42	0.00	35	0.7609	0	0	0.00	0.00	0.00	NT
Emmet	5043	0	106.64	0.00	35	0.7609					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Emmet	507	71	86.21	6121.04	35	0.7609	35	36	8.61	43.61	3759.49	NT
Emmet	507	71	45419.09	3224755.65	35	0.7609					3224755.65	T
Emmet	508	70	11.10	776.95	35	0.7609	35	35	8.37	43.37	481.36	NT
Emmet	508	70	718.24	50276.69	35	0.7609					50276.69	T
Emmet	511	57	178.15	10154.73	35	0.7609	35	22	5.26	40.26	7172.48	NT
Emmet	511	57	1010.43	57594.55	35	0.7609					57594.55	T
Emmet	511B	45	19.57	880.54	35	0.7609	35	10	2.39	37.39	731.65	NT
Emmet	511B	45	97.60	4392.22	35	0.7609					4392.22	T
Emmet	524	54	2.18	117.57	35	0.7609	35	19	4.54	39.54	86.09	NT
Emmet	524	54	475.35	25668.68	35	0.7609					25668.68	T
Emmet	55	73	107.42	7841.68	35	0.7609	35	38	9.09	44.09	4735.71	NT
Emmet	55	73	49019.22	3578402.98	35	0.7609					3578402.98	T
Emmet	559	40	165.71	6628.22	35	0.7609					6628.22	T
Emmet	585B	70	106.56	7459.23	35	0.7609	35	35	8.37	43.37	4621.36	NT
Emmet	585B	70	722.33	50563.01	35	0.7609					50563.01	T
Emmet	6	43	21.60	928.84	35	0.7609	35	8	1.91	36.91	797.35	NT
Emmet	6	43	8661.59	372448.35	35	0.7609					372448.35	T
Emmet	62C	48	0.02	1.09	35	0.7609					1.09	T
Emmet	62C2	53	6.28	332.79	35	0.7609	35	18	4.30	39.30	246.79	NT
Emmet	62C2	53	351.63	18636.57	35	0.7609					18636.57	T
Emmet	62D	39	0.39	15.07	35	0.7609					15.07	T
Emmet	62D2	38	10.25	389.32	35	0.7609	35	3	0.72	35.72	365.94	NT
Emmet	62D2	38	869.32	33034.21	35	0.7609					33034.21	T
Emmet	62D3	36	0.16	5.67	35	0.7609	35	1	0.24	35.24	5.55	NT
Emmet	62D3	36	279.86	10075.04	35	0.7609					10075.04	T
Emmet	62E	30	17.32	519.49	35	0.7609	30	0	0.00	30.00	519.49	NT
Emmet	62E	30	100.81	3024.44	35	0.7609					3024.44	T
Emmet	62E2	28	13.89	388.79	35	0.7609	28	0	0.00	28.00	388.79	NT
Emmet	62E2	28	753.34	21093.50	35	0.7609					21093.50	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Emmet	62F	7	20.87	146.10	35	0.7609	7	0	0.00	7.00	146.10	NT
Emmet	62F	7	284.95	1994.62	35	0.7609					1994.62	T
Emmet	62G	5	27.86	139.28	35	0.7609	5	0	0.00	5.00	139.28	NT
Emmet	62G	5	122.29	611.47	35	0.7609					611.47	T
Emmet	638B	68	3.37	228.91	35	0.7609	35	33	7.89	42.89	144.38	NT
Emmet	638B	68	1499.66	101977.20	35	0.7609					101977.20	T
Emmet	638C2	52	17.26	897.40	35	0.7609	35	17	4.06	39.06	674.17	NT
Emmet	638C2	52	5559.54	289096.12	35	0.7609					289096.12	T
Emmet	638D2	45	53.63	2413.19	35	0.7609	35	10	2.39	37.39	2005.14	NT
Emmet	638D2	45	3554.98	159974.29	35	0.7609					159974.29	T
Emmet	638E2	34	21.38	726.87	35	0.7609	34	0	0.00	34.00	726.87	NT
Emmet	638E2	34	932.85	31716.91	35	0.7609					31716.91	T
Emmet	639D2	18	0.15	2.71	35	0.7609	18	0	0.00	18.00	2.71	NT
Emmet	639D2	18	150.54	2709.72	35	0.7609					2709.72	T
Emmet	655	71	14.28	1014.18	35	0.7609	35	36	8.61	43.61	622.90	NT
Emmet	655	71	5919.49	420283.57	35	0.7609					420283.57	T
Emmet	707	73	0.20	14.60	35	0.7609	35	38	9.09	44.09	8.82	NT
Emmet	707	73	439.77	32103.19	35	0.7609					32103.19	T
Emmet	72	35	17.14	599.87	35	0.7609	35	0	0.00	35.00	599.87	NT
Emmet	72	35	319.58	11185.23	35	0.7609					11185.23	T
Emmet	72B	34	18.06	613.94	35	0.7609	34	0	0.00	34.00	613.94	NT
Emmet	72B	34	778.25	26460.46	35	0.7609					26460.46	T
Emmet	733	64	6.11	391.30	35	0.7609	35	29	6.93	41.93	256.39	NT
Emmet	733	64	227.79	14578.88	35	0.7609					14578.88	T
Emmet	73B	18	19.57	352.20	35	0.7609	18	0	0.00	18.00	352.20	NT
Emmet	73B	18	370.91	6676.41	35	0.7609					6676.41	T
Emmet	73C	5	0.00	0.01	35	0.7609					0.01	T
Emmet	73C2	5	2.50	12.52	35	0.7609	5	0	0.00	5.00	12.52	NT
Emmet	73C2	5	76.12	380.61	35	0.7609					380.61	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Emmet	73D2	5	1.67	8.35	35	0.7609	5	0	0.00	5.00	8.35	NT
Emmet	73D2	5	84.96	424.79	35	0.7609					424.79	T
Emmet	73G	5	1.59	7.93	35	0.7609	5	0	0.00	5.00	7.93	NT
Emmet	73G	5	54.00	270.02	35	0.7609					270.02	T
Emmet	787B	62	0.44	27.38	35	0.7609	35	27	6.46	41.46	18.31	NT
Emmet	787B	62	738.24	45770.58	35	0.7609					45770.58	T
Emmet	811	42	4.84	203.41	35	0.7609	35	7	1.67	36.67	177.61	NT
Emmet	811	42	249.69	10487.07	35	0.7609					10487.07	T
Emmet	823	38	28.32	1076.25	35	0.7609	35	3	0.72	35.72	1011.60	NT
Emmet	823	38	321.05	12200.08	35	0.7609					12200.08	T
Emmet	828B	45	1.01	45.32	35	0.7609	35	10	2.39	37.39	37.66	NT
Emmet	828B	45	349.25	15716.06	35	0.7609					15716.06	T
Emmet	828C2	30	2.52	75.48	35	0.7609	30	0	0.00	30.00	75.48	NT
Emmet	828C2	30	204.17	6125.19	35	0.7609					6125.19	T
Emmet	879	73	5.38	392.66	35	0.7609	35	38	9.09	44.09	237.13	NT
Emmet	879	73	364.29	26593.52	35	0.7609					26593.52	T
Emmet	90	42	10.82	454.49	35	0.7609	35	7	1.67	36.67	396.85	NT
Emmet	90	42	4309.77	181010.37	35	0.7609					181010.37	T
Emmet	95	57	30.83	1757.51	35	0.7609	35	22	5.26	40.26	1241.36	NT
Emmet	95	57	6769.78	385877.72	35	0.7609					385877.72	T
Emmet	956	57	537.60	30643.05	35	0.7609					30643.05	T
Emmet	SL	0	0.01	0.00	35	0.7609					0.00	T
Emmet	W	0	1267.70	0.00	35	0.7609	0	0	0.00	0.00	0.00	NT
Emmet	W	0	39.94	0.00	35	0.7609					0.00	T
											0.00	
											0.00	
Fayette	109B	25	149.23	3730.65	70	0.786	25	0	0.00	25.00	3730.65	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	109B	25	478.90	11972.54	70	0.786					11972.54	T
Fayette	109C	10	149.28	1492.76	70	0.786	10	0	0.00	10.00	1492.76	NT
Fayette	109C	10	382.85	3828.54	70	0.786					3828.54	T
Fayette	109D	5	136.67	683.37	70	0.786	5	0	0.00	5.00	683.37	NT
Fayette	109D	5	110.20	550.98	70	0.786					550.98	T
Fayette	110B	47	91.34	4292.99	70	0.786	35	12	2.57	37.57	3431.47	NT
Fayette	110B	47	242.55	11399.64	70	0.786					11399.64	T
Fayette	110C	44	108.79	4786.62	70	0.786	35	9	1.93	36.93	4017.06	NT
Fayette	110C	44	261.37	11500.16	70	0.786					11500.16	T
Fayette	1152	68	882.09	59982.16	70	0.786	35	33	7.06	42.06	37102.49	NT
Fayette	1152	68	2454.17	166883.54	70	0.786					166883.54	T
Fayette	115F	5	341.72	1708.58	70	0.786	5	0	0.00	5.00	1708.58	NT
Fayette	115F	5	230.42	1152.10	70	0.786					1152.10	T
Fayette	1226	72	455.71	32810.95	70	0.786	35	37	7.92	42.92	19558.06	NT
Fayette	1226	72	4172.68	300433.04	70	0.786					300433.04	T
Fayette	135	78	253.67	19786.40	70	0.786	35	43	9.20	44.20	11212.80	NT
Fayette	135	78	440.78	34380.67	70	0.786					34380.67	T
Fayette	136B	65	0.03	1.86	70	0.786	35	30	6.42	41.42	1.19	NT
Fayette	136B	65	0.24	15.50	70	0.786					15.50	T
Fayette	142B	65	989.80	64336.94	70	0.786	35	30	6.42	41.42	40997.48	NT
Fayette	142B	65	1005.43	65353.03	70	0.786					65353.03	T
Fayette	1489B	82	0.11	9.11	70	0.786	35	47	10.06	45.06	5.00	NT
Fayette	1489B	82	0.22	17.70	70	0.786					17.70	T
Fayette	1490	25	4.07	101.71	70	0.786	25	0	0.00	25.00	101.71	NT
Fayette	158	85	1090.38	92682.68	70	0.786	35	50	10.70	45.70	49830.57	NT
Fayette	158	85	2005.61	170476.72	70	0.786					170476.72	T
Fayette	1585	5	0.41	2.03	70	0.786	5	0	0.00	5.00	2.03	NT
Fayette	1585	5	0.04	0.21	70	0.786					0.21	T
Fayette	162B	90	300.05	27004.56	70	0.786	35	55	11.77	46.77	14033.37	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	162B	90	3196.66	287699.27	70	0.786					287699.27	T
Fayette	162C	75	742.38	55678.55	70	0.786	35	40	8.56	43.56	32338.10	NT
Fayette	162C	75	9436.87	707765.49	70	0.786					707765.49	T
Fayette	162C2	73	197.86	14443.73	70	0.786	35	38	8.13	43.13	8534.07	NT
Fayette	162C2	73	3588.70	261974.92	70	0.786					261974.92	T
Fayette	162D	65	65.77	4274.94	70	0.786	35	30	6.42	41.42	2724.12	NT
Fayette	162D	65	267.05	17358.24	70	0.786					17358.24	T
Fayette	162D2	63	415.70	26189.39	70	0.786	35	28	5.99	40.99	17040.56	NT
Fayette	162D2	63	4875.43	307151.93	70	0.786					307151.93	T
Fayette	162E2	53	227.21	12042.38	70	0.786	35	18	3.85	38.85	8827.75	NT
Fayette	162E2	53	703.18	37268.69	70	0.786					37268.69	T
Fayette	163B	85	95.38	8107.01	70	0.786	35	50	10.70	45.70	4358.71	NT
Fayette	163B	85	775.24	65895.64	70	0.786					65895.64	T
Fayette	163C	70	1577.02	110391.73	70	0.786	35	35	7.49	42.49	67007.78	NT
Fayette	163C	70	8520.80	596456.15	70	0.786					596456.15	T
Fayette	163C2	68	794.64	54035.27	70	0.786	35	33	7.06	42.06	33423.99	NT
Fayette	163C2	68	4970.55	337997.10	70	0.786					337997.10	T
Fayette	163D	60	1076.78	64607.07	70	0.786	35	25	5.35	40.35	43448.26	NT
Fayette	163D	60	631.00	37860.13	70	0.786					37860.13	T
Fayette	163D2	58	2642.32	153254.79	70	0.786	35	23	4.92	39.92	105486.86	NT
Fayette	163D2	58	10332.26	599270.95	70	0.786					599270.95	T
Fayette	163D3	55	216.56	11910.64	70	0.786	35	20	4.28	39.28	8506.36	NT
Fayette	163D3	55	1592.71	87599.09	70	0.786					87599.09	T
Fayette	163E	50	1463.28	73164.05	70	0.786	35	15	3.21	38.21	55911.97	NT
Fayette	163E	50	501.38	25068.92	70	0.786					25068.92	T
Fayette	163E2	48	1787.32	85791.26	70	0.786	35	13	2.78	37.78	67528.44	NT
Fayette	163E2	48	2805.50	134664.14	70	0.786					134664.14	T
Fayette	163E3	46	883.15	40624.83	70	0.786	35	11	2.35	37.35	32989.13	NT
Fayette	163E3	46	2792.23	128442.43	70	0.786					128442.43	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	163F	30	2157.89	64736.59	70	0.786	30	0	0.00	30.00	64736.59	NT
Fayette	163F	30	597.39	17921.73	70	0.786					17921.73	T
Fayette	163F2	28	1552.75	43476.91	70	0.786	28	0	0.00	28.00	43476.91	NT
Fayette	163F2	28	1150.70	32219.52	70	0.786					32219.52	T
Fayette	163F3	25	565.90	14147.42	70	0.786	25	0	0.00	25.00	14147.42	NT
Fayette	163F3	25	850.05	21251.18	70	0.786					21251.18	T
Fayette	163G	19	1966.66	37366.51	70	0.786	19	0	0.00	19.00	37366.51	NT
Fayette	163G	19	472.88	8984.78	70	0.786					8984.78	T
Fayette	171B	82	905.37	74240.57	70	0.786	35	47	10.06	45.06	40794.29	NT
Fayette	171B	82	14585.98	1196050.54	70	0.786					1196050.54	T
Fayette	171C	67	122.27	8191.81	70	0.786	35	32	6.85	41.85	5116.58	NT
Fayette	171C	67	1715.75	114955.37	70	0.786					114955.37	T
Fayette	171C2	64	11.21	717.63	70	0.786	35	29	6.21	41.21	462.04	NT
Fayette	171C2	64	406.84	26037.97	70	0.786					26037.97	T
Fayette	171D2	53	55.81	2958.07	70	0.786	35	18	3.85	38.85	2168.44	NT
Fayette	171D2	53	157.79	8363.08	70	0.786					8363.08	T
Fayette	171E2	43	76.36	3283.32	70	0.786	35	8	1.71	36.71	2803.20	NT
Fayette	171E2	43	156.18	6715.88	70	0.786					6715.88	T
Fayette	175B	56	135.97	7614.32	70	0.786	35	21	4.49	39.49	5370.00	NT
Fayette	175B	56	1307.03	73193.52	70	0.786					73193.52	T
Fayette	175C	41	70.19	2877.98	70	0.786	35	6	1.28	36.28	2546.94	NT
Fayette	175C	41	360.60	14784.65	70	0.786					14784.65	T
Fayette	175D	36	61.50	2214.01	70	0.786	35	1	0.21	35.21	2165.68	NT
Fayette	175D	36	95.13	3424.56	70	0.786					3424.56	T
Fayette	1763F2	27	0.11	3.09	70	0.786					3.09	T
Fayette	177	64	724.48	46366.43	70	0.786	35	29	6.21	41.21	29852.74	NT
Fayette	177	64	5987.06	383172.04	70	0.786					383172.04	T
Fayette	177B	60	305.59	18335.40	70	0.786	35	25	5.35	40.35	12330.56	NT
Fayette	177B	60	3188.18	191290.76	70	0.786					191290.76	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	177C	40	52.95	2118.19	70	0.786	35	5	1.07	36.07	1910.08	NT
Fayette	177C	40	308.53	12341.01	70	0.786					12341.01	T
Fayette	178	79	120.16	9492.66	70	0.786	35	44	9.42	44.42	5337.04	NT
Fayette	178	79	810.76	64049.99	70	0.786					64049.99	T
Fayette	178B	74	66.02	4885.71	70	0.786	35	39	8.35	43.35	2861.84	NT
Fayette	178B	74	605.59	44813.83	70	0.786					44813.83	T
Fayette	183C	33	64.97	2143.96	70	0.786	33	0	0.00	33.00	2143.96	NT
Fayette	183C	33	71.10	2346.41	70	0.786					2346.41	T
Fayette	183D2	13	207.11	2692.44	70	0.786	13	0	0.00	13.00	2692.44	NT
Fayette	183D2	13	235.50	3061.44	70	0.786					3061.44	T
Fayette	183E	5	420.41	2102.03	70	0.786	5	0	0.00	5.00	2102.03	NT
Fayette	183E	5	162.43	812.16	70	0.786					812.16	T
Fayette	183E2	5	479.66	2398.31	70	0.786	5	0	0.00	5.00	2398.31	NT
Fayette	183E2	5	531.96	2659.82	70	0.786					2659.82	T
Fayette	183F	5	823.82	4119.10	70	0.786	5	0	0.00	5.00	4119.10	NT
Fayette	183F	5	238.71	1193.55	70	0.786					1193.55	T
Fayette	193	77	68.86	5302.47	70	0.786	35	42	8.99	43.99	3029.16	NT
Fayette	193	77	164.27	12648.64	70	0.786					12648.64	T
Fayette	1936	25	1.36	33.95	70	0.786	25	0	0.00	25.00	33.95	NT
Fayette	1936	25	0.23	5.77	70	0.786					5.77	T
Fayette	198B	80	1218.02	97441.83	70	0.786	35	45	9.63	44.63	54360.36	NT
Fayette	198B	80	35115.09	2809206.95	70	0.786					2809206.95	T
Fayette	213	79	6.93	547.13	70	0.786	35	44	9.42	44.42	307.61	NT
Fayette	213	79	240.88	19029.40	70	0.786					19029.40	T
Fayette	213B	74	133.59	9885.97	70	0.786	35	39	8.35	43.35	5790.77	NT
Fayette	213B	74	938.31	69434.84	70	0.786					69434.84	T
Fayette	214	63	50.19	3162.13	70	0.786	35	28	5.99	40.99	2057.49	NT
Fayette	214	63	524.84	33065.20	70	0.786					33065.20	T
Fayette	214B	58	234.08	13576.51	70	0.786	35	23	4.92	39.92	9344.86	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	214B	58	1707.22	99019.04	70	0.786					99019.04	T
Fayette	214C	45	146.36	6586.09	70	0.786	35	10	2.14	37.14	5435.72	NT
Fayette	214C	45	429.39	19322.48	70	0.786					19322.48	T
Fayette	215E	10	95.22	952.18	70	0.786	10	0	0.00	10.00	952.18	NT
Fayette	215E	10	94.63	946.30	70	0.786					946.30	T
Fayette	221	25	247.32	6182.91	70	0.786	25	0	0.00	25.00	6182.91	NT
Fayette	221	25	602.78	15069.40	70	0.786					15069.40	T
Fayette	241C	20	0.02	0.45	70	0.786	20	0	0.00	20.00	0.45	NT
Fayette	241C	20	0.01	0.12	70	0.786					0.12	T
Fayette	2551	58	0.00	0.03	70	0.786	35	23	4.92	39.92	0.02	NT
Fayette	2551	58	1.03	59.81	70	0.786					59.81	T
Fayette	265	53	134.24	7114.69	70	0.786	35	18	3.85	38.85	5215.47	NT
Fayette	265	53	170.38	9030.28	70	0.786					9030.28	T
Fayette	265B	43	142.78	6139.44	70	0.786	35	8	1.71	36.71	5241.65	NT
Fayette	265B	43	272.62	11722.70	70	0.786					11722.70	T
Fayette	2671	88	0.20	17.61	70	0.786	35	53	11.34	46.34	9.28	NT
Fayette	2671	88	0.15	12.78	70	0.786					12.78	T
Fayette	27B	82	236.74	19412.28	70	0.786	35	47	10.06	45.06	10666.81	NT
Fayette	27B	82	896.83	73540.23	70	0.786					73540.23	T
Fayette	284	40	404.13	16165.38	70	0.786	35	5	1.07	36.07	14577.13	NT
Fayette	284	40	2268.22	90728.94	70	0.786					90728.94	T
Fayette	284B	45	447.36	20131.39	70	0.786	35	10	2.14	37.14	16615.10	NT
Fayette	284B	45	2943.54	132459.35	70	0.786					132459.35	T
Fayette	284C	30	45.02	1350.64	70	0.786	30	0	0.00	30.00	1350.64	NT
Fayette	284C	30	511.02	15330.54	70	0.786					15330.54	T
Fayette	285	30	42.03	1260.83	70	0.786	30	0	0.00	30.00	1260.83	NT
Fayette	285	30	141.57	4247.18	70	0.786					4247.18	T
Fayette	285B	25	252.45	6311.27	70	0.786	25	0	0.00	25.00	6311.27	NT
Fayette	285B	25	850.84	21271.01	70	0.786					21271.01	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	285C2	5	95.10	475.49	70	0.786	5	0	0.00	5.00	475.49	NT
Fayette	285C2	5	836.06	4180.30	70	0.786					4180.30	T
Fayette	285E2	5	36.41	182.06	70	0.786	5	0	0.00	5.00	182.06	NT
Fayette	285E2	5	156.28	781.40	70	0.786					781.40	T
Fayette	302B	74	243.08	17987.82	70	0.786	35	39	8.35	43.35	10536.49	NT
Fayette	302B	74	619.70	45857.89	70	0.786					45857.89	T
Fayette	302C	58	51.34	2977.99	70	0.786	35	23	4.92	39.92	2049.78	NT
Fayette	302C	58	261.15	15146.62	70	0.786					15146.62	T
Fayette	315	30	4577.11	137313.24	70	0.786	30	0	0.00	30.00	137313.24	NT
Fayette	315	30	1313.18	39395.32	70	0.786					39395.32	T
Fayette	323B	72	0.09	6.60	70	0.786	35	37	7.92	42.92	3.93	NT
Fayette	323B	72	0.11	8.26	70	0.786					8.26	T
Fayette	354	5	60.65	303.26	70	0.786	5	0	0.00	5.00	303.26	NT
Fayette	354	5	31.91	159.54	70	0.786					159.54	T
Fayette	391B	72	1737.15	125074.84	70	0.786	35	37	7.92	42.92	74555.03	NT
Fayette	391B	72	24436.06	1759396.53	70	0.786					1759396.53	T
Fayette	394B	85	194.49	16531.34	70	0.786	35	50	10.70	45.70	8888.03	NT
Fayette	394B	85	4071.96	346116.58	70	0.786					346116.58	T
Fayette	394C	70	33.85	2369.69	70	0.786	35	35	7.49	42.49	1438.40	NT
Fayette	394C	70	728.79	51015.40	70	0.786					51015.40	T
Fayette	394C2	68	6.22	423.19	70	0.786	35	33	7.06	42.06	261.77	NT
Fayette	394C2	68	263.61	17925.45	70	0.786					17925.45	T
Fayette	395B	87	0.36	31.35	70	0.786	35	52	11.13	46.13	16.62	NT
Fayette	395B	87	3.90	339.17	70	0.786					339.17	T
Fayette	398	81	45.46	3682.22	70	0.786	35	46	9.84	44.84	2038.59	NT
Fayette	398	81	2000.30	162023.98	70	0.786					162023.98	T
Fayette	399	91	183.66	16713.15	70	0.786	35	56	11.98	46.98	8629.13	NT
Fayette	399	91	4101.94	373276.71	70	0.786					373276.71	T
Fayette	399B	84	73.54	6177.07	70	0.786	35	49	10.49	45.49	3344.88	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	399B	84	3128.30	262777.04	70	0.786					262777.04	T
Fayette	407B	72	692.62	49868.67	70	0.786	35	37	7.92	42.92	29725.89	NT
Fayette	407B	72	7511.11	540800.25	70	0.786					540800.25	T
Fayette	408B	66	160.78	10611.29	70	0.786	35	31	6.63	41.63	6693.80	NT
Fayette	408B	66	2765.96	182553.33	70	0.786					182553.33	T
Fayette	408C	52	66.84	3475.46	70	0.786	35	17	3.64	38.64	2582.40	NT
Fayette	408C	52	637.68	33159.21	70	0.786					33159.21	T
Fayette	409B	57	146.38	8343.86	70	0.786	35	22	4.71	39.71	5812.60	NT
Fayette	409B	57	2297.35	130948.77	70	0.786					130948.77	T
Fayette	409C	41	24.25	994.21	70	0.786	35	6	1.28	36.28	879.85	NT
Fayette	409C	41	417.22	17106.12	70	0.786					17106.12	T
Fayette	41	40	84.82	3392.70	70	0.786	35	5	1.07	36.07	3059.36	NT
Fayette	41	40	190.07	7602.78	70	0.786					7602.78	T
Fayette	41B	40	176.78	7071.12	70	0.786	35	5	1.07	36.07	6376.38	NT
Fayette	41B	40	915.44	36617.69	70	0.786					36617.69	T
Fayette	41C	25	114.58	2864.41	70	0.786	25	0	0.00	25.00	2864.41	NT
Fayette	41C	25	357.03	8925.76	70	0.786					8925.76	T
Fayette	41D	15	122.04	1830.58	70	0.786	15	0	0.00	15.00	1830.58	NT
Fayette	41D	15	103.17	1547.61	70	0.786					1547.61	T
Fayette	444B	60	77.36	4641.34	70	0.786	35	25	5.35	40.35	3121.30	NT
Fayette	444B	60	194.03	11641.96	70	0.786					11641.96	T
Fayette	444C	45	222.68	10020.67	70	0.786	35	10	2.14	37.14	8270.39	NT
Fayette	444C	45	425.14	19131.32	70	0.786					19131.32	T
Fayette	444D	30	143.70	4311.13	70	0.786	30	0	0.00	30.00	4311.13	NT
Fayette	444D	30	82.64	2479.33	70	0.786					2479.33	T
Fayette	471	86	158.25	13609.53	70	0.786	35	51	10.91	45.91	7265.91	NT
Fayette	471	86	3004.33	258372.27	70	0.786					258372.27	T
Fayette	478G	5	13456.39	67281.96	70	0.786	5	0	0.00	5.00	67281.96	NT
Fayette	478G	5	1061.03	5305.17	70	0.786					5305.17	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	480C	65	141.21	9178.76	70	0.786	35	30	6.42	41.42	5848.99	NT
Fayette	480C	65	873.03	56746.88	70	0.786					56746.88	T
Fayette	480D2	53	173.84	9213.60	70	0.786	35	18	3.85	38.85	6754.09	NT
Fayette	480D2	53	900.47	47725.10	70	0.786					47725.10	T
Fayette	480E2	43	251.94	10833.42	70	0.786	35	8	1.71	36.71	9249.22	NT
Fayette	480E2	43	535.83	23040.74	70	0.786					23040.74	T
Fayette	482B	78	0.03	2.55	70	0.786					2.55	T
Fayette	485	92	625.40	57536.50	70	0.786	35	57	12.20	47.20	29517.47	NT
Fayette	485	92	1272.14	117037.29	70	0.786					117037.29	T
Fayette	487B	68	1035.03	70381.72	70	0.786	35	33	7.06	42.06	43535.24	NT
Fayette	487B	68	2271.76	154479.48	70	0.786					154479.48	T
Fayette	489	85	28.14	2391.71	70	0.786	35	50	10.70	45.70	1285.89	NT
Fayette	489	85	153.65	13060.25	70	0.786					13060.25	T
Fayette	490	68	87.57	5955.09	70	0.786	35	33	7.06	42.06	3683.57	NT
Fayette	490	68	124.91	8493.74	70	0.786					8493.74	T
Fayette	491E2	38	0.04	1.46	70	0.786	35	3	0.64	35.64	1.37	NT
Fayette	491E2	38	0.00	0.04	70	0.786					0.04	T
Fayette	496B	25	1715.34	42883.58	70	0.786	25	0	0.00	25.00	42883.58	NT
Fayette	496B	25	262.17	6554.29	70	0.786					6554.29	T
Fayette	497F	5	2920.16	14600.78	70	0.786	5	0	0.00	5.00	14600.78	NT
Fayette	497F	5	718.06	3590.28	70	0.786					3590.28	T
Fayette	497G	5	1073.18	5365.91	70	0.786	5	0	0.00	5.00	5365.91	NT
Fayette	497G	5	87.94	439.68	70	0.786					439.68	T
Fayette	499B	23	190.85	4389.64	70	0.786	23	0	0.00	23.00	4389.64	NT
Fayette	499B	23	296.82	6826.95	70	0.786					6826.95	T
Fayette	499D	5	495.18	2475.88	70	0.786	5	0	0.00	5.00	2475.88	NT
Fayette	499D	5	416.20	2080.98	70	0.786					2080.98	T
Fayette	499F	5	1833.74	9168.68	70	0.786	5	0	0.00	5.00	9168.68	NT
Fayette	499F	5	746.01	3730.06	70	0.786					3730.06	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	499G	5	1.89	9.47	70	0.786	5	0	0.00	5.00	9.47	NT
Fayette	499G	5	0.36	1.81	70	0.786					1.81	T
Fayette	5010	0	167.58	0.00	70	0.786	0	0	0.00	0.00	0.00	NT
Fayette	5010	0	25.25	0.00	70	0.786					0.00	T
Fayette	5030	0	285.55	0.00	70	0.786	0	0	0.00	0.00	0.00	NT
Fayette	5030	0	5.14	0.00	70	0.786					0.00	T
Fayette	5040	5	45.46	227.29	70	0.786	5	0	0.00	5.00	227.29	NT
Fayette	5040	5	69.91	349.56	70	0.786					349.56	T
Fayette	512B	40	92.23	3689.37	70	0.786	35	5	1.07	36.07	3326.89	NT
Fayette	512B	40	335.19	13407.75	70	0.786					13407.75	T
Fayette	512D	15	178.05	2670.75	70	0.786	15	0	0.00	15.00	2670.75	NT
Fayette	512D	15	439.07	6586.04	70	0.786					6586.04	T
Fayette	512D2	15	0.02	0.37	70	0.786					0.37	T
Fayette	536	70	173.03	12112.34	70	0.786	35	35	7.49	42.49	7352.19	NT
Fayette	536	70	499.08	34935.67	70	0.786					34935.67	T
Fayette	551	58	85.70	4970.47	70	0.786	35	23	4.92	39.92	3421.23	NT
Fayette	551	58	669.22	38814.91	70	0.786					38814.91	T
Fayette	582B	78	0.33	25.69	70	0.786					25.69	T
Fayette	582C	64	0.05	3.34	70	0.786					3.34	T
Fayette	620B	95	6.47	614.58	70	0.786	35	60	12.84	47.84	309.49	NT
Fayette	620B	95	296.85	28200.42	70	0.786					28200.42	T
Fayette	626	67	130.45	8740.25	70	0.786	35	32	6.85	41.85	5459.13	NT
Fayette	626	67	1134.84	76034.55	70	0.786					76034.55	T
Fayette	63B	40	9.00	360.07	70	0.786					360.07	T
Fayette	63C	21	142.91	3001.12	70	0.786	21	0	0.00	21.00	3001.12	NT
Fayette	63C	21	147.27	3092.59	70	0.786					3092.59	T
Fayette	63D	11	0.04	0.41	70	0.786					0.41	T
Fayette	63E	5	363.49	1817.46	70	0.786	5	0	0.00	5.00	1817.46	NT
Fayette	63E	5	61.40	307.00	70	0.786					307.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	714	58	38.70	2244.82	70	0.786	35	23	4.92	39.92	1545.13	NT
Fayette	714	58	203.30	11791.56	70	0.786					11791.56	T
Fayette	714B	53	404.61	21444.07	70	0.786	35	18	3.85	38.85	15719.72	NT
Fayette	714B	53	1331.13	70550.11	70	0.786					70550.11	T
Fayette	714C	33	179.48	5922.75	70	0.786	33	0	0.00	33.00	5922.75	NT
Fayette	714C	33	294.60	9721.91	70	0.786					9721.91	T
Fayette	714D	18	85.26	1534.68	70	0.786	18	0	0.00	18.00	1534.68	NT
Fayette	714D	18	91.78	1651.99	70	0.786					1651.99	T
Fayette	763D2	56	878.26	49182.48	70	0.786	35	21	4.49	39.49	34685.94	NT
Fayette	763D2	56	5598.03	313489.69	70	0.786					313489.69	T
Fayette	763E2	45	815.88	36714.71	70	0.786	35	10	2.14	37.14	30301.87	NT
Fayette	763E2	45	1629.82	73341.99	70	0.786					73341.99	T
Fayette	763E3	40	282.03	11281.02	70	0.786	35	5	1.07	36.07	10172.66	NT
Fayette	763E3	40	1184.18	47367.24	70	0.786					47367.24	T
Fayette	763F2	26	654.70	17022.09	70	0.786	26	0	0.00	26.00	17022.09	NT
Fayette	763F2	26	415.16	10794.17	70	0.786					10794.17	T
Fayette	763F3	21	294.96	6194.14	70	0.786	21	0	0.00	21.00	6194.14	NT
Fayette	763F3	21	612.49	12862.30	70	0.786					12862.30	T
Fayette	776B	28	0.00	0.02	70	0.786	28	0	0.00	28.00	0.02	NT
Fayette	777	58	451.52	26188.05	70	0.786	35	23	4.92	39.92	18025.51	NT
Fayette	777	58	2098.41	121707.59	70	0.786					121707.59	T
Fayette	777B	53	295.25	15648.22	70	0.786	35	18	3.85	38.85	11471.03	NT
Fayette	777B	53	1718.49	91079.79	70	0.786					91079.79	T
Fayette	777C	34	81.55	2772.61	70	0.786	34	0	0.00	34.00	2772.61	NT
Fayette	777C	34	358.95	12204.41	70	0.786					12204.41	T
Fayette	778	74	0.16	11.58	70	0.786	35	39	8.35	43.35	6.78	NT
Fayette	778	74	0.53	38.93	70	0.786					38.93	T
Fayette	781B	60	67.14	4028.52	70	0.786	35	25	5.35	40.35	2709.18	NT
Fayette	781B	60	1197.62	71857.46	70	0.786					71857.46	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	781C	40	2.46	98.56	70	0.786	35	5	1.07	36.07	88.88	NT
Fayette	781C	40	195.83	7833.32	70	0.786					7833.32	T
Fayette	782	55	17.26	949.46	70	0.786	35	20	4.28	39.28	678.09	NT
Fayette	782	55	161.62	8889.35	70	0.786					8889.35	T
Fayette	782B	50	77.73	3886.53	70	0.786	35	15	3.21	38.21	2970.09	NT
Fayette	782B	50	1690.62	84530.83	70	0.786					84530.83	T
Fayette	782C	33	8.12	267.81	70	0.786	33	0	0.00	33.00	267.81	NT
Fayette	782C	33	157.13	5185.13	70	0.786					5185.13	T
Fayette	783B	63	326.91	20595.08	70	0.786	35	28	5.99	40.99	13400.53	NT
Fayette	783B	63	7737.04	487433.61	70	0.786					487433.61	T
Fayette	783C	43	39.95	1717.97	70	0.786	35	8	1.71	36.71	1466.75	NT
Fayette	783C	43	1056.57	45432.40	70	0.786					45432.40	T
Fayette	784B	50	54.80	2740.12	70	0.786	35	15	3.21	38.21	2094.00	NT
Fayette	784B	50	479.08	23954.15	70	0.786					23954.15	T
Fayette	798B	60	92.12	5527.47	70	0.786	35	25	5.35	40.35	3717.23	NT
Fayette	798B	60	3055.96	183357.84	70	0.786					183357.84	T
Fayette	83B	87	2573.93	223931.57	70	0.786	35	52	11.13	46.13	118730.06	NT
Fayette	83B	87	56021.17	4873841.52	70	0.786					4873841.52	T
Fayette	83C	72	153.07	11021.10	70	0.786	35	37	7.92	42.92	6569.50	NT
Fayette	83C	72	3328.12	239624.53	70	0.786					239624.53	T
Fayette	83C2	69	57.12	3941.43	70	0.786	35	34	7.28	42.28	2414.90	NT
Fayette	83C2	69	1531.57	105678.03	70	0.786					105678.03	T
Fayette	84	76	4105.90	312048.49	70	0.786	35	41	8.77	43.77	179731.72	NT
Fayette	84	76	37213.62	2828235.39	70	0.786					2828235.39	T
Fayette	85	88	0.03	2.73	70	0.786					2.73	T
Fayette	914B	53	0.00	0.25	70	0.786	35	18	3.85	38.85	0.18	NT
Fayette	914B	53	0.27	14.25	70	0.786					14.25	T
Fayette	914C	41	0.03	1.13	70	0.786					1.13	T
Fayette	926	90	33.49	3013.84	70	0.786	35	55	11.77	46.77	1566.19	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fayette	926	90	310.74	27967.00	70	0.786					27967.00	T
Fayette	965E2	20	0.08	1.60	70	0.786	20	0	0.00	20.00	1.60	NT
Fayette	965E2	20	0.15	3.05	70	0.786					3.05	T
Fayette	965G	8	0.06	0.48	70	0.786	8	0	0.00	8.00	0.48	NT
Fayette	965G	8	0.27	2.19	70	0.786					2.19	T
Fayette	977	95	27.45	2607.62	70	0.786	35	60	12.84	47.84	1313.14	NT
Fayette	977	95	234.60	22286.81	70	0.786					22286.81	T
Fayette	978	90	95.92	8632.86	70	0.786	35	55	11.77	46.77	4486.21	NT
Fayette	978	90	492.47	44322.21	70	0.786					44322.21	T
Fayette	98	95	68.10	6469.09	70	0.786	35	60	12.84	47.84	3257.70	NT
Fayette	98	95	406.99	38664.09	70	0.786					38664.09	T
Fayette	981B	90	0.35	31.92	70	0.786	35	55	11.77	46.77	16.59	NT
Fayette	98B	90	64.44	5799.30	70	0.786	35	55	11.77	46.77	3013.70	NT
Fayette	98B	90	258.02	23222.24	70	0.786					23222.24	T
Fayette	AW	0	7.87	0.00	70	0.786	0	0	0.00	0.00	0.00	NT
Fayette	AW	0	0.04	0.00	70	0.786					0.00	T
Fayette	C135	25	2593.17	64829.22	70	0.786	25	0	0.00	25.00	64829.22	NT
Fayette	C135	25	942.96	23574.00	70	0.786					23574.00	T
Fayette	C158	25	934.44	23361.09	70	0.786	25	0	0.00	25.00	23361.09	NT
Fayette	C158	25	439.00	10974.99	70	0.786					10974.99	T
Fayette	INT	0	37.94	0.00	70	0.786	0	0	0.00	0.00	0.00	NT
Fayette	INT	0	8.34	0.00	70	0.786					0.00	T
Fayette	SL	0	17.87	0.00	70	0.786	0	0	0.00	0.00	0.00	NT
Fayette	W	0	860.77	0.00	70	0.786	0	0	0.00	0.00	0.00	NT
Fayette	W	0	12.64	0.00	70	0.786					0.00	T
											0.00	
											0.00	

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	110B	47	88.67	4167.47	77	0.7787	38	8	1.77	39.77	3526.43	NT
Floyd	110B	47	506.22	23792.20	77	0.7787					23792.20	T
Floyd	110C	44	65.89	2898.99	77	0.7787	38	6	1.33	39.33	2591.16	NT
Floyd	110C	44	166.92	7344.39	77	0.7787					7344.39	T
Floyd	1152	68	267.83	18212.16	77	0.7787	38	30	6.64	44.64	11955.48	NT
Floyd	1152	68	2021.12	137436.36	77	0.7787					137436.36	T
Floyd	1226	72	305.96	22029.04	77	0.7787	38	34	7.52	45.52	13928.54	NT
Floyd	1226	72	4153.20	299030.40	77	0.7787					299030.40	T
Floyd	135	78	2338.89	182433.51	77	0.7787	38	40	8.85	46.85	109581.73	NT
Floyd	135	78	1860.93	145152.19	77	0.7787					145152.19	T
Floyd	1537	25	789.37	19734.28	77	0.7787	25	0	0.00	25.00	19734.28	NT
Floyd	1537	25	41.17	1029.18	77	0.7787					1029.18	T
Floyd	171	85	63.19	5371.39	77	0.7787	38	46	10.18	48.18	3044.62	NT
Floyd	171	85	812.34	69048.50	77	0.7787					69048.50	T
Floyd	171B	82	807.34	66201.87	77	0.7787	38	44	9.74	47.74	38540.15	NT
Floyd	171B	82	9665.55	792575.08	77	0.7787					792575.08	T
Floyd	171C	67	168.79	11309.02	77	0.7787	38	28	6.20	44.20	7459.97	NT
Floyd	171C	67	723.48	48472.89	77	0.7787					48472.89	T
Floyd	171C2	64	88.07	5636.57	77	0.7787	38	26	5.75	43.75	3853.46	NT
Floyd	171C2	64	1302.26	83344.62	77	0.7787					83344.62	T
Floyd	171D2	53	119.06	6310.32	77	0.7787	38	14	3.10	41.10	4893.26	NT
Floyd	171D2	53	135.94	7204.91	77	0.7787					7204.91	T
Floyd	174	75	54.66	4099.54	77	0.7787	38	36	7.97	45.97	2512.57	NT
Floyd	174	75	1715.31	128647.92	77	0.7787					128647.92	T
Floyd	174B	70	264.29	18500.31	77	0.7787	38	32	7.08	45.08	11914.62	NT
Floyd	174B	70	3280.05	229603.24	77	0.7787					229603.24	T
Floyd	174C	55	54.74	3010.81	77	0.7787	38	16	3.54	41.54	2274.03	NT
Floyd	174C	55	170.54	9379.55	77	0.7787					9379.55	T
Floyd	175	60	0.16	9.41	77	0.7787					9.41	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	175B	56	116.07	6499.83	77	0.7787	38	18	3.98	41.98	4872.95	NT
Floyd	175B	56	1225.67	68637.40	77	0.7787					68637.40	T
Floyd	175C	41	69.44	2847.15	77	0.7787	38	2	0.44	38.44	2669.56	NT
Floyd	175C	41	285.07	11687.87	77	0.7787					11687.87	T
Floyd	177	64	512.82	32820.21	77	0.7787	38	26	5.75	43.75	22437.64	NT
Floyd	177	64	6571.14	420553.17	77	0.7787					420553.17	T
Floyd	177B	60	456.63	27398.05	77	0.7787	38	22	4.87	42.87	19575.27	NT
Floyd	177B	60	2717.79	163067.54	77	0.7787					163067.54	T
Floyd	177C	40	95.70	3828.06	77	0.7787	38	2	0.44	38.44	3679.01	NT
Floyd	177C	40	288.52	11540.83	77	0.7787					11540.83	T
Floyd	178	79	264.50	20895.54	77	0.7787	38	40	8.85	46.85	12392.38	NT
Floyd	178	79	3249.99	256749.02	77	0.7787					256749.02	T
Floyd	178B	74	184.78	13673.53	77	0.7787	38	36	7.97	45.97	8493.63	NT
Floyd	178B	74	1040.54	76999.61	77	0.7787					76999.61	T
Floyd	184	93	229.21	21316.60	77	0.7787	38	54	11.95	49.95	11449.12	NT
Floyd	184	93	9093.25	845671.99	77	0.7787					845671.99	T
Floyd	1936	25	1528.89	38222.25	77	0.7787	25	0	0.00	25.00	38222.25	NT
Floyd	1936	25	47.61	1190.14	77	0.7787					1190.14	T
Floyd	194	79	7.19	567.99	77	0.7787	38	40	8.85	46.85	336.86	NT
Floyd	194	79	213.26	16847.16	77	0.7787					16847.16	T
Floyd	194B	74	31.55	2334.63	77	0.7787	38	36	7.97	45.97	1450.21	NT
Floyd	194B	74	534.60	39560.60	77	0.7787					39560.60	T
Floyd	194C3	39	19.09	744.52	77	0.7787	38	0	0.00	38.00	725.43	NT
Floyd	194C3	39	185.09	7218.66	77	0.7787					7218.66	T
Floyd	198	79	19.25	1521.14	77	0.7787	38	40	8.85	46.85	902.13	NT
Floyd	198	79	581.65	45950.67	77	0.7787					45950.67	T
Floyd	198B	80	1106.86	88548.61	77	0.7787	38	42	9.29	47.29	52348.39	NT
Floyd	198B	80	20088.61	1607088.67	77	0.7787					1607088.67	T
Floyd	201B	51	96.83	4938.19	77	0.7787	38	12	2.66	40.66	3936.57	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	201B	51	111.23	5672.71	77	0.7787					5672.71	T
Floyd	213	79	45.82	3619.66	77	0.7787	38	40	8.85	46.85	2146.69	NT
Floyd	213	79	455.38	35975.35	77	0.7787					35975.35	T
Floyd	213B	74	206.55	15284.97	77	0.7787	38	36	7.97	45.97	9494.61	NT
Floyd	213B	74	1746.20	129218.76	77	0.7787					129218.76	T
Floyd	214	63	23.84	1501.90	77	0.7787	38	24	5.31	43.31	1032.52	NT
Floyd	214	63	345.78	21783.89	77	0.7787					21783.89	T
Floyd	214B	58	390.22	22633.04	77	0.7787	38	20	4.43	42.43	16555.68	NT
Floyd	214B	58	2542.86	147486.09	77	0.7787					147486.09	T
Floyd	214C	45	251.77	11329.67	77	0.7787	38	6	1.33	39.33	9901.58	NT
Floyd	214C	45	521.45	23465.08	77	0.7787					23465.08	T
Floyd	214C2	33	63.06	2080.95	77	0.7787	33	0	0.00	33.00	2080.95	NT
Floyd	214C2	33	119.29	3936.47	77	0.7787					3936.47	T
Floyd	216B	65	30.69	1995.09	77	0.7787	38	26	5.75	43.75	1342.96	NT
Floyd	216B	65	231.05	15018.31	77	0.7787					15018.31	T
Floyd	217B	79	43.61	3444.84	77	0.7787	38	40	8.85	46.85	2043.01	NT
Floyd	217B	79	378.80	29925.05	77	0.7787					29925.05	T
Floyd	221B	45	100.37	4516.43	77	0.7787	38	6	1.33	39.33	3947.14	NT
Floyd	221B	45	193.86	8723.50	77	0.7787					8723.50	T
Floyd	235	82	0.25	20.54	77	0.7787	38	44	9.74	47.74	11.96	NT
Floyd	27	73	95.56	6976.23	77	0.7787	38	34	7.52	45.52	4350.51	NT
Floyd	27	73	1216.35	88793.24	77	0.7787					88793.24	T
Floyd	27B	82	549.24	45037.79	77	0.7787	38	44	9.74	47.74	26219.24	NT
Floyd	27B	82	2836.23	232571.01	77	0.7787					232571.01	T
Floyd	284	40	89.78	3591.25	77	0.7787	38	2	0.44	38.44	3451.42	NT
Floyd	284	40	697.80	27911.80	77	0.7787					27911.80	T
Floyd	284B	45	187.01	8415.57	77	0.7787	38	6	1.33	39.33	7354.79	NT
Floyd	284B	45	716.26	32231.69	77	0.7787					32231.69	T
Floyd	284C	30	108.28	3248.44	77	0.7787	30	0	0.00	30.00	3248.44	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	284C	30	127.05	3811.44	77	0.7787					3811.44	T
Floyd	285B	25	119.41	2985.31	77	0.7787	25	0	0.00	25.00	2985.31	NT
Floyd	285B	25	584.89	14622.16	77	0.7787					14622.16	T
Floyd	285C	5	257.33	1286.63	77	0.7787	5	0	0.00	5.00	1286.63	NT
Floyd	285C	5	510.61	2553.03	77	0.7787					2553.03	T
Floyd	285F	5	147.12	735.59	77	0.7787	5	0	0.00	5.00	735.59	NT
Floyd	285F	5	38.08	190.39	77	0.7787					190.39	T
Floyd	303	79	52.69	4162.39	77	0.7787	38	40	8.85	46.85	2468.56	NT
Floyd	303	79	393.69	31101.82	77	0.7787					31101.82	T
Floyd	377	93	105.53	9813.99	77	0.7787	38	54	11.95	49.95	5271.09	NT
Floyd	377	93	2367.37	220165.33	77	0.7787					220165.33	T
Floyd	377B	90	166.25	14962.60	77	0.7787	38	52	11.51	49.51	8230.69	NT
Floyd	377B	90	2872.12	258490.50	77	0.7787					258490.50	T
Floyd	382	90	218.25	19642.37	77	0.7787	38	52	11.51	49.51	10804.96	NT
Floyd	382	90	15307.46	1377671.64	77	0.7787					1377671.64	T
Floyd	391B	72	841.73	60604.58	77	0.7787	38	34	7.52	45.52	38319.10	NT
Floyd	391B	72	5479.14	394497.83	77	0.7787					394497.83	T
Floyd	394	89	250.53	22296.96	77	0.7787	38	50	11.07	49.07	12292.14	NT
Floyd	394	89	4539.36	404002.99	77	0.7787					404002.99	T
Floyd	394B	85	803.35	68284.47	77	0.7787	38	46	10.18	48.18	38705.08	NT
Floyd	394B	85	9956.57	846308.29	77	0.7787					846308.29	T
Floyd	394C	70	155.50	10885.14	77	0.7787	38	32	7.08	45.08	7010.28	NT
Floyd	394C	70	480.19	33613.53	77	0.7787					33613.53	T
Floyd	394C2	68	43.78	2977.08	77	0.7787	38	30	6.64	44.64	1954.32	NT
Floyd	394C2	68	300.34	20423.18	77	0.7787					20423.18	T
Floyd	398	81	205.74	16665.08	77	0.7787	38	42	9.29	47.29	9730.47	NT
Floyd	398	81	11226.31	909331.21	77	0.7787					909331.21	T
Floyd	399	91	508.31	46256.59	77	0.7787	38	52	11.51	49.51	25165.41	NT
Floyd	399	91	14438.95	1313944.59	77	0.7787					1313944.59	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	399B	84	192.49	16169.18	77	0.7787	38	46	10.18	48.18	9274.14	NT
Floyd	399B	84	5473.49	459772.99	77	0.7787					459772.99	T
Floyd	4000	0	9.29	0.00	77	0.7787	0	0	0.00	0.00	0.00	NT
Floyd	4000	0	0.07	0.00	77	0.7787					0.00	T
Floyd	407B	72	229.91	16553.71	77	0.7787	38	34	7.52	45.52	10466.59	NT
Floyd	407B	72	5412.66	389711.30	77	0.7787					389711.30	T
Floyd	408B	66	88.73	5856.50	77	0.7787	38	28	6.20	44.20	3921.76	NT
Floyd	408B	66	425.90	28109.10	77	0.7787					28109.10	T
Floyd	408C	52	0.06	3.38	77	0.7787					3.38	T
Floyd	412C	13	343.11	4460.38	77	0.7787	13	0	0.00	13.00	4460.38	NT
Floyd	412C	13	513.62	6677.00	77	0.7787					6677.00	T
Floyd	412E	5	230.61	1153.05	77	0.7787	5	0	0.00	5.00	1153.05	NT
Floyd	412E	5	55.75	278.74	77	0.7787					278.74	T
Floyd	412G	5	456.96	2284.80	77	0.7787	5	0	0.00	5.00	2284.80	NT
Floyd	412G	5	24.93	124.64	77	0.7787					124.64	T
Floyd	41B	40	30.02	1200.77	77	0.7787	38	2	0.44	38.44	1154.02	NT
Floyd	41B	40	244.18	9767.14	77	0.7787					9767.14	T
Floyd	43	80	1.30	104.01	77	0.7787					104.01	T
Floyd	444B	60	42.99	2579.53	77	0.7787	38	22	4.87	42.87	1843.02	NT
Floyd	444B	60	834.56	50073.69	77	0.7787					50073.69	T
Floyd	457	82	649.81	53284.56	77	0.7787	38	44	9.74	47.74	31020.19	NT
Floyd	457	82	966.82	79279.47	77	0.7787					79279.47	T
Floyd	471	86	331.47	28506.24	77	0.7787	38	48	10.62	48.62	16116.77	NT
Floyd	471	86	8465.03	727992.17	77	0.7787					727992.17	T
Floyd	471B	79	163.46	12913.49	77	0.7787	38	40	8.85	46.85	7658.51	NT
Floyd	471B	79	2734.53	216027.90	77	0.7787					216027.90	T
Floyd	472	74	0.12	8.53	77	0.7787					8.53	T
Floyd	482	84	86.30	7248.96	77	0.7787	38	46	10.18	48.18	4157.78	NT
Floyd	482	84	888.41	74626.57	77	0.7787					74626.57	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	482B	78	536.79	41869.82	77	0.7787	38	40	8.85	46.85	25149.81	NT
Floyd	482B	78	4744.54	370074.33	77	0.7787					370074.33	T
Floyd	482C	66	166.05	10959.56	77	0.7787	38	28	6.20	44.20	7338.99	NT
Floyd	482C	66	569.02	37555.19	77	0.7787					37555.19	T
Floyd	482C2	62	63.62	3944.55	77	0.7787	38	24	5.31	43.31	2755.54	NT
Floyd	482C2	62	418.52	25948.22	77	0.7787					25948.22	T
Floyd	485	92	1021.94	94018.04	77	0.7787	38	54	11.95	49.95	51045.87	NT
Floyd	485	92	1385.67	127481.45	77	0.7787					127481.45	T
Floyd	491B	74	68.11	5040.34	77	0.7787	38	36	7.97	45.97	3130.92	NT
Floyd	491B	74	220.56	16321.80	77	0.7787					16321.80	T
Floyd	5010	0	237.17	0.00	77	0.7787	0	0	0.00	0.00	0.00	NT
Floyd	5010	0	17.02	0.00	77	0.7787					0.00	T
Floyd	5030	0	212.73	0.00	77	0.7787	0	0	0.00	0.00	0.00	NT
Floyd	5030	0	9.67	0.00	77	0.7787					0.00	T
Floyd	5040	5	178.96	894.78	77	0.7787	5	0	0.00	5.00	894.78	NT
Floyd	5040	5	67.96	339.79	77	0.7787					339.79	T
Floyd	507	71	90.49	6424.49	77	0.7787	38	32	7.08	45.08	4079.24	NT
Floyd	507	71	1173.13	83292.39	77	0.7787					83292.39	T
Floyd	535	65	133.21	8658.69	77	0.7787	38	26	5.75	43.75	5828.47	NT
Floyd	535	65	205.29	13343.69	77	0.7787					13343.69	T
Floyd	536	70	197.17	13801.99	77	0.7787	38	32	7.08	45.08	8888.79	NT
Floyd	536	70	233.93	16375.34	77	0.7787					16375.34	T
Floyd	537	65	194.08	12615.34	77	0.7787	38	26	5.75	43.75	8491.83	NT
Floyd	537	65	100.84	6554.89	77	0.7787					6554.89	T
Floyd	551	58	64.47	3739.30	77	0.7787	38	20	4.43	42.43	2735.23	NT
Floyd	551	58	352.75	20459.63	77	0.7787					20459.63	T
Floyd	559	40	70.09	2803.76	77	0.7787	38	2	0.44	38.44	2694.60	NT
Floyd	559	40	249.12	9964.74	77	0.7787					9964.74	T
Floyd	595	73	5.56	405.71	77	0.7787	38	34	7.52	45.52	253.01	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	595	73	318.74	23268.28	77	0.7787					23268.28	T
Floyd	612C2	50	85.74	4287.06	77	0.7787	38	12	2.66	40.66	3485.86	NT
Floyd	612C2	50	198.36	9918.13	77	0.7787					9918.13	T
Floyd	612D2	30	172.14	5164.20	77	0.7787	30	0	0.00	30.00	5164.20	NT
Floyd	612D2	30	133.13	3993.97	77	0.7787					3993.97	T
Floyd	616	75	7.83	587.60	77	0.7787	38	36	7.97	45.97	360.13	NT
Floyd	616	75	503.95	37796.32	77	0.7787					37796.32	T
Floyd	616B	70	29.80	2086.06	77	0.7787	38	32	7.08	45.08	1343.47	NT
Floyd	616B	70	862.04	60342.86	77	0.7787					60342.86	T
Floyd	616C2	45	48.50	2182.35	77	0.7787	38	6	1.33	39.33	1907.27	NT
Floyd	616C2	45	330.04	14851.70	77	0.7787					14851.70	T
Floyd	616D2	30	49.59	1487.72	77	0.7787	30	0	0.00	30.00	1487.72	NT
Floyd	616D2	30	73.89	2216.72	77	0.7787					2216.72	T
Floyd	626	67	60.50	4053.50	77	0.7787	38	28	6.20	44.20	2673.88	NT
Floyd	626	67	969.28	64941.78	77	0.7787					64941.78	T
Floyd	631	87	11.58	1007.68	77	0.7787	38	48	10.62	48.62	563.17	NT
Floyd	631	87	257.35	22389.10	77	0.7787					22389.10	T
Floyd	631B	82	51.02	4183.56	77	0.7787	38	44	9.74	47.74	2435.50	NT
Floyd	631B	82	467.32	38320.48	77	0.7787					38320.48	T
Floyd	631C	67	55.88	3743.85	77	0.7787	38	28	6.20	44.20	2469.62	NT
Floyd	631C	67	153.22	10266.06	77	0.7787					10266.06	T
Floyd	63C	21	58.20	1222.27	77	0.7787	21	0	0.00	21.00	1222.27	NT
Floyd	63C	21	243.01	5103.25	77	0.7787					5103.25	T
Floyd	651	57	38.14	2173.89	77	0.7787	38	18	3.98	41.98	1601.18	NT
Floyd	651	57	152.60	8698.25	77	0.7787					8698.25	T
Floyd	662B	90	28.22	2539.97	77	0.7787	38	52	11.51	49.51	1397.20	NT
Floyd	662B	90	147.87	13308.51	77	0.7787					13308.51	T
Floyd	697	60	17.86	1071.58	77	0.7787	38	22	4.87	42.87	765.62	NT
Floyd	697	60	625.41	37524.53	77	0.7787					37524.53	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	706B	58	0.07	4.12	77	0.7787					4.12	T
Floyd	713	74	44.45	3289.07	77	0.7787	38	36	7.97	45.97	2043.08	NT
Floyd	713	74	256.00	18944.34	77	0.7787					18944.34	T
Floyd	713B	69	160.11	11047.43	77	0.7787	38	30	6.64	44.64	7147.05	NT
Floyd	713B	69	538.12	37129.97	77	0.7787					37129.97	T
Floyd	714B	53	143.56	7608.59	77	0.7787	38	14	3.10	41.10	5899.99	NT
Floyd	714B	53	661.80	35075.23	77	0.7787					35075.23	T
Floyd	714C	33	199.64	6588.08	77	0.7787	33	0	0.00	33.00	6588.08	NT
Floyd	714C	33	233.71	7712.27	77	0.7787					7712.27	T
Floyd	733	64	369.20	23628.49	77	0.7787	38	26	5.75	43.75	16153.69	NT
Floyd	733	64	158.44	10140.44	77	0.7787					10140.44	T
Floyd	761	83	145.29	12059.08	77	0.7787	38	44	9.74	47.74	6935.74	NT
Floyd	761	83	3619.91	300452.49	77	0.7787					300452.49	T
Floyd	771	90	3.64	327.62	77	0.7787	38	52	11.51	49.51	180.22	NT
Floyd	771	90	111.64	10047.65	77	0.7787					10047.65	T
Floyd	771B	87	17.73	1542.12	77	0.7787	38	48	10.62	48.62	861.86	NT
Floyd	771B	87	280.19	24376.87	77	0.7787					24376.87	T
Floyd	776C	8	141.17	1129.38	77	0.7787	8	0	0.00	8.00	1129.38	NT
Floyd	776C	8	537.86	4302.88	77	0.7787					4302.88	T
Floyd	777	58	264.09	15317.40	77	0.7787	38	20	4.43	42.43	11204.41	NT
Floyd	777	58	1680.76	97484.22	77	0.7787					97484.22	T
Floyd	777B	53	354.29	18777.50	77	0.7787	38	14	3.10	41.10	14560.78	NT
Floyd	777B	53	1463.82	77582.56	77	0.7787					77582.56	T
Floyd	777C	34	127.87	4347.51	77	0.7787	34	0	0.00	34.00	4347.51	NT
Floyd	777C	34	303.94	10333.88	77	0.7787					10333.88	T
Floyd	781B	60	224.69	13481.41	77	0.7787	38	22	4.87	42.87	9632.15	NT
Floyd	781B	60	2849.96	170997.85	77	0.7787					170997.85	T
Floyd	781C	40	67.56	2702.49	77	0.7787	38	2	0.44	38.44	2597.27	NT
Floyd	781C	40	357.74	14309.61	77	0.7787					14309.61	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	781C2	35	55.35	1937.08	77	0.7787	35	0	0.00	35.00	1937.08	NT
Floyd	781C2	35	393.39	13768.72	77	0.7787					13768.72	T
Floyd	782	55	3.89	213.78	77	0.7787	38	16	3.54	41.54	161.46	NT
Floyd	782	55	247.53	13614.35	77	0.7787					13614.35	T
Floyd	782B	50	12.51	625.61	77	0.7787	38	12	2.66	40.66	508.69	NT
Floyd	782B	50	717.83	35891.54	77	0.7787					35891.54	T
Floyd	783B	63	79.97	5038.19	77	0.7787	38	24	5.31	43.31	3463.65	NT
Floyd	783B	63	894.63	56361.57	77	0.7787					56361.57	T
Floyd	783C	43	17.87	768.42	77	0.7787	38	4	0.89	38.89	694.89	NT
Floyd	783C	43	317.27	13642.44	77	0.7787					13642.44	T
Floyd	784B	50	183.64	9181.78	77	0.7787	38	12	2.66	40.66	7465.82	NT
Floyd	784B	50	2347.81	117390.30	77	0.7787					117390.30	T
Floyd	789	69	26.03	1796.34	77	0.7787	38	30	6.64	44.64	1162.13	NT
Floyd	789	69	788.29	54391.83	77	0.7787					54391.83	T
Floyd	797	56	101.06	5659.27	77	0.7787	38	18	3.98	41.98	4242.78	NT
Floyd	797	56	841.96	47150.02	77	0.7787					47150.02	T
Floyd	798B	60	310.08	18604.68	77	0.7787	38	22	4.87	42.87	13292.61	NT
Floyd	798B	60	3186.22	191173.20	77	0.7787					191173.20	T
Floyd	806B	56	31.09	1740.93	77	0.7787	38	18	3.98	41.98	1305.18	NT
Floyd	806B	56	137.98	7726.85	77	0.7787					7726.85	T
Floyd	83	88	41.32	3636.30	77	0.7787	38	50	11.07	49.07	2027.44	NT
Floyd	83	88	854.54	75199.75	77	0.7787					75199.75	T
Floyd	83B	87	958.45	83385.00	77	0.7787	38	48	10.62	48.62	46602.06	NT
Floyd	83B	87	15611.51	1358201.26	77	0.7787					1358201.26	T
Floyd	83C	72	80.13	5769.11	77	0.7787	38	34	7.52	45.52	3647.70	NT
Floyd	83C	72	594.66	42815.81	77	0.7787					42815.81	T
Floyd	83C2	69	59.24	4087.32	77	0.7787	38	30	6.64	44.64	2644.26	NT
Floyd	83C2	69	956.51	65998.92	77	0.7787					65998.92	T
Floyd	84	76	2965.66	225390.51	77	0.7787	38	38	8.41	46.41	137634.72	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Floyd	84	76	29051.97	2207949.84	77	0.7787					2207949.84	T
Floyd	88	92	0.67	61.71	77	0.7787					61.71	T
Floyd	936	75	526.77	39507.98	77	0.7787	38	36	7.97	45.97	24214.07	NT
Floyd	936	75	530.94	39820.62	77	0.7787					39820.62	T
Floyd	96	71	224.40	15932.46	77	0.7787	38	32	7.08	45.08	10116.35	NT
Floyd	96	71	1163.15	82583.49	77	0.7787					82583.49	T
Floyd	976	95	7.90	750.22	77	0.7787	38	56	12.39	50.39	397.95	NT
Floyd	976	95	173.39	16472.47	77	0.7787					16472.47	T
Floyd	AW	0	0.52	0.00	77	0.7787	0	0	0.00	0.00	0.00	NT
Floyd	INT	0	28.79	0.00	77	0.7787	0	0	0.00	0.00	0.00	NT
Floyd	INT	0	16.97	0.00	77	0.7787					0.00	T
Floyd	SL	0	12.88	0.00	77	0.7787	0	0	0.00	0.00	0.00	NT
Floyd	W	0	418.25	0.00	77	0.7787	0	0	0.00	0.00	0.00	NT
Floyd	W	0	6.69	0.00	77	0.7787					0.00	T
											0.00	
											0.00	
Franklin	107	70	387.76	27143.20	77	0.8054	38	32	6.23	44.23	17149.54	NT
Franklin	107	70	18554.11	1298787.44	77	0.8054					1298787.44	T
Franklin	108	52	0.20	10.37	77	0.8054	38	14	2.72	40.72	8.12	NT
Franklin	108	52	32.28	1678.34	77	0.8054					1678.34	T
Franklin	108B	47	0.24	11.34	77	0.8054	38	8	1.56	39.56	9.54	NT
Franklin	108B	47	26.19	1230.70	77	0.8054					1230.70	T
Franklin	1135	25	3243.88	81096.90	77	0.8054	25	0	0.00	25.00	81096.90	NT
Franklin	1135	25	216.49	5412.14	77	0.8054					5412.14	T
Franklin	1152	68	463.34	31507.37	77	0.8054	38	30	5.84	43.84	20312.06	NT
Franklin	1152	68	7596.31	516549.39	77	0.8054					516549.39	T
Franklin	1173	65	21.24	1380.33	77	0.8054	38	26	5.06	43.06	914.40	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	1173	65	373.43	24272.85	77	0.8054					24272.85	T
Franklin	118	95	70.55	6702.19	77	0.8054	38	56	10.90	48.90	3449.70	NT
Franklin	118	95	1960.79	186274.90	77	0.8054					186274.90	T
Franklin	119	100	58.20	5819.86	77	0.8054	38	62	12.07	50.07	2913.73	NT
Franklin	119	100	2401.62	240161.76	77	0.8054					240161.76	T
Franklin	11B	68	515.29	35039.42	77	0.8054	38	30	5.84	43.84	22589.09	NT
Franklin	11B	68	2793.67	189969.49	77	0.8054					189969.49	T
Franklin	120B	95	69.19	6573.36	77	0.8054	38	56	10.90	48.90	3383.39	NT
Franklin	120B	95	865.60	82231.67	77	0.8054					82231.67	T
Franklin	1226	72	391.31	28174.34	77	0.8054	38	34	6.62	44.62	17458.85	NT
Franklin	1226	72	7530.22	542175.54	77	0.8054					542175.54	T
Franklin	133	80	801.05	64084.15	77	0.8054	38	42	8.17	46.17	36987.13	NT
Franklin	133	80	1987.14	158971.21	77	0.8054					158971.21	T
Franklin	135	78	3983.86	310741.09	77	0.8054	38	40	7.78	45.78	182397.05	NT
Franklin	135	78	7011.26	546878.55	77	0.8054					546878.55	T
Franklin	138B	73	2471.92	180450.09	77	0.8054	38	34	6.62	44.62	110288.13	NT
Franklin	138B	73	50568.62	3691509.61	77	0.8054					3691509.61	T
Franklin	138C2	59	696.09	41069.03	77	0.8054	38	20	3.89	41.89	29160.40	NT
Franklin	138C2	59	14372.54	847979.80	77	0.8054					847979.80	T
Franklin	138D2	56	161.58	9048.23	77	0.8054	38	18	3.50	41.50	6705.84	NT
Franklin	138D2	56	1039.79	58228.51	77	0.8054					58228.51	T
Franklin	153	60	31.15	1869.05	77	0.8054	38	22	4.28	42.28	1317.09	NT
Franklin	153	60	426.46	25587.38	77	0.8054					25587.38	T
Franklin	1585	5	4.13	20.63	77	0.8054	5	0	0.00	5.00	20.63	NT
Franklin	1585	5	0.06	0.31	77	0.8054					0.31	T
Franklin	171B	82	0.13	11.03	77	0.8054					11.03	T
Franklin	173	60	0.61	36.47	77	0.8054					36.47	T
Franklin	174B	70	173.25	12127.33	77	0.8054	38	32	6.23	44.23	7662.25	NT
Franklin	174B	70	2156.01	150920.52	77	0.8054					150920.52	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	174C	55	119.68	6582.45	77	0.8054	38	16	3.11	41.11	4920.52	NT
Franklin	174C	55	789.01	43395.77	77	0.8054					43395.77	T
Franklin	175B	56	75.73	4240.81	77	0.8054	38	18	3.50	41.50	3142.95	NT
Franklin	175B	56	933.24	52261.56	77	0.8054					52261.56	T
Franklin	175C	41	108.93	4466.16	77	0.8054	38	2	0.39	38.39	4181.76	NT
Franklin	175C	41	329.31	13501.78	77	0.8054					13501.78	T
Franklin	177	64	327.85	20982.23	77	0.8054	38	26	5.06	43.06	14116.98	NT
Franklin	177	64	6819.80	436467.24	77	0.8054					436467.24	T
Franklin	177B	60	236.81	14208.60	77	0.8054	38	22	4.28	42.28	10012.61	NT
Franklin	177B	60	1864.56	111873.71	77	0.8054					111873.71	T
Franklin	177C	40	36.61	1464.41	77	0.8054	38	2	0.39	38.39	1405.43	NT
Franklin	177C	40	195.66	7826.23	77	0.8054					7826.23	T
Franklin	178	79	102.74	8116.45	77	0.8054	38	40	7.78	45.78	4703.84	NT
Franklin	178	79	1157.67	91455.85	77	0.8054					91455.85	T
Franklin	178B	74	69.48	5141.46	77	0.8054	38	36	7.01	45.01	3126.95	NT
Franklin	178B	74	537.85	39800.99	77	0.8054					39800.99	T
Franklin	184	93	300.41	27937.78	77	0.8054	38	54	10.51	48.51	14572.22	NT
Franklin	184	93	11028.95	1025692.24	77	0.8054					1025692.24	T
Franklin	1936	25	0.16	4.00	77	0.8054	25	0	0.00	25.00	4.00	NT
Franklin	1936	25	0.02	0.38	77	0.8054					0.38	T
Franklin	198B	80	85.53	6842.57	77	0.8054	38	42	8.17	46.17	3949.29	NT
Franklin	198B	80	2873.22	229857.83	77	0.8054					229857.83	T
Franklin	201B	51	562.61	28693.11	77	0.8054	38	12	2.34	40.34	22692.99	NT
Franklin	201B	51	2063.30	105228.27	77	0.8054					105228.27	T
Franklin	203	71	0.66	46.83	77	0.8054	38	32	6.23	44.23	29.17	NT
Franklin	203	71	16.12	1144.44	77	0.8054					1144.44	T
Franklin	213B	74	26.68	1973.98	77	0.8054	38	36	7.01	45.01	1200.54	NT
Franklin	213B	74	160.49	11876.47	77	0.8054					11876.47	T
Franklin	214B	58	47.43	2750.76	77	0.8054	38	20	3.89	41.89	1986.81	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	214B	58	465.80	27016.39	77	0.8054					27016.39	T
Franklin	214C2	33	134.22	4429.34	77	0.8054	33	0	0.00	33.00	4429.34	NT
Franklin	214C2	33	641.69	21175.83	77	0.8054					21175.83	T
Franklin	216C2	47	57.01	2679.49	77	0.8054	38	8	1.56	39.56	2255.15	NT
Franklin	216C2	47	460.16	21627.68	77	0.8054					21627.68	T
Franklin	217B	79	65.73	5192.90	77	0.8054	38	40	7.78	45.78	3009.52	NT
Franklin	217B	79	617.97	48819.46	77	0.8054					48819.46	T
Franklin	221	25	108.88	2722.03	77	0.8054	25	0	0.00	25.00	2722.03	NT
Franklin	221	25	1359.07	33976.64	77	0.8054					33976.64	T
Franklin	236B	79	131.70	10403.98	77	0.8054	38	40	7.78	45.78	6029.57	NT
Franklin	236B	79	395.12	31214.58	77	0.8054					31214.58	T
Franklin	236C	61	300.54	18333.11	77	0.8054	38	22	4.28	42.28	12707.31	NT
Franklin	236C	61	306.51	18696.96	77	0.8054					18696.96	T
Franklin	236C2	62	1.13	69.84	77	0.8054	38	24	4.67	42.67	48.07	NT
Franklin	236D2	48	268.59	12892.36	77	0.8054	38	10	1.95	39.95	10729.13	NT
Franklin	236D2	48	123.03	5905.44	77	0.8054					5905.44	T
Franklin	236F	19	342.69	6511.04	77	0.8054	19	0	0.00	19.00	6511.04	NT
Franklin	236F	19	110.27	2095.14	77	0.8054					2095.14	T
Franklin	259	41	1.36	55.66	77	0.8054	38	2	0.39	38.39	52.12	NT
Franklin	259	41	37.45	1535.31	77	0.8054					1535.31	T
Franklin	27B	82	152.57	12510.56	77	0.8054	38	44	8.56	46.56	7103.92	NT
Franklin	27B	82	2021.96	165800.75	77	0.8054					165800.75	T
Franklin	284B	45	81.59	3671.74	77	0.8054	38	6	1.17	39.17	3195.85	NT
Franklin	284B	45	762.16	34297.02	77	0.8054					34297.02	T
Franklin	284C	30	17.49	524.85	77	0.8054	30	0	0.00	30.00	524.85	NT
Franklin	284C	30	301.18	9035.32	77	0.8054					9035.32	T
Franklin	308	43	0.14	6.03	77	0.8054	38	4	0.78	38.78	5.43	NT
Franklin	308	43	19.86	854.17	77	0.8054					854.17	T
Franklin	325	87	0.05	3.92	77	0.8054	38	48	9.34	47.34	2.14	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	329	83	543.20	45085.68	77	0.8054	38	44	8.56	46.56	25292.74	NT
Franklin	329	83	18423.95	1529188.10	77	0.8054					1529188.10	T
Franklin	335	59	72.44	4273.93	77	0.8054	38	20	3.89	41.89	3034.63	NT
Franklin	335	59	1451.05	85611.86	77	0.8054					85611.86	T
Franklin	373C2	70	38.73	2710.79	77	0.8054	38	32	6.23	44.23	1712.72	NT
Franklin	373C2	70	228.85	16019.69	77	0.8054					16019.69	T
Franklin	373D2	60	82.96	4977.43	77	0.8054	38	22	4.28	42.28	3507.53	NT
Franklin	373D2	60	523.20	31392.19	77	0.8054					31392.19	T
Franklin	377	93	63.99	5951.19	77	0.8054	38	54	10.51	48.51	3104.11	NT
Franklin	377	93	2388.80	222158.43	77	0.8054					222158.43	T
Franklin	377B	90	1231.64	110847.91	77	0.8054	38	52	10.12	48.12	59265.70	NT
Franklin	377B	90	25436.28	2289264.77	77	0.8054					2289264.77	T
Franklin	377C	75	72.15	5411.47	77	0.8054	38	36	7.01	45.01	3247.28	NT
Franklin	377C	75	733.10	54982.63	77	0.8054					54982.63	T
Franklin	377C2	73	71.99	5255.09	77	0.8054	38	34	6.62	44.62	3211.82	NT
Franklin	377C2	73	1758.58	128376.36	77	0.8054					128376.36	T
Franklin	382	90	123.49	11114.52	77	0.8054	38	52	10.12	48.12	5942.46	NT
Franklin	382	90	3930.50	353745.37	77	0.8054					353745.37	T
Franklin	391B	72	45.52	3277.63	77	0.8054	38	34	6.62	44.62	2031.05	NT
Franklin	391B	72	909.86	65510.22	77	0.8054					65510.22	T
Franklin	398	81	3.25	263.15	77	0.8054	38	42	8.17	46.17	150.01	NT
Franklin	398	81	325.53	26367.74	77	0.8054					26367.74	T
Franklin	399	91	48.26	4391.67	77	0.8054	38	52	10.12	48.12	2322.24	NT
Franklin	399	91	1147.84	104453.71	77	0.8054					104453.71	T
Franklin	407B	72	11.24	809.26	77	0.8054	38	34	6.62	44.62	501.48	NT
Franklin	407B	72	405.75	29213.72	77	0.8054					29213.72	T
Franklin	41B	40	43.63	1745.15	77	0.8054	38	2	0.39	38.39	1674.88	NT
Franklin	41B	40	279.66	11186.35	77	0.8054					11186.35	T
Franklin	426	90	10.26	923.08	77	0.8054	38	52	10.12	48.12	493.53	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	426	90	405.38	36484.46	77	0.8054					36484.46	T
Franklin	426B	85	176.73	15022.32	77	0.8054	38	46	8.95	46.95	8297.91	NT
Franklin	426B	85	3220.51	273742.98	77	0.8054					273742.98	T
Franklin	426C	70	36.15	2530.53	77	0.8054	38	32	6.23	44.23	1598.83	NT
Franklin	426C	70	304.13	21288.92	77	0.8054					21288.92	T
Franklin	426C2	68	61.15	4157.92	77	0.8054	38	30	5.84	43.84	2680.51	NT
Franklin	426C2	68	655.98	44606.71	77	0.8054					44606.71	T
Franklin	428B	93	64.76	6022.26	77	0.8054	38	54	10.51	48.51	3141.19	NT
Franklin	428B	93	1411.63	131281.60	77	0.8054					131281.60	T
Franklin	444B	60	71.36	4281.62	77	0.8054	38	22	4.28	42.28	3017.20	NT
Franklin	444B	60	923.70	55421.78	77	0.8054					55421.78	T
Franklin	444C2	45	18.59	836.68	77	0.8054	38	6	1.17	39.17	728.24	NT
Franklin	444C2	45	139.63	6283.14	77	0.8054					6283.14	T
Franklin	5010	0	257.28	0.00	77	0.8054	0	0	0.00	0.00	0.00	NT
Franklin	5010	0	48.91	0.00	77	0.8054					0.00	T
Franklin	5030	0	162.90	0.00	77	0.8054	0	0	0.00	0.00	0.00	NT
Franklin	5030	0	10.21	0.00	77	0.8054					0.00	T
Franklin	506	69	6.76	466.52	77	0.8054	38	30	5.84	43.84	296.40	NT
Franklin	506	69	315.88	21795.41	77	0.8054					21795.41	T
Franklin	507	71	295.35	20969.95	77	0.8054	38	32	6.23	44.23	13062.57	NT
Franklin	507	71	13635.87	968147.11	77	0.8054					968147.11	T
Franklin	512C	25	53.99	1349.69	77	0.8054	25	0	0.00	25.00	1349.69	NT
Franklin	512C	25	206.25	5156.32	77	0.8054					5156.32	T
Franklin	512E	12	232.98	2795.70	77	0.8054	12	0	0.00	12.00	2795.70	NT
Franklin	512E	12	249.90	2998.78	77	0.8054					2998.78	T
Franklin	512G	5	215.08	1075.40	77	0.8054	5	0	0.00	5.00	1075.40	NT
Franklin	512G	5	59.51	297.54	77	0.8054					297.54	T
Franklin	55	73	795.75	58089.68	77	0.8054	38	34	6.62	44.62	35503.46	NT
Franklin	55	73	26915.56	1964835.76	77	0.8054					1964835.76	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	551	58	39.25	2276.39	77	0.8054	38	20	3.89	41.89	1644.18	NT
Franklin	551	58	481.27	27913.95	77	0.8054					27913.95	T
Franklin	5550	0	104.81	0.00	77	0.8054	0	0	0.00	0.00	0.00	NT
Franklin	5550	0	464.73	0.00	77	0.8054					0.00	T
Franklin	559	40	170.65	6825.87	77	0.8054	38	2	0.39	38.39	6550.99	NT
Franklin	559	40	2309.37	92374.88	77	0.8054					92374.88	T
Franklin	595	73	8.78	640.93	77	0.8054	38	34	6.62	44.62	391.72	NT
Franklin	595	73	504.39	36820.36	77	0.8054					36820.36	T
Franklin	6	43	61.35	2638.06	77	0.8054	38	4	0.78	38.78	2379.06	NT
Franklin	6	43	7224.90	310670.62	77	0.8054					310670.62	T
Franklin	612B	65	0.57	36.85	77	0.8054	38	26	5.06	43.06	24.41	NT
Franklin	612C2	50	53.87	2693.51	77	0.8054	38	12	2.34	40.34	2172.87	NT
Franklin	612C2	50	333.53	16676.49	77	0.8054					16676.49	T
Franklin	612E2	28	188.32	5272.85	77	0.8054	28	0	0.00	28.00	5272.85	NT
Franklin	612E2	28	338.77	9485.62	77	0.8054					9485.62	T
Franklin	613	83	22.01	1826.90	77	0.8054	38	44	8.56	46.56	1024.88	NT
Franklin	613	83	291.80	24219.52	77	0.8054					24219.52	T
Franklin	613B	78	122.85	9582.40	77	0.8054	38	40	7.78	45.78	5624.62	NT
Franklin	613B	78	1254.68	97865.36	77	0.8054					97865.36	T
Franklin	613C	63	28.71	1808.80	77	0.8054	38	24	4.67	42.67	1225.12	NT
Franklin	613C	63	138.03	8695.90	77	0.8054					8695.90	T
Franklin	613C2	63	21.31	1342.47	77	0.8054	38	24	4.67	42.67	909.27	NT
Franklin	613C2	63	292.31	18415.43	77	0.8054					18415.43	T
Franklin	613D2	48	63.56	3050.85	77	0.8054	38	10	1.95	39.95	2538.94	NT
Franklin	613D2	48	82.67	3968.34	77	0.8054					3968.34	T
Franklin	620C	80	31.55	2524.18	77	0.8054	38	42	8.17	46.17	1456.87	NT
Franklin	620C	80	189.88	15190.55	77	0.8054					15190.55	T
Franklin	620C2	78	100.15	7811.40	77	0.8054	38	40	7.78	45.78	4585.09	NT
Franklin	620C2	78	1505.56	117433.97	77	0.8054					117433.97	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	620D2	68	126.23	8583.38	77	0.8054	38	30	5.84	43.84	5533.51	NT
Franklin	620D2	68	992.11	67463.38	77	0.8054					67463.38	T
Franklin	620E2	58	104.45	6058.05	77	0.8054	38	20	3.89	41.89	4375.58	NT
Franklin	620E2	58	195.82	11357.54	77	0.8054					11357.54	T
Franklin	621	25	38.83	970.79	77	0.8054	25	0	0.00	25.00	970.79	NT
Franklin	621	25	545.00	13624.99	77	0.8054					13624.99	T
Franklin	626	67	0.21	14.37	77	0.8054					14.37	T
Franklin	62C2	53	7.00	371.18	77	0.8054	38	14	2.72	40.72	285.21	NT
Franklin	62C2	53	502.04	26608.38	77	0.8054					26608.38	T
Franklin	62D2	38	73.35	2787.26	77	0.8054	38	0	0.00	38.00	2787.26	NT
Franklin	62D2	38	966.11	36712.29	77	0.8054					36712.29	T
Franklin	62E2	28	124.58	3488.13	77	0.8054	28	0	0.00	28.00	3488.13	NT
Franklin	62E2	28	294.56	8247.70	77	0.8054					8247.70	T
Franklin	638C2	52	64.74	3366.52	77	0.8054	38	14	2.72	40.72	2636.53	NT
Franklin	638C2	52	2001.43	104074.43	77	0.8054					104074.43	T
Franklin	638D2	45	16.26	731.73	77	0.8054	38	6	1.17	39.17	636.89	NT
Franklin	638D2	45	613.38	27601.96	77	0.8054					27601.96	T
Franklin	733	64	323.80	20723.27	77	0.8054	38	26	5.06	43.06	13942.75	NT
Franklin	733	64	881.09	56390.03	77	0.8054					56390.03	T
Franklin	73C	5	4.32	21.59	77	0.8054	5	0	0.00	5.00	21.59	NT
Franklin	73C	5	182.82	914.11	77	0.8054					914.11	T
Franklin	760	80	18.81	1504.85	77	0.8054	38	42	8.17	46.17	868.55	NT
Franklin	760	80	221.21	17696.87	77	0.8054					17696.87	T
Franklin	761	83	50.10	4158.48	77	0.8054	38	44	8.56	46.56	2332.88	NT
Franklin	761	83	699.06	58022.04	77	0.8054					58022.04	T
Franklin	771B	87	109.63	9538.03	77	0.8054	38	48	9.34	47.34	5190.09	NT
Franklin	771B	87	1022.78	88981.67	77	0.8054					88981.67	T
Franklin	771C	72	73.61	5300.14	77	0.8054	38	34	6.62	44.62	3284.35	NT
Franklin	771C	72	131.71	9482.84	77	0.8054					9482.84	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	782B	50	19.63	981.63	77	0.8054	38	12	2.34	40.34	791.88	NT
Franklin	782B	50	629.53	31476.62	77	0.8054					31476.62	T
Franklin	782C2	30	3.22	96.70	77	0.8054	30	0	0.00	30.00	96.70	NT
Franklin	782C2	30	189.99	5699.61	77	0.8054					5699.61	T
Franklin	828B	45	24.04	1081.93	77	0.8054	38	6	1.17	39.17	941.70	NT
Franklin	828B	45	533.50	24007.67	77	0.8054					24007.67	T
Franklin	828C	31	82.09	2544.81	77	0.8054	31	0	0.00	31.00	2544.81	NT
Franklin	828C	31	633.87	19649.92	77	0.8054					19649.92	T
Franklin	828C2	30	4.51	135.30	77	0.8054					135.30	T
Franklin	83B	87	75.02	6526.94	77	0.8054	38	48	9.34	47.34	3551.62	NT
Franklin	83B	87	2017.89	175556.21	77	0.8054					175556.21	T
Franklin	83C2	69	87.86	6062.23	77	0.8054	38	30	5.84	43.84	3851.54	NT
Franklin	83C2	69	1734.26	119664.20	77	0.8054					119664.20	T
Franklin	83D	62	56.93	3529.78	77	0.8054	38	24	4.67	42.67	2429.31	NT
Franklin	83D	62	213.94	13264.18	77	0.8054					13264.18	T
Franklin	83F	30	92.55	2776.42	77	0.8054	30	0	0.00	30.00	2776.42	NT
Franklin	83F	30	47.60	1428.00	77	0.8054					1428.00	T
Franklin	84	76	129.53	9844.11	77	0.8054	38	38	7.39	45.39	5879.89	NT
Franklin	84	76	1988.25	151106.66	77	0.8054					151106.66	T
Franklin	8B	90	259.50	23355.29	77	0.8054	38	52	10.12	48.12	12487.09	NT
Franklin	8B	90	1837.00	165329.67	77	0.8054					165329.67	T
Franklin	90	42	27.56	1157.52	77	0.8054	38	4	0.78	38.78	1068.73	NT
Franklin	90	42	1193.17	50113.12	77	0.8054					50113.12	T
Franklin	933	80	393.54	31483.51	77	0.8054	38	42	8.17	46.17	18171.18	NT
Franklin	933	80	2714.14	217131.56	77	0.8054					217131.56	T
Franklin	95	57	212.61	12118.80	77	0.8054	38	18	3.50	41.50	8823.93	NT
Franklin	95	57	16624.32	947586.05	77	0.8054					947586.05	T
Franklin	956	57	123.70	7051.06	77	0.8054	38	18	3.50	41.50	5134.01	NT
Franklin	956	57	7299.24	416056.55	77	0.8054					416056.55	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Franklin	96	71	125.60	8917.43	77	0.8054	38	32	6.23	44.23	5554.83	NT
Franklin	96	71	572.75	40665.09	77	0.8054					40665.09	T
Franklin	AW	0	6.54	0.00	77	0.8054	0	0	0.00	0.00	0.00	NT
Franklin	INT	0	26.58	0.00	77	0.8054	0	0	0.00	0.00	0.00	NT
Franklin	INT	0	27.31	0.00	77	0.8054					0.00	T
Franklin	SL	0	6.29	0.00	77	0.8054	0	0	0.00	0.00	0.00	NT
Franklin	W	0	790.94	0.00	77	0.8054	0	0	0.00	0.00	0.00	NT
Franklin	W	0	7.67	0.00	77	0.8054					0.00	T
											0.00	
											0.00	
Fremont	10A	85	11.53	979.93	68	0.6932	34	51	15.65	49.65	572.36	NT
Fremont	10A	85	308.78	26246.51	68	0.6932					26246.51	T
Fremont	10B	80	254.10	20327.75	68	0.6932	34	46	14.11	48.11	12225.31	NT
Fremont	10B	80	1773.08	141846.48	68	0.6932					141846.48	T
Fremont	10C	65	547.41	35581.72	68	0.6932	34	31	9.51	43.51	23818.30	NT
Fremont	10C	65	3669.73	238532.49	68	0.6932					238532.49	T
Fremont	10C2	63	1449.65	91327.97	68	0.6932	34	29	8.90	42.90	62185.94	NT
Fremont	10C2	63	5858.64	369094.01	68	0.6932					369094.01	T
Fremont	10C3	60	6.37	382.49	68	0.6932	34	26	7.98	41.98	267.59	NT
Fremont	10C3	60	243.08	14584.99	68	0.6932					14584.99	T
Fremont	10D	55	356.48	19606.26	68	0.6932	34	21	6.44	40.44	14416.95	NT
Fremont	10D	55	756.34	41598.83	68	0.6932					41598.83	T
Fremont	10D2	53	2238.01	118614.53	68	0.6932	34	19	5.83	39.83	89138.15	NT
Fremont	10D2	53	21377.90	1133028.75	68	0.6932					1133028.75	T
Fremont	10D3	50	119.27	5963.53	68	0.6932	34	16	4.91	38.91	4640.68	NT
Fremont	10D3	50	2064.89	103244.67	68	0.6932					103244.67	T
Fremont	10E	42	382.85	16079.73	68	0.6932	34	8	2.45	36.45	13956.59	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fremont	10E	42	143.99	6047.47	68	0.6932					6047.47	T
Fremont	10E2	43	1258.46	54113.64	68	0.6932	34	9	2.76	36.76	46262.38	NT
Fremont	10E2	43	3076.28	132280.22	68	0.6932					132280.22	T
Fremont	10E3	40	206.80	8272.18	68	0.6932	34	6	1.84	35.84	7412.04	NT
Fremont	10E3	40	767.85	30714.02	68	0.6932					30714.02	T
Fremont	10F2	23	951.04	21873.94	68	0.6932	23	0	0.00	23.00	21873.94	NT
Fremont	10F2	23	129.95	2988.78	68	0.6932					2988.78	T
Fremont	11B	68	4359.16	296422.63	68	0.6932	34	34	10.43	44.43	193682.55	NT
Fremont	11B	68	18587.80	1263970.34	68	0.6932					1263970.34	T
Fremont	12B	80	4099.54	327963.09	68	0.6932	34	46	14.11	48.11	197240.28	NT
Fremont	12B	80	9860.71	788857.10	68	0.6932					788857.10	T
Fremont	12C	65	515.50	33507.48	68	0.6932	34	31	9.51	43.51	22429.81	NT
Fremont	12C	65	354.67	23053.63	68	0.6932					23053.63	T
Fremont	133	80	448.47	35877.56	68	0.6932	34	46	14.11	48.11	21577.12	NT
Fremont	133	80	2664.01	213120.67	68	0.6932					213120.67	T
Fremont	133+	85	342.61	29122.00	68	0.6932	34	51	15.65	49.65	17009.58	NT
Fremont	133+	85	3507.19	298111.26	68	0.6932					298111.26	T
Fremont	134	65	548.01	35620.97	68	0.6932	34	31	9.51	43.51	23844.57	NT
Fremont	134	65	447.13	29063.46	68	0.6932					29063.46	T
Fremont	137	65	387.30	25174.19	68	0.6932	34	31	9.51	43.51	16851.53	NT
Fremont	137	65	5187.08	337159.91	68	0.6932					337159.91	T
Fremont	144	70	88.99	6229.35	68	0.6932	34	36	11.04	45.04	4008.57	NT
Fremont	144	70	2519.12	176338.26	68	0.6932					176338.26	T
Fremont	145	65	29.74	1933.25	68	0.6932	34	31	9.51	43.51	1294.11	NT
Fremont	145	65	291.64	18956.67	68	0.6932					18956.67	T
Fremont	146	65	147.92	9614.65	68	0.6932	34	31	9.51	43.51	6436.01	NT
Fremont	146	65	2633.01	171145.81	68	0.6932					171145.81	T
Fremont	149	68	65.40	4446.87	68	0.6932	34	34	10.43	44.43	2905.58	NT
Fremont	149	68	1474.93	100295.51	68	0.6932					100295.51	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fremont	156	51	169.86	8663.02	68	0.6932	34	17	5.22	39.22	6661.29	NT
Fremont	156	51	2113.84	107805.64	68	0.6932					107805.64	T
Fremont	157	60	44.08	2644.65	68	0.6932	34	26	7.98	41.98	1850.23	NT
Fremont	157	60	563.10	33786.08	68	0.6932					33786.08	T
Fremont	192C2	30	19.78	593.41	68	0.6932	30	0	0.00	30.00	593.41	NT
Fremont	192C2	30	201.57	6047.13	68	0.6932					6047.13	T
Fremont	192D	20	46.97	939.39	68	0.6932	20	0	0.00	20.00	939.39	NT
Fremont	192D	20	182.21	3644.20	68	0.6932					3644.20	T
Fremont	192D2	15	114.31	1714.71	68	0.6932	15	0	0.00	15.00	1714.71	NT
Fremont	192D2	15	1725.80	25886.97	68	0.6932					25886.97	T
Fremont	192D3	5	6.80	33.98	68	0.6932	5	0	0.00	5.00	33.98	NT
Fremont	192D3	5	163.37	816.86	68	0.6932					816.86	T
Fremont	1D	50	95.47	4773.32	68	0.6932	34	16	4.91	38.91	3714.48	NT
Fremont	1D	50	117.90	5894.83	68	0.6932					5894.83	T
Fremont	1D3	45	134.85	6068.11	68	0.6932	34	11	3.37	37.37	5039.88	NT
Fremont	1D3	45	691.47	31116.27	68	0.6932					31116.27	T
Fremont	1E	35	512.95	17953.21	68	0.6932	34	1	0.31	34.31	17597.63	NT
Fremont	1E	35	472.11	16523.79	68	0.6932					16523.79	T
Fremont	1E3	35	500.80	17527.87	68	0.6932	34	1	0.31	34.31	17180.72	NT
Fremont	1E3	35	1054.77	36917.03	68	0.6932					36917.03	T
Fremont	1F	14	1853.51	25949.16	68	0.6932	14	0	0.00	14.00	25949.16	NT
Fremont	1F	14	182.18	2550.55	68	0.6932					2550.55	T
Fremont	1F3	15	1113.19	16697.88	68	0.6932	15	0	0.00	15.00	16697.88	NT
Fremont	1F3	15	468.85	7032.82	68	0.6932					7032.82	T
Fremont	1G	5	2586.14	12930.72	68	0.6932	5	0	0.00	5.00	12930.72	NT
Fremont	1G	5	30.06	150.30	68	0.6932					150.30	T
Fremont	212	94	623.69	58627.19	68	0.6932	34	60	18.41	52.41	32686.53	NT
Fremont	212	94	6717.17	631414.42	68	0.6932					631414.42	T
Fremont	212+	90	258.25	23242.94	68	0.6932	34	56	17.18	51.18	13217.69	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fremont	212+	90	1847.69	166292.37	68	0.6932					166292.37	T
Fremont	220	85	2547.73	216557.24	68	0.6932	34	51	15.65	49.65	126486.75	NT
Fremont	220	85	11966.61	1017162.21	68	0.6932					1017162.21	T
Fremont	22D	48	0.95	45.78	68	0.6932	34	14	4.30	38.30	36.52	NT
Fremont	22D	48	159.88	7674.45	68	0.6932					7674.45	T
Fremont	233	65	2.12	137.52	68	0.6932	34	31	9.51	43.51	92.06	NT
Fremont	233	65	143.40	9320.97	68	0.6932					9320.97	T
Fremont	234	70	23.42	1639.67	68	0.6932	34	36	11.04	45.04	1055.12	NT
Fremont	234	70	820.58	57440.45	68	0.6932					57440.45	T
Fremont	234+	80	51.28	4102.74	68	0.6932	34	46	14.11	48.11	2467.43	NT
Fremont	234+	80	282.66	22613.11	68	0.6932					22613.11	T
Fremont	237A	10	238.66	2386.65	68	0.6932	10	0	0.00	10.00	2386.65	NT
Fremont	237A	10	742.15	7421.48	68	0.6932					7421.48	T
Fremont	237B	5	182.73	913.64	68	0.6932	5	0	0.00	5.00	913.64	NT
Fremont	237B	5	304.96	1524.78	68	0.6932					1524.78	T
Fremont	244	47	6.89	323.60	68	0.6932	34	13	3.99	37.99	261.56	NT
Fremont	244	47	388.92	18279.40	68	0.6932					18279.40	T
Fremont	24D2	48	107.84	5176.17	68	0.6932	34	14	4.30	38.30	4129.64	NT
Fremont	24D2	48	756.74	36323.34	68	0.6932					36323.34	T
Fremont	24E2	38	101.02	3838.75	68	0.6932	34	4	1.23	35.23	3558.64	NT
Fremont	24E2	38	376.83	14319.38	68	0.6932					14319.38	T
Fremont	24F2	18	62.45	1124.10	68	0.6932	18	0	0.00	18.00	1124.10	NT
Fremont	24F2	18	56.02	1008.35	68	0.6932					1008.35	T
Fremont	255	65	21.15	1374.59	68	0.6932	34	31	9.51	43.51	920.15	NT
Fremont	255	65	1170.55	76085.87	68	0.6932					76085.87	T
Fremont	268D	50	158.35	7917.37	68	0.6932	34	16	4.91	38.91	6161.11	NT
Fremont	268D	50	149.33	7466.64	68	0.6932					7466.64	T
Fremont	268E	40	61.91	2476.58	68	0.6932	34	6	1.84	35.84	2219.06	NT
Fremont	268E	40	31.25	1250.04	68	0.6932					1250.04	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fremont	275	72	13.61	980.11	68	0.6932	34	38	11.66	45.66	621.53	NT
Fremont	275	72	1370.13	98649.12	68	0.6932					98649.12	T
Fremont	27C	61	29.73	1813.64	68	0.6932	34	27	8.28	42.28	1257.17	NT
Fremont	27C	61	186.27	11362.53	68	0.6932					11362.53	T
Fremont	2G	5	1050.15	5250.76	68	0.6932	5	0	0.00	5.00	5250.76	NT
Fremont	2G	5	21.23	106.16	68	0.6932					106.16	T
Fremont	315	30	353.01	10590.41	68	0.6932	30	0	0.00	30.00	10590.41	NT
Fremont	315	30	231.60	6947.99	68	0.6932					6947.99	T
Fremont	33F	8	27.08	216.61	68	0.6932	8	0	0.00	8.00	216.61	NT
Fremont	33F	8	209.46	1675.71	68	0.6932					1675.71	T
Fremont	354	5	1254.34	6271.71	68	0.6932	5	0	0.00	5.00	6271.71	NT
Fremont	354	5	575.30	2876.49	68	0.6932					2876.49	T
Fremont	36	79	137.37	10852.32	68	0.6932	34	45	13.81	47.81	6567.16	NT
Fremont	36	79	4067.18	321307.42	68	0.6932					321307.42	T
Fremont	366	42	55.86	2346.19	68	0.6932	34	8	2.45	36.45	2036.40	NT
Fremont	366	42	1959.97	82318.59	68	0.6932					82318.59	T
Fremont	3E	30	168.23	5047.01	68	0.6932	30	0	0.00	30.00	5047.01	NT
Fremont	3E	30	16.08	482.52	68	0.6932					482.52	T
Fremont	436	74	128.67	9521.34	68	0.6932	34	40	12.27	46.27	5953.67	NT
Fremont	436	74	4541.12	336043.02	68	0.6932					336043.02	T
Fremont	436+	80	8.99	718.94	68	0.6932	34	46	14.11	48.11	432.38	NT
Fremont	436+	80	370.08	29606.76	68	0.6932					29606.76	T
Fremont	437	70	19.40	1358.09	68	0.6932	34	36	11.04	45.04	873.93	NT
Fremont	437	70	1168.61	81802.79	68	0.6932					81802.79	T
Fremont	44	70	70.04	4903.09	68	0.6932	34	36	11.04	45.04	3155.13	NT
Fremont	44	70	1098.92	76924.65	68	0.6932					76924.65	T
Fremont	447	70	4.45	311.28	68	0.6932	34	36	11.04	45.04	200.31	NT
Fremont	447	70	387.86	27150.10	68	0.6932					27150.10	T
Fremont	448	75	33.38	2503.15	68	0.6932	34	41	12.58	46.58	1554.58	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fremont	448	75	753.21	56490.61	68	0.6932					56490.61	T
Fremont	449	65	0.43	28.04	68	0.6932	34	31	9.51	43.51	18.77	NT
Fremont	449	65	190.18	12361.93	68	0.6932					12361.93	T
Fremont	46	84	141.05	11848.53	68	0.6932	34	50	15.34	49.34	6959.60	NT
Fremont	46	84	4288.09	360199.79	68	0.6932					360199.79	T
Fremont	466	35	82.68	2893.67	68	0.6932	34	1	0.31	34.31	2836.36	NT
Fremont	466	35	1293.39	45268.69	68	0.6932					45268.69	T
Fremont	49	58	28.51	1653.51	68	0.6932	34	24	7.36	41.36	1179.22	NT
Fremont	49	58	750.37	43521.72	68	0.6932					43521.72	T
Fremont	5010	0	50.54	0.00	68	0.6932	0	0	0.00	0.00	0.00	NT
Fremont	5010	0	3.94	0.00	68	0.6932					0.00	T
Fremont	5040	5	147.48	737.41	68	0.6932	5	0	0.00	5.00	737.41	NT
Fremont	5040	5	67.10	335.48	68	0.6932					335.48	T
Fremont	514	55	82.43	4533.90	68	0.6932	34	21	6.44	40.44	3333.88	NT
Fremont	514	55	1918.96	105542.62	68	0.6932					105542.62	T
Fremont	515	51	76.37	3894.91	68	0.6932	34	17	5.22	39.22	2994.92	NT
Fremont	515	51	555.06	28308.19	68	0.6932					28308.19	T
Fremont	516	60	35.42	2125.09	68	0.6932	34	26	7.98	41.98	1486.74	NT
Fremont	516	60	722.69	43361.26	68	0.6932					43361.26	T
Fremont	53	5	596.49	2982.44	68	0.6932	5	0	0.00	5.00	2982.44	NT
Fremont	53	5	217.56	1087.82	68	0.6932					1087.82	T
Fremont	538	50	119.26	5963.03	68	0.6932	34	16	4.91	38.91	4640.29	NT
Fremont	538	50	897.04	44851.79	68	0.6932					44851.79	T
Fremont	54	70	129.30	9051.30	68	0.6932	34	36	11.04	45.04	5824.49	NT
Fremont	54	70	1598.59	111901.15	68	0.6932					111901.15	T
Fremont	54+	75	54.90	4117.36	68	0.6932	34	41	12.58	46.58	2557.09	NT
Fremont	54+	75	695.65	52173.58	68	0.6932					52173.58	T
Fremont	60C2	40	3.08	123.10	68	0.6932	34	6	1.84	35.84	110.30	NT
Fremont	60C2	40	232.34	9293.50	68	0.6932					9293.50	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fremont	60D	30	5.33	159.76	68	0.6932	30	0	0.00	30.00	159.76	NT
Fremont	60D	30	262.06	7861.77	68	0.6932					7861.77	T
Fremont	60D2	25	40.77	1019.22	68	0.6932	25	0	0.00	25.00	1019.22	NT
Fremont	60D2	25	1323.45	33086.22	68	0.6932					33086.22	T
Fremont	60D3	10	9.42	94.17	68	0.6932	10	0	0.00	10.00	94.17	NT
Fremont	60D3	10	241.82	2418.18	68	0.6932					2418.18	T
Fremont	636	53	89.81	4760.02	68	0.6932	34	19	5.83	39.83	3577.13	NT
Fremont	636	53	1909.38	101197.15	68	0.6932					101197.15	T
Fremont	66	37	429.04	15874.66	68	0.6932	34	3	0.92	34.92	14982.42	NT
Fremont	66	37	7447.15	275544.66	68	0.6932					275544.66	T
Fremont	66+	42	67.03	2815.13	68	0.6932	34	8	2.45	36.45	2443.43	NT
Fremont	66+	42	684.07	28730.89	68	0.6932					28730.89	T
Fremont	67	51	37.82	1928.84	68	0.6932	34	17	5.22	39.22	1483.15	NT
Fremont	67	51	1060.10	54065.12	68	0.6932					54065.12	T
Fremont	70	85	200.27	17023.23	68	0.6932	34	51	15.65	49.65	9942.93	NT
Fremont	70	85	6364.52	540984.25	68	0.6932					540984.25	T
Fremont	717	5	2.25	11.25	68	0.6932	5	0	0.00	5.00	11.25	NT
Fremont	717	5	0.21	1.03	68	0.6932					1.03	T
Fremont	717C	5	3717.23	18586.14	68	0.6932	5	0	0.00	5.00	18586.14	NT
Fremont	717C	5	402.75	2013.76	68	0.6932					2013.76	T
Fremont	751D2	45	0.00	0.11	68	0.6932	34	11	3.37	37.37	0.09	NT
Fremont	820	40	146.24	5849.52	68	0.6932	34	6	1.84	35.84	5241.29	NT
Fremont	820	40	271.98	10879.15	68	0.6932					10879.15	T
Fremont	821	80	1043.06	83444.72	68	0.6932	34	46	14.11	48.11	50184.49	NT
Fremont	821	80	3404.82	272385.43	68	0.6932					272385.43	T
Fremont	844	75	30.63	2297.40	68	0.6932	34	41	12.58	46.58	1426.80	NT
Fremont	844	75	263.38	19753.18	68	0.6932					19753.18	T
Fremont	88	92	55.25	5082.61	68	0.6932	34	58	17.79	51.79	2861.42	NT
Fremont	88	92	2353.68	216538.49	68	0.6932					216538.49	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fremont	8B	90	420.67	37860.55	68	0.6932	34	56	17.18	51.18	21530.37	NT
Fremont	8B	90	5020.28	451825.11	68	0.6932					451825.11	T
Fremont	9A	90	23.83	2145.11	68	0.6932	34	56	17.18	51.18	1219.87	NT
Fremont	9A	90	939.80	84581.88	68	0.6932					84581.88	T
Fremont	9B	85	932.19	79236.44	68	0.6932	34	51	15.65	49.65	46280.42	NT
Fremont	9B	85	20244.90	1720816.35	68	0.6932					1720816.35	T
Fremont	9B2	79	17.53	1385.09	68	0.6932	34	45	13.81	47.81	838.17	NT
Fremont	9B2	79	902.30	71281.82	68	0.6932					71281.82	T
Fremont	9C	66	380.64	25122.06	68	0.6932	34	32	9.82	43.82	16678.61	NT
Fremont	9C	66	5692.94	375734.06	68	0.6932					375734.06	T
Fremont	9C2	77	455.75	35092.53	68	0.6932	34	43	13.19	47.19	21507.80	NT
Fremont	9C2	77	12827.84	987743.48	68	0.6932					987743.48	T
Fremont	9D	56	164.31	9201.09	68	0.6932	34	22	6.75	40.75	6695.37	NT
Fremont	9D	56	1950.71	109240.04	68	0.6932					109240.04	T
Fremont	9D2	52	563.39	29296.34	68	0.6932	34	18	5.52	39.52	22266.57	NT
Fremont	9D2	52	22946.59	1193222.53	68	0.6932					1193222.53	T
Fremont	9D3	55	13.16	723.94	68	0.6932	34	21	6.44	40.44	532.33	NT
Fremont	9D3	55	1568.91	86289.85	68	0.6932					86289.85	T
Fremont	AW	0	10.85	0.00	68	0.6932	0	0	0.00	0.00	0.00	NT
Fremont	INT	0	139.41	0.00	68	0.6932	0	0	0.00	0.00	0.00	NT
Fremont	INT	0	81.13	0.00	68	0.6932					0.00	T
Fremont	SL	0	0.12	0.00	68	0.6932	0	0	0.00	0.00	0.00	NT
Fremont	T299	95	12.64	1201.26	68	0.6932	34	61	18.71	52.71	666.57	NT
Fremont	T299	95	1319.48	125350.47	68	0.6932					125350.47	T
Fremont	T9A	90	221.40	19925.65	68	0.6932	34	56	17.18	51.18	11331.23	NT
Fremont	T9A	90	4480.28	403225.10	68	0.6932					403225.10	T
Fremont	T9B	85	160.46	13639.09	68	0.6932	34	51	15.65	49.65	7966.32	NT
Fremont	T9B	85	2050.42	174285.38	68	0.6932					174285.38	T
Fremont	W	0	1376.66	0.00	68	0.6932	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Fremont	W	0	98.93	0.00	68	0.6932					0.00	T
											0.00	
											0.00	
Greene	1048	5	164.46	822.32	78	0.7756	5	0	0.00	5.00	822.32	NT
Greene	1048	5	12.66	63.28	78	0.7756					63.28	T
Greene	107	70	1090.51	76335.96	78	0.7756	39	31	6.96	45.96	50116.09	NT
Greene	107	70	49537.11	3467597.58	78	0.7756					3467597.58	T
Greene	108	52	133.97	6966.23	78	0.7756	39	13	2.92	41.92	5615.48	NT
Greene	108	52	1261.25	65584.89	78	0.7756					65584.89	T
Greene	108A	55	0.08	4.20	78	0.7756	39	16	3.59	42.59	3.25	NT
Greene	108B	47	142.94	6718.25	78	0.7756	39	8	1.80	40.80	5831.33	NT
Greene	108B	47	1261.80	59304.47	78	0.7756					59304.47	T
Greene	108C2	25	62.96	1574.07	78	0.7756	25	0	0.00	25.00	1574.07	NT
Greene	108C2	25	310.95	7773.78	78	0.7756					7773.78	T
Greene	1135	25	1830.83	45770.76	78	0.7756	25	0	0.00	25.00	45770.76	NT
Greene	1135	25	645.38	16134.55	78	0.7756					16134.55	T
Greene	1308	72	53.80	3873.29	78	0.7756	39	33	7.41	46.41	2496.40	NT
Greene	1308	72	389.80	28065.66	78	0.7756					28065.66	T
Greene	1314	25	1.39	34.64	78	0.7756	25	0	0.00	25.00	34.64	NT
Greene	1314	25	0.25	6.17	78	0.7756					6.17	T
Greene	133A	80	0.37	29.33	78	0.7756	39	41	9.20	48.20	17.67	NT
Greene	133A	80	0.13	10.24	78	0.7756					10.24	T
Greene	135	78	1617.61	126173.42	78	0.7756	39	39	8.75	47.75	77243.37	NT
Greene	135	78	4476.52	349168.39	78	0.7756					349168.39	T
Greene	138B	73	2555.56	186555.64	78	0.7756	39	34	7.63	46.63	119164.59	NT
Greene	138B	73	39342.64	2872012.53	78	0.7756					2872012.53	T
Greene	138B2	78	672.31	52440.12	78	0.7756	39	39	8.75	47.75	32103.84	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Greene	138B2	78	21903.92	1708505.90	78	0.7756					1708505.90	T
Greene	138C	67	173.95	11654.95	78	0.7756	39	28	6.28	45.28	7877.21	NT
Greene	138C	67	1137.36	76202.98	78	0.7756					76202.98	T
Greene	138C2	59	914.91	53979.91	78	0.7756	39	20	4.49	43.49	39787.77	NT
Greene	138C2	59	15014.36	885846.98	78	0.7756					885846.98	T
Greene	138D2	56	249.67	13981.59	78	0.7756	39	17	3.81	42.81	10689.62	NT
Greene	138D2	56	828.90	46418.33	78	0.7756					46418.33	T
Greene	1585	5	320.25	1601.26	78	0.7756	5	0	0.00	5.00	1601.26	NT
Greene	1585	5	125.64	628.21	78	0.7756					628.21	T
Greene	1585B	25	367.29	9182.34	78	0.7756	25	0	0.00	25.00	9182.34	NT
Greene	1585B	25	133.65	3341.22	78	0.7756					3341.22	T
Greene	168G	5	342.81	1714.03	78	0.7756	5	0	0.00	5.00	1714.03	NT
Greene	168G	5	17.42	87.08	78	0.7756					87.08	T
Greene	202	60	46.26	2775.41	78	0.7756	39	21	4.71	43.71	2022.00	NT
Greene	202	60	836.31	50178.35	78	0.7756					50178.35	T
Greene	203	71	71.78	5096.63	78	0.7756	39	32	7.18	46.18	3315.02	NT
Greene	203	71	1320.16	93731.14	78	0.7756					93731.14	T
Greene	2315	25	3933.53	98338.19	78	0.7756	25	0	0.00	25.00	98338.19	NT
Greene	2315	25	738.43	18460.68	78	0.7756					18460.68	T
Greene	236B	79	1155.40	91276.41	78	0.7756	39	40	8.98	47.98	55431.35	NT
Greene	236B	79	2741.51	216579.43	78	0.7756					216579.43	T
Greene	236B2	76	57.59	4376.90	78	0.7756	39	37	8.30	47.30	2724.20	NT
Greene	236B2	76	434.57	33027.34	78	0.7756					33027.34	T
Greene	236C	61	675.81	41224.54	78	0.7756	39	22	4.94	43.94	29693.03	NT
Greene	236C	61	361.46	22049.05	78	0.7756					22049.05	T
Greene	236C2	62	359.56	22292.75	78	0.7756	39	23	5.16	44.16	15878.62	NT
Greene	236C2	62	1401.80	86911.87	78	0.7756					86911.87	T
Greene	236D	47	230.91	10852.56	78	0.7756	39	8	1.80	40.80	9419.84	NT
Greene	236D	47	74.73	3512.31	78	0.7756					3512.31	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Greene	236D2	48	116.73	5602.94	78	0.7756	39	9	2.02	41.02	4788.13	NT
Greene	236D2	48	158.85	7624.64	78	0.7756					7624.64	T
Greene	236E	43	149.29	6419.27	78	0.7756	39	4	0.90	39.90	5956.13	NT
Greene	236E	43	47.70	2051.23	78	0.7756					2051.23	T
Greene	236F	19	297.34	5649.52	78	0.7756	19	0	0.00	19.00	5649.52	NT
Greene	236F	19	29.72	564.60	78	0.7756					564.60	T
Greene	256D2	47	138.78	6522.82	78	0.7756	39	8	1.80	40.80	5661.70	NT
Greene	256D2	47	294.05	13820.34	78	0.7756					13820.34	T
Greene	256E2	37	148.65	5500.01	78	0.7756	37	0	0.00	37.00	5500.01	NT
Greene	256E2	37	129.00	4772.83	78	0.7756					4772.83	T
Greene	256F	18	978.88	17619.83	78	0.7756	18	0	0.00	18.00	17619.83	NT
Greene	256F	18	136.07	2449.25	78	0.7756					2449.25	T
Greene	256G	7	3229.56	22606.93	78	0.7756	7	0	0.00	7.00	22606.93	NT
Greene	256G	7	177.29	1241.06	78	0.7756					1241.06	T
Greene	258	70	4.56	319.29	78	0.7756	39	31	6.96	45.96	209.62	NT
Greene	258	70	204.36	14304.92	78	0.7756					14304.92	T
Greene	259	41	71.67	2938.27	78	0.7756	39	2	0.45	39.45	2827.11	NT
Greene	259	41	1967.89	80683.55	78	0.7756					80683.55	T
Greene	27B	82	131.05	10746.23	78	0.7756	39	43	9.65	48.65	6375.55	NT
Greene	27B	82	483.51	39647.81	78	0.7756					39647.81	T
Greene	27C	61	196.20	11968.06	78	0.7756	39	22	4.94	43.94	8620.30	NT
Greene	27C	61	315.58	19250.22	78	0.7756					19250.22	T
Greene	28B	14	59.43	831.97	78	0.7756	14	0	0.00	14.00	831.97	NT
Greene	28B	14	454.28	6359.97	78	0.7756					6359.97	T
Greene	28C2	22	61.85	1360.64	78	0.7756	22	0	0.00	22.00	1360.64	NT
Greene	28C2	22	200.45	4409.87	78	0.7756					4409.87	T
Greene	307	61	58.61	3575.44	78	0.7756	39	22	4.94	43.94	2575.30	NT
Greene	307	61	356.25	21730.97	78	0.7756					21730.97	T
Greene	308	43	158.50	6815.40	78	0.7756	39	4	0.90	39.90	6323.67	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Greene	308	43	1130.70	48619.89	78	0.7756					48619.89	T
Greene	308B	36	106.26	3825.22	78	0.7756	36	0	0.00	36.00	3825.22	NT
Greene	308B	36	693.25	24957.01	78	0.7756					24957.01	T
Greene	315	30	1.59	47.79	78	0.7756	30	0	0.00	30.00	47.79	NT
Greene	315	30	0.01	0.21	78	0.7756					0.21	T
Greene	325	87	238.72	20768.94	78	0.7756	39	48	10.77	49.77	11881.55	NT
Greene	325	87	1832.27	159407.21	78	0.7756					159407.21	T
Greene	34	15	36.24	543.53	78	0.7756	15	0	0.00	15.00	543.53	NT
Greene	34	15	401.82	6027.37	78	0.7756					6027.37	T
Greene	34B	15	95.37	1430.51	78	0.7756	15	0	0.00	15.00	1430.51	NT
Greene	34B	15	842.64	12639.63	78	0.7756					12639.63	T
Greene	34C2	15	48.90	733.53	78	0.7756	15	0	0.00	15.00	733.53	NT
Greene	34C2	15	324.96	4874.44	78	0.7756					4874.44	T
Greene	34D2	5	69.80	349.00	78	0.7756	5	0	0.00	5.00	349.00	NT
Greene	34D2	5	116.21	581.05	78	0.7756					581.05	T
Greene	383	76	128.88	9795.23	78	0.7756	39	37	8.30	47.30	6096.60	NT
Greene	383	76	4689.86	356429.29	78	0.7756					356429.29	T
Greene	385	82	29.98	2458.67	78	0.7756	39	43	9.65	48.65	1458.69	NT
Greene	385	82	869.11	71267.36	78	0.7756					71267.36	T
Greene	386	81	33.29	2696.15	78	0.7756	39	42	9.42	48.42	1611.86	NT
Greene	386	81	997.40	80789.50	78	0.7756					80789.50	T
Greene	4	41	224.65	9210.62	78	0.7756	39	2	0.45	39.45	8862.14	NT
Greene	4	41	3584.63	146970.03	78	0.7756					146970.03	T
Greene	458	66	203.43	13426.15	78	0.7756	39	27	6.06	45.06	9166.16	NT
Greene	458	66	99.89	6593.01	78	0.7756					6593.01	T
Greene	48	41	85.96	3524.55	78	0.7756	39	2	0.45	39.45	3391.20	NT
Greene	48	41	877.85	35991.99	78	0.7756					35991.99	T
Greene	485	92	282.20	25962.78	78	0.7756	39	53	11.89	50.89	14362.27	NT
Greene	485	92	1128.61	103832.09	78	0.7756					103832.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Greene	485A	92	0.00	0.34	78	0.7756	39	53	11.89	50.89	0.19	NT
Greene	485A	92	0.13	11.76	78	0.7756					11.76	T
Greene	485B	82	271.48	22261.18	78	0.7756	39	43	9.65	48.65	13207.18	NT
Greene	485B	82	1233.43	101141.10	78	0.7756					101141.10	T
Greene	5010	0	577.44	0.00	78	0.7756	0	0	0.00	0.00	0.00	NT
Greene	5010	0	51.12	0.00	78	0.7756					0.00	T
Greene	5020	0	73.37	0.00	78	0.7756	0	0	0.00	0.00	0.00	NT
Greene	5020	0	5.57	0.00	78	0.7756					0.00	T
Greene	5040	5	150.91	754.57	78	0.7756	5	0	0.00	5.00	754.57	NT
Greene	5040	5	112.98	564.92	78	0.7756					564.92	T
Greene	5041	0	73.29	0.00	78	0.7756	0	0	0.00	0.00	0.00	NT
Greene	5041	0	88.43	0.00	78	0.7756					0.00	T
Greene	506	69	9.39	648.10	78	0.7756	39	30	6.73	45.73	429.55	NT
Greene	506	69	383.64	26471.37	78	0.7756					26471.37	T
Greene	507	71	708.03	50269.87	78	0.7756	39	32	7.18	46.18	32697.22	NT
Greene	507	71	46476.71	3299846.17	78	0.7756					3299846.17	T
Greene	508	70	93.54	6547.69	78	0.7756	39	31	6.96	45.96	4298.69	NT
Greene	508	70	528.86	37019.90	78	0.7756					37019.90	T
Greene	536	70	0.15	10.84	78	0.7756					10.84	T
Greene	55	73	1712.19	124989.75	78	0.7756	39	34	7.63	46.63	79838.66	NT
Greene	55	73	54974.09	4013108.70	78	0.7756					4013108.70	T
Greene	55A	90	0.57	51.53	78	0.7756					51.53	T
Greene	566	87	28.51	2480.76	78	0.7756	39	48	10.77	49.77	1419.20	NT
Greene	566	87	176.34	15341.86	78	0.7756					15341.86	T
Greene	566C	65	113.13	7353.56	78	0.7756	39	26	5.83	44.83	5072.19	NT
Greene	566C	65	240.75	15648.76	78	0.7756					15648.76	T
Greene	585B	70	1513.87	105970.86	78	0.7756	39	31	6.96	45.96	69571.99	NT
Greene	585B	70	5309.89	371692.55	78	0.7756					371692.55	T
Greene	6	43	157.53	6773.76	78	0.7756	39	4	0.90	39.90	6285.04	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Greene	6	43	12426.94	534358.35	78	0.7756					534358.35	T
Greene	62C2	53	42.45	2249.95	78	0.7756	39	14	3.14	42.14	1788.99	NT
Greene	62C2	53	455.21	24125.93	78	0.7756					24125.93	T
Greene	62D2	38	100.98	3837.08	78	0.7756	38	0	0.00	38.00	3837.08	NT
Greene	62D2	38	385.58	14651.93	78	0.7756					14651.93	T
Greene	62E2	28	310.10	8682.66	78	0.7756	28	0	0.00	28.00	8682.66	NT
Greene	62E2	28	228.68	6403.13	78	0.7756					6403.13	T
Greene	62F	7	705.99	4941.93	78	0.7756	7	0	0.00	7.00	4941.93	NT
Greene	62F	7	201.16	1408.11	78	0.7756					1408.11	T
Greene	62F2	12	0.03	0.35	78	0.7756	12	0	0.00	12.00	0.35	NT
Greene	62G	5	443.62	2218.09	78	0.7756	5	0	0.00	5.00	2218.09	NT
Greene	62G	5	53.29	266.46	78	0.7756					266.46	T
Greene	638C2	52	240.66	12514.42	78	0.7756	39	13	2.92	41.92	10087.88	NT
Greene	638C2	52	5402.88	280949.79	78	0.7756					280949.79	T
Greene	638D2	45	505.87	22763.95	78	0.7756	39	6	1.35	40.35	20409.85	NT
Greene	638D2	45	2125.07	95628.32	78	0.7756					95628.32	T
Greene	638E2	34	256.67	8726.72	78	0.7756	34	0	0.00	34.00	8726.72	NT
Greene	638E2	34	321.09	10916.90	78	0.7756					10916.90	T
Greene	639C2	24	18.53	444.80	78	0.7756	24	0	0.00	24.00	444.80	NT
Greene	639C2	24	641.17	15387.98	78	0.7756					15387.98	T
Greene	639D2	18	29.16	524.97	78	0.7756	18	0	0.00	18.00	524.97	NT
Greene	639D2	18	246.24	4432.36	78	0.7756					4432.36	T
Greene	655	71	4.01	284.64	78	0.7756	39	32	7.18	46.18	185.14	NT
Greene	655	71	407.93	28963.25	78	0.7756					28963.25	T
Greene	658	64	3.87	247.37	78	0.7756	39	25	5.61	44.61	172.42	NT
Greene	658	64	313.70	20076.94	78	0.7756					20076.94	T
Greene	659	73	97.27	7101.01	78	0.7756	39	34	7.63	46.63	4535.85	NT
Greene	659	73	1859.65	135754.68	78	0.7756					135754.68	T
Greene	733	64	514.74	32943.48	78	0.7756	39	25	5.61	44.61	22962.64	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Greene	733	64	1875.69	120043.85	78	0.7756					120043.85	T
Greene	828C2	30	4.79	143.59	78	0.7756					143.59	T
Greene	878	78	29.88	2330.62	78	0.7756	39	39	8.75	47.75	1426.81	NT
Greene	878	78	346.45	27023.30	78	0.7756					27023.30	T
Greene	878B	74	67.07	4962.81	78	0.7756	39	35	7.85	46.85	3142.27	NT
Greene	878B	74	1479.68	109496.43	78	0.7756					109496.43	T
Greene	878B2	76	25.93	1970.36	78	0.7756	39	37	8.30	47.30	1226.36	NT
Greene	878B2	76	411.57	31279.07	78	0.7756					31279.07	T
Greene	878C2	44	36.24	1594.72	78	0.7756	39	5	1.12	40.12	1454.16	NT
Greene	878C2	44	538.08	23675.57	78	0.7756					23675.57	T
Greene	879	73	25.85	1886.89	78	0.7756	39	34	7.63	46.63	1205.27	NT
Greene	879	73	922.49	67341.57	78	0.7756					67341.57	T
Greene	90	42	35.80	1503.65	78	0.7756	39	3	0.67	39.67	1420.34	NT
Greene	90	42	1518.60	63781.14	78	0.7756					63781.14	T
Greene	95	57	26.79	1527.09	78	0.7756	39	18	4.04	43.04	1153.06	NT
Greene	95	57	4130.00	235409.86	78	0.7756					235409.86	T
Greene	AW	0	4.58	0.00	78	0.7756	0	0	0.00	0.00	0.00	NT
Greene	AW	0	0.28	0.00	78	0.7756					0.00	T
Greene	C133A	80	0.14	11.06	78	0.7756	39	41	9.20	48.20	6.67	NT
Greene	C133A	80	0.91	72.62	78	0.7756					72.62	T
Greene	INT	0	70.96	0.00	78	0.7756	0	0	0.00	0.00	0.00	NT
Greene	INT	0	0.01	0.00	78	0.7756					0.00	T
Greene	SL	0	4.40	0.00	78	0.7756	0	0	0.00	0.00	0.00	NT
Greene	SL	0	0.00	0.00	78	0.7756					0.00	T
Greene	W	0	1132.92	0.00	78	0.7756	0	0	0.00	0.00	0.00	NT
Greene	W	0	62.34	0.00	78	0.7756					0.00	T
											0.00	

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
											0.00	
Grundy	1133	25	0.00	0.05	86	0.7953					0.05	T
Grundy	1152	68	257.34	17499.26	86	0.7953	43	25	5.12	48.12	12382.65	NT
Grundy	1152	68	3626.20	246581.63	86	0.7953					246581.63	T
Grundy	118	95	32.02	3041.86	86	0.7953	43	52	10.64	53.64	1717.67	NT
Grundy	118	95	6230.62	591908.57	86	0.7953					591908.57	T
Grundy	119	100	472.86	47286.49	86	0.7953	43	57	11.67	54.67	25850.53	NT
Grundy	119	100	15461.98	1546197.79	86	0.7953					1546197.79	T
Grundy	119B	95	238.38	22645.98	86	0.7953	43	52	10.64	53.64	12787.69	NT
Grundy	119B	95	13650.21	1296770.03	86	0.7953					1296770.03	T
Grundy	120	100	23.69	2369.34	86	0.7953	43	57	11.67	54.67	1295.27	NT
Grundy	120	100	837.83	83783.48	86	0.7953					83783.48	T
Grundy	120B	95	2630.79	249925.11	86	0.7953	43	52	10.64	53.64	141127.18	NT
Grundy	120B	95	71423.67	6785248.60	86	0.7953					6785248.60	T
Grundy	120C	80	137.33	10986.44	86	0.7953	43	37	7.57	50.57	6945.34	NT
Grundy	120C	80	5906.64	472531.34	86	0.7953					472531.34	T
Grundy	120C2	78	158.49	12362.23	86	0.7953	43	35	7.16	50.16	7950.58	NT
Grundy	120C2	78	7163.39	558744.54	86	0.7953					558744.54	T
Grundy	122	63	2.97	187.15	86	0.7953	43	20	4.09	47.09	139.90	NT
Grundy	122	63	225.00	14174.92	86	0.7953					14174.92	T
Grundy	1226	72	99.70	7178.14	86	0.7953	43	29	5.94	48.94	4878.77	NT
Grundy	1226	72	3622.28	260803.81	86	0.7953					260803.81	T
Grundy	133	80	3327.27	266181.58	86	0.7953	43	37	7.57	50.57	168273.01	NT
Grundy	133	80	11102.91	888232.82	86	0.7953					888232.82	T
Grundy	135	78	593.33	46279.65	86	0.7953	43	35	7.16	50.16	29764.04	NT
Grundy	135	78	1420.98	110836.59	86	0.7953					110836.59	T
Grundy	174B	70	24.67	1726.59	86	0.7953	43	27	5.53	48.53	1196.95	NT
Grundy	174B	70	596.23	41736.36	86	0.7953					41736.36	T
Grundy	175B	56	17.56	983.18	86	0.7953	43	13	2.66	45.66	801.66	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Grundy	175B	56	152.35	8531.57	86	0.7953					8531.57	T
Grundy	175C	41	18.70	766.77	86	0.7953	41	0	0.00	41.00	766.77	NT
Grundy	175C	41	101.77	4172.68	86	0.7953					4172.68	T
Grundy	177	64	45.19	2892.29	86	0.7953	43	21	4.30	47.30	2137.53	NT
Grundy	177	64	722.51	46240.43	86	0.7953					46240.43	T
Grundy	177B	60	64.64	3878.51	86	0.7953	43	17	3.48	46.48	3004.55	NT
Grundy	177B	60	524.17	31450.13	86	0.7953					31450.13	T
Grundy	177C	40	35.73	1429.13	86	0.7953	40	0	0.00	40.00	1429.13	NT
Grundy	177C	40	95.17	3807.00	86	0.7953					3807.00	T
Grundy	177C2	37	35.97	1330.98	86	0.7953	37	0	0.00	37.00	1330.98	NT
Grundy	177C2	37	247.57	9160.26	86	0.7953					9160.26	T
Grundy	178	79	113.65	8978.71	86	0.7953	43	36	7.37	50.37	5724.69	NT
Grundy	178	79	1920.97	151756.74	86	0.7953					151756.74	T
Grundy	178B	74	37.28	2759.08	86	0.7953	43	31	6.35	49.35	1839.85	NT
Grundy	178B	74	546.49	40440.59	86	0.7953					40440.59	T
Grundy	184	93	75.76	7045.70	86	0.7953	43	50	10.24	53.24	4033.09	NT
Grundy	184	93	2078.44	193295.36	86	0.7953					193295.36	T
Grundy	184B	90	171.04	15393.41	86	0.7953	43	47	9.62	52.62	9000.17	NT
Grundy	184B	90	6298.26	566843.24	86	0.7953					566843.24	T
Grundy	198B	80	218.06	17444.89	86	0.7953	43	37	7.57	50.57	11028.20	NT
Grundy	198B	80	8858.88	708710.70	86	0.7953					708710.70	T
Grundy	221	25	80.65	2016.33	86	0.7953	25	0	0.00	25.00	2016.33	NT
Grundy	221	25	402.76	10068.91	86	0.7953					10068.91	T
Grundy	241B	35	69.85	2444.75	86	0.7953	35	0	0.00	35.00	2444.75	NT
Grundy	241B	35	665.78	23302.33	86	0.7953					23302.33	T
Grundy	241C2	33	67.44	2225.46	86	0.7953	33	0	0.00	33.00	2225.46	NT
Grundy	241C2	33	703.84	23226.68	86	0.7953					23226.68	T
Grundy	377B	90	1010.47	90942.65	86	0.7953	43	47	9.62	52.62	53172.04	NT
Grundy	377B	90	20816.14	1873452.32	86	0.7953					1873452.32	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Grundy	377C	75	95.30	7147.85	86	0.7953	43	32	6.55	49.55	4722.38	NT
Grundy	377C	75	2509.83	188237.53	86	0.7953					188237.53	T
Grundy	377C2	73	146.13	10667.17	86	0.7953	43	30	6.14	49.14	7180.76	NT
Grundy	377C2	73	3598.69	262704.53	86	0.7953					262704.53	T
Grundy	377D2	63	41.40	2608.21	86	0.7953	43	20	4.09	47.09	1949.70	NT
Grundy	377D2	63	261.14	16451.94	86	0.7953					16451.94	T
Grundy	382	90	35.92	3232.43	86	0.7953	43	47	9.62	52.62	1889.93	NT
Grundy	382	90	2310.28	207925.29	86	0.7953					207925.29	T
Grundy	391B	72	239.27	17227.20	86	0.7953	43	29	5.94	48.94	11708.83	NT
Grundy	391B	72	4278.53	308054.28	86	0.7953					308054.28	T
Grundy	394B	85	128.61	10931.98	86	0.7953	43	42	8.60	51.60	6636.02	NT
Grundy	394B	85	2560.17	217614.56	86	0.7953					217614.56	T
Grundy	394C	70	25.09	1756.38	86	0.7953	43	27	5.53	48.53	1217.59	NT
Grundy	394C	70	624.47	43712.92	86	0.7953					43712.92	T
Grundy	394C2	68	42.86	2914.51	86	0.7953	43	25	5.12	48.12	2062.34	NT
Grundy	394C2	68	1003.14	68213.66	86	0.7953					68213.66	T
Grundy	399	91	47.69	4340.22	86	0.7953	43	48	9.83	52.83	2519.50	NT
Grundy	399	91	1145.47	104237.53	86	0.7953					104237.53	T
Grundy	404	65	13.28	863.42	86	0.7953	43	22	4.50	47.50	631.00	NT
Grundy	404	65	132.09	8585.68	86	0.7953					8585.68	T
Grundy	41B	40	41.23	1649.15	86	0.7953	40	0	0.00	40.00	1649.15	NT
Grundy	41B	40	195.27	7810.85	86	0.7953					7810.85	T
Grundy	420B	95	0.07	7.12	86	0.7953					7.12	T
Grundy	428B	93	37.74	3510.27	86	0.7953	43	50	10.24	53.24	2009.35	NT
Grundy	428B	93	959.91	89271.63	86	0.7953					89271.63	T
Grundy	43	80	82.39	6591.00	86	0.7953	43	37	7.57	50.57	4166.66	NT
Grundy	43	80	1493.47	119477.76	86	0.7953					119477.76	T
Grundy	484	90	49.74	4476.75	86	0.7953	43	47	9.62	52.62	2617.45	NT
Grundy	484	90	491.36	44222.82	86	0.7953					44222.82	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Grundy	5010	0	10.90	0.00	86	0.7953	0	0	0.00	0.00	0.00	NT
Grundy	5010	0	9.60	0.00	86	0.7953					0.00	T
Grundy	5030	0	23.80	0.00	86	0.7953	0	0	0.00	0.00	0.00	NT
Grundy	5030	0	0.70	0.00	86	0.7953					0.00	T
Grundy	5040	5	6.08	30.38	86	0.7953	5	0	0.00	5.00	30.38	NT
Grundy	5040	5	6.25	31.27	86	0.7953					31.27	T
Grundy	54	70	81.99	5739.53	86	0.7953	43	27	5.53	48.53	3978.88	NT
Grundy	54	70	728.58	51000.48	86	0.7953					51000.48	T
Grundy	595	73	5.21	380.12	86	0.7953	43	30	6.14	49.14	255.88	NT
Grundy	595	73	1380.07	100745.34	86	0.7953					100745.34	T
Grundy	620C2	78	13.45	1048.75	86	0.7953	43	35	7.16	50.16	674.49	NT
Grundy	620C2	78	59.92	4673.56	86	0.7953					4673.56	T
Grundy	620E3	55	20.73	1140.40	86	0.7953	43	12	2.46	45.46	942.52	NT
Grundy	620E3	55	76.02	4181.37	86	0.7953					4181.37	T
Grundy	7	91	108.89	9908.70	86	0.7953	43	48	9.83	52.83	5752.01	NT
Grundy	7	91	1787.72	162682.34	86	0.7953					162682.34	T
Grundy	733	64	119.61	7654.89	86	0.7953	43	21	4.30	47.30	5657.29	NT
Grundy	733	64	2283.22	146126.10	86	0.7953					146126.10	T
Grundy	776C2	15	6.65	99.75	86	0.7953	15	0	0.00	15.00	99.75	NT
Grundy	776C2	15	163.82	2457.37	86	0.7953					2457.37	T
Grundy	782B	50	28.72	1436.16	86	0.7953	43	7	1.43	44.43	1276.26	NT
Grundy	782B	50	686.64	34331.86	86	0.7953					34331.86	T
Grundy	83B	87	951.57	82786.24	86	0.7953	43	44	9.01	52.01	49487.90	NT
Grundy	83B	87	17356.53	1510017.96	86	0.7953					1510017.96	T
Grundy	83C	72	21.40	1540.60	86	0.7953	43	29	5.94	48.94	1047.10	NT
Grundy	83C	72	633.80	45633.27	86	0.7953					45633.27	T
Grundy	83C2	69	58.33	4024.92	86	0.7953	43	26	5.32	48.32	2818.74	NT
Grundy	83C2	69	1864.41	128644.27	86	0.7953					128644.27	T
Grundy	83D2	58	97.34	5645.76	86	0.7953	43	15	3.07	46.07	4484.54	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Grundy	83D2	58	760.99	44137.54	86	0.7953					44137.54	T
Grundy	84	76	683.97	51981.85	86	0.7953	43	33	6.76	49.76	34031.08	NT
Grundy	84	76	10606.08	806061.79	86	0.7953					806061.79	T
Grundy	877B	93	0.01	0.61	86	0.7953					0.61	T
Grundy	88	92	43.29	3982.69	86	0.7953	43	49	10.03	53.03	2295.69	NT
Grundy	88	92	1778.63	163633.92	86	0.7953					163633.92	T
Grundy	933	80	162.63	13010.69	86	0.7953	43	37	7.57	50.57	8225.02	NT
Grundy	933	80	2053.48	164278.61	86	0.7953					164278.61	T
Grundy	933B	80	1061.70	84936.22	86	0.7953	43	37	7.57	50.57	53694.45	NT
Grundy	933B	80	36960.91	2956872.63	86	0.7953					2956872.63	T
Grundy	96	71	15.09	1071.64	86	0.7953	43	28	5.73	48.73	735.53	NT
Grundy	96	71	343.97	24421.74	86	0.7953					24421.74	T
Grundy	C133	5	2105.06	10525.30	86	0.7953	5	0	0.00	5.00	10525.30	NT
Grundy	C133	5	557.19	2785.97	86	0.7953					2785.97	T
Grundy	INT	0	10.92	0.00	86	0.7953	0	0	0.00	0.00	0.00	NT
Grundy	INT	0	0.05	0.00	86	0.7953					0.00	T
Grundy	SL	0	2.52	0.00	86	0.7953	0	0	0.00	0.00	0.00	NT
Grundy	T119	100	15.84	1583.92	86	0.7953	43	57	11.67	54.67	865.90	NT
Grundy	T119	100	542.91	54291.01	86	0.7953					54291.01	T
Grundy	T120	100	130.52	13051.93	86	0.7953	43	57	11.67	54.67	7135.22	NT
Grundy	T120	100	2114.47	211446.90	86	0.7953					211446.90	T
Grundy	W	0	329.45	0.00	86	0.7953	0	0	0.00	0.00	0.00	NT
Grundy	W	0	1.72	0.00	86	0.7953					0.00	T
											0.00	
											0.00	
Guthrie	107	70	657.87	46051.12	63	0.7363	32	38	10.02	42.02	27644.22	NT
Guthrie	107	70	16806.20	1176434.08	63	0.7363					1176434.08	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	108A	55	16.68	917.59	63	0.7363	32	24	6.33	38.33	639.45	NT
Guthrie	108A	55	126.21	6941.37	63	0.7363					6941.37	T
Guthrie	108B	47	109.88	5164.35	63	0.7363	32	16	4.22	36.22	3979.76	NT
Guthrie	108B	47	603.78	28377.75	63	0.7363					28377.75	T
Guthrie	108C2	25	57.22	1430.49	63	0.7363	25	0	0.00	25.00	1430.49	NT
Guthrie	108C2	25	184.68	4617.00	63	0.7363					4617.00	T
Guthrie	11B	68	4048.93	275327.13	63	0.7363	32	36	9.49	41.49	168003.00	NT
Guthrie	11B	68	9898.11	673071.44	63	0.7363					673071.44	T
Guthrie	133+	85	0.14	12.05	63	0.7363					12.05	T
Guthrie	133A	80	525.46	42036.71	63	0.7363	32	48	12.66	44.66	23465.73	NT
Guthrie	133A	80	2449.82	195985.31	63	0.7363					195985.31	T
Guthrie	133A+	85	1134.77	96455.74	63	0.7363	32	54	14.24	46.24	52471.70	NT
Guthrie	133A+	85	5735.22	487493.81	63	0.7363					487493.81	T
Guthrie	133B	75	437.17	32787.40	63	0.7363	32	44	11.60	43.60	19061.63	NT
Guthrie	133B	75	1044.96	78372.20	63	0.7363					78372.20	T
Guthrie	133B+	81	489.34	39636.14	63	0.7363	32	50	13.19	45.19	22110.61	NT
Guthrie	133B+	81	2414.07	195539.94	63	0.7363					195539.94	T
Guthrie	135	78	0.50	38.72	63	0.7363	32	46	12.13	44.13	21.91	NT
Guthrie	138B	73	1059.61	77351.47	63	0.7363	32	42	11.08	43.08	45643.09	NT
Guthrie	138B	73	21199.61	1547571.31	63	0.7363					1547571.31	T
Guthrie	138B2	78	24.67	1924.55	63	0.7363	32	46	12.13	44.13	1088.86	NT
Guthrie	138B2	78	830.61	64787.39	63	0.7363					64787.39	T
Guthrie	138C	67	247.58	16587.54	63	0.7363	32	36	9.49	41.49	10272.69	NT
Guthrie	138C	67	3859.07	258557.58	63	0.7363					258557.58	T
Guthrie	138C2	59	327.58	19327.07	63	0.7363	32	28	7.38	39.38	12901.18	NT
Guthrie	138C2	59	3505.02	206796.04	63	0.7363					206796.04	T
Guthrie	138D2	56	229.27	12839.20	63	0.7363	32	24	6.33	38.33	8787.70	NT
Guthrie	138D2	56	1226.44	68680.63	63	0.7363					68680.63	T
Guthrie	138E	47	136.89	6433.70	63	0.7363	32	16	4.22	36.22	4957.95	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	138E	47	163.41	7680.42	63	0.7363					7680.42	T
Guthrie	1585	5	0.36	1.81	63	0.7363	5	0	0.00	5.00	1.81	NT
Guthrie	1585	5	0.16	0.80	63	0.7363					0.80	T
Guthrie	168C	58	0.29	16.89	63	0.7363	32	26	6.86	38.86	11.32	NT
Guthrie	168C	58	0.13	7.46	63	0.7363					7.46	T
Guthrie	168F	17	0.02	0.37	63	0.7363	17	0	0.00	17.00	0.37	NT
Guthrie	169B	85	0.05	4.30	63	0.7363	32	54	14.24	46.24	2.34	NT
Guthrie	169B	85	0.40	34.17	63	0.7363					34.17	T
Guthrie	179D2	43	518.09	22277.70	63	0.7363	32	12	3.16	35.16	18218.18	NT
Guthrie	179D2	43	802.77	34518.98	63	0.7363					34518.98	T
Guthrie	179E2	33	5002.79	165092.12	63	0.7363	32	2	0.53	32.53	162727.80	NT
Guthrie	179E2	33	3524.88	116321.16	63	0.7363					116321.16	T
Guthrie	179F	15	2.56	38.40	63	0.7363	15	0	0.00	15.00	38.40	NT
Guthrie	179F	15	0.17	2.57	63	0.7363					2.57	T
Guthrie	179F2	14	9556.04	133784.58	63	0.7363	14	0	0.00	14.00	133784.58	NT
Guthrie	179F2	14	2776.69	38873.65	63	0.7363					38873.65	T
Guthrie	179G2	5	1722.78	8613.90	63	0.7363	5	0	0.00	5.00	8613.90	NT
Guthrie	179G2	5	238.98	1194.92	63	0.7363					1194.92	T
Guthrie	192D2	15	134.87	2023.02	63	0.7363	15	0	0.00	15.00	2023.02	NT
Guthrie	192D2	15	481.22	7218.36	63	0.7363					7218.36	T
Guthrie	192E2	5	88.59	442.96	63	0.7363	5	0	0.00	5.00	442.96	NT
Guthrie	192E2	5	250.82	1254.08	63	0.7363					1254.08	T
Guthrie	192E3	5	59.67	298.37	63	0.7363	5	0	0.00	5.00	298.37	NT
Guthrie	192E3	5	109.12	545.61	63	0.7363					545.61	T
Guthrie	201B	51	9076.76	462914.93	63	0.7363	32	20	5.27	37.27	338327.28	NT
Guthrie	201B	51	2667.20	136027.04	63	0.7363					136027.04	T
Guthrie	203	71	85.57	6075.51	63	0.7363	32	40	10.55	42.55	3640.86	NT
Guthrie	203	71	681.70	48400.62	63	0.7363					48400.62	T
Guthrie	212	94	81.17	7629.86	63	0.7363	32	62	16.35	48.35	3924.46	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	212	94	693.56	65194.20	63	0.7363					65194.20	T
Guthrie	220	85	464.64	39494.02	63	0.7363	32	54	14.24	46.24	21484.66	NT
Guthrie	220	85	2003.77	170320.12	63	0.7363					170320.12	T
Guthrie	222C2	25	24.96	624.09	63	0.7363	25	0	0.00	25.00	624.09	NT
Guthrie	222C2	25	171.06	4276.47	63	0.7363					4276.47	T
Guthrie	222D2	10	176.46	1764.56	63	0.7363	10	0	0.00	10.00	1764.56	NT
Guthrie	222D2	10	1069.85	10698.49	63	0.7363					10698.49	T
Guthrie	2315	25	1.21	30.30	63	0.7363	25	0	0.00	25.00	30.30	NT
Guthrie	236B	79	56.58	4469.80	63	0.7363	32	48	12.66	44.66	2526.72	NT
Guthrie	236B	79	171.40	13540.33	63	0.7363					13540.33	T
Guthrie	236C2	62	204.25	12663.26	63	0.7363	32	30	7.91	39.91	8151.67	NT
Guthrie	236C2	62	364.91	22624.35	63	0.7363					22624.35	T
Guthrie	236D2	48	176.86	8489.46	63	0.7363	32	16	4.22	36.22	6405.86	NT
Guthrie	236D2	48	185.56	8906.68	63	0.7363					8906.68	T
Guthrie	24B	70	23.27	1628.78	63	0.7363	32	38	10.02	42.02	977.75	NT
Guthrie	24B	70	480.72	33650.34	63	0.7363					33650.34	T
Guthrie	24C2	58	60.87	3530.29	63	0.7363	32	26	6.86	38.86	2365.06	NT
Guthrie	24C2	58	539.44	31287.39	63	0.7363					31287.39	T
Guthrie	24D2	48	1092.83	52455.75	63	0.7363	32	16	4.22	36.22	39581.36	NT
Guthrie	24D2	48	7915.77	379956.86	63	0.7363					379956.86	T
Guthrie	24E	40	0.02	0.72	63	0.7363					0.72	T
Guthrie	24E2	38	3441.43	130774.36	63	0.7363	32	6	1.58	33.58	115570.81	NT
Guthrie	24E2	38	11016.40	418623.17	63	0.7363					418623.17	T
Guthrie	24E3	35	79.95	2798.41	63	0.7363	32	4	1.05	33.05	2642.88	NT
Guthrie	24E3	35	542.36	18982.53	63	0.7363					18982.53	T
Guthrie	24F2	18	1861.23	33502.07	63	0.7363	18	0	0.00	18.00	33502.07	NT
Guthrie	24F2	18	2377.88	42801.89	63	0.7363					42801.89	T
Guthrie	24F3	15	106.80	1601.98	63	0.7363	15	0	0.00	15.00	1601.98	NT
Guthrie	24F3	15	194.92	2923.79	63	0.7363					2923.79	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	269	58	11.09	643.08	63	0.7363	32	26	6.86	38.86	430.82	NT
Guthrie	269	58	88.29	5121.02	63	0.7363					5121.02	T
Guthrie	273B	72	525.56	37840.30	63	0.7363	32	40	10.55	42.55	22361.51	NT
Guthrie	273B	72	2036.72	146643.81	63	0.7363					146643.81	T
Guthrie	273C	57	601.41	34280.20	63	0.7363	32	26	6.86	38.86	23368.39	NT
Guthrie	273C	57	1574.11	89724.36	63	0.7363					89724.36	T
Guthrie	308A	71	39.94	2836.06	63	0.7363	32	40	10.55	42.55	1699.56	NT
Guthrie	308A	71	273.16	19394.36	63	0.7363					19394.36	T
Guthrie	308B	36	63.81	2297.08	63	0.7363	32	4	1.05	33.05	2109.15	NT
Guthrie	308B	36	607.76	21879.44	63	0.7363					21879.44	T
Guthrie	308C	32	42.46	1358.82	63	0.7363	32	0	0.00	32.00	1358.82	NT
Guthrie	308C	32	179.84	5754.79	63	0.7363					5754.79	T
Guthrie	313E2	5	177.63	888.17	63	0.7363	5	0	0.00	5.00	888.17	NT
Guthrie	313E2	5	103.64	518.18	63	0.7363					518.18	T
Guthrie	313F2	5	1078.83	5394.16	63	0.7363	5	0	0.00	5.00	5394.16	NT
Guthrie	313F2	5	110.75	553.73	63	0.7363					553.73	T
Guthrie	315	30	2200.12	66003.68	63	0.7363	30	0	0.00	30.00	66003.68	NT
Guthrie	315	30	682.66	20479.69	63	0.7363					20479.69	T
Guthrie	318F	5	253.57	1267.86	63	0.7363	5	0	0.00	5.00	1267.86	NT
Guthrie	318F	5	29.19	145.93	63	0.7363					145.93	T
Guthrie	354	5	256.55	1282.75	63	0.7363	5	0	0.00	5.00	1282.75	NT
Guthrie	354	5	69.20	345.98	63	0.7363					345.98	T
Guthrie	368	95	33.39	3172.18	63	0.7363	32	64	16.88	48.88	1632.06	NT
Guthrie	368	95	988.37	93894.96	63	0.7363					93894.96	T
Guthrie	370A	92	38.82	3571.73	63	0.7363	32	60	15.82	47.82	1856.60	NT
Guthrie	370A	92	828.70	76240.31	63	0.7363					76240.31	T
Guthrie	370B	87	595.35	51795.19	63	0.7363	32	56	14.77	46.77	27842.71	NT
Guthrie	370B	87	9518.98	828151.10	63	0.7363					828151.10	T
Guthrie	370B2	81	0.17	14.02	63	0.7363					14.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	370C	72	159.84	11508.78	63	0.7363	32	40	10.55	42.55	6801.05	NT
Guthrie	370C	72	1896.09	136518.76	63	0.7363					136518.76	T
Guthrie	370C2	67	3163.43	211949.59	63	0.7363	32	36	9.49	41.49	131260.70	NT
Guthrie	370C2	67	32008.23	2144551.55	63	0.7363					2144551.55	T
Guthrie	370D	62	21.67	1343.81	63	0.7363	32	30	7.91	39.91	865.04	NT
Guthrie	370D	62	282.77	17531.92	63	0.7363					17531.92	T
Guthrie	370D2	57	1873.36	106781.37	63	0.7363	32	26	6.86	38.86	72791.55	NT
Guthrie	370D2	57	21247.98	1211135.09	63	0.7363					1211135.09	T
Guthrie	370E2	47	57.19	2687.74	63	0.7363	32	16	4.22	36.22	2071.23	NT
Guthrie	370E2	47	333.46	15672.49	63	0.7363					15672.49	T
Guthrie	415D	10	163.54	1635.40	63	0.7363	10	0	0.00	10.00	1635.40	NT
Guthrie	415D	10	298.89	2988.86	63	0.7363					2988.86	T
Guthrie	415E	5	750.03	3750.14	63	0.7363	5	0	0.00	5.00	3750.14	NT
Guthrie	415E	5	614.19	3070.93	63	0.7363					3070.93	T
Guthrie	415F	5	2157.88	10789.41	63	0.7363	5	0	0.00	5.00	10789.41	NT
Guthrie	415F	5	439.41	2197.05	63	0.7363					2197.05	T
Guthrie	416E	5	135.67	678.35	63	0.7363	5	0	0.00	5.00	678.35	NT
Guthrie	416E	5	280.08	1400.42	63	0.7363					1400.42	T
Guthrie	417D	10	167.73	1677.30	63	0.7363	10	0	0.00	10.00	1677.30	NT
Guthrie	417D	10	363.79	3637.90	63	0.7363					3637.90	T
Guthrie	417E	5	308.22	1541.08	63	0.7363	5	0	0.00	5.00	1541.08	NT
Guthrie	417E	5	513.68	2568.39	63	0.7363					2568.39	T
Guthrie	419F	7	0.70	4.89	63	0.7363	7	0	0.00	7.00	4.89	NT
Guthrie	419G	5	0.52	2.58	63	0.7363	5	0	0.00	5.00	2.58	NT
Guthrie	428B	93	107.71	10017.15	63	0.7363	32	62	16.35	48.35	5207.77	NT
Guthrie	428B	93	840.07	78126.39	63	0.7363					78126.39	T
Guthrie	485	92	0.00	0.41	63	0.7363	32	60	15.82	47.82	0.21	NT
Guthrie	485	92	0.16	14.28	63	0.7363					14.28	T
Guthrie	485A	92	62.91	5787.49	63	0.7363	32	60	15.82	47.82	3008.36	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	485A	92	200.56	18451.89	63	0.7363					18451.89	T
Guthrie	5010	0	147.93	0.00	63	0.7363	0	0	0.00	0.00	0.00	NT
Guthrie	5010	0	22.77	0.00	63	0.7363					0.00	T
Guthrie	5030	0	8.98	0.00	63	0.7363	0	0	0.00	0.00	0.00	NT
Guthrie	5030	0	0.03	0.00	63	0.7363					0.00	T
Guthrie	5040	5	50.62	253.08	63	0.7363	5	0	0.00	5.00	253.08	NT
Guthrie	5040	5	35.10	175.50	63	0.7363					175.50	T
Guthrie	507	71	222.96	15830.43	63	0.7363	32	40	10.55	42.55	9486.67	NT
Guthrie	507	71	6426.69	456294.83	63	0.7363					456294.83	T
Guthrie	51A	70	128.81	9016.69	63	0.7363	32	38	10.02	42.02	5412.67	NT
Guthrie	51A	70	919.73	64381.42	63	0.7363					64381.42	T
Guthrie	51A+	75	59.27	4445.16	63	0.7363	32	44	11.60	43.60	2584.28	NT
Guthrie	51A+	75	817.53	61314.71	63	0.7363					61314.71	T
Guthrie	54	70	230.66	16146.35	63	0.7363	32	38	10.02	42.02	9692.56	NT
Guthrie	54	70	2488.15	174170.42	63	0.7363					174170.42	T
Guthrie	54+	75	125.40	9405.22	63	0.7363	32	44	11.60	43.60	5467.92	NT
Guthrie	54+	75	1768.88	132666.13	63	0.7363					132666.13	T
Guthrie	55	73	4.24	309.70	63	0.7363					309.70	T
Guthrie	55A	90	499.51	44956.23	63	0.7363	32	58	15.29	47.29	23624.30	NT
Guthrie	55A	90	13292.42	1196318.08	63	0.7363					1196318.08	T
Guthrie	585B	70	159.68	11177.58	63	0.7363	32	38	10.02	42.02	6709.84	NT
Guthrie	585B	70	353.21	24724.60	63	0.7363					24724.60	T
Guthrie	6	43	7.68	330.20	63	0.7363	32	12	3.16	35.16	270.03	NT
Guthrie	6	43	345.86	14872.04	63	0.7363					14872.04	T
Guthrie	615B	25	279.01	6975.29	63	0.7363	25	0	0.00	25.00	6975.29	NT
Guthrie	615B	25	119.33	2983.33	63	0.7363					2983.33	T
Guthrie	62C2	53	90.12	4776.57	63	0.7363	32	22	5.80	37.80	3406.81	NT
Guthrie	62C2	53	737.31	39077.31	63	0.7363					39077.31	T
Guthrie	62D2	38	209.65	7966.68	63	0.7363	32	6	1.58	33.58	7040.49	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	62D2	38	1061.89	40351.63	63	0.7363					40351.63	T
Guthrie	62E	30	0.08	2.49	63	0.7363	30	0	0.00	30.00	2.49	NT
Guthrie	62E2	28	155.59	4356.59	63	0.7363	28	0	0.00	28.00	4356.59	NT
Guthrie	62E2	28	289.74	8112.60	63	0.7363					8112.60	T
Guthrie	62F	7	0.63	4.41	63	0.7363	7	0	0.00	7.00	4.41	NT
Guthrie	62F2	12	221.28	2655.36	63	0.7363	12	0	0.00	12.00	2655.36	NT
Guthrie	62F2	12	104.05	1248.56	63	0.7363					1248.56	T
Guthrie	65E2	24	423.76	10170.33	63	0.7363	24	0	0.00	24.00	10170.33	NT
Guthrie	65E2	24	289.33	6943.95	63	0.7363					6943.95	T
Guthrie	65F2	8	666.23	5329.82	63	0.7363	8	0	0.00	8.00	5329.82	NT
Guthrie	65F2	8	21.13	169.07	63	0.7363					169.07	T
Guthrie	65F3	5	274.52	1372.58	63	0.7363	5	0	0.00	5.00	1372.58	NT
Guthrie	65F3	5	150.34	751.69	63	0.7363					751.69	T
Guthrie	65G	5	2.66	13.29	63	0.7363	5	0	0.00	5.00	13.29	NT
Guthrie	65G2	5	2005.57	10027.85	63	0.7363	5	0	0.00	5.00	10027.85	NT
Guthrie	65G2	5	64.32	321.61	63	0.7363					321.61	T
Guthrie	675C2	54	23.20	1252.78	63	0.7363	32	22	5.80	37.80	876.98	NT
Guthrie	675C2	54	179.78	9708.22	63	0.7363					9708.22	T
Guthrie	675D2	35	86.97	3044.03	63	0.7363	32	4	1.05	33.05	2874.85	NT
Guthrie	675D2	35	538.10	18833.44	63	0.7363					18833.44	T
Guthrie	69D2	30	29.24	877.07	63	0.7363	30	0	0.00	30.00	877.07	NT
Guthrie	69D2	30	427.04	12811.20	63	0.7363					12811.20	T
Guthrie	733	64	10.95	700.57	63	0.7363	32	32	8.44	40.44	442.65	NT
Guthrie	733	64	72.36	4631.07	63	0.7363					4631.07	T
Guthrie	73D2	5	91.67	458.33	63	0.7363	5	0	0.00	5.00	458.33	NT
Guthrie	73D2	5	186.37	931.86	63	0.7363					931.86	T
Guthrie	76A	87	4.90	426.17	63	0.7363	32	56	14.77	46.77	229.09	NT
Guthrie	76A	87	181.32	15775.05	63	0.7363					15775.05	T
Guthrie	76B	82	150.67	12354.68	63	0.7363	32	50	13.19	45.19	6807.88	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	76B	82	1339.23	109816.55	63	0.7363					109816.55	T
Guthrie	76C	70	223.11	15618.00	63	0.7363	32	38	10.02	42.02	9375.39	NT
Guthrie	76C	70	370.66	25946.08	63	0.7363					25946.08	T
Guthrie	76C2	67	4095.85	274422.14	63	0.7363	32	36	9.49	41.49	169950.04	NT
Guthrie	76C2	67	9327.51	624943.43	63	0.7363					624943.43	T
Guthrie	76D	60	296.20	17772.21	63	0.7363	32	28	7.38	39.38	11665.56	NT
Guthrie	76D	60	154.59	9275.11	63	0.7363					9275.11	T
Guthrie	76D2	52	2974.14	154655.52	63	0.7363	32	20	5.27	37.27	110858.26	NT
Guthrie	76D2	52	7173.95	373045.49	63	0.7363					373045.49	T
Guthrie	76E2	45	250.66	11279.74	63	0.7363	32	14	3.69	35.69	8946.54	NT
Guthrie	76E2	45	340.26	15311.90	63	0.7363					15311.90	T
Guthrie	80B	77	51.96	4001.03	63	0.7363	32	46	12.13	44.13	2293.07	NT
Guthrie	80B	77	221.46	17052.70	63	0.7363					17052.70	T
Guthrie	80C2	57	391.20	22298.17	63	0.7363	32	26	6.86	38.86	15200.39	NT
Guthrie	80C2	57	314.42	17921.87	63	0.7363					17921.87	T
Guthrie	80D2	52	339.37	17647.25	63	0.7363	32	20	5.27	37.27	12649.68	NT
Guthrie	80D2	52	145.90	7586.55	63	0.7363					7586.55	T
Guthrie	80D3	38	109.01	4142.29	63	0.7363	32	6	1.58	33.58	3660.71	NT
Guthrie	80D3	38	179.42	6817.85	63	0.7363					6817.85	T
Guthrie	822D2	15	160.31	2404.63	63	0.7363	15	0	0.00	15.00	2404.63	NT
Guthrie	822D2	15	711.55	10673.25	63	0.7363					10673.25	T
Guthrie	822D3	10	0.13	1.26	63	0.7363					1.26	T
Guthrie	822E2	5	159.89	799.43	63	0.7363	5	0	0.00	5.00	799.43	NT
Guthrie	822E2	5	273.17	1365.83	63	0.7363					1365.83	T
Guthrie	88	92	166.35	15304.48	63	0.7363	32	60	15.82	47.82	7955.34	NT
Guthrie	88	92	1405.97	129349.68	63	0.7363					129349.68	T
Guthrie	8B	90	188.58	16971.79	63	0.7363	32	58	15.29	47.29	8918.60	NT
Guthrie	8B	90	1945.53	175097.59	63	0.7363					175097.59	T
Guthrie	8C	66	94.62	6244.93	63	0.7363	32	34	8.97	40.97	3876.19	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	8C	66	681.73	44994.12	63	0.7363					44994.12	T
Guthrie	93D2	33	1388.78	45829.79	63	0.7363	32	2	0.53	32.53	45173.45	NT
Guthrie	93D2	33	6080.09	200642.82	63	0.7363					200642.82	T
Guthrie	93D3	20	51.59	1031.71	63	0.7363	20	0	0.00	20.00	1031.71	NT
Guthrie	93D3	20	243.91	4878.28	63	0.7363					4878.28	T
Guthrie	93E	14	0.44	6.21	63	0.7363	14	0	0.00	14.00	6.21	NT
Guthrie	93E2	23	1359.67	31272.51	63	0.7363	23	0	0.00	23.00	31272.51	NT
Guthrie	93E2	23	4287.64	98615.61	63	0.7363					98615.61	T
Guthrie	93E3	5	541.81	2709.05	63	0.7363	5	0	0.00	5.00	2709.05	NT
Guthrie	93E3	5	1300.23	6501.14	63	0.7363					6501.14	T
Guthrie	95	57	0.59	33.80	63	0.7363	32	26	6.86	38.86	23.04	NT
Guthrie	95	57	156.38	8913.76	63	0.7363					8913.76	T
Guthrie	993D2	20	0.14	2.81	63	0.7363	20	0	0.00	20.00	2.81	NT
Guthrie	993D2	20	0.01	0.11	63	0.7363					0.11	T
Guthrie	993E	12	0.38	4.61	63	0.7363	12	0	0.00	12.00	4.61	NT
Guthrie	993E	12	0.09	1.02	63	0.7363					1.02	T
Guthrie	993E2	10	1967.60	19675.99	63	0.7363	10	0	0.00	10.00	19675.99	NT
Guthrie	993E2	10	2392.71	23927.14	63	0.7363					23927.14	T
Guthrie	99D2	53	0.05	2.69	63	0.7363					2.69	T
Guthrie	9B	85	61.55	5231.87	63	0.7363	32	54	14.24	46.24	2846.12	NT
Guthrie	9B	85	660.70	56159.47	63	0.7363					56159.47	T
Guthrie	9C2	77	634.11	48826.68	63	0.7363	32	46	12.13	44.13	27983.52	NT
Guthrie	9C2	77	4120.44	317274.15	63	0.7363					317274.15	T
Guthrie	9D2	52	450.12	23406.19	63	0.7363	32	20	5.27	37.27	16777.74	NT
Guthrie	9D2	52	3969.35	206406.21	63	0.7363					206406.21	T
Guthrie	AW	0	1.66	0.00	63	0.7363	0	0	0.00	0.00	0.00	NT
Guthrie	C133A	80	2726.57	218125.89	63	0.7363	32	48	12.66	44.66	121762.23	NT
Guthrie	C133A	80	1671.05	133683.88	63	0.7363					133683.88	T
Guthrie	C220	25	324.38	8109.47	63	0.7363	25	0	0.00	25.00	8109.47	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Guthrie	C220	25	356.03	8900.78	63	0.7363					8900.78	T
Guthrie	INT	0	1.55	0.00	63	0.7363	0	0	0.00	0.00	0.00	NT
Guthrie	SL	0	16.92	0.00	63	0.7363	0	0	0.00	0.00	0.00	NT
Guthrie	SL	0	0.16	0.00	63	0.7363					0.00	T
Guthrie	T370B	87	60.59	5271.76	63	0.7363	32	56	14.77	46.77	2833.86	NT
Guthrie	T370B	87	1065.28	92679.01	63	0.7363					92679.01	T
Guthrie	T76B	82	62.57	5131.13	63	0.7363	32	50	13.19	45.19	2827.44	NT
Guthrie	T76B	82	384.14	31499.79	63	0.7363					31499.79	T
Guthrie	T9B	85	7.47	634.70	63	0.7363	32	54	14.24	46.24	345.28	NT
Guthrie	T9B	85	430.30	36575.69	63	0.7363					36575.69	T
Guthrie	W	0	2094.93	0.00	63	0.7363	0	0	0.00	0.00	0.00	NT
Guthrie	W	0	31.10	0.00	63	0.7363					0.00	T
											0.00	
											0.00	
Hamilton	107	70	694.74	48631.95	77	0.7882	38	32	6.78	44.78	31108.88	NT
Hamilton	107	70	20333.23	1423326.38	77	0.7882					1423326.38	T
Hamilton	108B	47	204.37	9605.33	77	0.7882	38	8	1.69	39.69	8112.29	NT
Hamilton	108B	47	870.87	40931.05	77	0.7882					40931.05	T
Hamilton	1221	5	105.73	528.66	77	0.7882	5	0	0.00	5.00	528.66	NT
Hamilton	1221	5	33.70	168.50	77	0.7882					168.50	T
Hamilton	1236B	77	0.11	8.47	77	0.7882	38	38	8.05	46.05	5.07	NT
Hamilton	135	78	621.72	48494.27	77	0.7882	38	40	8.47	46.47	28892.63	NT
Hamilton	135	78	1479.88	115430.59	77	0.7882					115430.59	T
Hamilton	138B	73	1682.14	122796.46	77	0.7882	38	34	7.20	45.20	76034.90	NT
Hamilton	138B	73	31239.30	2280469.10	77	0.7882					2280469.10	T
Hamilton	138B2	78	79.28	6183.93	77	0.7882	38	40	8.47	46.47	3684.36	NT
Hamilton	138B2	78	1789.29	139564.85	77	0.7882					139564.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hamilton	138C	67	61.54	4123.32	77	0.7882	38	28	5.93	43.93	2703.57	NT
Hamilton	138C	67	606.08	40607.59	77	0.7882					40607.59	T
Hamilton	138C2	59	633.92	37401.22	77	0.7882	38	20	4.24	42.24	26774.20	NT
Hamilton	138C2	59	10352.00	610768.26	77	0.7882					610768.26	T
Hamilton	138D2	56	137.65	7708.24	77	0.7882	38	18	3.81	41.81	5755.36	NT
Hamilton	138D2	56	643.80	36052.76	77	0.7882					36052.76	T
Hamilton	1507	75	806.24	60467.67	77	0.7882	38	36	7.62	45.62	36784.34	NT
Hamilton	1507	75	31913.82	2393536.87	77	0.7882					2393536.87	T
Hamilton	1536	25	862.90	21572.60	77	0.7882	25	0	0.00	25.00	21572.60	NT
Hamilton	1536	25	124.93	3123.25	77	0.7882					3123.25	T
Hamilton	1555	86	0.06	4.84	77	0.7882					4.84	T
Hamilton	1585	5	2112.92	10564.59	77	0.7882	5	0	0.00	5.00	10564.59	NT
Hamilton	1585	5	500.82	2504.11	77	0.7882					2504.11	T
Hamilton	168B	74	699.94	51795.23	77	0.7882	38	36	7.62	45.62	31934.42	NT
Hamilton	168B	74	1039.39	76915.14	77	0.7882					76915.14	T
Hamilton	168C	58	199.75	11585.65	77	0.7882	38	20	4.24	42.24	8436.75	NT
Hamilton	168C	58	28.78	1669.09	77	0.7882					1669.09	T
Hamilton	168C2	56	97.71	5471.61	77	0.7882	38	18	3.81	41.81	4085.38	NT
Hamilton	168C2	56	201.79	11300.29	77	0.7882					11300.29	T
Hamilton	168E	38	282.55	10737.03	77	0.7882	38	0	0.00	38.00	10737.03	NT
Hamilton	168E	38	33.49	1272.58	77	0.7882					1272.58	T
Hamilton	175B	56	31.34	1755.01	77	0.7882	38	18	3.81	41.81	1310.38	NT
Hamilton	175B	56	215.48	12067.01	77	0.7882					12067.01	T
Hamilton	175C	41	22.40	918.40	77	0.7882	38	2	0.42	38.42	860.69	NT
Hamilton	175C	41	68.59	2812.32	77	0.7882					2812.32	T
Hamilton	201B	51	474.44	24196.57	77	0.7882	38	12	2.54	40.54	19234.66	NT
Hamilton	201B	51	597.65	30480.18	77	0.7882					30480.18	T
Hamilton	203	71	122.85	8722.22	77	0.7882	38	32	6.78	44.78	5500.85	NT
Hamilton	203	71	890.73	63241.52	77	0.7882					63241.52	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hamilton	221	25	208.55	5213.67	77	0.7882	25	0	0.00	25.00	5213.67	NT
Hamilton	221	25	2279.86	56996.54	77	0.7882					56996.54	T
Hamilton	2225	38	36.97	1405.01	77	0.7882	38	0	0.00	38.00	1405.01	NT
Hamilton	2225	38	558.06	21206.40	77	0.7882					21206.40	T
Hamilton	236B	79	323.05	25520.69	77	0.7882	38	40	8.47	46.47	15012.62	NT
Hamilton	236B	79	748.41	59124.06	77	0.7882					59124.06	T
Hamilton	236C2	62	95.44	5917.38	77	0.7882	38	24	5.08	43.08	4111.93	NT
Hamilton	236C2	62	148.77	9223.46	77	0.7882					9223.46	T
Hamilton	259	41	89.86	3684.44	77	0.7882	38	2	0.42	38.42	3452.91	NT
Hamilton	259	41	656.75	26926.67	77	0.7882					26926.67	T
Hamilton	262G	11	0.01	0.09	77	0.7882	11	0	0.00	11.00	0.09	NT
Hamilton	27B	82	127.95	10491.61	77	0.7882	38	44	9.32	47.32	6054.32	NT
Hamilton	27B	82	1045.61	85740.18	77	0.7882					85740.18	T
Hamilton	27C	61	41.79	2549.01	77	0.7882	38	22	4.66	42.66	1782.62	NT
Hamilton	27C	61	31.42	1916.85	77	0.7882					1916.85	T
Hamilton	288	81	1022.71	82839.76	77	0.7882	38	42	8.90	46.90	47960.74	NT
Hamilton	288	81	25264.55	2046428.63	77	0.7882					2046428.63	T
Hamilton	307	61	0.01	0.90	77	0.7882	38	22	4.66	42.66	0.63	NT
Hamilton	307	61	0.01	0.62	77	0.7882					0.62	T
Hamilton	308	43	81.03	3484.10	77	0.7882	38	4	0.85	38.85	3147.62	NT
Hamilton	308	43	788.58	33908.88	77	0.7882					33908.88	T
Hamilton	325	87	0.15	12.68	77	0.7882	38	48	10.17	48.17	7.02	NT
Hamilton	329	83	0.16	13.23	77	0.7882	38	44	9.32	47.32	7.54	NT
Hamilton	329	83	0.23	18.84	77	0.7882					18.84	T
Hamilton	355	82	347.14	28465.67	77	0.7882	38	44	9.32	47.32	16426.50	NT
Hamilton	355	82	1125.31	92275.76	77	0.7882					92275.76	T
Hamilton	356G	5	3897.46	19487.29	77	0.7882	5	0	0.00	5.00	19487.29	NT
Hamilton	356G	5	112.23	561.16	77	0.7882					561.16	T
Hamilton	383	76	0.06	4.54	77	0.7882	38	38	8.05	46.05	2.75	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hamilton	383	76	2.22	168.76	77	0.7882					168.76	T
Hamilton	385	82	0.03	2.63	77	0.7882	38	44	9.32	47.32	1.52	NT
Hamilton	385	82	1.75	143.51	77	0.7882					143.51	T
Hamilton	387B	73	0.51	36.87	77	0.7882					36.87	T
Hamilton	388	77	785.30	60467.87	77	0.7882	38	38	8.05	46.05	36161.67	NT
Hamilton	388	77	27347.67	2105770.70	77	0.7882					2105770.70	T
Hamilton	4	41	5.38	220.76	77	0.7882	38	2	0.42	38.42	206.89	NT
Hamilton	4	41	580.90	23816.74	77	0.7882					23816.74	T
Hamilton	4000	0	20.23	0.00	77	0.7882	0	0	0.00	0.00	0.00	NT
Hamilton	4000	0	1.63	0.00	77	0.7882					0.00	T
Hamilton	48	41	16.01	656.58	77	0.7882	38	2	0.42	38.42	615.32	NT
Hamilton	48	41	563.68	23110.70	77	0.7882					23110.70	T
Hamilton	485	92	178.80	16449.36	77	0.7882	38	54	11.44	49.44	8839.24	NT
Hamilton	485	92	686.71	63177.37	77	0.7882					63177.37	T
Hamilton	5010	0	159.62	0.00	77	0.7882	0	0	0.00	0.00	0.00	NT
Hamilton	5010	0	49.85	0.00	77	0.7882					0.00	T
Hamilton	5030	0	5.69	0.00	77	0.7882	0	0	0.00	0.00	0.00	NT
Hamilton	5040	5	200.82	1004.12	77	0.7882	5	0	0.00	5.00	1004.12	NT
Hamilton	5040	5	191.14	955.68	77	0.7882					955.68	T
Hamilton	5043	0	27.89	0.00	77	0.7882	0	0	0.00	0.00	0.00	NT
Hamilton	5043	0	295.73	0.00	77	0.7882					0.00	T
Hamilton	506	69	25.43	1754.95	77	0.7882	38	30	6.35	44.35	1128.10	NT
Hamilton	506	69	1169.46	80692.40	77	0.7882					80692.40	T
Hamilton	507	71	1435.36	101910.86	77	0.7882	38	32	6.78	44.78	64272.17	NT
Hamilton	507	71	64593.95	4586170.69	77	0.7882					4586170.69	T
Hamilton	508	70	12.82	897.42	77	0.7882	38	32	6.78	44.78	574.06	NT
Hamilton	508	70	542.99	38009.63	77	0.7882					38009.63	T
Hamilton	511	57	32.47	1850.51	77	0.7882	38	18	3.81	41.81	1357.44	NT
Hamilton	511	57	795.04	45317.20	77	0.7882					45317.20	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hamilton	52B	78	819.69	63935.75	77	0.7882	38	40	8.47	46.47	38092.59	NT
Hamilton	52B	78	16226.62	1265676.18	77	0.7882					1265676.18	T
Hamilton	52C	65	73.59	4783.06	77	0.7882	38	26	5.51	43.51	3201.47	NT
Hamilton	52C	65	909.96	59147.48	77	0.7882					59147.48	T
Hamilton	52C2	63	183.51	11561.38	77	0.7882	38	24	5.08	43.08	7906.37	NT
Hamilton	52C2	63	5097.21	321124.44	77	0.7882					321124.44	T
Hamilton	536	70	238.50	16695.25	77	0.7882	38	32	6.78	44.78	10679.62	NT
Hamilton	536	70	622.01	43540.57	77	0.7882					43540.57	T
Hamilton	55	73	1323.49	96615.12	77	0.7882	38	34	7.20	45.20	59823.55	NT
Hamilton	55	73	30228.76	2206699.75	77	0.7882					2206699.75	T
Hamilton	5507	61	0.03	1.55	77	0.7882					1.55	T
Hamilton	559	40	103.97	4158.68	77	0.7882	38	2	0.42	38.42	3994.79	NT
Hamilton	559	40	687.91	27516.23	77	0.7882					27516.23	T
Hamilton	6	43	67.22	2890.54	77	0.7882	38	4	0.85	38.85	2611.38	NT
Hamilton	6	43	6898.68	296643.16	77	0.7882					296643.16	T
Hamilton	62C2	53	30.26	1603.57	77	0.7882	38	14	2.97	40.97	1239.45	NT
Hamilton	62C2	53	1100.98	58351.90	77	0.7882					58351.90	T
Hamilton	62D2	38	279.23	10610.68	77	0.7882	38	0	0.00	38.00	10610.68	NT
Hamilton	62D2	38	1499.85	56994.43	77	0.7882					56994.43	T
Hamilton	62E2	28	508.68	14242.95	77	0.7882	28	0	0.00	28.00	14242.95	NT
Hamilton	62E2	28	338.23	9470.57	77	0.7882					9470.57	T
Hamilton	62F	7	165.37	1157.56	77	0.7882	7	0	0.00	7.00	1157.56	NT
Hamilton	62F	7	56.77	397.37	77	0.7882					397.37	T
Hamilton	638C2	52	54.10	2813.36	77	0.7882	38	14	2.97	40.97	2216.34	NT
Hamilton	638C2	52	1034.48	53793.05	77	0.7882					53793.05	T
Hamilton	715	5	2.66	13.30	77	0.7882	5	0	0.00	5.00	13.30	NT
Hamilton	828B	45	119.98	5399.21	77	0.7882	38	6	1.27	39.27	4711.81	NT
Hamilton	828B	45	827.93	37256.69	77	0.7882					37256.69	T
Hamilton	828C2	30	104.96	3148.83	77	0.7882	30	0	0.00	30.00	3148.83	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hamilton	828C2	30	1135.89	34076.80	77	0.7882					34076.80	T
Hamilton	829D2	28	97.07	2718.08	77	0.7882	28	0	0.00	28.00	2718.08	NT
Hamilton	829D2	28	561.93	15733.92	77	0.7882					15733.92	T
Hamilton	829E2	11	95.08	1045.83	77	0.7882	11	0	0.00	11.00	1045.83	NT
Hamilton	829E2	11	86.41	950.48	77	0.7882					950.48	T
Hamilton	90	42	58.25	2446.33	77	0.7882	38	4	0.85	38.85	2262.69	NT
Hamilton	90	42	3187.56	133877.69	77	0.7882					133877.69	T
Hamilton	95	57	179.31	10220.80	77	0.7882	38	18	3.81	41.81	7497.47	NT
Hamilton	95	57	16100.99	917756.45	77	0.7882					917756.45	T
Hamilton	956	57	24.45	1393.51	77	0.7882	38	18	3.81	41.81	1022.21	NT
Hamilton	956	57	2266.55	129193.40	77	0.7882					129193.40	T
Hamilton	96	71	67.54	4795.44	77	0.7882	38	32	6.78	44.78	3024.34	NT
Hamilton	96	71	202.52	14378.66	77	0.7882					14378.66	T
Hamilton	AW	0	19.10	0.00	77	0.7882	0	0	0.00	0.00	0.00	NT
Hamilton	AW	0	0.20	0.00	77	0.7882					0.00	T
Hamilton	INT	0	3.42	0.00	77	0.7882	0	0	0.00	0.00	0.00	NT
Hamilton	INT	0	0.03	0.00	77	0.7882					0.00	T
Hamilton	SL	0	9.96	0.00	77	0.7882	0	0	0.00	0.00	0.00	NT
Hamilton	SL	0	0.37	0.00	77	0.7882					0.00	T
Hamilton	W	0	437.92	0.00	77	0.7882	0	0	0.00	0.00	0.00	NT
Hamilton	W	0	2.94	0.00	77	0.7882					0.00	T
											0.00	
											0.00	
Hancock	1032	74	107.59	7961.43	72	0	36	38	38.00	74.00	7961.43	NT
Hancock	1032	74	3362.91	248855.34	72	0					248855.34	T
Hancock	1052B	75	109.35	8201.37	72	0	36	39	39.00	75.00	8201.37	NT
Hancock	1052B	75	1739.64	130473.09	72	0					130473.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hancock	107	70	1540.89	107862.46	72	0	36	34	34.00	70.00	107862.46	NT
Hancock	107	70	38578.06	2700464.09	72	0					2700464.09	T
Hancock	1135	25	820.86	20521.55	72	0	25	0	0.00	25.00	20521.55	NT
Hancock	1135	25	243.67	6091.87	72	0					6091.87	T
Hancock	1221	5	322.12	1610.59	72	0	5	0	0.00	5.00	1610.59	NT
Hancock	1221	5	116.30	581.49	72	0					581.49	T
Hancock	1259	52	59.70	3104.45	72	0	36	16	16.00	52.00	3104.45	NT
Hancock	1259	52	1135.90	59066.83	72	0					59066.83	T
Hancock	1339	87	255.60	22236.84	72	0	36	51	51.00	87.00	22236.84	NT
Hancock	1339	87	3722.72	323876.50	72	0					323876.50	T
Hancock	1339B	82	151.89	12455.36	72	0	36	46	46.00	82.00	12455.36	NT
Hancock	1339B	82	2374.92	194743.11	72	0					194743.11	T
Hancock	135	78	1559.15	121613.45	72	0	36	42	42.00	78.00	121613.45	NT
Hancock	135	78	2362.21	184252.21	72	0					184252.21	T
Hancock	135B	73	0.25	17.93	72	0					17.93	T
Hancock	138B	73	1263.48	92233.86	72	0	36	37	37.00	73.00	92233.86	NT
Hancock	138B	73	23220.02	1695061.18	72	0					1695061.18	T
Hancock	138C2	59	554.72	32728.73	72	0	36	23	23.00	59.00	32728.73	NT
Hancock	138C2	59	7081.65	417817.48	72	0					417817.48	T
Hancock	138D2	56	150.98	8454.89	72	0	36	20	20.00	56.00	8454.89	NT
Hancock	138D2	56	891.49	49923.52	72	0					49923.52	T
Hancock	1506	74	103.93	7690.93	72	0	36	38	38.00	74.00	7690.93	NT
Hancock	1506	74	562.24	41606.11	72	0					41606.11	T
Hancock	1507	75	32.84	2462.67	72	0	36	39	39.00	75.00	2462.67	NT
Hancock	1507	75	814.38	61078.65	72	0					61078.65	T
Hancock	1595	74	102.48	7583.59	72	0	36	38	38.00	74.00	7583.59	NT
Hancock	1595	74	3285.59	243133.57	72	0					243133.57	T
Hancock	1733	25	312.11	7802.69	72	0	25	0	0.00	25.00	7802.69	NT
Hancock	1733	25	207.41	5185.14	72	0					5185.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hancock	174	75	74.10	5557.54	72	0	36	39	39.00	75.00	5557.54	NT
Hancock	174	75	1301.04	97578.13	72	0					97578.13	T
Hancock	174B	70	72.24	5056.88	72	0	36	34	34.00	70.00	5056.88	NT
Hancock	174B	70	983.77	68864.24	72	0					68864.24	T
Hancock	221	25	282.38	7059.60	72	0	25	0	0.00	25.00	7059.60	NT
Hancock	221	25	4242.32	106057.93	72	0					106057.93	T
Hancock	2222	35	208.40	7294.09	72	0	35	0	0.00	35.00	7294.09	NT
Hancock	2222	35	2019.56	70684.59	72	0					70684.59	T
Hancock	224	52	18.06	939.37	72	0	36	16	16.00	52.00	939.37	NT
Hancock	224	52	637.57	33153.86	72	0					33153.86	T
Hancock	236B	79	358.91	28354.20	72	0	36	43	43.00	79.00	28354.20	NT
Hancock	236B	79	1297.05	102466.99	72	0					102466.99	T
Hancock	236C2	62	322.47	19992.89	72	0	36	26	26.00	62.00	19992.89	NT
Hancock	236C2	62	1056.88	65526.75	72	0					65526.75	T
Hancock	236D2	48	286.11	13733.13	72	0	36	12	12.00	48.00	13733.13	NT
Hancock	236D2	48	612.16	29383.52	72	0					29383.52	T
Hancock	236F	19	691.47	13137.85	72	0	19	0	0.00	19.00	13137.85	NT
Hancock	236F	19	378.20	7185.84	72	0					7185.84	T
Hancock	259	41	287.59	11791.19	72	0	36	5	5.00	41.00	11791.19	NT
Hancock	259	41	3208.36	131542.88	72	0					131542.88	T
Hancock	274	39	31.92	1245.04	72	0	36	3	3.00	39.00	1245.04	NT
Hancock	274	39	867.30	33824.66	72	0					33824.66	T
Hancock	27B	82	0.79	64.96	72	0					64.96	T
Hancock	28	38	55.39	2104.82	72	0	36	2	2.00	38.00	2104.82	NT
Hancock	28	38	536.41	20383.67	72	0					20383.67	T
Hancock	288	81	87.22	7064.54	72	0	36	45	45.00	81.00	7064.54	NT
Hancock	288	81	2984.07	241709.69	72	0					241709.69	T
Hancock	28B	14	80.57	1128.03	72	0	14	0	0.00	14.00	1128.03	NT
Hancock	28B	14	1142.06	15988.85	72	0					15988.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hancock	28D2	12	89.94	1079.25	72	0	12	0	0.00	12.00	1079.25	NT
Hancock	28D2	12	608.94	7307.27	72	0					7307.27	T
Hancock	307	61	0.10	6.31	72	0	36	25	25.00	61.00	6.31	NT
Hancock	308	43	167.14	7187.09	72	0	36	7	7.00	43.00	7187.09	NT
Hancock	308	43	2236.38	96164.46	72	0					96164.46	T
Hancock	308B	36	85.35	3072.59	72	0	36	0	0.00	36.00	3072.59	NT
Hancock	308B	36	837.16	30137.79	72	0					30137.79	T
Hancock	335	59	176.16	10393.44	72	0	36	23	23.00	59.00	10393.44	NT
Hancock	335	59	6716.28	396260.50	72	0					396260.50	T
Hancock	348	70	193.64	13554.82	72	0	36	34	34.00	70.00	13554.82	NT
Hancock	348	70	4634.23	324396.27	72	0					324396.27	T
Hancock	384	67	152.20	10197.66	72	0	36	31	31.00	67.00	10197.66	NT
Hancock	384	67	2458.26	164703.60	72	0					164703.60	T
Hancock	384B	66	193.74	12786.61	72	0	36	30	30.00	66.00	12786.61	NT
Hancock	384B	66	3611.06	238330.01	72	0					238330.01	T
Hancock	388	77	61.02	4698.71	72	0	36	41	41.00	77.00	4698.71	NT
Hancock	388	77	2854.45	219792.87	72	0					219792.87	T
Hancock	390	59	172.09	10153.59	72	0	36	23	23.00	59.00	10153.59	NT
Hancock	390	59	4051.57	239042.41	72	0					239042.41	T
Hancock	485B	82	652.03	53466.07	72	0	36	46	46.00	82.00	53466.07	NT
Hancock	485B	82	5107.62	418825.01	72	0					418825.01	T
Hancock	5010	0	481.24	0.00	72	0	0	0	0.00	0.00	0.00	NT
Hancock	5010	0	80.74	0.00	72	0					0.00	T
Hancock	5040	5	119.99	599.93	72	0	5	0	0.00	5.00	599.93	NT
Hancock	5040	5	259.86	1299.31	72	0					1299.31	T
Hancock	506	69	35.01	2415.85	72	0	36	33	33.00	69.00	2415.85	NT
Hancock	506	69	1425.81	98380.88	72	0					98380.88	T
Hancock	507	71	1433.25	101761.06	72	0	36	35	35.00	71.00	101761.06	NT
Hancock	507	71	61696.87	4380477.86	72	0					4380477.86	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hancock	511	57	94.86	5406.98	72	0	36	21	21.00	57.00	5406.98	NT
Hancock	511	57	1151.61	65641.65	72	0					65641.65	T
Hancock	524	54	57.17	3087.24	72	0	36	18	18.00	54.00	3087.24	NT
Hancock	524	54	1474.43	79619.27	72	0					79619.27	T
Hancock	52B	78	63.36	4941.91	72	0	36	42	42.00	78.00	4941.91	NT
Hancock	52B	78	1533.92	119645.56	72	0					119645.56	T
Hancock	52C2	63	202.15	12735.53	72	0	36	27	27.00	63.00	12735.53	NT
Hancock	52C2	63	3713.35	233941.10	72	0					233941.10	T
Hancock	52D2	53	164.37	8711.77	72	0	36	17	17.00	53.00	8711.77	NT
Hancock	52D2	53	2064.17	109400.86	72	0					109400.86	T
Hancock	52E2	43	73.71	3169.37	72	0	36	7	7.00	43.00	3169.37	NT
Hancock	52E2	43	364.08	15655.62	72	0					15655.62	T
Hancock	55	73	2180.38	159167.96	72	0	36	37	37.00	73.00	159167.96	NT
Hancock	55	73	45857.69	3347611.52	72	0					3347611.52	T
Hancock	562D2	39	21.94	855.80	72	0	36	3	3.00	39.00	855.80	NT
Hancock	562D2	39	615.12	23989.84	72	0					23989.84	T
Hancock	562E2	29	27.14	787.06	72	0	29	0	0.00	29.00	787.06	NT
Hancock	562E2	29	385.87	11190.17	72	0					11190.17	T
Hancock	562F2	5	49.53	247.64	72	0	5	0	0.00	5.00	247.64	NT
Hancock	562F2	5	137.98	689.89	72	0					689.89	T
Hancock	585B	70	0.69	48.23	72	0	36	34	34.00	70.00	48.23	NT
Hancock	6	43	499.92	21496.42	72	0	36	7	7.00	43.00	21496.42	NT
Hancock	6	43	14634.80	629296.29	72	0					629296.29	T
Hancock	621	25	262.24	6555.90	72	0	25	0	0.00	25.00	6555.90	NT
Hancock	621	25	1371.16	34278.92	72	0					34278.92	T
Hancock	62C2	53	0.03	1.43	72	0	36	17	17.00	53.00	1.43	NT
Hancock	62C2	53	0.16	8.54	72	0					8.54	T
Hancock	62C3	46	1.28	58.71	72	0					58.71	T
Hancock	62D2	38	0.14	5.19	72	0					5.19	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hancock	62E2	28	0.57	15.90	72	0	28	0	0.00	28.00	15.90	NT
Hancock	62E2	28	0.05	1.51	72	0					1.51	T
Hancock	62E3	26	2.76	71.81	72	0					71.81	T
Hancock	638D2	45	0.28	12.81	72	0					12.81	T
Hancock	638E2	34	0.02	0.58	72	0	34	0	0.00	34.00	0.58	NT
Hancock	638E2	34	0.54	18.47	72	0					18.47	T
Hancock	640C2	39	18.90	737.21	72	0	36	3	3.00	39.00	737.21	NT
Hancock	640C2	39	534.81	20857.69	72	0					20857.69	T
Hancock	640D2	29	52.61	1525.77	72	0	29	0	0.00	29.00	1525.77	NT
Hancock	640D2	29	687.57	19939.63	72	0					19939.63	T
Hancock	640E2	19	34.68	658.84	72	0	19	0	0.00	19.00	658.84	NT
Hancock	640E2	19	266.95	5072.07	72	0					5072.07	T
Hancock	640F2	5	87.09	435.43	72	0	5	0	0.00	5.00	435.43	NT
Hancock	640F2	5	111.09	555.47	72	0					555.47	T
Hancock	641B	70	8.98	628.79	72	0	36	34	34.00	70.00	628.79	NT
Hancock	641B	70	356.31	24941.45	72	0					24941.45	T
Hancock	641C2	54	26.43	1427.09	72	0	36	18	18.00	54.00	1427.09	NT
Hancock	641C2	54	983.99	53135.31	72	0					53135.31	T
Hancock	641D2	44	149.03	6557.25	72	0	36	8	8.00	44.00	6557.25	NT
Hancock	641D2	44	1607.51	70730.31	72	0					70730.31	T
Hancock	641E2	34	166.26	5652.87	72	0	34	0	0.00	34.00	5652.87	NT
Hancock	641E2	34	475.44	16164.81	72	0					16164.81	T
Hancock	642D2	18	20.78	374.08	72	0	18	0	0.00	18.00	374.08	NT
Hancock	642D2	18	191.81	3452.57	72	0					3452.57	T
Hancock	654	72	26.59	1914.51	72	0	36	36	36.00	72.00	1914.51	NT
Hancock	654	72	669.75	48222.04	72	0					48222.04	T
Hancock	655	71	37.45	2658.84	72	0	36	35	35.00	71.00	2658.84	NT
Hancock	655	71	2791.88	198223.36	72	0					198223.36	T
Hancock	658	64	41.31	2643.78	72	0	36	28	28.00	64.00	2643.78	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hancock	658	64	923.19	59084.40	72	0					59084.40	T
Hancock	659	73	158.32	11557.15	72	0	36	37	37.00	73.00	11557.15	NT
Hancock	659	73	4408.02	321785.20	72	0					321785.20	T
Hancock	72	35	13.52	473.09	72	0	35	0	0.00	35.00	473.09	NT
Hancock	72	35	206.30	7220.60	72	0					7220.60	T
Hancock	72B	34	100.33	3411.26	72	0	34	0	0.00	34.00	3411.26	NT
Hancock	72B	34	1358.37	46184.51	72	0					46184.51	T
Hancock	72C2	19	165.68	3147.97	72	0	19	0	0.00	19.00	3147.97	NT
Hancock	72C2	19	1303.62	24768.70	72	0					24768.70	T
Hancock	72D2	9	74.53	670.76	72	0	9	0	0.00	9.00	670.76	NT
Hancock	72D2	9	282.78	2544.98	72	0					2544.98	T
Hancock	73C2	5	44.29	221.46	72	0	5	0	0.00	5.00	221.46	NT
Hancock	73C2	5	284.95	1424.76	72	0					1424.76	T
Hancock	73E	5	0.14	0.69	72	0					0.69	T
Hancock	787B	62	174.55	10822.07	72	0	36	26	26.00	62.00	10822.07	NT
Hancock	787B	62	1934.49	119938.50	72	0					119938.50	T
Hancock	787C2	50	98.35	4917.72	72	0	36	14	14.00	50.00	4917.72	NT
Hancock	787C2	50	954.49	47724.41	72	0					47724.41	T
Hancock	787D2	40	0.26	10.28	72	0					10.28	T
Hancock	811	42	161.80	6795.53	72	0	36	6	6.00	42.00	6795.53	NT
Hancock	811	42	1864.79	78321.00	72	0					78321.00	T
Hancock	823	38	235.17	8936.28	72	0	36	2	2.00	38.00	8936.28	NT
Hancock	823	38	2602.47	98893.78	72	0					98893.78	T
Hancock	823B	35	171.62	6006.77	72	0	35	0	0.00	35.00	6006.77	NT
Hancock	823B	35	1815.93	63557.71	72	0					63557.71	T
Hancock	836B	67	22.26	1491.45	72	0	36	31	31.00	67.00	1491.45	NT
Hancock	836B	67	130.88	8768.87	72	0					8768.87	T
Hancock	836C2	41	61.02	2501.93	72	0	36	5	5.00	41.00	2501.93	NT
Hancock	836C2	41	331.48	13590.75	72	0					13590.75	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hancock	836D2	27	0.00	0.02	72	0	27	0	0.00	27.00	0.02	NT
Hancock	836D2	27	0.02	0.63	72	0					0.63	T
Hancock	836E2	16	168.81	2700.92	72	0	16	0	0.00	16.00	2700.92	NT
Hancock	836E2	16	823.96	13183.34	72	0					13183.34	T
Hancock	879	73	70.95	5179.63	72	0	36	37	37.00	73.00	5179.63	NT
Hancock	879	73	1709.83	124817.72	72	0					124817.72	T
Hancock	90	42	144.19	6055.89	72	0	36	6	6.00	42.00	6055.89	NT
Hancock	90	42	2679.07	112521.00	72	0					112521.00	T
Hancock	95	57	186.87	10651.59	72	0	36	21	21.00	57.00	10651.59	NT
Hancock	95	57	11482.84	654521.91	72	0					654521.91	T
Hancock	956	57	2.53	144.38	72	0	36	21	21.00	57.00	144.38	NT
Hancock	956	57	1533.60	87415.01	72	0					87415.01	T
Hancock	AW	0	3.41	0.00	72	0	0	0	0.00	0.00	0.00	NT
Hancock	INT	0	33.53	0.00	72	0	0	0	0.00	0.00	0.00	NT
Hancock	INT	0	5.11	0.00	72	0					0.00	T
Hancock	SL	0	16.09	0.00	72	0	0	0	0.00	0.00	0.00	NT
Hancock	W	0	542.73	0.00	72	0	0	0	0.00	0.00	0.00	NT
Hancock	W	0	29.28	0.00	72	0					0.00	T
											0.00	
											0.00	
Hardin	107	70	231.96	16237.00	78	0.7891	39	31	6.54	45.54	10562.84	NT
Hardin	107	70	9038.28	632679.74	78	0.7891					632679.74	T
Hardin	1135	25	6.60	165.10	78	0.7891	25	0	0.00	25.00	165.10	NT
Hardin	1152	68	141.70	9635.52	78	0.7891	39	29	6.12	45.12	6392.90	NT
Hardin	1152	68	1394.50	94826.34	78	0.7891					94826.34	T
Hardin	118	95	44.50	4227.24	78	0.7891	39	56	11.81	50.81	2260.92	NT
Hardin	118	95	2798.10	265819.57	78	0.7891					265819.57	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	119	100	72.87	7287.34	78	0.7891	39	61	12.86	51.86	3779.57	NT
Hardin	119	100	3586.55	358654.87	78	0.7891					358654.87	T
Hardin	119B	95	80.93	7688.04	78	0.7891	39	56	11.81	50.81	4111.92	NT
Hardin	119B	95	2969.67	282118.42	78	0.7891					282118.42	T
Hardin	11B	68	1154.28	78490.78	78	0.7891	39	29	6.12	45.12	52076.44	NT
Hardin	11B	68	6416.04	436290.83	78	0.7891					436290.83	T
Hardin	120B	95	657.39	62452.32	78	0.7891	39	56	11.81	50.81	33402.39	NT
Hardin	120B	95	12476.76	1185291.96	78	0.7891					1185291.96	T
Hardin	120C	80	21.76	1741.11	78	0.7891	39	41	8.65	47.65	1036.98	NT
Hardin	120C	80	182.15	14572.04	78	0.7891					14572.04	T
Hardin	120C2	78	259.10	20209.94	78	0.7891	39	39	8.23	47.23	12236.11	NT
Hardin	120C2	78	6743.34	525980.13	78	0.7891					525980.13	T
Hardin	120D2	68	35.59	2419.86	78	0.7891	39	29	6.12	45.12	1605.51	NT
Hardin	120D2	68	560.15	38090.49	78	0.7891					38090.49	T
Hardin	120E2	58	0.01	0.35	78	0.7891	39	19	4.01	43.01	0.26	NT
Hardin	122	63	0.59	37.10	78	0.7891	39	24	5.06	44.06	25.95	NT
Hardin	122	63	112.94	7115.17	78	0.7891					7115.17	T
Hardin	1220	25	0.37	9.14	78	0.7891					9.14	T
Hardin	1226	72	203.43	14646.76	78	0.7891	39	33	6.96	45.96	9349.46	NT
Hardin	1226	72	2041.14	146961.78	78	0.7891					146961.78	T
Hardin	133	80	936.85	74947.83	78	0.7891	39	41	8.65	47.65	44637.90	NT
Hardin	133	80	2028.78	162302.31	78	0.7891					162302.31	T
Hardin	133+	85	0.12	10.26	78	0.7891	39	46	9.70	48.70	5.88	NT
Hardin	133+	85	2.93	248.97	78	0.7891					248.97	T
Hardin	135	78	3207.55	250188.82	78	0.7891	39	39	8.23	47.23	151476.82	NT
Hardin	135	78	4903.30	382457.06	78	0.7891					382457.06	T
Hardin	138B	73	3100.07	226305.09	78	0.7891	39	34	7.17	46.17	143132.08	NT
Hardin	138B	73	57440.80	4193178.66	78	0.7891					4193178.66	T
Hardin	138C	67	2.36	158.35	78	0.7891					158.35	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	138C2	59	1014.71	59868.02	78	0.7891	39	20	4.22	43.22	43853.83	NT
Hardin	138C2	59	17137.78	1011129.25	78	0.7891					1011129.25	T
Hardin	138D2	56	224.04	12546.10	78	0.7891	39	17	3.59	42.59	9540.70	NT
Hardin	138D2	56	617.33	34570.68	78	0.7891					34570.68	T
Hardin	162B	90	207.35	18661.81	78	0.7891	39	51	10.76	49.76	10317.06	NT
Hardin	162B	90	1456.13	131051.96	78	0.7891					131051.96	T
Hardin	162C2	73	330.71	24142.18	78	0.7891	39	34	7.17	46.17	15269.30	NT
Hardin	162C2	73	1453.43	106100.10	78	0.7891					106100.10	T
Hardin	162D2	63	164.77	10380.56	78	0.7891	39	24	5.06	44.06	7260.06	NT
Hardin	162D2	63	211.21	13305.98	78	0.7891					13305.98	T
Hardin	163B	85	104.47	8879.73	78	0.7891	39	46	9.70	48.70	5087.71	NT
Hardin	163B	85	736.50	62602.84	78	0.7891					62602.84	T
Hardin	163C	70	178.70	12509.22	78	0.7891	39	31	6.54	45.54	8137.76	NT
Hardin	163C	70	467.60	32732.25	78	0.7891					32732.25	T
Hardin	163D	60	73.42	4405.13	78	0.7891	39	21	4.43	43.43	3188.50	NT
Hardin	163D	60	90.19	5411.28	78	0.7891					5411.28	T
Hardin	168B	74	521.86	38617.87	78	0.7891	39	35	7.38	46.38	24204.79	NT
Hardin	168B	74	589.89	43651.76	78	0.7891					43651.76	T
Hardin	168C	58	340.49	19748.19	78	0.7891	39	19	4.01	43.01	14643.32	NT
Hardin	168C	58	210.94	12234.47	78	0.7891					12234.47	T
Hardin	168G	5	2342.68	11713.39	78	0.7891	5	0	0.00	5.00	11713.39	NT
Hardin	168G	5	46.52	232.62	78	0.7891					232.62	T
Hardin	175B	56	2.03	113.58	78	0.7891					113.58	T
Hardin	177	64	253.00	16191.95	78	0.7891	39	25	5.27	44.27	11200.91	NT
Hardin	177	64	2109.23	134990.93	78	0.7891					134990.93	T
Hardin	177B	60	399.10	23946.02	78	0.7891	39	21	4.43	43.43	17332.49	NT
Hardin	177B	60	1870.48	112229.08	78	0.7891					112229.08	T
Hardin	177C	40	71.77	2870.85	78	0.7891	39	1	0.21	39.21	2814.21	NT
Hardin	177C	40	251.96	10078.45	78	0.7891					10078.45	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	178	79	74.16	5858.73	78	0.7891	39	40	8.44	47.44	3517.91	NT
Hardin	178	79	601.76	47538.82	78	0.7891					47538.82	T
Hardin	178B	74	30.48	2255.50	78	0.7891	39	35	7.38	46.38	1413.69	NT
Hardin	178B	74	350.39	25928.73	78	0.7891					25928.73	T
Hardin	184	93	24.17	2247.56	78	0.7891	39	54	11.39	50.39	1217.76	NT
Hardin	184	93	576.67	53630.74	78	0.7891					53630.74	T
Hardin	184B	90	7.20	648.39	78	0.7891	39	51	10.76	49.76	358.46	NT
Hardin	184B	90	461.70	41553.37	78	0.7891					41553.37	T
Hardin	188	72	14.20	1022.61	78	0.7891	39	33	6.96	45.96	652.76	NT
Hardin	188	72	51.92	3738.25	78	0.7891					3738.25	T
Hardin	1936	25	2783.28	69582.01	78	0.7891	25	0	0.00	25.00	69582.01	NT
Hardin	1936	25	165.77	4144.25	78	0.7891					4144.25	T
Hardin	201B	51	1862.83	95004.58	78	0.7891	39	12	2.53	41.53	77365.03	NT
Hardin	201B	51	4747.54	242124.73	78	0.7891					242124.73	T
Hardin	20C2	73	217.57	15882.76	78	0.7891	39	34	7.17	46.17	10045.43	NT
Hardin	20C2	73	2030.02	148191.68	78	0.7891					148191.68	T
Hardin	20D3	58	255.29	14806.99	78	0.7891	39	19	4.01	43.01	10979.41	NT
Hardin	20D3	58	1922.96	111531.83	78	0.7891					111531.83	T
Hardin	20E2	53	0.06	3.36	78	0.7891					3.36	T
Hardin	20E3	48	241.54	11593.80	78	0.7891	39	9	1.90	40.90	9878.43	NT
Hardin	20E3	48	162.37	7793.52	78	0.7891					7793.52	T
Hardin	212	94	22.23	2089.65	78	0.7891	39	55	11.60	50.60	1124.84	NT
Hardin	212	94	323.87	30444.22	78	0.7891					30444.22	T
Hardin	221	25	20.75	518.66	78	0.7891	25	0	0.00	25.00	518.66	NT
Hardin	221	25	465.43	11635.68	78	0.7891					11635.68	T
Hardin	236B	79	801.77	63339.88	78	0.7891	39	40	8.44	47.44	38032.79	NT
Hardin	236B	79	2840.18	224374.15	78	0.7891					224374.15	T
Hardin	236C	61	182.20	11114.39	78	0.7891	39	22	4.64	43.64	7951.31	NT
Hardin	236C	61	171.55	10464.40	78	0.7891					10464.40	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	236C2	62	642.78	39852.25	78	0.7891	39	23	4.85	43.85	28186.28	NT
Hardin	236C2	62	1239.32	76837.58	78	0.7891					76837.58	T
Hardin	236D2	48	427.80	20534.44	78	0.7891	39	9	1.90	40.90	17496.24	NT
Hardin	236D2	48	321.36	15425.08	78	0.7891					15425.08	T
Hardin	236F	19	1107.10	21034.82	78	0.7891	19	0	0.00	19.00	21034.82	NT
Hardin	236F	19	115.93	2202.65	78	0.7891					2202.65	T
Hardin	27B	82	382.17	31338.16	78	0.7891	39	43	9.07	48.07	18370.54	NT
Hardin	27B	82	2560.79	209984.50	78	0.7891					209984.50	T
Hardin	284	40	14.58	583.33	78	0.7891	39	1	0.21	39.21	571.82	NT
Hardin	284	40	264.61	10584.56	78	0.7891					10584.56	T
Hardin	284B	45	83.14	3741.15	78	0.7891	39	6	1.27	40.27	3347.54	NT
Hardin	284B	45	464.94	20922.52	78	0.7891					20922.52	T
Hardin	284C2	25	88.91	2222.77	78	0.7891	25	0	0.00	25.00	2222.77	NT
Hardin	284C2	25	190.89	4772.28	78	0.7891					4772.28	T
Hardin	291	90	23.67	2129.90	78	0.7891	39	51	10.76	49.76	1177.50	NT
Hardin	291	90	457.06	41135.64	78	0.7891					41135.64	T
Hardin	325	87	206.44	17960.18	78	0.7891	39	48	10.12	49.12	10140.94	NT
Hardin	325	87	790.44	68768.09	78	0.7891					68768.09	T
Hardin	329	83	1326.83	110126.98	78	0.7891	39	44	9.28	48.28	64058.88	NT
Hardin	329	83	44078.32	3658500.15	78	0.7891					3658500.15	T
Hardin	335	59	10.55	622.48	78	0.7891	39	20	4.22	43.22	455.98	NT
Hardin	335	59	494.72	29188.45	78	0.7891					29188.45	T
Hardin	377B	90	78.48	7063.60	78	0.7891	39	51	10.76	49.76	3905.06	NT
Hardin	377B	90	1781.11	160299.91	78	0.7891					160299.91	T
Hardin	377C2	73	86.38	6305.56	78	0.7891	39	34	7.17	46.17	3988.10	NT
Hardin	377C2	73	2568.23	187480.99	78	0.7891					187480.99	T
Hardin	377D2	63	62.10	3912.08	78	0.7891	39	24	5.06	44.06	2736.07	NT
Hardin	377D2	63	465.00	29294.70	78	0.7891					29294.70	T
Hardin	382	90	8.60	773.67	78	0.7891	39	51	10.76	49.76	427.72	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	382	90	241.22	21709.90	78	0.7891					21709.90	T
Hardin	393C	33	120.06	3962.09	78	0.7891	33	0	0.00	33.00	3962.09	NT
Hardin	393C	33	328.17	10829.45	78	0.7891					10829.45	T
Hardin	393D	28	184.52	5166.55	78	0.7891	28	0	0.00	28.00	5166.55	NT
Hardin	393D	28	91.57	2564.04	78	0.7891					2564.04	T
Hardin	4000	0	7.15	0.00	78	0.7891	0	0	0.00	0.00	0.00	NT
Hardin	4000	0	1.56	0.00	78	0.7891					0.00	T
Hardin	409B	57	98.25	5600.37	78	0.7891	39	18	3.80	42.80	4204.82	NT
Hardin	409B	57	401.85	22905.46	78	0.7891					22905.46	T
Hardin	409C	41	89.76	3680.33	78	0.7891	39	2	0.42	39.42	3538.67	NT
Hardin	409C	41	277.21	11365.74	78	0.7891					11365.74	T
Hardin	415G	5	700.82	3504.11	78	0.7891	5	0	0.00	5.00	3504.11	NT
Hardin	415G	5	37.01	185.04	78	0.7891					185.04	T
Hardin	420B	95	0.70	66.14	78	0.7891					66.14	T
Hardin	420C2	78	1.56	121.37	78	0.7891					121.37	T
Hardin	428B	93	31.32	2912.56	78	0.7891	39	54	11.39	50.39	1578.06	NT
Hardin	428B	93	850.68	79113.05	78	0.7891					79113.05	T
Hardin	430	83	0.10	8.71	78	0.7891					8.71	T
Hardin	457	82	157.14	12885.46	78	0.7891	39	43	9.07	48.07	7553.50	NT
Hardin	457	82	104.56	8574.04	78	0.7891					8574.04	T
Hardin	485	92	349.48	32152.31	78	0.7891	39	53	11.18	50.18	17536.19	NT
Hardin	485	92	1052.96	96872.65	78	0.7891					96872.65	T
Hardin	491G	10	364.97	3649.67	78	0.7891	10	0	0.00	10.00	3649.67	NT
Hardin	491G	10	28.48	284.82	78	0.7891					284.82	T
Hardin	5010	0	530.35	0.00	78	0.7891	0	0	0.00	0.00	0.00	NT
Hardin	5010	0	118.16	0.00	78	0.7891					0.00	T
Hardin	5030	0	195.64	0.00	78	0.7891	0	0	0.00	0.00	0.00	NT
Hardin	5030	0	27.83	0.00	78	0.7891					0.00	T
Hardin	5040	5	117.06	585.29	78	0.7891	5	0	0.00	5.00	585.29	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	5040	5	128.87	644.36	78	0.7891					644.36	T
Hardin	506	69	13.21	911.23	78	0.7891	39	30	6.33	45.33	598.60	NT
Hardin	506	69	715.53	49371.42	78	0.7891					49371.42	T
Hardin	507	71	194.60	13816.25	78	0.7891	39	32	6.75	45.75	8902.49	NT
Hardin	507	71	11361.81	806688.40	78	0.7891					806688.40	T
Hardin	536	70	87.39	6117.46	78	0.7891	39	31	6.54	45.54	3979.66	NT
Hardin	536	70	224.78	15734.84	78	0.7891					15734.84	T
Hardin	54	70	8.95	626.84	78	0.7891					626.84	T
Hardin	55	73	446.57	32599.49	78	0.7891	39	34	7.17	46.17	20618.33	NT
Hardin	55	73	18544.61	1353756.56	78	0.7891					1353756.56	T
Hardin	595	73	17.10	1248.09	78	0.7891	39	34	7.17	46.17	789.38	NT
Hardin	595	73	362.40	26455.34	78	0.7891					26455.34	T
Hardin	5B	83	0.08	6.43	78	0.7891					6.43	T
Hardin	6	43	90.49	3891.05	78	0.7891	39	4	0.84	39.84	3605.43	NT
Hardin	6	43	7493.54	322222.32	78	0.7891					322222.32	T
Hardin	62C2	53	17.94	951.02	78	0.7891	39	14	2.95	41.95	752.79	NT
Hardin	62C2	53	645.55	34214.15	78	0.7891					34214.15	T
Hardin	62D2	38	117.71	4472.80	78	0.7891	38	0	0.00	38.00	4472.80	NT
Hardin	62D2	38	801.84	30469.84	78	0.7891					30469.84	T
Hardin	62E2	28	295.44	8272.27	78	0.7891	28	0	0.00	28.00	8272.27	NT
Hardin	62E2	28	404.32	11321.03	78	0.7891					11321.03	T
Hardin	62G2	5	615.42	3077.11	78	0.7891	5	0	0.00	5.00	3077.11	NT
Hardin	62G2	5	80.73	403.66	78	0.7891					403.66	T
Hardin	638C2	52	431.22	22423.44	78	0.7891	39	13	2.74	41.74	17999.86	NT
Hardin	638C2	52	8751.00	455051.97	78	0.7891					455051.97	T
Hardin	638D2	45	335.74	15108.16	78	0.7891	39	6	1.27	40.27	13518.58	NT
Hardin	638D2	45	1759.29	79167.95	78	0.7891					79167.95	T
Hardin	683D2	58	0.01	0.60	78	0.7891	39	19	4.01	43.01	0.44	NT
Hardin	696	52	12.80	665.50	78	0.7891	39	13	2.74	41.74	534.21	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	696	52	42.73	2221.75	78	0.7891					2221.75	T
Hardin	7	91	12.45	1133.12	78	0.7891	39	52	10.97	49.97	622.18	NT
Hardin	7	91	434.78	39565.43	78	0.7891					39565.43	T
Hardin	705C2	57	126.16	7190.90	78	0.7891	39	18	3.80	42.80	5399.00	NT
Hardin	705C2	57	219.78	12527.60	78	0.7891					12527.60	T
Hardin	705D2	47	133.34	6266.84	78	0.7891	39	8	1.69	40.69	5425.11	NT
Hardin	705D2	47	153.72	7224.93	78	0.7891					7224.93	T
Hardin	733	64	169.58	10853.02	78	0.7891	39	25	5.27	44.27	7507.66	NT
Hardin	733	64	1105.43	70747.23	78	0.7891					70747.23	T
Hardin	73C	5	47.95	239.77	78	0.7891	5	0	0.00	5.00	239.77	NT
Hardin	73C	5	169.32	846.62	78	0.7891					846.62	T
Hardin	73E	5	234.61	1173.05	78	0.7891	5	0	0.00	5.00	1173.05	NT
Hardin	73E	5	133.10	665.48	78	0.7891					665.48	T
Hardin	771B	87	16.32	1419.96	78	0.7891	39	48	10.12	49.12	801.76	NT
Hardin	771B	87	178.57	15535.23	78	0.7891					15535.23	T
Hardin	771C2	70	87.69	6138.45	78	0.7891	39	31	6.54	45.54	3993.32	NT
Hardin	771C2	70	321.88	22531.50	78	0.7891					22531.50	T
Hardin	771D2	60	120.31	7218.71	78	0.7891	39	21	4.43	43.43	5225.01	NT
Hardin	771D2	60	135.00	8100.11	78	0.7891					8100.11	T
Hardin	7B	85	7.84	666.69	78	0.7891	39	46	9.70	48.70	381.98	NT
Hardin	7B	85	117.61	9997.04	78	0.7891					9997.04	T
Hardin	814	71	14.52	1030.98	78	0.7891	39	32	6.75	45.75	664.31	NT
Hardin	814	71	67.68	4804.93	78	0.7891					4804.93	T
Hardin	814B	58	137.79	7991.95	78	0.7891	39	19	4.01	43.01	5926.04	NT
Hardin	814B	58	423.28	24550.09	78	0.7891					24550.09	T
Hardin	814C2	41	62.10	2545.93	78	0.7891	39	2	0.42	39.42	2447.93	NT
Hardin	814C2	41	89.66	3676.06	78	0.7891					3676.06	T
Hardin	828B	45	121.61	5472.34	78	0.7891	39	6	1.27	40.27	4896.57	NT
Hardin	828B	45	618.72	27842.38	78	0.7891					27842.38	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	828C2	30	116.48	3494.35	78	0.7891	30	0	0.00	30.00	3494.35	NT
Hardin	828C2	30	308.43	9252.75	78	0.7891					9252.75	T
Hardin	83C2	69	33.75	2328.44	78	0.7891	39	30	6.33	45.33	1529.58	NT
Hardin	83C2	69	266.77	18407.39	78	0.7891					18407.39	T
Hardin	83E2	52	137.69	7159.62	78	0.7891	39	13	2.74	41.74	5747.21	NT
Hardin	83E2	52	334.98	17419.00	78	0.7891					17419.00	T
Hardin	8B	90	32.91	2961.66	78	0.7891	39	51	10.76	49.76	1637.34	NT
Hardin	8B	90	561.09	50498.03	78	0.7891					50498.03	T
Hardin	90	42	48.52	2037.95	78	0.7891	39	3	0.63	39.63	1923.08	NT
Hardin	90	42	1537.73	64584.71	78	0.7891					64584.71	T
Hardin	933	80	109.78	8782.12	78	0.7891	39	41	8.65	47.65	5230.51	NT
Hardin	933	80	1060.10	84808.37	78	0.7891					84808.37	T
Hardin	933B	80	0.47	37.71	78	0.7891					37.71	T
Hardin	936	75	423.60	31770.26	78	0.7891	39	36	7.59	46.59	19736.70	NT
Hardin	936	75	717.08	53780.66	78	0.7891					53780.66	T
Hardin	95	57	337.73	19250.35	78	0.7891	39	18	3.80	42.80	14453.36	NT
Hardin	95	57	24901.21	1419368.96	78	0.7891					1419368.96	T
Hardin	956	57	57.75	3291.71	78	0.7891	39	18	3.80	42.80	2471.45	NT
Hardin	956	57	3952.54	225294.99	78	0.7891					225294.99	T
Hardin	96	71	60.21	4275.18	78	0.7891	39	32	6.75	45.75	2754.71	NT
Hardin	96	71	376.51	26732.45	78	0.7891					26732.45	T
Hardin	AW	0	8.33	0.00	78	0.7891	0	0	0.00	0.00	0.00	NT
Hardin	INT	0	7.97	0.00	78	0.7891	0	0	0.00	0.00	0.00	NT
Hardin	INT	0	14.32	0.00	78	0.7891					0.00	T
Hardin	SL	0	22.90	0.00	78	0.7891	0	0	0.00	0.00	0.00	NT
Hardin	SL	0	0.01	0.00	78	0.7891					0.00	T
Hardin	W	0	764.06	0.00	78	0.7891	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Hardin	W	0	22.40	0.00	78	0.7891					0.00	T
											0.00	
											0.00	
Harrison	10	85	46.08	3917.16	58	0.6667	29	56	18.66	47.66	2196.60	NT
Harrison	10	85	626.75	53273.63	58	0.6667					53273.63	T
Harrison	100B	80	0.20	16.23	58	0.6667	29	51	17.00	46.00	9.33	NT
Harrison	100B	80	29.00	2319.98	58	0.6667					2319.98	T
Harrison	100C2	63	0.60	37.60	58	0.6667	29	34	11.33	40.33	24.07	NT
Harrison	100C2	63	12.23	770.37	58	0.6667					770.37	T
Harrison	100D2	53	0.26	13.59	58	0.6667	29	24	8.00	37.00	9.49	NT
Harrison	100D2	53	21.17	1122.24	58	0.6667					1122.24	T
Harrison	100D3	50	2.25	112.69	58	0.6667					112.69	T
Harrison	100E2	43	16.71	718.60	58	0.6667	29	14	4.67	33.67	562.62	NT
Harrison	100E2	43	39.34	1691.44	58	0.6667					1691.44	T
Harrison	100F2	23	0.93	21.29	58	0.6667	23	0	0.00	23.00	21.29	NT
Harrison	100F2	23	7.33	168.62	58	0.6667					168.62	T
Harrison	101F3	19	9.38	178.17	58	0.6667					178.17	T
Harrison	10B	80	1122.71	89816.57	58	0.6667	29	51	17.00	46.00	51642.62	NT
Harrison	10B	80	15993.37	1279469.57	58	0.6667					1279469.57	T
Harrison	10B2	78	0.19	14.56	58	0.6667	29	49	16.33	45.33	8.46	NT
Harrison	10C	65	2416.03	157042.21	58	0.6667	29	36	12.00	41.00	99054.50	NT
Harrison	10C	65	11770.78	765100.66	58	0.6667					765100.66	T
Harrison	10C2	63	2105.72	132660.05	58	0.6667	29	34	11.33	40.33	84928.12	NT
Harrison	10C2	63	17173.02	1081900.10	58	0.6667					1081900.10	T
Harrison	10D	55	1329.65	73130.92	58	0.6667	29	26	8.67	37.67	50082.45	NT
Harrison	10D	55	4036.14	221987.62	58	0.6667					221987.62	T
Harrison	10D2	53	2523.35	133737.47	58	0.6667	29	24	8.00	37.00	93361.87	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Harrison	10D2	53	21087.72	1117649.18	58	0.6667					1117649.18	T
Harrison	10D3	50	196.99	9849.25	58	0.6667	29	21	7.00	36.00	7091.32	NT
Harrison	10D3	50	703.80	35190.17	58	0.6667					35190.17	T
Harrison	10E	42	3106.99	130493.66	58	0.6667	29	13	4.33	33.33	103565.05	NT
Harrison	10E	42	1793.29	75318.33	58	0.6667					75318.33	T
Harrison	10E2	43	2257.63	97078.06	58	0.6667	29	14	4.67	33.67	76005.80	NT
Harrison	10E2	43	7312.89	314454.15	58	0.6667					314454.15	T
Harrison	10E3	40	614.83	24593.18	58	0.6667	29	11	3.67	32.67	20084.20	NT
Harrison	10E3	40	1353.78	54151.38	58	0.6667					54151.38	T
Harrison	10F	22	3726.79	81989.30	58	0.6667	22	0	0.00	22.00	81989.30	NT
Harrison	10F	22	769.50	16929.05	58	0.6667					16929.05	T
Harrison	10F2	23	1905.08	43816.92	58	0.6667	23	0	0.00	23.00	43816.92	NT
Harrison	10F2	23	1226.87	28218.12	58	0.6667					28218.12	T
Harrison	10G	15	1809.64	27144.57	58	0.6667	15	0	0.00	15.00	27144.57	NT
Harrison	10G	15	217.86	3267.97	58	0.6667					3267.97	T
Harrison	123	77	0.05	3.68	58	0.6667					3.68	T
Harrison	12B	80	5607.07	448565.25	58	0.6667	29	51	17.00	46.00	257915.49	NT
Harrison	12B	80	25740.66	2059252.41	58	0.6667					2059252.41	T
Harrison	12B+	76	169.07	12849.36	58	0.6667	29	47	15.67	44.67	7551.55	NT
Harrison	12B+	76	1457.38	110761.25	58	0.6667					110761.25	T
Harrison	12C	65	9502.42	617657.02	58	0.6667	29	36	12.00	41.00	389587.64	NT
Harrison	12C	65	24484.91	1591519.08	58	0.6667					1591519.08	T
Harrison	12D	60	2776.45	166586.90	58	0.6667	29	31	10.33	39.33	109204.10	NT
Harrison	12D	60	4128.93	247735.69	58	0.6667					247735.69	T
Harrison	133	80	44.23	3538.13	58	0.6667	29	51	17.00	46.00	2034.35	NT
Harrison	133	80	607.61	48608.83	58	0.6667					48608.83	T
Harrison	133+	85	64.37	5471.74	58	0.6667	29	56	18.66	47.66	3068.34	NT
Harrison	133+	85	821.79	69852.24	58	0.6667					69852.24	T
Harrison	137	65	568.20	36932.84	58	0.6667	29	36	12.00	41.00	23295.42	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Harrison	137	65	8724.74	567108.17	58	0.6667					567108.17	T
Harrison	144	70	265.74	18601.48	58	0.6667	29	41	13.67	42.67	11337.68	NT
Harrison	144	70	3386.31	237041.81	58	0.6667					237041.81	T
Harrison	145	65	25.39	1650.07	58	0.6667	29	36	12.00	41.00	1040.78	NT
Harrison	145	65	1002.14	65139.01	58	0.6667					65139.01	T
Harrison	146	65	376.77	24490.22	58	0.6667	29	36	12.00	41.00	15447.23	NT
Harrison	146	65	5404.79	351311.38	58	0.6667					351311.38	T
Harrison	149	68	66.76	4539.73	58	0.6667	29	39	13.00	42.00	2803.86	NT
Harrison	149	68	1560.87	106139.32	58	0.6667					106139.32	T
Harrison	156	51	1074.66	54807.45	58	0.6667	29	22	7.33	36.33	39045.04	NT
Harrison	156	51	14174.48	722898.61	58	0.6667					722898.61	T
Harrison	157	60	174.40	10464.26	58	0.6667	29	31	10.33	39.33	6859.73	NT
Harrison	157	60	2747.96	164877.41	58	0.6667					164877.41	T
Harrison	17B	57	487.59	27792.71	58	0.6667	29	28	9.33	38.33	18690.55	NT
Harrison	17B	57	2175.25	123988.98	58	0.6667					123988.98	T
Harrison	1C	60	49.30	2958.25	58	0.6667	29	31	10.33	39.33	1939.25	NT
Harrison	1C	60	261.74	15704.18	58	0.6667					15704.18	T
Harrison	1C3	55	116.51	6408.16	58	0.6667	29	26	8.67	37.67	4388.52	NT
Harrison	1C3	55	1043.85	57411.81	58	0.6667					57411.81	T
Harrison	1D	50	322.73	16136.48	58	0.6667	29	21	7.00	36.00	11618.04	NT
Harrison	1D	50	1080.79	54039.56	58	0.6667					54039.56	T
Harrison	1D3	45	1312.25	59051.10	58	0.6667	29	16	5.33	34.33	45053.10	NT
Harrison	1D3	45	16003.43	720154.52	58	0.6667					720154.52	T
Harrison	1E	35	644.86	22570.27	58	0.6667	29	6	2.00	31.00	19990.68	NT
Harrison	1E	35	1280.26	44809.14	58	0.6667					44809.14	T
Harrison	1E3	35	5591.75	195711.41	58	0.6667	29	6	2.00	31.00	173343.27	NT
Harrison	1E3	35	31927.90	1117476.62	58	0.6667					1117476.62	T
Harrison	1F	14	1996.36	27948.98	58	0.6667	14	0	0.00	14.00	27948.98	NT
Harrison	1F	14	681.41	9539.71	58	0.6667					9539.71	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Harrison	1F3	15	5722.55	85838.32	58	0.6667	15	0	0.00	15.00	85838.32	NT
Harrison	1F3	15	6942.22	104133.25	58	0.6667					104133.25	T
Harrison	1G	5	4324.56	21622.78	58	0.6667	5	0	0.00	5.00	21622.78	NT
Harrison	1G	5	871.57	4357.84	58	0.6667					4357.84	T
Harrison	212	94	458.42	43091.93	58	0.6667	29	65	21.66	50.66	23225.86	NT
Harrison	212	94	7612.77	715600.82	58	0.6667					715600.82	T
Harrison	212+	90	657.08	59136.86	58	0.6667	29	61	20.33	49.33	32414.43	NT
Harrison	212+	90	7481.29	673315.91	58	0.6667					673315.91	T
Harrison	220	85	991.08	84241.71	58	0.6667	29	56	18.66	47.66	47239.58	NT
Harrison	220	85	8367.91	711272.58	58	0.6667					711272.58	T
Harrison	22D3	43	3.63	156.07	58	0.6667	29	14	4.67	33.67	122.20	NT
Harrison	22D3	43	193.72	8330.16	58	0.6667					8330.16	T
Harrison	22E3	43	27.47	1181.17	58	0.6667	29	14	4.67	33.67	924.78	NT
Harrison	22E3	43	617.55	26554.62	58	0.6667					26554.62	T
Harrison	237	9	415.82	3742.34	58	0.6667	9	0	0.00	9.00	3742.34	NT
Harrison	237	9	933.39	8400.49	58	0.6667					8400.49	T
Harrison	237B	5	938.76	4693.81	58	0.6667	5	0	0.00	5.00	4693.81	NT
Harrison	237B	5	515.05	2575.25	58	0.6667					2575.25	T
Harrison	238	10	500.68	5006.82	58	0.6667	10	0	0.00	10.00	5006.82	NT
Harrison	238	10	1855.20	18552.00	58	0.6667					18552.00	T
Harrison	244	47	23.57	1107.75	58	0.6667	29	18	6.00	35.00	824.90	NT
Harrison	244	47	868.06	40798.72	58	0.6667					40798.72	T
Harrison	255	65	38.50	2502.40	58	0.6667	29	36	12.00	41.00	1578.39	NT
Harrison	255	65	1678.32	109090.89	58	0.6667					109090.89	T
Harrison	26	85	0.66	56.03	58	0.6667	29	56	18.66	47.66	31.42	NT
Harrison	26	85	0.39	32.92	58	0.6667					32.92	T
Harrison	266	85	1.74	148.20	58	0.6667					148.20	T
Harrison	268F	20	14.00	280.03	58	0.6667	20	0	0.00	20.00	280.03	NT
Harrison	268F	20	0.11	2.21	58	0.6667					2.21	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Harrison	275	72	57.76	4158.72	58	0.6667	29	43	14.33	43.33	2502.85	NT
Harrison	275	72	2059.35	148273.27	58	0.6667					148273.27	T
Harrison	2G	5	4641.77	23208.83	58	0.6667	5	0	0.00	5.00	23208.83	NT
Harrison	2G	5	302.76	1513.81	58	0.6667					1513.81	T
Harrison	315	30	1234.79	37043.70	58	0.6667	29	1	0.33	29.33	36220.47	NT
Harrison	315	30	169.44	5083.13	58	0.6667					5083.13	T
Harrison	33D2	40	48.00	1919.96	58	0.6667	29	11	3.67	32.67	1567.95	NT
Harrison	33D2	40	384.46	15378.23	58	0.6667					15378.23	T
Harrison	33E3	20	123.99	2479.80	58	0.6667	20	0	0.00	20.00	2479.80	NT
Harrison	33E3	20	444.19	8883.86	58	0.6667					8883.86	T
Harrison	36	79	93.85	7414.03	58	0.6667	29	50	16.67	45.67	4285.59	NT
Harrison	36	79	3984.51	314776.49	58	0.6667					314776.49	T
Harrison	38	30	375.32	11259.67	58	0.6667	29	1	0.33	29.33	11009.44	NT
Harrison	38	30	322.18	9665.42	58	0.6667					9665.42	T
Harrison	3D	39	139.87	5454.80	58	0.6667	29	10	3.33	32.33	4522.31	NT
Harrison	3D	39	146.66	5719.55	58	0.6667					5719.55	T
Harrison	3E	30	108.88	3266.38	58	0.6667	29	1	0.33	29.33	3193.79	NT
Harrison	3E	30	161.86	4855.73	58	0.6667					4855.73	T
Harrison	430	83	4.87	403.82	58	0.6667					403.82	T
Harrison	431B	73	8.95	653.02	58	0.6667	29	44	14.67	43.67	390.60	NT
Harrison	431B	73	64.82	4731.61	58	0.6667					4731.61	T
Harrison	436	74	24.10	1783.45	58	0.6667	29	45	15.00	44.00	1060.39	NT
Harrison	436	74	484.16	35827.50	58	0.6667					35827.50	T
Harrison	44	70	91.69	6417.95	58	0.6667	29	41	13.67	42.67	3911.77	NT
Harrison	44	70	3152.24	220656.58	58	0.6667					220656.58	T
Harrison	446	85	25.61	2176.61	58	0.6667	29	56	18.66	47.66	1220.56	NT
Harrison	446	85	1599.65	135970.17	58	0.6667					135970.17	T
Harrison	46	84	210.06	17644.66	58	0.6667	29	55	18.33	47.33	9942.24	NT
Harrison	46	84	5211.90	437799.64	58	0.6667					437799.64	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Harrison	466	35	1.77	61.91	58	0.6667	29	6	2.00	31.00	54.84	NT
Harrison	466	35	472.97	16553.79	58	0.6667					16553.79	T
Harrison	5010	0	63.66	0.00	58	0.6667	0	0	0.00	0.00	0.00	NT
Harrison	5010	0	39.18	0.00	58	0.6667					0.00	T
Harrison	5030	0	192.28	0.00	58	0.6667	0	0	0.00	0.00	0.00	NT
Harrison	5030	0	57.50	0.00	58	0.6667					0.00	T
Harrison	5040	5	111.87	559.34	58	0.6667	5	0	0.00	5.00	559.34	NT
Harrison	5040	5	36.62	183.11	58	0.6667					183.11	T
Harrison	5080	0	1.47	0.00	58	0.6667	0	0	0.00	0.00	0.00	NT
Harrison	5080	0	5.52	0.00	58	0.6667					0.00	T
Harrison	510	85	30.31	2576.12	58	0.6667					2576.12	T
Harrison	514	55	44.41	2442.79	58	0.6667	29	26	8.67	37.67	1672.90	NT
Harrison	514	55	706.20	38841.27	58	0.6667					38841.27	T
Harrison	515	51	179.59	9159.34	58	0.6667	29	22	7.33	36.33	6525.15	NT
Harrison	515	51	959.50	48934.42	58	0.6667					48934.42	T
Harrison	516	60	10.58	635.08	58	0.6667	29	31	10.33	39.33	416.32	NT
Harrison	516	60	415.13	24907.69	58	0.6667					24907.69	T
Harrison	53	5	239.57	1197.84	58	0.6667	5	0	0.00	5.00	1197.84	NT
Harrison	53	5	76.05	380.27	58	0.6667					380.27	T
Harrison	538	50	55.88	2794.20	58	0.6667	29	21	7.00	36.00	2011.78	NT
Harrison	538	50	1163.28	58163.91	58	0.6667					58163.91	T
Harrison	54	70	0.65	45.21	58	0.6667	29	41	13.67	42.67	27.55	NT
Harrison	54	70	2.83	197.78	58	0.6667					197.78	T
Harrison	549	58	7.01	406.85	58	0.6667	29	29	9.67	38.67	271.23	NT
Harrison	549	58	215.38	12492.29	58	0.6667					12492.29	T
Harrison	550	0	40.11	0.00	58	0.6667	0	0	0.00	0.00	0.00	NT
Harrison	550	0	50.55	0.00	58	0.6667					0.00	T
Harrison	553	50	12.83	641.43	58	0.6667	29	21	7.00	36.00	461.82	NT
Harrison	553	50	1107.30	55365.14	58	0.6667					55365.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Harrison	59E2	33	3.12	102.83	58	0.6667					102.83	T
Harrison	59F2	16	0.08	1.32	58	0.6667	16	0	0.00	16.00	1.32	NT
Harrison	59F2	16	0.12	1.89	58	0.6667					1.89	T
Harrison	630	85	0.32	27.44	58	0.6667	29	56	18.66	47.66	15.39	NT
Harrison	630	85	3.49	296.37	58	0.6667					296.37	T
Harrison	66	37	400.63	14823.32	58	0.6667	29	8	2.67	31.67	12686.52	NT
Harrison	66	37	9974.38	369052.21	58	0.6667					369052.21	T
Harrison	66+	42	73.56	3089.36	58	0.6667	29	13	4.33	33.33	2451.84	NT
Harrison	66+	42	1366.00	57372.01	58	0.6667					57372.01	T
Harrison	67	51	70.03	3571.78	58	0.6667	29	22	7.33	36.33	2544.55	NT
Harrison	67	51	2038.75	103976.39	58	0.6667					103976.39	T
Harrison	670	80	0.00	0.00	58	0.6667					0.00	T
Harrison	70	85	829.81	70534.05	58	0.6667	29	56	18.66	47.66	39552.84	NT
Harrison	70	85	11204.35	952369.63	58	0.6667					952369.63	T
Harrison	717C	5	579.89	2899.46	58	0.6667	5	0	0.00	5.00	2899.46	NT
Harrison	717C	5	163.98	819.89	58	0.6667					819.89	T
Harrison	746	65	0.42	27.58	58	0.6667					27.58	T
Harrison	844	75	38.83	2912.42	58	0.6667	29	46	15.33	44.33	1721.51	NT
Harrison	844	75	818.80	61409.67	58	0.6667					61409.67	T
Harrison	849	45	39.19	1763.77	58	0.6667	29	16	5.33	34.33	1345.67	NT
Harrison	849	45	443.35	19950.93	58	0.6667					19950.93	T
Harrison	866	45	630.06	28352.73	58	0.6667	29	16	5.33	34.33	21631.74	NT
Harrison	866	45	15030.76	676384.17	58	0.6667					676384.17	T
Harrison	8B	90	0.19	17.33	58	0.6667	29	61	20.33	49.33	9.50	NT
Harrison	8B	90	0.02	1.60	58	0.6667					1.60	T
Harrison	8C	66	0.62	40.79	58	0.6667	29	37	12.33	41.33	25.54	NT
Harrison	8C	66	6.36	419.52	58	0.6667					419.52	T
Harrison	9B	85	0.04	3.51	58	0.6667	29	56	18.66	47.66	1.97	NT
Harrison	9B	85	1.49	126.83	58	0.6667					126.83	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Harrison	AW	0	3.01	0.00	58	0.6667	0	0	0.00	0.00	0.00	NT
Harrison	INT	0	104.80	0.00	58	0.6667	0	0	0.00	0.00	0.00	NT
Harrison	INT	0	24.06	0.00	58	0.6667					0.00	T
Harrison	SL	0	9.78	0.00	58	0.6667	0	0	0.00	0.00	0.00	NT
Harrison	SL	0	3.52	0.00	58	0.6667					0.00	T
Harrison	T10	85	59.12	5024.94	58	0.6667	29	56	18.66	47.66	2817.80	NT
Harrison	T10	85	1325.90	112701.60	58	0.6667					112701.60	T
Harrison	T10B	80	109.49	8759.17	58	0.6667	29	51	17.00	46.00	5036.34	NT
Harrison	T10B	80	1470.03	117602.73	58	0.6667					117602.73	T
Harrison	W	0	1363.78	0.00	58	0.6667	0	0	0.00	0.00	0.00	NT
Harrison	W	0	76.35	0.00	58	0.6667					0.00	T
											0.00	
											0.00	
Henry	1057	68	14.77	1004.43	68	0.7822	34	34	7.41	41.41	611.59	NT
Henry	1057	68	229.69	15618.83	68	0.7822					15618.83	T
Henry	110B	47	61.69	2899.46	68	0.7822	34	13	2.83	36.83	2272.15	NT
Henry	110B	47	508.41	23895.40	68	0.7822					23895.40	T
Henry	110C	44	117.99	5191.46	68	0.7822	34	10	2.18	36.18	4268.56	NT
Henry	110C	44	434.83	19132.72	68	0.7822					19132.72	T
Henry	1122	63	5.60	352.86	68	0.7822	34	29	6.32	40.32	225.81	NT
Henry	1122	63	310.76	19577.78	68	0.7822					19577.78	T
Henry	1130	60	9.74	584.27	68	0.7822	34	26	5.66	39.66	386.23	NT
Henry	1130	60	416.13	24967.61	68	0.7822					24967.61	T
Henry	1131B	65	46.68	3033.88	68	0.7822	34	31	6.75	40.75	1902.10	NT
Henry	1131B	65	468.96	30482.60	68	0.7822					30482.60	T
Henry	1132B	60	63.39	3803.32	68	0.7822	34	26	5.66	39.66	2514.17	NT
Henry	1132B	60	428.45	25707.15	68	0.7822					25707.15	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	1133	25	534.24	13356.12	68	0.7822	25	0	0.00	25.00	13356.12	NT
Henry	1133	25	405.19	10129.70	68	0.7822					10129.70	T
Henry	1180B	73	90.77	6626.53	68	0.7822	34	39	8.49	42.49	3857.38	NT
Henry	1180B	73	708.18	51697.18	68	0.7822					51697.18	T
Henry	122	63	444.56	28007.47	68	0.7822					28007.47	T
Henry	1260	50	0.02	0.97	68	0.7822	34	16	3.48	37.48	0.72	NT
Henry	1260	50	0.18	9.20	68	0.7822					9.20	T
Henry	1279	88	23.93	2105.42	68	0.7822	34	54	11.76	45.76	1094.85	NT
Henry	1279	88	879.40	77387.55	68	0.7822					77387.55	T
Henry	1280	95	5.37	510.14	68	0.7822	34	61	13.29	47.29	253.92	NT
Henry	1280	95	377.31	35844.50	68	0.7822					35844.50	T
Henry	1280B	90	4.69	422.53	68	0.7822	34	56	12.20	46.20	216.88	NT
Henry	1280B	90	528.51	47566.31	68	0.7822					47566.31	T
Henry	130	63	120.54	7593.85	68	0.7822	34	29	6.32	40.32	4859.60	NT
Henry	130	63	2326.62	146577.00	68	0.7822					146577.00	T
Henry	1315	34	787.31	26768.65	68	0.7822	34	0	0.00	34.00	26768.65	NT
Henry	1315	34	170.01	5780.48	68	0.7822					5780.48	T
Henry	131B	67	620.00	41539.90	68	0.7822	34	33	7.19	41.19	25536.13	NT
Henry	131B	67	7668.05	513759.43	68	0.7822					513759.43	T
Henry	131C	50	198.97	9948.51	68	0.7822	34	16	3.48	37.48	7458.36	NT
Henry	131C	50	535.15	26757.68	68	0.7822					26757.68	T
Henry	131C2	45	0.67	29.94	68	0.7822	34	11	2.40	36.40	24.22	NT
Henry	131C2	45	2.74	123.33	68	0.7822					123.33	T
Henry	132B	60	673.67	40420.19	68	0.7822	34	26	5.66	39.66	26719.63	NT
Henry	132B	60	4316.83	259009.57	68	0.7822					259009.57	T
Henry	132C	44	1361.34	59898.76	68	0.7822	34	10	2.18	36.18	49250.40	NT
Henry	132C	44	1019.59	44862.12	68	0.7822					44862.12	T
Henry	132C2	40	0.37	14.61	68	0.7822	34	6	1.31	35.31	12.90	NT
Henry	132C2	40	1.18	47.32	68	0.7822					47.32	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	133	80	236.44	18915.21	68	0.7822	34	46	10.02	44.02	10407.81	NT
Henry	133	80	1518.19	121455.38	68	0.7822					121455.38	T
Henry	133+	85	35.53	3020.23	68	0.7822	34	51	11.11	45.11	1602.77	NT
Henry	133+	85	439.91	37392.50	68	0.7822					37392.50	T
Henry	133B	75	1706.55	127991.35	68	0.7822	34	41	8.93	42.93	73261.91	NT
Henry	133B	75	3401.98	255148.48	68	0.7822					255148.48	T
Henry	1362	70	3.38	236.58	68	0.7822	34	36	7.84	41.84	141.41	NT
Henry	1362	70	278.64	19504.50	68	0.7822					19504.50	T
Henry	13B	65	773.21	50258.95	68	0.7822	34	31	6.75	40.75	31509.89	NT
Henry	13B	65	711.96	46277.25	68	0.7822					46277.25	T
Henry	1484	25	0.30	7.62	68	0.7822	25	0	0.00	25.00	7.62	NT
Henry	1484	25	0.33	8.28	68	0.7822					8.28	T
Henry	154E	25	216.24	5406.10	68	0.7822	25	0	0.00	25.00	5406.10	NT
Henry	154E	25	135.89	3397.26	68	0.7822					3397.26	T
Henry	163B	85	38.74	3292.50	68	0.7822	34	51	11.11	45.11	1747.27	NT
Henry	163B	85	275.64	23429.08	68	0.7822					23429.08	T
Henry	163C2	68	165.86	11278.68	68	0.7822	34	34	7.41	41.41	6867.59	NT
Henry	163C2	68	224.69	15278.65	68	0.7822					15278.65	T
Henry	163E	50	0.00	0.01	68	0.7822	34	16	3.48	37.48	0.01	NT
Henry	173	60	12.11	726.49	68	0.7822	34	26	5.66	39.66	480.24	NT
Henry	173	60	275.91	16554.49	68	0.7822					16554.49	T
Henry	175	60	5.43	326.04	68	0.7822	34	26	5.66	39.66	215.53	NT
Henry	175	60	245.51	14730.86	68	0.7822					14730.86	T
Henry	1779	85	0.62	52.59	68	0.7822	34	51	11.11	45.11	27.91	NT
Henry	1779	85	268.20	22796.81	68	0.7822					22796.81	T
Henry	179E	35	182.97	6404.02	68	0.7822	34	1	0.22	34.22	6260.90	NT
Henry	179E	35	162.37	5683.04	68	0.7822					5683.04	T
Henry	179E2	33	103.38	3411.65	68	0.7822	33	0	0.00	33.00	3411.65	NT
Henry	179E2	33	168.02	5544.66	68	0.7822					5544.66	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	180	76	13.95	1060.19	68	0.7822	34	42	9.15	43.15	601.91	NT
Henry	180	76	309.24	23502.19	68	0.7822					23502.19	T
Henry	180B	73	25.02	1826.45	68	0.7822	34	39	8.49	42.49	1063.20	NT
Henry	180B	73	425.70	31076.23	68	0.7822					31076.23	T
Henry	192D2	15	42.72	640.85	68	0.7822	15	0	0.00	15.00	640.85	NT
Henry	192D2	15	316.42	4746.32	68	0.7822					4746.32	T
Henry	208	55	200.26	11014.21	68	0.7822	34	21	4.57	38.57	7724.72	NT
Henry	208	55	287.50	15812.37	68	0.7822					15812.37	T
Henry	211	60	4.82	289.40	68	0.7822	34	26	5.66	39.66	191.31	NT
Henry	211	60	110.61	6636.62	68	0.7822					6636.62	T
Henry	220	85	698.51	59373.57	68	0.7822	34	51	11.11	45.11	31508.37	NT
Henry	220	85	1855.33	157702.73	68	0.7822					157702.73	T
Henry	222C	30	145.83	4374.77	68	0.7822	30	0	0.00	30.00	4374.77	NT
Henry	222C	30	631.06	18931.81	68	0.7822					18931.81	T
Henry	222C2	25	193.66	4841.41	68	0.7822	25	0	0.00	25.00	4841.41	NT
Henry	222C2	25	1039.34	25983.49	68	0.7822					25983.49	T
Henry	223C2	22	719.75	15834.40	68	0.7822	22	0	0.00	22.00	15834.40	NT
Henry	223C2	22	1906.68	41946.87	68	0.7822					41946.87	T
Henry	223D2	9	615.46	5539.14	68	0.7822	9	0	0.00	9.00	5539.14	NT
Henry	223D2	9	965.79	8692.13	68	0.7822					8692.13	T
Henry	23C	55	47.77	2627.23	68	0.7822	34	21	4.57	38.57	1842.59	NT
Henry	23C	55	520.64	28635.45	68	0.7822					28635.45	T
Henry	23C2	50	90.57	4528.66	68	0.7822	34	16	3.48	37.48	3395.12	NT
Henry	23C2	50	731.51	36575.52	68	0.7822					36575.52	T
Henry	260	50	49.18	2458.95	68	0.7822	34	16	3.48	37.48	1843.46	NT
Henry	260	50	453.09	22654.54	68	0.7822					22654.54	T
Henry	263	53	63.83	3383.00	68	0.7822	34	19	4.14	38.14	2434.37	NT
Henry	263	53	827.85	43876.03	68	0.7822					43876.03	T
Henry	263B	48	51.46	2470.15	68	0.7822	34	14	3.05	37.05	1906.60	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	263B	48	475.41	22819.45	68	0.7822					22819.45	T
Henry	264B	70	144.78	10134.87	68	0.7822	34	36	7.84	41.84	6057.87	NT
Henry	264B	70	1169.56	81868.88	68	0.7822					81868.88	T
Henry	264C2	50	99.68	4984.13	68	0.7822	34	16	3.48	37.48	3736.58	NT
Henry	264C2	50	390.66	19532.97	68	0.7822					19532.97	T
Henry	279	88	302.47	26617.18	68	0.7822	34	54	11.76	45.76	13841.30	NT
Henry	279	88	21773.97	1916109.36	68	0.7822					1916109.36	T
Henry	280	95	503.36	47819.10	68	0.7822	34	61	13.29	47.29	23801.73	NT
Henry	280	95	14839.06	1409710.51	68	0.7822					1409710.51	T
Henry	280B	90	252.22	22700.17	68	0.7822	34	56	12.20	46.20	11651.94	NT
Henry	280B	90	7313.25	658192.34	68	0.7822					658192.34	T
Henry	281B	90	536.04	48243.40	68	0.7822	34	56	12.20	46.20	24763.23	NT
Henry	281B	90	9792.23	881300.45	68	0.7822					881300.45	T
Henry	281C	75	154.59	11594.60	68	0.7822	34	41	8.93	42.93	6636.72	NT
Henry	281C	75	2990.80	224309.65	68	0.7822					224309.65	T
Henry	281C2	72	305.33	21983.71	68	0.7822	34	38	8.28	42.28	12908.23	NT
Henry	281C2	72	5671.95	408380.21	68	0.7822					408380.21	T
Henry	293B	54	60.48	3266.03	68	0.7822	34	20	4.36	38.36	2319.85	NT
Henry	293B	54	327.65	17693.06	68	0.7822					17693.06	T
Henry	293C	45	278.70	12541.40	68	0.7822	34	11	2.40	36.40	10143.43	NT
Henry	293C	45	563.35	25350.63	68	0.7822					25350.63	T
Henry	293E	25	549.10	13727.51	68	0.7822	25	0	0.00	25.00	13727.51	NT
Henry	293E	25	215.39	5384.67	68	0.7822					5384.67	T
Henry	293F	9	726.09	6534.82	68	0.7822	9	0	0.00	9.00	6534.82	NT
Henry	293F	9	40.20	361.84	68	0.7822					361.84	T
Henry	315	30	1175.99	35279.74	68	0.7822	30	0	0.00	30.00	35279.74	NT
Henry	315	30	2190.09	65702.81	68	0.7822					65702.81	T
Henry	362	70	226.72	15870.36	68	0.7822	34	36	7.84	41.84	9486.12	NT
Henry	362	70	4456.44	311950.57	68	0.7822					311950.57	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	363	65	2.56	166.21	68	0.7822	34	31	6.75	40.75	104.21	NT
Henry	363	65	346.40	22516.30	68	0.7822					22516.30	T
Henry	364B	75	190.03	14252.20	68	0.7822	34	41	8.93	42.93	8157.92	NT
Henry	364B	75	3111.84	233388.16	68	0.7822					233388.16	T
Henry	41B	40	13.76	550.27	68	0.7822	34	6	1.31	35.31	485.71	NT
Henry	41B	40	202.68	8107.30	68	0.7822					8107.30	T
Henry	424D	20	644.18	12883.59	68	0.7822	20	0	0.00	20.00	12883.59	NT
Henry	424D	20	327.94	6558.72	68	0.7822					6558.72	T
Henry	424D2	15	1580.20	23703.01	68	0.7822	15	0	0.00	15.00	23703.01	NT
Henry	424D2	15	1812.24	27183.62	68	0.7822					27183.62	T
Henry	424D3	5	0.44	2.21	68	0.7822	5	0	0.00	5.00	2.21	NT
Henry	424E	22	4922.79	108301.46	68	0.7822	22	0	0.00	22.00	108301.46	NT
Henry	424E	22	1088.95	23956.84	68	0.7822					23956.84	T
Henry	424E2	5	3669.37	18346.86	68	0.7822	5	0	0.00	5.00	18346.86	NT
Henry	424E2	5	2033.72	10168.60	68	0.7822					10168.60	T
Henry	425C2	24	1.12	26.93	68	0.7822	24	0	0.00	24.00	26.93	NT
Henry	425C2	24	0.00	0.03	68	0.7822					0.03	T
Henry	425D	16	258.81	4141.01	68	0.7822	16	0	0.00	16.00	4141.01	NT
Henry	425D	16	83.20	1331.13	68	0.7822					1331.13	T
Henry	425D2	12	1138.43	13661.13	68	0.7822	12	0	0.00	12.00	13661.13	NT
Henry	425D2	12	1330.96	15971.49	68	0.7822					15971.49	T
Henry	425D3	9	0.03	0.27	68	0.7822	9	0	0.00	9.00	0.27	NT
Henry	432D2	26	0.26	6.70	68	0.7822	26	0	0.00	26.00	6.70	NT
Henry	452D2	15	65.95	989.20	68	0.7822	15	0	0.00	15.00	989.20	NT
Henry	452D2	15	191.70	2875.45	68	0.7822					2875.45	T
Henry	453	53	14.19	752.27	68	0.7822	34	19	4.14	38.14	541.33	NT
Henry	453	53	528.52	28011.59	68	0.7822					28011.59	T
Henry	478G	5	1134.40	5671.99	68	0.7822	5	0	0.00	5.00	5671.99	NT
Henry	478G	5	71.75	358.75	68	0.7822					358.75	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	484	90	21.99	1979.29	68	0.7822	34	56	12.20	46.20	1015.97	NT
Henry	484	90	309.39	27844.76	68	0.7822					27844.76	T
Henry	499D	5	169.04	845.21	68	0.7822	5	0	0.00	5.00	845.21	NT
Henry	499D	5	74.12	370.61	68	0.7822					370.61	T
Henry	499F	5	1463.19	7315.97	68	0.7822	5	0	0.00	5.00	7315.97	NT
Henry	499F	5	147.31	736.57	68	0.7822					736.57	T
Henry	499G	5	0.10	0.52	68	0.7822	5	0	0.00	5.00	0.52	NT
Henry	5010	0	95.92	0.00	68	0.7822	0	0	0.00	0.00	0.00	NT
Henry	5010	0	3.98	0.00	68	0.7822					0.00	T
Henry	5030	0	173.14	0.00	68	0.7822	0	0	0.00	0.00	0.00	NT
Henry	5030	0	8.41	0.00	68	0.7822					0.00	T
Henry	5040	5	21.56	107.82	68	0.7822	5	0	0.00	5.00	107.82	NT
Henry	5040	5	10.44	52.18	68	0.7822					52.18	T
Henry	51	70	12.99	909.50	68	0.7822	34	36	7.84	41.84	543.63	NT
Henry	51	70	244.93	17145.01	68	0.7822					17145.01	T
Henry	520	65	102.93	6690.27	68	0.7822	34	31	6.75	40.75	4194.47	NT
Henry	520	65	401.70	26110.64	68	0.7822					26110.64	T
Henry	520B	60	0.00	0.03	68	0.7822	34	26	5.66	39.66	0.02	NT
Henry	56B	72	76.22	5487.74	68	0.7822	34	38	8.28	42.28	3222.25	NT
Henry	56B	72	171.78	12368.20	68	0.7822					12368.20	T
Henry	570B	84	0.00	0.41	68	0.7822	34	50	10.89	44.89	0.22	NT
Henry	570B	84	0.03	2.10	68	0.7822					2.10	T
Henry	570C	69	167.93	11587.16	68	0.7822	34	35	7.62	41.62	6989.74	NT
Henry	570C	69	2263.99	156215.52	68	0.7822					156215.52	T
Henry	570C2	64	163.20	10444.65	68	0.7822	34	30	6.53	40.53	6615.06	NT
Henry	570C2	64	1950.78	124850.22	68	0.7822					124850.22	T
Henry	571B	82	10.63	871.92	68	0.7822	34	48	10.45	44.45	472.69	NT
Henry	571B	82	228.96	18774.72	68	0.7822					18774.72	T
Henry	571C2	62	214.34	13289.20	68	0.7822	34	28	6.10	40.10	8594.77	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	571C2	62	1963.18	121717.10	68	0.7822					121717.10	T
Henry	572B	77	1.21	93.40	68	0.7822					93.40	T
Henry	587	65	0.03	2.04	68	0.7822	34	31	6.75	40.75	1.28	NT
Henry	587	65	0.20	13.13	68	0.7822					13.13	T
Henry	58E	20	166.19	3323.85	68	0.7822	20	0	0.00	20.00	3323.85	NT
Henry	58E	20	79.43	1588.62	68	0.7822					1588.62	T
Henry	58E2	18	0.32	5.68	68	0.7822	18	0	0.00	18.00	5.68	NT
Henry	58E2	18	0.00	0.00	68	0.7822					0.00	T
Henry	58F	5	423.58	2117.90	68	0.7822	5	0	0.00	5.00	2117.90	NT
Henry	58F	5	77.63	388.15	68	0.7822					388.15	T
Henry	58F2	5	1.27	6.35	68	0.7822	5	0	0.00	5.00	6.35	NT
Henry	58F2	5	0.04	0.19	68	0.7822					0.19	T
Henry	594C2	18	102.37	1842.59	68	0.7822	18	0	0.00	18.00	1842.59	NT
Henry	594C2	18	309.27	5566.87	68	0.7822					5566.87	T
Henry	594D2	5	853.59	4267.97	68	0.7822	5	0	0.00	5.00	4267.97	NT
Henry	594D2	5	1035.39	5176.93	68	0.7822					5176.93	T
Henry	594E	5	737.52	3687.61	68	0.7822	5	0	0.00	5.00	3687.61	NT
Henry	594E	5	148.55	742.76	68	0.7822					742.76	T
Henry	594E2	5	510.39	2551.95	68	0.7822	5	0	0.00	5.00	2551.95	NT
Henry	594E2	5	399.88	1999.38	68	0.7822					1999.38	T
Henry	65D2	38	0.04	1.39	68	0.7822	34	4	0.87	34.87	1.27	NT
Henry	65D2	38	0.10	3.62	68	0.7822					3.62	T
Henry	65E	25	758.74	18968.60	68	0.7822	25	0	0.00	25.00	18968.60	NT
Henry	65E	25	276.37	6909.33	68	0.7822					6909.33	T
Henry	65E2	24	536.16	12867.92	68	0.7822	24	0	0.00	24.00	12867.92	NT
Henry	65E2	24	281.58	6758.00	68	0.7822					6758.00	T
Henry	65F	10	6189.65	61896.55	68	0.7822	10	0	0.00	10.00	61896.55	NT
Henry	65F	10	557.29	5572.93	68	0.7822					5572.93	T
Henry	65F2	8	2.12	16.98	68	0.7822	8	0	0.00	8.00	16.98	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	65F2	8	0.21	1.64	68	0.7822					1.64	T
Henry	65G	5	1148.42	5742.08	68	0.7822	5	0	0.00	5.00	5742.08	NT
Henry	65G	5	37.74	188.71	68	0.7822					188.71	T
Henry	688	85	4.27	363.28	68	0.7822					363.28	T
Henry	699G	5	0.51	2.53	68	0.7822	5	0	0.00	5.00	2.53	NT
Henry	715	5	1.39	6.95	68	0.7822					6.95	T
Henry	729	77	0.29	22.32	68	0.7822					22.32	T
Henry	729B	83	1.23	101.91	68	0.7822	34	49	10.67	44.67	54.85	NT
Henry	729B	83	0.04	3.67	68	0.7822					3.67	T
Henry	730B	61	5337.04	325559.68	68	0.7822	34	27	5.88	39.88	212844.52	NT
Henry	730B	61	1404.09	85649.52	68	0.7822					85649.52	T
Henry	731C2	45	986.55	44394.68	68	0.7822	34	11	2.40	36.40	35906.22	NT
Henry	731C2	45	6390.27	287562.20	68	0.7822					287562.20	T
Henry	732C2	40	2766.67	110666.62	68	0.7822	34	6	1.31	35.31	97682.11	NT
Henry	732C2	40	8227.30	329091.82	68	0.7822					329091.82	T
Henry	732D2	28	134.49	3765.81	68	0.7822	28	0	0.00	28.00	3765.81	NT
Henry	732D2	28	628.33	17593.18	68	0.7822					17593.18	T
Henry	75	75	93.84	7037.80	68	0.7822	34	41	8.93	42.93	4028.42	NT
Henry	75	75	1994.12	149558.68	68	0.7822					149558.68	T
Henry	75B	81	64.58	5231.14	68	0.7822	34	47	10.24	44.24	2856.89	NT
Henry	75B	81	1391.18	112685.29	68	0.7822					112685.29	T
Henry	764B	75	17.07	1280.40	68	0.7822	34	41	8.93	42.93	732.90	NT
Henry	764B	75	234.10	17557.47	68	0.7822					17557.47	T
Henry	76B	82	373.38	30616.87	68	0.7822	34	48	10.45	44.45	16598.23	NT
Henry	76B	82	4532.15	371636.51	68	0.7822					371636.51	T
Henry	76C	70	145.02	10151.56	68	0.7822	34	36	7.84	41.84	6067.85	NT
Henry	76C	70	475.37	33276.00	68	0.7822					33276.00	T
Henry	76C2	67	792.62	53105.46	68	0.7822	34	33	7.19	41.19	32645.91	NT
Henry	76C2	67	6240.71	418127.60	68	0.7822					418127.60	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	76D2	52	21.43	1114.50	68	0.7822	34	18	3.92	37.92	812.73	NT
Henry	76D2	52	106.77	5551.79	68	0.7822					5551.79	T
Henry	779	85	38.39	3262.92	68	0.7822	34	51	11.11	45.11	1731.57	NT
Henry	779	85	8203.13	697266.01	68	0.7822					697266.01	T
Henry	792D2	11	962.87	10591.54	68	0.7822	11	0	0.00	11.00	10591.54	NT
Henry	792D2	11	1860.80	20468.82	68	0.7822					20468.82	T
Henry	793B	80	0.76	60.57	68	0.7822	34	46	10.02	44.02	33.33	NT
Henry	795C2	15	2.98	44.77	68	0.7822	15	0	0.00	15.00	44.77	NT
Henry	795C2	15	2.38	35.73	68	0.7822					35.73	T
Henry	795D2	5	277.21	1386.04	68	0.7822	5	0	0.00	5.00	1386.04	NT
Henry	795D2	5	287.54	1437.68	68	0.7822					1437.68	T
Henry	795D3	5	0.49	2.46	68	0.7822	5	0	0.00	5.00	2.46	NT
Henry	795D3	5	0.07	0.34	68	0.7822					0.34	T
Henry	7B	85	0.61	51.78	68	0.7822					51.78	T
Henry	80B	77	287.69	22151.91	68	0.7822	34	43	9.37	43.37	12475.67	NT
Henry	80B	77	2272.42	174976.30	68	0.7822					174976.30	T
Henry	80C	67	1162.75	77903.97	68	0.7822	34	33	7.19	41.19	47890.48	NT
Henry	80C	67	1019.15	68283.37	68	0.7822					68283.37	T
Henry	80C2	57	1576.16	89841.02	68	0.7822	34	23	5.01	39.01	61484.99	NT
Henry	80C2	57	4207.02	239800.06	68	0.7822					239800.06	T
Henry	80D	55	195.83	10770.67	68	0.7822	34	21	4.57	38.57	7553.92	NT
Henry	80D	55	107.74	5925.53	68	0.7822					5925.53	T
Henry	80D2	52	377.29	19619.02	68	0.7822	34	18	3.92	37.92	14306.94	NT
Henry	80D2	52	867.72	45121.28	68	0.7822					45121.28	T
Henry	831C2	40	47.37	1894.90	68	0.7822	34	6	1.31	35.31	1672.57	NT
Henry	831C2	40	161.11	6444.36	68	0.7822					6444.36	T
Henry	832C2	30	63.42	1902.75	68	0.7822	30	0	0.00	30.00	1902.75	NT
Henry	832C2	30	243.89	7316.60	68	0.7822					7316.60	T
Henry	876B	82	30.54	2504.36	68	0.7822	34	48	10.45	44.45	1357.68	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	876B	82	756.83	62059.90	68	0.7822					62059.90	T
Henry	876C2	65	95.74	6222.84	68	0.7822	34	31	6.75	40.75	3901.41	NT
Henry	876C2	65	756.35	49163.01	68	0.7822					49163.01	T
Henry	87B	60	0.05	3.05	68	0.7822	34	26	5.66	39.66	2.02	NT
Henry	87B	60	1.19	71.34	68	0.7822					71.34	T
Henry	88	92	23.15	2129.54	68	0.7822	34	58	12.63	46.63	1079.41	NT
Henry	88	92	376.32	34621.06	68	0.7822					34621.06	T
Henry	880B	78	222.23	17333.67	68	0.7822	34	44	9.58	43.58	9685.34	NT
Henry	880B	78	1134.21	88468.41	68	0.7822					88468.41	T
Henry	880C	65	242.69	15774.91	68	0.7822	34	31	6.75	40.75	9890.09	NT
Henry	880C	65	114.28	7428.22	68	0.7822					7428.22	T
Henry	880C2	60	597.03	35821.99	68	0.7822	34	26	5.66	39.66	23680.00	NT
Henry	880C2	60	2228.70	133721.74	68	0.7822					133721.74	T
Henry	880D2	50	202.52	10126.11	68	0.7822	34	16	3.48	37.48	7591.50	NT
Henry	880D2	50	510.14	25506.77	68	0.7822					25506.77	T
Henry	881B	90	19.82	1783.74	68	0.7822	34	56	12.20	46.20	915.59	NT
Henry	881B	90	596.73	53705.98	68	0.7822					53705.98	T
Henry	881C2	70	4.20	294.03	68	0.7822	34	36	7.84	41.84	175.75	NT
Henry	881C2	70	134.13	9388.78	68	0.7822					9388.78	T
Henry	893D2	19	0.01	0.11	68	0.7822	19	0	0.00	19.00	0.11	NT
Henry	893D2	19	0.03	0.52	68	0.7822					0.52	T
Henry	977	95	16.43	1560.62	68	0.7822	34	61	13.29	47.29	776.79	NT
Henry	977	95	300.28	28526.26	68	0.7822					28526.26	T
Henry	977B	90	25.70	2312.57	68	0.7822	34	56	12.20	46.20	1187.03	NT
Henry	977B	90	262.31	23608.07	68	0.7822					23608.07	T
Henry	993D2	20	850.57	17011.48	68	0.7822	20	0	0.00	20.00	17011.48	NT
Henry	993D2	20	1065.21	21304.15	68	0.7822					21304.15	T
Henry	994E2	5	0.23	1.17	68	0.7822	5	0	0.00	5.00	1.17	NT
Henry	AW	0	1.58	0.00	68	0.7822	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Henry	INT	0	8.87	0.00	68	0.7822	0	0	0.00	0.00	0.00	NT
Henry	INT	0	12.05	0.00	68	0.7822					0.00	T
Henry	SL	0	13.80	0.00	68	0.7822	0	0	0.00	0.00	0.00	NT
Henry	W	0	1282.84	0.00	68	0.7822	0	0	0.00	0.00	0.00	NT
Henry	W	0	24.65	0.00	68	0.7822					0.00	T
											0.00	
											0.00	
Howard	109B	25	23.41	585.24	71	0.7686	25	0	0.00	25.00	585.24	NT
Howard	109B	25	167.45	4186.16	71	0.7686					4186.16	T
Howard	109C	10	32.03	320.32	71	0.7686	10	0	0.00	10.00	320.32	NT
Howard	109C	10	174.02	1740.20	71	0.7686					1740.20	T
Howard	110A	52	32.27	1677.90	71	0.7686	36	16	3.70	39.70	1281.09	NT
Howard	110A	52	125.68	6535.30	71	0.7686					6535.30	T
Howard	110B	47	38.26	1798.35	71	0.7686	36	12	2.78	38.78	1483.70	NT
Howard	110B	47	211.59	9944.79	71	0.7686					9944.79	T
Howard	110C	44	20.59	905.75	71	0.7686	36	8	1.85	37.85	779.18	NT
Howard	110C	44	113.63	4999.86	71	0.7686					4999.86	T
Howard	1152	68	1012.09	68822.26	71	0.7686	36	32	7.40	43.40	43929.65	NT
Howard	1152	68	3545.59	241099.90	71	0.7686					241099.90	T
Howard	1226	72	250.24	18017.64	71	0.7686	36	36	8.33	44.33	11093.46	NT
Howard	1226	72	3224.42	232158.50	71	0.7686					232158.50	T
Howard	133	80	690.88	55270.78	71	0.7686	36	44	10.18	46.18	31906.16	NT
Howard	133	80	458.87	36709.87	71	0.7686					36709.87	T
Howard	136A	70	146.59	10261.33	71	0.7686	36	34	7.87	43.87	6430.57	NT
Howard	136A	70	181.22	12685.39	71	0.7686					12685.39	T
Howard	148A	60	44.82	2689.40	71	0.7686	36	24	5.55	41.55	1862.57	NT
Howard	148A	60	145.83	8749.89	71	0.7686					8749.89	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Howard	153	60	52.01	3120.61	71	0.7686	36	24	5.55	41.55	2161.21	NT
Howard	153	60	256.77	15406.16	71	0.7686					15406.16	T
Howard	162B	90	138.96	12505.97	71	0.7686	36	54	12.50	48.50	6738.72	NT
Howard	162B	90	972.37	87513.52	71	0.7686					87513.52	T
Howard	162C	75	108.21	8115.43	71	0.7686	36	40	9.26	45.26	4896.96	NT
Howard	162C	75	395.07	29630.17	71	0.7686					29630.17	T
Howard	162C2	73	181.42	13243.60	71	0.7686	36	38	8.79	44.79	8126.34	NT
Howard	162C2	73	2789.22	203613.31	71	0.7686					203613.31	T
Howard	162D2	63	209.75	13214.14	71	0.7686	36	28	6.48	42.48	8909.94	NT
Howard	162D2	63	1507.93	94999.33	71	0.7686					94999.33	T
Howard	162E2	53	290.05	15372.79	71	0.7686	36	18	4.17	40.17	11650.02	NT
Howard	162E2	53	578.40	30655.34	71	0.7686					30655.34	T
Howard	163C	70	64.93	4544.78	71	0.7686	36	34	7.87	43.87	2848.12	NT
Howard	163C	70	120.08	8405.95	71	0.7686					8405.95	T
Howard	163D	60	62.76	3765.77	71	0.7686	36	24	5.55	41.55	2608.02	NT
Howard	163D	60	88.76	5325.42	71	0.7686					5325.42	T
Howard	163E	50	109.85	5492.75	71	0.7686	36	14	3.24	39.24	4310.67	NT
Howard	163E	50	48.78	2438.80	71	0.7686					2438.80	T
Howard	163F	30	292.62	8778.47	71	0.7686	30	0	0.00	30.00	8778.47	NT
Howard	163F	30	66.02	1980.51	71	0.7686					1980.51	T
Howard	171A	83	16.19	1343.47	71	0.7686	36	48	11.11	47.11	762.49	NT
Howard	171A	83	231.62	19224.46	71	0.7686					19224.46	T
Howard	171B	82	1571.23	128841.11	71	0.7686	36	46	10.64	46.64	73289.22	NT
Howard	171B	82	16718.48	1370915.63	71	0.7686					1370915.63	T
Howard	171C	67	97.59	6538.32	71	0.7686	36	32	7.40	43.40	4235.74	NT
Howard	171C	67	380.57	25497.86	71	0.7686					25497.86	T
Howard	171C2	64	32.63	2088.08	71	0.7686	36	28	6.48	42.48	1385.94	NT
Howard	171C2	64	266.13	17032.30	71	0.7686					17032.30	T
Howard	175A	60	34.55	2073.00	71	0.7686	36	24	5.55	41.55	1435.68	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Howard	175A	60	231.06	13863.60	71	0.7686					13863.60	T
Howard	175B	56	76.21	4267.89	71	0.7686	36	20	4.63	40.63	3096.36	NT
Howard	175B	56	825.83	46246.38	71	0.7686					46246.38	T
Howard	175C	41	0.00	0.04	71	0.7686					0.04	T
Howard	177A	63	549.38	34610.95	71	0.7686	36	28	6.48	42.48	23337.23	NT
Howard	177A	63	3926.55	247372.89	71	0.7686					247372.89	T
Howard	177B	60	363.19	21791.59	71	0.7686	36	24	5.55	41.55	15091.98	NT
Howard	177B	60	2318.57	139114.43	71	0.7686					139114.43	T
Howard	178	79	0.01	0.96	71	0.7686	36	44	10.18	46.18	0.56	NT
Howard	178	79	0.12	9.73	71	0.7686					9.73	T
Howard	178A	79	73.41	5799.73	71	0.7686	36	44	10.18	46.18	3390.39	NT
Howard	178A	79	836.28	66066.12	71	0.7686					66066.12	T
Howard	178B	74	38.06	2816.56	71	0.7686	36	38	8.79	44.79	1704.90	NT
Howard	178B	74	217.61	16103.26	71	0.7686					16103.26	T
Howard	195B	85	278.01	23630.78	71	0.7686	36	50	11.57	47.57	13224.90	NT
Howard	195B	85	584.31	49666.33	71	0.7686					49666.33	T
Howard	198B	80	1589.60	127167.65	71	0.7686	36	44	10.18	46.18	73410.07	NT
Howard	198B	80	35692.11	2855368.59	71	0.7686					2855368.59	T
Howard	207B	48	55.44	2661.30	71	0.7686	36	12	2.78	38.78	2149.93	NT
Howard	207B	48	111.45	5349.58	71	0.7686					5349.58	T
Howard	207C	42	65.94	2769.59	71	0.7686	36	6	1.39	37.39	2465.49	NT
Howard	207C	42	97.90	4111.73	71	0.7686					4111.73	T
Howard	21	60	86.54	5192.51	71	0.7686	36	24	5.55	41.55	3596.13	NT
Howard	21	60	296.78	17807.09	71	0.7686					17807.09	T
Howard	213A	80	85.60	6847.94	71	0.7686	36	44	10.18	46.18	3953.11	NT
Howard	213A	80	845.33	67626.63	71	0.7686					67626.63	T
Howard	213B	74	196.31	14526.78	71	0.7686	36	38	8.79	44.79	8793.26	NT
Howard	213B	74	2280.84	168782.42	71	0.7686					168782.42	T
Howard	213C	50	58.29	2914.51	71	0.7686	36	14	3.24	39.24	2287.28	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Howard	213C	50	301.58	15078.85	71	0.7686					15078.85	T
Howard	214A	63	8.95	563.67	71	0.7686	36	28	6.48	42.48	380.07	NT
Howard	214A	63	194.85	12275.26	71	0.7686					12275.26	T
Howard	214B	58	239.76	13905.87	71	0.7686	36	22	5.09	41.09	9851.78	NT
Howard	214B	58	3040.97	176376.00	71	0.7686					176376.00	T
Howard	214C	45	133.51	6007.73	71	0.7686	36	10	2.31	38.31	5115.11	NT
Howard	214C	45	1107.82	49851.73	71	0.7686					49851.73	T
Howard	214C2	33	7.21	237.92	71	0.7686	33	0	0.00	33.00	237.92	NT
Howard	214C2	33	196.85	6496.06	71	0.7686					6496.06	T
Howard	221	25	143.30	3582.57	71	0.7686	25	0	0.00	25.00	3582.57	NT
Howard	221	25	301.21	7530.13	71	0.7686					7530.13	T
Howard	27A	92	154.73	14235.22	71	0.7686	36	56	12.96	48.96	7575.37	NT
Howard	27A	92	1065.56	98031.52	71	0.7686					98031.52	T
Howard	27B	82	371.36	30451.88	71	0.7686	36	46	10.64	46.64	17322.07	NT
Howard	27B	82	1663.84	136435.24	71	0.7686					136435.24	T
Howard	284A	50	22.36	1118.07	71	0.7686	36	14	3.24	39.24	877.45	NT
Howard	284A	50	157.71	7885.25	71	0.7686					7885.25	T
Howard	284B	45	24.64	1108.99	71	0.7686	36	10	2.31	38.31	944.22	NT
Howard	284B	45	289.43	13024.51	71	0.7686					13024.51	T
Howard	285C	5	85.30	426.48	71	0.7686	5	0	0.00	5.00	426.48	NT
Howard	285C	5	461.88	2309.41	71	0.7686					2309.41	T
Howard	302B	74	187.38	13866.38	71	0.7686	36	38	8.79	44.79	8393.51	NT
Howard	302B	74	754.60	55840.13	71	0.7686					55840.13	T
Howard	303B	78	65.94	5143.63	71	0.7686	36	42	9.72	45.72	3014.88	NT
Howard	303B	78	400.97	31275.90	71	0.7686					31275.90	T
Howard	315	30	1675.23	50256.80	71	0.7686	30	0	0.00	30.00	50256.80	NT
Howard	315	30	51.06	1531.66	71	0.7686					1531.66	T
Howard	354	5	27.18	135.88	71	0.7686	5	0	0.00	5.00	135.88	NT
Howard	354	5	27.28	136.42	71	0.7686					136.42	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Howard	391B	72	586.51	42228.52	71	0.7686	36	36	8.33	44.33	26000.10	NT
Howard	391B	72	6112.90	440128.76	71	0.7686					440128.76	T
Howard	394A	88	57.25	5038.03	71	0.7686	36	52	12.03	48.03	2749.89	NT
Howard	394A	88	884.95	77875.40	71	0.7686					77875.40	T
Howard	394B	85	592.28	50344.13	71	0.7686	36	50	11.57	47.57	28174.94	NT
Howard	394B	85	8620.30	732725.30	71	0.7686					732725.30	T
Howard	394C	70	30.59	2141.10	71	0.7686	36	34	7.87	43.87	1341.78	NT
Howard	394C	70	360.57	25239.91	71	0.7686					25239.91	T
Howard	394C2	68	7.94	539.63	71	0.7686	36	32	7.40	43.40	344.45	NT
Howard	394C2	68	254.88	17331.70	71	0.7686					17331.70	T
Howard	398	81	9.36	758.22	71	0.7686	36	46	10.64	46.64	436.63	NT
Howard	398	81	766.96	62123.38	71	0.7686					62123.38	T
Howard	399A	88	61.84	5442.27	71	0.7686	36	52	12.03	48.03	2970.54	NT
Howard	399A	88	1087.76	95723.10	71	0.7686					95723.10	T
Howard	399B	84	166.76	14007.66	71	0.7686	36	48	11.11	47.11	7855.50	NT
Howard	399B	84	5355.71	449880.05	71	0.7686					449880.05	T
Howard	407B	72	781.95	56300.07	71	0.7686	36	36	8.33	44.33	34663.95	NT
Howard	407B	72	15738.79	1133192.86	71	0.7686					1133192.86	T
Howard	412B	33	40.27	1328.98	71	0.7686	33	0	0.00	33.00	1328.98	NT
Howard	412B	33	258.56	8532.44	71	0.7686					8532.44	T
Howard	412D	5	498.45	2492.27	71	0.7686	5	0	0.00	5.00	2492.27	NT
Howard	412D	5	1528.03	7640.16	71	0.7686					7640.16	T
Howard	412F	5	901.36	4506.81	71	0.7686	5	0	0.00	5.00	4506.81	NT
Howard	412F	5	368.63	1843.13	71	0.7686					1843.13	T
Howard	41A	45	73.21	3294.64	71	0.7686	36	10	2.31	38.31	2805.13	NT
Howard	41A	45	36.59	1646.60	71	0.7686					1646.60	T
Howard	41B	40	45.40	1815.90	71	0.7686	36	4	0.93	36.93	1676.33	NT
Howard	41B	40	205.57	8222.61	71	0.7686					8222.61	T
Howard	41C	25	25.08	626.95	71	0.7686	25	0	0.00	25.00	626.95	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Howard	41C	25	181.75	4543.67	71	0.7686					4543.67	T
Howard	444	63	56.88	3583.70	71	0.7686	36	28	6.48	42.48	2416.39	NT
Howard	444	63	251.01	15813.35	71	0.7686					15813.35	T
Howard	467	85	238.05	20234.57	71	0.7686	36	50	11.57	47.57	11324.22	NT
Howard	467	85	361.04	30688.07	71	0.7686					30688.07	T
Howard	471A	83	184.88	15344.74	71	0.7686	36	48	11.11	47.11	8709.01	NT
Howard	471A	83	3074.61	255192.49	71	0.7686					255192.49	T
Howard	471B	79	320.96	25355.63	71	0.7686	36	44	10.18	46.18	14822.33	NT
Howard	471B	79	5544.24	437995.12	71	0.7686					437995.12	T
Howard	482A	83	49.44	4103.47	71	0.7686	36	48	11.11	47.11	2328.95	NT
Howard	482A	83	515.31	42770.71	71	0.7686					42770.71	T
Howard	482B	78	472.75	36874.26	71	0.7686	36	42	9.72	45.72	21613.42	NT
Howard	482B	78	5370.52	418900.67	71	0.7686					418900.67	T
Howard	482C	66	81.23	5360.86	71	0.7686	36	30	6.94	42.94	3487.97	NT
Howard	482C	66	417.75	27571.36	71	0.7686					27571.36	T
Howard	482C2	62	12.65	784.12	71	0.7686	36	26	6.02	42.02	531.39	NT
Howard	482C2	62	219.56	13612.44	71	0.7686					13612.44	T
Howard	485	92	488.06	44901.18	71	0.7686	36	56	12.96	48.96	23894.46	NT
Howard	485	92	543.57	50008.33	71	0.7686					50008.33	T
Howard	491B	74	53.03	3924.38	71	0.7686	36	38	8.79	44.79	2375.48	NT
Howard	491B	74	208.56	15433.23	71	0.7686					15433.23	T
Howard	5010	0	125.72	0.00	71	0.7686	0	0	0.00	0.00	0.00	NT
Howard	5010	0	32.26	0.00	71	0.7686					0.00	T
Howard	5030	0	159.74	0.00	71	0.7686	0	0	0.00	0.00	0.00	NT
Howard	5030	0	3.12	0.00	71	0.7686					0.00	T
Howard	5040	5	16.09	80.45	71	0.7686	5	0	0.00	5.00	80.45	NT
Howard	5040	5	22.42	112.08	71	0.7686					112.08	T
Howard	5080	0	6.80	0.00	71	0.7686	0	0	0.00	0.00	0.00	NT
Howard	5080	0	1.52	0.00	71	0.7686					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Howard	575B	67	26.98	1807.77	71	0.7686	36	32	7.40	43.40	1171.13	NT
Howard	575B	67	322.85	21630.87	71	0.7686					21630.87	T
Howard	576B	65	24.93	1620.35	71	0.7686	36	30	6.94	42.94	1070.48	NT
Howard	576B	65	386.47	25120.51	71	0.7686					25120.51	T
Howard	582B	78	0.40	31.52	71	0.7686	36	42	9.72	45.72	18.48	NT
Howard	582B	78	0.69	53.82	71	0.7686					53.82	T
Howard	585	86	2678.21	230325.83	71	0.7686	36	50	11.57	47.57	127402.32	NT
Howard	585	86	977.75	84086.91	71	0.7686					84086.91	T
Howard	615	25	1011.14	25278.51	71	0.7686	25	0	0.00	25.00	25278.51	NT
Howard	615	25	57.00	1425.07	71	0.7686					1425.07	T
Howard	620B	95	27.49	2611.65	71	0.7686	36	60	13.88	49.88	1371.37	NT
Howard	620B	95	548.97	52152.14	71	0.7686					52152.14	T
Howard	621	25	93.43	2335.72	71	0.7686	25	0	0.00	25.00	2335.72	NT
Howard	621	25	142.46	3561.53	71	0.7686					3561.53	T
Howard	626	67	261.33	17509.29	71	0.7686	36	32	7.40	43.40	11343.10	NT
Howard	626	67	3095.97	207430.06	71	0.7686					207430.06	T
Howard	713A	72	54.39	3916.25	71	0.7686	36	36	8.33	44.33	2411.23	NT
Howard	713A	72	596.33	42935.70	71	0.7686					42935.70	T
Howard	713B	69	227.53	15699.54	71	0.7686	36	34	7.87	43.87	9981.18	NT
Howard	713B	69	1383.34	95450.67	71	0.7686					95450.67	T
Howard	713C	47	72.84	3423.50	71	0.7686	36	12	2.78	38.78	2824.52	NT
Howard	713C	47	197.19	9267.80	71	0.7686					9267.80	T
Howard	714A	55	10.83	595.68	71	0.7686	36	20	4.63	40.63	440.02	NT
Howard	714A	55	159.41	8767.30	71	0.7686					8767.30	T
Howard	714B	53	292.31	15492.26	71	0.7686	36	18	4.17	40.17	11740.56	NT
Howard	714B	53	1576.17	83536.94	71	0.7686					83536.94	T
Howard	714C	33	192.73	6360.00	71	0.7686	33	0	0.00	33.00	6360.00	NT
Howard	714C	33	667.91	22041.08	71	0.7686					22041.08	T
Howard	714C2	25	32.43	810.84	71	0.7686	25	0	0.00	25.00	810.84	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Howard	714C2	25	152.42	3810.46	71	0.7686					3810.46	T
Howard	714D	18	98.89	1780.04	71	0.7686	18	0	0.00	18.00	1780.04	NT
Howard	714D	18	216.01	3888.21	71	0.7686					3888.21	T
Howard	715	5	448.96	2244.82	71	0.7686	5	0	0.00	5.00	2244.82	NT
Howard	715	5	27.65	138.24	71	0.7686					138.24	T
Howard	776A	33	52.42	1729.79	71	0.7686	33	0	0.00	33.00	1729.79	NT
Howard	776A	33	173.84	5736.77	71	0.7686					5736.77	T
Howard	776C	8	175.36	1402.91	71	0.7686	8	0	0.00	8.00	1402.91	NT
Howard	776C	8	520.70	4165.64	71	0.7686					4165.64	T
Howard	776D	5	56.98	284.91	71	0.7686	5	0	0.00	5.00	284.91	NT
Howard	776D	5	65.39	326.93	71	0.7686					326.93	T
Howard	777A	58	693.61	40229.20	71	0.7686	36	22	5.09	41.09	28500.87	NT
Howard	777A	58	3360.75	194923.22	71	0.7686					194923.22	T
Howard	777B	53	378.81	20077.19	71	0.7686	36	18	4.17	40.17	15215.18	NT
Howard	777B	53	1476.44	78251.22	71	0.7686					78251.22	T
Howard	777C	34	21.33	725.10	71	0.7686	34	0	0.00	34.00	725.10	NT
Howard	777C	34	279.52	9503.84	71	0.7686					9503.84	T
Howard	778A	74	35.60	2634.11	71	0.7686	36	38	8.79	44.79	1594.46	NT
Howard	778A	74	231.85	17157.09	71	0.7686					17157.09	T
Howard	781B	60	290.24	17414.34	71	0.7686	36	24	5.55	41.55	12060.48	NT
Howard	781B	60	4782.29	286937.11	71	0.7686					286937.11	T
Howard	781C	40	11.96	478.49	71	0.7686	36	4	0.93	36.93	441.71	NT
Howard	781C	40	190.59	7623.40	71	0.7686					7623.40	T
Howard	782A	55	6.66	366.12	71	0.7686	36	20	4.63	40.63	270.45	NT
Howard	782A	55	184.65	10155.97	71	0.7686					10155.97	T
Howard	782B	50	12.09	604.53	71	0.7686	36	14	3.24	39.24	474.43	NT
Howard	782B	50	605.66	30283.15	71	0.7686					30283.15	T
Howard	783B	63	491.08	30938.06	71	0.7686	36	28	6.48	42.48	20860.70	NT
Howard	783B	63	8822.89	555842.28	71	0.7686					555842.28	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Howard	783C	43	16.80	722.51	71	0.7686	36	8	1.85	37.85	636.00	NT
Howard	783C	43	484.39	20828.90	71	0.7686					20828.90	T
Howard	784B	50	190.12	9506.20	71	0.7686	36	14	3.24	39.24	7460.39	NT
Howard	784B	50	4224.34	211216.83	71	0.7686					211216.83	T
Howard	797	56	96.38	5397.36	71	0.7686	36	20	4.63	40.63	3915.78	NT
Howard	797	56	2579.02	144425.16	71	0.7686					144425.16	T
Howard	798B	60	279.41	16764.77	71	0.7686	36	24	5.55	41.55	11610.61	NT
Howard	798B	60	9180.20	550811.78	71	0.7686					550811.78	T
Howard	83B	87	910.29	79195.58	71	0.7686	36	52	12.03	48.03	43723.97	NT
Howard	83B	87	16672.10	1450472.59	71	0.7686					1450472.59	T
Howard	83C	72	36.97	2662.11	71	0.7686	36	36	8.33	44.33	1639.06	NT
Howard	83C	72	440.56	31720.08	71	0.7686					31720.08	T
Howard	83C2	69	11.67	805.29	71	0.7686	36	34	7.87	43.87	511.97	NT
Howard	83C2	69	273.12	18845.32	71	0.7686					18845.32	T
Howard	84	76	5037.48	382848.69	71	0.7686	36	40	9.26	45.26	227976.32	NT
Howard	84	76	37995.53	2887660.62	71	0.7686					2887660.62	T
Howard	96	71	296.99	21086.34	71	0.7686	36	36	8.33	44.33	13165.72	NT
Howard	96	71	537.95	38194.32	71	0.7686					38194.32	T
Howard	965G	8	0.04	0.33	71	0.7686	8	0	0.00	8.00	0.33	NT
Howard	AW	0	8.16	0.00	71	0.7686	0	0	0.00	0.00	0.00	NT
Howard	BW	0	8.76	0.00	71	0.7686	0	0	0.00	0.00	0.00	NT
Howard	BW	0	1.43	0.00	71	0.7686					0.00	T
Howard	INT	0	5.43	0.00	71	0.7686	0	0	0.00	0.00	0.00	NT
Howard	INT	0	4.21	0.00	71	0.7686					0.00	T
Howard	W	0	477.65	0.00	71	0.7686	0	0	0.00	0.00	0.00	NT
Howard	W	0	6.12	0.00	71	0.7686					0.00	T
											0.00	

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
											0.00	
Humboldt	107	70	580.72	40650.08	76	0.8298	38	32	5.45	43.45	25229.99	NT
Humboldt	107	70	30935.77	2165504.22	76	0.8298					2165504.22	T
Humboldt	1236B	77	0.02	1.21	76	0.8298	38	39	6.64	44.64	0.70	NT
Humboldt	1236B	77	0.38	29.46	76	0.8298					29.46	T
Humboldt	1236C	62	0.01	0.62	76	0.8298	38	24	4.08	42.08	0.42	NT
Humboldt	1236C	62	0.14	8.78	76	0.8298					8.78	T
Humboldt	135	78	153.57	11978.18	76	0.8298	38	40	6.81	44.81	6881.01	NT
Humboldt	135	78	783.55	61117.12	76	0.8298					61117.12	T
Humboldt	138B	73	1807.51	131948.01	76	0.8298	38	35	5.96	43.96	79452.59	NT
Humboldt	138B	73	43317.58	3162183.13	76	0.8298					3162183.13	T
Humboldt	138C2	59	334.22	19719.25	76	0.8298	38	21	3.57	41.57	13895.12	NT
Humboldt	138C2	59	4748.25	280146.68	76	0.8298					280146.68	T
Humboldt	1585	5	3410.38	17051.89	76	0.8298	5	0	0.00	5.00	17051.89	NT
Humboldt	1585	5	765.84	3829.20	76	0.8298					3829.20	T
Humboldt	1735	25	19.30	482.41	76	0.8298	25	0	0.00	25.00	482.41	NT
Humboldt	175	60	11.40	684.17	76	0.8298	38	22	3.74	41.74	476.00	NT
Humboldt	175	60	141.33	8479.77	76	0.8298					8479.77	T
Humboldt	175B	56	47.46	2657.68	76	0.8298	38	18	3.06	41.06	1948.82	NT
Humboldt	175B	56	433.04	24250.17	76	0.8298					24250.17	T
Humboldt	175C	41	99.95	4098.12	76	0.8298	38	3	0.51	38.51	3849.29	NT
Humboldt	175C	41	272.61	11176.89	76	0.8298					11176.89	T
Humboldt	188	72	13.18	949.10	76	0.8298	38	34	5.79	43.79	577.19	NT
Humboldt	188	72	111.80	8049.86	76	0.8298					8049.86	T
Humboldt	201B	51	366.40	18686.24	76	0.8298	38	13	2.21	40.21	14733.77	NT
Humboldt	201B	51	323.48	16497.36	76	0.8298					16497.36	T
Humboldt	203	71	40.07	2844.81	76	0.8298	38	33	5.62	43.62	1747.62	NT
Humboldt	203	71	964.19	68457.77	76	0.8298					68457.77	T
Humboldt	221	25	23.80	594.88	76	0.8298	25	0	0.00	25.00	594.88	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Humboldt	221	25	922.28	23057.08	76	0.8298					23057.08	T
Humboldt	236B	79	671.71	53064.84	76	0.8298	38	41	6.98	44.98	30212.16	NT
Humboldt	236B	79	2490.04	196713.03	76	0.8298					196713.03	T
Humboldt	236C	61	154.19	9405.45	76	0.8298	38	23	3.91	41.91	6462.72	NT
Humboldt	236C	61	70.47	4298.80	76	0.8298					4298.80	T
Humboldt	236C2	62	227.78	14122.65	76	0.8298	38	24	4.08	42.08	9586.27	NT
Humboldt	236C2	62	709.31	43977.26	76	0.8298					43977.26	T
Humboldt	236D2	48	205.29	9854.14	76	0.8298	38	10	1.70	39.70	8150.61	NT
Humboldt	236D2	48	311.37	14945.83	76	0.8298					14945.83	T
Humboldt	236E	43	301.72	12973.84	76	0.8298	38	5	0.85	38.85	11722.01	NT
Humboldt	236E	43	127.60	5486.88	76	0.8298					5486.88	T
Humboldt	236F	19	382.69	7271.13	76	0.8298	19	0	0.00	19.00	7271.13	NT
Humboldt	236F	19	101.73	1932.81	76	0.8298					1932.81	T
Humboldt	253B	64	16.86	1079.31	76	0.8298	38	26	4.43	42.43	715.47	NT
Humboldt	253B	64	489.83	31348.86	76	0.8298					31348.86	T
Humboldt	253C	23	10.20	234.62	76	0.8298	23	0	0.00	23.00	234.62	NT
Humboldt	253C	23	70.27	1616.22	76	0.8298					1616.22	T
Humboldt	256G	7	742.50	5197.52	76	0.8298	7	0	0.00	7.00	5197.52	NT
Humboldt	256G	7	54.16	379.09	76	0.8298					379.09	T
Humboldt	259	41	85.39	3501.17	76	0.8298	38	3	0.51	38.51	3288.59	NT
Humboldt	259	41	1290.60	52914.76	76	0.8298					52914.76	T
Humboldt	262G	11	0.02	0.23	76	0.8298	11	0	0.00	11.00	0.23	NT
Humboldt	274	39	9.54	372.22	76	0.8298	38	1	0.17	38.17	364.30	NT
Humboldt	274	39	1108.79	43242.86	76	0.8298					43242.86	T
Humboldt	27B	82	268.64	22028.88	76	0.8298	38	44	7.49	45.49	12220.33	NT
Humboldt	27B	82	660.96	54198.41	76	0.8298					54198.41	T
Humboldt	308	43	67.61	2907.37	76	0.8298	38	5	0.85	38.85	2626.84	NT
Humboldt	308	43	1049.38	45123.53	76	0.8298					45123.53	T
Humboldt	308B	36	39.46	1420.71	76	0.8298	36	0	0.00	36.00	1420.71	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Humboldt	308B	36	523.76	18855.27	76	0.8298					18855.27	T
Humboldt	330	81	5.50	445.61	76	0.8298	38	43	7.32	45.32	249.32	NT
Humboldt	330	81	380.94	30856.17	76	0.8298					30856.17	T
Humboldt	338	78	136.47	10644.48	76	0.8298	38	40	6.81	44.81	6114.84	NT
Humboldt	338	78	7388.33	576289.64	76	0.8298					576289.64	T
Humboldt	339	80	86.81	6944.65	76	0.8298	38	42	7.15	45.15	3919.25	NT
Humboldt	339	80	811.31	64904.67	76	0.8298					64904.67	T
Humboldt	339B	76	34.82	2646.26	76	0.8298	38	38	6.47	44.47	1548.33	NT
Humboldt	339B	76	511.36	38863.29	76	0.8298					38863.29	T
Humboldt	344B	25	11.16	279.02	76	0.8298	25	0	0.00	25.00	279.02	NT
Humboldt	344B	25	180.66	4516.52	76	0.8298					4516.52	T
Humboldt	354	5	104.55	522.74	76	0.8298	5	0	0.00	5.00	522.74	NT
Humboldt	354	5	51.36	256.79	76	0.8298					256.79	T
Humboldt	4000	0	21.27	0.00	76	0.8298	0	0	0.00	0.00	0.00	NT
Humboldt	4000	0	0.95	0.00	76	0.8298					0.00	T
Humboldt	485	92	103.19	9493.16	76	0.8298	38	54	9.19	47.19	4869.45	NT
Humboldt	485	92	549.98	50597.86	76	0.8298					50597.86	T
Humboldt	5010	0	192.50	0.00	76	0.8298	0	0	0.00	0.00	0.00	NT
Humboldt	5010	0	38.81	0.00	76	0.8298					0.00	T
Humboldt	5030	0	181.32	0.00	76	0.8298	0	0	0.00	0.00	0.00	NT
Humboldt	5030	0	19.10	0.00	76	0.8298					0.00	T
Humboldt	5040	5	41.17	205.85	76	0.8298	5	0	0.00	5.00	205.85	NT
Humboldt	5040	5	119.90	599.48	76	0.8298					599.48	T
Humboldt	506	69	98.38	6788.33	76	0.8298	38	31	5.28	43.28	4257.58	NT
Humboldt	506	69	5631.99	388607.56	76	0.8298					388607.56	T
Humboldt	507	71	1024.59	72745.70	76	0.8298	38	33	5.62	43.62	44689.01	NT
Humboldt	507	71	81915.47	5815998.10	76	0.8298					5815998.10	T
Humboldt	508	70	15.43	1080.22	76	0.8298	38	32	5.45	43.45	670.46	NT
Humboldt	508	70	1743.60	122051.90	76	0.8298					122051.90	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Humboldt	5080	0	35.28	0.00	76	0.8298	0	0	0.00	0.00	0.00	NT
Humboldt	5080	0	11.31	0.00	76	0.8298					0.00	T
Humboldt	526	62	42.97	2664.11	76	0.8298	38	24	4.08	42.08	1808.36	NT
Humboldt	526	62	1113.57	69041.07	76	0.8298					69041.07	T
Humboldt	536	70	56.73	3970.81	76	0.8298	38	32	5.45	43.45	2464.54	NT
Humboldt	536	70	194.82	13637.60	76	0.8298					13637.60	T
Humboldt	54	70	48.64	3405.08	76	0.8298	38	32	5.45	43.45	2113.41	NT
Humboldt	54	70	84.04	5883.05	76	0.8298					5883.05	T
Humboldt	55	73	897.05	65484.86	76	0.8298	38	35	5.96	43.96	39431.76	NT
Humboldt	55	73	27090.47	1977604.22	76	0.8298					1977604.22	T
Humboldt	6	43	56.95	2448.70	76	0.8298	38	5	0.85	38.85	2212.43	NT
Humboldt	6	43	7807.44	335720.03	76	0.8298					335720.03	T
Humboldt	62F	7	134.41	940.90	76	0.8298	7	0	0.00	7.00	940.90	NT
Humboldt	62F	7	81.82	572.76	76	0.8298					572.76	T
Humboldt	638C2	52	79.29	4123.18	76	0.8298	38	14	2.38	40.38	3202.03	NT
Humboldt	638C2	52	2718.10	141341.36	76	0.8298					141341.36	T
Humboldt	659	73	26.59	1940.71	76	0.8298	38	35	5.96	43.96	1168.60	NT
Humboldt	659	73	513.26	37467.79	76	0.8298					37467.79	T
Humboldt	775B	52	0.01	0.45	76	0.8298					0.45	T
Humboldt	823	38	111.58	4239.91	76	0.8298	38	0	0.00	38.00	4239.91	NT
Humboldt	823	38	1132.72	43043.42	76	0.8298					43043.42	T
Humboldt	823B	35	91.02	3185.54	76	0.8298	35	0	0.00	35.00	3185.54	NT
Humboldt	823B	35	462.33	16181.48	76	0.8298					16181.48	T
Humboldt	823C2	29	68.81	1995.47	76	0.8298	29	0	0.00	29.00	1995.47	NT
Humboldt	823C2	29	80.86	2345.03	76	0.8298					2345.03	T
Humboldt	828B	45	6.85	308.04	76	0.8298	38	7	1.19	39.19	268.28	NT
Humboldt	828B	45	674.62	30357.89	76	0.8298					30357.89	T
Humboldt	828C2	30	10.26	307.74	76	0.8298	30	0	0.00	30.00	307.74	NT
Humboldt	828C2	30	292.32	8769.75	76	0.8298					8769.75	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Humboldt	829D2	28	83.04	2325.17	76	0.8298	28	0	0.00	28.00	2325.17	NT
Humboldt	829D2	28	196.39	5499.00	76	0.8298					5499.00	T
Humboldt	835D2	35	135.04	4726.54	76	0.8298	35	0	0.00	35.00	4726.54	NT
Humboldt	835D2	35	900.47	31516.49	76	0.8298					31516.49	T
Humboldt	835E2	36	205.07	7382.58	76	0.8298	36	0	0.00	36.00	7382.58	NT
Humboldt	835E2	36	260.12	9364.30	76	0.8298					9364.30	T
Humboldt	90	42	17.48	734.19	76	0.8298	38	4	0.68	38.68	676.17	NT
Humboldt	90	42	1380.91	57998.39	76	0.8298					57998.39	T
Humboldt	95	57	66.76	3805.44	76	0.8298	38	19	3.23	41.23	2752.86	NT
Humboldt	95	57	6584.79	375333.04	76	0.8298					375333.04	T
Humboldt	956	57	27.96	1593.58	76	0.8298	38	19	3.23	41.23	1152.79	NT
Humboldt	956	57	4719.05	268985.82	76	0.8298					268985.82	T
Humboldt	AW	0	2.22	0.00	76	0.8298	0	0	0.00	0.00	0.00	NT
Humboldt	AW	0	1.78	0.00	76	0.8298					0.00	T
Humboldt	SL	0	5.88	0.00	76	0.8298	0	0	0.00	0.00	0.00	NT
Humboldt	SL	0	0.18	0.00	76	0.8298					0.00	T
Humboldt	W	0	189.78	0.00	76	0.8298	0	0	0.00	0.00	0.00	NT
Humboldt	W	0	2.29	0.00	76	0.8298					0.00	T
											0.00	
											0.00	
Ida	100B	80	0.02	1.59	60	0.6959	30	50	15.21	45.21	0.90	NT
Ida	100B	80	0.53	42.00	60	0.6959					42.00	T
Ida	100C	58	164.27	9527.86	60	0.6959	30	28	8.51	38.51	6326.96	NT
Ida	100C	58	1532.17	88865.78	60	0.6959					88865.78	T
Ida	100C2	63	354.30	22320.77	60	0.6959	30	33	10.04	40.04	14184.43	NT
Ida	100C2	63	9163.54	577302.77	60	0.6959					577302.77	T
Ida	100C3	54	3.05	164.63	60	0.6959	30	24	7.30	37.30	113.71	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ida	100C3	54	269.25	14539.53	60	0.6959					14539.53	T
Ida	100D	49	286.16	14021.92	60	0.6959	30	19	5.78	35.78	10238.26	NT
Ida	100D	49	1417.74	69469.13	60	0.6959					69469.13	T
Ida	100D2	53	1042.19	55235.96	60	0.6959	30	23	6.99	36.99	38555.01	NT
Ida	100D2	53	20163.55	1068667.94	60	0.6959					1068667.94	T
Ida	100D3	50	109.62	5480.93	60	0.6959	30	20	6.08	36.08	3955.26	NT
Ida	100D3	50	4535.21	226760.26	60	0.6959					226760.26	T
Ida	100E	40	300.11	12004.50	60	0.6959	30	10	3.04	33.04	9916.02	NT
Ida	100E	40	378.41	15136.41	60	0.6959					15136.41	T
Ida	100E2	43	533.88	22956.72	60	0.6959	30	13	3.95	33.95	18126.90	NT
Ida	100E2	43	2986.26	128409.24	60	0.6959					128409.24	T
Ida	100E3	40	322.95	12917.89	60	0.6959	30	10	3.04	33.04	10670.50	NT
Ida	100E3	40	3822.47	152898.83	60	0.6959					152898.83	T
Ida	100F	20	221.65	4432.92	60	0.6959	20	0	0.00	20.00	4432.92	NT
Ida	100F	20	38.91	778.23	60	0.6959					778.23	T
Ida	100F2	23	127.15	2924.45	60	0.6959	23	0	0.00	23.00	2924.45	NT
Ida	100F2	23	239.81	5515.57	60	0.6959					5515.57	T
Ida	100F3	20	131.06	2621.25	60	0.6959	20	0	0.00	20.00	2621.25	NT
Ida	100F3	20	240.01	4800.27	60	0.6959					4800.27	T
Ida	10D2	53	0.03	1.45	60	0.6959					1.45	T
Ida	11B	68	2940.92	199982.90	60	0.6959	30	38	11.56	41.56	122212.49	NT
Ida	11B	68	19036.96	1294513.58	60	0.6959					1294513.58	T
Ida	1220	25	743.11	18577.77	60	0.6959	25	0	0.00	25.00	18577.77	NT
Ida	1220	25	240.72	6018.01	60	0.6959					6018.01	T
Ida	133	80	1252.11	100168.61	60	0.6959	30	50	15.21	45.21	56601.53	NT
Ida	133	80	5378.01	430241.14	60	0.6959					430241.14	T
Ida	133+	85	1146.40	97443.62	60	0.6959	30	55	16.73	46.73	53565.90	NT
Ida	133+	85	4081.33	346913.36	60	0.6959					346913.36	T
Ida	174C2	26	0.02	0.46	60	0.6959	26	0	0.00	26.00	0.46	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ida	1B	65	7.45	484.14	60	0.6959	30	35	10.64	40.64	302.72	NT
Ida	1B	65	406.82	26443.35	60	0.6959					26443.35	T
Ida	1C	60	101.09	6065.24	60	0.6959	30	30	9.12	39.12	3954.84	NT
Ida	1C	60	1491.22	89473.00	60	0.6959					89473.00	T
Ida	1C3	55	61.87	3402.85	60	0.6959	30	25	7.60	37.60	2326.47	NT
Ida	1C3	55	1747.48	96111.26	60	0.6959					96111.26	T
Ida	1D	50	183.74	9187.13	60	0.6959	30	20	6.08	36.08	6629.80	NT
Ida	1D	50	1436.02	71800.85	60	0.6959					71800.85	T
Ida	1D3	45	162.87	7329.13	60	0.6959	30	15	4.56	34.56	5629.01	NT
Ida	1D3	45	4263.42	191853.94	60	0.6959					191853.94	T
Ida	1E	35	122.40	4283.88	60	0.6959	30	5	1.52	31.52	3858.00	NT
Ida	1E	35	449.90	15746.47	60	0.6959					15746.47	T
Ida	1E3	35	256.59	8980.78	60	0.6959	30	5	1.52	31.52	8087.96	NT
Ida	1E3	35	1935.66	67748.12	60	0.6959					67748.12	T
Ida	1F3	15	72.44	1086.66	60	0.6959	15	0	0.00	15.00	1086.66	NT
Ida	1F3	15	77.47	1161.99	60	0.6959					1161.99	T
Ida	220	85	560.08	47606.94	60	0.6959	30	55	16.73	46.73	26170.10	NT
Ida	220	85	1672.64	142174.34	60	0.6959					142174.34	T
Ida	22D3	43	6.62	284.72	60	0.6959	30	13	3.95	33.95	224.82	NT
Ida	22D3	43	205.53	8837.85	60	0.6959					8837.85	T
Ida	26	85	1091.63	92788.77	60	0.6959	30	55	16.73	46.73	51007.08	NT
Ida	26	85	6569.60	558415.78	60	0.6959					558415.78	T
Ida	266+	90	21.28	1915.55	60	0.6959					1915.55	T
Ida	26B	73	2091.35	152668.42	60	0.6959	30	43	13.08	43.08	90087.54	NT
Ida	26B	73	9242.74	674719.72	60	0.6959					674719.72	T
Ida	277B	77	0.14	10.72	60	0.6959	30	47	14.29	44.29	6.16	NT
Ida	277C	62	0.04	2.40	60	0.6959					2.40	T
Ida	27B	82	32.07	2629.64	60	0.6959	30	52	15.81	45.81	1469.17	NT
Ida	27B	82	180.58	14807.85	60	0.6959					14807.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ida	27C	61	59.87	3652.31	60	0.6959	30	31	9.43	39.43	2360.65	NT
Ida	27C	61	189.99	11589.63	60	0.6959					11589.63	T
Ida	28C2	22	14.66	322.51	60	0.6959	22	0	0.00	22.00	322.51	NT
Ida	28C2	22	237.53	5225.62	60	0.6959					5225.62	T
Ida	28D2	12	18.66	223.90	60	0.6959	12	0	0.00	12.00	223.90	NT
Ida	28D2	12	290.54	3486.48	60	0.6959					3486.48	T
Ida	309	61	45.73	2789.71	60	0.6959	30	31	9.43	39.43	1803.12	NT
Ida	309	61	365.02	22266.21	60	0.6959					22266.21	T
Ida	31	75	139.81	10485.82	60	0.6959	30	45	13.68	43.68	6107.57	NT
Ida	31	75	2188.38	164128.22	60	0.6959					164128.22	T
Ida	310	79	77.81	6146.91	60	0.6959	30	49	14.90	44.90	3493.70	NT
Ida	310	79	732.20	57843.73	60	0.6959					57843.73	T
Ida	310B	71	1369.84	97258.65	60	0.6959	30	41	12.47	42.47	58174.51	NT
Ida	310B	71	25031.59	1777243.24	60	0.6959					1777243.24	T
Ida	310B2	69	106.74	7364.76	60	0.6959	30	39	11.86	41.86	4467.95	NT
Ida	310B2	69	7121.45	491380.12	60	0.6959					491380.12	T
Ida	310C	56	1134.20	63515.02	60	0.6959	30	26	7.91	37.91	42993.55	NT
Ida	310C	56	17099.89	957593.63	60	0.6959					957593.63	T
Ida	310C2	56	481.57	26968.04	60	0.6959	30	26	7.91	37.91	18254.76	NT
Ida	310C2	56	22584.95	1264757.14	60	0.6959					1264757.14	T
Ida	310D	47	79.78	3749.82	60	0.6959	30	17	5.17	35.17	2805.96	NT
Ida	310D	47	231.22	10867.14	60	0.6959					10867.14	T
Ida	310D2	44	389.06	17118.78	60	0.6959	30	14	4.26	34.26	13328.29	NT
Ida	310D2	44	5441.87	239442.26	60	0.6959					239442.26	T
Ida	33F	8	0.11	0.85	60	0.6959					0.85	T
Ida	35E2	30	121.79	3653.76	60	0.6959	30	0	0.00	30.00	3653.76	NT
Ida	35E2	30	260.59	7817.55	60	0.6959					7817.55	T
Ida	35F	15	0.12	1.75	60	0.6959	15	0	0.00	15.00	1.75	NT
Ida	35F	15	1.17	17.49	60	0.6959					17.49	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ida	35G	5	370.24	1851.19	60	0.6959	5	0	0.00	5.00	1851.19	NT
Ida	35G	5	162.19	810.95	60	0.6959					810.95	T
Ida	428B	93	36.63	3406.76	60	0.6959	30	63	19.16	49.16	1800.76	NT
Ida	428B	93	1212.96	112804.99	60	0.6959					112804.99	T
Ida	430	83	421.48	34982.55	60	0.6959	30	53	16.12	46.12	19437.36	NT
Ida	430	83	2003.77	166313.28	60	0.6959					166313.28	T
Ida	430B	74	395.17	29242.25	60	0.6959	30	44	13.38	43.38	17142.44	NT
Ida	430B	74	1448.20	107166.78	60	0.6959					107166.78	T
Ida	431B	73	0.07	5.22	60	0.6959					5.22	T
Ida	474C	31	26.77	829.79	60	0.6959	30	1	0.30	30.30	811.16	NT
Ida	474C	31	319.03	9889.95	60	0.6959					9889.95	T
Ida	474D2	19	28.08	533.46	60	0.6959	19	0	0.00	19.00	533.46	NT
Ida	474D2	19	262.82	4993.50	60	0.6959					4993.50	T
Ida	475B	53	6.08	322.21	60	0.6959	30	23	6.99	36.99	224.91	NT
Ida	475B	53	172.85	9161.25	60	0.6959					9161.25	T
Ida	475C2	36	52.27	1881.81	60	0.6959	30	6	1.82	31.82	1663.55	NT
Ida	475C2	36	492.25	17720.98	60	0.6959					17720.98	T
Ida	475D2	26	30.54	794.00	60	0.6959	26	0	0.00	26.00	794.00	NT
Ida	475D2	26	246.58	6411.04	60	0.6959					6411.04	T
Ida	5010	0	35.40	0.00	60	0.6959	0	0	0.00	0.00	0.00	NT
Ida	5010	0	16.79	0.00	60	0.6959					0.00	T
Ida	5040	5	138.04	690.21	60	0.6959	5	0	0.00	5.00	690.21	NT
Ida	5040	5	172.05	860.26	60	0.6959					860.26	T
Ida	5044	0	0.07	0.00	60	0.6959					0.00	T
Ida	509	90	34.60	3113.67	60	0.6959	30	60	18.25	48.25	1669.13	NT
Ida	509	90	505.12	45461.09	60	0.6959					45461.09	T
Ida	509B	84	132.31	11114.39	60	0.6959	30	54	16.42	46.42	6142.21	NT
Ida	509B	84	1775.10	149108.34	60	0.6959					149108.34	T
Ida	509C	81	65.56	5309.98	60	0.6959	30	51	15.51	45.51	2983.36	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ida	509C	81	327.72	26545.06	60	0.6959					26545.06	T
Ida	509C2	77	26.78	2062.15	60	0.6959	30	47	14.29	44.29	1186.21	NT
Ida	509C2	77	538.38	41455.47	60	0.6959					41455.47	T
Ida	527	75	0.00	0.15	60	0.6959					0.15	T
Ida	527B	70	0.16	11.47	60	0.6959					11.47	T
Ida	54	70	17.94	1255.49	60	0.6959	30	40	12.16	42.16	756.23	NT
Ida	54	70	417.87	29250.86	60	0.6959					29250.86	T
Ida	59D2	58	125.13	7257.70	60	0.6959	30	28	8.51	38.51	4819.47	NT
Ida	59D2	58	890.22	51632.51	60	0.6959					51632.51	T
Ida	59E	28	0.02	0.44	60	0.6959	28	0	0.00	28.00	0.44	NT
Ida	5B	83	0.02	1.92	60	0.6959	30	53	16.12	46.12	1.07	NT
Ida	630	85	1.83	155.27	60	0.6959	30	55	16.73	46.73	85.36	NT
Ida	630	85	1.34	113.99	60	0.6959					113.99	T
Ida	666B	64	0.17	11.10	60	0.6959	30	34	10.34	40.34	7.00	NT
Ida	666B	64	0.40	25.47	60	0.6959					25.47	T
Ida	670	80	0.27	21.85	60	0.6959					21.85	T
Ida	700	85	0.03	2.41	60	0.6959	30	55	16.73	46.73	1.33	NT
Ida	700	85	7.25	616.39	60	0.6959					616.39	T
Ida	700B	80	0.13	10.36	60	0.6959					10.36	T
Ida	700C2	63	0.30	18.95	60	0.6959					18.95	T
Ida	700D2	53	0.04	2.05	60	0.6959					2.05	T
Ida	709	63	0.38	23.85	60	0.6959					23.85	T
Ida	709B	63	0.09	5.41	60	0.6959	30	33	10.04	40.04	3.44	NT
Ida	709B	63	0.05	3.10	60	0.6959					3.10	T
Ida	740C	5	25.78	128.89	60	0.6959	5	0	0.00	5.00	128.89	NT
Ida	740C	5	83.59	417.97	60	0.6959					417.97	T
Ida	740E	5	71.07	355.33	60	0.6959	5	0	0.00	5.00	355.33	NT
Ida	740E	5	42.83	214.15	60	0.6959					214.15	T
Ida	740G	5	90.99	454.94	60	0.6959	5	0	0.00	5.00	454.94	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ida	740G	5	35.32	176.58	60	0.6959					176.58	T
Ida	78B	69	11.69	806.38	60	0.6959	30	39	11.86	41.86	489.20	NT
Ida	78B	69	143.28	9886.65	60	0.6959					9886.65	T
Ida	78B2	65	8.15	530.04	60	0.6959	30	35	10.64	40.64	331.43	NT
Ida	78B2	65	725.23	47139.95	60	0.6959					47139.95	T
Ida	78C	52	32.41	1685.18	60	0.6959	30	22	6.69	36.69	1189.03	NT
Ida	78C	52	352.67	18339.04	60	0.6959					18339.04	T
Ida	78C2	51	55.96	2853.92	60	0.6959	30	21	6.39	36.39	2036.14	NT
Ida	78C2	51	1914.84	97656.99	60	0.6959					97656.99	T
Ida	78D2	38	63.64	2418.47	60	0.6959	30	8	2.43	32.43	2064.16	NT
Ida	78D2	38	503.05	19116.05	60	0.6959					19116.05	T
Ida	810	78	62.75	4894.19	60	0.6959	30	48	14.60	44.60	2798.27	NT
Ida	810	78	1483.73	115731.03	60	0.6959					115731.03	T
Ida	810B	73	154.61	11286.28	60	0.6959	30	43	13.08	43.08	6659.88	NT
Ida	810B	73	2548.33	186027.94	60	0.6959					186027.94	T
Ida	810C2	54	39.43	2129.05	60	0.6959	30	24	7.30	37.30	1470.56	NT
Ida	810C2	54	499.16	26954.68	60	0.6959					26954.68	T
Ida	8B	90	186.26	16763.31	60	0.6959	30	60	18.25	48.25	8986.25	NT
Ida	8B	90	3434.15	309073.30	60	0.6959					309073.30	T
Ida	8C	66	904.25	59680.79	60	0.6959	30	36	10.95	40.95	37027.05	NT
Ida	8C	66	4947.70	326547.90	60	0.6959					326547.90	T
Ida	91B	81	80.09	6487.40	60	0.6959	30	51	15.51	45.51	3644.89	NT
Ida	91B	81	3530.20	285946.18	60	0.6959					285946.18	T
Ida	92	79	14.57	1150.69	60	0.6959	30	49	14.90	44.90	654.01	NT
Ida	92	79	473.05	37370.63	60	0.6959					37370.63	T
Ida	99C2	61	10.61	647.03	60	0.6959	30	31	9.43	39.43	418.20	NT
Ida	99C2	61	591.07	36055.00	60	0.6959					36055.00	T
Ida	99D2	53	49.07	2600.74	60	0.6959	30	23	6.99	36.99	1815.33	NT
Ida	99D2	53	3855.65	204349.51	60	0.6959					204349.51	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ida	99D3	47	6.25	293.71	60	0.6959	30	17	5.17	35.17	219.78	NT
Ida	99D3	47	1689.26	79395.09	60	0.6959					79395.09	T
Ida	99E2	44	11.56	508.63	60	0.6959	30	14	4.26	34.26	396.01	NT
Ida	99E2	44	297.03	13069.20	60	0.6959					13069.20	T
Ida	9B	85	206.85	17581.98	60	0.6959	30	55	16.73	46.73	9665.02	NT
Ida	9B	85	3422.21	290888.13	60	0.6959					290888.13	T
Ida	9B2	79	43.78	3458.39	60	0.6959	30	49	14.90	44.90	1965.63	NT
Ida	9B2	79	1540.96	121735.97	60	0.6959					121735.97	T
Ida	9C	66	259.08	17099.26	60	0.6959	30	36	10.95	40.95	10608.69	NT
Ida	9C	66	2811.76	185576.27	60	0.6959					185576.27	T
Ida	9C2	77	188.14	14486.62	60	0.6959	30	47	14.29	44.29	8333.14	NT
Ida	9C2	77	6884.89	530136.38	60	0.6959					530136.38	T
Ida	9D	56	56.09	3140.87	60	0.6959	30	26	7.91	37.91	2126.06	NT
Ida	9D	56	451.39	25277.81	60	0.6959					25277.81	T
Ida	9D2	52	140.36	7298.70	60	0.6959	30	22	6.69	36.69	5149.82	NT
Ida	9D2	52	2514.90	130774.97	60	0.6959					130774.97	T
Ida	AW	0	5.60	0.00	60	0.6959	0	0	0.00	0.00	0.00	NT
Ida	AW	0	0.27	0.00	60	0.6959					0.00	T
Ida	SL	0	7.63	0.00	60	0.6959	0	0	0.00	0.00	0.00	NT
Ida	SL	0	0.24	0.00	60	0.6959					0.00	T
Ida	W	0	676.72	0.00	60	0.6959	0	0	0.00	0.00	0.00	NT
Ida	W	0	29.59	0.00	60	0.6959					0.00	T
											0.00	
											0.00	
Iowa	1043	80	20.30	1624.09	64	0.7478	32	48	12.11	44.11	895.39	NT
Iowa	1043	80	11.93	954.44	64	0.7478					954.44	T
Iowa	1088	88	2.71	238.64	64	0.7478	32	56	14.12	46.12	125.08	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	1088	88	7.56	665.48	64	0.7478					665.48	T
Iowa	110C	44	1.08	47.37	64	0.7478	32	12	3.03	35.03	37.71	NT
Iowa	1160	67	0.96	64.54	64	0.7478	32	35	8.83	40.83	39.33	NT
Iowa	1160	67	156.22	10466.42	64	0.7478					10466.42	T
Iowa	119	100	31.35	3134.81	64	0.7478	32	68	17.15	49.15	1540.74	NT
Iowa	119	100	911.89	91188.96	64	0.7478					91188.96	T
Iowa	11B	68	1.42	96.47	64	0.7478	32	36	9.08	41.08	58.28	NT
Iowa	11B	68	1.63	111.00	64	0.7478					111.00	T
Iowa	120B	95	187.29	17792.30	64	0.7478	32	63	15.89	47.89	8968.93	NT
Iowa	120B	95	2899.09	275413.84	64	0.7478					275413.84	T
Iowa	120C	80	47.19	3775.19	64	0.7478	32	48	12.11	44.11	2081.34	NT
Iowa	120C	80	1231.15	98492.00	64	0.7478					98492.00	T
Iowa	120C2	78	168.49	13142.19	64	0.7478	32	46	11.60	43.60	7346.35	NT
Iowa	120C2	78	3795.83	296074.36	64	0.7478					296074.36	T
Iowa	120D2	68	129.97	8838.26	64	0.7478	32	36	9.08	41.08	5339.25	NT
Iowa	120D2	68	4149.48	282164.32	64	0.7478					282164.32	T
Iowa	120D3	65	1.20	77.94	64	0.7478	32	33	8.32	40.32	48.35	NT
Iowa	120D3	65	214.37	13934.17	64	0.7478					13934.17	T
Iowa	120E2	58	5.54	321.43	64	0.7478	32	26	6.56	38.56	213.68	NT
Iowa	120E2	58	258.88	15014.86	64	0.7478					15014.86	T
Iowa	122	63	6.02	379.25	64	0.7478	32	31	7.82	39.82	239.70	NT
Iowa	122	63	127.96	8061.24	64	0.7478					8061.24	T
Iowa	1220	25	772.52	19312.91	64	0.7478	25	0	0.00	25.00	19312.91	NT
Iowa	1220	25	72.06	1801.43	64	0.7478					1801.43	T
Iowa	127	95	16.82	1597.58	64	0.7478					1597.58	T
Iowa	1291	95	22.79	2164.64	64	0.7478	32	63	15.89	47.89	1091.17	NT
Iowa	1291	95	494.99	47023.72	64	0.7478					47023.72	T
Iowa	1316	5	4.28	21.40	64	0.7478	5	0	0.00	5.00	21.40	NT
Iowa	1316	5	0.10	0.52	64	0.7478					0.52	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	133	80	678.67	54293.55	64	0.7478	32	48	12.11	44.11	29933.12	NT
Iowa	133	80	3553.90	284312.27	64	0.7478					284312.27	T
Iowa	133+	85	1378.78	117196.63	64	0.7478	32	53	13.37	45.37	62550.74	NT
Iowa	133+	85	7347.95	624576.06	64	0.7478					624576.06	T
Iowa	1354	5	58.08	290.42	64	0.7478	5	0	0.00	5.00	290.42	NT
Iowa	1354	5	22.16	110.80	64	0.7478					110.80	T
Iowa	13B	65	0.23	14.93	64	0.7478	32	33	8.32	40.32	9.26	NT
Iowa	13B	65	27.55	1790.49	64	0.7478					1790.49	T
Iowa	1442B	70	6.28	439.27	64	0.7478	32	38	9.58	41.58	260.95	NT
Iowa	1442B	70	156.74	10972.05	64	0.7478					10972.05	T
Iowa	1442C	60	20.82	1249.03	64	0.7478	32	28	7.06	39.06	813.15	NT
Iowa	1442C	60	287.46	17247.84	64	0.7478					17247.84	T
Iowa	1442C2	58	36.63	2124.38	64	0.7478	32	26	6.56	38.56	1412.24	NT
Iowa	1442C2	58	399.00	23142.23	64	0.7478					23142.23	T
Iowa	1442D2	43	97.72	4201.87	64	0.7478	32	11	2.77	34.77	3398.07	NT
Iowa	1442D2	43	936.99	40290.44	64	0.7478					40290.44	T
Iowa	1442E2	38	81.36	3091.55	64	0.7478	32	6	1.51	33.51	2726.52	NT
Iowa	1442E2	38	383.48	14572.23	64	0.7478					14572.23	T
Iowa	1484	25	19.34	483.48	64	0.7478	25	0	0.00	25.00	483.48	NT
Iowa	1540	5	8295.14	41475.68	64	0.7478	5	0	0.00	5.00	41475.68	NT
Iowa	1540	5	324.88	1624.41	64	0.7478					1624.41	T
Iowa	162B	90	146.84	13215.85	64	0.7478	32	58	14.63	46.63	6846.93	NT
Iowa	162B	90	1697.46	152771.60	64	0.7478					152771.60	T
Iowa	162C	75	122.32	9173.65	64	0.7478	32	43	10.84	42.84	5240.55	NT
Iowa	162C	75	636.37	47727.49	64	0.7478					47727.49	T
Iowa	162C2	73	340.52	24858.18	64	0.7478	32	41	10.34	42.34	14417.82	NT
Iowa	162C2	73	4444.56	324453.22	64	0.7478					324453.22	T
Iowa	162D2	63	292.21	18409.45	64	0.7478	32	31	7.82	39.82	11635.41	NT
Iowa	162D2	63	5321.10	335229.39	64	0.7478					335229.39	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	162D3	60	14.78	886.82	64	0.7478	32	28	7.06	39.06	577.34	NT
Iowa	162D3	60	478.39	28703.32	64	0.7478					28703.32	T
Iowa	162E2	53	90.07	4773.91	64	0.7478	32	21	5.30	37.30	3359.41	NT
Iowa	162E2	53	1086.95	57608.37	64	0.7478					57608.37	T
Iowa	162E3	50	23.63	1181.71	64	0.7478	32	18	4.54	36.54	863.59	NT
Iowa	162E3	50	503.78	25188.83	64	0.7478					25188.83	T
Iowa	163B	85	277.66	23601.06	64	0.7478	32	53	13.37	45.37	12596.47	NT
Iowa	163B	85	785.79	66791.77	64	0.7478					66791.77	T
Iowa	163C	70	663.05	46413.48	64	0.7478	32	38	9.58	41.58	27571.99	NT
Iowa	163C	70	326.50	22855.18	64	0.7478					22855.18	T
Iowa	163C2	68	806.88	54867.88	64	0.7478	32	36	9.08	41.08	33146.01	NT
Iowa	163C2	68	3481.59	236748.46	64	0.7478					236748.46	T
Iowa	163D	60	799.89	47993.67	64	0.7478	32	28	7.06	39.06	31245.16	NT
Iowa	163D	60	193.58	11615.04	64	0.7478					11615.04	T
Iowa	163D2	58	852.77	49460.78	64	0.7478	32	26	6.56	38.56	32880.51	NT
Iowa	163D2	58	3369.19	195412.73	64	0.7478					195412.73	T
Iowa	163D3	55	148.03	8141.63	64	0.7478	32	23	5.80	37.80	5595.61	NT
Iowa	163D3	55	1186.36	65249.81	64	0.7478					65249.81	T
Iowa	163E	50	458.61	22930.69	64	0.7478	32	18	4.54	36.54	16757.57	NT
Iowa	163E	50	68.06	3403.09	64	0.7478					3403.09	T
Iowa	163E2	48	666.86	32009.17	64	0.7478	32	16	4.04	36.04	24030.35	NT
Iowa	163E2	48	1853.82	88983.31	64	0.7478					88983.31	T
Iowa	163E3	46	296.40	13634.28	64	0.7478	32	14	3.53	35.53	10531.24	NT
Iowa	163E3	46	1704.56	78409.66	64	0.7478					78409.66	T
Iowa	163F	30	1053.18	31595.47	64	0.7478	30	0	0.00	30.00	31595.47	NT
Iowa	163F	30	177.00	5309.92	64	0.7478					5309.92	T
Iowa	163F2	28	1326.21	37133.79	64	0.7478	28	0	0.00	28.00	37133.79	NT
Iowa	163F2	28	1022.37	28626.41	64	0.7478					28626.41	T
Iowa	163F3	25	330.97	8274.28	64	0.7478	25	0	0.00	25.00	8274.28	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	163F3	25	784.74	19618.58	64	0.7478					19618.58	T
Iowa	163G	19	4454.39	84633.38	64	0.7478	19	0	0.00	19.00	84633.38	NT
Iowa	163G	19	313.26	5951.88	64	0.7478					5951.88	T
Iowa	165	90	5.67	510.03	64	0.7478	32	58	14.63	46.63	264.24	NT
Iowa	165	90	89.58	8062.60	64	0.7478					8062.60	T
Iowa	171C2	64	70.44	4508.36	64	0.7478	32	32	8.07	40.07	2822.68	NT
Iowa	171C2	64	808.12	51719.70	64	0.7478					51719.70	T
Iowa	171D2	53	49.79	2638.67	64	0.7478	32	21	5.30	37.30	1856.84	NT
Iowa	171D2	53	305.51	16192.05	64	0.7478					16192.05	T
Iowa	171D3	50	39.49	1974.48	64	0.7478	32	18	4.54	36.54	1442.93	NT
Iowa	171D3	50	185.55	9277.72	64	0.7478					9277.72	T
Iowa	171E2	43	21.31	916.50	64	0.7478	32	11	2.77	34.77	741.17	NT
Iowa	171E2	43	70.79	3044.18	64	0.7478					3044.18	T
Iowa	171E3	40	19.03	761.09	64	0.7478	32	8	2.02	34.02	647.26	NT
Iowa	171E3	40	94.62	3784.78	64	0.7478					3784.78	T
Iowa	172	45	51.95	2337.71	64	0.7478	32	13	3.28	35.28	1832.69	NT
Iowa	172	45	105.48	4746.78	64	0.7478					4746.78	T
Iowa	175	60	21.55	1292.83	64	0.7478	32	28	7.06	39.06	841.66	NT
Iowa	175	60	195.24	11714.52	64	0.7478					11714.52	T
Iowa	175B	56	42.92	2403.68	64	0.7478	32	24	6.05	38.05	1633.33	NT
Iowa	175B	56	277.35	15531.68	64	0.7478					15531.68	T
Iowa	175C	41	7.24	296.69	64	0.7478	32	9	2.27	34.27	247.99	NT
Iowa	175C	41	92.11	3776.54	64	0.7478					3776.54	T
Iowa	178	79	28.49	2250.38	64	0.7478	32	47	11.85	43.85	1249.20	NT
Iowa	178	79	309.78	24472.67	64	0.7478					24472.67	T
Iowa	178B	74	61.34	4539.30	64	0.7478	32	42	10.59	42.59	2612.70	NT
Iowa	178B	74	481.92	35662.00	64	0.7478					35662.00	T
Iowa	178C	54	7.80	421.08	64	0.7478	32	22	5.55	37.55	292.80	NT
Iowa	178C	54	185.68	10026.95	64	0.7478					10026.95	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	179D2	43	72.45	3115.31	64	0.7478	32	11	2.77	34.77	2519.36	NT
Iowa	179D2	43	1029.94	44287.27	64	0.7478					44287.27	T
Iowa	179D3	40	6.13	245.31	64	0.7478	32	8	2.02	34.02	208.62	NT
Iowa	179D3	40	185.56	7422.28	64	0.7478					7422.28	T
Iowa	179E2	33	146.76	4842.97	64	0.7478	32	1	0.25	32.25	4733.22	NT
Iowa	179E2	33	1599.77	52792.29	64	0.7478					52792.29	T
Iowa	179E3	30	66.14	1984.20	64	0.7478	30	0	0.00	30.00	1984.20	NT
Iowa	179E3	30	1315.17	39455.13	64	0.7478					39455.13	T
Iowa	179F2	14	131.03	1834.44	64	0.7478	14	0	0.00	14.00	1834.44	NT
Iowa	179F2	14	401.10	5615.44	64	0.7478					5615.44	T
Iowa	179F3	10	62.03	620.28	64	0.7478	10	0	0.00	10.00	620.28	NT
Iowa	179F3	10	620.63	6206.32	64	0.7478					6206.32	T
Iowa	180	76	2.82	214.40	64	0.7478	32	44	11.10	43.10	121.58	NT
Iowa	180	76	98.57	7491.06	64	0.7478					7491.06	T
Iowa	192D2	15	18.37	275.51	64	0.7478	15	0	0.00	15.00	275.51	NT
Iowa	192D2	15	1289.83	19347.46	64	0.7478					19347.46	T
Iowa	192D3	5	12.01	60.07	64	0.7478	5	0	0.00	5.00	60.07	NT
Iowa	192D3	5	377.46	1887.32	64	0.7478					1887.32	T
Iowa	220	85	1836.60	156111.00	64	0.7478	32	53	13.37	45.37	83320.30	NT
Iowa	220	85	3117.38	264977.40	64	0.7478					264977.40	T
Iowa	2219	82	18.28	1499.05	64	0.7478	32	50	12.61	44.61	815.52	NT
Iowa	2219	82	136.99	11233.50	64	0.7478					11233.50	T
Iowa	2219B	78	42.91	3347.33	64	0.7478	32	46	11.60	43.60	1871.12	NT
Iowa	2219B	78	274.27	21392.94	64	0.7478					21392.94	T
Iowa	2219C2	58	3.42	198.47	64	0.7478	32	26	6.56	38.56	131.94	NT
Iowa	2219C2	58	49.78	2887.51	64	0.7478					2887.51	T
Iowa	2242	75	0.85	64.12	64	0.7478	32	43	10.84	42.84	36.63	NT
Iowa	2422	57	1103.68	62909.68	64	0.7478	32	25	6.31	38.31	42276.41	NT
Iowa	2422	57	1582.84	90221.88	64	0.7478					90221.88	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	24C2	58	18.54	1075.29	64	0.7478	32	26	6.56	38.56	714.83	NT
Iowa	24C2	58	291.58	16911.75	64	0.7478					16911.75	T
Iowa	24D2	48	27.76	1332.67	64	0.7478	32	16	4.04	36.04	1000.48	NT
Iowa	24D2	48	1401.80	67286.43	64	0.7478					67286.43	T
Iowa	24D3	45	4.03	181.18	64	0.7478	32	13	3.28	35.28	142.04	NT
Iowa	24D3	45	271.44	12214.61	64	0.7478					12214.61	T
Iowa	24E2	38	32.18	1222.92	64	0.7478	32	6	1.51	33.51	1078.52	NT
Iowa	24E2	38	750.86	28532.51	64	0.7478					28532.51	T
Iowa	24E3	35	17.61	616.28	64	0.7478	32	3	0.76	32.76	576.78	NT
Iowa	24E3	35	556.05	19461.63	64	0.7478					19461.63	T
Iowa	279	88	13.95	1227.34	64	0.7478	32	56	14.12	46.12	643.28	NT
Iowa	279	88	841.20	74025.50	64	0.7478					74025.50	T
Iowa	280	95	247.97	23557.32	64	0.7478	32	63	15.89	47.89	11875.02	NT
Iowa	280	95	6003.76	570356.91	64	0.7478					570356.91	T
Iowa	281B	90	827.17	74445.75	64	0.7478	32	58	14.63	46.63	38569.18	NT
Iowa	281B	90	13006.51	1170586.22	64	0.7478					1170586.22	T
Iowa	281C	75	79.81	5985.86	64	0.7478	32	43	10.84	42.84	3419.49	NT
Iowa	281C	75	1312.13	98409.63	64	0.7478					98409.63	T
Iowa	281C2	72	654.61	47132.19	64	0.7478	32	40	10.09	42.09	27551.38	NT
Iowa	281C2	72	16472.84	1186044.34	64	0.7478					1186044.34	T
Iowa	281D2	61	277.07	16901.36	64	0.7478	32	29	7.31	39.31	10892.73	NT
Iowa	281D2	61	11168.29	681265.46	64	0.7478					681265.46	T
Iowa	281D3	55	8.64	475.40	64	0.7478	32	23	5.80	37.80	326.74	NT
Iowa	281D3	55	427.55	23515.33	64	0.7478					23515.33	T
Iowa	281E2	50	2.28	114.20	64	0.7478	32	18	4.54	36.54	83.46	NT
Iowa	281E2	50	154.54	7726.96	64	0.7478					7726.96	T
Iowa	291	90	17.72	1595.18	64	0.7478	32	58	14.63	46.63	826.44	NT
Iowa	291	90	364.95	32845.66	64	0.7478					32845.66	T
Iowa	293C	45	240.26	10811.83	64	0.7478	32	13	3.28	35.28	8476.14	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	293C	45	473.40	21302.78	64	0.7478					21302.78	T
Iowa	293D	29	708.83	20556.07	64	0.7478	29	0	0.00	29.00	20556.07	NT
Iowa	293D	29	124.62	3614.08	64	0.7478					3614.08	T
Iowa	293D2	28	210.74	5900.73	64	0.7478	28	0	0.00	28.00	5900.73	NT
Iowa	293D2	28	999.39	27982.83	64	0.7478					27982.83	T
Iowa	293E	25	450.08	11251.96	64	0.7478	25	0	0.00	25.00	11251.96	NT
Iowa	293E	25	116.79	2919.64	64	0.7478					2919.64	T
Iowa	293E2	18	339.08	6103.50	64	0.7478	18	0	0.00	18.00	6103.50	NT
Iowa	293E2	18	805.33	14496.01	64	0.7478					14496.01	T
Iowa	293F	9	18.33	164.97	64	0.7478	9	0	0.00	9.00	164.97	NT
Iowa	293G	5	1399.10	6995.50	64	0.7478	5	0	0.00	5.00	6995.50	NT
Iowa	293G	5	258.13	1290.67	64	0.7478					1290.67	T
Iowa	315	30	1.24	37.23	64	0.7478	30	0	0.00	30.00	37.23	NT
Iowa	315	30	1.31	39.21	64	0.7478					39.21	T
Iowa	350	73	0.01	0.55	64	0.7478					0.55	T
Iowa	350B	68	1.18	80.58	64	0.7478					80.58	T
Iowa	352B	62	7.29	452.16	64	0.7478					452.16	T
Iowa	353B	58	71.38	4139.75	64	0.7478	32	26	6.56	38.56	2752.02	NT
Iowa	353B	58	65.50	3799.04	64	0.7478					3799.04	T
Iowa	353C	38	102.43	3892.35	64	0.7478	32	6	1.51	33.51	3432.76	NT
Iowa	353C	38	26.03	989.22	64	0.7478					989.22	T
Iowa	353C2	33	19.75	651.87	64	0.7478	32	1	0.25	32.25	637.10	NT
Iowa	353C2	33	158.53	5231.55	64	0.7478					5231.55	T
Iowa	353D2	18	17.48	314.68	64	0.7478	18	0	0.00	18.00	314.68	NT
Iowa	353D2	18	62.82	1130.80	64	0.7478					1130.80	T
Iowa	377B	90	48.37	4353.52	64	0.7478	32	58	14.63	46.63	2255.49	NT
Iowa	377B	90	772.65	69538.49	64	0.7478					69538.49	T
Iowa	377C	75	42.93	3219.57	64	0.7478	32	43	10.84	42.84	1839.22	NT
Iowa	377C	75	471.76	35382.12	64	0.7478					35382.12	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	41	40	26.46	1058.47	64	0.7478	32	8	2.02	34.02	900.16	NT
Iowa	41	40	207.76	8310.59	64	0.7478					8310.59	T
Iowa	41B	40	48.02	1920.63	64	0.7478	32	8	2.02	34.02	1633.38	NT
Iowa	41B	40	303.44	12137.60	64	0.7478					12137.60	T
Iowa	41C	25	135.72	3392.91	64	0.7478	25	0	0.00	25.00	3392.91	NT
Iowa	41C	25	465.76	11644.11	64	0.7478					11644.11	T
Iowa	41D	15	138.30	2074.45	64	0.7478	15	0	0.00	15.00	2074.45	NT
Iowa	41D	15	411.54	6173.03	64	0.7478					6173.03	T
Iowa	420	100	9.34	933.89	64	0.7478	32	68	17.15	49.15	459.00	NT
Iowa	420	100	131.37	13137.30	64	0.7478					13137.30	T
Iowa	420B	95	22.76	2162.52	64	0.7478	32	63	15.89	47.89	1090.11	NT
Iowa	420B	95	697.10	66224.26	64	0.7478					66224.26	T
Iowa	422	85	766.21	65127.95	64	0.7478	32	53	13.37	45.37	34760.40	NT
Iowa	422	85	1943.86	165228.08	64	0.7478					165228.08	T
Iowa	423D2	13	6.28	81.67	64	0.7478					81.67	T
Iowa	424D2	15	49.62	744.28	64	0.7478	15	0	0.00	15.00	744.28	NT
Iowa	424D2	15	571.14	8567.13	64	0.7478					8567.13	T
Iowa	424E2	5	533.06	2665.29	64	0.7478	5	0	0.00	5.00	2665.29	NT
Iowa	424E2	5	2533.22	12666.10	64	0.7478					12666.10	T
Iowa	424E3	5	216.79	1083.96	64	0.7478	5	0	0.00	5.00	1083.96	NT
Iowa	424E3	5	1181.36	5906.82	64	0.7478					5906.82	T
Iowa	424F2	5	5.95	29.75	64	0.7478	5	0	0.00	5.00	29.75	NT
Iowa	424F2	5	59.51	297.55	64	0.7478					297.55	T
Iowa	425D2	12	189.95	2279.43	64	0.7478	12	0	0.00	12.00	2279.43	NT
Iowa	425D2	12	1061.38	12736.55	64	0.7478					12736.55	T
Iowa	425D3	9	74.00	665.99	64	0.7478	9	0	0.00	9.00	665.99	NT
Iowa	425D3	9	520.46	4684.16	64	0.7478					4684.16	T
Iowa	428B	93	465.26	43269.50	64	0.7478	32	61	15.38	47.38	22046.14	NT
Iowa	428B	93	5183.90	482102.28	64	0.7478					482102.28	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	43	80	703.65	56292.28	64	0.7478	32	48	12.11	44.11	31035.06	NT
Iowa	43	80	2782.66	222613.18	64	0.7478					222613.18	T
Iowa	430	83	551.27	45755.15	64	0.7478	32	51	12.86	44.86	24731.05	NT
Iowa	430	83	1462.45	121383.36	64	0.7478					121383.36	T
Iowa	450	73	0.94	68.63	64	0.7478	32	41	10.34	42.34	39.80	NT
Iowa	450	73	31.30	2285.01	64	0.7478					2285.01	T
Iowa	450B	68	81.71	5556.53	64	0.7478	32	36	9.08	41.08	3356.73	NT
Iowa	450B	68	429.13	29180.82	64	0.7478					29180.82	T
Iowa	450C	53	29.47	1561.78	64	0.7478	32	21	5.30	37.30	1099.03	NT
Iowa	450C	53	200.66	10634.94	64	0.7478					10634.94	T
Iowa	453	53	14.62	774.86	64	0.7478	32	21	5.30	37.30	545.27	NT
Iowa	453	53	487.05	25813.66	64	0.7478					25813.66	T
Iowa	462B	90	34.86	3137.03	64	0.7478	32	58	14.63	46.63	1625.25	NT
Iowa	462B	90	421.36	37922.12	64	0.7478					37922.12	T
Iowa	463B	85	85.37	7256.77	64	0.7478	32	53	13.37	45.37	3873.12	NT
Iowa	463B	85	608.99	51763.86	64	0.7478					51763.86	T
Iowa	463C2	68	128.34	8727.23	64	0.7478	32	36	9.08	41.08	5272.17	NT
Iowa	463C2	68	954.71	64920.45	64	0.7478					64920.45	T
Iowa	463D2	58	51.95	3013.10	64	0.7478	32	26	6.56	38.56	2003.05	NT
Iowa	463D2	58	175.54	10181.38	64	0.7478					10181.38	T
Iowa	463D3	55	3.98	218.64	64	0.7478	32	23	5.80	37.80	150.27	NT
Iowa	463D3	55	62.75	3451.49	64	0.7478					3451.49	T
Iowa	463E2	48	43.60	2092.76	64	0.7478	32	16	4.04	36.04	1571.11	NT
Iowa	463E2	48	26.49	1271.37	64	0.7478					1271.37	T
Iowa	463E3	45	17.59	791.50	64	0.7478	32	13	3.28	35.28	620.51	NT
Iowa	463E3	45	142.56	6415.14	64	0.7478					6415.14	T
Iowa	463F2	28	108.71	3043.80	64	0.7478	28	0	0.00	28.00	3043.80	NT
Iowa	463F2	28	27.46	768.80	64	0.7478					768.80	T
Iowa	463F3	25	51.73	1293.33	64	0.7478	25	0	0.00	25.00	1293.33	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	463F3	25	28.17	704.31	64	0.7478					704.31	T
Iowa	484	90	99.36	8941.96	64	0.7478	32	58	14.63	46.63	4632.69	NT
Iowa	484	90	445.33	40079.78	64	0.7478					40079.78	T
Iowa	4946	0	10.19	0.00	64	0.7478	0	0	0.00	0.00	0.00	NT
Iowa	4946	0	26.17	0.00	64	0.7478					0.00	T
Iowa	5010	0	1.98	0.00	64	0.7478	0	0	0.00	0.00	0.00	NT
Iowa	5010	0	6.09	0.00	64	0.7478					0.00	T
Iowa	5040	5	152.03	760.17	64	0.7478	5	0	0.00	5.00	760.17	NT
Iowa	5040	5	43.41	217.05	64	0.7478					217.05	T
Iowa	51	70	9.45	661.41	64	0.7478	32	38	9.58	41.58	392.91	NT
Iowa	51	70	129.04	9032.87	64	0.7478					9032.87	T
Iowa	54	70	397.85	27849.43	64	0.7478	32	38	9.58	41.58	16544.00	NT
Iowa	54	70	2334.77	163434.03	64	0.7478					163434.03	T
Iowa	54+	75	24.80	1859.65	64	0.7478	32	43	10.84	42.84	1062.34	NT
Iowa	54+	75	196.06	14704.75	64	0.7478					14704.75	T
Iowa	570C2	64	0.03	2.22	64	0.7478	32	32	8.07	40.07	1.39	NT
Iowa	570C2	64	0.08	5.18	64	0.7478					5.18	T
Iowa	571C2	62	10.68	662.12	64	0.7478					662.12	T
Iowa	571D2	52	2.09	108.64	64	0.7478					108.64	T
Iowa	587	65	632.37	41104.05	64	0.7478	32	33	8.32	40.32	25498.80	NT
Iowa	587	65	1207.77	78504.83	64	0.7478					78504.83	T
Iowa	587+	67	67.57	4527.40	64	0.7478	32	35	8.83	40.83	2758.81	NT
Iowa	587+	67	184.47	12359.75	64	0.7478					12359.75	T
Iowa	5B	83	4453.01	369599.75	64	0.7478	32	51	12.86	44.86	199771.78	NT
Iowa	5B	83	7107.87	589953.53	64	0.7478					589953.53	T
Iowa	6220	35	312.39	10933.54	64	0.7478	32	3	0.76	32.76	10232.73	NT
Iowa	6220	35	65.47	2291.47	64	0.7478					2291.47	T
Iowa	626	67	105.15	7045.02	64	0.7478	32	35	8.83	40.83	4292.94	NT
Iowa	626	67	524.52	35143.01	64	0.7478					35143.01	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	63C	21	129.39	2717.24	64	0.7478	21	0	0.00	21.00	2717.24	NT
Iowa	63C	21	141.59	2973.29	64	0.7478					2973.29	T
Iowa	63E	5	41.31	206.56	64	0.7478	5	0	0.00	5.00	206.56	NT
Iowa	63E	5	56.93	284.65	64	0.7478					284.65	T
Iowa	63G	5	70.01	350.07	64	0.7478	5	0	0.00	5.00	350.07	NT
Iowa	63G	5	66.12	330.58	64	0.7478					330.58	T
Iowa	6422	51	662.46	33785.35	64	0.7478	32	19	4.79	36.79	24373.02	NT
Iowa	6422	51	772.95	39420.42	64	0.7478					39420.42	T
Iowa	65D2	38	53.27	2024.43	64	0.7478	32	6	1.51	33.51	1785.39	NT
Iowa	65D2	38	323.92	12308.83	64	0.7478					12308.83	T
Iowa	65D3	35	7.86	274.99	64	0.7478	32	3	0.76	32.76	257.37	NT
Iowa	65D3	35	72.49	2537.18	64	0.7478					2537.18	T
Iowa	65E2	24	546.30	13111.14	64	0.7478	24	0	0.00	24.00	13111.14	NT
Iowa	65E2	24	1212.70	29104.84	64	0.7478					29104.84	T
Iowa	65E3	25	201.80	5044.94	64	0.7478	25	0	0.00	25.00	5044.94	NT
Iowa	65E3	25	915.19	22879.81	64	0.7478					22879.81	T
Iowa	65F	10	521.55	5215.47	64	0.7478	10	0	0.00	10.00	5215.47	NT
Iowa	65F	10	105.89	1058.89	64	0.7478					1058.89	T
Iowa	65F2	8	1768.19	14145.55	64	0.7478	8	0	0.00	8.00	14145.55	NT
Iowa	65F2	8	1497.94	11983.53	64	0.7478					11983.53	T
Iowa	65F3	5	805.42	4027.08	64	0.7478	5	0	0.00	5.00	4027.08	NT
Iowa	65F3	5	1451.49	7257.44	64	0.7478					7257.44	T
Iowa	65G	5	1432.63	7163.17	64	0.7478	5	0	0.00	5.00	7163.17	NT
Iowa	65G	5	342.10	1710.49	64	0.7478					1710.49	T
Iowa	663D2	58	12.23	709.21	64	0.7478	32	26	6.56	38.56	471.47	NT
Iowa	663D2	58	187.63	10882.66	64	0.7478					10882.66	T
Iowa	663E2	48	15.13	726.20	64	0.7478	32	16	4.04	36.04	545.18	NT
Iowa	663E2	48	60.87	2921.64	64	0.7478					2921.64	T
Iowa	663E3	45	22.62	1017.71	64	0.7478	32	13	3.28	35.28	797.85	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	663E3	45	97.12	4370.39	64	0.7478					4370.39	T
Iowa	663F2	28	87.91	2461.44	64	0.7478	28	0	0.00	28.00	2461.44	NT
Iowa	663F2	28	97.97	2743.28	64	0.7478					2743.28	T
Iowa	687	85	18.32	1557.19	64	0.7478	32	53	13.37	45.37	831.11	NT
Iowa	687	85	291.24	24754.98	64	0.7478					24754.98	T
Iowa	687B	80	14.99	1199.58	64	0.7478	32	48	12.11	44.11	661.35	NT
Iowa	687B	80	170.31	13624.59	64	0.7478					13624.59	T
Iowa	688	85	232.56	19767.81	64	0.7478	32	53	13.37	45.37	10550.57	NT
Iowa	688	85	3361.28	285709.10	64	0.7478					285709.10	T
Iowa	7	91	145.50	13240.57	64	0.7478	32	59	14.88	46.88	6821.05	NT
Iowa	7	91	2046.59	186239.51	64	0.7478					186239.51	T
Iowa	715	5	0.00	0.00	64	0.7478	5	0	0.00	5.00	0.00	NT
Iowa	729B	83	3.44	285.47	64	0.7478	32	51	12.86	44.86	154.30	NT
Iowa	729B	83	7.48	620.53	64	0.7478					620.53	T
Iowa	730B	61	0.05	2.78	64	0.7478	32	29	7.31	39.31	1.79	NT
Iowa	75	75	40.13	3009.98	64	0.7478	32	43	10.84	42.84	1719.48	NT
Iowa	75	75	872.15	65411.16	64	0.7478					65411.16	T
Iowa	76B	82	492.36	40373.41	64	0.7478	32	50	12.61	44.61	21964.12	NT
Iowa	76B	82	4731.01	387942.46	64	0.7478					387942.46	T
Iowa	76C	70	101.64	7114.77	64	0.7478	32	38	9.58	41.58	4226.54	NT
Iowa	76C	70	582.79	40795.39	64	0.7478					40795.39	T
Iowa	76C2	67	787.49	52762.03	64	0.7478	32	35	8.83	40.83	32150.98	NT
Iowa	76C2	67	10853.63	727193.52	64	0.7478					727193.52	T
Iowa	76D	60	23.03	1381.61	64	0.7478	32	28	7.06	39.06	899.46	NT
Iowa	76D	60	75.41	4524.53	64	0.7478					4524.53	T
Iowa	76D2	52	627.11	32609.54	64	0.7478	32	20	5.04	37.04	23230.53	NT
Iowa	76D2	52	11546.37	600411.13	64	0.7478					600411.13	T
Iowa	76D3	50	45.95	2297.59	64	0.7478	32	18	4.54	36.54	1679.06	NT
Iowa	76D3	50	1108.13	55406.51	64	0.7478					55406.51	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	76E2	45	62.28	2802.75	64	0.7478	32	13	3.28	35.28	2197.27	NT
Iowa	76E2	45	735.37	33091.45	64	0.7478					33091.45	T
Iowa	76E3	42	26.64	1118.84	64	0.7478	32	10	2.52	34.52	919.64	NT
Iowa	76E3	42	323.57	13590.15	64	0.7478					13590.15	T
Iowa	771B	87	32.62	2837.76	64	0.7478	32	55	13.87	45.87	1496.22	NT
Iowa	771B	87	202.14	17586.34	64	0.7478					17586.34	T
Iowa	771C2	70	41.75	2922.34	64	0.7478	32	38	9.58	41.58	1736.02	NT
Iowa	771C2	70	220.47	15432.67	64	0.7478					15432.67	T
Iowa	792D2	11	128.53	1413.84	64	0.7478	11	0	0.00	11.00	1413.84	NT
Iowa	792D2	11	2718.05	29898.53	64	0.7478					29898.53	T
Iowa	793	85	6.33	538.03	64	0.7478	32	53	13.37	45.37	287.16	NT
Iowa	793	85	0.33	28.35	64	0.7478					28.35	T
Iowa	7B	85	39.78	3381.59	64	0.7478	32	53	13.37	45.37	1804.84	NT
Iowa	7B	85	685.66	58281.43	64	0.7478					58281.43	T
Iowa	80B	77	187.92	14469.48	64	0.7478	32	45	11.35	43.35	8145.94	NT
Iowa	80B	77	1472.80	113405.50	64	0.7478					113405.50	T
Iowa	80C	67	83.28	5579.46	64	0.7478	32	35	8.83	40.83	3399.89	NT
Iowa	80C	67	181.00	12126.67	64	0.7478					12126.67	T
Iowa	80C2	57	861.34	49096.44	64	0.7478	32	25	6.31	38.31	32993.67	NT
Iowa	80C2	57	7225.36	411845.57	64	0.7478					411845.57	T
Iowa	80D	55	200.02	11000.83	64	0.7478	32	23	5.80	37.80	7560.69	NT
Iowa	80D	55	147.59	8117.22	64	0.7478					8117.22	T
Iowa	80D2	52	1597.67	83078.82	64	0.7478	32	20	5.04	37.04	59184.07	NT
Iowa	80D2	52	9402.13	488910.55	64	0.7478					488910.55	T
Iowa	80D3	38	242.87	9229.01	64	0.7478	32	6	1.51	33.51	8139.31	NT
Iowa	80D3	38	2412.54	91676.43	64	0.7478					91676.43	T
Iowa	80E2	45	757.52	34088.51	64	0.7478	32	13	3.28	35.28	26724.33	NT
Iowa	80E2	45	2330.65	104879.42	64	0.7478					104879.42	T
Iowa	80E3	35	285.06	9977.10	64	0.7478	32	3	0.76	32.76	9337.59	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	80E3	35	1158.33	40541.46	64	0.7478					40541.46	T
Iowa	80F2	20	228.87	4577.46	64	0.7478	20	0	0.00	20.00	4577.46	NT
Iowa	80F2	20	257.07	5141.48	64	0.7478					5141.48	T
Iowa	822D2	15	0.05	0.76	64	0.7478	15	0	0.00	15.00	0.76	NT
Iowa	822D2	15	0.16	2.33	64	0.7478					2.33	T
Iowa	83B	87	8.90	774.26	64	0.7478	32	55	13.87	45.87	408.23	NT
Iowa	83B	87	259.30	22559.27	64	0.7478					22559.27	T
Iowa	83C	72	22.94	1651.77	64	0.7478	32	40	10.09	42.09	965.55	NT
Iowa	83C	72	585.75	42173.96	64	0.7478					42173.96	T
Iowa	83C2	69	10.01	690.80	64	0.7478	32	37	9.33	41.33	413.79	NT
Iowa	83C2	69	597.01	41193.89	64	0.7478					41193.89	T
Iowa	83D2	58	6.01	348.77	64	0.7478	32	26	6.56	38.56	231.85	NT
Iowa	83D2	58	43.17	2503.95	64	0.7478					2503.95	T
Iowa	876B	82	52.80	4329.51	64	0.7478	32	50	12.61	44.61	2355.36	NT
Iowa	876B	82	456.60	37441.31	64	0.7478					37441.31	T
Iowa	876C	72	58.32	4198.94	64	0.7478	32	40	10.09	42.09	2454.51	NT
Iowa	876C	72	690.90	49745.14	64	0.7478					49745.14	T
Iowa	876C2	65	52.07	3384.50	64	0.7478	32	33	8.32	40.32	2099.57	NT
Iowa	876C2	65	554.34	36032.02	64	0.7478					36032.02	T
Iowa	876D2	55	22.01	1210.70	64	0.7478	32	23	5.80	37.80	832.09	NT
Iowa	876D2	55	295.81	16269.81	64	0.7478					16269.81	T
Iowa	88	92	431.58	39705.75	64	0.7478	32	60	15.13	47.13	20341.43	NT
Iowa	88	92	4064.60	373943.54	64	0.7478					373943.54	T
Iowa	881B	90	22.51	2025.66	64	0.7478	32	58	14.63	46.63	1049.46	NT
Iowa	881B	90	220.46	19841.18	64	0.7478					19841.18	T
Iowa	8B	90	389.39	35044.77	64	0.7478	32	58	14.63	46.63	18156.15	NT
Iowa	8B	90	2694.59	242512.82	64	0.7478					242512.82	T
Iowa	911B	85	6356.64	540314.19	64	0.7478	32	53	13.37	45.37	288379.03	NT
Iowa	911B	85	27177.45	2310083.29	64	0.7478					2310083.29	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Iowa	93D2	33	37.65	1242.50	64	0.7478	32	1	0.25	32.25	1214.34	NT
Iowa	93D2	33	1408.75	46488.70	64	0.7478					46488.70	T
Iowa	93D3	20	3.94	78.75	64	0.7478	20	0	0.00	20.00	78.75	NT
Iowa	93D3	20	337.21	6744.10	64	0.7478					6744.10	T
Iowa	93E2	23	15.87	365.01	64	0.7478	23	0	0.00	23.00	365.01	NT
Iowa	93E2	23	903.80	20787.41	64	0.7478					20787.41	T
Iowa	993D2	20	62.46	1249.18	64	0.7478	20	0	0.00	20.00	1249.18	NT
Iowa	993D2	20	1383.05	27661.07	64	0.7478					27661.07	T
Iowa	993E2	10	184.59	1845.85	64	0.7478	10	0	0.00	10.00	1845.85	NT
Iowa	993E2	10	2761.37	27613.71	64	0.7478					27613.71	T
Iowa	993F2	5	3.23	16.13	64	0.7478	5	0	0.00	5.00	16.13	NT
Iowa	993F2	5	70.09	350.45	64	0.7478					350.45	T
Iowa	AW	0	8.01	0.00	64	0.7478	0	0	0.00	0.00	0.00	NT
Iowa	AW	0	0.54	0.00	64	0.7478					0.00	T
Iowa	INT	0	3.30	0.00	64	0.7478	0	0	0.00	0.00	0.00	NT
Iowa	SL	0	34.24	0.00	64	0.7478	0	0	0.00	0.00	0.00	NT
Iowa	SL	0	0.00	0.00	64	0.7478					0.00	T
Iowa	W	0	1294.89	0.00	64	0.7478	0	0	0.00	0.00	0.00	NT
Iowa	W	0	39.02	0.00	64	0.7478					0.00	T
											0.00	
											0.00	
Jackson	110B	47	0.75	35.21	57	0.7702	28	18	4.14	32.14	24.07	NT
Jackson	110C2	30	55.09	1652.60	57	0.7702	28	2	0.46	28.46	1567.74	NT
Jackson	110C2	30	180.64	5419.24	57	0.7702					5419.24	T
Jackson	1119	100	18.94	1893.52	57	0.7702	28	72	16.55	44.55	843.48	NT
Jackson	1119	100	309.10	30909.51	57	0.7702					30909.51	T
Jackson	1142	25	0.01	0.30	57	0.7702	25	0	0.00	25.00	0.30	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	1160	67	155.84	10441.34	57	0.7702	28	38	8.73	36.73	5724.41	NT
Jackson	1160	67	1740.02	116581.39	57	0.7702					116581.39	T
Jackson	118	95	4.30	408.61	57	0.7702	28	66	15.17	43.17	185.67	NT
Jackson	118	95	123.19	11703.43	57	0.7702					11703.43	T
Jackson	119B	95	1.68	159.57	57	0.7702	28	66	15.17	43.17	72.51	NT
Jackson	119B	95	183.41	17423.88	57	0.7702					17423.88	T
Jackson	11B	68	50.23	3415.50	57	0.7702	28	40	9.19	37.19	1868.08	NT
Jackson	11B	68	398.99	27131.25	57	0.7702					27131.25	T
Jackson	120B	95	47.16	4479.82	57	0.7702	28	66	15.17	43.17	2035.57	NT
Jackson	120B	95	835.37	79360.60	57	0.7702					79360.60	T
Jackson	120B2	93	35.38	3290.30	57	0.7702	28	64	14.71	42.71	1510.96	NT
Jackson	120B2	93	284.95	26500.22	57	0.7702					26500.22	T
Jackson	120C	80	25.39	2031.31	57	0.7702	28	52	11.95	39.95	1014.38	NT
Jackson	120C	80	589.64	47171.08	57	0.7702					47171.08	T
Jackson	120C2	78	101.47	7914.51	57	0.7702	28	50	11.49	39.49	4006.97	NT
Jackson	120C2	78	2029.81	158324.91	57	0.7702					158324.91	T
Jackson	120D2	68	30.05	2043.57	57	0.7702	28	40	9.19	37.19	1117.71	NT
Jackson	120D2	68	812.44	55245.98	57	0.7702					55245.98	T
Jackson	128	50	1275.66	63783.25	57	0.7702	28	22	5.06	33.06	42167.87	NT
Jackson	128	50	1033.99	51699.27	57	0.7702					51699.27	T
Jackson	1291	95	114.68	10894.23	57	0.7702	28	66	15.17	43.17	4950.20	NT
Jackson	1291	95	1049.91	99741.68	57	0.7702					99741.68	T
Jackson	129B	63	5587.84	352033.66	57	0.7702	28	34	7.81	35.81	200118.28	NT
Jackson	129B	63	3062.63	192945.82	57	0.7702					192945.82	T
Jackson	133	80	92.58	7406.21	57	0.7702	28	52	11.95	39.95	3698.44	NT
Jackson	133	80	504.01	40320.51	57	0.7702					40320.51	T
Jackson	142	83	5408.11	448872.87	57	0.7702	28	54	12.41	40.41	218537.27	NT
Jackson	142	83	6354.49	527422.75	57	0.7702					527422.75	T
Jackson	142B	65	2.97	192.87	57	0.7702	28	36	8.27	36.27	107.63	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	142B	65	10.31	670.43	57	0.7702					670.43	T
Jackson	1490	25	819.80	20495.00	57	0.7702	25	0	0.00	25.00	20495.00	NT
Jackson	1490	25	7.29	182.24	57	0.7702					182.24	T
Jackson	158	85	1609.24	136785.37	57	0.7702	28	56	12.87	40.87	65767.70	NT
Jackson	158	85	535.53	45520.05	57	0.7702					45520.05	T
Jackson	1587	80	62.16	4972.64	57	0.7702	28	52	11.95	39.95	2483.19	NT
Jackson	1587	80	386.23	30898.53	57	0.7702					30898.53	T
Jackson	1587B	75	52.10	3907.26	57	0.7702	28	46	10.57	38.57	2009.41	NT
Jackson	1587B	75	686.83	51512.17	57	0.7702					51512.17	T
Jackson	159B	25	52.01	1300.24	57	0.7702	25	0	0.00	25.00	1300.24	NT
Jackson	159B	25	147.97	3699.14	57	0.7702					3699.14	T
Jackson	160	67	28.36	1900.15	57	0.7702					1900.15	T
Jackson	162B	90	151.01	13591.09	57	0.7702	28	62	14.25	42.25	6379.90	NT
Jackson	162B	90	1173.95	105655.89	57	0.7702					105655.89	T
Jackson	162B2	88	12.11	1065.81	57	0.7702	28	60	13.79	41.79	506.11	NT
Jackson	162B2	88	355.49	31283.18	57	0.7702					31283.18	T
Jackson	162C	75	94.61	7095.94	57	0.7702	28	46	10.57	38.57	3649.28	NT
Jackson	162C	75	1050.71	78803.21	57	0.7702					78803.21	T
Jackson	162C2	73	748.77	54660.22	57	0.7702	28	44	10.11	38.11	28536.53	NT
Jackson	162C2	73	11829.14	863527.39	57	0.7702					863527.39	T
Jackson	162D	65	112.87	7336.45	57	0.7702	28	36	8.27	36.27	4094.06	NT
Jackson	162D	65	505.65	32867.57	57	0.7702					32867.57	T
Jackson	162D2	63	1036.96	65328.57	57	0.7702	28	34	7.81	35.81	37136.91	NT
Jackson	162D2	63	11923.19	751161.07	57	0.7702					751161.07	T
Jackson	162D3	60	28.16	1689.69	57	0.7702	28	32	7.35	35.35	995.61	NT
Jackson	162D3	60	535.77	32146.26	57	0.7702					32146.26	T
Jackson	162E2	53	191.61	10155.49	57	0.7702	28	24	5.52	33.52	6421.95	NT
Jackson	162E2	53	718.68	38089.81	57	0.7702					38089.81	T
Jackson	162E3	50	37.49	1874.51	57	0.7702	28	22	5.06	33.06	1239.26	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	162E3	50	346.04	17301.86	57	0.7702					17301.86	T
Jackson	162F2	33	110.37	3642.12	57	0.7702	28	4	0.92	28.92	3191.73	NT
Jackson	162F2	33	228.41	7537.65	57	0.7702					7537.65	T
Jackson	163B	85	58.27	4952.76	57	0.7702	28	56	12.87	40.87	2381.33	NT
Jackson	163B	85	622.73	52932.47	57	0.7702					52932.47	T
Jackson	163C	70	527.48	36923.55	57	0.7702	28	42	9.65	37.65	19860.44	NT
Jackson	163C	70	977.24	68406.47	57	0.7702					68406.47	T
Jackson	163C2	68	2079.83	141428.56	57	0.7702	28	40	9.19	37.19	77353.10	NT
Jackson	163C2	68	25463.38	1731509.60	57	0.7702					1731509.60	T
Jackson	163D	60	3672.97	220378.31	57	0.7702	28	32	7.35	35.35	129852.78	NT
Jackson	163D	60	2289.84	137390.22	57	0.7702					137390.22	T
Jackson	163D2	58	10968.34	636163.73	57	0.7702	28	30	6.89	34.89	382729.26	NT
Jackson	163D2	58	58746.30	3407285.21	57	0.7702					3407285.21	T
Jackson	163D3	55	213.75	11756.20	57	0.7702	28	26	5.97	33.97	7262.08	NT
Jackson	163D3	55	1953.66	107451.55	57	0.7702					107451.55	T
Jackson	163E	50	1781.61	89080.70	57	0.7702	28	22	5.06	33.06	58892.32	NT
Jackson	163E	50	647.86	32392.76	57	0.7702					32392.76	T
Jackson	163E2	48	4312.42	206995.94	57	0.7702	28	20	4.60	32.60	140567.49	NT
Jackson	163E2	48	11435.81	548918.85	57	0.7702					548918.85	T
Jackson	163E3	46	542.62	24960.67	57	0.7702	28	18	4.14	32.14	17437.96	NT
Jackson	163E3	46	2428.53	111712.29	57	0.7702					111712.29	T
Jackson	163F	30	6428.22	192846.61	57	0.7702	28	2	0.46	28.46	182944.58	NT
Jackson	163F	30	1368.43	41052.86	57	0.7702					41052.86	T
Jackson	163F2	28	5611.22	157114.20	57	0.7702	28	0	0.00	28.00	157114.20	NT
Jackson	163F2	28	7326.46	205140.75	57	0.7702					205140.75	T
Jackson	163F3	25	963.73	24093.31	57	0.7702	25	0	0.00	25.00	24093.31	NT
Jackson	163F3	25	2727.69	68192.16	57	0.7702					68192.16	T
Jackson	163G	19	5551.70	105482.39	57	0.7702	19	0	0.00	19.00	105482.39	NT
Jackson	163G	19	854.42	16233.99	57	0.7702					16233.99	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	175B	56	54.73	3064.63	57	0.7702	28	28	6.43	34.43	1884.44	NT
Jackson	175B	56	287.24	16085.23	57	0.7702					16085.23	T
Jackson	175C2	28	29.87	836.44	57	0.7702	28	0	0.00	28.00	836.44	NT
Jackson	175C2	28	255.13	7143.62	57	0.7702					7143.62	T
Jackson	183D	18	0.29	5.28	57	0.7702	18	0	0.00	18.00	5.28	NT
Jackson	183E2	5	0.34	1.68	57	0.7702	5	0	0.00	5.00	1.68	NT
Jackson	183E2	5	0.90	4.50	57	0.7702					4.50	T
Jackson	198B	80	15.35	1227.61	57	0.7702	28	52	11.95	39.95	613.03	NT
Jackson	198B	80	389.65	31171.90	57	0.7702					31171.90	T
Jackson	249	45	242.99	10934.46	57	0.7702	28	16	3.68	31.68	7697.09	NT
Jackson	249	45	293.38	13202.22	57	0.7702					13202.22	T
Jackson	27B	82	323.92	26561.51	57	0.7702	28	54	12.41	40.41	13089.38	NT
Jackson	27B	82	595.04	48793.17	57	0.7702					48793.17	T
Jackson	291	90	9.90	891.07	57	0.7702					891.07	T
Jackson	291B	85	11.87	1008.62	57	0.7702	28	56	12.87	40.87	484.95	NT
Jackson	291B	85	352.65	29975.22	57	0.7702					29975.22	T
Jackson	293C	45	2.17	97.70	57	0.7702					97.70	T
Jackson	293C2	36	215.77	7767.75	57	0.7702	28	8	1.84	29.84	6438.26	NT
Jackson	293C2	36	722.28	26002.03	57	0.7702					26002.03	T
Jackson	293D	29	300.36	8710.48	57	0.7702	28	0	0.00	28.00	8410.12	NT
Jackson	293D	29	131.66	3818.17	57	0.7702					3818.17	T
Jackson	293D2	28	523.78	14665.78	57	0.7702	28	0	0.00	28.00	14665.78	NT
Jackson	293D2	28	1444.57	40448.08	57	0.7702					40448.08	T
Jackson	293E2	18	283.85	5109.32	57	0.7702	18	0	0.00	18.00	5109.32	NT
Jackson	293E2	18	439.91	7918.34	57	0.7702					7918.34	T
Jackson	293F	9	713.75	6423.74	57	0.7702	9	0	0.00	9.00	6423.74	NT
Jackson	293F	9	142.95	1286.54	57	0.7702					1286.54	T
Jackson	293F2	8	432.65	3461.16	57	0.7702	8	0	0.00	8.00	3461.16	NT
Jackson	293F2	8	517.81	4142.46	57	0.7702					4142.46	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	293G	5	431.10	2155.48	57	0.7702	5	0	0.00	5.00	2155.48	NT
Jackson	293G	5	42.84	214.20	57	0.7702					214.20	T
Jackson	315	30	12.25	367.44	57	0.7702	28	2	0.46	28.46	348.58	NT
Jackson	315	30	3.83	115.04	57	0.7702					115.04	T
Jackson	320	83	1128.40	93657.15	57	0.7702	28	54	12.41	40.41	45597.72	NT
Jackson	320	83	774.59	64290.71	57	0.7702					64290.71	T
Jackson	352B	62	53.90	3341.93	57	0.7702	28	34	7.81	35.81	1930.41	NT
Jackson	352B	62	219.71	13622.25	57	0.7702					13622.25	T
Jackson	354	5	1150.63	5753.14	57	0.7702	5	0	0.00	5.00	5753.14	NT
Jackson	354	5	320.07	1600.33	57	0.7702					1600.33	T
Jackson	377B	90	15.66	1409.82	57	0.7702	28	62	14.25	42.25	661.79	NT
Jackson	377B	90	230.26	20723.40	57	0.7702					20723.40	T
Jackson	377B2	88	9.64	848.09	57	0.7702	28	60	13.79	41.79	402.72	NT
Jackson	377B2	88	230.94	20322.69	57	0.7702					20322.69	T
Jackson	4000	0	0.02	0.00	57	0.7702	0	0	0.00	0.00	0.00	NT
Jackson	4000	0	0.59	0.00	57	0.7702					0.00	T
Jackson	412C	13	367.79	4781.21	57	0.7702	13	0	0.00	13.00	4781.21	NT
Jackson	412C	13	412.25	5359.30	57	0.7702					5359.30	T
Jackson	412D	5	677.98	3389.91	57	0.7702	5	0	0.00	5.00	3389.91	NT
Jackson	412D	5	410.05	2050.26	57	0.7702					2050.26	T
Jackson	412F	5	298.23	1491.15	57	0.7702	5	0	0.00	5.00	1491.15	NT
Jackson	412F	5	103.99	519.96	57	0.7702					519.96	T
Jackson	41B	40	75.28	3011.16	57	0.7702	28	12	2.76	30.76	2315.40	NT
Jackson	41B	40	290.99	11639.68	57	0.7702					11639.68	T
Jackson	41C	25	170.99	4274.68	57	0.7702	25	0	0.00	25.00	4274.68	NT
Jackson	41C	25	467.96	11699.06	57	0.7702					11699.06	T
Jackson	41D	15	120.17	1802.62	57	0.7702	15	0	0.00	15.00	1802.62	NT
Jackson	41D	15	247.70	3715.43	57	0.7702					3715.43	T
Jackson	420	100	0.19	19.32	57	0.7702					19.32	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	420B	95	45.86	4356.72	57	0.7702	28	66	15.17	43.17	1979.64	NT
Jackson	420B	95	247.11	23475.85	57	0.7702					23475.85	T
Jackson	428B	93	144.58	13446.31	57	0.7702	28	64	14.71	42.71	6174.78	NT
Jackson	428B	93	984.06	91517.65	57	0.7702					91517.65	T
Jackson	450B	68	75.50	5134.02	57	0.7702	28	40	9.19	37.19	2808.01	NT
Jackson	450B	68	946.21	64342.20	57	0.7702					64342.20	T
Jackson	450C2	46	84.67	3894.97	57	0.7702	28	18	4.14	32.14	2721.09	NT
Jackson	450C2	46	561.27	25818.35	57	0.7702					25818.35	T
Jackson	462	95	1.22	115.64	57	0.7702					115.64	T
Jackson	462B	90	147.99	13319.28	57	0.7702	28	62	14.25	42.25	6252.31	NT
Jackson	462B	90	668.05	60124.68	57	0.7702					60124.68	T
Jackson	463B	85	382.50	32512.80	57	0.7702	28	56	12.87	40.87	15632.46	NT
Jackson	463B	85	565.76	48089.47	57	0.7702					48089.47	T
Jackson	463C	70	225.37	15775.72	57	0.7702	28	42	9.65	37.65	8485.45	NT
Jackson	463C	70	99.76	6982.90	57	0.7702					6982.90	T
Jackson	463C2	68	132.42	9004.74	57	0.7702	28	40	9.19	37.19	4925.06	NT
Jackson	463C2	68	293.96	19989.17	57	0.7702					19989.17	T
Jackson	478G	5	25062.60	125313.01	57	0.7702	5	0	0.00	5.00	125313.01	NT
Jackson	478G	5	789.26	3946.29	57	0.7702					3946.29	T
Jackson	480C2	63	112.09	7061.51	57	0.7702	28	34	7.81	35.81	4014.21	NT
Jackson	480C2	63	885.57	55791.03	57	0.7702					55791.03	T
Jackson	480D2	53	284.29	15067.52	57	0.7702	28	24	5.52	33.52	9528.13	NT
Jackson	480D2	53	1520.11	80565.60	57	0.7702					80565.60	T
Jackson	480F2	29	199.58	5787.91	57	0.7702	28	0	0.00	28.00	5588.33	NT
Jackson	480F2	29	366.32	10623.22	57	0.7702					10623.22	T
Jackson	482B	78	23.61	1841.24	57	0.7702	28	50	11.49	39.49	932.19	NT
Jackson	482B	78	300.33	23425.82	57	0.7702					23425.82	T
Jackson	482C2	62	77.51	4805.33	57	0.7702	28	34	7.81	35.81	2775.71	NT
Jackson	482C2	62	1021.29	63319.80	57	0.7702					63319.80	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	484	90	340.52	30646.43	57	0.7702	28	62	14.25	42.25	14385.98	NT
Jackson	484	90	1015.66	91408.98	57	0.7702					91408.98	T
Jackson	487B	68	340.15	23129.93	57	0.7702	28	40	9.19	37.19	12650.71	NT
Jackson	487B	68	872.35	59319.61	57	0.7702					59319.61	T
Jackson	488C2	71	53.77	3817.80	57	0.7702	28	42	9.65	37.65	2024.60	NT
Jackson	488C2	71	1119.11	79457.10	57	0.7702					79457.10	T
Jackson	488D2	61	195.02	11896.05	57	0.7702	28	32	7.35	35.35	6894.56	NT
Jackson	488D2	61	3125.74	190670.22	57	0.7702					190670.22	T
Jackson	488D3	58	22.42	1300.15	57	0.7702	28	30	6.89	34.89	782.20	NT
Jackson	488D3	58	562.34	32615.84	57	0.7702					32615.84	T
Jackson	488E2	51	5.17	263.58	57	0.7702	28	22	5.06	33.06	170.84	NT
Jackson	488E2	51	173.43	8844.70	57	0.7702					8844.70	T
Jackson	488E3	48	7.49	359.46	57	0.7702	28	20	4.60	32.60	244.10	NT
Jackson	488E3	48	202.51	9720.71	57	0.7702					9720.71	T
Jackson	490	68	2105.46	143171.01	57	0.7702	28	40	9.19	37.19	78306.12	NT
Jackson	490	68	2466.46	167719.40	57	0.7702					167719.40	T
Jackson	496B	25	1239.21	30980.15	57	0.7702	25	0	0.00	25.00	30980.15	NT
Jackson	496B	25	72.09	1802.26	57	0.7702					1802.26	T
Jackson	499D	5	2470.64	12353.18	57	0.7702	5	0	0.00	5.00	12353.18	NT
Jackson	499D	5	1004.02	5020.12	57	0.7702					5020.12	T
Jackson	499F	5	21699.16	108495.82	57	0.7702	5	0	0.00	5.00	108495.82	NT
Jackson	499F	5	3424.43	17122.15	57	0.7702					17122.15	T
Jackson	5010	0	141.70	0.00	57	0.7702	0	0	0.00	0.00	0.00	NT
Jackson	5010	0	6.52	0.00	57	0.7702					0.00	T
Jackson	5030	0	181.33	0.00	57	0.7702	0	0	0.00	0.00	0.00	NT
Jackson	5030	0	2.42	0.00	57	0.7702					0.00	T
Jackson	5040B	0	174.09	0.00	57	0.7702	0	0	0.00	0.00	0.00	NT
Jackson	5040B	0	58.97	0.00	57	0.7702					0.00	T
Jackson	520	65	31.67	2058.42	57	0.7702	28	36	8.27	36.27	1148.69	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	520	65	256.28	16658.22	57	0.7702					16658.22	T
Jackson	523E2	41	469.78	19260.99	57	0.7702	28	12	2.76	30.76	14449.32	NT
Jackson	523E2	41	1029.77	42220.42	57	0.7702					42220.42	T
Jackson	523F2	15	372.35	5585.20	57	0.7702	15	0	0.00	15.00	5585.20	NT
Jackson	523F2	15	200.81	3012.15	57	0.7702					3012.15	T
Jackson	523F3	12	54.11	649.34	57	0.7702	12	0	0.00	12.00	649.34	NT
Jackson	523F3	12	172.77	2073.21	57	0.7702					2073.21	T
Jackson	563D	56	0.63	35.29	57	0.7702	28	28	6.43	34.43	21.70	NT
Jackson	563D2	54	0.03	1.68	57	0.7702	28	26	5.97	33.97	1.06	NT
Jackson	563D2	54	0.04	1.99	57	0.7702					1.99	T
Jackson	563E2	45	1.59	71.70	57	0.7702	28	16	3.68	31.68	50.47	NT
Jackson	563E2	45	0.03	1.14	57	0.7702					1.14	T
Jackson	589	85	427.88	36369.41	57	0.7702	28	56	12.87	40.87	17486.76	NT
Jackson	589	85	1070.92	91028.35	57	0.7702					91028.35	T
Jackson	623D2	58	725.14	42058.07	57	0.7702	28	30	6.89	34.89	25303.00	NT
Jackson	623D2	58	7244.42	420176.54	57	0.7702					420176.54	T
Jackson	623D3	55	12.53	689.15	57	0.7702	28	26	5.97	33.97	425.70	NT
Jackson	623D3	55	274.75	15111.01	57	0.7702					15111.01	T
Jackson	623E2	48	449.29	21566.11	57	0.7702	28	20	4.60	32.60	14645.19	NT
Jackson	623E2	48	2796.76	134244.58	57	0.7702					134244.58	T
Jackson	623E3	45	131.86	5933.78	57	0.7702	28	16	3.68	31.68	4176.96	NT
Jackson	623E3	45	1170.48	52671.74	57	0.7702					52671.74	T
Jackson	623F2	28	246.61	6905.04	57	0.7702	28	0	0.00	28.00	6905.04	NT
Jackson	623F2	28	755.21	21145.83	57	0.7702					21145.83	T
Jackson	623F3	25	189.38	4734.51	57	0.7702	25	0	0.00	25.00	4734.51	NT
Jackson	623F3	25	775.93	19398.19	57	0.7702					19398.19	T
Jackson	63B	40	79.74	3189.78	57	0.7702	28	12	2.76	30.76	2452.75	NT
Jackson	63B	40	172.63	6905.35	57	0.7702					6905.35	T
Jackson	63C	21	407.65	8560.67	57	0.7702	21	0	0.00	21.00	8560.67	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	63C	21	599.46	12588.57	57	0.7702					12588.57	T
Jackson	63D	11	444.57	4890.26	57	0.7702	11	0	0.00	11.00	4890.26	NT
Jackson	63D	11	488.89	5377.75	57	0.7702					5377.75	T
Jackson	63F	5	508.52	2542.62	57	0.7702	5	0	0.00	5.00	2542.62	NT
Jackson	63F	5	173.58	867.91	57	0.7702					867.91	T
Jackson	65E2	24	104.10	2498.49	57	0.7702	24	0	0.00	24.00	2498.49	NT
Jackson	65E2	24	483.19	11596.60	57	0.7702					11596.60	T
Jackson	65E3	25	0.97	24.37	57	0.7702	25	0	0.00	25.00	24.37	NT
Jackson	65E3	25	0.08	2.05	57	0.7702					2.05	T
Jackson	65F2	8	120.43	963.48	57	0.7702	8	0	0.00	8.00	963.48	NT
Jackson	65F2	8	243.16	1945.31	57	0.7702					1945.31	T
Jackson	65F3	5	0.00	0.02	57	0.7702	5	0	0.00	5.00	0.02	NT
Jackson	65F3	5	1.56	7.80	57	0.7702					7.80	T
Jackson	703C2	36	50.67	1824.23	57	0.7702	28	8	1.84	29.84	1512.00	NT
Jackson	703C2	36	155.14	5585.15	57	0.7702					5585.15	T
Jackson	703D	26	394.42	10254.86	57	0.7702	26	0	0.00	26.00	10254.86	NT
Jackson	703D	26	115.06	2991.69	57	0.7702					2991.69	T
Jackson	703D2	21	171.83	3608.35	57	0.7702	21	0	0.00	21.00	3608.35	NT
Jackson	703D2	21	382.15	8025.08	57	0.7702					8025.08	T
Jackson	703E	11	329.52	3624.74	57	0.7702	11	0	0.00	11.00	3624.74	NT
Jackson	703E	11	112.68	1239.51	57	0.7702					1239.51	T
Jackson	703E2	6	274.90	1649.38	57	0.7702	6	0	0.00	6.00	1649.38	NT
Jackson	703E2	6	445.11	2670.66	57	0.7702					2670.66	T
Jackson	703F	5	330.54	1652.68	57	0.7702	5	0	0.00	5.00	1652.68	NT
Jackson	703F	5	214.03	1070.13	57	0.7702					1070.13	T
Jackson	712E	5	5.46	27.30	57	0.7702	5	0	0.00	5.00	27.30	NT
Jackson	712E	5	2.52	12.59	57	0.7702					12.59	T
Jackson	712F	5	153.16	765.78	57	0.7702	5	0	0.00	5.00	765.78	NT
Jackson	712F	5	44.81	224.05	57	0.7702					224.05	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	749	30	300.10	9003.02	57	0.7702	28	2	0.46	28.46	8540.75	NT
Jackson	749	30	922.26	27667.73	57	0.7702					27667.73	T
Jackson	763D2	56	0.08	4.26	57	0.7702					4.26	T
Jackson	763E2	45	1.28	57.81	57	0.7702					57.81	T
Jackson	775B	52	76.85	3996.01	57	0.7702	28	24	5.52	33.52	2575.52	NT
Jackson	775B	52	246.57	12821.61	57	0.7702					12821.61	T
Jackson	775C2	34	26.82	911.85	57	0.7702	28	6	1.38	29.38	787.92	NT
Jackson	775C2	34	310.30	10550.12	57	0.7702					10550.12	T
Jackson	799G	5	4059.65	20298.25	57	0.7702	5	0	0.00	5.00	20298.25	NT
Jackson	799G	5	105.98	529.89	57	0.7702					529.89	T
Jackson	814B	58	55.03	3191.75	57	0.7702	28	30	6.89	34.89	1920.22	NT
Jackson	814B	58	471.29	27334.80	57	0.7702					27334.80	T
Jackson	814C	43	89.09	3830.71	57	0.7702	28	14	3.22	31.22	2781.02	NT
Jackson	814C	43	356.12	15313.21	57	0.7702					15313.21	T
Jackson	814C2	41	40.68	1668.07	57	0.7702	28	12	2.76	30.76	1251.36	NT
Jackson	814C2	41	250.27	10260.91	57	0.7702					10260.91	T
Jackson	826	95	43.48	4130.50	57	0.7702	28	66	15.17	43.17	1876.85	NT
Jackson	826	95	384.39	36517.47	57	0.7702					36517.47	T
Jackson	83C	72	0.21	15.16	57	0.7702					15.16	T
Jackson	903C2	43	14.03	603.21	57	0.7702	28	14	3.22	31.22	437.92	NT
Jackson	903C2	43	153.37	6595.08	57	0.7702					6595.08	T
Jackson	903D2	28	35.27	987.51	57	0.7702	28	0	0.00	28.00	987.51	NT
Jackson	903D2	28	204.93	5737.96	57	0.7702					5737.96	T
Jackson	914C	41	0.40	16.33	57	0.7702					16.33	T
Jackson	914C2	36	229.42	8259.04	57	0.7702	28	8	1.84	29.84	6845.46	NT
Jackson	914C2	36	614.56	22124.27	57	0.7702					22124.27	T
Jackson	914D2	21	263.57	5535.06	57	0.7702	21	0	0.00	21.00	5535.06	NT
Jackson	914D2	21	422.35	8869.27	57	0.7702					8869.27	T
Jackson	915D2	15	4.10	61.48	57	0.7702	15	0	0.00	15.00	61.48	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	915D2	15	8.07	121.06	57	0.7702					121.06	T
Jackson	926	90	57.17	5145.31	57	0.7702	28	62	14.25	42.25	2415.30	NT
Jackson	926	90	421.92	37972.92	57	0.7702					37972.92	T
Jackson	930	75	1389.45	104208.90	57	0.7702	28	46	10.57	38.57	53592.27	NT
Jackson	930	75	1269.13	95184.64	57	0.7702					95184.64	T
Jackson	930B	60	1143.99	68639.37	57	0.7702	28	32	7.35	35.35	40444.15	NT
Jackson	930B	60	1108.42	66504.93	57	0.7702					66504.93	T
Jackson	933	80	0.51	40.79	57	0.7702					40.79	T
Jackson	938D2	21	112.95	2372.03	57	0.7702	21	0	0.00	21.00	2372.03	NT
Jackson	938D2	21	291.56	6122.83	57	0.7702					6122.83	T
Jackson	938E	11	188.35	2071.83	57	0.7702	11	0	0.00	11.00	2071.83	NT
Jackson	938E	11	63.31	696.42	57	0.7702					696.42	T
Jackson	938E2	6	146.87	881.20	57	0.7702	6	0	0.00	6.00	881.20	NT
Jackson	938E2	6	392.91	2357.49	57	0.7702					2357.49	T
Jackson	939D	5	208.01	1040.07	57	0.7702	5	0	0.00	5.00	1040.07	NT
Jackson	939D	5	144.48	722.40	57	0.7702					722.40	T
Jackson	939D2	5	659.26	3296.28	57	0.7702	5	0	0.00	5.00	3296.28	NT
Jackson	939D2	5	2073.28	10366.41	57	0.7702					10366.41	T
Jackson	939E2	5	358.86	1794.32	57	0.7702	5	0	0.00	5.00	1794.32	NT
Jackson	939E2	5	642.95	3214.76	57	0.7702					3214.76	T
Jackson	939F	5	497.18	2485.91	57	0.7702	5	0	0.00	5.00	2485.91	NT
Jackson	939F	5	102.94	514.71	57	0.7702					514.71	T
Jackson	939F2	5	315.16	1575.78	57	0.7702	5	0	0.00	5.00	1575.78	NT
Jackson	939F2	5	356.07	1780.33	57	0.7702					1780.33	T
Jackson	941G	5	294.80	1473.99	57	0.7702	5	0	0.00	5.00	1473.99	NT
Jackson	941G	5	74.73	373.67	57	0.7702					373.67	T
Jackson	976B	90	67.70	6093.12	57	0.7702	28	62	14.25	42.25	2860.22	NT
Jackson	976B	90	590.69	53162.09	57	0.7702					53162.09	T
Jackson	978B	85	187.41	15930.13	57	0.7702	28	56	12.87	40.87	7659.36	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jackson	978B	85	569.76	48430.01	57	0.7702					48430.01	T
Jackson	981B	90	367.60	33084.17	57	0.7702	28	62	14.25	42.25	15530.30	NT
Jackson	981B	90	1867.06	168035.35	57	0.7702					168035.35	T
Jackson	981C	75	72.03	5402.12	57	0.7702	28	46	10.57	38.57	2778.19	NT
Jackson	981C	75	377.83	28337.49	57	0.7702					28337.49	T
Jackson	AW	0	2.40	0.00	57	0.7702	0	0	0.00	0.00	0.00	NT
Jackson	AW	0	0.13	0.00	57	0.7702					0.00	T
Jackson	INT	0	1.33	0.00	57	0.7702	0	0	0.00	0.00	0.00	NT
Jackson	INT	0	0.70	0.00	57	0.7702					0.00	T
Jackson	SL	0	9.82	0.00	57	0.7702	0	0	0.00	0.00	0.00	NT
Jackson	SL	0	0.03	0.00	57	0.7702					0.00	T
Jackson	W	0	1589.10	0.00	57	0.7702	0	0	0.00	0.00	0.00	NT
Jackson	W	0	34.85	0.00	57	0.7702					0.00	T
											0.00	
											0.00	
Jasper	107	70	37.99	2659.18	69	0.7675	34	36	8.37	42.37	1609.56	NT
Jasper	107	70	958.48	67093.81	69	0.7675					67093.81	T
Jasper	117	75	5.34	400.47	69	0.7675	34	40	9.30	43.30	231.21	NT
Jasper	117	75	473.19	35489.40	69	0.7675					35489.40	T
Jasper	118	95	50.41	4788.69	69	0.7675	34	60	13.95	47.95	2417.03	NT
Jasper	118	95	1524.17	144795.85	69	0.7675					144795.85	T
Jasper	119	100	469.54	46953.93	69	0.7675	34	66	15.35	49.35	23169.42	NT
Jasper	119	100	14250.62	1425061.55	69	0.7675					1425061.55	T
Jasper	11B	68	6.84	464.88	69	0.7675	34	34	7.91	41.91	286.48	NT
Jasper	11B	68	1.05	71.24	69	0.7675					71.24	T
Jasper	120	100	11.16	1116.47	69	0.7675	34	66	15.35	49.35	550.92	NT
Jasper	120	100	430.47	43046.93	69	0.7675					43046.93	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	120B	95	1702.49	161736.24	69	0.7675	34	60	13.95	47.95	81634.24	NT
Jasper	120B	95	30103.99	2859879.19	69	0.7675					2859879.19	T
Jasper	120C2	78	1906.42	148700.91	69	0.7675	34	44	10.23	44.23	84321.04	NT
Jasper	120C2	78	28979.99	2260439.45	69	0.7675					2260439.45	T
Jasper	120D2	68	1281.40	87134.96	69	0.7675	34	34	7.91	41.91	53696.92	NT
Jasper	120D2	68	16094.30	1094412.56	69	0.7675					1094412.56	T
Jasper	122	63	2.76	173.88	69	0.7675	34	28	6.51	40.51	111.81	NT
Jasper	122	63	233.98	14740.48	69	0.7675					14740.48	T
Jasper	1220	25	14.97	374.19	69	0.7675	25	0	0.00	25.00	374.19	NT
Jasper	1226	72	331.59	23874.33	69	0.7675	34	38	8.84	42.84	14203.57	NT
Jasper	1226	72	2190.75	157734.26	69	0.7675					157734.26	T
Jasper	1315	34	0.23	7.95	69	0.7675	34	0	0.00	34.00	7.95	NT
Jasper	1315	34	0.14	4.92	69	0.7675					4.92	T
Jasper	133	80	2450.69	196055.45	69	0.7675	34	46	10.70	44.70	109533.73	NT
Jasper	133	80	7819.07	625525.62	69	0.7675					625525.62	T
Jasper	133+	85	985.60	83775.84	69	0.7675	34	50	11.63	45.63	44967.91	NT
Jasper	133+	85	3904.80	331907.66	69	0.7675					331907.66	T
Jasper	135	78	1246.43	97221.76	69	0.7675	34	44	10.23	44.23	55129.72	NT
Jasper	135	78	2121.16	165450.30	69	0.7675					165450.30	T
Jasper	135B	73	462.43	33757.44	69	0.7675	34	38	8.84	42.84	19808.22	NT
Jasper	135B	73	664.01	48472.72	69	0.7675					48472.72	T
Jasper	138B	73	322.11	23513.82	69	0.7675	34	38	8.84	42.84	13797.46	NT
Jasper	138B	73	4784.19	349245.56	69	0.7675					349245.56	T
Jasper	138C2	59	270.08	15934.64	69	0.7675	34	24	5.58	39.58	10689.71	NT
Jasper	138C2	59	3430.07	202374.25	69	0.7675					202374.25	T
Jasper	138D2	56	255.33	14298.27	69	0.7675	34	22	5.12	39.12	9987.08	NT
Jasper	138D2	56	1600.08	89604.52	69	0.7675					89604.52	T
Jasper	138E2	47	135.74	6379.75	69	0.7675	34	12	2.79	36.79	4993.85	NT
Jasper	138E2	47	234.60	11026.30	69	0.7675					11026.30	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	162	91	16.75	1524.53	69	0.7675	34	56	13.02	47.02	787.73	NT
Jasper	162	91	216.52	19703.50	69	0.7675					19703.50	T
Jasper	162B	90	583.55	52519.83	69	0.7675	34	56	13.02	47.02	27438.69	NT
Jasper	162B	90	2901.50	261135.00	69	0.7675					261135.00	T
Jasper	162C2	73	1887.94	137819.75	69	0.7675	34	38	8.84	42.84	80869.99	NT
Jasper	162C2	73	9465.73	690998.05	69	0.7675					690998.05	T
Jasper	162D2	63	3118.37	196457.06	69	0.7675	34	28	6.51	40.51	126325.01	NT
Jasper	162D2	63	12957.94	816349.95	69	0.7675					816349.95	T
Jasper	162E2	53	774.39	41042.89	69	0.7675	34	18	4.19	38.19	29570.24	NT
Jasper	162E2	53	1714.31	90858.17	69	0.7675					90858.17	T
Jasper	163B	85	145.18	12340.25	69	0.7675	34	50	11.63	45.63	6623.81	NT
Jasper	163B	85	666.84	56681.05	69	0.7675					56681.05	T
Jasper	163C2	68	764.01	51952.98	69	0.7675	34	34	7.91	41.91	32016.03	NT
Jasper	163C2	68	1005.27	68358.35	69	0.7675					68358.35	T
Jasper	163D2	58	1281.54	74329.09	69	0.7675	34	24	5.58	39.58	50723.20	NT
Jasper	163D2	58	1148.20	66595.33	69	0.7675					66595.33	T
Jasper	163D3	55	47.81	2629.71	69	0.7675	34	20	4.65	38.65	1847.97	NT
Jasper	163D3	55	322.44	17734.42	69	0.7675					17734.42	T
Jasper	163E2	48	780.17	37448.02	69	0.7675	34	14	3.26	37.26	29065.13	NT
Jasper	163E2	48	743.17	35672.29	69	0.7675					35672.29	T
Jasper	163F2	28	188.89	5288.87	69	0.7675	28	0	0.00	28.00	5288.87	NT
Jasper	163F2	28	84.00	2351.87	69	0.7675					2351.87	T
Jasper	168E2	42	338.57	14219.88	69	0.7675	34	8	1.86	35.86	12141.07	NT
Jasper	168E2	42	217.99	9155.56	69	0.7675					9155.56	T
Jasper	168F	17	607.09	10320.49	69	0.7675	17	0	0.00	17.00	10320.49	NT
Jasper	168F	17	98.03	1666.57	69	0.7675					1666.57	T
Jasper	168G	5	499.20	2495.98	69	0.7675	5	0	0.00	5.00	2495.98	NT
Jasper	168G	5	47.57	237.85	69	0.7675					237.85	T
Jasper	172	45	282.03	12691.38	69	0.7675	34	10	2.33	36.33	10244.76	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	172	45	1353.37	60901.77	69	0.7675					60901.77	T
Jasper	174	75	27.78	2083.36	69	0.7675	34	40	9.30	43.30	1202.80	NT
Jasper	174	75	361.54	27115.62	69	0.7675					27115.62	T
Jasper	175B	56	82.84	4638.99	69	0.7675	34	22	5.12	39.12	3240.25	NT
Jasper	175B	56	565.01	31640.81	69	0.7675					31640.81	T
Jasper	175C	41	167.24	6856.76	69	0.7675	34	6	1.40	35.40	5919.39	NT
Jasper	175C	41	315.18	12922.21	69	0.7675					12922.21	T
Jasper	175D	36	102.84	3702.14	69	0.7675	34	2	0.47	34.47	3544.29	NT
Jasper	175D	36	130.61	4701.99	69	0.7675					4701.99	T
Jasper	179D2	43	664.40	28569.39	69	0.7675	34	8	1.86	35.86	23825.54	NT
Jasper	179D2	43	2934.41	126179.70	69	0.7675					126179.70	T
Jasper	179E	35	0.02	0.76	69	0.7675					0.76	T
Jasper	179E2	33	3062.46	101061.05	69	0.7675	33	0	0.00	33.00	101061.05	NT
Jasper	179E2	33	5761.30	190122.87	69	0.7675					190122.87	T
Jasper	179F2	14	2304.21	32258.95	69	0.7675	14	0	0.00	14.00	32258.95	NT
Jasper	179F2	14	1532.99	21461.85	69	0.7675					21461.85	T
Jasper	179G	5	312.30	1561.52	69	0.7675	5	0	0.00	5.00	1561.52	NT
Jasper	179G	5	63.57	317.87	69	0.7675					317.87	T
Jasper	185E2	7	168.27	1177.87	69	0.7675	7	0	0.00	7.00	1177.87	NT
Jasper	185E2	7	182.85	1279.96	69	0.7675					1279.96	T
Jasper	185F2	5	116.13	580.64	69	0.7675	5	0	0.00	5.00	580.64	NT
Jasper	185F2	5	44.80	223.98	69	0.7675					223.98	T
Jasper	192D2	15	290.53	4357.88	69	0.7675	15	0	0.00	15.00	4357.88	NT
Jasper	192D2	15	1474.76	22121.46	69	0.7675					22121.46	T
Jasper	20C2	73	484.26	35351.09	69	0.7675	34	38	8.84	42.84	20743.34	NT
Jasper	20C2	73	12903.42	941949.48	69	0.7675					941949.48	T
Jasper	20D2	63	1001.85	63116.78	69	0.7675	34	28	6.51	40.51	40585.09	NT
Jasper	20D2	63	12157.26	765907.27	69	0.7675					765907.27	T
Jasper	20E2	53	142.02	7526.88	69	0.7675	34	18	4.19	38.19	5422.90	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	20E2	53	492.32	26093.16	69	0.7675					26093.16	T
Jasper	212	94	147.96	13908.59	69	0.7675	34	60	13.95	47.95	7094.86	NT
Jasper	212	94	958.05	90056.37	69	0.7675					90056.37	T
Jasper	220	85	2534.85	215462.28	69	0.7675	34	50	11.63	45.63	115652.55	NT
Jasper	220	85	5671.33	482063.26	69	0.7675					482063.26	T
Jasper	222C2	25	44.15	1103.71	69	0.7675	25	0	0.00	25.00	1103.71	NT
Jasper	222C2	25	517.67	12941.71	69	0.7675					12941.71	T
Jasper	222D2	10	64.21	642.08	69	0.7675	10	0	0.00	10.00	642.08	NT
Jasper	222D2	10	407.81	4078.13	69	0.7675					4078.13	T
Jasper	236B	79	134.81	10650.00	69	0.7675	34	44	10.23	44.23	5962.65	NT
Jasper	236B	79	445.71	35211.10	69	0.7675					35211.10	T
Jasper	236C2	62	343.04	21268.29	69	0.7675	34	28	6.51	40.51	13896.42	NT
Jasper	236C2	62	524.63	32526.93	69	0.7675					32526.93	T
Jasper	236D2	48	211.61	10157.04	69	0.7675	34	14	3.26	37.26	7883.35	NT
Jasper	236D2	48	234.72	11266.70	69	0.7675					11266.70	T
Jasper	24D2	48	223.71	10738.25	69	0.7675	34	14	3.26	37.26	8334.45	NT
Jasper	24D2	48	3103.08	148948.04	69	0.7675					148948.04	T
Jasper	24E2	38	1211.23	46026.70	69	0.7675	34	4	0.93	34.93	42308.22	NT
Jasper	24E2	38	5870.28	223070.66	69	0.7675					223070.66	T
Jasper	24F2	18	854.54	15381.76	69	0.7675	18	0	0.00	18.00	15381.76	NT
Jasper	24F2	18	1128.04	20304.70	69	0.7675					20304.70	T
Jasper	273B	72	237.94	17131.89	69	0.7675	34	38	8.84	42.84	10192.28	NT
Jasper	273B	72	1144.12	82376.85	69	0.7675					82376.85	T
Jasper	273C	57	96.52	5501.37	69	0.7675	34	22	5.12	39.12	3775.19	NT
Jasper	273C	57	362.69	20673.56	69	0.7675					20673.56	T
Jasper	279	88	38.18	3360.25	69	0.7675	34	54	12.56	46.56	1777.69	NT
Jasper	279	88	948.69	83484.68	69	0.7675					83484.68	T
Jasper	27B	82	121.08	9928.47	69	0.7675	34	48	11.16	45.16	5467.93	NT
Jasper	27B	82	923.49	75726.17	69	0.7675					75726.17	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	280	95	165.78	15748.97	69	0.7675	34	60	13.95	47.95	7949.09	NT
Jasper	280	95	5392.38	512276.19	69	0.7675					512276.19	T
Jasper	281B	90	516.36	46472.00	69	0.7675	34	56	13.02	47.02	24279.04	NT
Jasper	281B	90	10487.91	943911.81	69	0.7675					943911.81	T
Jasper	281C2	72	683.26	49194.41	69	0.7675	34	38	8.84	42.84	29267.26	NT
Jasper	281C2	72	13771.21	991526.92	69	0.7675					991526.92	T
Jasper	281D2	61	289.91	17684.25	69	0.7675	34	26	6.05	40.05	11609.27	NT
Jasper	281D2	61	5368.27	327464.38	69	0.7675					327464.38	T
Jasper	284B	45	46.29	2082.88	69	0.7675	34	10	2.33	36.33	1681.35	NT
Jasper	284B	45	524.47	23601.34	69	0.7675					23601.34	T
Jasper	291	90	16.36	1472.81	69	0.7675	34	56	13.02	47.02	769.46	NT
Jasper	291	90	467.49	42074.12	69	0.7675					42074.12	T
Jasper	293G	5	360.93	1804.64	69	0.7675	5	0	0.00	5.00	1804.64	NT
Jasper	293G	5	17.55	87.76	69	0.7675					87.76	T
Jasper	313E2	5	4.80	23.99	69	0.7675	5	0	0.00	5.00	23.99	NT
Jasper	313E2	5	0.00	0.00	69	0.7675					0.00	T
Jasper	315	30	702.33	21069.79	69	0.7675	30	0	0.00	30.00	21069.79	NT
Jasper	315	30	895.31	26859.37	69	0.7675					26859.37	T
Jasper	354	5	125.45	627.23	69	0.7675	5	0	0.00	5.00	627.23	NT
Jasper	354	5	65.02	325.10	69	0.7675					325.10	T
Jasper	41B	40	326.31	13052.26	69	0.7675	34	6	1.40	35.40	11549.62	NT
Jasper	41B	40	828.22	33128.78	69	0.7675					33128.78	T
Jasper	41C2	25	231.54	5788.60	69	0.7675	25	0	0.00	25.00	5788.60	NT
Jasper	41C2	25	595.75	14893.83	69	0.7675					14893.83	T
Jasper	41D2	11	538.77	5926.47	69	0.7675	11	0	0.00	11.00	5926.47	NT
Jasper	41D2	11	869.44	9563.89	69	0.7675					9563.89	T
Jasper	428B	93	182.44	16966.93	69	0.7675	34	58	13.49	47.49	8663.17	NT
Jasper	428B	93	1924.04	178935.94	69	0.7675					178935.94	T
Jasper	43	80	207.73	16618.69	69	0.7675	34	46	10.70	44.70	9284.66	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	43	80	2378.48	190278.70	69	0.7675					190278.70	T
Jasper	430	83	3337.19	276986.58	69	0.7675	34	48	11.16	45.16	150707.40	NT
Jasper	430	83	8499.81	705484.41	69	0.7675					705484.41	T
Jasper	453	53	35.88	1901.87	69	0.7675	34	18	4.19	38.19	1370.25	NT
Jasper	453	53	855.63	45348.26	69	0.7675					45348.26	T
Jasper	485	92	3.93	361.58	69	0.7675					361.58	T
Jasper	5	83	0.51	42.25	69	0.7675	34	48	11.16	45.16	22.99	NT
Jasper	5	83	1.36	113.28	69	0.7675					113.28	T
Jasper	5010	0	279.25	0.00	69	0.7675	0	0	0.00	0.00	0.00	NT
Jasper	5010	0	45.41	0.00	69	0.7675					0.00	T
Jasper	5020	0	26.46	0.00	69	0.7675	0	0	0.00	0.00	0.00	NT
Jasper	5020	0	10.71	0.00	69	0.7675					0.00	T
Jasper	5030	0	96.55	0.00	69	0.7675	0	0	0.00	0.00	0.00	NT
Jasper	5030	0	0.55	0.00	69	0.7675					0.00	T
Jasper	5040	5	82.10	410.49	69	0.7675	5	0	0.00	5.00	410.49	NT
Jasper	5040	5	110.72	553.60	69	0.7675					553.60	T
Jasper	507	71	9.30	660.43	69	0.7675	34	36	8.37	42.37	394.12	NT
Jasper	507	71	407.08	28902.57	69	0.7675					28902.57	T
Jasper	5080	0	0.15	0.00	69	0.7675	0	0	0.00	0.00	0.00	NT
Jasper	5080	0	0.27	0.00	69	0.7675					0.00	T
Jasper	54	70	1369.68	95877.59	69	0.7675	34	36	8.37	42.37	58033.34	NT
Jasper	54	70	9431.72	660220.30	69	0.7675					660220.30	T
Jasper	55	73	46.20	3372.43	69	0.7675	34	38	8.84	42.84	1978.88	NT
Jasper	55	73	1747.88	127595.55	69	0.7675					127595.55	T
Jasper	570B2	83	4.11	340.74	69	0.7675	34	48	11.16	45.16	185.40	NT
Jasper	570B2	83	214.14	17773.29	69	0.7675					17773.29	T
Jasper	570C2	64	35.00	2239.71	69	0.7675	34	30	6.98	40.98	1433.94	NT
Jasper	570C2	64	1577.19	100940.48	69	0.7675					100940.48	T
Jasper	570D2	54	77.55	4187.45	69	0.7675	34	20	4.65	38.65	2997.13	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	570D2	54	1201.08	64858.38	69	0.7675					64858.38	T
Jasper	5B	83	8865.25	735816.12	69	0.7675	34	48	11.16	45.16	400354.89	NT
Jasper	5B	83	20299.91	1684892.70	69	0.7675					1684892.70	T
Jasper	620C2	78	109.23	8519.61	69	0.7675	34	44	10.23	44.23	4831.06	NT
Jasper	620C2	78	513.99	40091.00	69	0.7675					40091.00	T
Jasper	620D2	68	251.36	17092.47	69	0.7675	34	34	7.91	41.91	10533.24	NT
Jasper	620D2	68	1316.68	89534.01	69	0.7675					89534.01	T
Jasper	620E2	58	308.58	17897.85	69	0.7675	34	24	5.58	39.58	12213.74	NT
Jasper	620E2	58	654.06	37935.27	69	0.7675					37935.27	T
Jasper	620F2	35	192.62	6741.76	69	0.7675	34	0	0.00	34.00	6549.14	NT
Jasper	620F2	35	80.93	2832.65	69	0.7675					2832.65	T
Jasper	62D	39	34.50	1345.31	69	0.7675	34	4	0.93	34.93	1204.91	NT
Jasper	62D	39	249.96	9748.44	69	0.7675					9748.44	T
Jasper	62E	30	45.36	1360.87	69	0.7675	30	0	0.00	30.00	1360.87	NT
Jasper	62E	30	256.13	7683.78	69	0.7675					7683.78	T
Jasper	62F	7	94.26	659.83	69	0.7675	7	0	0.00	7.00	659.83	NT
Jasper	62F	7	71.98	503.85	69	0.7675					503.85	T
Jasper	63C	21	194.83	4091.33	69	0.7675	21	0	0.00	21.00	4091.33	NT
Jasper	63C	21	484.06	10165.26	69	0.7675					10165.26	T
Jasper	63D	11	199.49	2194.36	69	0.7675	11	0	0.00	11.00	2194.36	NT
Jasper	63D	11	383.22	4215.38	69	0.7675					4215.38	T
Jasper	63E	5	342.30	1711.51	69	0.7675	5	0	0.00	5.00	1711.51	NT
Jasper	63E	5	218.78	1093.92	69	0.7675					1093.92	T
Jasper	65E	25	1542.63	38565.85	69	0.7675	25	0	0.00	25.00	38565.85	NT
Jasper	65E	25	809.32	20233.07	69	0.7675					20233.07	T
Jasper	65E3	25	586.12	14652.93	69	0.7675	25	0	0.00	25.00	14652.93	NT
Jasper	65E3	25	870.83	21770.79	69	0.7675					21770.79	T
Jasper	65F	10	2194.75	21947.50	69	0.7675	10	0	0.00	10.00	21947.50	NT
Jasper	65F	10	434.02	4340.19	69	0.7675					4340.19	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	65G	5	894.51	4472.54	69	0.7675	5	0	0.00	5.00	4472.54	NT
Jasper	65G	5	80.11	400.57	69	0.7675					400.57	T
Jasper	7	91	63.08	5739.88	69	0.7675	34	56	13.02	47.02	2965.82	NT
Jasper	7	91	1740.37	158373.97	69	0.7675					158373.97	T
Jasper	742B	80	91.34	7307.45	69	0.7675	34	46	10.70	44.70	4082.58	NT
Jasper	742B	80	444.06	35524.97	69	0.7675					35524.97	T
Jasper	742C	65	55.11	3582.34	69	0.7675	34	30	6.98	40.98	2258.25	NT
Jasper	742C	65	152.63	9920.80	69	0.7675					9920.80	T
Jasper	76B	82	114.40	9380.70	69	0.7675	34	48	11.16	45.16	5166.25	NT
Jasper	76B	82	911.90	74775.72	69	0.7675					74775.72	T
Jasper	76C2	67	583.95	39124.95	69	0.7675	34	32	7.44	41.44	24199.08	NT
Jasper	76C2	67	3077.74	206208.28	69	0.7675					206208.28	T
Jasper	76D2	52	851.02	44253.14	69	0.7675	34	18	4.19	38.19	32496.27	NT
Jasper	76D2	52	4482.44	233087.06	69	0.7675					233087.06	T
Jasper	792D2	11	537.23	5909.55	69	0.7675	11	0	0.00	11.00	5909.55	NT
Jasper	792D2	11	761.52	8376.77	69	0.7675					8376.77	T
Jasper	8	95	23.48	2231.05	69	0.7675	34	60	13.95	47.95	1126.09	NT
Jasper	8	95	915.66	86987.96	69	0.7675					86987.96	T
Jasper	80C	67	4.15	278.21	69	0.7675	34	32	7.44	41.44	172.08	NT
Jasper	80C2	57	157.14	8957.18	69	0.7675	34	22	5.12	39.12	6146.67	NT
Jasper	80C2	57	423.71	24151.75	69	0.7675					24151.75	T
Jasper	80D	55	0.84	46.31	69	0.7675	34	20	4.65	38.65	32.54	NT
Jasper	80D2	52	464.68	24163.49	69	0.7675	34	18	4.19	38.19	17743.90	NT
Jasper	80D2	52	704.48	36632.75	69	0.7675					36632.75	T
Jasper	80D3	38	45.95	1746.07	69	0.7675	34	4	0.93	34.93	1605.01	NT
Jasper	80D3	38	188.04	7145.59	69	0.7675					7145.59	T
Jasper	80E2	45	382.99	17234.58	69	0.7675	34	10	2.33	36.33	13912.14	NT
Jasper	80E2	45	339.56	15280.09	69	0.7675					15280.09	T
Jasper	822D2	15	274.23	4113.38	69	0.7675	15	0	0.00	15.00	4113.38	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	822D2	15	2541.60	38123.98	69	0.7675					38123.98	T
Jasper	822E2	5	372.12	1860.62	69	0.7675	5	0	0.00	5.00	1860.62	NT
Jasper	822E2	5	952.58	4762.89	69	0.7675					4762.89	T
Jasper	88	92	400.99	36890.97	69	0.7675	34	58	13.49	47.49	19040.96	NT
Jasper	88	92	5345.31	491768.35	69	0.7675					491768.35	T
Jasper	8B	90	421.93	37973.75	69	0.7675	34	56	13.02	47.02	19839.17	NT
Jasper	8B	90	4454.85	400936.14	69	0.7675					400936.14	T
Jasper	8C	66	50.59	3339.24	69	0.7675	34	32	7.44	41.44	2096.64	NT
Jasper	8C	66	635.59	41948.92	69	0.7675					41948.92	T
Jasper	93D2	33	535.86	17683.53	69	0.7675	33	0	0.00	33.00	17683.53	NT
Jasper	93D2	33	6527.63	215411.63	69	0.7675					215411.63	T
Jasper	93E2	23	840.85	19339.44	69	0.7675	23	0	0.00	23.00	19339.44	NT
Jasper	93E2	23	3386.00	77878.10	69	0.7675					77878.10	T
Jasper	94D2	10	39.97	399.72	69	0.7675	10	0	0.00	10.00	399.72	NT
Jasper	94D2	10	325.71	3257.09	69	0.7675					3257.09	T
Jasper	94E2	5	77.50	387.48	69	0.7675	5	0	0.00	5.00	387.48	NT
Jasper	94E2	5	257.18	1285.90	69	0.7675					1285.90	T
Jasper	98	95	0.54	51.31	69	0.7675					51.31	T
Jasper	993D2	20	286.80	5735.95	69	0.7675	20	0	0.00	20.00	5735.95	NT
Jasper	993D2	20	1351.70	27034.07	69	0.7675					27034.07	T
Jasper	993E2	10	1328.49	13284.92	69	0.7675	10	0	0.00	10.00	13284.92	NT
Jasper	993E2	10	2323.19	23231.91	69	0.7675					23231.91	T
Jasper	993E3	5	106.61	533.03	69	0.7675	5	0	0.00	5.00	533.03	NT
Jasper	993E3	5	150.15	750.74	69	0.7675					750.74	T
Jasper	C315	5	3689.69	18448.45	69	0.7675	5	0	0.00	5.00	18448.45	NT
Jasper	C315	5	1721.10	8605.48	69	0.7675					8605.48	T
Jasper	C5B	25	2193.33	54833.37	69	0.7675	25	0	0.00	25.00	54833.37	NT
Jasper	C5B	25	1285.81	32145.14	69	0.7675					32145.14	T
Jasper	INT	0	41.92	0.00	69	0.7675	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jasper	INT	0	10.80	0.00	69	0.7675					0.00	T
Jasper	SL	0	47.00	0.00	69	0.7675	0	0	0.00	0.00	0.00	NT
Jasper	SL	0	0.21	0.00	69	0.7675					0.00	T
Jasper	T120B	93	41.80	3887.01	69	0.7675	34	58	13.49	47.49	1984.67	NT
Jasper	T120B	93	786.96	73187.06	69	0.7675					73187.06	T
Jasper	T120C	76	37.29	2833.83	69	0.7675	34	42	9.77	43.77	1631.88	NT
Jasper	T120C	76	410.70	31213.05	69	0.7675					31213.05	T
Jasper	T162B	87	25.52	2220.37	69	0.7675	34	52	12.09	46.09	1176.29	NT
Jasper	T162B	87	272.34	23693.96	69	0.7675					23693.96	T
Jasper	T162C	71	11.42	810.85	69	0.7675	34	36	8.37	42.37	483.89	NT
Jasper	T162C	71	154.89	10997.23	69	0.7675					10997.23	T
Jasper	W	0	1402.79	0.00	69	0.7675	0	0	0.00	0.00	0.00	NT
Jasper	W	0	66.39	0.00	69	0.7675					0.00	T
											0.00	
Jefferson	1075B	81	26.21	2122.99	62	0.7672	31	50	11.64	42.64	1117.58	NT
Jefferson	1075B	81	264.52	21426.42	62	0.7672					21426.42	T
Jefferson	110C	44	0.00	0.20	62	0.7672	31	13	3.03	34.03	0.16	NT
Jefferson	110C	44	0.90	39.67	62	0.7672					39.67	T
Jefferson	1130	60	4.75	284.98	62	0.7672	31	29	6.75	37.75	179.30	NT
Jefferson	1130	60	195.76	11745.61	62	0.7672					11745.61	T
Jefferson	11B	68	0.08	5.15	62	0.7672	31	37	8.61	39.61	3.00	NT
Jefferson	11B	68	0.24	16.53	62	0.7672					16.53	T
Jefferson	122	63	0.70	44.04	62	0.7672	31	32	7.45	38.45	26.88	NT
Jefferson	122	63	442.89	27902.11	62	0.7672					27902.11	T
Jefferson	1260	50	18.23	911.59	62	0.7672	31	19	4.42	35.42	645.83	NT
Jefferson	1260	50	227.27	11363.31	62	0.7672					11363.31	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	130	63	75.21	4737.92	62	0.7672	31	32	7.45	38.45	2891.61	NT
Jefferson	130	63	888.79	55993.55	62	0.7672					55993.55	T
Jefferson	1315	34	15.22	517.58	62	0.7672	31	3	0.70	31.70	482.54	NT
Jefferson	1315	34	0.04	1.28	62	0.7672					1.28	T
Jefferson	131B	67	565.66	37899.52	62	0.7672	31	36	8.38	39.38	22276.32	NT
Jefferson	131B	67	4654.85	311874.95	62	0.7672					311874.95	T
Jefferson	131B2	63	17.72	1116.48	62	0.7672	31	32	7.45	38.45	681.40	NT
Jefferson	131B2	63	301.74	19009.39	62	0.7672					19009.39	T
Jefferson	131C	50	0.33	16.38	62	0.7672					16.38	T
Jefferson	131C2	45	968.20	43569.09	62	0.7672	31	14	3.26	34.26	33169.83	NT
Jefferson	131C2	45	5395.15	242781.86	62	0.7672					242781.86	T
Jefferson	132B	60	482.70	28962.29	62	0.7672	31	29	6.75	37.75	18222.69	NT
Jefferson	132B	60	2268.60	136116.13	62	0.7672					136116.13	T
Jefferson	132C	44	257.08	11311.35	62	0.7672	31	13	3.03	34.03	8747.37	NT
Jefferson	132C	44	88.15	3878.78	62	0.7672					3878.78	T
Jefferson	132C2	40	2144.46	85778.42	62	0.7672	31	9	2.10	33.10	70971.35	NT
Jefferson	132C2	40	5783.19	231327.57	62	0.7672					231327.57	T
Jefferson	132D	32	224.09	7170.73	62	0.7672	31	1	0.23	31.23	6998.82	NT
Jefferson	132D	32	48.82	1562.18	62	0.7672					1562.18	T
Jefferson	132D2	28	1605.75	44960.95	62	0.7672	28	0	0.00	28.00	44960.95	NT
Jefferson	132D2	28	1684.19	47157.38	62	0.7672					47157.38	T
Jefferson	133	80	0.32	25.58	62	0.7672	31	49	11.41	42.41	13.56	NT
Jefferson	133	80	0.11	8.96	62	0.7672					8.96	T
Jefferson	133+	85	0.22	18.77	62	0.7672	31	54	12.57	43.57	9.62	NT
Jefferson	133+	85	1.27	107.79	62	0.7672					107.79	T
Jefferson	139	15	58.35	875.30	62	0.7672	15	0	0.00	15.00	875.30	NT
Jefferson	139	15	90.52	1357.75	62	0.7672					1357.75	T
Jefferson	13B	65	4667.51	303388.35	62	0.7672	31	34	7.92	38.92	181637.20	NT
Jefferson	13B	65	2868.25	186436.46	62	0.7672					186436.46	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	163C2	68	0.32	21.77	62	0.7672	31	37	8.61	39.61	12.68	NT
Jefferson	163C2	68	0.01	0.98	62	0.7672					0.98	T
Jefferson	1715	25	3663.79	91594.87	62	0.7672	25	0	0.00	25.00	91594.87	NT
Jefferson	1715	25	2862.53	71563.25	62	0.7672					71563.25	T
Jefferson	179D2	43	1381.25	59393.79	62	0.7672	31	12	2.79	33.79	46677.44	NT
Jefferson	179D2	43	2738.35	117749.02	62	0.7672					117749.02	T
Jefferson	179E2	33	713.10	23532.44	62	0.7672	31	2	0.47	31.47	22438.25	NT
Jefferson	179E2	33	578.37	19086.10	62	0.7672					19086.10	T
Jefferson	180	76	6.97	529.85	62	0.7672	31	45	10.48	41.48	289.16	NT
Jefferson	180	76	151.41	11507.26	62	0.7672					11507.26	T
Jefferson	180B	73	34.69	2532.48	62	0.7672	31	42	9.78	40.78	1414.63	NT
Jefferson	180B	73	339.78	24803.98	62	0.7672					24803.98	T
Jefferson	192C2	30	0.05	1.37	62	0.7672	30	0	0.00	30.00	1.37	NT
Jefferson	192C2	30	0.03	0.97	62	0.7672					0.97	T
Jefferson	208	55	106.79	5873.40	62	0.7672	31	24	5.59	36.59	3907.11	NT
Jefferson	208	55	316.22	17391.85	62	0.7672					17391.85	T
Jefferson	211	60	0.06	3.60	62	0.7672	31	29	6.75	37.75	2.27	NT
Jefferson	211	60	79.78	4786.54	62	0.7672					4786.54	T
Jefferson	220	85	3142.45	267108.25	62	0.7672	31	54	12.57	43.57	136920.32	NT
Jefferson	220	85	3706.69	315068.24	62	0.7672					315068.24	T
Jefferson	222C	30	240.16	7204.83	62	0.7672	30	0	0.00	30.00	7204.83	NT
Jefferson	222C	30	546.85	16405.36	62	0.7672					16405.36	T
Jefferson	222C2	25	1441.96	36049.09	62	0.7672	25	0	0.00	25.00	36049.09	NT
Jefferson	222C2	25	5854.88	146372.10	62	0.7672					146372.10	T
Jefferson	223C2	22	2617.89	57593.65	62	0.7672	22	0	0.00	22.00	57593.65	NT
Jefferson	223C2	22	7484.50	164659.04	62	0.7672					164659.04	T
Jefferson	23C	55	0.38	21.01	62	0.7672					21.01	T
Jefferson	23C2	50	124.19	6209.38	62	0.7672	31	19	4.42	35.42	4399.12	NT
Jefferson	23C2	50	1669.54	83477.09	62	0.7672					83477.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	24D2	48	385.69	18513.31	62	0.7672	31	17	3.96	34.96	13482.93	NT
Jefferson	24D2	48	1076.17	51656.14	62	0.7672					51656.14	T
Jefferson	260	50	38.69	1934.56	62	0.7672	31	19	4.42	35.42	1370.57	NT
Jefferson	260	50	458.59	22929.66	62	0.7672					22929.66	T
Jefferson	263	53	25.99	1377.29	62	0.7672	31	22	5.12	36.12	938.68	NT
Jefferson	263	53	224.71	11909.60	62	0.7672					11909.60	T
Jefferson	263B	48	0.14	6.69	62	0.7672					6.69	T
Jefferson	264B	70	25.84	1809.11	62	0.7672	31	39	9.08	40.08	1035.83	NT
Jefferson	264B	70	231.48	16203.81	62	0.7672					16203.81	T
Jefferson	264C2	50	0.23	11.30	62	0.7672					11.30	T
Jefferson	273B	72	56.50	4068.34	62	0.7672	31	41	9.54	40.54	2290.97	NT
Jefferson	273B	72	132.34	9528.16	62	0.7672					9528.16	T
Jefferson	279	88	482.29	42441.74	62	0.7672	31	57	13.27	44.27	21350.90	NT
Jefferson	279	88	13870.86	1220636.06	62	0.7672					1220636.06	T
Jefferson	280	95	364.38	34615.97	62	0.7672	31	64	14.90	45.90	16724.69	NT
Jefferson	280	95	7021.48	667040.81	62	0.7672					667040.81	T
Jefferson	280B	90	716.95	64525.19	62	0.7672	31	59	13.74	44.74	32072.75	NT
Jefferson	280B	90	12039.29	1083536.29	62	0.7672					1083536.29	T
Jefferson	281B	90	341.98	30778.13	62	0.7672	31	59	13.74	44.74	15298.51	NT
Jefferson	281B	90	5239.41	471547.17	62	0.7672					471547.17	T
Jefferson	281B2	85	58.99	5014.50	62	0.7672	31	54	12.57	43.57	2570.45	NT
Jefferson	281B2	85	757.58	64394.20	62	0.7672					64394.20	T
Jefferson	281C	75	51.57	3868.07	62	0.7672	31	44	10.24	41.24	2127.09	NT
Jefferson	281C	75	332.83	24962.40	62	0.7672					24962.40	T
Jefferson	281C2	72	501.09	36078.27	62	0.7672	31	41	9.54	40.54	20316.47	NT
Jefferson	281C2	72	5234.36	376874.15	62	0.7672					376874.15	T
Jefferson	281D2	61	0.14	8.27	62	0.7672					8.27	T
Jefferson	293C	45	75.47	3396.37	62	0.7672	31	14	3.26	34.26	2585.71	NT
Jefferson	293C	45	155.51	6997.91	62	0.7672					6997.91	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	293F	9	260.41	2343.69	62	0.7672	9	0	0.00	9.00	2343.69	NT
Jefferson	293F	9	53.31	479.76	62	0.7672					479.76	T
Jefferson	313E2	5	193.66	968.30	62	0.7672	5	0	0.00	5.00	968.30	NT
Jefferson	313E2	5	58.95	294.74	62	0.7672					294.74	T
Jefferson	313G		298.47		62	0.7672			0.00	0.00	0.00	NT
Jefferson	313G		37.63		62	0.7672					0.00	T
Jefferson	315	30	244.70	7340.91	62	0.7672	30	0	0.00	30.00	7340.91	NT
Jefferson	315	30	203.78	6113.34	62	0.7672					6113.34	T
Jefferson	362	70	324.85	22739.46	62	0.7672	31	39	9.08	40.08	13019.71	NT
Jefferson	362	70	12731.90	891232.87	62	0.7672					891232.87	T
Jefferson	363	65	28.16	1830.15	62	0.7672	31	34	7.92	38.92	1095.70	NT
Jefferson	363	65	301.23	19579.84	62	0.7672					19579.84	T
Jefferson	364B	75	457.90	34342.62	62	0.7672	31	44	10.24	41.24	18885.33	NT
Jefferson	364B	75	7440.66	558049.43	62	0.7672					558049.43	T
Jefferson	364B2	70	87.88	6151.38	62	0.7672	31	39	9.08	40.08	3522.03	NT
Jefferson	364B2	70	1666.02	116621.31	62	0.7672					116621.31	T
Jefferson	41B	40	22.92	916.82	62	0.7672	31	9	2.10	33.10	758.56	NT
Jefferson	41B	40	96.23	3849.23	62	0.7672					3849.23	T
Jefferson	423D2	13	1701.39	22118.02	62	0.7672	13	0	0.00	13.00	22118.02	NT
Jefferson	423D2	13	2996.29	38951.77	62	0.7672					38951.77	T
Jefferson	424D2	15	700.84	10512.60	62	0.7672	15	0	0.00	15.00	10512.60	NT
Jefferson	424D2	15	974.87	14623.11	62	0.7672					14623.11	T
Jefferson	424E2	5	998.36	4991.78	62	0.7672	5	0	0.00	5.00	4991.78	NT
Jefferson	424E2	5	560.84	2804.21	62	0.7672					2804.21	T
Jefferson	425D	16	307.56	4920.88	62	0.7672	16	0	0.00	16.00	4920.88	NT
Jefferson	425D	16	39.22	627.54	62	0.7672					627.54	T
Jefferson	425D2	12	708.72	8504.63	62	0.7672	12	0	0.00	12.00	8504.63	NT
Jefferson	425D2	12	809.49	9713.91	62	0.7672					9713.91	T
Jefferson	430	83	193.28	16041.94	62	0.7672	31	52	12.11	43.11	8331.30	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	430	83	416.82	34596.04	62	0.7672					34596.04	T
Jefferson	432D2	26	1.44	37.45	62	0.7672					37.45	T
Jefferson	451D2	33	0.01	0.29	62	0.7672	31	2	0.47	31.47	0.28	NT
Jefferson	451D2	33	0.01	0.42	62	0.7672					0.42	T
Jefferson	453	53	14.73	780.78	62	0.7672	31	22	5.12	36.12	532.13	NT
Jefferson	453	53	222.63	11799.33	62	0.7672					11799.33	T
Jefferson	484	90	0.13	12.10	62	0.7672	31	59	13.74	44.74	6.01	NT
Jefferson	499G	5	217.20	1085.99	62	0.7672	5	0	0.00	5.00	1085.99	NT
Jefferson	499G	5	13.81	69.07	62	0.7672					69.07	T
Jefferson	5020	0	37.98	0.00	62	0.7672	0	0	0.00	0.00	0.00	NT
Jefferson	5020	0	0.52	0.00	62	0.7672					0.00	T
Jefferson	5030	0	94.12	0.00	62	0.7672	0	0	0.00	0.00	0.00	NT
Jefferson	5030	0	1.70	0.00	62	0.7672					0.00	T
Jefferson	5040	5	43.27	216.33	62	0.7672	5	0	0.00	5.00	216.33	NT
Jefferson	5040	5	33.11	165.54	62	0.7672					165.54	T
Jefferson	51	70	171.56	12009.30	62	0.7672	31	39	9.08	40.08	6876.05	NT
Jefferson	51	70	1027.43	71919.79	62	0.7672					71919.79	T
Jefferson	51B	65	91.74	5962.79	62	0.7672	31	34	7.92	38.92	3569.89	NT
Jefferson	51B	65	328.28	21337.89	62	0.7672					21337.89	T
Jefferson	520	65	231.09	15020.90	62	0.7672	31	34	7.92	38.92	8992.94	NT
Jefferson	520	65	1478.19	96082.37	62	0.7672					96082.37	T
Jefferson	520B	60	353.66	21219.55	62	0.7672	31	29	6.75	37.75	13351.06	NT
Jefferson	520B	60	1183.57	71014.29	62	0.7672					71014.29	T
Jefferson	54	70	159.63	11173.95	62	0.7672	31	39	9.08	40.08	6397.76	NT
Jefferson	54	70	570.91	39963.73	62	0.7672					39963.73	T
Jefferson	570C	69	7.35	506.82	62	0.7672					506.82	T
Jefferson	570C2	64	477.18	30539.27	62	0.7672	31	33	7.68	38.68	18458.31	NT
Jefferson	570C2	64	5861.07	375108.33	62	0.7672					375108.33	T
Jefferson	571C2	62	701.23	43476.10	62	0.7672	31	31	7.22	38.22	26798.67	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	571C2	62	5144.09	318933.47	62	0.7672					318933.47	T
Jefferson	572C2	57	216.41	12335.58	62	0.7672	31	26	6.05	37.05	8018.73	NT
Jefferson	572C2	57	1018.14	58033.91	62	0.7672					58033.91	T
Jefferson	572D2	47	113.36	5328.02	62	0.7672	31	16	3.72	34.72	3936.48	NT
Jefferson	572D2	47	268.18	12604.52	62	0.7672					12604.52	T
Jefferson	581C2	68	0.00	0.10	62	0.7672	31	37	8.61	39.61	0.06	NT
Jefferson	581C2	68	0.25	17.17	62	0.7672					17.17	T
Jefferson	587	65	211.35	13737.94	62	0.7672	31	34	7.92	38.92	8224.84	NT
Jefferson	587	65	675.35	43897.81	62	0.7672					43897.81	T
Jefferson	594D2	5	511.32	2556.61	62	0.7672	5	0	0.00	5.00	2556.61	NT
Jefferson	594D2	5	976.46	4882.28	62	0.7672					4882.28	T
Jefferson	594E	5	0.05	0.23	62	0.7672	5	0	0.00	5.00	0.23	NT
Jefferson	594E2	5	0.32	1.61	62	0.7672	5	0	0.00	5.00	1.61	NT
Jefferson	65D2	38	2020.93	76795.33	62	0.7672	31	7	1.63	32.63	65942.13	NT
Jefferson	65D2	38	2117.34	80458.82	62	0.7672					80458.82	T
Jefferson	65E	25	1435.28	35881.92	62	0.7672	25	0	0.00	25.00	35881.92	NT
Jefferson	65E	25	165.65	4141.29	62	0.7672					4141.29	T
Jefferson	65E2	24	4390.40	105369.63	62	0.7672	24	0	0.00	24.00	105369.63	NT
Jefferson	65E2	24	2100.54	50413.05	62	0.7672					50413.05	T
Jefferson	65F	10	0.10	1.02	62	0.7672	10	0	0.00	10.00	1.02	NT
Jefferson	65F2	8	1155.24	9241.96	62	0.7672	8	0	0.00	8.00	9241.96	NT
Jefferson	65F2	8	293.76	2350.10	62	0.7672					2350.10	T
Jefferson	65G	5	5735.06	28675.30	62	0.7672	5	0	0.00	5.00	28675.30	NT
Jefferson	65G	5	365.55	1827.77	62	0.7672					1827.77	T
Jefferson	729	77	574.50	44236.41	62	0.7672	31	46	10.71	41.71	23961.65	NT
Jefferson	729	77	674.64	51947.23	62	0.7672					51947.23	T
Jefferson	730B	61	2546.33	155326.16	62	0.7672	31	30	6.98	37.98	96719.82	NT
Jefferson	730B	61	742.12	45269.05	62	0.7672					45269.05	T
Jefferson	731C2	45	1.17	52.50	62	0.7672	31	14	3.26	34.26	39.97	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	731C2	45	0.27	12.33	62	0.7672					12.33	T
Jefferson	732C2	40	0.42	16.73	62	0.7672	31	9	2.10	33.10	13.85	NT
Jefferson	732C2	40	3.30	131.93	62	0.7672					131.93	T
Jefferson	732D2	28	0.08	2.32	62	0.7672	28	0	0.00	28.00	2.32	NT
Jefferson	74	78	25.69	2003.96	62	0.7672	31	47	10.94	41.94	1077.55	NT
Jefferson	74	78	379.38	29591.32	62	0.7672					29591.32	T
Jefferson	75	75	81.45	6108.69	62	0.7672	31	44	10.24	41.24	3359.23	NT
Jefferson	75	75	1230.92	92319.12	62	0.7672					92319.12	T
Jefferson	75B	81	305.38	24736.15	62	0.7672	31	50	11.64	42.64	13021.60	NT
Jefferson	75B	81	3378.18	273632.52	62	0.7672					273632.52	T
Jefferson	76B	82	479.60	39326.83	62	0.7672	31	51	11.87	42.87	20561.60	NT
Jefferson	76B	82	3093.68	253681.61	62	0.7672					253681.61	T
Jefferson	76C2	67	1294.71	86745.70	62	0.7672	31	36	8.38	39.38	50986.79	NT
Jefferson	76C2	67	6139.38	411338.18	62	0.7672					411338.18	T
Jefferson	76D2	52	44.38	2307.62	62	0.7672	31	21	4.89	35.89	1592.65	NT
Jefferson	76D2	52	152.56	7933.25	62	0.7672					7933.25	T
Jefferson	76D3	50	1.06	53.19	62	0.7672	31	19	4.42	35.42	37.68	NT
Jefferson	779	85	1.20	102.21	62	0.7672	31	54	12.57	43.57	52.39	NT
Jefferson	779	85	1397.50	118787.52	62	0.7672					118787.52	T
Jefferson	792C2	26	41.31	1073.93	62	0.7672	26	0	0.00	26.00	1073.93	NT
Jefferson	792C2	26	142.67	3709.34	62	0.7672					3709.34	T
Jefferson	792D2	11	214.60	2360.65	62	0.7672	11	0	0.00	11.00	2360.65	NT
Jefferson	792D2	11	403.43	4437.70	62	0.7672					4437.70	T
Jefferson	795C2	15	496.89	7453.33	62	0.7672	15	0	0.00	15.00	7453.33	NT
Jefferson	795C2	15	927.78	13916.63	62	0.7672					13916.63	T
Jefferson	795D2	5	3617.03	18085.17	62	0.7672	5	0	0.00	5.00	18085.17	NT
Jefferson	795D2	5	3621.61	18108.07	62	0.7672					18108.07	T
Jefferson	80B	77	287.06	22103.95	62	0.7672	31	46	10.71	41.71	11973.11	NT
Jefferson	80B	77	1790.55	137872.39	62	0.7672					137872.39	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	80C2	57	2108.22	120168.41	62	0.7672	31	26	6.05	37.05	78115.37	NT
Jefferson	80C2	57	6137.37	349829.95	62	0.7672					349829.95	T
Jefferson	80D2	52	1292.67	67218.97	62	0.7672	31	21	4.89	35.89	46392.46	NT
Jefferson	80D2	52	1689.96	87877.96	62	0.7672					87877.96	T
Jefferson	822D2	15	119.55	1793.19	62	0.7672	15	0	0.00	15.00	1793.19	NT
Jefferson	822D2	15	300.95	4514.30	62	0.7672					4514.30	T
Jefferson	831B	65	34.66	2252.65	62	0.7672	31	34	7.92	38.92	1348.65	NT
Jefferson	831B	65	440.87	28656.52	62	0.7672					28656.52	T
Jefferson	831C2	40	84.84	3393.57	62	0.7672	31	9	2.10	33.10	2807.77	NT
Jefferson	831C2	40	352.09	14083.65	62	0.7672					14083.65	T
Jefferson	832B	55	154.65	8505.48	62	0.7672	31	24	5.59	36.59	5658.03	NT
Jefferson	832B	55	919.92	50595.64	62	0.7672					50595.64	T
Jefferson	832C2	30	534.21	16026.39	62	0.7672	30	0	0.00	30.00	16026.39	NT
Jefferson	832C2	30	1540.49	46214.83	62	0.7672					46214.83	T
Jefferson	832D2	28	208.93	5850.13	62	0.7672	28	0	0.00	28.00	5850.13	NT
Jefferson	832D2	28	161.71	4527.88	62	0.7672					4527.88	T
Jefferson	876B	82	20.33	1666.84	62	0.7672	31	51	11.87	42.87	871.49	NT
Jefferson	876B	82	133.88	10978.32	62	0.7672					10978.32	T
Jefferson	876C2	65	45.96	2987.49	62	0.7672	31	34	7.92	38.92	1788.60	NT
Jefferson	876C2	65	263.59	17133.44	62	0.7672					17133.44	T
Jefferson	87B	60	112.55	6752.86	62	0.7672	31	29	6.75	37.75	4248.81	NT
Jefferson	87B	60	95.47	5727.99	62	0.7672					5727.99	T
Jefferson	88	92	1.01	92.71	62	0.7672	31	61	14.20	45.20	45.55	NT
Jefferson	88	92	1.05	96.44	62	0.7672					96.44	T
Jefferson	880B	78	57.64	4496.04	62	0.7672	31	47	10.94	41.94	2417.58	NT
Jefferson	880B	78	440.82	34383.63	62	0.7672					34383.63	T
Jefferson	880C2	60	424.23	25453.97	62	0.7672	31	29	6.75	37.75	16015.30	NT
Jefferson	880C2	60	1602.94	96176.20	62	0.7672					96176.20	T
Jefferson	880D2	50	247.41	12370.45	62	0.7672	31	19	4.42	35.42	8764.02	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jefferson	880D2	50	394.58	19728.88	62	0.7672					19728.88	T
Jefferson	892D2	9	0.00	0.02	62	0.7672	9	0	0.00	9.00	0.02	NT
Jefferson	93D2	33	0.45	15.00	62	0.7672					15.00	T
Jefferson	977	95	51.52	4894.75	62	0.7672	31	64	14.90	45.90	2364.90	NT
Jefferson	977	95	305.95	29064.86	62	0.7672					29064.86	T
Jefferson	977B	90	0.03	3.00	62	0.7672					3.00	T
Jefferson	993D2	20	472.63	9452.54	62	0.7672	20	0	0.00	20.00	9452.54	NT
Jefferson	993D2	20	1018.28	20365.65	62	0.7672					20365.65	T
Jefferson	993E2	10	179.69	1796.85	62	0.7672	10	0	0.00	10.00	1796.85	NT
Jefferson	993E2	10	150.58	1505.79	62	0.7672					1505.79	T
Jefferson	994D2	28	310.00	8679.94	62	0.7672	28	0	0.00	28.00	8679.94	NT
Jefferson	994D2	28	413.25	11571.12	62	0.7672					11571.12	T
Jefferson	994E2	5	619.18	3095.89	62	0.7672	5	0	0.00	5.00	3095.89	NT
Jefferson	994E2	5	223.68	1118.41	62	0.7672					1118.41	T
Jefferson	SL	0	5.65	0.00	62	0.7672	0	0	0.00	0.00	0.00	NT
Jefferson	W	0	1673.25	0.00	62	0.7672	0	0	0.00	0.00	0.00	NT
Jefferson	W	0	76.23	0.00	62	0.7672					0.00	T
											0.00	
											0.00	
Johnson	110B	47	53.24	2502.34	71	0.6941	36	12	3.67	39.67	2112.12	NT
Johnson	110B	47	313.98	14756.84	71	0.6941					14756.84	T
Johnson	110C	44	105.27	4631.75	71	0.6941	36	8	2.45	38.45	4047.22	NT
Johnson	110C	44	407.93	17949.13	71	0.6941					17949.13	T
Johnson	110E	17	125.21	2128.53	71	0.6941	17	0	0.00	17.00	2128.53	NT
Johnson	110E	17	269.73	4585.37	71	0.6941					4585.37	T
Johnson	1119	100	14.98	1497.79	71	0.6941	36	64	19.58	55.58	832.44	NT
Johnson	1119	100	203.33	20333.45	71	0.6941					20333.45	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	1152	68	442.89	30116.79	71	0.6941	36	32	9.79	45.79	20279.58	NT
Johnson	1152	68	573.61	39005.49	71	0.6941					39005.49	T
Johnson	1160	67	47.78	3201.45	71	0.6941	36	32	9.79	45.79	2187.92	NT
Johnson	1160	67	420.28	28158.75	71	0.6941					28158.75	T
Johnson	118	95	155.61	14782.88	71	0.6941	36	60	18.35	54.35	8457.99	NT
Johnson	118	95	6330.82	601428.29	71	0.6941					601428.29	T
Johnson	119	100	271.73	27173.09	71	0.6941	36	64	19.58	55.58	15102.15	NT
Johnson	119	100	6869.70	686969.79	71	0.6941					686969.79	T
Johnson	119B	95	38.29	3637.42	71	0.6941	36	60	18.35	54.35	2081.14	NT
Johnson	119B	95	867.26	82390.10	71	0.6941					82390.10	T
Johnson	11B	68	4145.97	281925.96	71	0.6941	36	32	9.79	45.79	189838.99	NT
Johnson	11B	68	19743.18	1342536.35	71	0.6941					1342536.35	T
Johnson	120B	95	1175.76	111696.92	71	0.6941	36	60	18.35	54.35	63907.10	NT
Johnson	120B	95	16620.01	1578901.21	71	0.6941					1578901.21	T
Johnson	120C	80	67.50	5400.05	71	0.6941	36	44	13.46	49.46	3338.55	NT
Johnson	120C	80	774.87	61989.32	71	0.6941					61989.32	T
Johnson	120C2	78	398.55	31086.63	71	0.6941	36	42	12.85	48.85	19468.12	NT
Johnson	120C2	78	7964.28	621214.00	71	0.6941					621214.00	T
Johnson	120D2	68	39.79	2706.03	71	0.6941	36	32	9.79	45.79	1822.15	NT
Johnson	120D2	68	1254.37	85297.11	71	0.6941					85297.11	T
Johnson	122	63	191.21	12046.54	71	0.6941	36	28	8.57	44.57	8521.53	NT
Johnson	122	63	5148.04	324326.32	71	0.6941					324326.32	T
Johnson	1220	25	951.34	23783.42	71	0.6941	25	0	0.00	25.00	23783.42	NT
Johnson	1220	25	311.82	7795.48	71	0.6941					7795.48	T
Johnson	1226	72	162.46	11696.92	71	0.6941	36	36	11.01	47.01	7637.50	NT
Johnson	1226	72	257.89	18568.30	71	0.6941					18568.30	T
Johnson	1280	95	9.85	936.15	71	0.6941	36	60	18.35	54.35	535.62	NT
Johnson	1280	95	224.36	21314.10	71	0.6941					21314.10	T
Johnson	1291	95	27.86	2647.05	71	0.6941	36	60	18.35	54.35	1514.50	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	1291	95	102.06	9695.77	71	0.6941					9695.77	T
Johnson	1315	34	3177.35	108029.82	71	0.6941	34	0	0.00	34.00	108029.82	NT
Johnson	1315	34	214.69	7299.50	71	0.6941					7299.50	T
Johnson	1316	5	4703.71	23518.53	71	0.6941	5	0	0.00	5.00	23518.53	NT
Johnson	1316	5	189.66	948.31	71	0.6941					948.31	T
Johnson	133	80	750.19	60015.57	71	0.6941	36	44	13.46	49.46	37104.33	NT
Johnson	133	80	3302.07	264165.24	71	0.6941					264165.24	T
Johnson	133+	85	1331.54	113181.21	71	0.6941	36	50	15.30	51.30	68301.53	NT
Johnson	133+	85	4230.53	359595.42	71	0.6941					359595.42	T
Johnson	133B	75	0.00	0.26	71	0.6941					0.26	T
Johnson	134	65	0.30	19.44	71	0.6941					19.44	T
Johnson	135	78	368.51	28743.42	71	0.6941	36	42	12.85	48.85	18000.67	NT
Johnson	135	78	1028.47	80220.94	71	0.6941					80220.94	T
Johnson	136	70	0.00	0.02	71	0.6941	36	34	10.40	46.40	0.02	NT
Johnson	136	70	0.10	6.72	71	0.6941					6.72	T
Johnson	139	15	0.21	3.22	71	0.6941	15	0	0.00	15.00	3.22	NT
Johnson	139	15	1.33	20.00	71	0.6941					20.00	T
Johnson	140	50	129.12	6455.80	71	0.6941	36	14	4.28	40.28	5201.13	NT
Johnson	140	50	429.85	21492.28	71	0.6941					21492.28	T
Johnson	141	40	373.91	14956.53	71	0.6941	36	4	1.22	37.22	13918.40	NT
Johnson	141	40	409.20	16368.04	71	0.6941					16368.04	T
Johnson	143	60	0.21	12.74	71	0.6941	36	24	7.34	43.34	9.21	NT
Johnson	143	60	0.92	55.44	71	0.6941					55.44	T
Johnson	1484	25	1304.07	32601.76	71	0.6941	25	0	0.00	25.00	32601.76	NT
Johnson	1484	25	292.97	7324.30	71	0.6941					7324.30	T
Johnson	1485	25	539.63	13490.81	71	0.6941	25	0	0.00	25.00	13490.81	NT
Johnson	1485	25	39.03	975.72	71	0.6941					975.72	T
Johnson	1539	25	1.18	29.42	71	0.6941	25	0	0.00	25.00	29.42	NT
Johnson	1539	25	0.01	0.13	71	0.6941					0.13	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	1540	5	0.32	1.61	71	0.6941	5	0	0.00	5.00	1.61	NT
Johnson	160	67	160.59	10759.57	71	0.6941	36	32	9.79	45.79	7353.25	NT
Johnson	160	67	2582.95	173057.35	71	0.6941					173057.35	T
Johnson	161	72	32.48	2338.49	71	0.6941	36	36	11.01	47.01	1526.92	NT
Johnson	161	72	1028.79	74073.14	71	0.6941					74073.14	T
Johnson	162B	90	548.44	49359.16	71	0.6941	36	54	16.52	52.52	28803.05	NT
Johnson	162B	90	3344.82	301033.84	71	0.6941					301033.84	T
Johnson	162C	75	79.11	5933.55	71	0.6941	36	40	12.24	48.24	3816.14	NT
Johnson	162C	75	91.09	6832.02	71	0.6941					6832.02	T
Johnson	162C2	73	359.78	26264.12	71	0.6941	36	38	11.62	47.62	17134.35	NT
Johnson	162C2	73	4991.00	364342.76	71	0.6941					364342.76	T
Johnson	162D2	63	166.27	10475.03	71	0.6941	36	28	8.57	44.57	7409.87	NT
Johnson	162D2	63	2927.78	184450.04	71	0.6941					184450.04	T
Johnson	163B	85	949.39	80697.80	71	0.6941	36	50	15.30	51.30	48698.75	NT
Johnson	163B	85	3496.26	297181.71	71	0.6941					297181.71	T
Johnson	163C	70	484.61	33922.64	71	0.6941	36	34	10.40	46.40	22486.15	NT
Johnson	163C	70	174.98	12248.43	71	0.6941					12248.43	T
Johnson	163C2	68	1966.99	133755.44	71	0.6941	36	32	9.79	45.79	90066.19	NT
Johnson	163C2	68	7948.65	540508.05	71	0.6941					540508.05	T
Johnson	163D	60	464.94	27896.31	71	0.6941	36	24	7.34	43.34	20151.18	NT
Johnson	163D	60	100.25	6014.89	71	0.6941					6014.89	T
Johnson	163D2	58	753.65	43711.43	71	0.6941	36	22	6.73	42.73	32203.11	NT
Johnson	163D2	58	2666.64	154664.90	71	0.6941					154664.90	T
Johnson	163D3	55	612.34	33678.46	71	0.6941	36	20	6.12	42.12	25790.35	NT
Johnson	163D3	55	3958.95	217742.12	71	0.6941					217742.12	T
Johnson	163E	50	619.33	30966.34	71	0.6941	36	14	4.28	40.28	24948.09	NT
Johnson	163E	50	111.49	5574.62	71	0.6941					5574.62	T
Johnson	163E2	48	1246.93	59852.50	71	0.6941	36	12	3.67	39.67	49466.59	NT
Johnson	163E2	48	6089.48	292295.24	71	0.6941					292295.24	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	163E3	46	947.25	43573.64	71	0.6941	36	10	3.06	39.06	36998.76	NT
Johnson	163E3	46	5420.13	249326.07	71	0.6941					249326.07	T
Johnson	163F	30	1405.80	42173.93	71	0.6941	30	0	0.00	30.00	42173.93	NT
Johnson	163F	30	120.24	3607.23	71	0.6941					3607.23	T
Johnson	163F2	28	1626.01	45528.25	71	0.6941	28	0	0.00	28.00	45528.25	NT
Johnson	163F2	28	1507.65	42214.20	71	0.6941					42214.20	T
Johnson	163G	19	1565.22	29739.22	71	0.6941	19	0	0.00	19.00	29739.22	NT
Johnson	163G	19	172.63	3280.02	71	0.6941					3280.02	T
Johnson	165	90	15.82	1424.19	71	0.6941	36	54	16.52	52.52	831.07	NT
Johnson	165	90	160.64	14457.54	71	0.6941					14457.54	T
Johnson	171B	82	70.90	5813.83	71	0.6941	36	46	14.07	50.07	3550.08	NT
Johnson	171B	82	631.54	51785.98	71	0.6941					51785.98	T
Johnson	171C2	64	229.61	14694.86	71	0.6941	36	28	8.57	44.57	10232.49	NT
Johnson	171C2	64	2313.54	148066.66	71	0.6941					148066.66	T
Johnson	171D2	53	193.31	10245.56	71	0.6941	36	18	5.51	41.51	8023.66	NT
Johnson	171D2	53	688.43	36486.84	71	0.6941					36486.84	T
Johnson	171D3	50	49.07	2453.47	71	0.6941	36	14	4.28	40.28	1976.64	NT
Johnson	171D3	50	461.67	23083.66	71	0.6941					23083.66	T
Johnson	1727	68	304.08	20677.18	71	0.6941	36	32	9.79	45.79	13923.28	NT
Johnson	1727	68	378.93	25767.07	71	0.6941					25767.07	T
Johnson	173	60	48.08	2884.89	71	0.6941	36	24	7.34	43.34	2083.93	NT
Johnson	173	60	349.42	20965.37	71	0.6941					20965.37	T
Johnson	174B	70	71.32	4992.65	71	0.6941	36	34	10.40	46.40	3309.46	NT
Johnson	174B	70	544.91	38144.00	71	0.6941					38144.00	T
Johnson	175	60	5.83	349.55	71	0.6941	36	24	7.34	43.34	252.50	NT
Johnson	175	60	127.38	7642.74	71	0.6941					7642.74	T
Johnson	175A	60	0.00	0.12	71	0.6941	36	24	7.34	43.34	0.09	NT
Johnson	175A	60	0.35	21.10	71	0.6941					21.10	T
Johnson	175B	56	107.56	6023.22	71	0.6941	36	20	6.12	42.12	4530.10	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	175B	56	649.43	36368.25	71	0.6941					36368.25	T
Johnson	175C	41	48.90	2004.88	71	0.6941	36	6	1.84	37.84	1850.13	NT
Johnson	175C	41	236.32	9689.02	71	0.6941					9689.02	T
Johnson	177B	60	0.02	1.42	71	0.6941	36	24	7.34	43.34	1.03	NT
Johnson	178	79	256.72	20280.97	71	0.6941	36	44	13.46	49.46	12697.32	NT
Johnson	178	79	1351.82	106793.72	71	0.6941					106793.72	T
Johnson	179D2	43	42.58	1831.09	71	0.6941	36	8	2.45	38.45	1637.22	NT
Johnson	179D2	43	873.28	37550.95	71	0.6941					37550.95	T
Johnson	179E2	33	48.30	1593.78	71	0.6941	33	0	0.00	33.00	1593.78	NT
Johnson	179E2	33	695.24	22942.84	71	0.6941					22942.84	T
Johnson	184	93	104.50	9718.53	71	0.6941	36	58	17.74	53.74	5616.08	NT
Johnson	184	93	3613.91	336093.72	71	0.6941					336093.72	T
Johnson	184A	95	2.58	245.48	71	0.6941					245.48	T
Johnson	198B	80	0.01	1.01	71	0.6941					1.01	T
Johnson	220	85	1853.88	157579.61	71	0.6941	36	50	15.30	51.30	95094.66	NT
Johnson	220	85	1678.55	142676.72	71	0.6941					142676.72	T
Johnson	220B	85	0.00	0.02	71	0.6941	36	50	15.30	51.30	0.01	NT
Johnson	226	78	161.23	12576.31	71	0.6941	36	42	12.85	48.85	7875.96	NT
Johnson	226	78	950.63	74149.26	71	0.6941					74149.26	T
Johnson	2422	57	271.93	15500.02	71	0.6941	36	22	6.73	42.73	11619.52	NT
Johnson	2422	57	1148.70	65475.94	71	0.6941					65475.94	T
Johnson	279	88	22.10	1944.64	71	0.6941	36	52	15.91	51.91	1147.04	NT
Johnson	279	88	504.29	44377.50	71	0.6941					44377.50	T
Johnson	280	95	204.56	19433.46	71	0.6941	36	60	18.35	54.35	11118.80	NT
Johnson	280	95	1916.43	182060.76	71	0.6941					182060.76	T
Johnson	281B	90	554.96	49946.55	71	0.6941	36	54	16.52	52.52	29145.81	NT
Johnson	281B	90	3594.50	323505.37	71	0.6941					323505.37	T
Johnson	281C2	72	232.18	16716.92	71	0.6941	36	36	11.01	47.01	10915.31	NT
Johnson	281C2	72	3177.06	228748.08	71	0.6941					228748.08	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	281D2	61	36.41	2220.98	71	0.6941	36	26	7.95	43.95	1600.33	NT
Johnson	281D2	61	789.53	48161.28	71	0.6941					48161.28	T
Johnson	284	40	45.26	1810.38	71	0.6941	36	4	1.22	37.22	1684.72	NT
Johnson	284	40	262.64	10505.60	71	0.6941					10505.60	T
Johnson	285C	5	63.23	316.14	71	0.6941	5	0	0.00	5.00	316.14	NT
Johnson	285C	5	278.97	1394.85	71	0.6941					1394.85	T
Johnson	291	90	136.16	12254.41	71	0.6941	36	54	16.52	52.52	7150.94	NT
Johnson	291	90	2685.99	241738.92	71	0.6941					241738.92	T
Johnson	291B	85	6.98	593.07	71	0.6941	36	50	15.30	51.30	357.90	NT
Johnson	291B	85	258.06	21935.40	71	0.6941					21935.40	T
Johnson	293C	45	385.19	17333.55	71	0.6941	36	10	3.06	39.06	15045.13	NT
Johnson	293C	45	128.16	5767.19	71	0.6941					5767.19	T
Johnson	293C2	36	786.63	28318.52	71	0.6941	36	0	0.00	36.00	28318.52	NT
Johnson	293C2	36	2412.85	86862.77	71	0.6941					86862.77	T
Johnson	293D	29	265.27	7692.75	71	0.6941	29	0	0.00	29.00	7692.75	NT
Johnson	293D	29	70.29	2038.40	71	0.6941					2038.40	T
Johnson	293D2	28	802.93	22481.95	71	0.6941	28	0	0.00	28.00	22481.95	NT
Johnson	293D2	28	1875.75	52521.10	71	0.6941					52521.10	T
Johnson	293E	25	293.12	7328.00	71	0.6941	25	0	0.00	25.00	7328.00	NT
Johnson	293E	25	54.88	1371.94	71	0.6941					1371.94	T
Johnson	293E2	18	570.48	10268.62	71	0.6941	18	0	0.00	18.00	10268.62	NT
Johnson	293E2	18	999.90	17998.25	71	0.6941					17998.25	T
Johnson	293F	9	1281.00	11528.99	71	0.6941	9	0	0.00	9.00	11528.99	NT
Johnson	293F	9	336.02	3024.22	71	0.6941					3024.22	T
Johnson	293G	5	740.49	3702.47	71	0.6941	5	0	0.00	5.00	3702.47	NT
Johnson	293G	5	52.22	261.10	71	0.6941					261.10	T
Johnson	320	83	478.76	39737.38	71	0.6941	36	48	14.68	50.68	24265.27	NT
Johnson	320	83	1837.64	152524.35	71	0.6941					152524.35	T
Johnson	350A	78	0.24	18.35	71	0.6941	36	42	12.85	48.85	11.49	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	350A	78	2.31	179.93	71	0.6941					179.93	T
Johnson	350B	68	77.16	5247.08	71	0.6941	36	32	9.79	45.79	3533.20	NT
Johnson	350B	68	876.49	59601.09	71	0.6941					59601.09	T
Johnson	352B	62	131.77	8169.50	71	0.6941	36	26	7.95	43.95	5791.57	NT
Johnson	352B	62	764.30	47386.75	71	0.6941					47386.75	T
Johnson	352C2	40	26.38	1055.04	71	0.6941	36	4	1.22	37.22	981.81	NT
Johnson	352C2	40	199.72	7988.78	71	0.6941					7988.78	T
Johnson	353C2	33	0.49	16.18	71	0.6941					16.18	T
Johnson	377B	90	259.15	23323.31	71	0.6941	36	54	16.52	52.52	13610.08	NT
Johnson	377B	90	2611.10	234998.75	71	0.6941					234998.75	T
Johnson	377C	75	0.69	51.57	71	0.6941					51.57	T
Johnson	377C2	73	10.11	737.93	71	0.6941	36	38	11.62	47.62	481.42	NT
Johnson	377C2	73	258.26	18852.88	71	0.6941					18852.88	T
Johnson	381B	90	0.02	1.52	71	0.6941	36	54	16.52	52.52	0.89	NT
Johnson	381B	90	0.40	36.43	71	0.6941					36.43	T
Johnson	382	90	236.37	21273.03	71	0.6941	36	54	16.52	52.52	12413.66	NT
Johnson	382	90	2437.65	219388.60	71	0.6941					219388.60	T
Johnson	41	40	333.16	13326.49	71	0.6941	36	4	1.22	37.22	12401.50	NT
Johnson	41	40	787.50	31500.08	71	0.6941					31500.08	T
Johnson	41B	40	553.77	22150.93	71	0.6941	36	4	1.22	37.22	20613.44	NT
Johnson	41B	40	1254.91	50196.48	71	0.6941					50196.48	T
Johnson	41C	25	247.60	6190.11	71	0.6941	25	0	0.00	25.00	6190.11	NT
Johnson	41C	25	603.75	15093.66	71	0.6941					15093.66	T
Johnson	41D	15	84.31	1264.70	71	0.6941	15	0	0.00	15.00	1264.70	NT
Johnson	41D	15	227.08	3406.16	71	0.6941					3406.16	T
Johnson	420B	95	82.35	7822.91	71	0.6941	36	60	18.35	54.35	4475.86	NT
Johnson	420B	95	511.60	48602.01	71	0.6941					48602.01	T
Johnson	422	85	234.84	19961.33	71	0.6941	36	50	15.30	51.30	12046.07	NT
Johnson	422	85	1083.76	92119.60	71	0.6941					92119.60	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	426C	70	0.04	2.72	71	0.6941					2.72	T
Johnson	428B	93	155.90	14499.16	71	0.6941	36	58	17.74	53.74	8378.68	NT
Johnson	428B	93	1639.08	152434.20	71	0.6941					152434.20	T
Johnson	43	80	144.12	11529.25	71	0.6941	36	44	13.46	49.46	7127.90	NT
Johnson	43	80	1921.62	153729.47	71	0.6941					153729.47	T
Johnson	430	83	282.52	23448.92	71	0.6941	36	48	14.68	50.68	14318.87	NT
Johnson	430	83	1142.45	94823.42	71	0.6941					94823.42	T
Johnson	442B	70	114.76	8032.97	71	0.6941	36	34	10.40	46.40	5324.78	NT
Johnson	442B	70	884.25	61897.37	71	0.6941					61897.37	T
Johnson	442C2	55	236.69	13018.09	71	0.6941	36	20	6.12	42.12	9969.02	NT
Johnson	442C2	55	1513.39	83236.41	71	0.6941					83236.41	T
Johnson	442D2	43	82.87	3563.38	71	0.6941	36	8	2.45	38.45	3186.10	NT
Johnson	442D2	43	456.48	19628.69	71	0.6941					19628.69	T
Johnson	450B	68	0.48	32.77	71	0.6941					32.77	T
Johnson	453	53	55.69	2951.83	71	0.6941	36	18	5.51	41.51	2311.68	NT
Johnson	453	53	1169.44	61980.37	71	0.6941					61980.37	T
Johnson	484	90	336.25	30262.76	71	0.6941	36	54	16.52	52.52	17659.53	NT
Johnson	484	90	1724.51	155206.32	71	0.6941					155206.32	T
Johnson	485	92	625.22	57520.16	71	0.6941	36	56	17.13	53.13	33218.15	NT
Johnson	485	92	1041.63	95830.14	71	0.6941					95830.14	T
Johnson	4946	0	0.00	0.00	71	0.6941					0.00	T
Johnson	5030	0	97.74	0.00	71	0.6941	0	0	0.00	0.00	0.00	NT
Johnson	5030	0	0.24	0.00	71	0.6941					0.00	T
Johnson	5040	5	211.52	1057.60	71	0.6941	5	0	0.00	5.00	1057.60	NT
Johnson	5040	5	86.94	434.72	71	0.6941					434.72	T
Johnson	520	65	95.88	6232.14	71	0.6941	36	30	9.18	45.18	4331.53	NT
Johnson	520	65	1276.62	82980.56	71	0.6941					82980.56	T
Johnson	539	20	49.39	987.74	71	0.6941	20	0	0.00	20.00	987.74	NT
Johnson	539	20	128.69	2573.71	71	0.6941					2573.71	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	54	70	150.91	10563.93	71	0.6941	36	34	10.40	46.40	7002.47	NT
Johnson	54	70	1273.34	89133.99	71	0.6941					89133.99	T
Johnson	621	25	96.83	2420.81	71	0.6941	25	0	0.00	25.00	2420.81	NT
Johnson	621	25	0.36	8.97	71	0.6941					8.97	T
Johnson	626	67	0.15	9.98	71	0.6941	36	32	9.79	45.79	6.82	NT
Johnson	626	67	0.10	6.97	71	0.6941					6.97	T
Johnson	63B	40	153.84	6153.40	71	0.6941	36	4	1.22	37.22	5726.30	NT
Johnson	63B	40	191.10	7644.18	71	0.6941					7644.18	T
Johnson	63C	21	236.54	4967.39	71	0.6941	21	0	0.00	21.00	4967.39	NT
Johnson	63C	21	288.53	6059.19	71	0.6941					6059.19	T
Johnson	63D	11	0.01	0.10	71	0.6941	11	0	0.00	11.00	0.10	NT
Johnson	63E	5	451.99	2259.96	71	0.6941	5	0	0.00	5.00	2259.96	NT
Johnson	63E	5	400.28	2001.41	71	0.6941					2001.41	T
Johnson	65D2	38	56.50	2146.97	71	0.6941	36	2	0.61	36.61	2068.54	NT
Johnson	65D2	38	263.80	10024.42	71	0.6941					10024.42	T
Johnson	65E2	24	337.52	8100.38	71	0.6941	24	0	0.00	24.00	8100.38	NT
Johnson	65E2	24	1252.57	30061.64	71	0.6941					30061.64	T
Johnson	65F	10	356.37	3563.67	71	0.6941	10	0	0.00	10.00	3563.67	NT
Johnson	65F	10	35.58	355.76	71	0.6941					355.76	T
Johnson	65F2	8	97.10	776.81	71	0.6941	8	0	0.00	8.00	776.81	NT
Johnson	65F2	8	161.07	1288.59	71	0.6941					1288.59	T
Johnson	687	85	43.11	3664.52	71	0.6941	36	50	15.30	51.30	2211.43	NT
Johnson	687	85	312.29	26544.47	71	0.6941					26544.47	T
Johnson	687B	80	21.03	1682.48	71	0.6941	36	44	13.46	49.46	1040.18	NT
Johnson	687B	80	160.51	12840.88	71	0.6941					12840.88	T
Johnson	688	85	116.89	9935.46	71	0.6941	36	50	15.30	51.30	5995.76	NT
Johnson	688	85	1069.30	90890.32	71	0.6941					90890.32	T
Johnson	7	91	56.38	5130.28	71	0.6941	36	56	17.13	53.13	2995.32	NT
Johnson	7	91	516.67	47016.83	71	0.6941					47016.83	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	715	5	0.06	0.29	71	0.6941	5	0	0.00	5.00	0.29	NT
Johnson	727	75	192.92	14469.32	71	0.6941	36	40	12.24	48.24	9305.89	NT
Johnson	727	75	1357.57	101817.45	71	0.6941					101817.45	T
Johnson	729B	83	3442.51	285728.70	71	0.6941	36	48	14.68	50.68	174477.65	NT
Johnson	729B	83	4277.88	355064.05	71	0.6941					355064.05	T
Johnson	75	75	25.12	1883.77	71	0.6941	36	40	12.24	48.24	1211.54	NT
Johnson	75	75	626.31	46973.54	71	0.6941					46973.54	T
Johnson	760	80	54.96	4396.59	71	0.6941	36	44	13.46	49.46	2718.17	NT
Johnson	760	80	744.48	59558.69	71	0.6941					59558.69	T
Johnson	761	83	74.03	6144.42	71	0.6941	36	48	14.68	50.68	3752.03	NT
Johnson	761	83	1449.17	120280.91	71	0.6941					120280.91	T
Johnson	76B	82	803.93	65922.66	71	0.6941	36	46	14.07	50.07	40254.14	NT
Johnson	76B	82	5053.78	414410.01	71	0.6941					414410.01	T
Johnson	76C2	67	1096.31	73452.55	71	0.6941	36	32	9.79	45.79	50198.57	NT
Johnson	76C2	67	11792.07	790068.98	71	0.6941					790068.98	T
Johnson	76D2	52	580.12	30166.29	71	0.6941	36	16	4.89	40.89	23723.70	NT
Johnson	76D2	52	11568.86	601580.80	71	0.6941					601580.80	T
Johnson	771B	87	112.59	9795.24	71	0.6941	36	52	15.91	51.91	5844.13	NT
Johnson	771B	87	748.38	65109.34	71	0.6941					65109.34	T
Johnson	771C2	70	86.58	6060.74	71	0.6941	36	34	10.40	46.40	4017.45	NT
Johnson	771C2	70	248.79	17415.34	71	0.6941					17415.34	T
Johnson	778	74	105.76	7826.06	71	0.6941	36	38	11.62	47.62	5036.62	NT
Johnson	778	74	267.06	19762.77	71	0.6941					19762.77	T
Johnson	778B	69	47.08	3248.80	71	0.6941	36	34	10.40	46.40	2184.73	NT
Johnson	778B	69	244.90	16898.43	71	0.6941					16898.43	T
Johnson	792D2	11	19.54	214.94	71	0.6941	11	0	0.00	11.00	214.94	NT
Johnson	792D2	11	432.35	4755.89	71	0.6941					4755.89	T
Johnson	793	85	250.73	21312.09	71	0.6941	36	50	15.30	51.30	12861.22	NT
Johnson	793	85	674.73	57351.71	71	0.6941					57351.71	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	80B	77	336.06	25876.85	71	0.6941	36	42	12.85	48.85	16415.94	NT
Johnson	80B	77	1499.34	115449.12	71	0.6941					115449.12	T
Johnson	80C	67	222.28	14892.67	71	0.6941	36	32	9.79	45.79	10177.88	NT
Johnson	80C	67	35.17	2356.17	71	0.6941					2356.17	T
Johnson	80C2	57	799.79	45587.83	71	0.6941	36	22	6.73	42.73	34174.72	NT
Johnson	80C2	57	5058.57	288338.70	71	0.6941					288338.70	T
Johnson	80D	55	319.25	17558.93	71	0.6941	36	20	6.12	42.12	13446.31	NT
Johnson	80D	55	50.84	2796.12	71	0.6941					2796.12	T
Johnson	80D2	52	557.63	28996.61	71	0.6941	36	16	4.89	40.89	22803.83	NT
Johnson	80D2	52	4979.35	258925.96	71	0.6941					258925.96	T
Johnson	80D3	38	274.15	10417.56	71	0.6941	36	2	0.61	36.61	10036.99	NT
Johnson	80D3	38	3774.57	143433.57	71	0.6941					143433.57	T
Johnson	814D	26	0.06	1.61	71	0.6941					1.61	T
Johnson	826	95	90.31	8579.11	71	0.6941	36	60	18.35	54.35	4908.51	NT
Johnson	826	95	762.00	72390.13	71	0.6941					72390.13	T
Johnson	834	68	0.11	7.48	71	0.6941					7.48	T
Johnson	83B	87	186.96	16265.12	71	0.6941	36	52	15.91	51.91	9704.26	NT
Johnson	83B	87	2614.92	227497.63	71	0.6941					227497.63	T
Johnson	83C2	69	90.18	6222.33	71	0.6941	36	34	10.40	46.40	4184.35	NT
Johnson	83C2	69	1683.56	116165.79	71	0.6941					116165.79	T
Johnson	84	76	1.07	81.30	71	0.6941					81.30	T
Johnson	876B	82	85.97	7049.82	71	0.6941	36	46	14.07	50.07	4304.81	NT
Johnson	876B	82	700.76	57461.93	71	0.6941					57461.93	T
Johnson	88	92	126.53	11640.30	71	0.6941	36	56	17.13	53.13	6722.33	NT
Johnson	88	92	1340.87	123359.79	71	0.6941					123359.79	T
Johnson	911B	85	0.01	0.82	71	0.6941	36	50	15.30	51.30	0.49	NT
Johnson	911B	85	0.09	7.99	71	0.6941					7.99	T
Johnson	916B	77	0.74	57.10	71	0.6941					57.10	T
Johnson	920	87	1.15	100.27	71	0.6941	36	52	15.91	51.91	59.82	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Johnson	920	87	90.90	7907.92	71	0.6941					7907.92	T
Johnson	920B	82	51.17	4196.18	71	0.6941	36	46	14.07	50.07	2562.30	NT
Johnson	920B	82	566.62	46462.82	71	0.6941					46462.82	T
Johnson	960	62	0.23	14.07	71	0.6941					14.07	T
Johnson	962	60	104.73	6283.85	71	0.6941	36	24	7.34	43.34	4539.20	NT
Johnson	962	60	337.51	20250.67	71	0.6941					20250.67	T
Johnson	974B	80	23.76	1900.49	71	0.6941	36	44	13.46	49.46	1174.97	NT
Johnson	974B	80	461.08	36886.69	71	0.6941					36886.69	T
Johnson	976	95	102.76	9762.22	71	0.6941	36	60	18.35	54.35	5585.43	NT
Johnson	976	95	982.72	93358.58	71	0.6941					93358.58	T
Johnson	977	95	0.00	0.09	71	0.6941	36	60	18.35	54.35	0.05	NT
Johnson	977	95	3.06	290.34	71	0.6941					290.34	T
Johnson	993D2	20	25.58	511.62	71	0.6941	20	0	0.00	20.00	511.62	NT
Johnson	993D2	20	776.87	15537.39	71	0.6941					15537.39	T
Johnson	993E2	10	66.80	668.03	71	0.6941	10	0	0.00	10.00	668.03	NT
Johnson	993E2	10	876.28	8762.81	71	0.6941					8762.81	T
Johnson	INT	0	68.99	0.00	71	0.6941	0	0	0.00	0.00	0.00	NT
Johnson	INT	0	61.34	0.00	71	0.6941					0.00	T
Johnson	SL	0	13.14	0.00	71	0.6941	0	0	0.00	0.00	0.00	NT
Johnson	W	0	2641.22	0.00	71	0.6941	0	0	0.00	0.00	0.00	NT
Johnson	W	0	11.67	0.00	71	0.6941					0.00	T
											0.00	
											0.00	
Jones	109C	10	99.90	999.00	67	0.7575	10	0	0.00	10.00	999.00	NT
Jones	109C	10	222.94	2229.42	67	0.7575					2229.42	T
Jones	109D	5	0.58	2.90	67	0.7575	5	0	0.00	5.00	2.90	NT
Jones	109D	5	0.27	1.36	67	0.7575					1.36	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	109E	5	103.07	515.37	67	0.7575	5	0	0.00	5.00	515.37	NT
Jones	109E	5	158.74	793.69	67	0.7575					793.69	T
Jones	110B	47	46.48	2184.52	67	0.7575	34	14	3.40	37.40	1738.09	NT
Jones	110B	47	167.05	7851.28	67	0.7575					7851.28	T
Jones	110C	44	72.97	3210.83	67	0.7575	34	10	2.43	36.43	2658.06	NT
Jones	110C	44	237.00	10428.21	67	0.7575					10428.21	T
Jones	110D	22	1.05	23.20	67	0.7575	22	0	0.00	22.00	23.20	NT
Jones	110D	22	0.01	0.13	67	0.7575					0.13	T
Jones	110E	17	94.60	1608.17	67	0.7575	17	0	0.00	17.00	1608.17	NT
Jones	110E	17	77.75	1321.76	67	0.7575					1321.76	T
Jones	1152	68	166.85	11345.89	67	0.7575	34	34	8.25	42.25	7048.64	NT
Jones	1152	68	1304.03	88674.06	67	0.7575					88674.06	T
Jones	118	95	37.83	3593.96	67	0.7575	34	62	15.04	49.04	1855.05	NT
Jones	118	95	1879.26	178530.11	67	0.7575					178530.11	T
Jones	119	100	0.01	1.07	67	0.7575	34	66	16.01	50.01	0.54	NT
Jones	119	100	0.05	5.29	67	0.7575					5.29	T
Jones	119A	100	0.20	20.37	67	0.7575	34	66	16.01	50.01	10.19	NT
Jones	119A	100	0.80	80.33	67	0.7575					80.33	T
Jones	119B	95	104.09	9889.01	67	0.7575	34	62	15.04	49.04	5104.29	NT
Jones	119B	95	4267.03	405367.87	67	0.7575					405367.87	T
Jones	11B	68	1173.71	79812.02	67	0.7575	34	34	8.25	42.25	49583.22	NT
Jones	11B	68	15577.66	1059281.09	67	0.7575					1059281.09	T
Jones	120A	100	0.00	0.03	67	0.7575					0.03	T
Jones	120B	95	344.13	32692.54	67	0.7575	34	62	15.04	49.04	16874.51	NT
Jones	120B	95	6338.77	602183.33	67	0.7575					602183.33	T
Jones	120C	80	42.73	3418.48	67	0.7575	34	46	11.16	45.16	1929.52	NT
Jones	120C	80	1361.00	108880.14	67	0.7575					108880.14	T
Jones	1226	72	49.31	3550.05	67	0.7575	34	38	9.22	43.22	2130.77	NT
Jones	1226	72	935.81	67378.30	67	0.7575					67378.30	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	128	50	3.40	169.88	67	0.7575	34	16	3.88	37.88	128.70	NT
Jones	128	50	0.10	4.84	67	0.7575					4.84	T
Jones	1291	95	67.44	6406.58	67	0.7575	34	62	15.04	49.04	3306.81	NT
Jones	1291	95	851.35	80878.12	67	0.7575					80878.12	T
Jones	1291B	90	37.76	3398.82	67	0.7575	34	56	13.58	47.58	1796.84	NT
Jones	1291B	90	594.61	53515.03	67	0.7575					53515.03	T
Jones	129B	63	5813.46	366247.84	67	0.7575	34	30	7.28	41.28	239950.47	NT
Jones	129B	63	7004.37	441275.41	67	0.7575					441275.41	T
Jones	1315	34	1.14	38.63	67	0.7575	34	0	0.00	34.00	38.63	NT
Jones	1315	34	0.00	0.00	67	0.7575					0.00	T
Jones	133	80	328.35	26267.64	67	0.7575	34	46	11.16	45.16	14826.44	NT
Jones	133	80	2160.83	172866.36	67	0.7575					172866.36	T
Jones	133+	85	2.62	222.32	67	0.7575	34	52	12.61	46.61	121.91	NT
Jones	133+	85	2.25	191.04	67	0.7575					191.04	T
Jones	136	70	52.08	3645.67	67	0.7575	34	36	8.73	42.73	2225.42	NT
Jones	136	70	397.80	27845.96	67	0.7575					27845.96	T
Jones	142	83	2707.94	224758.68	67	0.7575	34	50	12.13	46.13	124903.54	NT
Jones	142	83	2235.00	185504.99	67	0.7575					185504.99	T
Jones	143	60	0.13	7.98	67	0.7575					7.98	T
Jones	143B	55	73.81	4059.68	67	0.7575	34	22	5.34	39.34	2903.41	NT
Jones	143B	55	433.26	23829.32	67	0.7575					23829.32	T
Jones	1485	25	0.07	1.78	67	0.7575	25	0	0.00	25.00	1.78	NT
Jones	153	60	39.17	2350.19	67	0.7575	34	26	6.31	40.31	1578.74	NT
Jones	153	60	212.86	12771.69	67	0.7575					12771.69	T
Jones	159	38	32.71	1243.14	67	0.7575	34	4	0.97	34.97	1144.02	NT
Jones	159	38	188.46	7161.38	67	0.7575					7161.38	T
Jones	159C	5	66.42	332.08	67	0.7575	5	0	0.00	5.00	332.08	NT
Jones	159C	5	188.44	942.21	67	0.7575					942.21	T
Jones	160	67	4.70	315.22	67	0.7575					315.22	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	162B	90	246.37	22173.63	67	0.7575	34	56	13.58	47.58	11722.46	NT
Jones	162B	90	2516.05	226444.45	67	0.7575					226444.45	T
Jones	162C	75	843.70	63277.58	67	0.7575	34	42	10.19	44.19	37278.93	NT
Jones	162C	75	5828.83	437162.33	67	0.7575					437162.33	T
Jones	162C2	73	354.05	25845.80	67	0.7575	34	40	9.70	43.70	15472.07	NT
Jones	162C2	73	4062.87	296589.63	67	0.7575					296589.63	T
Jones	162D	65	345.95	22486.83	67	0.7575	34	32	7.76	41.76	14446.92	NT
Jones	162D	65	1482.34	96352.32	67	0.7575					96352.32	T
Jones	162D2	63	476.57	30023.62	67	0.7575	34	30	7.28	41.28	19670.24	NT
Jones	162D2	63	5601.80	352913.40	67	0.7575					352913.40	T
Jones	162E2	53	0.57	30.45	67	0.7575	34	20	4.85	38.85	22.32	NT
Jones	162E2	53	0.01	0.65	67	0.7575					0.65	T
Jones	163B	85	113.76	9669.58	67	0.7575	34	52	12.61	46.61	5302.35	NT
Jones	163B	85	705.68	59982.47	67	0.7575					59982.47	T
Jones	163C	70	2689.82	188287.45	67	0.7575	34	36	8.73	42.73	114936.04	NT
Jones	163C	70	6869.58	480870.73	67	0.7575					480870.73	T
Jones	163C2	68	1220.45	82990.63	67	0.7575	34	34	8.25	42.25	51557.93	NT
Jones	163C2	68	7069.40	480719.14	67	0.7575					480719.14	T
Jones	163D	60	4400.37	264022.14	67	0.7575	34	26	6.31	40.31	177356.87	NT
Jones	163D	60	2757.90	165473.86	67	0.7575					165473.86	T
Jones	163D2	58	5472.50	317405.06	67	0.7575	34	24	5.82	39.82	217914.99	NT
Jones	163D2	58	23782.53	1379386.58	67	0.7575					1379386.58	T
Jones	163D3	55	0.02	0.86	67	0.7575					0.86	T
Jones	163E	50	2490.30	124515.11	67	0.7575	34	16	3.88	37.88	94332.65	NT
Jones	163E	50	1080.94	54047.11	67	0.7575					54047.11	T
Jones	163E2	48	2649.96	127197.86	67	0.7575	34	14	3.40	37.40	99095.08	NT
Jones	163E2	48	9217.85	442456.75	67	0.7575					442456.75	T
Jones	163E3	46	0.28	13.10	67	0.7575					13.10	T
Jones	163F	30	7639.80	229194.05	67	0.7575	30	0	0.00	30.00	229194.05	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	163F	30	1659.44	49783.06	67	0.7575					49783.06	T
Jones	163F2	28	4311.88	120732.72	67	0.7575	28	0	0.00	28.00	120732.72	NT
Jones	163F2	28	6423.34	179853.60	67	0.7575					179853.60	T
Jones	163F3	25	0.06	1.53	67	0.7575	25	0	0.00	25.00	1.53	NT
Jones	163G	19	6642.90	126215.08	67	0.7575	19	0	0.00	19.00	126215.08	NT
Jones	163G	19	809.77	15385.55	67	0.7575					15385.55	T
Jones	171B	82	96.50	7912.64	67	0.7575	34	48	11.64	45.64	4404.06	NT
Jones	171B	82	1198.78	98299.81	67	0.7575					98299.81	T
Jones	171C	67	70.07	4694.56	67	0.7575	34	34	8.25	42.25	2960.03	NT
Jones	171C	67	761.45	51017.18	67	0.7575					51017.18	T
Jones	171C2	64	151.81	9716.13	67	0.7575	34	30	7.28	41.28	6266.14	NT
Jones	171C2	64	2654.89	169913.15	67	0.7575					169913.15	T
Jones	171D	55	21.31	1171.78	67	0.7575	34	22	5.34	39.34	838.03	NT
Jones	171D	55	193.56	10645.88	67	0.7575					10645.88	T
Jones	171D2	53	116.61	6180.36	67	0.7575	34	20	4.85	38.85	4530.32	NT
Jones	171D2	53	1430.27	75804.12	67	0.7575					75804.12	T
Jones	171E2	43	23.30	1001.75	67	0.7575	34	10	2.43	36.43	848.57	NT
Jones	171E2	43	184.33	7926.07	67	0.7575					7926.07	T
Jones	174B	70	204.53	14317.34	67	0.7575	34	36	8.73	42.73	8739.72	NT
Jones	174B	70	2208.22	154575.35	67	0.7575					154575.35	T
Jones	174C	55	39.51	2172.94	67	0.7575	34	22	5.34	39.34	1554.05	NT
Jones	174C	55	551.59	30337.26	67	0.7575					30337.26	T
Jones	175B	56	114.93	6436.06	67	0.7575	34	22	5.34	39.34	4520.75	NT
Jones	175B	56	1614.98	90439.07	67	0.7575					90439.07	T
Jones	175C	41	52.47	2151.46	67	0.7575	34	8	1.94	35.94	1885.94	NT
Jones	175C	41	657.76	26967.98	67	0.7575					26967.98	T
Jones	177	64	20.63	1320.11	67	0.7575	34	30	7.28	41.28	851.37	NT
Jones	177	64	278.38	17816.35	67	0.7575					17816.35	T
Jones	177B	60	36.72	2203.42	67	0.7575	34	26	6.31	40.31	1480.15	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	177B	60	197.99	11879.54	67	0.7575					11879.54	T
Jones	178	79	97.10	7670.63	67	0.7575	34	46	11.16	45.16	4384.40	NT
Jones	178	79	1047.31	82737.70	67	0.7575					82737.70	T
Jones	178B	74	57.27	4238.23	67	0.7575	34	40	9.70	43.70	2502.84	NT
Jones	178B	74	305.04	22573.08	67	0.7575					22573.08	T
Jones	184	93	0.00	0.01	67	0.7575					0.01	T
Jones	184A	95	11.91	1131.30	67	0.7575					1131.30	T
Jones	184B	90	114.11	10270.07	67	0.7575	34	56	13.58	47.58	5429.44	NT
Jones	184B	90	4380.89	394280.46	67	0.7575					394280.46	T
Jones	198B	80	147.50	11800.19	67	0.7575	34	46	11.16	45.16	6660.47	NT
Jones	198B	80	5661.33	452906.24	67	0.7575					452906.24	T
Jones	212	94	0.20	19.16	67	0.7575	34	60	14.55	48.55	9.90	NT
Jones	212	94	0.52	48.46	67	0.7575					48.46	T
Jones	220	85	0.86	73.06	67	0.7575					73.06	T
Jones	220A	90	0.03	2.70	67	0.7575	34	56	13.58	47.58	1.43	NT
Jones	220A	90	3.06	275.33	67	0.7575					275.33	T
Jones	220B	85	0.07	5.79	67	0.7575	34	52	12.61	46.61	3.18	NT
Jones	221	25	52.47	1311.69	67	0.7575	25	0	0.00	25.00	1311.69	NT
Jones	221	25	66.15	1653.84	67	0.7575					1653.84	T
Jones	246	75	111.88	8391.28	67	0.7575	34	42	10.19	44.19	4943.58	NT
Jones	246	75	2099.23	157442.24	67	0.7575					157442.24	T
Jones	246B	70	44.95	3146.29	67	0.7575	34	36	8.73	42.73	1920.59	NT
Jones	246B	70	1138.82	79717.68	67	0.7575					79717.68	T
Jones	27B	82	435.46	35707.31	67	0.7575	34	48	11.64	45.64	19874.17	NT
Jones	27B	82	1649.48	135257.41	67	0.7575					135257.41	T
Jones	27C	61	132.70	8094.52	67	0.7575	34	28	6.79	40.79	5412.71	NT
Jones	27C	61	240.61	14677.42	67	0.7575					14677.42	T
Jones	284B	45	45.47	2046.15	67	0.7575	34	12	2.91	36.91	1678.30	NT
Jones	284B	45	230.66	10379.85	67	0.7575					10379.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	290	74	5.88	434.99	67	0.7575	34	40	9.70	43.70	256.88	NT
Jones	290	74	285.66	21138.97	67	0.7575					21138.97	T
Jones	291A	90	4.90	440.85	67	0.7575					440.85	T
Jones	291B	85	45.46	3864.06	67	0.7575	34	52	12.61	46.61	2118.87	NT
Jones	291B	85	2097.48	178286.08	67	0.7575					178286.08	T
Jones	293C	45	615.72	27707.51	67	0.7575	34	12	2.91	36.91	22726.32	NT
Jones	293C	45	2624.33	118094.70	67	0.7575					118094.70	T
Jones	293C2	36	0.35	12.56	67	0.7575					12.56	T
Jones	293D	29	593.76	17218.94	67	0.7575	29	0	0.00	29.00	17218.94	NT
Jones	293D	29	2257.01	65453.23	67	0.7575					65453.23	T
Jones	293D2	28	0.51	14.22	67	0.7575	28	0	0.00	28.00	14.22	NT
Jones	293F	9	1020.59	9185.27	67	0.7575	9	0	0.00	9.00	9185.27	NT
Jones	293F	9	924.02	8316.15	67	0.7575					8316.15	T
Jones	293F2	8	3.26	26.11	67	0.7575	8	0	0.00	8.00	26.11	NT
Jones	293F2	8	1.74	13.91	67	0.7575					13.91	T
Jones	302C2	60	0.06	3.72	67	0.7575	34	26	6.31	40.31	2.50	NT
Jones	315	30	6386.71	191601.32	67	0.7575	30	0	0.00	30.00	191601.32	NT
Jones	315	30	724.22	21726.71	67	0.7575					21726.71	T
Jones	320	83	988.31	82030.09	67	0.7575	34	50	12.13	46.13	45586.00	NT
Jones	320	83	2058.26	170835.94	67	0.7575					170835.94	T
Jones	350	73	4.37	318.86	67	0.7575	34	40	9.70	43.70	190.88	NT
Jones	350	73	182.53	13324.73	67	0.7575					13324.73	T
Jones	350B	68	19.02	1293.02	67	0.7575	34	34	8.25	42.25	803.29	NT
Jones	350B	68	486.41	33075.94	67	0.7575					33075.94	T
Jones	351	73	57.87	4224.43	67	0.7575	34	40	9.70	43.70	2528.87	NT
Jones	351	73	988.06	72128.05	67	0.7575					72128.05	T
Jones	352B	62	96.07	5956.59	67	0.7575	34	28	6.79	40.79	3918.86	NT
Jones	352B	62	599.19	37150.02	67	0.7575					37150.02	T
Jones	354	5	336.29	1681.45	67	0.7575	5	0	0.00	5.00	1681.45	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	354	5	52.00	260.02	67	0.7575					260.02	T
Jones	377B	90	581.36	52321.96	67	0.7575	34	56	13.58	47.58	27660.87	NT
Jones	377B	90	9452.19	850696.98	67	0.7575					850696.98	T
Jones	377C	75	69.63	5221.98	67	0.7575	34	42	10.19	44.19	3076.44	NT
Jones	377C	75	1874.50	140587.51	67	0.7575					140587.51	T
Jones	377C2	73	11.81	862.09	67	0.7575	34	40	9.70	43.70	516.07	NT
Jones	377C2	73	728.27	53163.45	67	0.7575					53163.45	T
Jones	381B	90	38.20	3438.13	67	0.7575	34	56	13.58	47.58	1817.62	NT
Jones	381B	90	1180.90	106281.38	67	0.7575					106281.38	T
Jones	382	90	12.09	1088.25	67	0.7575	34	56	13.58	47.58	575.32	NT
Jones	382	90	1109.53	99857.51	67	0.7575					99857.51	T
Jones	391B	72	383.99	27646.97	67	0.7575	34	38	9.22	43.22	16593.94	NT
Jones	391B	72	4875.70	351050.56	67	0.7575					351050.56	T
Jones	393C	33	0.07	2.15	67	0.7575					2.15	T
Jones	394B	85	342.85	29142.49	67	0.7575	34	52	12.61	46.61	15980.37	NT
Jones	394B	85	5210.54	442896.17	67	0.7575					442896.17	T
Jones	394C	70	65.75	4602.48	67	0.7575	34	36	8.73	42.73	2809.49	NT
Jones	394C	70	1584.11	110887.61	67	0.7575					110887.61	T
Jones	407B	72	0.10	7.39	67	0.7575					7.39	T
Jones	408B	66	25.57	1687.75	67	0.7575	34	32	7.76	41.76	1067.88	NT
Jones	408B	66	649.31	42854.32	67	0.7575					42854.32	T
Jones	408C	52	24.56	1277.09	67	0.7575	34	18	4.37	38.37	942.22	NT
Jones	408C	52	503.82	26198.39	67	0.7575					26198.39	T
Jones	412C	13	514.36	6686.71	67	0.7575	13	0	0.00	13.00	6686.71	NT
Jones	412C	13	595.87	7746.31	67	0.7575					7746.31	T
Jones	412D	5	0.69	3.46	67	0.7575	5	0	0.00	5.00	3.46	NT
Jones	412D	5	0.09	0.46	67	0.7575					0.46	T
Jones	412E	5	506.93	2534.64	67	0.7575	5	0	0.00	5.00	2534.64	NT
Jones	412E	5	229.66	1148.31	67	0.7575					1148.31	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	412G	5	0.07	0.37	67	0.7575	5	0	0.00	5.00	0.37	NT
Jones	412G	5	0.11	0.55	67	0.7575					0.55	T
Jones	41B	40	246.24	9849.46	67	0.7575	34	6	1.46	35.46	8730.32	NT
Jones	41B	40	1782.91	71316.28	67	0.7575					71316.28	T
Jones	41C	25	271.78	6794.59	67	0.7575	25	0	0.00	25.00	6794.59	NT
Jones	41C	25	1263.00	31574.97	67	0.7575					31574.97	T
Jones	42	40	80.59	3223.60	67	0.7575	34	6	1.46	35.46	2857.32	NT
Jones	42	40	125.05	5001.83	67	0.7575					5001.83	T
Jones	428B	93	51.39	4778.81	67	0.7575	34	60	14.55	48.55	2494.74	NT
Jones	428B	93	1378.34	128185.24	67	0.7575					128185.24	T
Jones	430	83	16.05	1332.17	67	0.7575					1332.17	T
Jones	462B	90	54.37	4893.05	67	0.7575	34	56	13.58	47.58	2586.79	NT
Jones	462B	90	583.86	52546.97	67	0.7575					52546.97	T
Jones	462C	75	33.41	2505.89	67	0.7575	34	42	10.19	44.19	1476.30	NT
Jones	462C	75	264.78	19858.83	67	0.7575					19858.83	T
Jones	463B	85	256.64	21814.45	67	0.7575	34	52	12.61	46.61	11962.02	NT
Jones	463B	85	461.46	39223.79	67	0.7575					39223.79	T
Jones	463C	70	169.44	11860.91	67	0.7575	34	36	8.73	42.73	7240.24	NT
Jones	463C	70	182.24	12756.97	67	0.7575					12756.97	T
Jones	478G	5	6457.81	32289.06	67	0.7575	5	0	0.00	5.00	32289.06	NT
Jones	478G	5	123.48	617.42	67	0.7575					617.42	T
Jones	480C	65	159.43	10362.92	67	0.7575	34	32	7.76	41.76	6657.78	NT
Jones	480C	65	1256.78	81690.39	67	0.7575					81690.39	T
Jones	480C2	63	62.66	3947.61	67	0.7575	34	30	7.28	41.28	2586.31	NT
Jones	480C2	63	845.44	53262.94	67	0.7575					53262.94	T
Jones	480D	55	195.43	10748.46	67	0.7575	34	22	5.34	39.34	7687.10	NT
Jones	480D	55	486.41	26752.47	67	0.7575					26752.47	T
Jones	480D2	53	135.76	7195.51	67	0.7575	34	20	4.85	38.85	5274.44	NT
Jones	480D2	53	1535.14	81362.62	67	0.7575					81362.62	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	480E	45	144.40	6497.78	67	0.7575	34	12	2.91	36.91	5329.63	NT
Jones	480E	45	168.46	7580.73	67	0.7575					7580.73	T
Jones	480E2	43	72.53	3118.79	67	0.7575	34	10	2.43	36.43	2641.90	NT
Jones	480E2	43	483.69	20798.66	67	0.7575					20798.66	T
Jones	480F2	29	273.62	7935.02	67	0.7575	29	0	0.00	29.00	7935.02	NT
Jones	480F2	29	289.07	8383.03	67	0.7575					8383.03	T
Jones	484	90	91.72	8255.16	67	0.7575	34	56	13.58	47.58	4364.23	NT
Jones	484	90	614.38	55294.48	67	0.7575					55294.48	T
Jones	485	92	443.64	40815.23	67	0.7575	34	58	14.07	48.07	21323.74	NT
Jones	485	92	1701.09	156500.24	67	0.7575					156500.24	T
Jones	489	85	357.94	30425.14	67	0.7575	34	52	12.61	46.61	16683.71	NT
Jones	489	85	4264.51	362482.93	67	0.7575					362482.93	T
Jones	499D	5	724.32	3621.62	67	0.7575	5	0	0.00	5.00	3621.62	NT
Jones	499D	5	363.15	1815.74	67	0.7575					1815.74	T
Jones	499F	5	2842.87	14214.37	67	0.7575	5	0	0.00	5.00	14214.37	NT
Jones	499F	5	392.87	1964.37	67	0.7575					1964.37	T
Jones	5010	0	114.94	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	5010	0	9.98	0.00	67	0.7575					0.00	T
Jones	5030	0	438.83	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	5030	0	2.94	0.00	67	0.7575					0.00	T
Jones	5040	5	289.67	1448.37	67	0.7575	5	0	0.00	5.00	1448.37	NT
Jones	5040	5	131.17	655.87	67	0.7575					655.87	T
Jones	5040B	0	1.76	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	5080	0	25.35	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	5080	0	0.52	0.00	67	0.7575					0.00	T
Jones	539	20	264.90	5298.07	67	0.7575	20	0	0.00	20.00	5298.07	NT
Jones	539	20	111.77	2235.35	67	0.7575					2235.35	T
Jones	585	86	2124.37	182696.16	67	0.7575	34	52	12.61	46.61	99017.07	NT
Jones	585	86	3463.64	297872.61	67	0.7575					297872.61	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	589+	85	0.06	4.75	67	0.7575					4.75	T
Jones	626	67	115.81	7759.47	67	0.7575	34	34	8.25	42.25	4892.52	NT
Jones	626	67	760.07	50924.67	67	0.7575					50924.67	T
Jones	63B	40	181.73	7269.20	67	0.7575	34	6	1.46	35.46	6443.23	NT
Jones	63B	40	431.67	17266.62	67	0.7575					17266.62	T
Jones	63C	21	577.59	12129.36	67	0.7575	21	0	0.00	21.00	12129.36	NT
Jones	63C	21	1061.36	22288.50	67	0.7575					22288.50	T
Jones	63D	11	0.45	4.99	67	0.7575	11	0	0.00	11.00	4.99	NT
Jones	63E	5	0.28	1.41	67	0.7575					1.41	T
Jones	63F	5	627.36	3136.82	67	0.7575	5	0	0.00	5.00	3136.82	NT
Jones	63F	5	576.78	2883.92	67	0.7575					2883.92	T
Jones	65C2	48	45.66	2191.58	67	0.7575	34	14	3.40	37.40	1707.38	NT
Jones	65C2	48	295.24	14171.33	67	0.7575					14171.33	T
Jones	65E2	24	51.73	1241.61	67	0.7575	24	0	0.00	24.00	1241.61	NT
Jones	65E2	24	268.50	6443.93	67	0.7575					6443.93	T
Jones	65F2	8	98.11	784.88	67	0.7575	8	0	0.00	8.00	784.88	NT
Jones	65F2	8	177.42	1419.36	67	0.7575					1419.36	T
Jones	673D2	58	46.15	2676.93	67	0.7575	34	24	5.82	39.82	1837.85	NT
Jones	673D2	58	609.80	35368.47	67	0.7575					35368.47	T
Jones	673E2	48	113.26	5436.25	67	0.7575	34	14	3.40	37.40	4235.18	NT
Jones	673E2	48	402.85	19336.93	67	0.7575					19336.93	T
Jones	703D	26	142.77	3712.13	67	0.7575	26	0	0.00	26.00	3712.13	NT
Jones	703D	26	94.17	2448.49	67	0.7575					2448.49	T
Jones	703F	5	637.16	3185.82	67	0.7575	5	0	0.00	5.00	3185.82	NT
Jones	703F	5	240.24	1201.18	67	0.7575					1201.18	T
Jones	729B	83	1.03	85.57	67	0.7575					85.57	T
Jones	760	80	5.53	442.14	67	0.7575	34	46	11.16	45.16	249.56	NT
Jones	760	80	241.74	19339.41	67	0.7575					19339.41	T
Jones	761	83	6.22	516.33	67	0.7575					516.33	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	761B	85	73.31	6231.12	67	0.7575	34	52	12.61	46.61	3416.85	NT
Jones	761B	85	2332.60	198270.68	67	0.7575					198270.68	T
Jones	763D2	56	94.65	5300.53	67	0.7575	34	22	5.34	39.34	3723.15	NT
Jones	763D2	56	848.90	47538.64	67	0.7575					47538.64	T
Jones	763E2	45	549.51	24728.08	67	0.7575	34	12	2.91	36.91	20282.52	NT
Jones	763E2	45	3213.49	144607.26	67	0.7575					144607.26	T
Jones	763F2	26	2039.20	53019.33	67	0.7575	26	0	0.00	26.00	53019.33	NT
Jones	763F2	26	4003.25	104084.41	67	0.7575					104084.41	T
Jones	771B	87	302.35	26304.76	67	0.7575	34	54	13.10	47.10	14239.34	NT
Jones	771B	87	5133.51	446615.18	67	0.7575					446615.18	T
Jones	771C	72	238.77	17191.22	67	0.7575	34	38	9.22	43.22	10318.31	NT
Jones	771C	72	4325.60	311443.24	67	0.7575					311443.24	T
Jones	771C2	70	30.34	2123.79	67	0.7575	34	36	8.73	42.73	1296.42	NT
Jones	771C2	70	506.58	35460.37	67	0.7575					35460.37	T
Jones	771D	60	24.77	1486.14	67	0.7575	34	26	6.31	40.31	998.32	NT
Jones	771D	60	509.84	30590.37	67	0.7575					30590.37	T
Jones	771D2	60	13.10	786.19	67	0.7575	34	26	6.31	40.31	528.12	NT
Jones	771D2	60	186.35	11181.13	67	0.7575					11181.13	T
Jones	775B	52	77.99	4055.66	67	0.7575	34	18	4.37	38.37	2992.22	NT
Jones	775B	52	202.53	10531.69	67	0.7575					10531.69	T
Jones	775D	26	155.60	4045.64	67	0.7575	26	0	0.00	26.00	4045.64	NT
Jones	775D	26	486.94	12660.34	67	0.7575					12660.34	T
Jones	775E	16	50.53	808.41	67	0.7575	16	0	0.00	16.00	808.41	NT
Jones	775E	16	68.83	1101.28	67	0.7575					1101.28	T
Jones	778	74	83.34	6166.88	67	0.7575	34	40	9.70	43.70	3641.79	NT
Jones	778	74	369.21	27321.68	67	0.7575					27321.68	T
Jones	778B	69	124.17	8568.03	67	0.7575	34	36	8.73	42.73	5305.97	NT
Jones	778B	69	258.00	17802.06	67	0.7575					17802.06	T
Jones	793B	80	0.45	35.68	67	0.7575	34	46	11.16	45.16	20.14	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	793B	80	0.80	63.85	67	0.7575					63.85	T
Jones	809B	27	16.70	450.97	67	0.7575	27	0	0.00	27.00	450.97	NT
Jones	809B	27	144.48	3900.84	67	0.7575					3900.84	T
Jones	809C	9	68.42	615.79	67	0.7575	9	0	0.00	9.00	615.79	NT
Jones	809C	9	269.88	2428.94	67	0.7575					2428.94	T
Jones	814B	58	148.68	8623.69	67	0.7575	34	24	5.82	39.82	5920.61	NT
Jones	814B	58	1067.16	61895.54	67	0.7575					61895.54	T
Jones	814C	43	122.68	5275.17	67	0.7575	34	10	2.43	36.43	4468.56	NT
Jones	814C	43	483.34	20783.46	67	0.7575					20783.46	T
Jones	817C	55	136.73	7520.06	67	0.7575	34	22	5.34	39.34	5378.21	NT
Jones	817C	55	422.23	23222.76	67	0.7575					23222.76	T
Jones	83B	87	253.98	22096.55	67	0.7575	34	54	13.10	47.10	11961.34	NT
Jones	83B	87	4064.87	353643.57	67	0.7575					353643.57	T
Jones	83C	72	25.28	1819.82	67	0.7575	34	38	9.22	43.22	1092.27	NT
Jones	83C	72	582.80	41961.84	67	0.7575					41961.84	T
Jones	83C2	69	10.04	692.91	67	0.7575	34	36	8.73	42.73	429.10	NT
Jones	83C2	69	364.58	25156.11	67	0.7575					25156.11	T
Jones	84	76	256.04	19459.10	67	0.7575	34	42	10.19	44.19	11313.16	NT
Jones	84	76	5820.73	442375.82	67	0.7575					442375.82	T
Jones	8B	90	55.32	4978.92	67	0.7575	34	56	13.58	47.58	2632.19	NT
Jones	8B	90	977.29	87956.47	67	0.7575					87956.47	T
Jones	8C	66	30.70	2026.01	67	0.7575	34	32	7.76	41.76	1281.91	NT
Jones	8C	66	347.06	22906.05	67	0.7575					22906.05	T
Jones	911B	85	0.04	3.46	67	0.7575	34	52	12.61	46.61	1.90	NT
Jones	911B	85	0.28	23.97	67	0.7575					23.97	T
Jones	914C	41	353.02	14473.67	67	0.7575	34	8	1.94	35.94	12687.41	NT
Jones	914C	41	692.03	28373.24	67	0.7575					28373.24	T
Jones	914C2	36	0.63	22.68	67	0.7575	34	2	0.49	34.49	21.72	NT
Jones	914C2	36	0.57	20.63	67	0.7575					20.63	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Jones	914E	12	186.05	2232.64	67	0.7575	12	0	0.00	12.00	2232.64	NT
Jones	914E	12	307.68	3692.19	67	0.7575					3692.19	T
Jones	930	75	151.24	11342.90	67	0.7575	34	42	10.19	44.19	6682.48	NT
Jones	930	75	523.95	39296.37	67	0.7575					39296.37	T
Jones	933	80	737.76	59020.84	67	0.7575	34	46	11.16	45.16	33313.58	NT
Jones	933	80	6737.09	538967.50	67	0.7575					538967.50	T
Jones	933B	80	0.01	0.48	67	0.7575					0.48	T
Jones	976	95	113.68	10799.51	67	0.7575	34	62	15.04	49.04	5574.25	NT
Jones	976	95	679.09	64513.15	67	0.7575					64513.15	T
Jones	976B	90	25.62	2305.60	67	0.7575	34	56	13.58	47.58	1218.90	NT
Jones	976B	90	357.01	32130.64	67	0.7575					32130.64	T
Jones	977	95	0.69	65.96	67	0.7575					65.96	T
Jones	981B	90	185.45	16690.88	67	0.7575	34	56	13.58	47.58	8823.91	NT
Jones	981B	90	1152.13	103691.68	67	0.7575					103691.68	T
Jones	AW	0	6.22	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	AW	0	0.67	0.00	67	0.7575					0.00	T
Jones	BW	0	5.37	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	BW	0	0.92	0.00	67	0.7575					0.00	T
Jones	INT	0	9.94	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	INT	0	14.53	0.00	67	0.7575					0.00	T
Jones	SL	0	26.24	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	W	0	1779.89	0.00	67	0.7575	0	0	0.00	0.00	0.00	NT
Jones	W	0	20.14	0.00	67	0.7575					0.00	T
											0.00	
											0.00	
Keokuk	1075	85	26.71	2270.14	63	0.7575	32	54	13.10	45.10	1204.37	NT
Keokuk	1075	85	620.70	52759.88	63	0.7575					52759.88	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	11B	68	4.93	335.36	63	0.7575	32	36	8.73	40.73	200.87	NT
Keokuk	11B	68	4.41	299.76	63	0.7575					299.76	T
Keokuk	122	63	47.58	2997.72	63	0.7575	32	32	7.76	39.76	1891.90	NT
Keokuk	122	63	806.56	50813.14	63	0.7575					50813.14	T
Keokuk	1220	25	6048.83	151220.71	63	0.7575	25	0	0.00	25.00	151220.71	NT
Keokuk	1220	25	371.88	9296.97	63	0.7575					9296.97	T
Keokuk	1279	88	6.29	553.80	63	0.7575	32	56	13.58	45.58	286.84	NT
Keokuk	1279	88	307.71	27078.41	63	0.7575					27078.41	T
Keokuk	1280	95	7.64	725.71	63	0.7575	32	64	15.52	47.52	363.01	NT
Keokuk	1280	95	343.73	32654.18	63	0.7575					32654.18	T
Keokuk	1315	34	1376.18	46790.03	63	0.7575	32	2	0.49	32.49	44705.12	NT
Keokuk	1315	34	51.35	1745.85	63	0.7575					1745.85	T
Keokuk	133	80	308.80	24704.34	63	0.7575	32	48	11.64	43.64	13476.22	NT
Keokuk	133	80	1886.37	150909.65	63	0.7575					150909.65	T
Keokuk	133+	85	299.09	25422.41	63	0.7575	32	54	13.10	45.10	13487.34	NT
Keokuk	133+	85	1722.21	146388.18	63	0.7575					146388.18	T
Keokuk	133B	75	121.55	9116.09	63	0.7575	32	44	10.67	42.67	5186.45	NT
Keokuk	133B	75	740.46	55534.87	63	0.7575					55534.87	T
Keokuk	13B	65	7456.19	484652.27	63	0.7575	32	34	8.25	40.25	300074.32	NT
Keokuk	13B	65	11153.84	724999.54	63	0.7575					724999.54	T
Keokuk	163E	50	139.92	6996.18	63	0.7575	32	18	4.37	36.37	5088.32	NT
Keokuk	163E	50	11.80	589.90	63	0.7575					589.90	T
Keokuk	163E2	48	484.93	23276.78	63	0.7575	32	16	3.88	35.88	17399.39	NT
Keokuk	163E2	48	424.16	20359.62	63	0.7575					20359.62	T
Keokuk	163F	30	274.00	8219.90	63	0.7575	30	0	0.00	30.00	8219.90	NT
Keokuk	163F	30	37.79	1133.56	63	0.7575					1133.56	T
Keokuk	1715	25	0.56	14.03	63	0.7575	25	0	0.00	25.00	14.03	NT
Keokuk	179D2	43	89.70	3857.22	63	0.7575	32	12	2.91	34.91	3131.52	NT
Keokuk	179D2	43	501.90	21581.68	63	0.7575					21581.68	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	179E	35	105.77	3702.05	63	0.7575	32	4	0.97	32.97	3487.33	NT
Keokuk	179E	35	57.55	2014.18	63	0.7575					2014.18	T
Keokuk	179E2	33	1394.87	46030.68	63	0.7575	32	2	0.49	32.49	45312.32	NT
Keokuk	179E2	33	3242.81	107012.57	63	0.7575					107012.57	T
Keokuk	179F2	14	313.10	4383.39	63	0.7575	14	0	0.00	14.00	4383.39	NT
Keokuk	179F2	14	122.56	1715.80	63	0.7575					1715.80	T
Keokuk	180	76	24.12	1833.04	63	0.7575	32	44	10.67	42.67	1029.15	NT
Keokuk	180	76	282.89	21499.43	63	0.7575					21499.43	T
Keokuk	192D2	15	0.00	0.00	63	0.7575					0.00	T
Keokuk	220	85	1319.05	112119.20	63	0.7575	32	54	13.10	45.10	59482.53	NT
Keokuk	220	85	1664.37	141471.07	63	0.7575					141471.07	T
Keokuk	222C	30	41.80	1253.90	63	0.7575	30	0	0.00	30.00	1253.90	NT
Keokuk	222C	30	132.49	3974.84	63	0.7575					3974.84	T
Keokuk	222C2	25	166.13	4153.21	63	0.7575	25	0	0.00	25.00	4153.21	NT
Keokuk	222C2	25	819.91	20497.80	63	0.7575					20497.80	T
Keokuk	222D2	10	0.41	4.07	63	0.7575					4.07	T
Keokuk	223C2	22	88.79	1953.48	63	0.7575	22	0	0.00	22.00	1953.48	NT
Keokuk	223C2	22	624.78	13745.22	63	0.7575					13745.22	T
Keokuk	223D2	9	0.45	4.07	63	0.7575	9	0	0.00	9.00	4.07	NT
Keokuk	223D2	9	1.16	10.46	63	0.7575					10.46	T
Keokuk	2242	75	4.55	341.32	63	0.7575	32	44	10.67	42.67	194.19	NT
Keokuk	2242	75	0.13	10.08	63	0.7575					10.08	T
Keokuk	24D2	48	38.01	1824.28	63	0.7575	32	16	3.88	35.88	1363.65	NT
Keokuk	24D2	48	257.88	12378.23	63	0.7575					12378.23	T
Keokuk	24E2	38	40.28	1530.49	63	0.7575	32	6	1.46	33.46	1347.44	NT
Keokuk	24E2	38	445.22	16918.23	63	0.7575					16918.23	T
Keokuk	269	58	0.57	32.94	63	0.7575	32	26	6.31	38.31	21.76	NT
Keokuk	269	58	0.54	31.31	63	0.7575					31.31	T
Keokuk	273C	57	112.46	6409.96	63	0.7575	32	26	6.31	38.31	4307.61	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	273C	57	419.06	23886.67	63	0.7575					23886.67	T
Keokuk	279	88	1722.91	151615.84	63	0.7575	32	56	13.58	45.58	78530.12	NT
Keokuk	279	88	20486.66	1802826.35	63	0.7575					1802826.35	T
Keokuk	280	95	2337.60	222071.64	63	0.7575	32	64	15.52	47.52	111082.57	NT
Keokuk	280	95	23055.56	2190277.95	63	0.7575					2190277.95	T
Keokuk	280B	90	526.99	47429.45	63	0.7575	32	58	14.07	46.07	24275.97	NT
Keokuk	280B	90	5311.14	478002.20	63	0.7575					478002.20	T
Keokuk	281B	90	1948.23	175340.59	63	0.7575	32	58	14.07	46.07	89745.16	NT
Keokuk	281B	90	16461.36	1481522.78	63	0.7575					1481522.78	T
Keokuk	281B2	85	18.97	1612.09	63	0.7575	32	54	13.10	45.10	855.26	NT
Keokuk	281B2	85	240.69	20458.38	63	0.7575					20458.38	T
Keokuk	281C	75	68.80	5159.83	63	0.7575	32	44	10.67	42.67	2935.60	NT
Keokuk	281C	75	459.04	34427.95	63	0.7575					34427.95	T
Keokuk	281C2	72	813.83	58595.44	63	0.7575	32	40	9.70	41.70	33936.52	NT
Keokuk	281C2	72	7601.73	547324.74	63	0.7575					547324.74	T
Keokuk	281D2	61	37.78	2304.55	63	0.7575	32	30	7.28	39.28	1483.79	NT
Keokuk	281D2	61	181.54	11073.70	63	0.7575					11073.70	T
Keokuk	293C	45	130.13	5855.87	63	0.7575	32	14	3.40	35.40	4605.97	NT
Keokuk	293C	45	363.30	16348.41	63	0.7575					16348.41	T
Keokuk	293D	29	390.66	11329.17	63	0.7575	29	0	0.00	29.00	11329.17	NT
Keokuk	293D	29	541.31	15697.97	63	0.7575					15697.97	T
Keokuk	293E	25	361.62	9040.40	63	0.7575	25	0	0.00	25.00	9040.40	NT
Keokuk	293E	25	205.16	5128.99	63	0.7575					5128.99	T
Keokuk	293F	9	335.17	3016.53	63	0.7575	9	0	0.00	9.00	3016.53	NT
Keokuk	293F	9	37.96	341.65	63	0.7575					341.65	T
Keokuk	294C	48	160.80	7718.40	63	0.7575	32	16	3.88	35.88	5769.51	NT
Keokuk	294C	48	594.55	28538.63	63	0.7575					28538.63	T
Keokuk	294D	38	252.02	9576.64	63	0.7575	32	6	1.46	33.46	8431.23	NT
Keokuk	294D	38	700.12	26604.53	63	0.7575					26604.53	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	313F		2.94		63	0.7575			0.00	0.00	0.00	NT
Keokuk	313F2	5	35.50	177.50	63	0.7575	5	0	0.00	5.00	177.50	NT
Keokuk	313F2	5	30.15	150.76	63	0.7575					150.76	T
Keokuk	315	30	9.89	296.73	63	0.7575	30	0	0.00	30.00	296.73	NT
Keokuk	315	30	10.15	304.63	63	0.7575					304.63	T
Keokuk	319E	5	60.08	300.41	63	0.7575	5	0	0.00	5.00	300.41	NT
Keokuk	319E	5	43.58	217.90	63	0.7575					217.90	T
Keokuk	422	85	294.26	25012.32	63	0.7575	32	54	13.10	45.10	13269.77	NT
Keokuk	422	85	2052.10	174428.85	63	0.7575					174428.85	T
Keokuk	423D2	13	1978.73	25723.46	63	0.7575	13	0	0.00	13.00	25723.46	NT
Keokuk	423D2	13	7616.33	99012.35	63	0.7575					99012.35	T
Keokuk	424D	20	98.99	1979.84	63	0.7575	20	0	0.00	20.00	1979.84	NT
Keokuk	424D	20	28.82	576.44	63	0.7575					576.44	T
Keokuk	424D2	15	2434.85	36522.68	63	0.7575	15	0	0.00	15.00	36522.68	NT
Keokuk	424D2	15	5521.79	82826.85	63	0.7575					82826.85	T
Keokuk	424E2	5	1591.01	7955.04	63	0.7575	5	0	0.00	5.00	7955.04	NT
Keokuk	424E2	5	1298.33	6491.67	63	0.7575					6491.67	T
Keokuk	425D	16	311.06	4976.90	63	0.7575	16	0	0.00	16.00	4976.90	NT
Keokuk	425D	16	35.79	572.59	63	0.7575					572.59	T
Keokuk	425D2	12	1589.57	19074.87	63	0.7575	12	0	0.00	12.00	19074.87	NT
Keokuk	425D2	12	2528.45	30341.45	63	0.7575					30341.45	T
Keokuk	428B	93	114.77	10673.48	63	0.7575	32	62	15.04	47.04	5398.14	NT
Keokuk	428B	93	735.38	68389.95	63	0.7575					68389.95	T
Keokuk	43	80	4.51	361.19	63	0.7575	32	48	11.64	43.64	197.03	NT
Keokuk	43	80	0.07	5.73	63	0.7575					5.73	T
Keokuk	430	83	305.90	25389.86	63	0.7575	32	52	12.61	44.61	13646.29	NT
Keokuk	430	83	1557.39	129263.59	63	0.7575					129263.59	T
Keokuk	453	53	69.60	3688.64	63	0.7575	32	22	5.34	37.34	2598.40	NT
Keokuk	453	53	431.03	22844.35	63	0.7575					22844.35	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	467	85	2.13	180.81	63	0.7575	32	54	13.10	45.10	95.93	NT
Keokuk	467	85	1.96	166.62	63	0.7575					166.62	T
Keokuk	484	90	0.50	44.95	63	0.7575	32	58	14.07	46.07	23.01	NT
Keokuk	5010	0	0.76	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT
Keokuk	5010	0	3.13	0.00	63	0.7575					0.00	T
Keokuk	5020	0	37.11	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT
Keokuk	5020	0	16.29	0.00	63	0.7575					0.00	T
Keokuk	5030	0	497.40	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT
Keokuk	5030	0	21.83	0.00	63	0.7575					0.00	T
Keokuk	5040	5	106.27	531.37	63	0.7575	5	0	0.00	5.00	531.37	NT
Keokuk	5040	5	33.05	165.26	63	0.7575					165.26	T
Keokuk	5048	5	72.82	364.11	63	0.7575	5	0	0.00	5.00	364.11	NT
Keokuk	5048	5	25.78	128.88	63	0.7575					128.88	T
Keokuk	5060	0	143.55	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT
Keokuk	5060	0	5.45	0.00	63	0.7575					0.00	T
Keokuk	5080	0	48.22	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT
Keokuk	5080	0	4.24	0.00	63	0.7575					0.00	T
Keokuk	51	70	217.61	15232.40	63	0.7575	32	38	9.22	41.22	8968.62	NT
Keokuk	51	70	1490.89	104362.23	63	0.7575					104362.23	T
Keokuk	51B	65	297.29	19323.94	63	0.7575	32	34	8.25	40.25	11964.49	NT
Keokuk	51B	65	845.32	54945.88	63	0.7575					54945.88	T
Keokuk	520	65	38.72	2516.48	63	0.7575	32	34	8.25	40.25	1558.09	NT
Keokuk	520	65	246.30	16009.18	63	0.7575					16009.18	T
Keokuk	520B	60	122.14	7328.50	63	0.7575	32	28	6.79	38.79	4737.87	NT
Keokuk	520B	60	315.02	18901.41	63	0.7575					18901.41	T
Keokuk	54	70	147.47	10323.03	63	0.7575	32	38	9.22	41.22	6078.05	NT
Keokuk	54	70	1681.83	117727.78	63	0.7575					117727.78	T
Keokuk	54+	75	46.39	3479.46	63	0.7575	32	44	10.67	42.67	1979.58	NT
Keokuk	54+	75	607.55	45566.22	63	0.7575					45566.22	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	56B	72	143.98	10366.68	63	0.7575	32	40	9.70	41.70	6004.03	NT
Keokuk	56B	72	474.53	34166.31	63	0.7575					34166.31	T
Keokuk	56C	52	150.90	7846.93	63	0.7575	32	20	4.85	36.85	5560.75	NT
Keokuk	56C	52	438.05	22778.83	63	0.7575					22778.83	T
Keokuk	570B	84	0.31	26.06	63	0.7575	32	52	12.61	44.61	13.84	NT
Keokuk	570C	69	252.82	17444.80	63	0.7575	32	38	9.22	41.22	10420.11	NT
Keokuk	570C	69	1315.62	90777.76	63	0.7575					90777.76	T
Keokuk	570C2	64	690.51	44192.36	63	0.7575	32	32	7.76	39.76	27454.50	NT
Keokuk	570C2	64	7247.70	463852.55	63	0.7575					463852.55	T
Keokuk	571B	82	0.39	32.31	63	0.7575					32.31	T
Keokuk	571C2	62	1007.28	62451.47	63	0.7575	32	30	7.28	39.28	39560.99	NT
Keokuk	571C2	62	9594.94	594886.10	63	0.7575					594886.10	T
Keokuk	571D2	52	88.36	4594.61	63	0.7575	32	20	4.85	36.85	3255.99	NT
Keokuk	571D2	52	750.91	39047.54	63	0.7575					39047.54	T
Keokuk	572C2	57	175.34	9994.18	63	0.7575	32	26	6.31	38.31	6716.26	NT
Keokuk	572C2	57	1007.41	57422.37	63	0.7575					57422.37	T
Keokuk	572D2	47	196.64	9242.12	63	0.7575	32	16	3.88	35.88	7055.48	NT
Keokuk	572D2	47	737.82	34677.50	63	0.7575					34677.50	T
Keokuk	587	65	256.51	16673.45	63	0.7575	32	34	8.25	40.25	10323.43	NT
Keokuk	587	65	1550.98	100813.38	63	0.7575					100813.38	T
Keokuk	587+	67	20.89	1399.66	63	0.7575	32	36	8.73	40.73	850.87	NT
Keokuk	587+	67	192.43	12892.60	63	0.7575					12892.60	T
Keokuk	5B	83	0.00	0.06	63	0.7575	32	52	12.61	44.61	0.03	NT
Keokuk	6051	42	10.16	426.89	63	0.7575	32	10	2.43	34.43	349.90	NT
Keokuk	6051	42	224.79	9441.06	63	0.7575					9441.06	T
Keokuk	6054	28	31.76	889.40	63	0.7575	28	0	0.00	28.00	889.40	NT
Keokuk	6054	28	213.44	5976.42	63	0.7575					5976.42	T
Keokuk	6133	32	44.83	1434.48	63	0.7575	32	0	0.00	32.00	1434.48	NT
Keokuk	6133	32	124.50	3983.85	63	0.7575					3983.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	6133+	34	91.16	3099.54	63	0.7575	32	2	0.49	32.49	2961.43	NT
Keokuk	6133+	34	372.23	12655.98	63	0.7575					12655.98	T
Keokuk	6220	35	1831.03	64085.91	63	0.7575	32	4	0.97	32.97	60368.93	NT
Keokuk	6220	35	4716.12	165064.25	63	0.7575					165064.25	T
Keokuk	6315	28	238.82	6687.00	63	0.7575	28	0	0.00	28.00	6687.00	NT
Keokuk	6315	28	503.18	14088.90	63	0.7575					14088.90	T
Keokuk	6422	51	282.20	14392.02	63	0.7575	32	20	4.85	36.85	10398.94	NT
Keokuk	6422	51	870.69	44405.24	63	0.7575					44405.24	T
Keokuk	6587	27	166.96	4507.95	63	0.7575	27	0	0.00	27.00	4507.95	NT
Keokuk	6587	27	202.52	5468.00	63	0.7575					5468.00	T
Keokuk	65D2	38	67.85	2578.44	63	0.7575	32	6	1.46	33.46	2270.05	NT
Keokuk	65D2	38	85.55	3251.03	63	0.7575					3251.03	T
Keokuk	65E	25	1505.51	37637.70	63	0.7575	25	0	0.00	25.00	37637.70	NT
Keokuk	65E	25	204.70	5117.49	63	0.7575					5117.49	T
Keokuk	65E2	24	4347.04	104329.02	63	0.7575	24	0	0.00	24.00	104329.02	NT
Keokuk	65E2	24	3332.10	79970.34	63	0.7575					79970.34	T
Keokuk	65F	10	1792.71	17927.05	63	0.7575	10	0	0.00	10.00	17927.05	NT
Keokuk	65F	10	128.46	1284.63	63	0.7575					1284.63	T
Keokuk	65F2	8	1315.85	10526.82	63	0.7575	8	0	0.00	8.00	10526.82	NT
Keokuk	65F2	8	345.07	2760.60	63	0.7575					2760.60	T
Keokuk	65G	5	441.40	2207.01	63	0.7575	5	0	0.00	5.00	2207.01	NT
Keokuk	65G	5	21.13	105.64	63	0.7575					105.64	T
Keokuk	687B	80	49.92	3993.52	63	0.7575	32	48	11.64	43.64	2178.46	NT
Keokuk	687B	80	288.06	23044.71	63	0.7575					23044.71	T
Keokuk	688	85	59.81	5083.76	63	0.7575	32	54	13.10	45.10	2697.09	NT
Keokuk	688	85	714.69	60748.97	63	0.7575					60748.97	T
Keokuk	715	5	1.65	8.23	63	0.7575	5	0	0.00	5.00	8.23	NT
Keokuk	722	80	3860.19	308814.88	63	0.7575	32	48	11.64	43.64	168458.52	NT
Keokuk	722	80	3994.92	319593.79	63	0.7575					319593.79	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	729B	83	1.66	137.91	63	0.7575	32	52	12.61	44.61	74.12	NT
Keokuk	729B	83	5.59	464.28	63	0.7575					464.28	T
Keokuk	730B	61	6763.71	412586.45	63	0.7575	32	30	7.28	39.28	265644.80	NT
Keokuk	730B	61	3291.13	200758.69	63	0.7575					200758.69	T
Keokuk	74	78	6.26	488.62	63	0.7575	32	46	11.16	43.16	270.34	NT
Keokuk	74	78	132.99	10373.18	63	0.7575					10373.18	T
Keokuk	75	75	249.31	18698.35	63	0.7575	32	44	10.67	42.67	10638.12	NT
Keokuk	75	75	3569.71	267728.39	63	0.7575					267728.39	T
Keokuk	75B	81	59.78	4842.31	63	0.7575	32	50	12.13	44.13	2637.86	NT
Keokuk	75B	81	403.38	32673.49	63	0.7575					32673.49	T
Keokuk	76B	82	1786.78	146515.80	63	0.7575	32	50	12.13	44.13	78841.58	NT
Keokuk	76B	82	16356.86	1341262.64	63	0.7575					1341262.64	T
Keokuk	76B2	80	15.50	1239.72	63	0.7575	32	48	11.64	43.64	676.27	NT
Keokuk	76B2	80	148.91	11912.89	63	0.7575					11912.89	T
Keokuk	76C	70	77.40	5418.16	63	0.7575	32	38	9.22	41.22	3190.14	NT
Keokuk	76C	70	113.23	7925.93	63	0.7575					7925.93	T
Keokuk	76C2	67	3398.16	227676.40	63	0.7575	32	36	8.73	40.73	138406.86	NT
Keokuk	76C2	67	26221.10	1756813.59	63	0.7575					1756813.59	T
Keokuk	76D2	52	1162.00	60424.13	63	0.7575	32	20	4.85	36.85	42819.79	NT
Keokuk	76D2	52	6229.85	323952.39	63	0.7575					323952.39	T
Keokuk	76D3	50	2.07	103.46	63	0.7575					103.46	T
Keokuk	779	85	135.97	11557.83	63	0.7575					11557.83	T
Keokuk	792C2	26	2.03	52.87	63	0.7575					52.87	T
Keokuk	792D2	11	256.28	2819.10	63	0.7575	11	0	0.00	11.00	2819.10	NT
Keokuk	792D2	11	664.66	7311.28	63	0.7575					7311.28	T
Keokuk	795C2	15	3.71	55.62	63	0.7575	15	0	0.00	15.00	55.62	NT
Keokuk	795C2	15	8.33	124.88	63	0.7575					124.88	T
Keokuk	795D2	5	554.65	2773.25	63	0.7575	5	0	0.00	5.00	2773.25	NT
Keokuk	795D2	5	957.26	4786.32	63	0.7575					4786.32	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	80B	77	530.45	40844.99	63	0.7575	32	46	11.16	43.16	22891.76	NT
Keokuk	80B	77	3558.66	274017.07	63	0.7575					274017.07	T
Keokuk	80C	67	590.54	39566.18	63	0.7575	32	36	8.73	40.73	24052.70	NT
Keokuk	80C	67	352.27	23601.90	63	0.7575					23601.90	T
Keokuk	80C2	57	3108.61	177190.52	63	0.7575	32	26	6.31	38.31	119075.14	NT
Keokuk	80C2	57	14350.97	818005.15	63	0.7575					818005.15	T
Keokuk	80D	55	784.61	43153.54	63	0.7575	32	24	5.82	37.82	29673.94	NT
Keokuk	80D	55	125.05	6877.76	63	0.7575					6877.76	T
Keokuk	80D2	52	4161.99	216423.23	63	0.7575	32	20	4.85	36.85	153369.15	NT
Keokuk	80D2	52	10096.59	525022.62	63	0.7575					525022.62	T
Keokuk	80D3	38	2.48	94.27	63	0.7575	32	6	1.46	33.46	83.00	NT
Keokuk	80D3	38	1.20	45.57	63	0.7575					45.57	T
Keokuk	822C2	24	0.11	2.71	63	0.7575	24	0	0.00	24.00	2.71	NT
Keokuk	822D2	15	403.15	6047.24	63	0.7575	15	0	0.00	15.00	6047.24	NT
Keokuk	822D2	15	3771.05	56565.77	63	0.7575					56565.77	T
Keokuk	876B	82	85.27	6992.11	63	0.7575	32	50	12.13	44.13	3762.52	NT
Keokuk	876B	82	836.18	68567.07	63	0.7575					68567.07	T
Keokuk	876C2	65	91.11	5922.12	63	0.7575	32	34	8.25	40.25	3666.70	NT
Keokuk	876C2	65	776.15	50450.04	63	0.7575					50450.04	T
Keokuk	876D2	55	25.23	1387.85	63	0.7575	32	24	5.82	37.82	954.34	NT
Keokuk	876D2	55	130.42	7173.31	63	0.7575					7173.31	T
Keokuk	87B	60	94.26	5655.62	63	0.7575	32	28	6.79	38.79	3656.36	NT
Keokuk	87B	60	224.93	13495.75	63	0.7575					13495.75	T
Keokuk	88	92	0.09	8.67	63	0.7575	32	60	14.55	46.55	4.39	NT
Keokuk	880B	78	56.86	4434.93	63	0.7575	32	46	11.16	43.16	2453.71	NT
Keokuk	880B	78	289.61	22589.25	63	0.7575					22589.25	T
Keokuk	880C2	60	254.83	15289.89	63	0.7575	32	28	6.79	38.79	9884.91	NT
Keokuk	880C2	60	1103.74	66224.28	63	0.7575					66224.28	T
Keokuk	880D2	50	162.72	8135.77	63	0.7575	32	18	4.37	36.37	5917.14	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	880D2	50	599.94	29997.13	63	0.7575					29997.13	T
Keokuk	881B	90	3.90	350.85	63	0.7575	32	58	14.07	46.07	179.58	NT
Keokuk	881B	90	208.25	18742.22	63	0.7575					18742.22	T
Keokuk	8B	90	56.53	5087.75	63	0.7575	32	58	14.07	46.07	2604.08	NT
Keokuk	8B	90	338.55	30469.66	63	0.7575					30469.66	T
Keokuk	8C	66	51.88	3423.78	63	0.7575	32	34	8.25	40.25	2087.73	NT
Keokuk	8C	66	297.08	19606.96	63	0.7575					19606.96	T
Keokuk	911B	85	832.43	70756.54	63	0.7575	32	54	13.10	45.10	37538.43	NT
Keokuk	911B	85	2049.99	174249.28	63	0.7575					174249.28	T
Keokuk	93D2	33	259.21	8553.84	63	0.7575	32	2	0.49	32.49	8420.35	NT
Keokuk	93D2	33	2002.16	66071.24	63	0.7575					66071.24	T
Keokuk	993D2	20	3013.67	60273.46	63	0.7575	20	0	0.00	20.00	60273.46	NT
Keokuk	993D2	20	15173.05	303461.01	63	0.7575					303461.01	T
Keokuk	993E2	10	365.54	3655.43	63	0.7575	10	0	0.00	10.00	3655.43	NT
Keokuk	993E2	10	785.09	7850.85	63	0.7575					7850.85	T
Keokuk	994D2	28	76.64	2146.03	63	0.7575	28	0	0.00	28.00	2146.03	NT
Keokuk	994D2	28	211.71	5927.77	63	0.7575					5927.77	T
Keokuk	994E2	5	54.85	274.26	63	0.7575	5	0	0.00	5.00	274.26	NT
Keokuk	994E2	5	40.86	204.29	63	0.7575					204.29	T
Keokuk	999F	5	186.25	931.26	63	0.7575	5	0	0.00	5.00	931.26	NT
Keokuk	999F	5	56.78	283.91	63	0.7575					283.91	T
Keokuk	999G	5	758.63	3793.17	63	0.7575	5	0	0.00	5.00	3793.17	NT
Keokuk	999G	5	41.79	208.95	63	0.7575					208.95	T
Keokuk	AW	0	6.12	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT
Keokuk	AW	0	0.71	0.00	63	0.7575					0.00	T
Keokuk	C220	25	28.22	705.47	63	0.7575	25	0	0.00	25.00	705.47	NT
Keokuk	C220	25	6.25	156.31	63	0.7575					156.31	T
Keokuk	INT	0	0.12	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT
Keokuk	SL	0	12.00	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Keokuk	W	0	1434.26	0.00	63	0.7575	0	0	0.00	0.00	0.00	NT
Keokuk	W	0	68.99	0.00	63	0.7575					0.00	T
											0.00	
											0.00	
Kossuth	1032	74	24.36	1802.28	72	0.7591	36	38	9.15	45.15	1099.73	NT
Kossuth	1032	74	1749.48	129461.39	72	0.7591					129461.39	T
Kossuth	107	70	1219.96	85397.49	72	0.7591	36	34	8.19	44.19	53910.95	NT
Kossuth	107	70	44957.57	3147029.89	72	0.7591					3147029.89	T
Kossuth	108	52	56.52	2939.14	72	0.7591	36	16	3.85	39.85	2252.65	NT
Kossuth	108	52	400.63	20832.78	72	0.7591					20832.78	T
Kossuth	108B	47	68.82	3234.49	72	0.7591	36	11	2.65	38.65	2659.85	NT
Kossuth	108B	47	599.41	28172.14	72	0.7591					28172.14	T
Kossuth	1133	25	1208.92	30223.07	72	0.7591	25	0	0.00	25.00	30223.07	NT
Kossuth	1133	25	140.81	3520.35	72	0.7591					3520.35	T
Kossuth	1135	25	959.36	23984.09	72	0.7591	25	0	0.00	25.00	23984.09	NT
Kossuth	1135	25	296.50	7412.50	72	0.7591					7412.50	T
Kossuth	133	80	1211.19	96895.03	72	0.7591	36	44	10.60	46.60	56440.87	NT
Kossuth	133	80	2529.03	202322.02	72	0.7591					202322.02	T
Kossuth	133B	75	82.83	6211.93	72	0.7591	36	39	9.40	45.40	3759.88	NT
Kossuth	133B	75	577.68	43326.33	72	0.7591					43326.33	T
Kossuth	135	78	1236.25	96427.88	72	0.7591	36	42	10.12	46.12	57013.36	NT
Kossuth	135	78	2961.89	231027.08	72	0.7591					231027.08	T
Kossuth	138B	73	4331.81	316222.37	72	0.7591	36	37	8.91	44.91	194556.03	NT
Kossuth	138B	73	67288.82	4912083.51	72	0.7591					4912083.51	T
Kossuth	138C	67	178.97	11990.85	72	0.7591	36	31	7.47	43.47	7779.36	NT
Kossuth	138C	67	119.93	8035.20	72	0.7591					8035.20	T
Kossuth	138C2	59	1416.21	83556.40	72	0.7591	36	23	5.54	41.54	58830.36	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Kossuth	138C2	59	23768.43	1402337.53	72	0.7591					1402337.53	T
Kossuth	138D2	56	233.13	13055.27	72	0.7591	36	20	4.82	40.82	9515.90	NT
Kossuth	138D2	56	2020.84	113166.98	72	0.7591					113166.98	T
Kossuth	1485	25	3658.22	91455.62	72	0.7591	25	0	0.00	25.00	91455.62	NT
Kossuth	1485	25	342.41	8560.19	72	0.7591					8560.19	T
Kossuth	150	56	49.98	2799.00	72	0.7591	36	20	4.82	40.82	2040.17	NT
Kossuth	150	56	444.51	24892.71	72	0.7591					24892.71	T
Kossuth	1585	5	0.09	0.47	72	0.7591	5	0	0.00	5.00	0.47	NT
Kossuth	1585	5	0.04	0.19	72	0.7591					0.19	T
Kossuth	1595	74	5.44	402.83	72	0.7591	36	38	9.15	45.15	245.80	NT
Kossuth	1595	74	1043.43	77214.05	72	0.7591					77214.05	T
Kossuth	181B	54	33.63	1815.93	72	0.7591	36	18	4.34	40.34	1356.44	NT
Kossuth	181B	54	832.85	44973.70	72	0.7591					44973.70	T
Kossuth	181C2	38	23.20	881.49	72	0.7591	36	2	0.48	36.48	846.28	NT
Kossuth	181C2	38	395.97	15046.91	72	0.7591					15046.91	T
Kossuth	203	71	89.87	6380.69	72	0.7591	36	35	8.43	44.43	3993.01	NT
Kossuth	203	71	1683.53	119530.63	72	0.7591					119530.63	T
Kossuth	221	25	80.07	2001.64	72	0.7591	25	0	0.00	25.00	2001.64	NT
Kossuth	221	25	4447.36	111184.08	72	0.7591					111184.08	T
Kossuth	224	52	85.90	4466.81	72	0.7591	36	16	3.85	39.85	3423.50	NT
Kossuth	224	52	1128.53	58683.41	72	0.7591					58683.41	T
Kossuth	236B	79	375.29	29648.19	72	0.7591	36	43	10.36	46.36	17398.12	NT
Kossuth	236B	79	204.54	16158.95	72	0.7591					16158.95	T
Kossuth	236C	61	296.99	18116.33	72	0.7591	36	25	6.02	42.02	12480.22	NT
Kossuth	236C	61	64.86	3956.47	72	0.7591					3956.47	T
Kossuth	236F	19	800.73	15213.90	72	0.7591	19	0	0.00	19.00	15213.90	NT
Kossuth	236F	19	45.91	872.26	72	0.7591					872.26	T
Kossuth	259	41	175.12	7180.03	72	0.7591	36	5	1.20	37.20	6515.36	NT
Kossuth	259	41	1684.18	69051.51	72	0.7591					69051.51	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Kossuth	274	39	10.73	418.33	72	0.7591	36	3	0.72	36.72	393.90	NT
Kossuth	274	39	203.01	7917.44	72	0.7591					7917.44	T
Kossuth	28	38	62.71	2383.11	72	0.7591	36	2	0.48	36.48	2287.90	NT
Kossuth	28	38	771.06	29300.38	72	0.7591					29300.38	T
Kossuth	288	81	391.88	31742.30	72	0.7591	36	45	10.84	46.84	18355.87	NT
Kossuth	288	81	9753.10	790000.86	72	0.7591					790000.86	T
Kossuth	28B	14	112.96	1581.40	72	0.7591	14	0	0.00	14.00	1581.40	NT
Kossuth	28B	14	1365.79	19121.13	72	0.7591					19121.13	T
Kossuth	28C2	22	33.79	743.33	72	0.7591	22	0	0.00	22.00	743.33	NT
Kossuth	28C2	22	359.25	7903.48	72	0.7591					7903.48	T
Kossuth	308	43	30.69	1319.74	72	0.7591	36	7	1.69	37.69	1156.66	NT
Kossuth	308	43	302.70	13016.31	72	0.7591					13016.31	T
Kossuth	308B	36	38.70	1393.14	72	0.7591	36	0	0.00	36.00	1393.14	NT
Kossuth	308B	36	417.83	15041.82	72	0.7591					15041.82	T
Kossuth	325	87	71.97	6261.48	72	0.7591	36	51	12.29	48.29	3475.18	NT
Kossuth	325	87	63.10	5489.72	72	0.7591					5489.72	T
Kossuth	330	81	9.11	737.70	72	0.7591	36	45	10.84	46.84	426.59	NT
Kossuth	330	81	472.26	38253.42	72	0.7591					38253.42	T
Kossuth	335	59	125.00	7374.93	72	0.7591	36	23	5.54	41.54	5192.54	NT
Kossuth	335	59	3193.87	188438.49	72	0.7591					188438.49	T
Kossuth	339B	76	28.15	2139.05	72	0.7591	36	40	9.64	45.64	1284.44	NT
Kossuth	339B	76	374.93	28494.53	72	0.7591					28494.53	T
Kossuth	34	15	86.62	1299.25	72	0.7591	15	0	0.00	15.00	1299.25	NT
Kossuth	34	15	681.65	10224.80	72	0.7591					10224.80	T
Kossuth	348	70	259.72	18180.62	72	0.7591	36	34	8.19	44.19	11477.32	NT
Kossuth	348	70	5729.71	401079.78	72	0.7591					401079.78	T
Kossuth	349	71	65.97	4683.86	72	0.7591	36	35	8.43	44.43	2931.14	NT
Kossuth	349	71	1289.12	91527.58	72	0.7591					91527.58	T
Kossuth	34B	15	241.98	3629.77	72	0.7591	15	0	0.00	15.00	3629.77	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Kossuth	34B	15	1243.73	18655.92	72	0.7591					18655.92	T
Kossuth	34C2	15	137.78	2066.76	72	0.7591	15	0	0.00	15.00	2066.76	NT
Kossuth	34C2	15	433.82	6507.36	72	0.7591					6507.36	T
Kossuth	354	5	807.09	4035.47	72	0.7591	5	0	0.00	5.00	4035.47	NT
Kossuth	354	5	95.05	475.26	72	0.7591					475.26	T
Kossuth	388	77	585.96	45119.11	72	0.7591	36	41	9.88	45.88	26882.14	NT
Kossuth	388	77	24699.73	1901879.35	72	0.7591					1901879.35	T
Kossuth	389	66	39.24	2589.69	72	0.7591	36	30	7.23	43.23	1696.13	NT
Kossuth	389	66	2010.82	132714.39	72	0.7591					132714.39	T
Kossuth	485	92	354.03	32570.35	72	0.7591	36	56	13.49	49.49	17520.87	NT
Kossuth	485	92	1022.59	94078.65	72	0.7591					94078.65	T
Kossuth	485B	82	456.91	37466.89	72	0.7591	36	46	11.08	47.08	21512.12	NT
Kossuth	485B	82	3486.24	285871.46	72	0.7591					285871.46	T
Kossuth	5010	0	625.94	0.00	72	0.7591	0	0	0.00	0.00	0.00	NT
Kossuth	5010	0	98.13	0.00	72	0.7591					0.00	T
Kossuth	5040	5	195.31	976.56	72	0.7591	5	0	0.00	5.00	976.56	NT
Kossuth	5040	5	354.41	1772.06	72	0.7591					1772.06	T
Kossuth	506	69	2.98	205.47	72	0.7591	36	33	7.95	43.95	130.87	NT
Kossuth	506	69	1188.41	82000.60	72	0.7591					82000.60	T
Kossuth	507	71	2562.06	181906.44	72	0.7591	36	35	8.43	44.43	113836.28	NT
Kossuth	507	71	119559.98	8488758.80	72	0.7591					8488758.80	T
Kossuth	511	57	149.36	8513.56	72	0.7591	36	21	5.06	41.06	6132.59	NT
Kossuth	511	57	723.77	41255.01	72	0.7591					41255.01	T
Kossuth	52B	78	89.20	6957.97	72	0.7591	36	42	10.12	46.12	4113.93	NT
Kossuth	52B	78	1381.14	107729.13	72	0.7591					107729.13	T
Kossuth	54	70	284.19	19893.59	72	0.7591	36	34	8.19	44.19	12558.71	NT
Kossuth	54	70	550.46	38531.98	72	0.7591					38531.98	T
Kossuth	55	73	4106.38	299765.63	72	0.7591	36	37	8.91	44.91	184431.01	NT
Kossuth	55	73	102140.79	7456277.32	72	0.7591					7456277.32	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Kossuth	559	40	98.65	3945.89	72	0.7591	36	4	0.96	36.96	3646.35	NT
Kossuth	559	40	1787.33	71493.30	72	0.7591					71493.30	T
Kossuth	585B	70	1379.71	96579.54	72	0.7591	36	34	8.19	44.19	60970.11	NT
Kossuth	585B	70	1403.18	98222.45	72	0.7591					98222.45	T
Kossuth	6	43	577.96	24852.38	72	0.7591	36	7	1.69	37.69	21781.26	NT
Kossuth	6	43	38887.02	1672141.79	72	0.7591					1672141.79	T
Kossuth	62C2	53	229.82	12180.35	72	0.7591	36	17	4.10	40.10	9214.62	NT
Kossuth	62C2	53	6018.99	319006.64	72	0.7591					319006.64	T
Kossuth	62D2	38	605.81	23020.73	72	0.7591	36	2	0.48	36.48	22100.99	NT
Kossuth	62D2	38	4605.05	174991.84	72	0.7591					174991.84	T
Kossuth	62E2	28	571.65	16006.09	72	0.7591	28	0	0.00	28.00	16006.09	NT
Kossuth	62E2	28	1237.65	34654.19	72	0.7591					34654.19	T
Kossuth	62F	7	422.57	2957.96	72	0.7591	7	0	0.00	7.00	2957.96	NT
Kossuth	62F	7	329.10	2303.68	72	0.7591					2303.68	T
Kossuth	62G	5	477.16	2385.78	72	0.7591	5	0	0.00	5.00	2385.78	NT
Kossuth	62G	5	135.30	676.49	72	0.7591					676.49	T
Kossuth	638B	68	52.87	3594.82	72	0.7591	36	32	7.71	43.71	2310.67	NT
Kossuth	638B	68	3277.57	222875.09	72	0.7591					222875.09	T
Kossuth	638B2	71	0.02	1.23	72	0.7591					1.23	T
Kossuth	639C2	24	20.00	479.90	72	0.7591	24	0	0.00	24.00	479.90	NT
Kossuth	639C2	24	394.17	9460.12	72	0.7591					9460.12	T
Kossuth	639D2	18	51.61	929.06	72	0.7591	18	0	0.00	18.00	929.06	NT
Kossuth	639D2	18	370.19	6663.50	72	0.7591					6663.50	T
Kossuth	654	72	27.34	1968.36	72	0.7591	36	36	8.67	44.67	1221.27	NT
Kossuth	654	72	1204.51	86724.98	72	0.7591					86724.98	T
Kossuth	655	71	236.12	16764.59	72	0.7591	36	35	8.43	44.43	10491.21	NT
Kossuth	655	71	14852.51	1054528.13	72	0.7591					1054528.13	T
Kossuth	658	64	55.14	3528.83	72	0.7591	36	28	6.75	42.75	2356.89	NT
Kossuth	658	64	772.10	49414.60	72	0.7591					49414.60	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Kossuth	733	64	901.41	57690.53	72	0.7591	36	28	6.75	42.75	38531.14	NT
Kossuth	733	64	1765.72	113006.38	72	0.7591					113006.38	T
Kossuth	73C2	5	16.91	84.53	72	0.7591	5	0	0.00	5.00	84.53	NT
Kossuth	73C2	5	202.03	1010.13	72	0.7591					1010.13	T
Kossuth	73E2	5	91.72	458.60	72	0.7591	5	0	0.00	5.00	458.60	NT
Kossuth	73E2	5	108.54	542.72	72	0.7591					542.72	T
Kossuth	823	38	149.73	5689.91	72	0.7591	36	2	0.48	36.48	5462.59	NT
Kossuth	823	38	1128.21	42872.15	72	0.7591					42872.15	T
Kossuth	823B	35	169.82	5943.71	72	0.7591	35	0	0.00	35.00	5943.71	NT
Kossuth	823B	35	1592.46	55736.14	72	0.7591					55736.14	T
Kossuth	823C2	29	36.71	1064.54	72	0.7591	29	0	0.00	29.00	1064.54	NT
Kossuth	823C2	29	228.92	6638.70	72	0.7591					6638.70	T
Kossuth	879	73	84.79	6189.89	72	0.7591	36	37	8.91	44.91	3808.34	NT
Kossuth	879	73	2196.79	160365.33	72	0.7591					160365.33	T
Kossuth	895	51	29.26	1492.50	72	0.7591	36	15	3.61	39.61	1159.27	NT
Kossuth	895	51	587.57	29966.22	72	0.7591					29966.22	T
Kossuth	90	42	139.47	5857.89	72	0.7591	36	6	1.45	37.45	5222.64	NT
Kossuth	90	42	10845.32	455503.39	72	0.7591					455503.39	T
Kossuth	95	57	469.62	26768.26	72	0.7591	36	21	5.06	41.06	19282.02	NT
Kossuth	95	57	40250.20	2294261.66	72	0.7591					2294261.66	T
Kossuth	AW	0	20.93	0.00	72	0.7591	0	0	0.00	0.00	0.00	NT
Kossuth	AW	0	0.00	0.00	72	0.7591					0.00	T
Kossuth	INT	0	90.86	0.00	72	0.7591	0	0	0.00	0.00	0.00	NT
Kossuth	INT	0	2.80	0.00	72	0.7591					0.00	T
Kossuth	SL	0	44.84	0.00	72	0.7591	0	0	0.00	0.00	0.00	NT
Kossuth	SL	0	0.21	0.00	72	0.7591					0.00	T
Kossuth	W	0	1677.38	0.00	72	0.7591	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Kossuth	W	0	2.84	0.00	72	0.7591					0.00	T
											0.00	
											0.00	
Lee	1057	68	35.09	2386.37	57	0.7267	28	40	10.93	38.93	1366.26	NT
Lee	1057	68	415.68	28266.18	57	0.7267					28266.18	T
Lee	1130	60	26.16	1569.35	57	0.7267	28	32	8.75	36.75	961.11	NT
Lee	1130	60	683.78	41026.97	57	0.7267					41026.97	T
Lee	1131B	65	49.55	3220.45	57	0.7267	28	36	9.84	37.84	1874.74	NT
Lee	1131B	65	629.70	40930.31	57	0.7267					40930.31	T
Lee	1152	68	65.06	4423.96	57	0.7267	28	40	10.93	38.93	2532.85	NT
Lee	1152	68	713.11	48491.47	57	0.7267					48491.47	T
Lee	115D	11	125.90	1384.90	57	0.7267	11	0	0.00	11.00	1384.90	NT
Lee	115D	11	102.42	1126.67	57	0.7267					1126.67	T
Lee	1180	76	106.59	8101.07	57	0.7267	28	48	13.12	41.12	4382.93	NT
Lee	1180	76	698.62	53095.45	57	0.7267					53095.45	T
Lee	1180B	73	346.48	25292.79	57	0.7267	28	44	12.03	40.03	13867.79	NT
Lee	1180B	73	660.52	48217.88	57	0.7267					48217.88	T
Lee	1181	71	33.56	2382.99	57	0.7267	28	42	11.48	39.48	1325.03	NT
Lee	1181	71	381.01	27051.67	57	0.7267					27051.67	T
Lee	1220	25	2197.67	54941.69	57	0.7267	25	0	0.00	25.00	54941.69	NT
Lee	1220	25	1730.11	43252.63	57	0.7267					43252.63	T
Lee	1226	72	103.19	7429.56	57	0.7267	28	44	12.03	40.03	4130.14	NT
Lee	1226	72	1365.79	98337.04	57	0.7267					98337.04	T
Lee	1260	50	55.23	2761.68	57	0.7267	28	22	6.01	34.01	1878.64	NT
Lee	1260	50	143.91	7195.57	57	0.7267					7195.57	T
Lee	130	63	344.53	21705.31	57	0.7267	28	34	9.29	37.29	12848.23	NT
Lee	130	63	5680.18	357851.46	57	0.7267					357851.46	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	1316	5	660.60	3302.99	57	0.7267	5	0	0.00	5.00	3302.99	NT
Lee	1316	5	332.89	1664.46	57	0.7267					1664.46	T
Lee	131B	67	1342.99	89980.19	57	0.7267	28	38	10.39	38.39	51551.13	NT
Lee	131B	67	12401.92	830928.66	57	0.7267					830928.66	T
Lee	131C2	45	1243.56	55960.15	57	0.7267	28	16	4.37	32.37	40257.48	NT
Lee	131C2	45	9010.71	405481.80	57	0.7267					405481.80	T
Lee	132B	60	2742.59	164555.48	57	0.7267	28	32	8.75	36.75	100778.16	NT
Lee	132B	60	7533.39	452003.64	57	0.7267					452003.64	T
Lee	132C2	40	7812.40	312495.96	57	0.7267	28	12	3.28	31.28	244368.72	NT
Lee	132C2	40	11929.39	477175.46	57	0.7267					477175.46	T
Lee	132D2	28	74.90	2097.18	57	0.7267	28	0	0.00	28.00	2097.18	NT
Lee	132D2	28	142.36	3986.09	57	0.7267					3986.09	T
Lee	133	80	150.87	12069.77	57	0.7267	28	52	14.21	42.21	6368.56	NT
Lee	133	80	1247.06	99764.68	57	0.7267					99764.68	T
Lee	13B	65	1518.03	98671.82	57	0.7267	28	36	9.84	37.84	57440.36	NT
Lee	13B	65	1706.53	110924.51	57	0.7267					110924.51	T
Lee	140	50	200.56	10028.00	57	0.7267	28	22	6.01	34.01	6821.57	NT
Lee	140	50	2358.05	117902.38	57	0.7267					117902.38	T
Lee	154G		1524.07		57	0.7267			0.00	0.00	0.00	NT
Lee	154G		46.96		57	0.7267					0.00	T
Lee	162B	90	43.65	3928.47	57	0.7267	28	62	16.94	44.94	1961.82	NT
Lee	162B	90	349.28	31434.99	57	0.7267					31434.99	T
Lee	163B	85	185.91	15802.05	57	0.7267	28	56	15.30	43.30	8050.64	NT
Lee	163B	85	302.81	25738.65	57	0.7267					25738.65	T
Lee	163C2	68	577.46	39267.41	57	0.7267	28	40	10.93	38.93	22481.75	NT
Lee	163C2	68	626.88	42627.53	57	0.7267					42627.53	T
Lee	172	45	11.02	495.69	57	0.7267	28	16	4.37	32.37	356.60	NT
Lee	172	45	452.50	20362.62	57	0.7267					20362.62	T
Lee	173	60	53.77	3225.99	57	0.7267	28	32	8.75	36.75	1975.68	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	173	60	386.15	23169.08	57	0.7267					23169.08	T
Lee	175	60	118.44	7106.23	57	0.7267	28	32	8.75	36.75	4352.04	NT
Lee	175	60	1418.28	85096.51	57	0.7267					85096.51	T
Lee	175B	56	67.15	3760.33	57	0.7267	28	28	7.65	35.65	2394.01	NT
Lee	175B	56	401.75	22498.09	57	0.7267					22498.09	T
Lee	177	64	31.04	1986.62	57	0.7267	28	36	9.84	37.84	1174.55	NT
Lee	177	64	201.09	12869.89	57	0.7267					12869.89	T
Lee	179C	55	99.79	5488.18	57	0.7267	28	26	7.11	35.11	3503.03	NT
Lee	179C	55	99.16	5453.93	57	0.7267					5453.93	T
Lee	180	76	97.42	7404.11	57	0.7267	28	48	13.12	41.12	4005.86	NT
Lee	180	76	448.18	34061.57	57	0.7267					34061.57	T
Lee	180B	73	271.89	19847.68	57	0.7267	28	44	12.03	40.03	10882.29	NT
Lee	180B	73	872.18	63668.93	57	0.7267					63668.93	T
Lee	208	55	3047.58	167616.94	57	0.7267	28	26	7.11	35.11	106987.76	NT
Lee	208	55	1556.84	85626.36	57	0.7267					85626.36	T
Lee	211	60	219.33	13159.70	57	0.7267	28	32	8.75	36.75	8059.35	NT
Lee	211	60	9391.65	563498.72	57	0.7267					563498.72	T
Lee	220	85	708.75	60243.37	57	0.7267	28	56	15.30	43.30	30692.08	NT
Lee	220	85	1878.77	159695.84	57	0.7267					159695.84	T
Lee	222C	30	334.24	10027.30	57	0.7267	28	2	0.55	28.55	9541.52	NT
Lee	222C	30	950.53	28515.84	57	0.7267					28515.84	T
Lee	222C2	25	263.51	6587.69	57	0.7267	25	0	0.00	25.00	6587.69	NT
Lee	222C2	25	1247.93	31198.28	57	0.7267					31198.28	T
Lee	223C	27	1745.36	47124.75	57	0.7267	27	0	0.00	27.00	47124.75	NT
Lee	223C	27	4858.70	131184.99	57	0.7267					131184.99	T
Lee	223D2	9	415.42	3738.78	57	0.7267	9	0	0.00	9.00	3738.78	NT
Lee	223D2	9	560.40	5043.57	57	0.7267					5043.57	T
Lee	23C	55	271.96	14957.79	57	0.7267	28	26	7.11	35.11	9547.37	NT
Lee	23C	55	2190.74	120490.97	57	0.7267					120490.97	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	23C2	50	387.04	19351.97	57	0.7267	28	22	6.01	34.01	13164.21	NT
Lee	23C2	50	3863.46	193172.90	57	0.7267					193172.90	T
Lee	260	50	249.47	12473.56	57	0.7267	28	22	6.01	34.01	8485.16	NT
Lee	260	50	1889.01	94450.72	57	0.7267					94450.72	T
Lee	263	53	134.38	7122.32	57	0.7267	28	24	6.56	34.56	4644.18	NT
Lee	263	53	633.35	33567.51	57	0.7267					33567.51	T
Lee	291	90	9.34	840.25	57	0.7267	28	62	16.94	44.94	419.61	NT
Lee	291	90	236.63	21296.97	57	0.7267					21296.97	T
Lee	315	30	547.07	16411.99	57	0.7267	28	2	0.55	28.55	15616.88	NT
Lee	315	30	404.03	12120.90	57	0.7267					12120.90	T
Lee	3208	61	0.31	19.20	57	0.7267	28	32	8.75	36.75	11.57	NT
Lee	3220	95	5.79	549.97	57	0.7267	28	66	18.04	46.04	266.52	NT
Lee	3520	72	1.45	104.29	57	0.7267	28	44	12.03	40.03	57.98	NT
Lee	354	5	244.31	1221.53	57	0.7267	5	0	0.00	5.00	1221.53	NT
Lee	354	5	63.87	319.34	57	0.7267					319.34	T
Lee	362	70	380.83	26658.27	57	0.7267	28	42	11.48	39.48	15034.73	NT
Lee	362	70	15174.68	1062227.44	57	0.7267					1062227.44	T
Lee	363	65	8.21	533.56	57	0.7267	28	36	9.84	37.84	310.60	NT
Lee	363	65	2065.80	134276.68	57	0.7267					134276.68	T
Lee	364	80	103.10	8248.32	57	0.7267	28	52	14.21	42.21	4352.18	NT
Lee	364	80	1366.34	109307.26	57	0.7267					109307.26	T
Lee	364B	75	1076.46	80734.22	57	0.7267	28	46	12.57	40.57	43673.77	NT
Lee	364B	75	19244.21	1443316.07	57	0.7267					1443316.07	T
Lee	3720	67	0.12	7.93	57	0.7267	28	38	10.39	38.39	4.54	NT
Lee	380	95	82.18	7807.22	57	0.7267	28	66	18.04	46.04	3783.45	NT
Lee	380	95	1989.62	189013.68	57	0.7267					189013.68	T
Lee	41	40	246.82	9872.78	57	0.7267	28	12	3.28	31.28	7720.42	NT
Lee	41	40	1052.00	42079.91	57	0.7267					42079.91	T
Lee	41B	40	212.33	8493.34	57	0.7267	28	12	3.28	31.28	6641.71	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	41B	40	683.83	27353.18	57	0.7267					27353.18	T
Lee	424D2	15	1514.28	22714.21	57	0.7267	15	0	0.00	15.00	22714.21	NT
Lee	424D2	15	616.66	9249.90	57	0.7267					9249.90	T
Lee	424D3	5	235.11	1175.57	57	0.7267	5	0	0.00	5.00	1175.57	NT
Lee	424D3	5	123.41	617.07	57	0.7267					617.07	T
Lee	425C2	24	1087.68	26104.23	57	0.7267	24	0	0.00	24.00	26104.23	NT
Lee	425C2	24	902.33	21656.04	57	0.7267					21656.04	T
Lee	425D2	12	6092.70	73112.35	57	0.7267	12	0	0.00	12.00	73112.35	NT
Lee	425D2	12	2668.81	32025.71	57	0.7267					32025.71	T
Lee	425D3	9	352.49	3172.39	57	0.7267	9	0	0.00	9.00	3172.39	NT
Lee	425D3	9	322.31	2900.83	57	0.7267					2900.83	T
Lee	452C2	30	102.75	3082.61	57	0.7267	28	2	0.55	28.55	2933.27	NT
Lee	452C2	30	217.76	6532.83	57	0.7267					6532.83	T
Lee	453	53	56.22	2979.80	57	0.7267	28	24	6.56	34.56	1943.01	NT
Lee	453	53	706.68	37454.04	57	0.7267					37454.04	T
Lee	478G	5	1150.89	5754.47	57	0.7267	5	0	0.00	5.00	5754.47	NT
Lee	478G	5	44.93	224.65	57	0.7267					224.65	T
Lee	484	90	150.98	13588.57	57	0.7267	28	62	16.94	44.94	6785.92	NT
Lee	484	90	1600.29	144026.07	57	0.7267					144026.07	T
Lee	485	92	40.57	3732.47	57	0.7267	28	64	17.49	45.49	1845.59	NT
Lee	485	92	441.35	40604.47	57	0.7267					40604.47	T
Lee	499D2	5	406.08	2030.39	57	0.7267	5	0	0.00	5.00	2030.39	NT
Lee	499D2	5	156.41	782.06	57	0.7267					782.06	T
Lee	499F	5	503.30	2516.51	57	0.7267	5	0	0.00	5.00	2516.51	NT
Lee	499F	5	52.39	261.95	57	0.7267					261.95	T
Lee	5010	0	47.21	0.00	57	0.7267	0	0	0.00	0.00	0.00	NT
Lee	5010	0	12.89	0.00	57	0.7267					0.00	T
Lee	5030	0	233.24	0.00	57	0.7267	0	0	0.00	0.00	0.00	NT
Lee	5030	0	22.43	0.00	57	0.7267					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	5040	5	447.68	2238.39	57	0.7267	5	0	0.00	5.00	2238.39	NT
Lee	5040	5	122.48	612.40	57	0.7267					612.40	T
Lee	51	70	392.27	27458.96	57	0.7267	28	42	11.48	39.48	15486.30	NT
Lee	51	70	669.72	46880.57	57	0.7267					46880.57	T
Lee	520	65	643.98	41858.78	57	0.7267	28	36	9.84	37.84	24367.47	NT
Lee	520	65	1045.65	67967.49	57	0.7267					67967.49	T
Lee	56	72	183.88	13239.25	57	0.7267	28	44	12.03	40.03	7359.77	NT
Lee	56	72	1135.31	81742.41	57	0.7267					81742.41	T
Lee	56B	72	781.67	56280.29	57	0.7267	28	44	12.03	40.03	31286.52	NT
Lee	56B	72	1037.02	74665.80	57	0.7267					74665.80	T
Lee	57	68	28.57	1942.86	57	0.7267	28	40	10.93	38.93	1112.35	NT
Lee	57	68	143.62	9766.37	57	0.7267					9766.37	T
Lee	587	65	291.62	18955.32	57	0.7267	28	36	9.84	37.84	11034.56	NT
Lee	587	65	6250.35	406273.07	57	0.7267					406273.07	T
Lee	58D2	28	635.86	17804.02	57	0.7267	28	0	0.00	28.00	17804.02	NT
Lee	58D2	28	297.95	8342.70	57	0.7267					8342.70	T
Lee	58E2	18	2279.90	41038.28	57	0.7267	18	0	0.00	18.00	41038.28	NT
Lee	58E2	18	329.95	5939.10	57	0.7267					5939.10	T
Lee	58G	5	10.29	51.45	57	0.7267	5	0	0.00	5.00	51.45	NT
Lee	594C2	18	158.66	2855.95	57	0.7267	18	0	0.00	18.00	2855.95	NT
Lee	594C2	18	239.12	4304.13	57	0.7267					4304.13	T
Lee	594D2	5	954.70	4773.48	57	0.7267	5	0	0.00	5.00	4773.48	NT
Lee	594D2	5	715.68	3578.38	57	0.7267					3578.38	T
Lee	594D3	5	128.46	642.31	57	0.7267	5	0	0.00	5.00	642.31	NT
Lee	594D3	5	172.88	864.40	57	0.7267					864.40	T
Lee	594E2	5	413.83	2069.15	57	0.7267	5	0	0.00	5.00	2069.15	NT
Lee	594E2	5	125.01	625.05	57	0.7267					625.05	T
Lee	63	41	136.63	5601.70	57	0.7267	28	12	3.28	31.28	4273.63	NT
Lee	63	41	192.01	7872.52	57	0.7267					7872.52	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	63B	40	71.69	2867.48	57	0.7267	28	12	3.28	31.28	2242.34	NT
Lee	63B	40	140.73	5629.07	57	0.7267					5629.07	T
Lee	65E2	24	7064.61	169550.66	57	0.7267	24	0	0.00	24.00	169550.66	NT
Lee	65E2	24	1126.05	27025.22	57	0.7267					27025.22	T
Lee	65E3	25	499.09	12477.24	57	0.7267	25	0	0.00	25.00	12477.24	NT
Lee	65E3	25	150.11	3752.65	57	0.7267					3752.65	T
Lee	65F	10	1.14	11.41	57	0.7267	10	0	0.00	10.00	11.41	NT
Lee	65F	10	0.04	0.39	57	0.7267					0.39	T
Lee	65F2	8	15946.63	127573.04	57	0.7267	8	0	0.00	8.00	127573.04	NT
Lee	65F2	8	1105.91	8847.31	57	0.7267					8847.31	T
Lee	65G	5	5417.31	27086.57	57	0.7267	5	0	0.00	5.00	27086.57	NT
Lee	65G	5	130.55	652.77	57	0.7267					652.77	T
Lee	687	85	33.67	2861.58	57	0.7267	28	56	15.30	43.30	1457.88	NT
Lee	687	85	313.56	26652.45	57	0.7267					26652.45	T
Lee	688	85	116.72	9921.47	57	0.7267	28	56	15.30	43.30	5054.67	NT
Lee	688	85	1914.28	162713.44	57	0.7267					162713.44	T
Lee	719B	55	2.50	137.60	57	0.7267	28	26	7.11	35.11	87.83	NT
Lee	720	60	73.50	4409.73	57	0.7267	28	32	8.75	36.75	2700.64	NT
Lee	720	60	351.42	21085.39	57	0.7267					21085.39	T
Lee	730B	61	7507.26	457942.61	57	0.7267	28	32	8.75	36.75	275858.62	NT
Lee	730B	61	1215.79	74163.44	57	0.7267					74163.44	T
Lee	731C2	45	0.01	0.54	57	0.7267	28	16	4.37	32.37	0.39	NT
Lee	731C2	45	0.29	13.11	57	0.7267					13.11	T
Lee	732C2	40	0.14	5.61	57	0.7267	28	12	3.28	31.28	4.39	NT
Lee	732C2	40	0.68	27.30	57	0.7267					27.30	T
Lee	75	75	129.85	9738.56	57	0.7267	28	46	12.57	40.57	5268.15	NT
Lee	75	75	1320.31	99022.98	57	0.7267					99022.98	T
Lee	763D2	56	367.05	20554.82	57	0.7267	28	28	7.65	35.65	13086.23	NT
Lee	763D2	56	286.92	16067.55	57	0.7267					16067.55	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	792C2	26	158.10	4110.50	57	0.7267	26	0	0.00	26.00	4110.50	NT
Lee	792C2	26	571.65	14862.82	57	0.7267					14862.82	T
Lee	792D2	11	400.40	4404.40	57	0.7267	11	0	0.00	11.00	4404.40	NT
Lee	792D2	11	938.45	10322.98	57	0.7267					10322.98	T
Lee	793	85	27.21	2312.70	57	0.7267	28	56	15.30	43.30	1178.25	NT
Lee	793	85	194.28	16514.21	57	0.7267					16514.21	T
Lee	793B	80	146.58	11726.44	57	0.7267	28	52	14.21	42.21	6187.40	NT
Lee	793B	80	495.43	39634.61	57	0.7267					39634.61	T
Lee	793C2	61	148.44	9054.56	57	0.7267	28	32	8.75	36.75	5454.35	NT
Lee	793C2	61	304.05	18547.30	57	0.7267					18547.30	T
Lee	795C2	15	1541.64	23124.61	57	0.7267	15	0	0.00	15.00	23124.61	NT
Lee	795C2	15	1920.54	28808.04	57	0.7267					28808.04	T
Lee	795C3	5	191.26	956.30	57	0.7267	5	0	0.00	5.00	956.30	NT
Lee	795C3	5	324.67	1623.33	57	0.7267					1623.33	T
Lee	795D2	5	4955.52	24777.59	57	0.7267	5	0	0.00	5.00	24777.59	NT
Lee	795D2	5	1795.21	8976.03	57	0.7267					8976.03	T
Lee	795D3	5	255.95	1279.75	57	0.7267	5	0	0.00	5.00	1279.75	NT
Lee	795D3	5	215.42	1077.11	57	0.7267					1077.11	T
Lee	80B	77	714.56	55021.25	57	0.7267	28	48	13.12	41.12	29381.64	NT
Lee	80B	77	1087.60	83745.03	57	0.7267					83745.03	T
Lee	80C2	57	3164.10	180353.98	57	0.7267	28	28	7.65	35.65	112807.94	NT
Lee	80C2	57	2519.53	143613.16	57	0.7267					143613.16	T
Lee	80D2	52	374.45	19471.39	57	0.7267	28	24	6.56	34.56	12940.68	NT
Lee	80D2	52	170.52	8867.14	57	0.7267					8867.14	T
Lee	81B	78	59.66	4653.74	57	0.7267	28	50	13.67	41.67	2485.87	NT
Lee	81B	78	275.19	21465.13	57	0.7267					21465.13	T
Lee	81C2	58	85.42	4954.51	57	0.7267	28	30	8.20	36.20	3092.21	NT
Lee	81C2	58	226.86	13157.61	57	0.7267					13157.61	T
Lee	820	40	68.34	2733.50	57	0.7267	28	12	3.28	31.28	2137.57	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	820	40	783.89	31355.41	57	0.7267					31355.41	T
Lee	832B	55	268.70	14778.65	57	0.7267	28	26	7.11	35.11	9433.02	NT
Lee	832B	55	527.11	28991.08	57	0.7267					28991.08	T
Lee	832C2	30	182.03	5460.90	57	0.7267	28	2	0.55	28.55	5196.34	NT
Lee	832C2	30	437.32	13119.55	57	0.7267					13119.55	T
Lee	880B	78	154.78	12072.56	57	0.7267	28	50	13.67	41.67	6448.76	NT
Lee	880B	78	279.59	21807.81	57	0.7267					21807.81	T
Lee	880C	65	4.70	305.73	57	0.7267	28	36	9.84	37.84	177.98	NT
Lee	880C2	60	886.31	53178.70	57	0.7267	28	32	8.75	36.75	32568.05	NT
Lee	880C2	60	1154.56	69273.34	57	0.7267					69273.34	T
Lee	950	45	75.56	3400.22	57	0.7267	28	16	4.37	32.37	2446.11	NT
Lee	950	45	429.64	19333.76	57	0.7267					19333.76	T
Lee	950B	40	60.99	2439.44	57	0.7267	28	12	3.28	31.28	1907.62	NT
Lee	950B	40	130.56	5222.58	57	0.7267					5222.58	T
Lee	950D2	5	113.63	568.15	57	0.7267	5	0	0.00	5.00	568.15	NT
Lee	950D2	5	115.69	578.46	57	0.7267					578.46	T
Lee	952	45	61.07	2747.96	57	0.7267	28	16	4.37	32.37	1976.87	NT
Lee	952	45	101.44	4564.81	57	0.7267					4564.81	T
Lee	977	95	105.83	10053.47	57	0.7267	28	66	18.04	46.04	4872.00	NT
Lee	977	95	1143.63	108644.56	57	0.7267					108644.56	T
Lee	978	90	214.41	19296.84	57	0.7267	28	62	16.94	44.94	9636.54	NT
Lee	978	90	1283.44	115509.85	57	0.7267					115509.85	T
Lee	993D2	20	145.45	2908.97	57	0.7267	20	0	0.00	20.00	2908.97	NT
Lee	993D2	20	290.47	5809.33	57	0.7267					5809.33	T
Lee	AW	0	0.61	0.00	57	0.7267	0	0	0.00	0.00	0.00	NT
Lee	BW	0	9.20	0.00	57	0.7267					0.00	T
Lee	INT	0	63.90	0.00	57	0.7267	0	0	0.00	0.00	0.00	NT
Lee	INT	0	4.93	0.00	57	0.7267					0.00	T
Lee	SL	0	6.25	0.00	57	0.7267	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lee	W	0	1751.69	0.00	57	0.7267	0	0	0.00	0.00	0.00	NT
Lee	W	0	27.21	0.00	57	0.7267					0.00	T
											0.00	
											0.00	
Linn	1088	88	0.13	11.57	73	0.7598					11.57	T
Linn	109C	10	10.78	107.81	73	0.7598	10	0	0.00	10.00	107.81	NT
Linn	109C	10	0.55	5.54	73	0.7598					5.54	T
Linn	110B	47	284.09	13352.08	73	0.7598	36	10	2.40	38.40	10909.50	NT
Linn	110B	47	547.97	25754.69	73	0.7598					25754.69	T
Linn	110C	44	169.91	7476.22	73	0.7598	36	8	1.92	37.92	6443.42	NT
Linn	110C	44	335.58	14765.43	73	0.7598					14765.43	T
Linn	1152	68	1117.81	76010.81	73	0.7598	36	32	7.69	43.69	48832.92	NT
Linn	1152	68	4789.21	325666.22	73	0.7598					325666.22	T
Linn	118	95	47.21	4484.70	73	0.7598	36	58	13.93	49.93	2357.14	NT
Linn	118	95	472.61	44897.97	73	0.7598					44897.97	T
Linn	119A	100	37.60	3759.81	73	0.7598	36	64	15.37	51.37	1931.52	NT
Linn	119A	100	753.41	75340.75	73	0.7598					75340.75	T
Linn	119B	95	0.25	23.50	73	0.7598					23.50	T
Linn	11B	68	1571.42	106856.64	73	0.7598	36	32	7.69	43.69	68649.73	NT
Linn	11B	68	5020.95	341424.54	73	0.7598					341424.54	T
Linn	120A	100	10.75	1075.31	73	0.7598	36	64	15.37	51.37	552.42	NT
Linn	120A	100	260.31	26031.45	73	0.7598					26031.45	T
Linn	120B	95	480.05	45605.14	73	0.7598	36	58	13.93	49.93	23969.87	NT
Linn	120B	95	4700.89	446584.44	73	0.7598					446584.44	T
Linn	120C	80	223.16	17852.70	73	0.7598	36	44	10.57	46.57	10392.23	NT
Linn	120C	80	2051.57	164125.87	73	0.7598					164125.87	T
Linn	120C2	78	23.69	1847.45	73	0.7598	36	42	10.09	46.09	1091.61	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	120C2	78	568.99	44380.87	73	0.7598					44380.87	T
Linn	1226	72	467.04	33627.03	73	0.7598	36	36	8.65	44.65	20852.12	NT
Linn	1226	72	3496.55	251751.49	73	0.7598					251751.49	T
Linn	127	95	0.34	31.94	73	0.7598	36	58	13.93	49.93	16.79	NT
Linn	127	95	0.07	6.30	73	0.7598					6.30	T
Linn	129B	63	0.01	0.77	73	0.7598	36	26	6.25	42.25	0.52	NT
Linn	1315	34	0.02	0.73	73	0.7598	34	0	0.00	34.00	0.73	NT
Linn	133	80	1908.44	152675.27	73	0.7598	36	44	10.57	46.57	88873.80	NT
Linn	133	80	7800.18	624014.04	73	0.7598					624014.04	T
Linn	133+	85	198.50	16872.45	73	0.7598	36	48	11.53	47.53	9434.60	NT
Linn	133+	85	829.74	70527.74	73	0.7598					70527.74	T
Linn	142	83	1.32	109.47	73	0.7598	36	46	11.05	47.05	62.05	NT
Linn	142	83	0.00	0.15	73	0.7598					0.15	T
Linn	154F	5	123.60	618.01	73	0.7598	5	0	0.00	5.00	618.01	NT
Linn	154F	5	57.93	289.63	73	0.7598					289.63	T
Linn	1585	5	1.38	6.88	73	0.7598	5	0	0.00	5.00	6.88	NT
Linn	1585	5	0.02	0.10	73	0.7598					0.10	T
Linn	160	67	10.37	694.68	73	0.7598	36	30	7.21	43.21	447.98	NT
Linn	160	67	210.39	14096.44	73	0.7598					14096.44	T
Linn	162B	90	211.78	19060.11	73	0.7598	36	54	12.97	48.97	10370.99	NT
Linn	162B	90	1012.75	91147.18	73	0.7598					91147.18	T
Linn	162C	75	242.59	18194.09	73	0.7598	36	38	9.13	45.13	10947.41	NT
Linn	162C	75	665.40	49904.78	73	0.7598					49904.78	T
Linn	162C2	73	148.89	10869.21	73	0.7598	36	36	8.65	44.65	6647.67	NT
Linn	162C2	73	1165.28	85065.39	73	0.7598					85065.39	T
Linn	162D	65	142.04	9232.32	73	0.7598	36	28	6.73	42.73	6068.56	NT
Linn	162D	65	205.90	13383.61	73	0.7598					13383.61	T
Linn	162D2	63	162.68	10248.62	73	0.7598	36	26	6.25	42.25	6872.30	NT
Linn	162D2	63	1478.85	93167.72	73	0.7598					93167.72	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	163B	85	338.07	28736.09	73	0.7598	36	48	11.53	47.53	16068.41	NT
Linn	163B	85	1014.88	86265.02	73	0.7598					86265.02	T
Linn	163C	70	722.03	50542.03	73	0.7598	36	34	8.17	44.17	31889.71	NT
Linn	163C	70	560.02	39201.53	73	0.7598					39201.53	T
Linn	163C2	68	1265.37	86045.11	73	0.7598	36	32	7.69	43.69	55279.43	NT
Linn	163C2	68	3142.86	213714.21	73	0.7598					213714.21	T
Linn	163D	60	757.33	45439.53	73	0.7598	36	24	5.76	41.76	31629.55	NT
Linn	163D	60	170.40	10224.22	73	0.7598					10224.22	T
Linn	163D2	58	1267.73	73528.14	73	0.7598	36	22	5.28	41.28	52337.33	NT
Linn	163D2	58	2338.02	135605.18	73	0.7598					135605.18	T
Linn	163D3	55	380.79	20943.30	73	0.7598	36	18	4.32	40.32	15354.71	NT
Linn	163D3	55	1297.05	71337.66	73	0.7598					71337.66	T
Linn	163E	50	557.56	27877.90	73	0.7598	36	14	3.36	39.36	21947.05	NT
Linn	163E	50	114.47	5723.32	73	0.7598					5723.32	T
Linn	163E2	48	855.21	41049.98	73	0.7598	36	12	2.88	38.88	33252.54	NT
Linn	163E2	48	1135.91	54523.74	73	0.7598					54523.74	T
Linn	163E3	46	492.73	22665.79	73	0.7598	36	10	2.40	38.40	18921.99	NT
Linn	163E3	46	977.46	44963.31	73	0.7598					44963.31	T
Linn	163F	30	3379.80	101393.95	73	0.7598	30	0	0.00	30.00	101393.95	NT
Linn	163F	30	236.68	7100.32	73	0.7598					7100.32	T
Linn	163F2	28	2530.82	70862.89	73	0.7598	28	0	0.00	28.00	70862.89	NT
Linn	163F2	28	918.52	25718.66	73	0.7598					25718.66	T
Linn	163G	19	7.38	140.13	73	0.7598	19	0	0.00	19.00	140.13	NT
Linn	165A	90	39.25	3532.47	73	0.7598	36	54	12.97	48.97	1922.09	NT
Linn	165A	90	138.05	12424.22	73	0.7598					12424.22	T
Linn	1688	77	0.20	15.56	73	0.7598	36	40	9.61	45.61	9.22	NT
Linn	171B	82	161.73	13262.20	73	0.7598	36	46	11.05	47.05	7609.46	NT
Linn	171B	82	844.04	69211.57	73	0.7598					69211.57	T
Linn	171C	67	112.00	7504.27	73	0.7598	36	30	7.21	43.21	4839.25	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	171C	67	293.59	19670.58	73	0.7598					19670.58	T
Linn	171C2	64	114.34	7317.72	73	0.7598	36	28	6.73	42.73	4885.22	NT
Linn	171C2	64	1117.74	71535.60	73	0.7598					71535.60	T
Linn	171D	55	0.08	4.46	73	0.7598					4.46	T
Linn	171D2	53	133.31	7065.65	73	0.7598	36	16	3.84	39.84	5311.66	NT
Linn	171D2	53	607.55	32200.34	73	0.7598					32200.34	T
Linn	171E2	43	48.67	2092.93	73	0.7598	36	6	1.44	37.44	1822.37	NT
Linn	171E2	43	56.07	2411.03	73	0.7598					2411.03	T
Linn	171F2	36	61.00	2196.11	73	0.7598	36	0	0.00	36.00	2196.11	NT
Linn	171F2	36	12.05	433.80	73	0.7598					433.80	T
Linn	1727	68	0.02	1.43	73	0.7598	36	32	7.69	43.69	0.92	NT
Linn	1727	68	0.01	0.37	73	0.7598					0.37	T
Linn	175	60	11.21	672.56	73	0.7598					672.56	T
Linn	175A	60	343.09	20585.29	73	0.7598	36	24	5.76	41.76	14329.01	NT
Linn	175A	60	1492.25	89534.92	73	0.7598					89534.92	T
Linn	175B	56	611.18	34225.94	73	0.7598	36	20	4.80	40.80	24938.48	NT
Linn	175B	56	4393.35	246027.41	73	0.7598					246027.41	T
Linn	175C	41	226.67	9293.44	73	0.7598	36	4	0.96	36.96	8377.87	NT
Linn	175C	41	1443.88	59199.11	73	0.7598					59199.11	T
Linn	175D	36	59.85	2154.57	73	0.7598	36	0	0.00	36.00	2154.57	NT
Linn	175D	36	240.08	8642.80	73	0.7598					8642.80	T
Linn	177	64	1.91	122.10	73	0.7598					122.10	T
Linn	177A	63	273.87	17253.58	73	0.7598	36	26	6.25	42.25	11569.54	NT
Linn	177A	63	1384.16	87201.96	73	0.7598					87201.96	T
Linn	177B	60	152.70	9161.75	73	0.7598	36	24	5.76	41.76	6377.31	NT
Linn	177B	60	961.76	57705.66	73	0.7598					57705.66	T
Linn	177C	40	96.44	3857.77	73	0.7598	36	4	0.96	36.96	3564.66	NT
Linn	177C	40	373.95	14957.99	73	0.7598					14957.99	T
Linn	178	79	4.04	318.87	73	0.7598					318.87	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	178A	79	390.40	30841.71	73	0.7598	36	42	10.09	46.09	17992.97	NT
Linn	178A	79	3021.17	238672.40	73	0.7598					238672.40	T
Linn	178B	74	351.15	25985.08	73	0.7598	36	38	9.13	45.13	15846.54	NT
Linn	178B	74	2349.15	173836.91	73	0.7598					173836.91	T
Linn	184	93	0.33	31.13	73	0.7598					31.13	T
Linn	184A	95	379.27	36030.66	73	0.7598	36	58	13.93	49.93	18937.57	NT
Linn	184A	95	6858.46	651553.27	73	0.7598					651553.27	T
Linn	184B	90	13.13	1181.47	73	0.7598					1181.47	T
Linn	198B	80	543.88	43510.31	73	0.7598	36	44	10.57	46.57	25327.78	NT
Linn	198B	80	8976.51	718120.71	73	0.7598					718120.71	T
Linn	204B	79	10.44	824.97	73	0.7598	36	42	10.09	46.09	481.29	NT
Linn	204B	79	140.66	11112.02	73	0.7598					11112.02	T
Linn	204C	59	16.07	948.30	73	0.7598	36	22	5.28	41.28	663.56	NT
Linn	204C	59	98.78	5828.00	73	0.7598					5828.00	T
Linn	207C2	24	57.37	1376.95	73	0.7598	24	0	0.00	24.00	1376.95	NT
Linn	207C2	24	45.19	1084.58	73	0.7598					1084.58	T
Linn	21	60	100.39	6023.60	73	0.7598	36	24	5.76	41.76	4192.91	NT
Linn	21	60	135.75	8144.88	73	0.7598					8144.88	T
Linn	212	94	170.33	16010.89	73	0.7598	36	58	13.93	49.93	8504.78	NT
Linn	212	94	408.43	38392.32	73	0.7598					38392.32	T
Linn	213B	74	83.36	6168.78	73	0.7598	36	38	9.13	45.13	3761.92	NT
Linn	213B	74	299.79	22184.39	73	0.7598					22184.39	T
Linn	213C	50	61.66	3083.05	73	0.7598	36	14	3.36	39.36	2427.15	NT
Linn	213C	50	120.27	6013.73	73	0.7598					6013.73	T
Linn	214B	58	64.31	3730.15	73	0.7598	36	22	5.28	41.28	2655.12	NT
Linn	214B	58	139.28	8078.05	73	0.7598					8078.05	T
Linn	214C	45	178.53	8033.67	73	0.7598	36	8	1.92	37.92	6769.99	NT
Linn	214C	45	282.70	12721.34	73	0.7598					12721.34	T
Linn	214D	23	90.26	2075.96	73	0.7598	23	0	0.00	23.00	2075.96	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	214D	23	66.01	1518.18	73	0.7598					1518.18	T
Linn	220	85	0.21	17.89	73	0.7598	36	48	11.53	47.53	10.00	NT
Linn	220	85	0.08	6.78	73	0.7598					6.78	T
Linn	220A	90	956.89	86120.15	73	0.7598	36	54	12.97	48.97	46859.69	NT
Linn	220A	90	769.83	69285.00	73	0.7598					69285.00	T
Linn	220B	85	1038.39	88263.13	73	0.7598	36	48	11.53	47.53	49354.25	NT
Linn	220B	85	861.00	73184.78	73	0.7598					73184.78	T
Linn	221	25	155.94	3898.51	73	0.7598	25	0	0.00	25.00	3898.51	NT
Linn	221	25	144.45	3611.27	73	0.7598					3611.27	T
Linn	284	40	36.13	1445.26	73	0.7598					1445.26	T
Linn	284A	50	158.40	7920.24	73	0.7598	36	14	3.36	39.36	6235.25	NT
Linn	284A	50	519.58	25978.99	73	0.7598					25978.99	T
Linn	284B	45	179.69	8085.92	73	0.7598	36	8	1.92	37.92	6814.02	NT
Linn	284B	45	866.74	39003.41	73	0.7598					39003.41	T
Linn	284C	30	164.03	4920.76	73	0.7598	30	0	0.00	30.00	4920.76	NT
Linn	284C	30	823.52	24705.51	73	0.7598					24705.51	T
Linn	284C2	25	33.98	849.44	73	0.7598	25	0	0.00	25.00	849.44	NT
Linn	284C2	25	192.02	4800.46	73	0.7598					4800.46	T
Linn	285C	5	43.45	217.23	73	0.7598	5	0	0.00	5.00	217.23	NT
Linn	285C	5	244.91	1224.57	73	0.7598					1224.57	T
Linn	285D2	5	148.71	743.55	73	0.7598	5	0	0.00	5.00	743.55	NT
Linn	285D2	5	288.13	1440.66	73	0.7598					1440.66	T
Linn	291	90	0.35	31.81	73	0.7598	36	54	12.97	48.97	17.31	NT
Linn	291	90	1.14	102.58	73	0.7598					102.58	T
Linn	291A	90	97.82	8803.49	73	0.7598	36	54	12.97	48.97	4790.16	NT
Linn	291A	90	1117.59	100582.89	73	0.7598					100582.89	T
Linn	291B	85	22.36	1900.57	73	0.7598	36	48	11.53	47.53	1062.75	NT
Linn	291B	85	385.89	32801.04	73	0.7598					32801.04	T
Linn	293C	45	155.08	6978.82	73	0.7598	36	8	1.92	37.92	5881.06	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	293C	45	213.74	9618.08	73	0.7598					9618.08	T
Linn	293C2	36	189.22	6811.80	73	0.7598	36	0	0.00	36.00	6811.80	NT
Linn	293C2	36	542.41	19526.86	73	0.7598					19526.86	T
Linn	293D	29	582.47	16891.73	73	0.7598	29	0	0.00	29.00	16891.73	NT
Linn	293D	29	165.73	4806.25	73	0.7598					4806.25	T
Linn	293D2	28	1181.83	33091.31	73	0.7598	28	0	0.00	28.00	33091.31	NT
Linn	293D2	28	2111.94	59134.21	73	0.7598					59134.21	T
Linn	293E	25	0.24	6.07	73	0.7598	25	0	0.00	25.00	6.07	NT
Linn	293F	9	866.38	7797.38	73	0.7598	9	0	0.00	9.00	7797.38	NT
Linn	293F	9	52.78	475.04	73	0.7598					475.04	T
Linn	293F2	8	426.35	3410.77	73	0.7598	8	0	0.00	8.00	3410.77	NT
Linn	293F2	8	177.98	1423.83	73	0.7598					1423.83	T
Linn	302B	74	1.89	140.16	73	0.7598	36	38	9.13	45.13	85.48	NT
Linn	302C2	60	84.35	5060.74	73	0.7598	36	24	5.76	41.76	3522.68	NT
Linn	302C2	60	137.23	8233.72	73	0.7598					8233.72	T
Linn	315	30	9436.14	283084.17	73	0.7598	30	0	0.00	30.00	283084.17	NT
Linn	315	30	556.44	16693.17	73	0.7598					16693.17	T
Linn	350A	78	94.70	7386.64	73	0.7598	36	42	10.09	46.09	4364.60	NT
Linn	350A	78	1213.22	94630.96	73	0.7598					94630.96	T
Linn	350B	68	172.40	11723.06	73	0.7598	36	32	7.69	43.69	7531.45	NT
Linn	350B	68	1343.34	91346.88	73	0.7598					91346.88	T
Linn	350C	49	32.34	1584.71	73	0.7598	36	12	2.88	38.88	1257.49	NT
Linn	350C	49	192.12	9413.87	73	0.7598					9413.87	T
Linn	351A	73	286.71	20929.65	73	0.7598	36	36	8.65	44.65	12800.69	NT
Linn	351A	73	2410.50	175966.75	73	0.7598					175966.75	T
Linn	352A	68	41.31	2809.17	73	0.7598	36	32	7.69	43.69	1804.74	NT
Linn	352A	68	229.54	15608.65	73	0.7598					15608.65	T
Linn	352B	62	150.77	9347.71	73	0.7598	36	26	6.25	42.25	6369.29	NT
Linn	352B	62	528.76	32783.02	73	0.7598					32783.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	352C2	40	33.59	1343.70	73	0.7598	36	4	0.96	36.96	1241.60	NT
Linn	352C2	40	211.61	8464.51	73	0.7598					8464.51	T
Linn	353B	58	163.28	9470.01	73	0.7598	36	22	5.28	41.28	6740.76	NT
Linn	353B	58	271.44	15743.71	73	0.7598					15743.71	T
Linn	353C2	33	22.01	726.22	73	0.7598	33	0	0.00	33.00	726.22	NT
Linn	353C2	33	105.66	3486.77	73	0.7598					3486.77	T
Linn	354	5	213.43	1067.15	73	0.7598	5	0	0.00	5.00	1067.15	NT
Linn	354	5	103.09	515.44	73	0.7598					515.44	T
Linn	377B	90	1434.41	129097.06	73	0.7598	36	54	12.97	48.97	70244.29	NT
Linn	377B	90	19941.45	1794730.50	73	0.7598					1794730.50	T
Linn	377C	75	167.16	12536.75	73	0.7598	36	38	9.13	45.13	7543.38	NT
Linn	377C	75	2782.33	208674.54	73	0.7598					208674.54	T
Linn	377C2	73	85.58	6247.55	73	0.7598	36	36	8.65	44.65	3821.04	NT
Linn	377C2	73	1636.32	119451.43	73	0.7598					119451.43	T
Linn	381B	90	362.08	32587.53	73	0.7598	36	54	12.97	48.97	17731.52	NT
Linn	381B	90	7088.51	637965.65	73	0.7598					637965.65	T
Linn	382	90	138.49	12464.17	73	0.7598	36	54	12.97	48.97	6782.00	NT
Linn	382	90	3794.84	341535.29	73	0.7598					341535.29	T
Linn	391B	72	1982.85	142764.86	73	0.7598	36	36	8.65	44.65	88528.49	NT
Linn	391B	72	10708.22	770991.58	73	0.7598					770991.58	T
Linn	393B	42	185.51	7791.33	73	0.7598	36	6	1.44	37.44	6945.63	NT
Linn	393B	42	1602.15	67290.41	73	0.7598					67290.41	T
Linn	393C	33	163.84	5406.60	73	0.7598	33	0	0.00	33.00	5406.60	NT
Linn	393C	33	1973.76	65133.99	73	0.7598					65133.99	T
Linn	398	81	52.65	4264.57	73	0.7598	36	44	10.57	46.57	2451.80	NT
Linn	398	81	2901.78	235044.01	73	0.7598					235044.01	T
Linn	399	91	0.03	3.09	73	0.7598					3.09	T
Linn	399A	88	159.94	14074.93	73	0.7598	36	52	12.49	48.49	7755.67	NT
Linn	399A	88	4237.95	372940.02	73	0.7598					372940.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	407B	72	200.69	14449.49	73	0.7598	36	36	8.65	44.65	8960.13	NT
Linn	407B	72	1233.56	88816.64	73	0.7598					88816.64	T
Linn	408B	66	109.72	7241.34	73	0.7598	36	30	7.21	43.21	4740.44	NT
Linn	408B	66	1236.19	81588.41	73	0.7598					81588.41	T
Linn	408C	52	142.13	7390.69	73	0.7598	36	16	3.84	39.84	5662.86	NT
Linn	408C	52	1563.79	81317.15	73	0.7598					81317.15	T
Linn	409B	57	567.70	32358.80	73	0.7598	36	20	4.80	40.80	23164.36	NT
Linn	409B	57	5071.56	289079.13	73	0.7598					289079.13	T
Linn	409C	41	426.80	17498.87	73	0.7598	36	4	0.96	36.96	15774.93	NT
Linn	409C	41	3593.09	147316.81	73	0.7598					147316.81	T
Linn	41	40	38.43	1537.29	73	0.7598					1537.29	T
Linn	412C	13	72.64	944.33	73	0.7598	13	0	0.00	13.00	944.33	NT
Linn	412C	13	101.79	1323.28	73	0.7598					1323.28	T
Linn	412D	5	512.18	2560.92	73	0.7598	5	0	0.00	5.00	2560.92	NT
Linn	412D	5	191.95	959.77	73	0.7598					959.77	T
Linn	412E	5	0.03	0.15	73	0.7598	5	0	0.00	5.00	0.15	NT
Linn	412G	5	458.30	2291.50	73	0.7598	5	0	0.00	5.00	2291.50	NT
Linn	412G	5	27.17	135.84	73	0.7598					135.84	T
Linn	41A	45	390.41	17568.41	73	0.7598	36	8	1.92	37.92	14804.94	NT
Linn	41A	45	1572.59	70766.75	73	0.7598					70766.75	T
Linn	41B	40	972.08	38883.03	73	0.7598	36	4	0.96	36.96	35928.70	NT
Linn	41B	40	5083.08	203323.33	73	0.7598					203323.33	T
Linn	41C	25	887.17	22179.21	73	0.7598	25	0	0.00	25.00	22179.21	NT
Linn	41C	25	3697.68	92441.90	73	0.7598					92441.90	T
Linn	41D	15	311.85	4677.81	73	0.7598	15	0	0.00	15.00	4677.81	NT
Linn	41D	15	573.62	8604.34	73	0.7598					8604.34	T
Linn	420B	95	6.11	580.51	73	0.7598					580.51	T
Linn	426A	90	18.40	1656.40	73	0.7598	36	54	12.97	48.97	901.28	NT
Linn	426A	90	397.65	35788.63	73	0.7598					35788.63	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	426B	85	698.56	59377.42	73	0.7598	36	48	11.53	47.53	33202.18	NT
Linn	426B	85	8150.84	692821.14	73	0.7598					692821.14	T
Linn	426C	70	163.73	11461.42	73	0.7598	36	34	8.17	44.17	7231.63	NT
Linn	426C	70	1954.62	136823.28	73	0.7598					136823.28	T
Linn	428B	93	47.88	4452.57	73	0.7598	36	56	13.45	49.45	2367.58	NT
Linn	428B	93	377.96	35150.49	73	0.7598					35150.49	T
Linn	442C	55	13.39	736.65	73	0.7598	36	18	4.32	40.32	540.08	NT
Linn	442C	55	224.60	12352.81	73	0.7598					12352.81	T
Linn	442D	43	24.14	1037.87	73	0.7598	36	6	1.44	37.44	903.70	NT
Linn	442D	43	230.91	9929.12	73	0.7598					9929.12	T
Linn	450C	53	0.43	23.01	73	0.7598	36	16	3.84	39.84	17.29	NT
Linn	450C	53	0.28	14.63	73	0.7598					14.63	T
Linn	463B	85	0.00	0.04	73	0.7598	36	48	11.53	47.53	0.02	NT
Linn	463B	85	0.00	0.16	73	0.7598					0.16	T
Linn	471	86	0.03	2.65	73	0.7598					2.65	T
Linn	471A	83	113.36	9408.47	73	0.7598	36	46	11.05	47.05	5333.27	NT
Linn	471A	83	4079.36	338586.74	73	0.7598					338586.74	T
Linn	471B	79	114.19	9020.90	73	0.7598	36	42	10.09	46.09	5262.77	NT
Linn	471B	79	680.55	53763.52	73	0.7598					53763.52	T
Linn	478G	5	158.65	793.24	73	0.7598	5	0	0.00	5.00	793.24	NT
Linn	478G	5	6.67	33.37	73	0.7598					33.37	T
Linn	484	90	86.21	7759.10	73	0.7598	36	54	12.97	48.97	4221.88	NT
Linn	484	90	491.69	44252.35	73	0.7598					44252.35	T
Linn	485	92	3981.89	366334.24	73	0.7598	36	56	13.45	49.45	196909.43	NT
Linn	485	92	3118.07	286862.36	73	0.7598					286862.36	T
Linn	489	85	1.32	112.31	73	0.7598					112.31	T
Linn	499F	5	0.05	0.27	73	0.7598	5	0	0.00	5.00	0.27	NT
Linn	5010	0	138.27	0.00	73	0.7598	0	0	0.00	0.00	0.00	NT
Linn	5010	0	23.00	0.00	73	0.7598					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	5020	0	2.80	0.00	73	0.7598	0	0	0.00	0.00	0.00	NT
Linn	5030	0	279.69	0.00	73	0.7598	0	0	0.00	0.00	0.00	NT
Linn	5030	0	21.81	0.00	73	0.7598					0.00	T
Linn	5040	5	92.68	463.40	73	0.7598	5	0	0.00	5.00	463.40	NT
Linn	5040	5	66.55	332.75	73	0.7598					332.75	T
Linn	578A	79	13.18	1040.84	73	0.7598	36	42	10.09	46.09	607.23	NT
Linn	578A	79	363.45	28712.36	73	0.7598					28712.36	T
Linn	578B	74	151.33	11198.77	73	0.7598	36	38	9.13	45.13	6829.38	NT
Linn	578B	74	2021.72	149607.10	73	0.7598					149607.10	T
Linn	578C	54	19.48	1051.91	73	0.7598	36	18	4.32	40.32	785.50	NT
Linn	578C	54	148.90	8040.64	73	0.7598					8040.64	T
Linn	626	67	465.07	31159.82	73	0.7598	36	30	7.21	43.21	20093.90	NT
Linn	626	67	3286.86	220219.29	73	0.7598					220219.29	T
Linn	63A	41	190.62	7815.40	73	0.7598	36	4	0.96	36.96	7045.45	NT
Linn	63A	41	111.49	4571.14	73	0.7598					4571.14	T
Linn	63B	40	411.89	16475.62	73	0.7598	36	4	0.96	36.96	15223.81	NT
Linn	63B	40	530.58	21223.31	73	0.7598					21223.31	T
Linn	63C	21	1060.94	22279.64	73	0.7598	21	0	0.00	21.00	22279.64	NT
Linn	63C	21	1140.03	23940.71	73	0.7598					23940.71	T
Linn	63D	11	1100.12	12101.36	73	0.7598	11	0	0.00	11.00	12101.36	NT
Linn	63D	11	697.17	7668.91	73	0.7598					7668.91	T
Linn	63F	5	326.11	1630.55	73	0.7598	5	0	0.00	5.00	1630.55	NT
Linn	63F	5	72.57	362.83	73	0.7598					362.83	T
Linn	65E2	24	0.27	6.57	73	0.7598					6.57	T
Linn	663D	60	120.46	7227.89	73	0.7598	36	24	5.76	41.76	5031.19	NT
Linn	663D	60	21.05	1262.85	73	0.7598					1262.85	T
Linn	663D2	58	54.95	3187.08	73	0.7598	36	22	5.28	41.28	2268.56	NT
Linn	663D2	58	303.46	17600.43	73	0.7598					17600.43	T
Linn	663E	50	98.58	4928.86	73	0.7598	36	14	3.36	39.36	3880.28	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	663E	50	26.81	1340.33	73	0.7598					1340.33	T
Linn	663E2	48	130.10	6244.66	73	0.7598	36	12	2.88	38.88	5058.49	NT
Linn	663E2	48	816.22	39178.43	73	0.7598					39178.43	T
Linn	663F	30	194.65	5839.64	73	0.7598	30	0	0.00	30.00	5839.64	NT
Linn	663F	30	21.16	634.71	73	0.7598					634.71	T
Linn	663F2	28	60.88	1704.75	73	0.7598	28	0	0.00	28.00	1704.75	NT
Linn	663F2	28	123.22	3450.29	73	0.7598					3450.29	T
Linn	729B	83	1.05	87.48	73	0.7598	36	46	11.05	47.05	49.59	NT
Linn	729B	83	0.04	3.55	73	0.7598					3.55	T
Linn	761	83	0.06	4.96	73	0.7598					4.96	T
Linn	761A	90	392.87	35358.66	73	0.7598	36	54	12.97	48.97	19239.36	NT
Linn	761A	90	7448.32	670348.42	73	0.7598					670348.42	T
Linn	761B	85	99.70	8474.34	73	0.7598	36	48	11.53	47.53	4738.61	NT
Linn	761B	85	1614.14	137201.58	73	0.7598					137201.58	T
Linn	771B	87	156.86	13647.25	73	0.7598	36	50	12.01	48.01	7531.09	NT
Linn	771B	87	693.07	60296.91	73	0.7598					60296.91	T
Linn	771C2	70	74.56	5219.28	73	0.7598	36	34	8.17	44.17	3293.13	NT
Linn	771C2	70	207.24	14506.93	73	0.7598					14506.93	T
Linn	772	50	17.58	878.92	73	0.7598	36	14	3.36	39.36	691.93	NT
Linn	772	50	678.20	33909.84	73	0.7598					33909.84	T
Linn	775D	26	0.00	0.13	73	0.7598					0.13	T
Linn	777A	58	190.03	11021.46	73	0.7598	36	22	5.28	41.28	7845.08	NT
Linn	777A	58	420.05	24363.17	73	0.7598					24363.17	T
Linn	777B	53	86.95	4608.25	73	0.7598	36	16	3.84	39.84	3464.29	NT
Linn	777B	53	303.78	16100.35	73	0.7598					16100.35	T
Linn	778	74	6.70	495.83	73	0.7598	36	38	9.13	45.13	302.37	NT
Linn	778	74	2.47	183.03	73	0.7598					183.03	T
Linn	778A	74	125.19	9263.84	73	0.7598	36	38	9.13	45.13	5649.39	NT
Linn	778A	74	359.38	26594.09	73	0.7598					26594.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	778B	69	216.14	14913.35	73	0.7598	36	32	7.69	43.69	9442.19	NT
Linn	778B	69	546.21	37688.26	73	0.7598					37688.26	T
Linn	778C2	44	81.20	3572.73	73	0.7598	36	8	1.92	37.92	3079.17	NT
Linn	778C2	44	179.46	7896.25	73	0.7598					7896.25	T
Linn	782B	50	21.67	1083.67	73	0.7598	36	14	3.36	39.36	853.12	NT
Linn	782B	50	442.81	22140.31	73	0.7598					22140.31	T
Linn	782C2	30	17.98	539.32	73	0.7598	30	0	0.00	30.00	539.32	NT
Linn	782C2	30	295.09	8852.63	73	0.7598					8852.63	T
Linn	793A	85	83.34	7083.70	73	0.7598	36	48	11.53	47.53	3961.01	NT
Linn	793A	85	139.67	11871.67	73	0.7598					11871.67	T
Linn	793B	80	76.39	6110.88	73	0.7598	36	44	10.57	46.57	3557.20	NT
Linn	793B	80	120.69	9655.45	73	0.7598					9655.45	T
Linn	807B	50	0.38	19.18	73	0.7598					19.18	T
Linn	809B	27	57.50	1552.56	73	0.7598	27	0	0.00	27.00	1552.56	NT
Linn	809B	27	211.97	5723.23	73	0.7598					5723.23	T
Linn	809C	9	199.95	1799.56	73	0.7598	9	0	0.00	9.00	1799.56	NT
Linn	809C	9	454.98	4094.80	73	0.7598					4094.80	T
Linn	814D	26	0.92	23.91	73	0.7598	26	0	0.00	26.00	23.91	NT
Linn	814D	26	0.06	1.44	73	0.7598					1.44	T
Linn	83B	87	1669.04	145206.65	73	0.7598	36	50	12.01	48.01	80130.70	NT
Linn	83B	87	23437.06	2039024.26	73	0.7598					2039024.26	T
Linn	83C	72	589.79	42464.64	73	0.7598	36	36	8.65	44.65	26332.32	NT
Linn	83C	72	10845.54	780878.59	73	0.7598					780878.59	T
Linn	83C2	69	349.23	24096.70	73	0.7598	36	32	7.69	43.69	15256.49	NT
Linn	83C2	69	6928.41	478060.53	73	0.7598					478060.53	T
Linn	83D2	58	51.88	3009.11	73	0.7598	36	22	5.28	41.28	2141.89	NT
Linn	83D2	58	476.66	27646.05	73	0.7598					27646.05	T
Linn	84	76	3692.66	280642.29	73	0.7598	36	40	9.61	45.61	168414.91	NT
Linn	84	76	16000.43	1216032.96	73	0.7598					1216032.96	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	88	92	47.85	4402.47	73	0.7598	36	56	13.45	49.45	2366.39	NT
Linn	88	92	627.90	57767.00	73	0.7598					57767.00	T
Linn	8B	90	367.50	33074.74	73	0.7598	36	54	12.97	48.97	17996.63	NT
Linn	8B	90	2105.32	189478.54	73	0.7598					189478.54	T
Linn	911B	85	0.18	15.67	73	0.7598	36	48	11.53	47.53	8.76	NT
Linn	933	80	0.08	6.51	73	0.7598	36	44	10.57	46.57	3.79	NT
Linn	933	80	0.36	28.81	73	0.7598					28.81	T
Linn	977	95	71.61	6803.08	73	0.7598	36	58	13.93	49.93	3575.67	NT
Linn	977	95	872.89	82924.77	73	0.7598					82924.77	T
Linn	INT	0	2.14	0.00	73	0.7598	0	0	0.00	0.00	0.00	NT
Linn	NOTCOM	0	74.59	0.00	73	0.7598	0	0	0.00	0.00	0.00	NT
Linn	NOTCOM	0	6.80	0.00	73	0.7598					0.00	T
Linn	SL	0	7.96	0.00	73	0.7598	0	0	0.00	0.00	0.00	NT
Linn	SL	0	0.31	0.00	73	0.7598					0.00	T
Linn	T119A	100	42.36	4235.80	73	0.7598	36	64	15.37	51.37	2176.05	NT
Linn	T119A	100	448.80	44880.34	73	0.7598					44880.34	T
Linn	T120A	100	33.67	3366.81	73	0.7598	36	64	15.37	51.37	1729.62	NT
Linn	T120A	100	406.60	40659.68	73	0.7598					40659.68	T
Linn	T120B	93	73.80	6863.72	73	0.7598	36	56	13.45	49.45	3649.67	NT
Linn	T120B	93	618.50	57520.89	73	0.7598					57520.89	T
Linn	T160	65	59.07	3839.72	73	0.7598	36	28	6.73	42.73	2523.91	NT
Linn	T160	65	660.06	42903.64	73	0.7598					42903.64	T
Linn	T163B	85	105.89	9001.06	73	0.7598	36	48	11.53	47.53	5033.14	NT
Linn	T163B	85	180.82	15369.57	73	0.7598					15369.57	T
Linn	T291A	90	103.17	9285.16	73	0.7598	36	54	12.97	48.97	5052.24	NT
Linn	T291A	90	1508.70	135782.99	73	0.7598					135782.99	T
Linn	W	0	994.72	0.00	73	0.7598	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Linn	W	0	8.38	0.00	73	0.7598					0.00	T
											0.00	
											0.00	
Louisa	1058E	20	142.79	2855.86	72	0.807	20	0	0.00	20.00	2855.86	NT
Louisa	1058E	20	119.38	2387.63	72	0.807					2387.63	T
Louisa	1058F	5	358.15	1790.75	72	0.807	5	0	0.00	5.00	1790.75	NT
Louisa	1058F	5	42.30	211.52	72	0.807					211.52	T
Louisa	1058G	5	1937.09	9685.45	72	0.807	5	0	0.00	5.00	9685.45	NT
Louisa	1058G	5	56.47	282.35	72	0.807					282.35	T
Louisa	110B	47	79.25	3724.69	72	0.807	36	11	2.12	38.12	3021.20	NT
Louisa	110B	47	240.04	11281.89	72	0.807					11281.89	T
Louisa	1152	68	68.16	4634.59	72	0.807	36	32	6.18	42.18	2874.54	NT
Louisa	1152	68	1477.67	100481.60	72	0.807					100481.60	T
Louisa	118	95	18.59	1765.78	72	0.807	36	59	11.39	47.39	880.79	NT
Louisa	118	95	1840.03	174803.13	72	0.807					174803.13	T
Louisa	119	100	78.19	7818.79	72	0.807	36	64	12.35	48.35	3780.54	NT
Louisa	119	100	3550.51	355051.32	72	0.807					355051.32	T
Louisa	119B	95	0.00	0.43	72	0.807					0.43	T
Louisa	11B	68	1379.54	93808.64	72	0.807	36	32	6.18	42.18	58183.43	NT
Louisa	11B	68	2735.91	186042.18	72	0.807					186042.18	T
Louisa	120B	95	153.42	14574.80	72	0.807	36	59	11.39	47.39	7270.06	NT
Louisa	120B	95	2632.23	250061.51	72	0.807					250061.51	T
Louisa	120C	80	0.00	0.14	72	0.807	36	44	8.49	44.49	0.08	NT
Louisa	120C	80	0.02	1.43	72	0.807					1.43	T
Louisa	120C2	78	38.42	2996.91	72	0.807	36	42	8.11	44.11	1694.63	NT
Louisa	120C2	78	759.29	59224.74	72	0.807					59224.74	T
Louisa	122	63	1.33	84.04	72	0.807	36	27	5.21	41.21	54.97	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	122	63	462.96	29166.28	72	0.807					29166.28	T
Louisa	1220	25	414.79	10369.74	72	0.807	25	0	0.00	25.00	10369.74	NT
Louisa	1220	25	59.99	1499.85	72	0.807					1499.85	T
Louisa	127	95	44.99	4274.18	72	0.807	36	59	11.39	47.39	2132.01	NT
Louisa	127	95	703.12	66796.52	72	0.807					66796.52	T
Louisa	1273C	55	0.07	3.63	72	0.807	36	19	3.67	39.67	2.62	NT
Louisa	127B	85	40.29	3424.71	72	0.807	36	49	9.46	45.46	1831.49	NT
Louisa	127B	85	683.55	58101.34	72	0.807					58101.34	T
Louisa	133	80	1215.72	97257.54	72	0.807	36	44	8.49	44.49	54089.78	NT
Louisa	133	80	3132.31	250584.48	72	0.807					250584.48	T
Louisa	133B	75	0.20	14.64	72	0.807	36	39	7.53	43.53	8.49	NT
Louisa	133B	75	0.14	10.70	72	0.807					10.70	T
Louisa	134	65	865.72	56272.08	72	0.807	36	29	5.60	41.60	36011.53	NT
Louisa	134	65	2746.26	178506.61	72	0.807					178506.61	T
Louisa	135	78	331.15	25829.62	72	0.807	36	42	8.11	44.11	14605.66	NT
Louisa	135	78	1965.76	153328.96	72	0.807					153328.96	T
Louisa	139	15	1048.64	15729.63	72	0.807	15	0	0.00	15.00	15729.63	NT
Louisa	139	15	597.00	8954.95	72	0.807					8954.95	T
Louisa	140	50	62.18	3109.20	72	0.807	36	14	2.70	38.70	2406.65	NT
Louisa	140	50	1363.35	68167.29	72	0.807					68167.29	T
Louisa	141	40	52.39	2095.48	72	0.807	36	4	0.77	36.77	1926.38	NT
Louisa	141	40	1080.08	43203.10	72	0.807					43203.10	T
Louisa	1484	25	484.58	12114.47	72	0.807	25	0	0.00	25.00	12114.47	NT
Louisa	1484	25	60.41	1510.32	72	0.807					1510.32	T
Louisa	1539	25	2043.68	51092.11	72	0.807	25	0	0.00	25.00	51092.11	NT
Louisa	1539	25	165.42	4135.58	72	0.807					4135.58	T
Louisa	160	67	39.40	2640.10	72	0.807	36	31	5.98	41.98	1654.32	NT
Louisa	160	67	2068.46	138586.80	72	0.807					138586.80	T
Louisa	162B	90	183.73	16535.48	72	0.807	36	54	10.42	46.42	8529.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	162B	90	2008.28	180745.10	72	0.807					180745.10	T
Louisa	162C	75	55.25	4143.60	72	0.807	36	39	7.53	43.53	2404.78	NT
Louisa	162C	75	112.16	8412.03	72	0.807					8412.03	T
Louisa	162C2	73	197.02	14382.74	72	0.807	36	37	7.14	43.14	8499.80	NT
Louisa	162C2	73	1845.46	134718.62	72	0.807					134718.62	T
Louisa	162D2	63	130.62	8228.97	72	0.807	36	27	5.21	41.21	5382.92	NT
Louisa	162D2	63	278.77	17562.45	72	0.807					17562.45	T
Louisa	163B	85	916.70	77919.80	72	0.807	36	49	9.46	45.46	41670.59	NT
Louisa	163B	85	2999.27	254937.72	72	0.807					254937.72	T
Louisa	163C	70	825.23	57766.19	72	0.807	36	34	6.56	42.56	35123.49	NT
Louisa	163C	70	239.56	16769.52	72	0.807					16769.52	T
Louisa	163C2	68	588.96	40048.99	72	0.807	36	32	6.18	42.18	24839.80	NT
Louisa	163C2	68	1625.11	110507.43	72	0.807					110507.43	T
Louisa	163D	60	730.97	43858.22	72	0.807	36	24	4.63	40.63	29700.79	NT
Louisa	163D	60	173.30	10398.07	72	0.807					10398.07	T
Louisa	163D2	58	414.30	24029.28	72	0.807	36	22	4.25	40.25	16673.84	NT
Louisa	163D2	58	702.05	40718.75	72	0.807					40718.75	T
Louisa	163E	50	448.77	22438.48	72	0.807	36	14	2.70	38.70	17368.28	NT
Louisa	163E	50	108.32	5416.18	72	0.807					5416.18	T
Louisa	163E2	48	81.55	3914.23	72	0.807	36	12	2.32	38.32	3124.53	NT
Louisa	163E2	48	139.17	6680.35	72	0.807					6680.35	T
Louisa	163F	30	298.16	8944.81	72	0.807	30	0	0.00	30.00	8944.81	NT
Louisa	163F	30	53.85	1615.53	72	0.807					1615.53	T
Louisa	164	60	15.62	936.93	72	0.807	36	24	4.63	40.63	634.49	NT
Louisa	164	60	374.28	22457.04	72	0.807					22457.04	T
Louisa	165	90	161.60	14543.58	72	0.807	36	54	10.42	46.42	7501.58	NT
Louisa	165	90	2032.55	182929.16	72	0.807					182929.16	T
Louisa	173	60	73.46	4407.56	72	0.807	36	24	4.63	40.63	2984.80	NT
Louisa	173	60	2016.69	121001.57	72	0.807					121001.57	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	1730B	25	775.61	19390.26	72	0.807	25	0	0.00	25.00	19390.26	NT
Louisa	1730B	25	140.99	3524.67	72	0.807					3524.67	T
Louisa	174	75	96.19	7214.25	72	0.807	36	39	7.53	43.53	4186.86	NT
Louisa	174	75	1736.60	130244.81	72	0.807					130244.81	T
Louisa	174B	70	34.95	2446.16	72	0.807	36	34	6.56	42.56	1487.33	NT
Louisa	174B	70	309.30	21650.72	72	0.807					21650.72	T
Louisa	175	60	95.83	5749.89	72	0.807	36	24	4.63	40.63	3893.83	NT
Louisa	175	60	1500.53	90032.09	72	0.807					90032.09	T
Louisa	175B	56	54.60	3057.49	72	0.807	36	20	3.86	39.86	2176.28	NT
Louisa	175B	56	628.36	35188.28	72	0.807					35188.28	T
Louisa	179D2	43	170.34	7324.79	72	0.807	36	7	1.35	37.35	6362.52	NT
Louisa	179D2	43	819.98	35258.95	72	0.807					35258.95	T
Louisa	180	76	126.22	9592.69	72	0.807	36	40	7.72	43.72	5518.32	NT
Louisa	180	76	1573.27	119568.51	72	0.807					119568.51	T
Louisa	208	55	845.28	46490.45	72	0.807	36	19	3.67	39.67	33529.76	NT
Louisa	208	55	563.45	30989.66	72	0.807					30989.66	T
Louisa	220	85	1499.56	127462.32	72	0.807	36	49	9.46	45.46	68165.35	NT
Louisa	220	85	1202.90	102246.43	72	0.807					102246.43	T
Louisa	2226	80	1.80	143.94	72	0.807					143.94	T
Louisa	223C2	22	100.67	2214.67	72	0.807	22	0	0.00	22.00	2214.67	NT
Louisa	223C2	22	289.76	6374.69	72	0.807					6374.69	T
Louisa	223D2	9	311.46	2803.12	72	0.807	9	0	0.00	9.00	2803.12	NT
Louisa	223D2	9	605.27	5447.44	72	0.807					5447.44	T
Louisa	2490	55	0.04	2.09	72	0.807					2.09	T
Louisa	273B	72	146.17	10524.23	72	0.807	36	36	6.95	42.95	6277.70	NT
Louisa	273B	72	266.61	19195.67	72	0.807					19195.67	T
Louisa	273C	57	144.40	8230.74	72	0.807	36	21	4.05	40.05	5783.61	NT
Louisa	273C	57	167.45	9544.48	72	0.807					9544.48	T
Louisa	279	88	119.68	10531.52	72	0.807	36	52	10.04	46.04	5509.42	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	279	88	9297.26	818158.89	72	0.807					818158.89	T
Louisa	280	95	292.58	27795.47	72	0.807	36	59	11.39	47.39	13864.68	NT
Louisa	280	95	9073.88	862018.18	72	0.807					862018.18	T
Louisa	280B	90	96.55	8689.45	72	0.807	36	54	10.42	46.42	4482.02	NT
Louisa	280B	90	2886.21	259758.46	72	0.807					259758.46	T
Louisa	281B	90	134.24	12081.44	72	0.807	36	54	10.42	46.42	6231.61	NT
Louisa	281B	90	2651.34	238620.76	72	0.807					238620.76	T
Louisa	281C2	72	95.34	6864.19	72	0.807	36	36	6.95	42.95	4094.49	NT
Louisa	281C2	72	1432.99	103175.09	72	0.807					103175.09	T
Louisa	291	90	213.60	19223.95	72	0.807	36	54	10.42	46.42	9915.71	NT
Louisa	291	90	4728.63	425576.69	72	0.807					425576.69	T
Louisa	293C	45	48.44	2180.02	72	0.807	36	9	1.74	37.74	1828.17	NT
Louisa	293C	45	214.85	9668.47	72	0.807					9668.47	T
Louisa	293E	25	121.71	3042.74	72	0.807	25	0	0.00	25.00	3042.74	NT
Louisa	293E	25	92.80	2319.95	72	0.807					2319.95	T
Louisa	3133	80	87.95	7035.69	72	0.807	36	44	8.49	44.49	3912.90	NT
Louisa	3133	80	1716.47	137317.41	72	0.807					137317.41	T
Louisa	3133+	65	29.48	1916.17	72	0.807	36	29	5.60	41.60	1226.26	NT
Louisa	3133+	65	246.63	16030.85	72	0.807					16030.85	T
Louisa	3135	80	6.02	481.94	72	0.807					481.94	T
Louisa	315	30	1.39	41.58	72	0.807	30	0	0.00	30.00	41.58	NT
Louisa	352B	62	54.80	3397.89	72	0.807	36	26	5.02	41.02	2247.98	NT
Louisa	352B	62	313.60	19443.49	72	0.807					19443.49	T
Louisa	352C2	40	28.01	1120.40	72	0.807	36	4	0.77	36.77	1029.99	NT
Louisa	352C2	40	227.32	9092.66	72	0.807					9092.66	T
Louisa	352D2	23	68.16	1567.61	72	0.807	23	0	0.00	23.00	1567.61	NT
Louisa	352D2	23	214.92	4943.08	72	0.807					4943.08	T
Louisa	3539	30	73.29	2198.59	72	0.807	30	0	0.00	30.00	2198.59	NT
Louisa	3539	30	509.45	15283.45	72	0.807					15283.45	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	353C2	33	39.46	1302.29	72	0.807	33	0	0.00	33.00	1302.29	NT
Louisa	353C2	33	112.82	3722.90	72	0.807					3722.90	T
Louisa	353D2	18	212.55	3825.94	72	0.807	18	0	0.00	18.00	3825.94	NT
Louisa	353D2	18	185.88	3345.83	72	0.807					3345.83	T
Louisa	354	5	684.35	3421.74	72	0.807	5	0	0.00	5.00	3421.74	NT
Louisa	354	5	120.19	600.93	72	0.807					600.93	T
Louisa	3834	68	319.75	21743.19	72	0.807	36	32	6.18	42.18	13485.89	NT
Louisa	3834	68	4240.15	288330.17	72	0.807					288330.17	T
Louisa	3960	78	127.23	9923.74	72	0.807	36	42	8.11	44.11	5611.50	NT
Louisa	3960	78	2033.01	158574.84	72	0.807					158574.84	T
Louisa	3961	70	216.61	15162.37	72	0.807	36	34	6.56	42.56	9219.15	NT
Louisa	3961	70	2638.71	184709.59	72	0.807					184709.59	T
Louisa	41	40	197.70	7907.80	72	0.807	36	4	0.77	36.77	7269.64	NT
Louisa	41	40	2492.85	99714.19	72	0.807					99714.19	T
Louisa	41B	40	348.14	13925.43	72	0.807	36	4	0.77	36.77	12801.64	NT
Louisa	41B	40	1858.69	74347.69	72	0.807					74347.69	T
Louisa	41C	25	326.07	8151.82	72	0.807	25	0	0.00	25.00	8151.82	NT
Louisa	41C	25	417.54	10438.44	72	0.807					10438.44	T
Louisa	41D	15	0.12	1.82	72	0.807	15	0	0.00	15.00	1.82	NT
Louisa	41D	15	0.07	1.10	72	0.807					1.10	T
Louisa	424E	22	257.40	5662.72	72	0.807	22	0	0.00	22.00	5662.72	NT
Louisa	424E	22	68.02	1496.36	72	0.807					1496.36	T
Louisa	424E2	5	314.36	1571.80	72	0.807	5	0	0.00	5.00	1571.80	NT
Louisa	424E2	5	213.23	1066.14	72	0.807					1066.14	T
Louisa	425D2	12	237.23	2846.75	72	0.807	12	0	0.00	12.00	2846.75	NT
Louisa	425D2	12	377.49	4529.86	72	0.807					4529.86	T
Louisa	428B	93	54.43	5061.58	72	0.807	36	57	11.00	47.00	2558.06	NT
Louisa	428B	93	591.49	55008.77	72	0.807					55008.77	T
Louisa	43	80	0.12	9.43	72	0.807					9.43	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	430	83	365.54	30339.44	72	0.807	36	47	9.07	45.07	16475.05	NT
Louisa	430	83	660.18	54794.85	72	0.807					54794.85	T
Louisa	453	53	31.95	1693.49	72	0.807	36	17	3.28	39.28	1255.13	NT
Louisa	453	53	947.46	50215.13	72	0.807					50215.13	T
Louisa	473	60	43.52	2611.28	72	0.807	36	24	4.63	40.63	1768.36	NT
Louisa	473	60	795.60	47735.89	72	0.807					47735.89	T
Louisa	478G	5	0.23	1.14	72	0.807	5	0	0.00	5.00	1.14	NT
Louisa	484	90	584.91	52642.29	72	0.807	36	54	10.42	46.42	27152.89	NT
Louisa	484	90	907.95	81715.06	72	0.807					81715.06	T
Louisa	499G	5	570.81	2854.07	72	0.807	5	0	0.00	5.00	2854.07	NT
Louisa	499G	5	23.62	118.10	72	0.807					118.10	T
Louisa	5010	0	32.54	0.00	72	0.807	0	0	0.00	0.00	0.00	NT
Louisa	5010	0	6.07	0.00	72	0.807					0.00	T
Louisa	5030	0	97.33	0.00	72	0.807	0	0	0.00	0.00	0.00	NT
Louisa	5030	0	0.06	0.00	72	0.807					0.00	T
Louisa	5040	5	0.64	3.20	72	0.807					3.20	T
Louisa	520	65	112.46	7309.66	72	0.807	36	29	5.60	41.60	4677.85	NT
Louisa	520	65	1586.42	103117.41	72	0.807					103117.41	T
Louisa	520B	60	166.15	9969.14	72	0.807	36	24	4.63	40.63	6751.10	NT
Louisa	520B	60	272.32	16339.18	72	0.807					16339.18	T
Louisa	539	20	575.74	11514.71	72	0.807	20	0	0.00	20.00	11514.71	NT
Louisa	539	20	692.58	13851.61	72	0.807					13851.61	T
Louisa	54	70	0.11	7.65	72	0.807	36	34	6.56	42.56	4.65	NT
Louisa	54	70	0.64	45.14	72	0.807					45.14	T
Louisa	570B	84	105.36	8849.96	72	0.807	36	48	9.26	45.26	4768.86	NT
Louisa	570B	84	1692.29	142152.40	72	0.807					142152.40	T
Louisa	570C2	64	157.84	10102.03	72	0.807	36	28	5.40	41.40	6535.38	NT
Louisa	570C2	64	1420.97	90942.04	72	0.807					90942.04	T
Louisa	571B	82	88.72	7274.98	72	0.807	36	46	8.88	44.88	3981.54	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	571B	82	1910.65	156673.36	72	0.807					156673.36	T
Louisa	571C2	62	460.43	28546.92	72	0.807	36	26	5.02	41.02	18886.09	NT
Louisa	571C2	62	3888.87	241109.79	72	0.807					241109.79	T
Louisa	571D2	52	42.11	2189.70	72	0.807	36	16	3.09	39.09	1645.98	NT
Louisa	571D2	52	197.50	10269.89	72	0.807					10269.89	T
Louisa	572B	77	58.51	4504.98	72	0.807	36	41	7.91	43.91	2569.18	NT
Louisa	572B	77	578.90	44575.01	72	0.807					44575.01	T
Louisa	572C2	57	525.98	29980.81	72	0.807	36	21	4.05	40.05	21067.04	NT
Louisa	572C2	57	2201.86	125505.95	72	0.807					125505.95	T
Louisa	572C3	52	86.41	4493.12	72	0.807	36	16	3.09	39.09	3377.45	NT
Louisa	572C3	52	591.88	30777.54	72	0.807					30777.54	T
Louisa	572D2	47	272.87	12824.90	72	0.807	36	11	2.12	38.12	10402.63	NT
Louisa	572D2	47	350.95	16494.85	72	0.807					16494.85	T
Louisa	572D3	44	41.16	1810.91	72	0.807	36	8	1.54	37.54	1545.20	NT
Louisa	572D3	44	142.20	6256.86	72	0.807					6256.86	T
Louisa	573	63	112.74	7102.80	72	0.807	36	27	5.21	41.21	4646.25	NT
Louisa	573	63	2041.30	128601.80	72	0.807					128601.80	T
Louisa	63B	40	276.48	11059.14	72	0.807	36	4	0.77	36.77	10166.66	NT
Louisa	63B	40	690.19	27607.43	72	0.807					27607.43	T
Louisa	63C	21	221.32	4647.72	72	0.807	21	0	0.00	21.00	4647.72	NT
Louisa	63C	21	171.92	3610.30	72	0.807					3610.30	T
Louisa	63E	5	342.43	1712.17	72	0.807	5	0	0.00	5.00	1712.17	NT
Louisa	63E	5	78.29	391.47	72	0.807					391.47	T
Louisa	653	51	38.40	1958.42	72	0.807	36	15	2.90	38.90	1493.58	NT
Louisa	653	51	777.99	39677.56	72	0.807					39677.56	T
Louisa	65D2	38	178.58	6786.11	72	0.807	36	2	0.39	36.39	6497.88	NT
Louisa	65D2	38	351.43	13354.16	72	0.807					13354.16	T
Louisa	65E	25	1230.13	30753.33	72	0.807	25	0	0.00	25.00	30753.33	NT
Louisa	65E	25	325.65	8141.26	72	0.807					8141.26	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	65E2	24	493.11	11834.62	72	0.807	24	0	0.00	24.00	11834.62	NT
Louisa	65E2	24	619.17	14859.98	72	0.807					14859.98	T
Louisa	65F	10	2930.57	29305.74	72	0.807	10	0	0.00	10.00	29305.74	NT
Louisa	65F	10	361.25	3612.55	72	0.807					3612.55	T
Louisa	65G	5	1821.90	9109.49	72	0.807	5	0	0.00	5.00	9109.49	NT
Louisa	65G	5	86.71	433.53	72	0.807					433.53	T
Louisa	684	43	35.02	1505.97	72	0.807	36	7	1.35	37.35	1308.13	NT
Louisa	684	43	1173.35	50454.15	72	0.807					50454.15	T
Louisa	688	85	145.09	12332.67	72	0.807	36	49	9.46	45.46	6595.37	NT
Louisa	688	85	1583.33	134582.70	72	0.807					134582.70	T
Louisa	727	75	0.75	56.09	72	0.807					56.09	T
Louisa	729B	83	0.38	31.73	72	0.807					31.73	T
Louisa	74	78	7.62	594.74	72	0.807	36	42	8.11	44.11	336.30	NT
Louisa	74	78	428.52	33424.23	72	0.807					33424.23	T
Louisa	75	75	159.95	11996.32	72	0.807	36	39	7.53	43.53	6962.18	NT
Louisa	75	75	3867.83	290087.05	72	0.807					290087.05	T
Louisa	759	40	118.26	4730.31	72	0.807	36	4	0.77	36.77	4348.58	NT
Louisa	759	40	1126.25	45049.93	72	0.807					45049.93	T
Louisa	75B	81	31.47	2548.95	72	0.807	36	45	8.69	44.69	1406.17	NT
Louisa	75B	81	696.56	56421.70	72	0.807					56421.70	T
Louisa	76B	82	255.58	20957.53	72	0.807	36	46	8.88	44.88	11469.90	NT
Louisa	76B	82	3041.92	249437.15	72	0.807					249437.15	T
Louisa	76C	70	42.35	2964.36	72	0.807	36	34	6.56	42.56	1802.42	NT
Louisa	76C	70	232.06	16244.22	72	0.807					16244.22	T
Louisa	76C2	67	261.88	17546.13	72	0.807	36	31	5.98	41.98	10994.62	NT
Louisa	76C2	67	3613.26	242088.40	72	0.807					242088.40	T
Louisa	76D2	52	59.39	3088.16	72	0.807	36	16	3.09	39.09	2321.35	NT
Louisa	76D2	52	508.09	26420.88	72	0.807					26420.88	T
Louisa	779	85	3.77	320.53	72	0.807	36	49	9.46	45.46	171.41	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	779	85	519.10	44123.43	72	0.807					44123.43	T
Louisa	793	85	151.69	12893.68	72	0.807	36	49	9.46	45.46	6895.39	NT
Louisa	793	85	503.19	42770.85	72	0.807					42770.85	T
Louisa	793B	80	283.35	22668.39	72	0.807	36	44	8.49	44.49	12607.03	NT
Louisa	793B	80	656.10	52488.18	72	0.807					52488.18	T
Louisa	795D2	5	353.88	1769.41	72	0.807	5	0	0.00	5.00	1769.41	NT
Louisa	795D2	5	311.73	1558.66	72	0.807					1558.66	T
Louisa	80B	77	1123.90	86540.18	72	0.807	36	41	7.91	43.91	49353.75	NT
Louisa	80B	77	5431.14	418197.99	72	0.807					418197.99	T
Louisa	80C	67	1101.42	73794.91	72	0.807	36	31	5.98	41.98	46240.77	NT
Louisa	80C	67	470.13	31498.90	72	0.807					31498.90	T
Louisa	80C2	57	1497.42	85352.71	72	0.807	36	21	4.05	40.05	59976.00	NT
Louisa	80C2	57	5695.29	324631.65	72	0.807					324631.65	T
Louisa	80D	55	752.46	41385.15	72	0.807	36	19	3.67	39.67	29847.72	NT
Louisa	80D	55	236.11	12985.87	72	0.807					12985.87	T
Louisa	80D2	52	857.16	44572.50	72	0.807	36	16	3.09	39.09	33504.81	NT
Louisa	80D2	52	1913.49	99501.57	72	0.807					99501.57	T
Louisa	80D3	38	51.38	1952.28	72	0.807	36	2	0.39	36.39	1869.36	NT
Louisa	80D3	38	194.41	7387.73	72	0.807					7387.73	T
Louisa	826	95	131.62	12503.94	72	0.807	36	59	11.39	47.39	6237.10	NT
Louisa	826	95	3516.92	334107.02	72	0.807					334107.02	T
Louisa	834	68	106.67	7253.35	72	0.807	36	32	6.18	42.18	4498.78	NT
Louisa	834	68	3189.04	216854.59	72	0.807					216854.59	T
Louisa	88	92	0.04	3.80	72	0.807					3.80	T
Louisa	893D2	19	181.17	3442.23	72	0.807	19	0	0.00	19.00	3442.23	NT
Louisa	893D2	19	422.32	8024.04	72	0.807					8024.04	T
Louisa	916B	77	91.51	7046.08	72	0.807	36	41	7.91	43.91	4018.37	NT
Louisa	916B	77	1133.28	87262.40	72	0.807					87262.40	T
Louisa	916C2	62	128.27	7952.96	72	0.807	36	26	5.02	41.02	5261.52	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Louisa	916C2	62	804.62	49886.72	72	0.807					49886.72	T
Louisa	917B	72	184.21	13263.19	72	0.807	36	36	6.95	42.95	7911.49	NT
Louisa	917B	72	688.25	49553.96	72	0.807					49553.96	T
Louisa	917C	62	0.00	0.01	72	0.807	36	26	5.02	41.02	0.01	NT
Louisa	917C2	57	189.81	10819.24	72	0.807	36	21	4.05	40.05	7602.51	NT
Louisa	917C2	57	361.96	20631.97	72	0.807					20631.97	T
Louisa	925	45	35.08	1578.61	72	0.807	36	9	1.74	37.74	1323.82	NT
Louisa	925	45	1144.80	51515.98	72	0.807					51515.98	T
Louisa	960	62	1012.81	62794.32	72	0.807	36	26	5.02	41.02	41543.51	NT
Louisa	960	62	1818.40	112740.74	72	0.807					112740.74	T
Louisa	961	47	1176.98	55318.19	72	0.807	36	11	2.12	38.12	44870.11	NT
Louisa	961	47	2489.40	117001.58	72	0.807					117001.58	T
Louisa	977	95	1.88	178.32	72	0.807					178.32	T
Louisa	AW	0	8.50	0.00	72	0.807	0	0	0.00	0.00	0.00	NT
Louisa	AW	0	0.71	0.00	72	0.807					0.00	T
Louisa	INT	0	9.96	0.00	72	0.807	0	0	0.00	0.00	0.00	NT
Louisa	INT	0	2.90	0.00	72	0.807					0.00	T
Louisa	SL	0	6.62	0.00	72	0.807	0	0	0.00	0.00	0.00	NT
Louisa	W	0	1339.58	0.00	72	0.807	0	0	0.00	0.00	0.00	NT
Louisa	W	0	54.68	0.00	72	0.807					0.00	T
											0.00	
											0.00	
Lucas	11B	68	16.77	1140.24	44	0.7422	22	46	11.86	33.86	567.75	NT
Lucas	11B	68	0.31	21.26	44	0.7422					21.26	T
Lucas	131B	67	239.56	16050.44	44	0.7422	22	45	11.60	33.60	8049.41	NT
Lucas	131B	67	1731.59	116016.20	44	0.7422					116016.20	T
Lucas	131C	50	2098.95	104947.39	44	0.7422	22	28	7.22	29.22	61327.90	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	131C	50	4757.86	237893.24	44	0.7422					237893.24	T
Lucas	131C2	45	2792.33	125654.91	44	0.7422	22	23	5.93	27.93	77988.14	NT
Lucas	131C2	45	9025.55	406149.93	44	0.7422					406149.93	T
Lucas	131D2	31	227.27	7045.22	44	0.7422	22	9	2.32	24.32	5527.13	NT
Lucas	131D2	31	476.08	14758.55	44	0.7422					14758.55	T
Lucas	132B	60	70.77	4246.45	44	0.7422	22	38	9.80	31.80	2250.36	NT
Lucas	132B	60	151.82	9109.42	44	0.7422					9109.42	T
Lucas	132C	44	1003.85	44169.56	44	0.7422	22	22	5.67	27.67	27778.24	NT
Lucas	132C	44	174.09	7659.87	44	0.7422					7659.87	T
Lucas	132C2	40	892.14	35685.53	44	0.7422	22	18	4.64	26.64	23766.92	NT
Lucas	132C2	40	849.40	33976.07	44	0.7422					33976.07	T
Lucas	132D2	28	137.86	3860.03	44	0.7422	22	6	1.55	23.55	3246.12	NT
Lucas	132D2	28	87.84	2459.47	44	0.7422					2459.47	T
Lucas	133	80	0.28	22.57	44	0.7422	22	58	14.95	36.95	10.42	NT
Lucas	133	80	0.13	10.54	44	0.7422					10.54	T
Lucas	133B	75	0.48	36.34	44	0.7422	22	53	13.66	35.66	17.28	NT
Lucas	133B	75	0.07	5.29	44	0.7422					5.29	T
Lucas	13B	65	16363.36	1063618.45	44	0.7422	22	43	11.09	33.09	541388.34	NT
Lucas	13B	65	5859.42	380862.49	44	0.7422					380862.49	T
Lucas	1711	25	3946.50	98662.54	44	0.7422	22	3	0.77	22.77	89875.26	NT
Lucas	1711	25	153.57	3839.37	44	0.7422					3839.37	T
Lucas	1715	25	1.20	29.93	44	0.7422	22	3	0.77	22.77	27.27	NT
Lucas	1715	25	0.03	0.83	44	0.7422					0.83	T
Lucas	172	45	95.81	4311.33	44	0.7422	22	23	5.93	27.93	2675.84	NT
Lucas	172	45	153.25	6896.30	44	0.7422					6896.30	T
Lucas	179D2	43	429.00	18447.07	44	0.7422	22	21	5.41	27.41	11760.57	NT
Lucas	179D2	43	708.75	30476.46	44	0.7422					30476.46	T
Lucas	179E	35	618.92	21662.28	44	0.7422	22	13	3.35	25.35	15690.54	NT
Lucas	179E	35	277.15	9700.36	44	0.7422					9700.36	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	179E2	33	7290.63	240590.91	44	0.7422	22	11	2.84	24.84	181068.72	NT
Lucas	179E2	33	7403.93	244329.77	44	0.7422					244329.77	T
Lucas	179E3	30	87.29	2618.78	44	0.7422	22	8	2.06	24.06	2100.47	NT
Lucas	179E3	30	105.42	3162.71	44	0.7422					3162.71	T
Lucas	179F	15	1822.30	27334.50	44	0.7422	15	0	0.00	15.00	27334.50	NT
Lucas	179F	15	184.21	2763.09	44	0.7422					2763.09	T
Lucas	179F2	14	9662.33	135272.57	44	0.7422	14	0	0.00	14.00	135272.57	NT
Lucas	179F2	14	4610.17	64542.41	44	0.7422					64542.41	T
Lucas	179G2	5	567.39	2836.96	44	0.7422	5	0	0.00	5.00	2836.96	NT
Lucas	179G2	5	144.58	722.92	44	0.7422					722.92	T
Lucas	192C2	30	590.53	17715.95	44	0.7422	22	8	2.06	24.06	14209.61	NT
Lucas	192C2	30	2391.35	71740.60	44	0.7422					71740.60	T
Lucas	192D2	15	429.81	6447.09	44	0.7422	15	0	0.00	15.00	6447.09	NT
Lucas	192D2	15	1238.29	18574.28	44	0.7422					18574.28	T
Lucas	211	60	32.70	1961.72	44	0.7422	22	38	9.80	31.80	1039.59	NT
Lucas	211	60	1982.93	118975.92	44	0.7422					118975.92	T
Lucas	212	94	0.04	3.60	44	0.7422	22	72	18.56	40.56	1.55	NT
Lucas	220	85	3878.28	329653.65	44	0.7422	22	63	16.24	38.24	148310.79	NT
Lucas	220	85	2519.38	214147.31	44	0.7422					214147.31	T
Lucas	222C	30	183.87	5516.23	44	0.7422	22	8	2.06	24.06	4424.46	NT
Lucas	222C	30	436.94	13108.19	44	0.7422					13108.19	T
Lucas	222C2	25	1594.46	39861.46	44	0.7422	22	3	0.77	22.77	36311.24	NT
Lucas	222C2	25	6017.75	150443.83	44	0.7422					150443.83	T
Lucas	222C3	15	38.62	579.36	44	0.7422	15	0	0.00	15.00	579.36	NT
Lucas	222C3	15	187.04	2805.66	44	0.7422					2805.66	T
Lucas	222D2	10	209.79	2097.94	44	0.7422	10	0	0.00	10.00	2097.94	NT
Lucas	222D2	10	476.80	4767.99	44	0.7422					4767.99	T
Lucas	223C2	22	162.82	3581.97	44	0.7422	22	0	0.00	22.00	3581.97	NT
Lucas	223C2	22	315.15	6933.26	44	0.7422					6933.26	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	223D2	9	245.01	2205.07	44	0.7422	9	0	0.00	9.00	2205.07	NT
Lucas	223D2	9	265.54	2389.83	44	0.7422					2389.83	T
Lucas	230C2	53	0.04	2.00	44	0.7422	22	31	7.99	29.99	1.13	NT
Lucas	230C2	53	0.39	20.48	44	0.7422					20.48	T
Lucas	23C	55	553.90	30464.63	44	0.7422	22	33	8.51	30.51	16898.12	NT
Lucas	23C	55	3158.14	173697.71	44	0.7422					173697.71	T
Lucas	23C2	50	2260.70	113035.13	44	0.7422	22	28	7.22	29.22	66054.11	NT
Lucas	23C2	50	18726.29	936314.27	44	0.7422					936314.27	T
Lucas	24D	50	77.16	3857.91	44	0.7422	22	28	7.22	29.22	2254.44	NT
Lucas	24D	50	61.29	3064.66	44	0.7422					3064.66	T
Lucas	24D2	48	882.26	42348.71	44	0.7422	22	26	6.70	28.70	25323.47	NT
Lucas	24D2	48	1735.93	83324.85	44	0.7422					83324.85	T
Lucas	24E2	38	1524.63	57936.06	44	0.7422	22	16	4.12	26.12	39830.74	NT
Lucas	24E2	38	2310.56	87801.47	44	0.7422					87801.47	T
Lucas	24E3	35	35.16	1230.73	44	0.7422	22	13	3.35	25.35	891.45	NT
Lucas	24E3	35	168.53	5898.53	44	0.7422					5898.53	T
Lucas	24F2	18	457.64	8237.52	44	0.7422	18	0	0.00	18.00	8237.52	NT
Lucas	24F2	18	419.45	7550.19	44	0.7422					7550.19	T
Lucas	269	58	515.15	29878.83	44	0.7422	22	36	9.28	31.28	16114.37	NT
Lucas	269	58	620.37	35981.25	44	0.7422					35981.25	T
Lucas	269+	63	98.32	6194.02	44	0.7422	22	41	10.57	32.57	3202.19	NT
Lucas	269+	63	263.84	16621.95	44	0.7422					16621.95	T
Lucas	273B	72	308.73	22228.65	44	0.7422	22	50	12.89	34.89	10771.63	NT
Lucas	273B	72	390.76	28134.47	44	0.7422					28134.47	T
Lucas	273C	57	271.67	15485.38	44	0.7422	22	35	9.02	31.02	8428.12	NT
Lucas	273C	57	314.16	17906.85	44	0.7422					17906.85	T
Lucas	313D2	10	235.30	2352.95	44	0.7422	10	0	0.00	10.00	2352.95	NT
Lucas	313D2	10	261.46	2614.58	44	0.7422					2614.58	T
Lucas	313E		0.00		44	0.7422			0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	313E		0.00		44	0.7422					0.00	T
Lucas	313E2	5	600.84	3004.18	44	0.7422	5	0	0.00	5.00	3004.18	NT
Lucas	313E2	5	456.98	2284.92	44	0.7422					2284.92	T
Lucas	313F		228.62		44	0.7422			0.00	0.00	0.00	NT
Lucas	313F		9.92		44	0.7422					0.00	T
Lucas	313F2	5	942.10	4710.51	44	0.7422	5	0	0.00	5.00	4710.51	NT
Lucas	313F2	5	205.78	1028.90	44	0.7422					1028.90	T
Lucas	362	70	299.48	20963.63	44	0.7422	22	48	12.37	34.37	10294.46	NT
Lucas	362	70	8370.19	585913.28	44	0.7422					585913.28	T
Lucas	364B	75	1300.06	97504.80	44	0.7422	22	53	13.66	35.66	46364.70	NT
Lucas	364B	75	17101.46	1282609.18	44	0.7422					1282609.18	T
Lucas	369	87	0.80	69.91	44	0.7422					69.91	T
Lucas	423C2	27	188.78	5097.16	44	0.7422	22	5	1.29	23.29	4396.58	NT
Lucas	423C2	27	805.13	21738.38	44	0.7422					21738.38	T
Lucas	423D	18	113.53	2043.45	44	0.7422	18	0	0.00	18.00	2043.45	NT
Lucas	423D	18	144.73	2605.09	44	0.7422					2605.09	T
Lucas	423D2	13	2446.29	31801.73	44	0.7422	13	0	0.00	13.00	31801.73	NT
Lucas	423D2	13	3495.98	45447.70	44	0.7422					45447.70	T
Lucas	425D	16	2092.53	33480.43	44	0.7422	16	0	0.00	16.00	33480.43	NT
Lucas	425D	16	94.57	1513.10	44	0.7422					1513.10	T
Lucas	425D2	12	3217.07	38604.87	44	0.7422	12	0	0.00	12.00	38604.87	NT
Lucas	425D2	12	840.69	10088.24	44	0.7422					10088.24	T
Lucas	430	83	645.10	53543.56	44	0.7422	22	61	15.73	37.73	24337.03	NT
Lucas	430	83	723.99	60091.31	44	0.7422					60091.31	T
Lucas	451D2	33	98.39	3246.77	44	0.7422	22	11	2.84	24.84	2443.52	NT
Lucas	451D2	33	162.19	5352.34	44	0.7422					5352.34	T
Lucas	451E2	23	308.35	7092.11	44	0.7422	22	1	0.26	22.26	6863.25	NT
Lucas	451E2	23	185.50	4266.40	44	0.7422					4266.40	T
Lucas	452C	35	191.79	6712.60	44	0.7422	22	13	3.35	25.35	4862.11	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	452C	35	253.98	8889.23	44	0.7422					8889.23	T
Lucas	452C2	30	73.78	2213.27	44	0.7422	22	8	2.06	24.06	1775.22	NT
Lucas	452C2	30	179.30	5379.01	44	0.7422					5379.01	T
Lucas	453	53	150.28	7964.69	44	0.7422	22	31	7.99	29.99	4507.08	NT
Lucas	453	53	192.88	10222.82	44	0.7422					10222.82	T
Lucas	470D2	25	950.81	23770.24	44	0.7422	22	3	0.77	22.77	21653.17	NT
Lucas	470D2	25	2025.23	50630.76	44	0.7422					50630.76	T
Lucas	484	90	156.68	14101.55	44	0.7422	22	68	17.53	39.53	6193.78	NT
Lucas	484	90	434.39	39095.17	44	0.7422					39095.17	T
Lucas	5021	0	23.22	0.00	44	0.7422	0	0	0.00	0.00	0.00	NT
Lucas	5021	0	131.89	0.00	44	0.7422					0.00	T
Lucas	5025	0	64.54	0.00	44	0.7422	0	0	0.00	0.00	0.00	NT
Lucas	5025	0	38.92	0.00	44	0.7422					0.00	T
Lucas	5040	5	75.45	377.25	44	0.7422	5	0	0.00	5.00	377.25	NT
Lucas	5040	5	12.51	62.56	44	0.7422					62.56	T
Lucas	51	70	471.57	33009.72	44	0.7422	22	48	12.37	34.37	16209.85	NT
Lucas	51	70	500.18	35012.45	44	0.7422					35012.45	T
Lucas	51+	70	168.99	11829.09	44	0.7422	22	48	12.37	34.37	5808.83	NT
Lucas	51+	70	275.43	19279.77	44	0.7422					19279.77	T
Lucas	51B	65	386.57	25126.81	44	0.7422	22	43	11.09	33.09	12789.70	NT
Lucas	51B	65	559.23	36349.96	44	0.7422					36349.96	T
Lucas	51B+	65	183.13	11903.74	44	0.7422	22	43	11.09	33.09	6059.08	NT
Lucas	51B+	65	280.41	18226.75	44	0.7422					18226.75	T
Lucas	54	70	935.54	65488.05	44	0.7422	22	48	12.37	34.37	32158.75	NT
Lucas	54	70	1203.27	84229.16	44	0.7422					84229.16	T
Lucas	54+	75	603.15	45236.48	44	0.7422	22	53	13.66	35.66	21510.49	NT
Lucas	54+	75	863.67	64775.34	44	0.7422					64775.34	T
Lucas	54B	65	459.76	29884.36	44	0.7422	22	43	11.09	33.09	15211.32	NT
Lucas	54B	65	427.33	27776.70	44	0.7422					27776.70	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	56C	52	0.04	2.31	44	0.7422	22	30	7.73	29.73	1.32	NT
Lucas	587	65	303.46	19724.85	44	0.7422	22	43	11.09	33.09	10040.07	NT
Lucas	587	65	289.91	18844.03	44	0.7422					18844.03	T
Lucas	587+	67	66.84	4478.07	44	0.7422	22	45	11.60	33.60	2245.79	NT
Lucas	587+	67	173.24	11607.11	44	0.7422					11607.11	T
Lucas	592C2	21	290.60	6102.67	44	0.7422	21	0	0.00	21.00	6102.67	NT
Lucas	592C2	21	710.64	14923.41	44	0.7422					14923.41	T
Lucas	592D2	5	790.91	3954.55	44	0.7422	5	0	0.00	5.00	3954.55	NT
Lucas	592D2	5	1430.69	7153.44	44	0.7422					7153.44	T
Lucas	65D	35	0.05	1.90	44	0.7422	22	13	3.35	25.35	1.38	NT
Lucas	65E	25	149.56	3739.03	44	0.7422	22	3	0.77	22.77	3406.02	NT
Lucas	65E	25	11.98	299.46	44	0.7422					299.46	T
Lucas	65E2	24	342.86	8228.69	44	0.7422	22	2	0.52	22.52	7719.75	NT
Lucas	65E2	24	152.15	3651.49	44	0.7422					3651.49	T
Lucas	65F	10	2675.13	26751.34	44	0.7422	10	0	0.00	10.00	26751.34	NT
Lucas	65F	10	58.67	586.71	44	0.7422					586.71	T
Lucas	65F2	8	4253.70	34029.62	44	0.7422	8	0	0.00	8.00	34029.62	NT
Lucas	65F2	8	470.94	3767.53	44	0.7422					3767.53	T
Lucas	65G	5	2161.83	10809.13	44	0.7422	5	0	0.00	5.00	10809.13	NT
Lucas	65G	5	31.81	159.05	44	0.7422					159.05	T
Lucas	65G2	5	3142.96	15714.80	44	0.7422	5	0	0.00	5.00	15714.80	NT
Lucas	65G2	5	95.12	475.60	44	0.7422					475.60	T
Lucas	711	87	2033.03	176873.90	44	0.7422	22	65	16.76	38.76	78794.27	NT
Lucas	711	87	784.66	68265.18	44	0.7422					68265.18	T
Lucas	731C2	45	0.04	1.83	44	0.7422	22	23	5.93	27.93	1.13	NT
Lucas	732C2	40	0.00	0.02	44	0.7422	22	18	4.64	26.64	0.01	NT
Lucas	732D2	28	0.08	2.37	44	0.7422					2.37	T
Lucas	792C	31	236.31	7325.46	44	0.7422	22	9	2.32	24.32	5746.99	NT
Lucas	792C	31	139.46	4323.36	44	0.7422					4323.36	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	792C2	26	631.94	16430.51	44	0.7422	22	4	1.03	23.03	14554.40	NT
Lucas	792C2	26	1985.79	51630.49	44	0.7422					51630.49	T
Lucas	792D	18	1156.10	20809.88	44	0.7422	18	0	0.00	18.00	20809.88	NT
Lucas	792D	18	483.23	8698.17	44	0.7422					8698.17	T
Lucas	792D2	11	8312.54	91437.98	44	0.7422	11	0	0.00	11.00	91437.98	NT
Lucas	792D2	11	9720.29	106923.17	44	0.7422					106923.17	T
Lucas	792D3	5	74.43	372.15	44	0.7422	5	0	0.00	5.00	372.15	NT
Lucas	792D3	5	126.04	630.18	44	0.7422					630.18	T
Lucas	822C	29	107.10	3105.82	44	0.7422	22	7	1.80	23.80	2549.40	NT
Lucas	822C	29	234.89	6811.91	44	0.7422					6811.91	T
Lucas	822C2	24	742.30	17815.27	44	0.7422	22	2	0.52	22.52	16713.40	NT
Lucas	822C2	24	3761.78	90282.72	44	0.7422					90282.72	T
Lucas	822D	20	49.62	992.43	44	0.7422	20	0	0.00	20.00	992.43	NT
Lucas	822D	20	57.80	1155.91	44	0.7422					1155.91	T
Lucas	822D2	15	1039.93	15598.92	44	0.7422	15	0	0.00	15.00	15598.92	NT
Lucas	822D2	15	2390.34	35855.11	44	0.7422					35855.11	T
Lucas	831B	65	167.70	10900.44	44	0.7422	22	43	11.09	33.09	5548.39	NT
Lucas	831B	65	803.99	52259.37	44	0.7422					52259.37	T
Lucas	831C	49	197.48	9676.61	44	0.7422	22	27	6.96	28.96	5719.19	NT
Lucas	831C	49	565.39	27704.12	44	0.7422					27704.12	T
Lucas	831C2	40	237.72	9508.89	44	0.7422	22	18	4.64	26.64	6333.01	NT
Lucas	831C2	40	1074.96	42998.42	44	0.7422					42998.42	T
Lucas	864B	82	0.45	36.71	44	0.7422					36.71	T
Lucas	894D2	24	222.58	5341.95	44	0.7422	22	2	0.52	22.52	5011.55	NT
Lucas	894D2	24	215.59	5174.05	44	0.7422					5174.05	T
Lucas	93D2	33	456.51	15064.96	44	0.7422	22	11	2.84	24.84	11337.89	NT
Lucas	93D2	33	1124.30	37101.88	44	0.7422					37101.88	T
Lucas	93D3	20	0.04	0.70	44	0.7422	20	0	0.00	20.00	0.70	NT
Lucas	93D3	20	0.02	0.39	44	0.7422					0.39	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	94D2	10	647.61	6476.13	44	0.7422	10	0	0.00	10.00	6476.13	NT
Lucas	94D2	10	1321.21	13212.11	44	0.7422					13212.11	T
Lucas	94E2	5	601.83	3009.14	44	0.7422	5	0	0.00	5.00	3009.14	NT
Lucas	94E2	5	577.78	2888.92	44	0.7422					2888.92	T
Lucas	980B	25	1.29	32.36	44	0.7422	22	3	0.77	22.77	29.48	NT
Lucas	980B	25	0.01	0.24	44	0.7422					0.24	T
Lucas	993D2	20	714.11	14282.22	44	0.7422	20	0	0.00	20.00	14282.22	NT
Lucas	993D2	20	1455.40	29107.93	44	0.7422					29107.93	T
Lucas	993E2	10	0.40	3.96	44	0.7422	10	0	0.00	10.00	3.96	NT
Lucas	993E2	10	0.42	4.17	44	0.7422					4.17	T
Lucas	993E3	5	0.14	0.72	44	0.7422					0.72	T
Lucas	AaC2	30	0.52	15.72	44	0.7422	22	8	2.06	24.06	12.61	NT
Lucas	AaC2	30	0.72	21.50	44	0.7422					21.50	T
Lucas	AaD2	15	0.49	7.37	44	0.7422	15	0	0.00	15.00	7.37	NT
Lucas	AsD2	25	0.01	0.33	44	0.7422					0.33	T
Lucas	AsD3	20	0.36	7.15	44	0.7422	20	0	0.00	20.00	7.15	NT
Lucas	AsD3	20	0.00	0.02	44	0.7422					0.02	T
Lucas	CaD2	33	0.04	1.41	44	0.7422	22	11	2.84	24.84	1.06	NT
Lucas	CaD2	33	0.02	0.50	44	0.7422					0.50	T
Lucas	CbD3	30	0.01	0.21	44	0.7422	22	8	2.06	24.06	0.17	NT
Lucas	CbD3	30	0.11	3.24	44	0.7422					3.24	T
Lucas	Ch	65	1.94	126.29	44	0.7422	22	43	11.09	33.09	64.28	NT
Lucas	ClC	30	0.08	2.28	44	0.7422	22	8	2.06	24.06	1.83	NT
Lucas	ClC	30	0.05	1.65	44	0.7422					1.65	T
Lucas	ClC2	25	1.20	29.95	44	0.7422	22	3	0.77	22.77	27.28	NT
Lucas	ClC2	25	3.41	85.22	44	0.7422					85.22	T
Lucas	CmC3	5	0.03	0.16	44	0.7422	5	0	0.00	5.00	0.16	NT
Lucas	CmC3	5	0.01	0.06	44	0.7422					0.06	T
Lucas	Co	80	1.94	155.25	44	0.7422	22	58	14.95	36.95	71.71	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	CoB	75	0.09	6.96	44	0.7422	22	53	13.66	35.66	3.31	NT
Lucas	Ed	60	0.05	3.24	44	0.7422	22	38	9.80	31.80	1.72	NT
Lucas	Ed	60	0.18	10.79	44	0.7422					10.79	T
Lucas	GaE2	33	0.02	0.69	44	0.7422	22	11	2.84	24.84	0.52	NT
Lucas	GaE2	33	0.10	3.21	44	0.7422					3.21	T
Lucas	GaF2	13	0.15	1.90	44	0.7422	13	0	0.00	13.00	1.90	NT
Lucas	GuB	75	0.43	32.46	44	0.7422	22	53	13.66	35.66	15.44	NT
Lucas	GuB	75	2.02	151.73	44	0.7422					151.73	T
Lucas	GuC	55	0.57	31.56	44	0.7422	22	33	8.51	30.51	17.51	NT
Lucas	GuC	55	1.96	107.72	44	0.7422					107.72	T
Lucas	GuC2	50	0.03	1.47	44	0.7422	22	28	7.22	29.22	0.86	NT
Lucas	GuC2	50	0.18	9.06	44	0.7422					9.06	T
Lucas	HuB	53	0.00	0.21	44	0.7422	22	31	7.99	29.99	0.12	NT
Lucas	HuB	53	0.04	2.38	44	0.7422					2.38	T
Lucas	INT	0	121.06	0.00	44	0.7422	0	0	0.00	0.00	0.00	NT
Lucas	INT	0	3.80	0.00	44	0.7422					0.00	T
Lucas	KnB	54	0.26	14.07	44	0.7422	22	32	8.25	30.25	7.88	NT
Lucas	KnB	54	0.31	16.96	44	0.7422					16.96	T
Lucas	KnC	36	0.11	3.97	44	0.7422	22	14	3.61	25.61	2.83	NT
Lucas	KnC	36	0.32	11.49	44	0.7422					11.49	T
Lucas	KnC2	31	0.01	0.30	44	0.7422	22	9	2.32	24.32	0.24	NT
Lucas	KnC2	31	0.00	0.07	44	0.7422					0.07	T
Lucas	LaD2	52	0.94	48.77	44	0.7422	22	30	7.73	29.73	27.89	NT
Lucas	LaD2	52	0.14	7.48	44	0.7422					7.48	T
Lucas	LmD3	5	0.00	0.01	44	0.7422	5	0	0.00	5.00	0.01	NT
Lucas	LmD3	5	1.63	8.16	44	0.7422					8.16	T
Lucas	Ln	89	2.75	244.84	44	0.7422	22	67	17.27	39.27	108.04	NT
Lucas	Ln	89	0.05	4.13	44	0.7422					4.13	T
Lucas	LoF2	10	0.78	7.82	44	0.7422	10	0	0.00	10.00	7.82	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lucas	OmB	72	0.06	4.58	44	0.7422	22	50	12.89	34.89	2.22	NT
Lucas	OmB	72	0.00	0.16	44	0.7422					0.16	T
Lucas	OvB	60	2.33	139.81	44	0.7422	22	38	9.80	31.80	74.09	NT
Lucas	OvB	60	0.91	54.42	44	0.7422					54.42	T
Lucas	PeC	49	0.00	0.16	44	0.7422	22	27	6.96	28.96	0.09	NT
Lucas	PeC2	45	0.06	2.59	44	0.7422	22	23	5.93	27.93	1.61	NT
Lucas	PeC2	45	0.06	2.66	44	0.7422					2.66	T
Lucas	RaC2	28	0.05	1.49	44	0.7422	22	6	1.55	23.55	1.25	NT
Lucas	SeB	60	0.04	2.70	44	0.7422					2.70	T
Lucas	SfC	40	0.02	0.84	44	0.7422					0.84	T
Lucas	SfC2	35	0.02	0.53	44	0.7422	22	13	3.35	25.35	0.38	NT
Lucas	SfC2	35	0.10	3.51	44	0.7422					3.51	T
Lucas	ShD2	48	0.12	5.77	44	0.7422	22	26	6.70	28.70	3.45	NT
Lucas	ShD2	48	0.33	15.65	44	0.7422					15.65	T
Lucas	ShE2	38	0.38	14.59	44	0.7422	22	16	4.12	26.12	10.03	NT
Lucas	ShE2	38	0.54	20.38	44	0.7422					20.38	T
Lucas	SL	0	5.52	0.00	44	0.7422	0	0	0.00	0.00	0.00	NT
Lucas	SoE3	35	0.02	0.62	44	0.7422					0.62	T
Lucas	Ve	70	0.08	5.52	44	0.7422	22	48	12.37	34.37	2.71	NT
Lucas	Ve	70	0.02	1.42	44	0.7422					1.42	T
Lucas	VeB	65	0.00	0.01	44	0.7422					0.01	T
Lucas	W	0	2600.21	0.00	44	0.7422	0	0	0.00	0.00	0.00	NT
Lucas	W	0	18.70	0.00	44	0.7422					0.00	T
											0.00	
											0.00	
Lyon	108	52	0.07	3.40	62	0.7334					3.40	T
Lyon	133	80	1986.08	158886.66	62	0.7334	31	49	13.06	44.06	87513.58	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lyon	133	80	6009.02	480721.84	62	0.7334					480721.84	T
Lyon	174	75	11.56	867.05	62	0.7334	31	44	11.73	42.73	493.99	NT
Lyon	174	75	200.85	15063.38	62	0.7334					15063.38	T
Lyon	174B	70	155.11	10857.62	62	0.7334	31	39	10.40	41.40	6421.10	NT
Lyon	174B	70	2054.96	143847.30	62	0.7334					143847.30	T
Lyon	174C2	26	106.88	2778.78	62	0.7334	26	0	0.00	26.00	2778.78	NT
Lyon	174C2	26	819.89	21317.15	62	0.7334					21317.15	T
Lyon	174D2	16	45.05	720.74	62	0.7334	16	0	0.00	16.00	720.74	NT
Lyon	174D2	16	136.99	2191.91	62	0.7334					2191.91	T
Lyon	189	68	357.14	24285.53	62	0.7334	31	37	9.86	40.86	14594.25	NT
Lyon	189	68	175.22	11914.81	62	0.7334					11914.81	T
Lyon	203	71	89.55	6357.98	62	0.7334	31	40	10.66	41.66	3730.97	NT
Lyon	203	71	1066.87	75747.59	62	0.7334					75747.59	T
Lyon	259	41	55.61	2280.14	62	0.7334	31	10	2.67	33.67	1872.28	NT
Lyon	259	41	302.19	12389.64	62	0.7334					12389.64	T
Lyon	26	85	125.60	10676.07	62	0.7334	31	54	14.40	45.40	5701.82	NT
Lyon	26	85	1272.13	108130.65	62	0.7334					108130.65	T
Lyon	26B	73	66.29	4839.47	62	0.7334	31	42	11.20	42.20	2797.43	NT
Lyon	26B	73	393.03	28691.21	62	0.7334					28691.21	T
Lyon	27B	82	401.21	32898.85	62	0.7334	31	51	13.60	44.60	17892.40	NT
Lyon	27B	82	1280.16	104973.48	62	0.7334					104973.48	T
Lyon	27C	61	432.63	26390.25	62	0.7334	31	30	8.00	39.00	16871.59	NT
Lyon	27C	61	351.98	21470.70	62	0.7334					21470.70	T
Lyon	27D	52	134.29	6982.99	62	0.7334	31	21	5.60	36.60	4914.76	NT
Lyon	27D	52	74.89	3894.49	62	0.7334					3894.49	T
Lyon	28B	14	33.06	462.90	62	0.7334	14	0	0.00	14.00	462.90	NT
Lyon	28B	14	366.71	5133.92	62	0.7334					5133.92	T
Lyon	28C2	22	101.58	2234.78	62	0.7334	22	0	0.00	22.00	2234.78	NT
Lyon	28C2	22	694.77	15284.93	62	0.7334					15284.93	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lyon	28D2	12	94.20	1130.36	62	0.7334	12	0	0.00	12.00	1130.36	NT
Lyon	28D2	12	229.50	2754.01	62	0.7334					2754.01	T
Lyon	309	61	0.06	3.65	62	0.7334	31	30	8.00	39.00	2.33	NT
Lyon	31	75	362.70	27202.22	62	0.7334	31	44	11.73	42.73	15498.15	NT
Lyon	31	75	4136.54	310240.58	62	0.7334					310240.58	T
Lyon	310	79	468.31	36996.30	62	0.7334	31	48	12.80	43.80	20510.37	NT
Lyon	310	79	10611.34	838295.63	62	0.7334					838295.63	T
Lyon	310B	71	1555.88	110467.26	62	0.7334	31	40	10.66	41.66	64824.06	NT
Lyon	310B	71	33123.23	2351749.41	62	0.7334					2351749.41	T
Lyon	310B2	69	266.80	18409.34	62	0.7334	31	38	10.13	41.13	10973.78	NT
Lyon	310B2	69	10585.13	730374.12	62	0.7334					730374.12	T
Lyon	310C2	56	195.34	10939.19	62	0.7334	31	25	6.67	37.67	7357.58	NT
Lyon	310C2	56	5055.62	283114.75	62	0.7334					283114.75	T
Lyon	311	70	153.49	10744.14	62	0.7334	31	39	10.40	41.40	6353.99	NT
Lyon	311	70	4496.14	314730.00	62	0.7334					314730.00	T
Lyon	311B	65	79.68	5179.39	62	0.7334	31	34	9.06	40.06	3192.45	NT
Lyon	311B	65	1097.00	71305.20	62	0.7334					71305.20	T
Lyon	315	30	2393.99	71819.63	62	0.7334	30	0	0.00	30.00	71819.63	NT
Lyon	315	30	343.13	10293.94	62	0.7334					10293.94	T
Lyon	32	77	57.81	4450.99	62	0.7334	31	46	12.26	43.26	2500.85	NT
Lyon	32	77	1127.48	86815.78	62	0.7334					86815.78	T
Lyon	33C	42	542.75	22795.65	62	0.7334	31	11	2.93	33.93	18417.04	NT
Lyon	33C	42	400.00	16800.19	62	0.7334					16800.19	T
Lyon	33D	36	370.38	13333.83	62	0.7334	31	5	1.33	32.33	11975.63	NT
Lyon	33D	36	837.14	30136.89	62	0.7334					30136.89	T
Lyon	33E	19	879.62	16712.71	62	0.7334	19	0	0.00	19.00	16712.71	NT
Lyon	33E	19	437.70	8316.32	62	0.7334					8316.32	T
Lyon	33F	8	2124.02	16992.18	62	0.7334	8	0	0.00	8.00	16992.18	NT
Lyon	33F	8	447.20	3577.60	62	0.7334					3577.60	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lyon	33G	5	3062.50	15312.52	62	0.7334	5	0	0.00	5.00	15312.52	NT
Lyon	33G	5	109.29	546.46	62	0.7334					546.46	T
Lyon	401C	43	96.14	4133.88	62	0.7334	31	12	3.20	34.20	3287.80	NT
Lyon	401C	43	772.88	33233.81	62	0.7334					33233.81	T
Lyon	401D	37	257.14	9514.04	62	0.7334	31	6	1.60	32.60	8382.54	NT
Lyon	401D	37	702.81	26004.08	62	0.7334					26004.08	T
Lyon	401D3	33	935.28	30864.24	62	0.7334	31	2	0.53	31.53	29492.37	NT
Lyon	401D3	33	1753.76	57874.15	62	0.7334					57874.15	T
Lyon	401E3	23	235.36	5413.23	62	0.7334	23	0	0.00	23.00	5413.23	NT
Lyon	401E3	23	109.76	2524.41	62	0.7334					2524.41	T
Lyon	410	70	51.38	3596.30	62	0.7334	31	39	10.40	41.40	2126.82	NT
Lyon	410	70	1161.99	81339.26	62	0.7334					81339.26	T
Lyon	410B	65	1999.98	129998.92	62	0.7334	31	34	9.06	40.06	80128.13	NT
Lyon	410B	65	36242.84	2355784.33	62	0.7334					2355784.33	T
Lyon	410B2	63	1245.18	78446.26	62	0.7334	31	32	8.53	39.53	49223.41	NT
Lyon	410B2	63	28903.45	1820917.18	62	0.7334					1820917.18	T
Lyon	410C2	48	1939.48	93094.81	62	0.7334	31	17	4.53	35.53	68913.82	NT
Lyon	410C2	48	30268.51	1452888.55	62	0.7334					1452888.55	T
Lyon	410D2	33	132.86	4384.42	62	0.7334	31	2	0.53	31.53	4189.54	NT
Lyon	410D2	33	666.21	21984.98	62	0.7334					21984.98	T
Lyon	411B	60	287.37	17242.27	62	0.7334	31	29	7.73	38.73	11130.29	NT
Lyon	411B	60	6232.13	373927.66	62	0.7334					373927.66	T
Lyon	411B2	58	171.97	9974.23	62	0.7334	31	27	7.20	38.20	6568.92	NT
Lyon	411B2	58	4411.08	255842.85	62	0.7334					255842.85	T
Lyon	411C2	44	158.16	6959.13	62	0.7334	31	13	3.47	34.47	5451.18	NT
Lyon	411C2	44	2699.18	118763.82	62	0.7334					118763.82	T
Lyon	411D2	35	66.71	2334.70	62	0.7334	31	4	1.07	32.07	2139.01	NT
Lyon	411D2	35	276.80	9688.17	62	0.7334					9688.17	T
Lyon	430	83	2900.54	240745.17	62	0.7334	31	52	13.86	44.86	130127.70	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lyon	430	83	9107.62	755932.14	62	0.7334					755932.14	T
Lyon	458	66	774.15	51093.82	62	0.7334	31	35	9.33	40.33	31222.20	NT
Lyon	458	66	402.01	26532.57	62	0.7334					26532.57	T
Lyon	474B	40	0.11	4.33	62	0.7334	31	9	2.40	33.40	3.62	NT
Lyon	486	70	954.60	66822.20	62	0.7334	31	39	10.40	41.40	39518.08	NT
Lyon	486	70	1314.43	92009.98	62	0.7334					92009.98	T
Lyon	501	0	363.80	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Lyon	501	0	82.93	0.00	62	0.7334					0.00	T
Lyon	5040	5	27.51	137.54	62	0.7334	5	0	0.00	5.00	137.54	NT
Lyon	5040	5	26.73	133.66	62	0.7334					133.66	T
Lyon	5044	0	0.26	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Lyon	505	51	1.79	91.23	62	0.7334	31	20	5.33	36.33	64.99	NT
Lyon	505	51	357.39	18226.72	62	0.7334					18226.72	T
Lyon	5080	0	13.64	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Lyon	54	70	9.43	659.86	62	0.7334	31	39	10.40	41.40	390.24	NT
Lyon	54	70	159.20	11143.68	62	0.7334					11143.68	T
Lyon	541C	12	77.97	935.63	62	0.7334	12	0	0.00	12.00	935.63	NT
Lyon	541C	12	281.44	3377.23	62	0.7334					3377.23	T
Lyon	541D	5	247.13	1235.65	62	0.7334	5	0	0.00	5.00	1235.65	NT
Lyon	541D	5	281.03	1405.15	62	0.7334					1405.15	T
Lyon	577B	73	44.88	3276.31	62	0.7334	31	42	11.20	42.20	1893.85	NT
Lyon	577B	73	1348.69	98454.23	62	0.7334					98454.23	T
Lyon	608	50	196.02	9800.76	62	0.7334	31	19	5.07	36.07	7069.36	NT
Lyon	608	50	1350.65	67532.45	62	0.7334					67532.45	T
Lyon	608B	43	259.30	11150.00	62	0.7334	31	12	3.20	34.20	8867.93	NT
Lyon	608B	43	1230.39	52906.61	62	0.7334					52906.61	T
Lyon	608C2	24	124.85	2996.45	62	0.7334	24	0	0.00	24.00	2996.45	NT
Lyon	608C2	24	499.01	11976.35	62	0.7334					11976.35	T
Lyon	64	66	38.85	2564.03	62	0.7334	31	35	9.33	40.33	1566.81	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lyon	64	66	703.12	46405.79	62	0.7334					46405.79	T
Lyon	658	64	352.25	22543.72	62	0.7334	31	33	8.80	39.80	14018.60	NT
Lyon	658	64	583.58	37349.13	62	0.7334					37349.13	T
Lyon	710	70	49.69	3478.31	62	0.7334	31	39	10.40	41.40	2057.04	NT
Lyon	710	70	756.39	52947.39	62	0.7334					52947.39	T
Lyon	710B	65	35.22	2289.09	62	0.7334	31	34	9.06	40.06	1410.94	NT
Lyon	710B	65	615.17	39986.08	62	0.7334					39986.08	T
Lyon	710C2	44	80.98	3563.24	62	0.7334	31	13	3.47	34.47	2791.13	NT
Lyon	710C2	44	573.96	25254.07	62	0.7334					25254.07	T
Lyon	72	35	76.48	2676.76	62	0.7334	31	4	1.07	32.07	2452.40	NT
Lyon	72	35	442.93	15502.48	62	0.7334					15502.48	T
Lyon	733	64	4132.01	264448.81	62	0.7334	31	33	8.80	39.80	164445.01	NT
Lyon	733	64	8018.15	513161.76	62	0.7334					513161.76	T
Lyon	73F	5	202.28	1011.38	62	0.7334	5	0	0.00	5.00	1011.38	NT
Lyon	73F	5	36.08	180.41	62	0.7334					180.41	T
Lyon	77B	76	476.59	36220.62	62	0.7334	31	45	12.00	43.00	20491.81	NT
Lyon	77B	76	8822.28	670493.17	62	0.7334					670493.17	T
Lyon	77B2	67	85.99	5761.00	62	0.7334	31	36	9.60	40.60	3490.79	NT
Lyon	77B2	67	2355.09	157791.13	62	0.7334					157791.13	T
Lyon	77C2	53	128.67	6819.73	62	0.7334	31	22	5.87	36.87	4743.60	NT
Lyon	77C2	53	1512.85	80181.31	62	0.7334					80181.31	T
Lyon	77D2	36	21.01	756.24	62	0.7334	31	5	1.33	32.33	679.21	NT
Lyon	77D2	36	109.88	3955.85	62	0.7334					3955.85	T
Lyon	785	68	2007.70	136523.58	62	0.7334	31	37	9.86	40.86	82043.04	NT
Lyon	785	68	2888.96	196449.12	62	0.7334					196449.12	T
Lyon	791	71	13.67	970.77	62	0.7334	31	40	10.66	41.66	569.66	NT
Lyon	791	71	320.89	22783.06	62	0.7334					22783.06	T
Lyon	808	57	209.24	11926.51	62	0.7334	31	26	6.93	37.93	7936.70	NT
Lyon	808	57	2359.41	134486.37	62	0.7334					134486.37	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lyon	808B	52	147.35	7662.05	62	0.7334	31	21	5.60	36.60	5392.70	NT
Lyon	808B	52	899.59	46778.81	62	0.7334					46778.81	T
Lyon	810	78	0.08	6.13	62	0.7334					6.13	T
Lyon	810B	73	0.04	2.70	62	0.7334					2.70	T
Lyon	878	78	7.12	555.53	62	0.7334	31	47	12.53	43.53	310.03	NT
Lyon	878	78	311.87	24326.03	62	0.7334					24326.03	T
Lyon	878B	74	157.94	11687.88	62	0.7334	31	43	11.46	42.46	6706.92	NT
Lyon	878B	74	3122.97	231099.68	62	0.7334					231099.68	T
Lyon	878B2	76	16.95	1288.30	62	0.7334	31	45	12.00	43.00	728.86	NT
Lyon	878B2	76	987.82	75074.63	62	0.7334					75074.63	T
Lyon	878C2	44	117.17	5155.55	62	0.7334	31	13	3.47	34.47	4038.41	NT
Lyon	878C2	44	1199.56	52780.46	62	0.7334					52780.46	T
Lyon	878D2	29	42.72	1239.01	62	0.7334	29	0	0.00	29.00	1239.01	NT
Lyon	878D2	29	225.74	6546.55	62	0.7334					6546.55	T
Lyon	890B	61	37.29	2274.39	62	0.7334	31	30	8.00	39.00	1454.04	NT
Lyon	890B	61	1030.91	62885.30	62	0.7334					62885.30	T
Lyon	890B2	59	28.44	1678.13	62	0.7334	31	28	7.46	38.46	1094.05	NT
Lyon	890B2	59	934.87	55157.43	62	0.7334					55157.43	T
Lyon	890C2	45	64.27	2892.10	62	0.7334	31	14	3.73	34.73	2232.21	NT
Lyon	890C2	45	563.69	25365.99	62	0.7334					25365.99	T
Lyon	899	76	285.96	21733.07	62	0.7334	31	45	12.00	43.00	12295.49	NT
Lyon	899	76	1942.50	147629.83	62	0.7334					147629.83	T
Lyon	91	84	484.48	40696.28	62	0.7334	31	53	14.13	45.13	21864.47	NT
Lyon	91	84	19100.16	1604413.08	62	0.7334					1604413.08	T
Lyon	910	75	205.01	15375.68	62	0.7334	31	44	11.73	42.73	8760.12	NT
Lyon	910	75	5402.52	405189.10	62	0.7334					405189.10	T
Lyon	910B	73	365.50	26681.39	62	0.7334	31	42	11.20	42.20	15423.01	NT
Lyon	910B	73	8982.15	655696.82	62	0.7334					655696.82	T
Lyon	91B	81	202.27	16383.98	62	0.7334	31	50	13.33	44.33	8966.69	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Lyon	91B	81	7321.29	593024.81	62	0.7334					593024.81	T
Lyon	92	79	443.85	35064.19	62	0.7334	31	48	12.80	43.80	19439.23	NT
Lyon	92	79	10363.50	818716.31	62	0.7334					818716.31	T
Lyon	AW	0	22.47	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Lyon	AW	0	0.59	0.00	62	0.7334					0.00	T
Lyon	INT	0	35.43	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Lyon	INT	0	10.30	0.00	62	0.7334					0.00	T
Lyon	SL	0	7.01	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Lyon	T410	70	123.17	8621.99	62	0.7334	31	39	10.40	41.40	5098.97	NT
Lyon	T410	70	1451.18	101582.38	62	0.7334					101582.38	T
Lyon	T410B	65	117.96	7667.21	62	0.7334	31	34	9.06	40.06	4725.88	NT
Lyon	T410B	65	1411.42	91742.32	62	0.7334					91742.32	T
Lyon	W	0	792.90	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Lyon	W	0	5.96	0.00	62	0.7334					0.00	T
											0.00	
											0.00	
Madison	11B	68	7.49	509.40	64	0.777	32	36	8.03	40.03	299.86	NT
Madison	11B	68	0.95	64.80	64	0.777					64.80	T
Madison	133	80	0.37	29.24	64	0.777	32	48	10.70	42.70	15.61	NT
Madison	133	80	14.52	1161.29	64	0.777					1161.29	T
Madison	133B	75	0.02	1.49	64	0.777	32	43	9.59	41.59	0.83	NT
Madison	133B	75	0.27	20.36	64	0.777					20.36	T
Madison	13B	65	0.75	48.85	64	0.777	32	33	7.36	39.36	29.58	NT
Madison	13B	65	0.06	4.01	64	0.777					4.01	T
Madison	1715	25	0.06	1.38	64	0.777					1.38	T
Madison	179D2	43	3.16	135.72	64	0.777	32	11	2.45	34.45	108.74	NT
Madison	179E	35	0.08	2.66	64	0.777	32	3	0.67	32.67	2.48	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	179E2	33	16.70	551.04	64	0.777	32	1	0.22	32.22	538.07	NT
Madison	179E2	33	2.43	80.23	64	0.777					80.23	T
Madison	179F	15	2.44	36.54	64	0.777	15	0	0.00	15.00	36.54	NT
Madison	179F	15	0.01	0.11	64	0.777					0.11	T
Madison	179F2	14	30.06	420.77	64	0.777	14	0	0.00	14.00	420.77	NT
Madison	179F2	14	4.86	68.09	64	0.777					68.09	T
Madison	212	94	0.77	71.99	64	0.777	32	62	13.83	45.83	35.10	NT
Madison	212	94	9.03	848.91	64	0.777					848.91	T
Madison	220	85	0.10	8.25	64	0.777	32	53	11.82	43.82	4.25	NT
Madison	220	85	14.03	1192.24	64	0.777					1192.24	T
Madison	222D2	10	6.05	60.47	64	0.777	10	0	0.00	10.00	60.47	NT
Madison	222D2	10	3.76	37.62	64	0.777					37.62	T
Madison	248	60	10.58	634.64	64	0.777					634.64	T
Madison	24D2	48	0.07	3.19	64	0.777					3.19	T
Madison	24E	40	0.19	7.59	64	0.777	32	8	1.78	33.78	6.41	NT
Madison	24E	40	0.30	12.16	64	0.777					12.16	T
Madison	24E2	38	1.01	38.23	64	0.777	32	6	1.34	33.34	33.54	NT
Madison	24E2	38	2.75	104.48	64	0.777					104.48	T
Madison	24F2	18	0.04	0.68	64	0.777	18	0	0.00	18.00	0.68	NT
Madison	24F2	18	0.07	1.23	64	0.777					1.23	T
Madison	273B	72	0.16	11.21	64	0.777					11.21	T
Madison	273C	57	0.05	2.98	64	0.777	32	25	5.58	37.58	1.97	NT
Madison	273C	57	0.00	0.22	64	0.777					0.22	T
Madison	27C	61	0.13	7.87	64	0.777	32	29	6.47	38.47	4.96	NT
Madison	287B	70	0.11	7.90	64	0.777	32	38	8.47	40.47	4.57	NT
Madison	313F		0.04		64	0.777			0.00	0.00	0.00	NT
Madison	315	30	0.07	2.21	64	0.777	30	0	0.00	30.00	2.21	NT
Madison	315	30	0.05	1.56	64	0.777					1.56	T
Madison	368	95	0.12	11.67	64	0.777	32	63	14.05	46.05	5.66	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	368	95	6.25	593.86	64	0.777					593.86	T
Madison	368B	90	0.27	24.71	64	0.777	32	58	12.93	44.93	12.33	NT
Madison	368B	90	0.35	31.54	64	0.777					31.54	T
Madison	369	87	0.00	0.16	64	0.777	32	55	12.27	44.27	0.08	NT
Madison	369	87	0.20	17.28	64	0.777					17.28	T
Madison	370	92	0.16	14.26	64	0.777					14.26	T
Madison	370B	87	1.36	118.69	64	0.777	32	55	12.27	44.27	60.39	NT
Madison	370B	87	19.14	1665.43	64	0.777					1665.43	T
Madison	370C	72	0.00	0.32	64	0.777	32	40	8.92	40.92	0.18	NT
Madison	370C	72	0.03	2.06	64	0.777					2.06	T
Madison	370C2	67	2.92	195.35	64	0.777	32	35	7.81	39.81	116.06	NT
Madison	370C2	67	11.33	758.85	64	0.777					758.85	T
Madison	419G	5	10.80	53.98	64	0.777	5	0	0.00	5.00	53.98	NT
Madison	423D2	13	0.02	0.22	64	0.777	13	0	0.00	13.00	0.22	NT
Madison	423D2	13	0.01	0.17	64	0.777					0.17	T
Madison	425D	16	0.17	2.65	64	0.777					2.65	T
Madison	43	80	2.71	216.96	64	0.777					216.96	T
Madison	484	90	0.95	85.74	64	0.777					85.74	T
Madison	5010	0	2.78	0.00	64	0.777	0	0	0.00	0.00	0.00	NT
Madison	5030	0	1772.10	0.00	64	0.777	0	0	0.00	0.00	0.00	NT
Madison	5030	0	195.82	0.00	64	0.777					0.00	T
Madison	5040	5	13.28	66.38	64	0.777	5	0	0.00	5.00	66.38	NT
Madison	5040	5	0.59	2.96	64	0.777					2.96	T
Madison	5080	0	3.21	0.00	64	0.777	0	0	0.00	0.00	0.00	NT
Madison	5080	0	0.21	0.00	64	0.777					0.00	T
Madison	54	70	2.90	202.79	64	0.777	32	38	8.47	40.47	117.25	NT
Madison	54	70	0.67	46.61	64	0.777					46.61	T
Madison	54+	75	0.06	4.65	64	0.777					4.65	T
Madison	570C2	64	0.01	0.88	64	0.777	32	32	7.14	39.14	0.54	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	570C2	64	0.35	22.48	64	0.777					22.48	T
Madison	65E	25	0.15	3.85	64	0.777	25	0	0.00	25.00	3.85	NT
Madison	65E	25	0.01	0.13	64	0.777					0.13	T
Madison	65F	10	0.42	4.19	64	0.777	10	0	0.00	10.00	4.19	NT
Madison	65G	5	0.58	2.89	64	0.777	5	0	0.00	5.00	2.89	NT
Madison	65G	5	0.03	0.16	64	0.777					0.16	T
Madison	69C2	41	0.11	4.50	64	0.777	32	9	2.01	34.01	3.73	NT
Madison	76B	82	0.08	6.79	64	0.777	32	50	11.15	43.15	3.57	NT
Madison	76B	82	0.78	63.62	64	0.777					63.62	T
Madison	76C	70	2.88	201.64	64	0.777	32	38	8.47	40.47	116.59	NT
Madison	76C	70	0.00	0.02	64	0.777					0.02	T
Madison	76C2	67	1.74	116.72	64	0.777	32	35	7.81	39.81	69.34	NT
Madison	76C2	67	16.04	1074.51	64	0.777					1074.51	T
Madison	76D2	52	9.23	479.94	64	0.777	32	20	4.46	36.46	336.51	NT
Madison	76D2	52	1.95	101.39	64	0.777					101.39	T
Madison	792D2	11	0.54	5.91	64	0.777	11	0	0.00	11.00	5.91	NT
Madison	792D2	11	6.18	67.99	64	0.777					67.99	T
Madison	80B	77	0.61	47.00	64	0.777	32	45	10.04	42.04	25.66	NT
Madison	80B	77	1.32	101.26	64	0.777					101.26	T
Madison	80C2	57	1.79	101.82	64	0.777	32	25	5.58	37.58	67.12	NT
Madison	80C2	57	3.52	200.37	64	0.777					200.37	T
Madison	80D2	52	4.46	231.99	64	0.777	32	20	4.46	36.46	162.66	NT
Madison	80D2	52	0.27	14.09	64	0.777					14.09	T
Madison	822C2	24	0.13	3.04	64	0.777	24	0	0.00	24.00	3.04	NT
Madison	822D2	15	2.44	36.64	64	0.777	15	0	0.00	15.00	36.64	NT
Madison	822D2	15	3.39	50.86	64	0.777					50.86	T
Madison	876B	82	0.34	28.24	64	0.777	32	50	11.15	43.15	14.86	NT
Madison	876B	82	0.99	81.58	64	0.777					81.58	T
Madison	93D2	33	0.77	25.44	64	0.777	32	1	0.22	32.22	24.84	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	93D2	33	2.66	87.68	64	0.777					87.68	T
Madison	93E	14	1.89	26.47	64	0.777	14	0	0.00	14.00	26.47	NT
Madison	93E	14	2.89	40.52	64	0.777					40.52	T
Madison	93E2	23	0.02	0.43	64	0.777	23	0	0.00	23.00	0.43	NT
Madison	93E2	23	0.04	0.89	64	0.777					0.89	T
Madison	94D2	10	0.11	1.10	64	0.777					1.10	T
Madison	993D2	20	0.43	8.68	64	0.777	20	0	0.00	20.00	8.68	NT
Madison	993D2	20	0.03	0.58	64	0.777					0.58	T
Madison	993E	12	0.08	0.95	64	0.777	12	0	0.00	12.00	0.95	NT
Madison	993E	12	0.06	0.69	64	0.777					0.69	T
Madison	993E2	10	0.27	2.66	64	0.777	10	0	0.00	10.00	2.66	NT
Madison	993E2	10	0.00	0.00	64	0.777					0.00	T
Madison	Au	20	2368.81	47376.11	64	0.777	20	0	0.00	20.00	47376.11	NT
Madison	Au	20	901.82	18036.43	64	0.777					18036.43	T
Madison	Av	25	710.62	17765.56	64	0.777	25	0	0.00	25.00	17765.56	NT
Madison	Av	25	118.00	2949.96	64	0.777					2949.96	T
Madison	AW	0	3.04	0.00	64	0.777	0	0	0.00	0.00	0.00	NT
Madison	AW	0	0.01	0.00	64	0.777					0.00	T
Madison	AwD	55	282.00	15510.18	64	0.777	32	23	5.13	37.13	10470.50	NT
Madison	AwD	55	564.67	31056.65	64	0.777					31056.65	T
Madison	Br	82	64.35	5276.38	64	0.777	32	50	11.15	43.15	2776.54	NT
Madison	Br	82	842.78	69107.78	64	0.777					69107.78	T
Madison	BW	0	2.43	0.00	64	0.777	0	0	0.00	0.00	0.00	NT
Madison	BW	0	2.37	0.00	64	0.777					0.00	T
Madison	CbD2	33	133.79	4415.00	64	0.777	32	1	0.22	32.22	4311.05	NT
Madison	CbD2	33	277.88	9170.04	64	0.777					9170.04	T
Madison	CeD2	28	279.30	7820.47	64	0.777	28	0	0.00	28.00	7820.47	NT
Madison	CeD2	28	410.04	11481.23	64	0.777					11481.23	T
Madison	CeE2	20	158.90	3178.09	64	0.777	20	0	0.00	20.00	3178.09	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	CeE2	20	82.68	1653.60	64	0.777					1653.60	T
Madison	ClD2	10	74.46	744.57	64	0.777	10	0	0.00	10.00	744.57	NT
Madison	ClD2	10	47.96	479.59	64	0.777					479.59	T
Madison	ClF2	5	395.28	1976.38	64	0.777	5	0	0.00	5.00	1976.38	NT
Madison	ClF2	5	54.97	274.85	64	0.777					274.85	T
Madison	CmD2	10	109.09	1090.94	64	0.777	10	0	0.00	10.00	1090.94	NT
Madison	CmD2	10	58.25	582.48	64	0.777					582.48	T
Madison	CmE2	5	355.49	1777.44	64	0.777	5	0	0.00	5.00	1777.44	NT
Madison	CmE2	5	71.85	359.27	64	0.777					359.27	T
Madison	CmF2	5	1866.15	9330.77	64	0.777	5	0	0.00	5.00	9330.77	NT
Madison	CmF2	5	148.70	743.52	64	0.777					743.52	T
Madison	CmG2	5	1025.14	5125.69	64	0.777	5	0	0.00	5.00	5125.69	NT
Madison	CmG2	5	36.42	182.10	64	0.777					182.10	T
Madison	CnC	30	242.34	7270.17	64	0.777	30	0	0.00	30.00	7270.17	NT
Madison	CnC	30	503.94	15118.23	64	0.777					15118.23	T
Madison	CnC2	25	135.31	3382.83	64	0.777	25	0	0.00	25.00	3382.83	NT
Madison	CnC2	25	392.64	9816.06	64	0.777					9816.06	T
Madison	CoC	50	775.49	38774.49	64	0.777	32	18	4.01	36.01	27928.49	NT
Madison	CoC	50	3374.42	168720.95	64	0.777					168720.95	T
Madison	CoC2	45	517.71	23296.97	64	0.777	32	13	2.90	34.90	18067.58	NT
Madison	CoC2	45	2848.09	128164.01	64	0.777					128164.01	T
Madison	CsB	78	263.71	20569.29	64	0.777	32	46	10.26	42.26	11143.81	NT
Madison	CsB	78	1015.81	79233.16	64	0.777					79233.16	T
Madison	CsC	63	263.40	16594.05	64	0.777	32	31	6.91	38.91	10249.59	NT
Madison	CsC	63	82.71	5210.58	64	0.777					5210.58	T
Madison	CsC2	58	1843.67	106933.13	64	0.777	32	26	5.80	37.80	69687.21	NT
Madison	CsC2	58	2830.09	164145.08	64	0.777					164145.08	T
Madison	CsD2	43	1548.55	66587.83	64	0.777	32	11	2.45	34.45	53352.34	NT
Madison	CsD2	43	1293.77	55632.02	64	0.777					55632.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	CtB	78	88.73	6920.61	64	0.777	32	46	10.26	42.26	3749.37	NT
Madison	CtB	78	303.88	23702.77	64	0.777					23702.77	T
Madison	Cu	70	583.36	40835.25	64	0.777	32	38	8.47	40.47	23610.94	NT
Madison	Cu	70	1498.84	104919.06	64	0.777					104919.06	T
Madison	Cv	25	201.95	5048.71	64	0.777	25	0	0.00	25.00	5048.71	NT
Madison	Cv	25	104.02	2600.61	64	0.777					2600.61	T
Madison	CwB	65	3901.20	253578.06	64	0.777	32	33	7.36	39.36	153547.36	NT
Madison	CwB	65	2955.46	192104.69	64	0.777					192104.69	T
Madison	CyB	10	10440.64	104406.41	64	0.777	10	0	0.00	10.00	104406.41	NT
Madison	CyB	10	2777.12	27771.16	64	0.777					27771.16	T
Madison	DbD2	21	284.17	5967.58	64	0.777	21	0	0.00	21.00	5967.58	NT
Madison	DbD2	21	48.34	1015.18	64	0.777					1015.18	T
Madison	ElB	84	658.82	55340.78	64	0.777	32	52	11.60	43.60	28721.86	NT
Madison	ElB	84	1843.52	154855.30	64	0.777					154855.30	T
Madison	Fg	5	713.75	3568.75	64	0.777	5	0	0.00	5.00	3568.75	NT
Madison	Fg	5	31.04	155.21	64	0.777					155.21	T
Madison	GaC2	53	60.48	3205.24	64	0.777	32	21	4.68	36.68	2218.45	NT
Madison	GaC2	53	44.82	2375.44	64	0.777					2375.44	T
Madison	GaD2	43	1898.95	81654.68	64	0.777	32	11	2.45	34.45	65424.39	NT
Madison	GaD2	43	1931.37	83048.70	64	0.777					83048.70	T
Madison	GaE	35	275.81	9653.44	64	0.777	32	3	0.67	32.67	9010.52	NT
Madison	GaE	35	40.33	1411.40	64	0.777					1411.40	T
Madison	GaE2	33	9221.30	304302.99	64	0.777	32	1	0.22	32.22	297138.04	NT
Madison	GaE2	33	4659.90	153776.80	64	0.777					153776.80	T
Madison	GaF2	13	11579.80	150537.46	64	0.777	13	0	0.00	13.00	150537.46	NT
Madison	GaF2	13	2033.28	26432.69	64	0.777					26432.69	T
Madison	GaG	5	1764.99	8824.96	64	0.777	5	0	0.00	5.00	8824.96	NT
Madison	GaG	5	145.40	727.01	64	0.777					727.01	T
Madison	Gn	84	26.29	2208.74	64	0.777	32	52	11.60	43.60	1146.34	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	Gn	84	378.06	31756.72	64	0.777					31756.72	T
Madison	Go	84	49.60	4166.61	64	0.777	32	52	11.60	43.60	2162.47	NT
Madison	Go	84	335.09	28147.18	64	0.777					28147.18	T
Madison	GpE	10	137.42	1374.22	64	0.777	10	0	0.00	10.00	1374.22	NT
Madison	GpE	10	70.96	709.56	64	0.777					709.56	T
Madison	GpF	5	235.33	1176.63	64	0.777	5	0	0.00	5.00	1176.63	NT
Madison	GpF	5	29.45	147.26	64	0.777					147.26	T
Madison	HxG	5	267.92	1339.61	64	0.777	5	0	0.00	5.00	1339.61	NT
Madison	HxG	5	7.63	38.14	64	0.777					38.14	T
Madison	INT	0	21.29	0.00	64	0.777	0	0	0.00	0.00	0.00	NT
Madison	INT	0	5.60	0.00	64	0.777					0.00	T
Madison	JuB	82	105.86	8680.93	64	0.777	32	50	11.15	43.15	4568.07	NT
Madison	JuB	82	262.37	21514.30	64	0.777					21514.30	T
Madison	Ke	86	1264.52	108748.29	64	0.777	32	54	12.04	44.04	55691.77	NT
Madison	Ke	86	2654.73	228306.64	64	0.777					228306.64	T
Madison	KkD2	12	543.36	6520.34	64	0.777	12	0	0.00	12.00	6520.34	NT
Madison	KkD2	12	204.89	2458.68	64	0.777					2458.68	T
Madison	LaB	82	876.33	71858.82	64	0.777	32	50	11.15	43.15	37813.51	NT
Madison	LaB	82	5422.65	444657.32	64	0.777					444657.32	T
Madison	LaB2	77	43.24	3329.80	64	0.777	32	45	10.04	42.04	1817.77	NT
Madison	LaB2	77	485.25	37364.28	64	0.777					37364.28	T
Madison	LaC	67	606.69	40648.54	64	0.777	32	35	7.81	39.81	24149.48	NT
Madison	LaC	67	532.16	35654.83	64	0.777					35654.83	T
Madison	LaC2	62	6192.13	383911.76	64	0.777	32	30	6.69	38.69	239573.32	NT
Madison	LaC2	62	15348.81	951626.50	64	0.777					951626.50	T
Madison	LaD	57	111.60	6361.10	64	0.777	32	25	5.58	37.58	4193.30	NT
Madison	LaD	57	91.79	5232.26	64	0.777					5232.26	T
Madison	LaD2	52	2888.15	150183.64	64	0.777	32	20	4.46	36.46	105301.84	NT
Madison	LaD2	52	4478.80	232897.44	64	0.777					232897.44	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	LaE2	42	122.66	5151.58	64	0.777	32	10	2.23	34.23	4198.54	NT
Madison	LaE2	42	57.59	2418.81	64	0.777					2418.81	T
Madison	LbB	82	106.98	8772.27	64	0.777	32	50	11.15	43.15	4616.14	NT
Madison	LbB	82	902.90	74038.05	64	0.777					74038.05	T
Madison	LcC	35	95.18	3331.28	64	0.777	32	3	0.67	32.67	3109.41	NT
Madison	LcC	35	267.31	9355.88	64	0.777					9355.88	T
Madison	LcC2	30	326.99	9809.63	64	0.777	30	0	0.00	30.00	9809.63	NT
Madison	LcC2	30	1015.12	30453.55	64	0.777					30453.55	T
Madison	LcD	20	458.01	9160.30	64	0.777	20	0	0.00	20.00	9160.30	NT
Madison	LcD	20	369.19	7383.76	64	0.777					7383.76	T
Madison	LcD2	15	6380.50	95707.53	64	0.777	15	0	0.00	15.00	95707.53	NT
Madison	LcD2	15	10410.98	156164.74	64	0.777					156164.74	T
Madison	LcD3	5	251.89	1259.46	64	0.777	5	0	0.00	5.00	1259.46	NT
Madison	LcD3	5	398.08	1990.38	64	0.777					1990.38	T
Madison	LdD2	38	128.99	4901.67	64	0.777	32	6	1.34	33.34	4300.31	NT
Madison	LdD2	38	86.42	3284.07	64	0.777					3284.07	T
Madison	LdE2	28	979.66	27430.48	64	0.777	28	0	0.00	28.00	27430.48	NT
Madison	LdE2	28	277.17	7760.86	64	0.777					7760.86	T
Madison	LdF	10	1246.98	12469.77	64	0.777	10	0	0.00	10.00	12469.77	NT
Madison	LdF	10	110.53	1105.28	64	0.777					1105.28	T
Madison	LdG	5	1895.27	9476.37	64	0.777	5	0	0.00	5.00	9476.37	NT
Madison	LdG	5	98.39	491.94	64	0.777					491.94	T
Madison	LeE3	25	345.11	8627.73	64	0.777	25	0	0.00	25.00	8627.73	NT
Madison	LeE3	25	357.01	8925.13	64	0.777					8925.13	T
Madison	MbA	95	860.56	81752.76	64	0.777	32	63	14.05	46.05	39627.72	NT
Madison	MbA	95	18956.28	1800846.96	64	0.777					1800846.96	T
Madison	MbB	90	628.41	56556.81	64	0.777	32	58	12.93	44.93	28236.93	NT
Madison	MbB	90	7475.47	672792.56	64	0.777					672792.56	T
Madison	MgB	80	125.10	10007.63	64	0.777	32	48	10.70	42.70	5342.08	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	MgB	80	120.52	9641.42	64	0.777					9641.42	T
Madison	MtD2	5	63.36	316.79	64	0.777	5	0	0.00	5.00	316.79	NT
Madison	MtD2	5	215.74	1078.68	64	0.777					1078.68	T
Madison	MyD2	8	113.27	906.17	64	0.777	8	0	0.00	8.00	906.17	NT
Madison	MyD2	8	110.67	885.38	64	0.777					885.38	T
Madison	MyE2	5	293.87	1469.35	64	0.777	5	0	0.00	5.00	1469.35	NT
Madison	MyE2	5	126.85	634.25	64	0.777					634.25	T
Madison	NeA	90	99.85	8986.22	64	0.777	32	58	12.93	44.93	4486.52	NT
Madison	NeA	90	1147.88	103308.81	64	0.777					103308.81	T
Madison	NeB	85	73.11	6214.13	64	0.777	32	53	11.82	43.82	3203.49	NT
Madison	NeB	85	283.24	24075.75	64	0.777					24075.75	T
Madison	NlC2	64	374.03	23937.72	64	0.777	32	32	7.14	39.14	14637.91	NT
Madison	NlC2	64	1542.53	98722.02	64	0.777					98722.02	T
Madison	Nm	85	1183.41	100589.60	64	0.777	32	53	11.82	43.82	51855.72	NT
Madison	Nm	85	1938.78	164796.38	64	0.777					164796.38	T
Madison	Nn	25	521.01	13025.23	64	0.777	25	0	0.00	25.00	13025.23	NT
Madison	Nn	25	195.42	4885.57	64	0.777					4885.57	T
Madison	NoB	60	433.38	26002.53	64	0.777	32	28	6.24	38.24	16574.01	NT
Madison	NoB	60	27.54	1652.63	64	0.777					1652.63	T
Madison	NrE	5	1480.31	7401.56	64	0.777	5	0	0.00	5.00	7401.56	NT
Madison	NrE	5	100.86	504.29	64	0.777					504.29	T
Madison	OmB	72	315.85	22741.45	64	0.777	32	40	8.92	40.92	12924.72	NT
Madison	OmB	72	741.57	53392.72	64	0.777					53392.72	T
Madison	OmC	57	488.04	27818.18	64	0.777	32	25	5.58	37.58	18338.03	NT
Madison	OmC	57	549.21	31305.00	64	0.777					31305.00	T
Madison	SbA	92	120.26	11064.09	64	0.777	32	60	13.38	45.38	5457.48	NT
Madison	SbA	92	2812.69	258767.80	64	0.777					258767.80	T
Madison	SbB	87	2662.66	231651.55	64	0.777	32	55	12.27	44.27	117862.71	NT
Madison	SbB	87	32433.92	2821751.06	64	0.777					2821751.06	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	SbB2	82	63.65	5219.50	64	0.777	32	50	11.15	43.15	2746.60	NT
Madison	SbB2	82	466.86	38282.70	64	0.777					38282.70	T
Madison	SbC	72	1107.32	79727.30	64	0.777	32	40	8.92	40.92	45311.68	NT
Madison	SbC	72	6170.84	444300.67	64	0.777					444300.67	T
Madison	SbC2	67	4664.78	312540.35	64	0.777	32	35	7.81	39.81	185681.62	NT
Madison	SbC2	67	25281.96	1693891.49	64	0.777					1693891.49	T
Madison	SbD2	57	204.47	11654.94	64	0.777	32	25	5.58	37.58	7683.06	NT
Madison	SbD2	57	1042.00	59393.89	64	0.777					59393.89	T
Madison	ScA	92	12.03	1106.91	64	0.777	32	60	13.38	45.38	546.00	NT
Madison	ScA	92	112.24	10325.66	64	0.777					10325.66	T
Madison	ScB	87	72.07	6270.44	64	0.777	32	55	12.27	44.27	3190.36	NT
Madison	ScB	87	395.67	34423.31	64	0.777					34423.31	T
Madison	ShD2	48	661.01	31728.56	64	0.777	32	16	3.57	35.57	23510.86	NT
Madison	ShD2	48	1606.17	77096.29	64	0.777					77096.29	T
Madison	ShE	40	271.18	10847.32	64	0.777	32	8	1.78	33.78	9161.65	NT
Madison	ShE	40	134.05	5361.85	64	0.777					5361.85	T
Madison	ShE2	38	2658.15	101009.58	64	0.777	32	6	1.34	33.34	88617.30	NT
Madison	ShE2	38	3779.55	143622.91	64	0.777					143622.91	T
Madison	ShF2	18	2668.20	48027.53	64	0.777	18	0	0.00	18.00	48027.53	NT
Madison	ShF2	18	1135.56	20440.01	64	0.777					20440.01	T
Madison	SkE3	35	108.34	3791.89	64	0.777	32	3	0.67	32.67	3539.35	NT
Madison	SkE3	35	216.51	7577.71	64	0.777					7577.71	T
Madison	SL	0	10.65	0.00	64	0.777	0	0	0.00	0.00	0.00	NT
Madison	SlC2	40	18.68	747.27	64	0.777	32	8	1.78	33.78	631.14	NT
Madison	SlC2	40	97.54	3901.76	64	0.777					3901.76	T
Madison	SlD	30	126.02	3780.46	64	0.777	30	0	0.00	30.00	3780.46	NT
Madison	SlD	30	214.55	6436.56	64	0.777					6436.56	T
Madison	SlD2	25	2796.27	69906.63	64	0.777	25	0	0.00	25.00	69906.63	NT
Madison	SlD2	25	5793.63	144840.83	64	0.777					144840.83	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	SlD3	20	51.48	1029.54	64	0.777	20	0	0.00	20.00	1029.54	NT
Madison	SlD3	20	211.98	4239.57	64	0.777					4239.57	T
Madison	SlE2	10	3964.46	39644.57	64	0.777	10	0	0.00	10.00	39644.57	NT
Madison	SlE2	10	3631.88	36318.82	64	0.777					36318.82	T
Madison	SlE3	5	151.58	757.91	64	0.777	5	0	0.00	5.00	757.91	NT
Madison	SlE3	5	231.62	1158.10	64	0.777					1158.10	T
Madison	SoE	5	589.36	2946.81	64	0.777	5	0	0.00	5.00	2946.81	NT
Madison	SoE	5	27.99	139.94	64	0.777					139.94	T
Madison	Sp	63	1.83	115.35	64	0.777	32	31	6.91	38.91	71.25	NT
Madison	Sp	63	390.74	24616.93	64	0.777					24616.93	T
Madison	Sr	87	151.58	13187.31	64	0.777	32	55	12.27	44.27	6709.61	NT
Madison	Sr	87	140.32	12207.95	64	0.777					12207.95	T
Madison	Ss	40	179.49	7179.77	64	0.777	32	8	1.78	33.78	6064.03	NT
Madison	Ss	40	58.28	2331.15	64	0.777					2331.15	T
Madison	StG	5	5286.12	26430.61	64	0.777	5	0	0.00	5.00	26430.61	NT
Madison	StG	5	227.15	1135.73	64	0.777					1135.73	T
Madison	VeA	70	40.25	2817.78	64	0.777	32	38	8.47	40.47	1629.24	NT
Madison	VeA	70	225.57	15789.95	64	0.777					15789.95	T
Madison	VeB	65	49.45	3214.13	64	0.777	32	33	7.36	39.36	1946.23	NT
Madison	VeB	65	133.98	8708.72	64	0.777					8708.72	T
Madison	W	0	2860.59	0.00	64	0.777	0	0	0.00	0.00	0.00	NT
Madison	W	0	41.40	0.00	64	0.777					0.00	T
Madison	Wa	45	124.29	5592.83	64	0.777	32	13	2.90	34.90	4337.43	NT
Madison	Wa	45	51.85	2333.35	64	0.777					2333.35	T
Madison	Wb	60	820.60	49236.14	64	0.777	32	28	6.24	38.24	31383.12	NT
Madison	Wb	60	2374.49	142469.35	64	0.777					142469.35	T
Madison	Wc	87	123.46	10741.43	64	0.777	32	55	12.27	44.27	5465.16	NT
Madison	Wc	87	3832.81	333454.21	64	0.777					333454.21	T
Madison	WoA	90	19.48	1752.92	64	0.777	32	58	12.93	44.93	875.18	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Madison	WoA	90	268.53	24168.07	64	0.777					24168.07	T
Madison	WoB	85	12.23	1039.43	64	0.777	32	53	11.82	43.82	535.84	NT
Madison	WoB	85	196.68	16717.68	64	0.777					16717.68	T
Madison	ZoA	70	2431.40	170197.80	64	0.777	32	38	8.47	40.47	98408.37	NT
Madison	ZoA	70	6123.28	428629.86	64	0.777					428629.86	T
Madison	ZoB	65	887.73	57702.17	64	0.777	32	33	7.36	39.36	34939.99	NT
Madison	ZoB	65	1254.49	81541.70	64	0.777					81541.70	T
											0.00	
											0.00	
Mahaska	11B	68	6047.73	411245.68	71	0.753	36	32	7.90	43.90	265519.56	NT
Mahaska	11B	68	11482.29	780795.94	71	0.753					780795.94	T
Mahaska	122	63	0.09	5.76	71	0.753	36	28	6.92	42.92	3.92	NT
Mahaska	122	63	223.31	14068.25	71	0.753					14068.25	T
Mahaska	1279	88	0.09	8.02	71	0.753					8.02	T
Mahaska	1280	95	0.06	5.43	71	0.753					5.43	T
Mahaska	130	63	0.14	8.67	71	0.753	36	28	6.92	42.92	5.91	NT
Mahaska	131B	67	63.29	4240.24	71	0.753	36	32	7.90	43.90	2778.56	NT
Mahaska	131B	67	591.11	39604.16	71	0.753					39604.16	T
Mahaska	131C2	45	175.76	7909.21	71	0.753	36	10	2.47	38.47	6761.50	NT
Mahaska	131C2	45	975.52	43898.24	71	0.753					43898.24	T
Mahaska	132C2	40	87.96	3518.57	71	0.753	36	4	0.99	36.99	3253.62	NT
Mahaska	132C2	40	138.88	5555.21	71	0.753					5555.21	T
Mahaska	133	80	1274.30	101944.37	71	0.753	36	44	10.87	46.87	59724.11	NT
Mahaska	133	80	4250.40	340032.05	71	0.753					340032.05	T
Mahaska	133+	85	476.85	40532.47	71	0.753	36	50	12.35	48.35	23055.83	NT
Mahaska	133+	85	1854.75	157653.47	71	0.753					157653.47	T
Mahaska	133B	75	81.71	6128.47	71	0.753	36	40	9.88	45.88	3748.99	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	133B	75	362.79	27209.30	71	0.753					27209.30	T
Mahaska	13B	65	3180.44	206728.33	71	0.753	36	30	7.41	43.41	138062.72	NT
Mahaska	13B	65	1805.68	117369.43	71	0.753					117369.43	T
Mahaska	163B	85	77.98	6628.32	71	0.753	36	50	12.35	48.35	3770.34	NT
Mahaska	163B	85	446.42	37945.39	71	0.753					37945.39	T
Mahaska	163C2	68	178.06	12107.81	71	0.753	36	32	7.90	43.90	7817.37	NT
Mahaska	163C2	68	942.88	64115.95	71	0.753					64115.95	T
Mahaska	163D2	58	287.22	16658.92	71	0.753	36	22	5.43	41.43	11900.79	NT
Mahaska	163D2	58	1071.89	62169.90	71	0.753					62169.90	T
Mahaska	163E2	48	441.68	21200.49	71	0.753	36	12	2.96	38.96	17209.50	NT
Mahaska	163E2	48	404.60	19420.60	71	0.753					19420.60	T
Mahaska	179D2	43	192.86	8293.11	71	0.753	36	8	1.98	37.98	7324.17	NT
Mahaska	179D2	43	1948.38	83780.49	71	0.753					83780.49	T
Mahaska	179E2	33	632.03	20857.04	71	0.753	33	0	0.00	33.00	20857.04	NT
Mahaska	179E2	33	1951.04	64384.22	71	0.753					64384.22	T
Mahaska	179F2	14	411.24	5757.37	71	0.753	14	0	0.00	14.00	5757.37	NT
Mahaska	179F2	14	261.24	3657.34	71	0.753					3657.34	T
Mahaska	208	55	38.86	2137.14	71	0.753	36	20	4.94	40.94	1590.81	NT
Mahaska	208	55	851.34	46823.82	71	0.753					46823.82	T
Mahaska	210G	5	1304.05	6520.27	71	0.753	5	0	0.00	5.00	6520.27	NT
Mahaska	210G	5	355.33	1776.63	71	0.753					1776.63	T
Mahaska	212	94	368.27	34617.42	71	0.753	36	58	14.33	50.33	18533.58	NT
Mahaska	212	94	1912.88	179810.75	71	0.753					179810.75	T
Mahaska	220	85	3722.72	316430.89	71	0.753	36	50	12.35	48.35	179993.34	NT
Mahaska	220	85	5143.14	437167.04	71	0.753					437167.04	T
Mahaska	222C	30	96.81	2904.39	71	0.753	30	0	0.00	30.00	2904.39	NT
Mahaska	222C	30	604.86	18145.82	71	0.753					18145.82	T
Mahaska	222C2	25	199.69	4992.27	71	0.753	25	0	0.00	25.00	4992.27	NT
Mahaska	222C2	25	1442.66	36066.54	71	0.753					36066.54	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	222D2	10	274.98	2749.76	71	0.753	10	0	0.00	10.00	2749.76	NT
Mahaska	222D2	10	975.02	9750.21	71	0.753					9750.21	T
Mahaska	248	60	132.43	7945.63	71	0.753	36	24	5.93	41.93	5552.41	NT
Mahaska	248	60	281.97	16918.37	71	0.753					16918.37	T
Mahaska	24D2	48	58.44	2804.98	71	0.753	36	12	2.96	38.96	2276.94	NT
Mahaska	24D2	48	439.83	21111.94	71	0.753					21111.94	T
Mahaska	24E2	38	54.54	2072.38	71	0.753	36	2	0.49	36.49	1990.25	NT
Mahaska	24E2	38	314.45	11949.09	71	0.753					11949.09	T
Mahaska	269	58	63.11	3660.41	71	0.753	36	22	5.43	41.43	2614.92	NT
Mahaska	269	58	385.47	22357.24	71	0.753					22357.24	T
Mahaska	270	78	21.94	1711.13	71	0.753	36	42	10.37	46.37	1017.33	NT
Mahaska	270	78	289.92	22613.43	71	0.753					22613.43	T
Mahaska	273B	72	112.19	8077.67	71	0.753	36	36	8.89	44.89	5036.42	NT
Mahaska	273B	72	386.10	27799.17	71	0.753					27799.17	T
Mahaska	273C	57	41.75	2380.02	71	0.753	36	22	5.43	41.43	1730.06	NT
Mahaska	273C	57	187.76	10702.55	71	0.753					10702.55	T
Mahaska	279	88	268.04	23587.64	71	0.753	36	52	12.84	48.84	13092.21	NT
Mahaska	279	88	14381.29	1265553.87	71	0.753					1265553.87	T
Mahaska	280	95	522.62	49649.03	71	0.753	36	60	14.82	50.82	26559.62	NT
Mahaska	280	95	16999.94	1614994.69	71	0.753					1614994.69	T
Mahaska	280B	90	283.85	25546.50	71	0.753	36	54	13.34	49.34	14004.59	NT
Mahaska	280B	90	8850.10	796508.87	71	0.753					796508.87	T
Mahaska	281B	90	1511.35	136021.10	71	0.753	36	54	13.34	49.34	74566.77	NT
Mahaska	281B	90	24155.93	2174033.32	71	0.753					2174033.32	T
Mahaska	281C	75	337.41	25305.89	71	0.753	36	40	9.88	45.88	15480.46	NT
Mahaska	281C	75	5717.57	428817.91	71	0.753					428817.91	T
Mahaska	281C2	72	658.06	47380.46	71	0.753	36	36	8.89	44.89	29541.72	NT
Mahaska	281C2	72	11514.24	829025.63	71	0.753					829025.63	T
Mahaska	281D	67	11.34	759.73	71	0.753	36	32	7.90	43.90	497.84	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	281D	67	37.55	2515.99	71	0.753					2515.99	T
Mahaska	281D2	61	151.57	9245.77	71	0.753	36	26	6.42	42.42	6429.90	NT
Mahaska	281D2	61	1884.53	114956.63	71	0.753					114956.63	T
Mahaska	284	40	31.68	1267.05	71	0.753	36	4	0.99	36.99	1171.64	NT
Mahaska	284	40	305.48	12219.04	71	0.753					12219.04	T
Mahaska	293C2	36	81.38	2929.64	71	0.753	36	0	0.00	36.00	2929.64	NT
Mahaska	293C2	36	251.98	9071.45	71	0.753					9071.45	T
Mahaska	293D2	28	45.46	1272.87	71	0.753	28	0	0.00	28.00	1272.87	NT
Mahaska	293D2	28	240.08	6722.22	71	0.753					6722.22	T
Mahaska	293E2	18	208.25	3748.53	71	0.753	18	0	0.00	18.00	3748.53	NT
Mahaska	293E2	18	126.06	2269.13	71	0.753					2269.13	T
Mahaska	313D		1258.14		71	0.753			0.00	0.00	0.00	NT
Mahaska	313D		1870.82		71	0.753					0.00	T
Mahaska	313D2	10	8.13	81.26	71	0.753	10	0	0.00	10.00	81.26	NT
Mahaska	313D2	10	1.68	16.83	71	0.753					16.83	T
Mahaska	313E		1931.33		71	0.753			0.00	0.00	0.00	NT
Mahaska	313E		1466.43		71	0.753					0.00	T
Mahaska	313E2	5	1.49	7.44	71	0.753	5	0	0.00	5.00	7.44	NT
Mahaska	313E2	5	7.28	36.42	71	0.753					36.42	T
Mahaska	313F		1369.06		71	0.753			0.00	0.00	0.00	NT
Mahaska	313F		279.03		71	0.753					0.00	T
Mahaska	313F2	5	0.46	2.30	71	0.753	5	0	0.00	5.00	2.30	NT
Mahaska	313F2	5	0.45	2.26	71	0.753					2.26	T
Mahaska	315	30	1056.92	31707.65	71	0.753	30	0	0.00	30.00	31707.65	NT
Mahaska	315	30	1143.56	34306.86	71	0.753					34306.86	T
Mahaska	354	5	138.92	694.60	71	0.753	5	0	0.00	5.00	694.60	NT
Mahaska	354	5	57.71	288.55	71	0.753					288.55	T
Mahaska	362	70	6.70	469.04	71	0.753	36	34	8.40	44.40	297.49	NT
Mahaska	362	70	387.44	27120.58	71	0.753					27120.58	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	364B	75	30.35	2276.14	71	0.753	36	40	9.88	45.88	1392.39	NT
Mahaska	364B	75	620.57	46542.69	71	0.753					46542.69	T
Mahaska	364C2	55	46.50	2557.43	71	0.753	36	20	4.94	40.94	1903.66	NT
Mahaska	364C2	55	373.95	20567.48	71	0.753					20567.48	T
Mahaska	412G	5	335.87	1679.37	71	0.753	5	0	0.00	5.00	1679.37	NT
Mahaska	412G	5	95.14	475.71	71	0.753					475.71	T
Mahaska	41C	25	36.43	910.85	71	0.753	25	0	0.00	25.00	910.85	NT
Mahaska	41C	25	161.65	4041.24	71	0.753					4041.24	T
Mahaska	422	85	315.60	26825.62	71	0.753	36	50	12.35	48.35	15259.04	NT
Mahaska	422	85	1431.45	121672.96	71	0.753					121672.96	T
Mahaska	423D2	13	0.09	1.13	71	0.753					1.13	T
Mahaska	424D2	15	534.96	8024.36	71	0.753	15	0	0.00	15.00	8024.36	NT
Mahaska	424D2	15	1888.76	28331.39	71	0.753					28331.39	T
Mahaska	424E2	5	2323.61	11618.05	71	0.753	5	0	0.00	5.00	11618.05	NT
Mahaska	424E2	5	3187.37	15936.83	71	0.753					15936.83	T
Mahaska	425D2	12	0.21	2.51	71	0.753	12	0	0.00	12.00	2.51	NT
Mahaska	428B	93	74.46	6924.46	71	0.753	36	58	14.33	50.33	3747.10	NT
Mahaska	428B	93	743.97	69188.78	71	0.753					69188.78	T
Mahaska	43	80	115.03	9202.66	71	0.753	36	44	10.87	46.87	5391.38	NT
Mahaska	43	80	1480.04	118403.32	71	0.753					118403.32	T
Mahaska	430	83	0.19	16.17	71	0.753	36	48	11.86	47.86	9.32	NT
Mahaska	442C2	55	12.75	701.37	71	0.753	36	20	4.94	40.94	522.08	NT
Mahaska	442C2	55	322.88	17758.31	71	0.753					17758.31	T
Mahaska	442D2	43	14.12	607.15	71	0.753	36	8	1.98	37.98	536.21	NT
Mahaska	442D2	43	224.77	9665.26	71	0.753					9665.26	T
Mahaska	451D2	33	92.97	3067.85	71	0.753	33	0	0.00	33.00	3067.85	NT
Mahaska	451D2	33	175.36	5786.97	71	0.753					5786.97	T
Mahaska	451E2	23	1035.42	23814.58	71	0.753	23	0	0.00	23.00	23814.58	NT
Mahaska	451E2	23	407.98	9383.60	71	0.753					9383.60	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	451F2	7	30.60	214.17	71	0.753	7	0	0.00	7.00	214.17	NT
Mahaska	451F2	7	4.64	32.48	71	0.753					32.48	T
Mahaska	453	53	150.05	7952.88	71	0.753	36	18	4.45	40.45	6069.10	NT
Mahaska	453	53	798.05	42296.47	71	0.753					42296.47	T
Mahaska	467	85	720.06	61204.73	71	0.753	36	50	12.35	48.35	34814.69	NT
Mahaska	467	85	3001.28	255109.13	71	0.753					255109.13	T
Mahaska	478G	5	0.00	0.01	71	0.753	5	0	0.00	5.00	0.01	NT
Mahaska	485	92	53.23	4896.77	71	0.753	36	56	13.83	49.83	2652.35	NT
Mahaska	485	92	470.43	43279.98	71	0.753					43279.98	T
Mahaska	489	85	154.28	13113.56	71	0.753	36	50	12.35	48.35	7459.30	NT
Mahaska	489	85	1308.98	111262.89	71	0.753					111262.89	T
Mahaska	5010	0	212.56	0.00	71	0.753	0	0	0.00	0.00	0.00	NT
Mahaska	5010	0	58.81	0.00	71	0.753					0.00	T
Mahaska	502	0	2384.53	0.00	71	0.753	0	0	0.00	0.00	0.00	NT
Mahaska	502	0	281.18	0.00	71	0.753					0.00	T
Mahaska	5030	0	330.96	0.00	71	0.753	0	0	0.00	0.00	0.00	NT
Mahaska	5030	0	28.16	0.00	71	0.753					0.00	T
Mahaska	5040	5	36.20	181.02	71	0.753	5	0	0.00	5.00	181.02	NT
Mahaska	5040	5	18.69	93.47	71	0.753					93.47	T
Mahaska	51	70	120.61	8442.98	71	0.753	36	34	8.40	44.40	5355.02	NT
Mahaska	51	70	783.06	54813.92	71	0.753					54813.92	T
Mahaska	51B	65	217.42	14132.20	71	0.753	36	30	7.41	43.41	9438.14	NT
Mahaska	51B	65	682.18	44341.75	71	0.753					44341.75	T
Mahaska	53	5	20.24	101.19	71	0.753	5	0	0.00	5.00	101.19	NT
Mahaska	53	5	46.78	233.90	71	0.753					233.90	T
Mahaska	54	70	1100.32	77022.69	71	0.753	36	34	8.40	44.40	48852.19	NT
Mahaska	54	70	6359.92	445194.19	71	0.753					445194.19	T
Mahaska	54+	75	540.56	40541.75	71	0.753	36	40	9.88	45.88	24800.74	NT
Mahaska	54+	75	2371.80	177885.30	71	0.753					177885.30	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	54B	65	468.77	30469.73	71	0.753	36	30	7.41	43.41	20349.09	NT
Mahaska	54B	65	1559.79	101386.65	71	0.753					101386.65	T
Mahaska	570B	84	81.31	6830.16	71	0.753	36	48	11.86	47.86	3891.24	NT
Mahaska	570B	84	3905.01	328021.01	71	0.753					328021.01	T
Mahaska	570B2	83	0.37	30.93	71	0.753					30.93	T
Mahaska	570C	69	179.67	12397.45	71	0.753	36	34	8.40	44.40	7977.13	NT
Mahaska	570C	69	4092.53	282384.48	71	0.753					282384.48	T
Mahaska	570C2	64	292.38	18712.41	71	0.753	36	28	6.92	42.92	12547.84	NT
Mahaska	570C2	64	5932.20	379660.80	71	0.753					379660.80	T
Mahaska	571B	82	19.13	1569.01	71	0.753	36	46	11.36	47.36	906.24	NT
Mahaska	571B	82	551.20	45198.18	71	0.753					45198.18	T
Mahaska	571C	67	114.24	7653.82	71	0.753	36	32	7.90	43.90	5015.42	NT
Mahaska	571C	67	815.38	54630.14	71	0.753					54630.14	T
Mahaska	571C2	62	378.52	23467.97	71	0.753	36	26	6.42	42.42	16057.39	NT
Mahaska	571C2	62	3438.97	213216.23	71	0.753					213216.23	T
Mahaska	571D2	52	558.51	29042.59	71	0.753	36	16	3.95	39.95	22313.64	NT
Mahaska	571D2	52	2953.95	153605.61	71	0.753					153605.61	T
Mahaska	571E2	42	99.98	4199.32	71	0.753	36	6	1.48	37.48	3747.60	NT
Mahaska	571E2	42	277.65	11661.35	71	0.753					11661.35	T
Mahaska	581C2	68	0.99	67.51	71	0.753					67.51	T
Mahaska	6220	35	6.46	226.07	71	0.753					226.07	T
Mahaska	6315	28	0.41	11.58	71	0.753	28	0	0.00	28.00	11.58	NT
Mahaska	6315	28	0.04	1.07	71	0.753					1.07	T
Mahaska	63C	21	86.44	1815.28	71	0.753	21	0	0.00	21.00	1815.28	NT
Mahaska	63C	21	172.35	3619.35	71	0.753					3619.35	T
Mahaska	63D2	11	114.17	1255.83	71	0.753	11	0	0.00	11.00	1255.83	NT
Mahaska	63D2	11	109.23	1201.53	71	0.753					1201.53	T
Mahaska	63E2	5	90.97	454.86	71	0.753	5	0	0.00	5.00	454.86	NT
Mahaska	63E2	5	34.31	171.56	71	0.753					171.56	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	63F2	5	173.19	865.97	71	0.753	5	0	0.00	5.00	865.97	NT
Mahaska	63F2	5	45.72	228.61	71	0.753					228.61	T
Mahaska	6422	51	0.77	39.43	71	0.753	36	16	3.95	39.95	30.89	NT
Mahaska	6422	51	1.48	75.72	71	0.753					75.72	T
Mahaska	65D2	38	77.26	2935.75	71	0.753	36	2	0.49	36.49	2819.40	NT
Mahaska	65D2	38	180.30	6851.24	71	0.753					6851.24	T
Mahaska	65E	25	0.33	8.24	71	0.753	25	0	0.00	25.00	8.24	NT
Mahaska	65E	25	0.03	0.65	71	0.753					0.65	T
Mahaska	65E2	24	1421.15	34107.54	71	0.753	24	0	0.00	24.00	34107.54	NT
Mahaska	65E2	24	1238.57	29725.62	71	0.753					29725.62	T
Mahaska	65E3	25	0.21	5.27	71	0.753	25	0	0.00	25.00	5.27	NT
Mahaska	65F2	8	2070.17	16561.34	71	0.753	8	0	0.00	8.00	16561.34	NT
Mahaska	65F2	8	600.89	4807.10	71	0.753					4807.10	T
Mahaska	663D2	58	83.34	4833.90	71	0.753	36	22	5.43	41.43	3453.24	NT
Mahaska	663D2	58	274.27	15907.68	71	0.753					15907.68	T
Mahaska	663E2	48	259.08	12435.79	71	0.753	36	12	2.96	38.96	10094.76	NT
Mahaska	663E2	48	333.33	15999.81	71	0.753					15999.81	T
Mahaska	663F2	28	478.51	13398.33	71	0.753	28	0	0.00	28.00	13398.33	NT
Mahaska	663F2	28	169.12	4735.31	71	0.753					4735.31	T
Mahaska	687	85	15.92	1352.90	71	0.753	36	50	12.35	48.35	769.56	NT
Mahaska	687	85	179.31	15241.57	71	0.753					15241.57	T
Mahaska	687B	80	49.08	3926.51	71	0.753	36	44	10.87	46.87	2300.34	NT
Mahaska	687B	80	288.90	23112.00	71	0.753					23112.00	T
Mahaska	688	85	1.07	90.83	71	0.753	36	50	12.35	48.35	51.67	NT
Mahaska	688	85	0.06	5.37	71	0.753					5.37	T
Mahaska	69C	50	108.87	5443.56	71	0.753	36	14	3.46	39.46	4295.84	NT
Mahaska	69C	50	1052.87	52643.59	71	0.753					52643.59	T
Mahaska	69C2	41	28.05	1150.09	71	0.753	36	6	1.48	37.48	1051.40	NT
Mahaska	69C2	41	309.19	12676.75	71	0.753					12676.75	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	7	91	61.15	5564.86	71	0.753	36	56	13.83	49.83	3047.34	NT
Mahaska	7	91	604.69	55027.21	71	0.753					55027.21	T
Mahaska	731C2	45	0.75	33.57	71	0.753					33.57	T
Mahaska	74	78	7.50	585.12	71	0.753	36	42	10.37	46.37	347.88	NT
Mahaska	74	78	357.01	27846.99	71	0.753					27846.99	T
Mahaska	75	75	117.02	8776.52	71	0.753	36	40	9.88	45.88	5368.89	NT
Mahaska	75	75	2115.97	158698.01	71	0.753					158698.01	T
Mahaska	76B	82	1261.98	103482.12	71	0.753	36	46	11.36	47.36	59769.76	NT
Mahaska	76B	82	12264.87	1005719.16	71	0.753					1005719.16	T
Mahaska	76C	70	642.95	45006.79	71	0.753	36	34	8.40	44.40	28545.88	NT
Mahaska	76C	70	5602.83	392198.19	71	0.753					392198.19	T
Mahaska	76C2	67	1867.64	125131.91	71	0.753	36	32	7.90	43.90	81996.89	NT
Mahaska	76C2	67	16248.01	1088616.96	71	0.753					1088616.96	T
Mahaska	76D	60	78.85	4731.12	71	0.753	36	24	5.93	41.93	3306.11	NT
Mahaska	76D	60	358.74	21524.14	71	0.753					21524.14	T
Mahaska	76D2	52	1607.46	83587.69	71	0.753	36	16	3.95	39.95	64221.07	NT
Mahaska	76D2	52	10838.44	563599.11	71	0.753					563599.11	T
Mahaska	792D2	11	182.83	2011.11	71	0.753	11	0	0.00	11.00	2011.11	NT
Mahaska	792D2	11	1089.95	11989.50	71	0.753					11989.50	T
Mahaska	80B	77	461.38	35526.12	71	0.753	36	42	10.37	46.37	21395.95	NT
Mahaska	80B	77	2669.68	205565.30	71	0.753					205565.30	T
Mahaska	80C	67	314.70	21084.80	71	0.753	36	32	7.90	43.90	13816.53	NT
Mahaska	80C	67	823.23	55156.16	71	0.753					55156.16	T
Mahaska	80C2	57	2282.29	130090.47	71	0.753	36	22	5.43	41.43	94564.36	NT
Mahaska	80C2	57	8348.08	475840.82	71	0.753					475840.82	T
Mahaska	80D2	52	3493.47	181660.36	71	0.753	36	16	3.95	39.95	139571.06	NT
Mahaska	80D2	52	7991.93	415580.38	71	0.753					415580.38	T
Mahaska	80D3	38	123.44	4690.81	71	0.753	36	2	0.49	36.49	4504.91	NT
Mahaska	80D3	38	351.95	13374.02	71	0.753					13374.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	80E2	45	2386.86	107408.91	71	0.753	36	10	2.47	38.47	91822.69	NT
Mahaska	80E2	45	2054.85	92468.08	71	0.753					92468.08	T
Mahaska	822C2	24	66.89	1605.48	71	0.753	24	0	0.00	24.00	1605.48	NT
Mahaska	822C2	24	722.57	17341.73	71	0.753					17341.73	T
Mahaska	822D2	15	689.14	10337.17	71	0.753	15	0	0.00	15.00	10337.17	NT
Mahaska	822D2	15	3123.40	46851.05	71	0.753					46851.05	T
Mahaska	88	92	17.52	1612.19	71	0.753	36	56	13.83	49.83	873.24	NT
Mahaska	88	92	541.64	49831.00	71	0.753					49831.00	T
Mahaska	881B	90	0.34	30.36	71	0.753					30.36	T
Mahaska	881C2	70	0.01	0.43	71	0.753	36	34	8.40	44.40	0.27	NT
Mahaska	881C2	70	0.07	5.01	71	0.753					5.01	T
Mahaska	8B	90	84.79	7631.50	71	0.753	36	54	13.34	49.34	4183.59	NT
Mahaska	8B	90	1236.64	111297.82	71	0.753					111297.82	T
Mahaska	8C	66	61.13	4034.76	71	0.753	36	30	7.41	43.41	2653.77	NT
Mahaska	8C	66	415.00	27389.92	71	0.753					27389.92	T
Mahaska	93D2	33	0.04	1.36	71	0.753	33	0	0.00	33.00	1.36	NT
Mahaska	93D2	33	0.05	1.60	71	0.753					1.60	T
Mahaska	98	95	24.74	2350.38	71	0.753	36	60	14.82	50.82	1257.33	NT
Mahaska	98	95	439.84	41784.54	71	0.753					41784.54	T
Mahaska	993D2	20	105.96	2119.12	71	0.753	20	0	0.00	20.00	2119.12	NT
Mahaska	993D2	20	965.07	19301.36	71	0.753					19301.36	T
Mahaska	993E2	10	129.91	1299.09	71	0.753	10	0	0.00	10.00	1299.09	NT
Mahaska	993E2	10	718.49	7184.92	71	0.753					7184.92	T
Mahaska	AW	0	7.86	0.00	71	0.753	0	0	0.00	0.00	0.00	NT
Mahaska	C220	25	708.50	17712.53	71	0.753	25	0	0.00	25.00	17712.53	NT
Mahaska	C220	25	299.20	7480.12	71	0.753					7480.12	T
Mahaska	C422	50	828.39	41419.73	71	0.753	36	14	3.46	39.46	32686.79	NT
Mahaska	C422	50	652.88	32643.81	71	0.753					32643.81	T
Mahaska	INT	0	46.58	0.00	71	0.753	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mahaska	INT	0	8.02	0.00	71	0.753					0.00	T
Mahaska	SL	0	3.95	0.00	71	0.753	0	0	0.00	0.00	0.00	NT
Mahaska	T162B	87	21.46	1866.72	71	0.753	36	52	12.84	48.84	1048.03	NT
Mahaska	T162B	87	447.58	38939.57	71	0.753					38939.57	T
Mahaska	T279	88	3.32	291.74	71	0.753	36	52	12.84	48.84	161.93	NT
Mahaska	T279	88	386.74	34032.88	71	0.753					34032.88	T
Mahaska	T280	95	66.57	6323.96	71	0.753	36	60	14.82	50.82	3382.99	NT
Mahaska	T280	95	815.13	77437.69	71	0.753					77437.69	T
Mahaska	T281B	92	40.61	3735.94	71	0.753	36	56	13.83	49.83	2023.58	NT
Mahaska	T281B	92	890.02	81881.38	71	0.753					81881.38	T
Mahaska	T281C2	77	30.85	2375.70	71	0.753	36	42	10.37	46.37	1430.79	NT
Mahaska	T281C2	77	271.90	20936.43	71	0.753					20936.43	T
Mahaska	T75	85	93.65	7959.90	71	0.753	36	50	12.35	48.35	4527.78	NT
Mahaska	T75	85	885.40	75258.90	71	0.753					75258.90	T
Mahaska	T76B	82	151.25	12402.41	71	0.753	36	46	11.36	47.36	7163.45	NT
Mahaska	T76B	82	1264.36	103677.36	71	0.753					103677.36	T
Mahaska	T76C2	72	149.07	10733.13	71	0.753	36	36	8.89	44.89	6692.11	NT
Mahaska	T76C2	72	915.24	65897.07	71	0.753					65897.07	T
Mahaska	W	0	1819.40	0.00	71	0.753	0	0	0.00	0.00	0.00	NT
Mahaska	W	0	46.67	0.00	71	0.753					0.00	T
											0.00	
											0.00	
Marion	1075	85	40.34	3429.27	62	0.8018	31	54	10.70	41.70	1682.47	NT
Marion	1075	85	420.66	35755.89	62	0.8018					35755.89	T
Marion	119	100	22.64	2264.24	62	0.8018	31	69	13.68	44.68	1011.57	NT
Marion	119	100	405.32	40531.65	62	0.8018					40531.65	T
Marion	11B	68	4931.30	335328.65	62	0.8018	31	37	7.33	38.33	189033.64	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	11B	68	3767.16	256167.07	62	0.8018					256167.07	T
Marion	120B	95	65.45	6217.54	62	0.8018	31	64	12.68	43.68	2859.08	NT
Marion	120B	95	1271.49	120791.62	62	0.8018					120791.62	T
Marion	120C2	78	118.49	9242.30	62	0.8018	31	47	9.32	40.32	4777.01	NT
Marion	120C2	78	1432.01	111696.45	62	0.8018					111696.45	T
Marion	120D2	68	98.02	6665.68	62	0.8018	31	37	7.33	38.33	3757.62	NT
Marion	120D2	68	735.60	50020.47	62	0.8018					50020.47	T
Marion	1220	25	618.12	15452.94	62	0.8018	25	0	0.00	25.00	15452.94	NT
Marion	1220	25	333.54	8338.42	62	0.8018					8338.42	T
Marion	130	63	37.68	2373.54	62	0.8018	31	32	6.34	37.34	1406.88	NT
Marion	130	63	134.32	8461.98	62	0.8018					8461.98	T
Marion	1315	34	465.17	15815.85	62	0.8018	31	3	0.59	31.59	14696.92	NT
Marion	1315	34	211.63	7195.44	62	0.8018					7195.44	T
Marion	1316	5	62.79	313.96	62	0.8018	5	0	0.00	5.00	313.96	NT
Marion	1316	5	26.66	133.30	62	0.8018					133.30	T
Marion	131B	67	264.22	17702.51	62	0.8018	31	36	7.14	38.14	10075.95	NT
Marion	131B	67	2032.62	136185.86	62	0.8018					136185.86	T
Marion	131C2	45	1511.21	68004.27	62	0.8018	31	14	2.77	33.77	51040.68	NT
Marion	131C2	45	7012.51	315563.06	62	0.8018					315563.06	T
Marion	132B	60	152.17	9130.00	62	0.8018	31	29	5.75	36.75	5591.79	NT
Marion	132B	60	387.02	23221.31	62	0.8018					23221.31	T
Marion	132C	44	0.04	1.65	62	0.8018					1.65	T
Marion	132C2	40	1341.83	53673.36	62	0.8018	31	9	1.78	32.78	43990.42	NT
Marion	132C2	40	3463.08	138523.24	62	0.8018					138523.24	T
Marion	132D2	28	0.00	0.08	62	0.8018					0.08	T
Marion	133	80	843.13	67450.53	62	0.8018	31	49	9.71	40.71	34325.41	NT
Marion	133	80	2371.86	189748.41	62	0.8018					189748.41	T
Marion	133+	85	503.76	42819.25	62	0.8018	31	54	10.70	41.70	21008.03	NT
Marion	133+	85	1254.24	106610.23	62	0.8018					106610.23	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	133B	75	161.95	12146.35	62	0.8018	31	44	8.72	39.72	6432.84	NT
Marion	133B	75	424.37	31827.55	62	0.8018					31827.55	T
Marion	1368	95	15.66	1487.26	62	0.8018	31	64	12.68	43.68	683.90	NT
Marion	1368	95	339.88	32289.00	62	0.8018					32289.00	T
Marion	13B	65	2534.10	164716.40	62	0.8018	31	34	6.74	37.74	95633.83	NT
Marion	13B	65	1259.29	81854.01	62	0.8018					81854.01	T
Marion	162B	90	38.76	3488.73	62	0.8018	31	59	11.69	42.69	1654.97	NT
Marion	162B	90	542.68	48840.88	62	0.8018					48840.88	T
Marion	162C2	73	283.58	20701.65	62	0.8018	31	42	8.32	39.32	11151.78	NT
Marion	162C2	73	1600.66	116848.30	62	0.8018					116848.30	T
Marion	162D2	63	350.74	22096.54	62	0.8018	31	32	6.34	37.34	13097.42	NT
Marion	162D2	63	1188.51	74875.82	62	0.8018					74875.82	T
Marion	163B	85	54.81	4658.99	62	0.8018	31	54	10.70	41.70	2285.80	NT
Marion	163B	85	506.00	43010.30	62	0.8018					43010.30	T
Marion	163C2	68	362.64	24659.24	62	0.8018	31	37	7.33	38.33	13901.06	NT
Marion	163C2	68	1244.70	84639.77	62	0.8018					84639.77	T
Marion	163D2	58	655.17	37999.93	62	0.8018	31	27	5.35	36.35	23816.39	NT
Marion	163D2	58	1021.80	59264.48	62	0.8018					59264.48	T
Marion	163E2	48	1698.77	81541.10	62	0.8018	31	17	3.37	34.37	58385.80	NT
Marion	163E2	48	1284.06	61634.71	62	0.8018					61634.71	T
Marion	163F2	28	353.31	9892.68	62	0.8018	28	0	0.00	28.00	9892.68	NT
Marion	163F2	28	70.86	1984.13	62	0.8018					1984.13	T
Marion	179D2	43	2270.32	97623.55	62	0.8018	31	12	2.38	33.38	75779.49	NT
Marion	179D2	43	3373.76	145071.56	62	0.8018					145071.56	T
Marion	179E2	33	2443.79	80645.10	62	0.8018	31	2	0.40	31.40	76726.23	NT
Marion	179E2	33	1873.24	61816.99	62	0.8018					61816.99	T
Marion	179F	15	693.03	10395.40	62	0.8018	15	0	0.00	15.00	10395.40	NT
Marion	179F	15	276.15	4142.19	62	0.8018					4142.19	T
Marion	185D	20	268.86	5377.28	62	0.8018	20	0	0.00	20.00	5377.28	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	185D	20	144.48	2889.52	62	0.8018					2889.52	T
Marion	185D2	20	1235.37	24707.50	62	0.8018	20	0	0.00	20.00	24707.50	NT
Marion	185D2	20	2807.07	56141.34	62	0.8018					56141.34	T
Marion	185E2	7	1239.79	8678.55	62	0.8018	7	0	0.00	7.00	8678.55	NT
Marion	185E2	7	1173.17	8212.21	62	0.8018					8212.21	T
Marion	208	55	19.78	1087.97	62	0.8018	31	24	4.76	35.76	707.32	NT
Marion	208	55	354.39	19491.59	62	0.8018					19491.59	T
Marion	210G	5	0.12	0.61	62	0.8018	5	0	0.00	5.00	0.61	NT
Marion	212	94	215.28	20236.11	62	0.8018	31	63	12.49	43.49	9361.70	NT
Marion	212	94	663.48	62367.37	62	0.8018					62367.37	T
Marion	220	85	3234.64	274944.61	62	0.8018	31	54	10.70	41.70	134893.65	NT
Marion	220	85	5638.83	479300.64	62	0.8018					479300.64	T
Marion	222C	30	39.93	1197.83	62	0.8018	30	0	0.00	30.00	1197.83	NT
Marion	222C	30	79.58	2387.47	62	0.8018					2387.47	T
Marion	222C2	25	184.05	4601.27	62	0.8018	25	0	0.00	25.00	4601.27	NT
Marion	222C2	25	660.84	16521.09	62	0.8018					16521.09	T
Marion	230C	52	80.03	4161.37	62	0.8018	31	21	4.16	35.16	2813.90	NT
Marion	230C	52	530.92	27607.71	62	0.8018					27607.71	T
Marion	230C2	53	1130.26	59903.98	62	0.8018	31	22	4.36	35.36	39966.58	NT
Marion	230C2	53	8305.17	440174.26	62	0.8018					440174.26	T
Marion	23C2	50	0.02	1.12	62	0.8018	31	19	3.77	34.77	0.78	NT
Marion	23C2	50	1.49	74.73	62	0.8018					74.73	T
Marion	248	60	26.26	1575.49	62	0.8018	31	29	5.75	36.75	964.93	NT
Marion	248	60	247.27	14835.98	62	0.8018					14835.98	T
Marion	24D2	48	1438.10	69028.98	62	0.8018	31	17	3.37	34.37	49426.77	NT
Marion	24D2	48	3922.89	188298.64	62	0.8018					188298.64	T
Marion	24E2	38	752.00	28575.95	62	0.8018	31	7	1.39	32.39	24355.28	NT
Marion	24E2	38	1422.59	54058.35	62	0.8018					54058.35	T
Marion	263	53	0.04	2.07	62	0.8018					2.07	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	273B	72	76.86	5534.09	62	0.8018	31	41	8.13	39.13	3007.33	NT
Marion	273B	72	312.65	22511.00	62	0.8018					22511.00	T
Marion	273C	57	217.13	12376.13	62	0.8018	31	26	5.15	36.15	7849.77	NT
Marion	273C	57	441.61	25171.78	62	0.8018					25171.78	T
Marion	279	88	51.74	4552.96	62	0.8018	31	57	11.30	42.30	2188.39	NT
Marion	279	88	1794.85	157946.42	62	0.8018					157946.42	T
Marion	280	95	143.37	13620.21	62	0.8018	31	64	12.68	43.68	6263.12	NT
Marion	280	95	3116.22	296040.66	62	0.8018					296040.66	T
Marion	281B	90	256.28	23064.91	62	0.8018	31	59	11.69	42.69	10941.43	NT
Marion	281B	90	3417.19	307547.28	62	0.8018					307547.28	T
Marion	281C2	72	374.16	26939.20	62	0.8018	31	41	8.13	39.13	14639.28	NT
Marion	281C2	72	4966.63	357597.57	62	0.8018					357597.57	T
Marion	281D2	61	142.11	8668.97	62	0.8018	31	30	5.95	36.95	5250.56	NT
Marion	281D2	61	1700.81	103749.67	62	0.8018					103749.67	T
Marion	313D		1.65		62	0.8018					0.00	T
Marion	313D2	10	2470.80	24707.99	62	0.8018	10	0	0.00	10.00	24707.99	NT
Marion	313D2	10	2771.62	27716.17	62	0.8018					27716.17	T
Marion	313E		1.75		62	0.8018			0.00	0.00	0.00	NT
Marion	313E		0.76		62	0.8018					0.00	T
Marion	313E2	5	13080.77	65403.84	62	0.8018	5	0	0.00	5.00	65403.84	NT
Marion	313E2	5	5252.13	26260.66	62	0.8018					26260.66	T
Marion	313E3		0.11		62	0.8018			0.00	0.00	0.00	NT
Marion	313E3		0.14		62	0.8018					0.00	T
Marion	313F		0.77		62	0.8018			0.00	0.00	0.00	NT
Marion	313F		0.05		62	0.8018					0.00	T
Marion	313F2	5	3856.27	19281.35	62	0.8018	5	0	0.00	5.00	19281.35	NT
Marion	313F2	5	585.71	2928.55	62	0.8018					2928.55	T
Marion	315	30	186.67	5600.13	62	0.8018	30	0	0.00	30.00	5600.13	NT
Marion	315	30	656.90	19706.91	62	0.8018					19706.91	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	362	70	110.83	7757.84	62	0.8018	31	39	7.73	38.73	4292.28	NT
Marion	362	70	4217.97	295257.62	62	0.8018					295257.62	T
Marion	364B	75	605.46	45409.73	62	0.8018	31	44	8.72	39.72	24049.48	NT
Marion	364B	75	9427.09	707031.66	62	0.8018					707031.66	T
Marion	368	95	115.11	10935.22	62	0.8018	31	64	12.68	43.68	5028.45	NT
Marion	368	95	3705.08	351982.35	62	0.8018					351982.35	T
Marion	368B	90	14.19	1277.47	62	0.8018	31	59	11.69	42.69	606.00	NT
Marion	368B	90	632.46	56921.73	62	0.8018					56921.73	T
Marion	369	87	19.33	1681.36	62	0.8018	31	56	11.10	42.10	813.61	NT
Marion	369	87	1581.52	137592.59	62	0.8018					137592.59	T
Marion	370B	87	732.72	63746.84	62	0.8018	31	56	11.10	42.10	30847.02	NT
Marion	370B	87	10707.79	931577.59	62	0.8018					931577.59	T
Marion	370C	72	185.59	13362.47	62	0.8018	31	41	8.13	39.13	7261.43	NT
Marion	370C	72	961.80	69249.84	62	0.8018					69249.84	T
Marion	370C2	67	1203.45	80631.36	62	0.8018	31	36	7.14	38.14	45893.93	NT
Marion	370C2	67	10988.23	736211.09	62	0.8018					736211.09	T
Marion	370D2	57	829.38	47274.70	62	0.8018	31	26	5.15	36.15	29984.77	NT
Marion	370D2	57	3863.68	220229.53	62	0.8018					220229.53	T
Marion	373E	55	96.90	5329.44	62	0.8018	31	24	4.76	35.76	3464.80	NT
Marion	373E	55	81.88	4503.59	62	0.8018					4503.59	T
Marion	412G	5	0.63	3.17	62	0.8018	5	0	0.00	5.00	3.17	NT
Marion	412G	5	0.03	0.16	62	0.8018					0.16	T
Marion	419D2	15	0.11	1.64	62	0.8018	15	0	0.00	15.00	1.64	NT
Marion	419E2	5	2.36	11.80	62	0.8018	5	0	0.00	5.00	11.80	NT
Marion	419E2	5	1.90	9.48	62	0.8018					9.48	T
Marion	423D2	13	5.75	74.71	62	0.8018	13	0	0.00	13.00	74.71	NT
Marion	423D2	13	3.66	47.59	62	0.8018					47.59	T
Marion	428B	93	117.43	10921.12	62	0.8018	31	62	12.29	43.29	5083.42	NT
Marion	428B	93	775.94	72161.98	62	0.8018					72161.98	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	43	80	130.47	10437.42	62	0.8018	31	49	9.71	40.71	5311.58	NT
Marion	43	80	1143.01	91440.67	62	0.8018					91440.67	T
Marion	430	83	354.39	29414.69	62	0.8018	31	52	10.31	41.31	14638.73	NT
Marion	430	83	1467.66	121815.50	62	0.8018					121815.50	T
Marion	453	53	36.51	1935.08	62	0.8018	31	22	4.36	35.36	1291.04	NT
Marion	453	53	306.99	16270.22	62	0.8018					16270.22	T
Marion	478G	5	2304.69	11523.43	62	0.8018	5	0	0.00	5.00	11523.43	NT
Marion	478G	5	147.33	736.64	62	0.8018					736.64	T
Marion	485	92	182.35	16776.58	62	0.8018	31	61	12.09	43.09	7857.68	NT
Marion	485	92	821.40	75568.61	62	0.8018					75568.61	T
Marion	489	85	0.02	1.64	62	0.8018	31	54	10.70	41.70	0.81	NT
Marion	489	85	0.13	10.73	62	0.8018					10.73	T
Marion	5010	0	113.04	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	5010	0	22.63	0.00	62	0.8018					0.00	T
Marion	5020	0	0.26	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	5020G	0	4343.51	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	5020G	0	377.91	0.00	62	0.8018					0.00	T
Marion	5030	0	224.82	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	5030	0	16.19	0.00	62	0.8018					0.00	T
Marion	5040	5	101.32	506.58	62	0.8018	5	0	0.00	5.00	506.58	NT
Marion	5040	5	38.65	193.27	62	0.8018					193.27	T
Marion	51	70	240.04	16802.70	62	0.8018	31	39	7.73	38.73	9296.65	NT
Marion	51	70	943.92	66074.12	62	0.8018					66074.12	T
Marion	53	5	207.14	1035.72	62	0.8018	5	0	0.00	5.00	1035.72	NT
Marion	53	5	30.08	150.39	62	0.8018					150.39	T
Marion	54	70	797.63	55833.95	62	0.8018	31	39	7.73	38.73	30891.97	NT
Marion	54	70	3517.77	246243.95	62	0.8018					246243.95	T
Marion	54+	75	314.53	23589.55	62	0.8018	31	44	8.72	39.72	12493.28	NT
Marion	54+	75	875.23	65642.15	62	0.8018					65642.15	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	570B	84	49.92	4193.31	62	0.8018	31	53	10.50	41.50	2071.93	NT
Marion	570B	84	677.11	56876.83	62	0.8018					56876.83	T
Marion	570C2	64	126.76	8112.69	62	0.8018	31	33	6.54	37.54	4758.68	NT
Marion	570C2	64	2139.57	136932.34	62	0.8018					136932.34	T
Marion	58D2	28	1.72	48.20	62	0.8018	28	0	0.00	28.00	48.20	NT
Marion	58D2	28	0.16	4.41	62	0.8018					4.41	T
Marion	5B	83	0.05	3.92	62	0.8018	31	52	10.31	41.31	1.95	NT
Marion	5B	83	0.06	4.70	62	0.8018					4.70	T
Marion	63C	21	151.66	3184.76	62	0.8018	21	0	0.00	21.00	3184.76	NT
Marion	63C	21	394.78	8290.46	62	0.8018					8290.46	T
Marion	63E2	5	150.82	754.09	62	0.8018	5	0	0.00	5.00	754.09	NT
Marion	63E2	5	88.78	443.92	62	0.8018					443.92	T
Marion	65D	35	1.32	46.09	62	0.8018	31	4	0.79	31.79	41.86	NT
Marion	65D	35	0.07	2.41	62	0.8018					2.41	T
Marion	65D2	38	660.56	25101.17	62	0.8018	31	7	1.39	32.39	21393.73	NT
Marion	65D2	38	960.15	36485.60	62	0.8018					36485.60	T
Marion	65E	25	3679.01	91975.23	62	0.8018	25	0	0.00	25.00	91975.23	NT
Marion	65E	25	2087.32	52183.02	62	0.8018					52183.02	T
Marion	65E2	24	0.85	20.50	62	0.8018	24	0	0.00	24.00	20.50	NT
Marion	65E2	24	0.03	0.77	62	0.8018					0.77	T
Marion	65E3	25	130.50	3262.52	62	0.8018	25	0	0.00	25.00	3262.52	NT
Marion	65E3	25	148.18	3704.46	62	0.8018					3704.46	T
Marion	65F	10	1272.86	12728.64	62	0.8018	10	0	0.00	10.00	12728.64	NT
Marion	65F	10	241.40	2413.97	62	0.8018					2413.97	T
Marion	69C	50	0.01	0.42	62	0.8018					0.42	T
Marion	69C2	41	93.12	3818.08	62	0.8018	31	10	1.98	32.98	3071.42	NT
Marion	69C2	41	819.98	33619.19	62	0.8018					33619.19	T
Marion	731C2	45	0.11	5.08	62	0.8018	31	14	2.77	33.77	3.81	NT
Marion	731C2	45	0.18	7.92	62	0.8018					7.92	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	731D2	31	6.06	187.81	62	0.8018	31	0	0.00	31.00	187.81	NT
Marion	732C2	40	9.65	386.06	62	0.8018	31	9	1.78	32.78	316.41	NT
Marion	732C2	40	2.60	103.93	62	0.8018					103.93	T
Marion	75	75	21.54	1615.62	62	0.8018	31	44	8.72	39.72	855.65	NT
Marion	75	75	420.42	31531.48	62	0.8018					31531.48	T
Marion	76B	82	412.27	33806.04	62	0.8018	31	51	10.11	41.11	16947.63	NT
Marion	76B	82	4071.25	333842.83	62	0.8018					333842.83	T
Marion	76C2	67	2148.05	143919.30	62	0.8018	31	36	7.14	38.14	81916.29	NT
Marion	76C2	67	11367.08	761594.16	62	0.8018					761594.16	T
Marion	76D2	52	2121.49	110317.66	62	0.8018	31	21	4.16	35.16	74596.38	NT
Marion	76D2	52	6422.10	333949.17	62	0.8018					333949.17	T
Marion	80B	77	190.93	14701.74	62	0.8018	31	46	9.12	40.12	7659.65	NT
Marion	80B	77	1459.71	112397.74	62	0.8018					112397.74	T
Marion	80C2	57	1917.44	109293.98	62	0.8018	31	26	5.15	36.15	69321.53	NT
Marion	80C2	57	7950.80	453195.63	62	0.8018					453195.63	T
Marion	80D2	52	4433.59	230546.60	62	0.8018	31	21	4.16	35.16	155894.72	NT
Marion	80D2	52	7893.78	410476.76	62	0.8018					410476.76	T
Marion	80E2	45	0.29	12.99	62	0.8018					12.99	T
Marion	822D2	15	1744.63	26169.51	62	0.8018	15	0	0.00	15.00	26169.51	NT
Marion	822D2	15	3705.54	55583.16	62	0.8018					55583.16	T
Marion	831B	65	26.16	1700.53	62	0.8018	31	34	6.74	37.74	987.32	NT
Marion	831B	65	320.61	20839.92	62	0.8018					20839.92	T
Marion	864B	82	0.02	1.70	62	0.8018	31	51	10.11	41.11	0.85	NT
Marion	864B	82	0.60	49.22	62	0.8018					49.22	T
Marion	870B	87	69.24	6023.94	62	0.8018	31	56	11.10	42.10	2914.98	NT
Marion	870B	87	591.85	51490.83	62	0.8018					51490.83	T
Marion	870C	72	93.10	6702.90	62	0.8018	31	41	8.13	39.13	3642.49	NT
Marion	870C	72	448.56	32295.99	62	0.8018					32295.99	T
Marion	876B	82	184.89	15160.78	62	0.8018	31	51	10.11	41.11	7600.40	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	876B	82	1142.32	93670.53	62	0.8018					93670.53	T
Marion	88	92	208.96	19224.27	62	0.8018	31	61	12.09	43.09	9004.10	NT
Marion	88	92	2112.11	194314.24	62	0.8018					194314.24	T
Marion	8B	90	67.99	6119.33	62	0.8018	31	59	11.69	42.69	2902.86	NT
Marion	8B	90	491.47	44232.45	62	0.8018					44232.45	T
Marion	8C	66	137.24	9058.03	62	0.8018	31	35	6.94	37.94	5206.59	NT
Marion	8C	66	379.77	25065.09	62	0.8018					25065.09	T
Marion	93D2	33	303.95	10030.50	62	0.8018	31	2	0.40	31.40	9543.08	NT
Marion	93D2	33	1133.90	37418.56	62	0.8018					37418.56	T
Marion	94D2	10	389.59	3895.85	62	0.8018	10	0	0.00	10.00	3895.85	NT
Marion	94D2	10	1267.47	12674.68	62	0.8018					12674.68	T
Marion	98	95	115.24	10947.46	62	0.8018	31	64	12.68	43.68	5034.08	NT
Marion	98	95	1002.25	95213.73	62	0.8018					95213.73	T
Marion	980B	25	0.59	14.70	62	0.8018	25	0	0.00	25.00	14.70	NT
Marion	980B	25	0.19	4.78	62	0.8018					4.78	T
Marion	993D2	20	532.18	10643.69	62	0.8018	20	0	0.00	20.00	10643.69	NT
Marion	993D2	20	764.48	15289.62	62	0.8018					15289.62	T
Marion	993E2	10	242.97	2429.66	62	0.8018	10	0	0.00	10.00	2429.66	NT
Marion	993E2	10	173.09	1730.85	62	0.8018					1730.85	T
Marion	AW	0	3.00	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	AW	0	0.23	0.00	62	0.8018					0.00	T
Marion	BW	0	2.51	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	C220	25	0.03	0.72	62	0.8018	25	0	0.00	25.00	0.72	NT
Marion	INT	0	52.85	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	INT	0	123.61	0.00	62	0.8018					0.00	T
Marion	SL	0	3.90	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	T280	95	0.18	17.37	62	0.8018					17.37	T
Marion	T281B	92	0.10	9.02	62	0.8018					9.02	T
Marion	T281C2	77	0.09	7.31	62	0.8018					7.31	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marion	W	0	1857.10	0.00	62	0.8018	0	0	0.00	0.00	0.00	NT
Marion	W	0	24.29	0.00	62	0.8018					0.00	T
											0.00	
											0.00	
Marshall	107	70	71.46	5002.46	76	0.7905	38	32	6.70	44.70	3194.71	NT
Marshall	107	70	3271.24	228987.15	76	0.7905					228987.15	T
Marshall	1133	25	236.10	5902.55	76	0.7905	25	0	0.00	25.00	5902.55	NT
Marshall	1133	25	123.90	3097.49	76	0.7905					3097.49	T
Marshall	118	95	105.38	10011.44	76	0.7905	38	57	11.94	49.94	5263.01	NT
Marshall	118	95	5920.71	562467.79	76	0.7905					562467.79	T
Marshall	119	100	699.42	69942.44	76	0.7905	38	62	12.99	50.99	35662.95	NT
Marshall	119	100	19505.48	1950547.88	76	0.7905					1950547.88	T
Marshall	119B	95	0.37	34.99	76	0.7905					34.99	T
Marshall	11B	68	3573.83	243020.60	76	0.7905	38	30	6.29	44.29	158267.16	NT
Marshall	11B	68	16029.28	1089991.15	76	0.7905					1089991.15	T
Marshall	120	100	119.11	11911.29	76	0.7905	38	62	12.99	50.99	6073.45	NT
Marshall	120	100	3144.85	314485.00	76	0.7905					314485.00	T
Marshall	120B	95	2149.28	204181.56	76	0.7905	38	57	11.94	49.94	107338.24	NT
Marshall	120B	95	42611.53	4048094.88	76	0.7905					4048094.88	T
Marshall	120C	80	1138.58	91086.30	76	0.7905	38	42	8.80	46.80	53284.35	NT
Marshall	120C	80	20303.47	1624277.52	76	0.7905					1624277.52	T
Marshall	120C2	78	1418.59	110650.18	76	0.7905	38	40	8.38	46.38	65794.30	NT
Marshall	120C2	78	35862.30	2797259.02	76	0.7905					2797259.02	T
Marshall	120D2	68	1381.78	93961.13	76	0.7905	38	30	6.29	44.29	61192.19	NT
Marshall	120D2	68	20146.08	1369933.39	76	0.7905					1369933.39	T
Marshall	120E2	58	230.31	13357.92	76	0.7905	38	20	4.19	42.19	9716.74	NT
Marshall	120E2	58	1138.61	66039.14	76	0.7905					66039.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	122	63	5.68	357.85	76	0.7905	38	25	5.24	43.24	245.59	NT
Marshall	122	63	458.51	28885.94	76	0.7905					28885.94	T
Marshall	1220	25	1245.28	31132.06	76	0.7905	25	0	0.00	25.00	31132.06	NT
Marshall	1220	25	387.60	9689.91	76	0.7905					9689.91	T
Marshall	1226	72	113.56	8176.02	76	0.7905	38	34	7.12	45.12	5123.98	NT
Marshall	1226	72	1657.06	119308.59	76	0.7905					119308.59	T
Marshall	133	80	769.08	61526.67	76	0.7905	38	42	8.80	46.80	35992.34	NT
Marshall	133	80	3489.21	279137.06	76	0.7905					279137.06	T
Marshall	133+	85	549.70	46724.53	76	0.7905	38	47	9.85	47.85	26301.24	NT
Marshall	133+	85	2017.67	171501.87	76	0.7905					171501.87	T
Marshall	133B	75	515.49	38661.90	76	0.7905	38	37	7.75	45.75	23584.53	NT
Marshall	133B	75	2054.53	154089.88	76	0.7905					154089.88	T
Marshall	135	78	431.09	33624.93	76	0.7905	38	40	8.38	46.38	19993.90	NT
Marshall	135	78	1086.07	84713.83	76	0.7905					84713.83	T
Marshall	138B	73	262.60	19170.16	76	0.7905	38	35	7.33	45.33	11904.54	NT
Marshall	138B	73	3508.88	256148.42	76	0.7905					256148.42	T
Marshall	138C	67	280.92	18821.51	76	0.7905	38	29	6.08	44.08	12381.60	NT
Marshall	138C	67	2733.42	183139.11	76	0.7905					183139.11	T
Marshall	138C2	59	141.76	8363.93	76	0.7905	38	21	4.40	42.40	6010.62	NT
Marshall	138C2	59	3882.86	229088.84	76	0.7905					229088.84	T
Marshall	138D2	56	187.58	10504.66	76	0.7905	38	18	3.77	41.77	7835.54	NT
Marshall	138D2	56	2099.47	117570.50	76	0.7905					117570.50	T
Marshall	138E2	47	107.30	5043.32	76	0.7905	38	9	1.89	39.89	4279.90	NT
Marshall	138E2	47	309.03	14524.47	76	0.7905					14524.47	T
Marshall	1485	25	1222.82	30570.51	76	0.7905	25	0	0.00	25.00	30570.51	NT
Marshall	1485	25	81.56	2038.88	76	0.7905					2038.88	T
Marshall	150	56	56.70	3175.11	76	0.7905	38	18	3.77	41.77	2368.35	NT
Marshall	150	56	363.60	20361.38	76	0.7905					20361.38	T
Marshall	162B	90	296.24	26661.48	76	0.7905	38	52	10.89	48.89	14484.29	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	162B	90	1119.51	100755.81	76	0.7905					100755.81	T
Marshall	162C	75	629.31	47197.93	76	0.7905	38	37	7.75	45.75	28791.68	NT
Marshall	162C	75	737.21	55290.50	76	0.7905					55290.50	T
Marshall	162C2	73	496.13	36217.35	76	0.7905	38	35	7.33	45.33	22490.73	NT
Marshall	162C2	73	2115.38	154422.44	76	0.7905					154422.44	T
Marshall	162D	65	498.21	32383.34	76	0.7905	38	27	5.66	43.66	21749.90	NT
Marshall	162D	65	240.89	15657.88	76	0.7905					15657.88	T
Marshall	162D2	63	932.55	58750.47	76	0.7905	38	25	5.24	43.24	40321.00	NT
Marshall	162D2	63	2583.78	162778.20	76	0.7905					162778.20	T
Marshall	162E2	53	583.47	30923.83	76	0.7905	38	15	3.14	41.14	24005.35	NT
Marshall	162E2	53	823.92	43667.94	76	0.7905					43667.94	T
Marshall	163B	85	41.70	3544.68	76	0.7905	38	47	9.85	47.85	1995.30	NT
Marshall	163B	85	59.01	5016.02	76	0.7905					5016.02	T
Marshall	163C	70	213.41	14938.80	76	0.7905	38	32	6.70	44.70	9540.35	NT
Marshall	163C	70	71.62	5013.40	76	0.7905					5013.40	T
Marshall	163D	60	309.66	18579.32	76	0.7905	38	22	4.61	42.61	13194.11	NT
Marshall	163D	60	60.64	3638.62	76	0.7905					3638.62	T
Marshall	163E	50	290.72	14536.06	76	0.7905	38	12	2.51	40.51	11778.28	NT
Marshall	163E	50	35.45	1772.66	76	0.7905					1772.66	T
Marshall	163F	30	372.32	11169.50	76	0.7905	30	0	0.00	30.00	11169.50	NT
Marshall	163F	30	71.82	2154.70	76	0.7905					2154.70	T
Marshall	168B	74	0.14	10.52	76	0.7905	38	36	7.54	45.54	6.48	NT
Marshall	168C	58	0.02	1.22	76	0.7905	38	20	4.19	42.19	0.89	NT
Marshall	175B	56	51.56	2887.31	76	0.7905	38	18	3.77	41.77	2153.68	NT
Marshall	175B	56	462.50	25899.95	76	0.7905					25899.95	T
Marshall	175C	41	119.12	4884.01	76	0.7905	38	3	0.63	38.63	4601.51	NT
Marshall	175C	41	447.90	18363.84	76	0.7905					18363.84	T
Marshall	175D2	14	35.24	493.39	76	0.7905	14	0	0.00	14.00	493.39	NT
Marshall	175D2	14	117.99	1651.85	76	0.7905					1651.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	177	64	74.38	4760.29	76	0.7905	38	26	5.45	43.45	3231.57	NT
Marshall	177	64	840.47	53790.01	76	0.7905					53790.01	T
Marshall	177B	60	0.07	4.12	76	0.7905					4.12	T
Marshall	177C2	37	43.82	1621.17	76	0.7905	37	0	0.00	37.00	1621.17	NT
Marshall	177C2	37	275.41	10190.20	76	0.7905					10190.20	T
Marshall	178	79	79.57	6286.38	76	0.7905	38	41	8.59	46.59	3707.33	NT
Marshall	178	79	1090.48	86147.65	76	0.7905					86147.65	T
Marshall	179E	35	166.02	5810.69	76	0.7905	35	0	0.00	35.00	5810.69	NT
Marshall	179E	35	31.49	1102.23	76	0.7905					1102.23	T
Marshall	179E2	33	390.01	12870.18	76	0.7905	33	0	0.00	33.00	12870.18	NT
Marshall	179E2	33	410.89	13559.43	76	0.7905					13559.43	T
Marshall	179F	15	655.95	9839.18	76	0.7905	15	0	0.00	15.00	9839.18	NT
Marshall	179F	15	116.67	1750.01	76	0.7905					1750.01	T
Marshall	192D2	15	85.63	1284.41	76	0.7905	15	0	0.00	15.00	1284.41	NT
Marshall	192D2	15	584.69	8770.40	76	0.7905					8770.40	T
Marshall	1936	25	2206.08	55151.90	76	0.7905	25	0	0.00	25.00	55151.90	NT
Marshall	1936	25	352.93	8823.23	76	0.7905					8823.23	T
Marshall	201B	51	427.43	21799.03	76	0.7905	38	13	2.72	40.72	17406.52	NT
Marshall	201B	51	1428.82	72869.73	76	0.7905					72869.73	T
Marshall	20C2	73	257.50	18797.44	76	0.7905	38	35	7.33	45.33	11673.08	NT
Marshall	20C2	73	10184.74	743485.83	76	0.7905					743485.83	T
Marshall	20D2	63	607.78	38290.17	76	0.7905	38	25	5.24	43.24	26278.91	NT
Marshall	20D2	63	19869.97	1251808.13	76	0.7905					1251808.13	T
Marshall	20D3	58	74.59	4326.35	76	0.7905	38	20	4.19	42.19	3147.05	NT
Marshall	20D3	58	2947.13	170933.48	76	0.7905					170933.48	T
Marshall	20E2	53	116.73	6186.57	76	0.7905	38	15	3.14	41.14	4802.47	NT
Marshall	20E2	53	1129.40	59858.28	76	0.7905					59858.28	T
Marshall	20E3	48	106.54	5113.69	76	0.7905	38	10	2.10	40.10	4271.53	NT
Marshall	20E3	48	1205.05	57842.25	76	0.7905					57842.25	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	220	85	1355.70	115234.55	76	0.7905	38	47	9.85	47.85	64865.53	NT
Marshall	220	85	1319.44	112152.18	76	0.7905					112152.18	T
Marshall	222D2	10	124.77	1247.69	76	0.7905	10	0	0.00	10.00	1247.69	NT
Marshall	222D2	10	1138.89	11388.92	76	0.7905					11388.92	T
Marshall	236C	61	65.23	3979.28	76	0.7905	38	23	4.82	42.82	2793.22	NT
Marshall	236C	61	104.66	6384.26	76	0.7905					6384.26	T
Marshall	236C2	62	53.24	3300.92	76	0.7905	38	24	5.03	43.03	2290.84	NT
Marshall	236C2	62	125.43	7776.36	76	0.7905					7776.36	T
Marshall	236D2	48	153.71	7378.20	76	0.7905	38	10	2.10	40.10	6163.11	NT
Marshall	236D2	48	78.84	3784.23	76	0.7905					3784.23	T
Marshall	236E	43	140.49	6040.98	76	0.7905	38	5	1.05	39.05	5485.70	NT
Marshall	236E	43	46.06	1980.72	76	0.7905					1980.72	T
Marshall	236F	19	169.79	3226.09	76	0.7905	19	0	0.00	19.00	3226.09	NT
Marshall	236F	19	51.97	987.50	76	0.7905					987.50	T
Marshall	24D2	48	275.66	13231.51	76	0.7905	38	10	2.10	40.10	11052.45	NT
Marshall	24D2	48	3431.53	164713.43	76	0.7905					164713.43	T
Marshall	24D3	45	5.65	254.04	76	0.7905	38	7	1.47	39.47	222.80	NT
Marshall	24D3	45	194.17	8737.52	76	0.7905					8737.52	T
Marshall	24E2	38	1138.29	43255.12	76	0.7905	38	0	0.00	38.00	43255.12	NT
Marshall	24E2	38	5121.22	194606.20	76	0.7905					194606.20	T
Marshall	24E3	35	67.31	2355.85	76	0.7905	35	0	0.00	35.00	2355.85	NT
Marshall	24E3	35	513.75	17981.37	76	0.7905					17981.37	T
Marshall	24F2	18	359.56	6472.14	76	0.7905	18	0	0.00	18.00	6472.14	NT
Marshall	24F2	18	637.95	11483.05	76	0.7905					11483.05	T
Marshall	273B	72	0.03	2.01	76	0.7905					2.01	T
Marshall	27C	61	0.06	3.57	76	0.7905					3.57	T
Marshall	284	40	0.00	0.08	76	0.7905					0.08	T
Marshall	284C2	25	0.31	7.75	76	0.7905					7.75	T
Marshall	315	30	0.01	0.40	76	0.7905	30	0	0.00	30.00	0.40	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	323C	75	30.40	2279.80	76	0.7905	38	37	7.75	45.75	1390.72	NT
Marshall	323C	75	337.96	25346.82	76	0.7905					25346.82	T
Marshall	377B	90	0.01	0.68	76	0.7905	38	52	10.89	48.89	0.37	NT
Marshall	377B	90	1.30	117.08	76	0.7905					117.08	T
Marshall	377C	75	36.64	2748.16	76	0.7905	38	37	7.75	45.75	1676.43	NT
Marshall	377C	75	345.14	25885.22	76	0.7905					25885.22	T
Marshall	377C2	73	74.78	5458.65	76	0.7905	38	35	7.33	45.33	3389.78	NT
Marshall	377C2	73	2276.98	166219.73	76	0.7905					166219.73	T
Marshall	377D2	63	130.50	8221.50	76	0.7905	38	25	5.24	43.24	5642.50	NT
Marshall	377D2	63	1734.40	109267.18	76	0.7905					109267.18	T
Marshall	393C	33	0.04	1.47	76	0.7905					1.47	T
Marshall	394C2	68	0.11	7.26	76	0.7905					7.26	T
Marshall	4011B	0	9.02	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	4011B	0	15.72	0.00	76	0.7905					0.00	T
Marshall	409B	57	0.69	39.45	76	0.7905					39.45	T
Marshall	4119	0	2.62	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	4119	0	25.20	0.00	76	0.7905					0.00	T
Marshall	4120B	0	10.18	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	4120B	0	44.16	0.00	76	0.7905					0.00	T
Marshall	4120C	0	7.50	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	4120C	0	15.99	0.00	76	0.7905					0.00	T
Marshall	4133	0	0.29	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	4133	0	0.11	0.00	76	0.7905					0.00	T
Marshall	41B	40	39.22	1568.82	76	0.7905	38	2	0.42	38.42	1506.81	NT
Marshall	41B	40	193.66	7746.25	76	0.7905					7746.25	T
Marshall	41C	25	95.25	2381.16	76	0.7905	25	0	0.00	25.00	2381.16	NT
Marshall	41C	25	464.34	11608.43	76	0.7905					11608.43	T
Marshall	41D	15	44.20	663.00	76	0.7905	15	0	0.00	15.00	663.00	NT
Marshall	41D	15	138.06	2070.88	76	0.7905					2070.88	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	420B	95	77.14	7328.36	76	0.7905	38	57	11.94	49.94	3852.52	NT
Marshall	420B	95	1131.88	107529.03	76	0.7905					107529.03	T
Marshall	420C2	78	40.10	3128.07	76	0.7905	38	40	8.38	46.38	1860.00	NT
Marshall	420C2	78	378.40	29514.96	76	0.7905					29514.96	T
Marshall	428B	93	89.96	8365.84	76	0.7905	38	55	11.52	49.52	4454.81	NT
Marshall	428B	93	1614.16	150116.53	76	0.7905					150116.53	T
Marshall	43	80	72.38	5790.34	76	0.7905	38	42	8.80	46.80	3387.28	NT
Marshall	43	80	1010.30	80824.31	76	0.7905					80824.31	T
Marshall	430	83	1580.31	131166.02	76	0.7905	38	45	9.43	47.43	74950.32	NT
Marshall	430	83	3464.61	287562.71	76	0.7905					287562.71	T
Marshall	442B	70	31.85	2229.64	76	0.7905	38	32	6.70	44.70	1423.91	NT
Marshall	442B	70	270.33	18923.23	76	0.7905					18923.23	T
Marshall	442C2	55	186.12	10236.48	76	0.7905	38	17	3.56	41.56	7735.34	NT
Marshall	442C2	55	865.39	47596.50	76	0.7905					47596.50	T
Marshall	442E2	35	242.19	8476.63	76	0.7905	35	0	0.00	35.00	8476.63	NT
Marshall	442E2	35	277.27	9704.56	76	0.7905					9704.56	T
Marshall	462B	90	75.70	6812.73	76	0.7905	38	52	10.89	48.89	3701.13	NT
Marshall	462B	90	391.86	35267.48	76	0.7905					35267.48	T
Marshall	484	90	275.16	24764.51	76	0.7905	38	52	10.89	48.89	13453.74	NT
Marshall	484	90	1153.33	103799.68	76	0.7905					103799.68	T
Marshall	485	92	204.65	18827.90	76	0.7905	38	54	11.31	49.31	10091.96	NT
Marshall	485	92	649.93	59793.72	76	0.7905					59793.72	T
Marshall	5010	0	206.82	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	5010	0	37.87	0.00	76	0.7905					0.00	T
Marshall	5030	0	272.53	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	5030	0	12.54	0.00	76	0.7905					0.00	T
Marshall	5040	5	15.17	75.86	76	0.7905	5	0	0.00	5.00	75.86	NT
Marshall	5040	5	0.12	0.60	76	0.7905					0.60	T
Marshall	507	71	3.98	282.46	76	0.7905	38	33	6.91	44.91	178.68	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	507	71	541.88	38473.48	76	0.7905					38473.48	T
Marshall	51	70	39.15	2740.65	76	0.7905	38	32	6.70	44.70	1750.25	NT
Marshall	51	70	231.25	16187.66	76	0.7905					16187.66	T
Marshall	536	70	52.17	3652.01	76	0.7905	38	32	6.70	44.70	2332.28	NT
Marshall	536	70	191.82	13427.24	76	0.7905					13427.24	T
Marshall	54	70	915.48	64083.77	76	0.7905	38	32	6.70	44.70	40925.73	NT
Marshall	54	70	3053.22	213725.30	76	0.7905					213725.30	T
Marshall	55	73	74.45	5434.74	76	0.7905	38	35	7.33	45.33	3374.94	NT
Marshall	55	73	3084.47	225166.18	76	0.7905					225166.18	T
Marshall	595	73	0.09	6.64	76	0.7905	38	35	7.33	45.33	4.12	NT
Marshall	595	73	372.10	27163.62	76	0.7905					27163.62	T
Marshall	5B	83	1932.66	160410.66	76	0.7905	38	45	9.43	47.43	91661.17	NT
Marshall	5B	83	3970.03	329512.66	76	0.7905					329512.66	T
Marshall	6	43	26.89	1156.47	76	0.7905	38	5	1.05	39.05	1050.17	NT
Marshall	6	43	601.22	25852.66	76	0.7905					25852.66	T
Marshall	62D2	38	27.48	1044.11	76	0.7905	38	0	0.00	38.00	1044.11	NT
Marshall	62D2	38	552.26	20986.07	76	0.7905					20986.07	T
Marshall	638C2	52	0.17	8.69	76	0.7905					8.69	T
Marshall	63C	21	69.76	1464.95	76	0.7905	21	0	0.00	21.00	1464.95	NT
Marshall	63C	21	48.74	1023.49	76	0.7905					1023.49	T
Marshall	63E	5	63.13	315.64	76	0.7905	5	0	0.00	5.00	315.64	NT
Marshall	63E	5	25.43	127.17	76	0.7905					127.17	T
Marshall	65F	10	415.14	4151.44	76	0.7905	10	0	0.00	10.00	4151.44	NT
Marshall	65F	10	26.86	268.64	76	0.7905					268.64	T
Marshall	65G	5	627.44	3137.19	76	0.7905	5	0	0.00	5.00	3137.19	NT
Marshall	65G	5	17.67	88.34	76	0.7905					88.34	T
Marshall	683C2	68	16.43	1117.01	76	0.7905	38	30	6.29	44.29	727.45	NT
Marshall	683C2	68	289.07	19656.95	76	0.7905					19656.95	T
Marshall	683D	60	127.11	7626.55	76	0.7905	38	22	4.61	42.61	5415.99	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	683D	60	228.61	13716.47	76	0.7905					13716.47	T
Marshall	683D2	58	193.60	11228.81	76	0.7905	38	20	4.19	42.19	8167.99	NT
Marshall	683D2	58	2272.94	131830.49	76	0.7905					131830.49	T
Marshall	683E	50	129.67	6483.72	76	0.7905	38	12	2.51	40.51	5253.63	NT
Marshall	683E	50	67.11	3355.38	76	0.7905					3355.38	T
Marshall	683E2	48	110.15	5287.05	76	0.7905	38	10	2.10	40.10	4416.34	NT
Marshall	683E2	48	505.04	24242.13	76	0.7905					24242.13	T
Marshall	688	85	97.95	8325.85	76	0.7905	38	47	9.85	47.85	4686.62	NT
Marshall	688	85	327.34	27823.77	76	0.7905					27823.77	T
Marshall	7	91	76.05	6920.93	76	0.7905	38	53	11.10	49.10	3734.52	NT
Marshall	7	91	1031.68	93883.26	76	0.7905					93883.26	T
Marshall	733	64	2.56	164.13	76	0.7905	38	26	5.45	43.45	111.42	NT
Marshall	733	64	11.49	735.35	76	0.7905					735.35	T
Marshall	88	92	73.16	6730.80	76	0.7905	38	54	11.31	49.31	3607.78	NT
Marshall	88	92	1247.82	114799.33	76	0.7905					114799.33	T
Marshall	8B	90	88.81	7993.26	76	0.7905	38	52	10.89	48.89	4342.47	NT
Marshall	8B	90	1234.80	111131.69	76	0.7905					111131.69	T
Marshall	8C	66	66.50	4389.17	76	0.7905	38	28	5.87	43.87	2917.20	NT
Marshall	8C	66	717.70	47368.21	76	0.7905					47368.21	T
Marshall	933B	80	0.01	0.78	76	0.7905	38	42	8.80	46.80	0.46	NT
Marshall	933B	80	0.58	46.16	76	0.7905					46.16	T
Marshall	93D2	33	35.93	1185.85	76	0.7905	33	0	0.00	33.00	1185.85	NT
Marshall	93D2	33	479.39	15819.90	76	0.7905					15819.90	T
Marshall	93E2	23	152.54	3508.48	76	0.7905	23	0	0.00	23.00	3508.48	NT
Marshall	93E2	23	790.92	18191.19	76	0.7905					18191.19	T
Marshall	95	57	2.73	155.58	76	0.7905	38	19	3.98	41.98	114.58	NT
Marshall	95	57	276.30	15749.25	76	0.7905					15749.25	T
Marshall	993E2	10	0.09	0.86	76	0.7905	10	0	0.00	10.00	0.86	NT
Marshall	AW	0	6.76	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Marshall	AW	0	0.09	0.00	76	0.7905					0.00	T
Marshall	INT	0	110.50	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	INT	0	38.86	0.00	76	0.7905					0.00	T
Marshall	SL	0	10.61	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	W	0	687.70	0.00	76	0.7905	0	0	0.00	0.00	0.00	NT
Marshall	W	0	39.09	0.00	76	0.7905					0.00	T
											0.00	
											0.00	
Mills	10B	80	283.37	22669.68	67	0.7162	34	46	13.05	47.05	13333.96	NT
Mills	10B	80	2334.06	186725.10	67	0.7162					186725.10	T
Mills	10C	65	234.94	15271.42	67	0.7162	34	32	9.08	43.08	10121.80	NT
Mills	10C	65	2035.81	132327.84	67	0.7162					132327.84	T
Mills	10C2	63	1307.22	82355.17	67	0.7162	34	30	8.51	42.51	55575.36	NT
Mills	10C2	63	8070.92	508468.11	67	0.7162					508468.11	T
Mills	10D	55	282.08	15514.37	67	0.7162	34	22	6.24	40.24	11351.89	NT
Mills	10D	55	1052.36	57879.60	67	0.7162					57879.60	T
Mills	10D2	53	1232.05	65298.41	67	0.7162	34	20	5.68	39.68	48882.63	NT
Mills	10D2	53	15016.71	795885.41	67	0.7162					795885.41	T
Mills	10D3	50	110.08	5504.23	67	0.7162	34	16	4.54	38.54	4242.75	NT
Mills	10D3	50	1417.22	70860.84	67	0.7162					70860.84	T
Mills	10E	42	190.86	8016.29	67	0.7162	34	8	2.27	36.27	6922.71	NT
Mills	10E	42	145.76	6122.04	67	0.7162					6122.04	T
Mills	10E2	43	528.56	22728.24	67	0.7162	34	10	2.84	36.84	19471.23	NT
Mills	10E2	43	1651.79	71026.95	67	0.7162					71026.95	T
Mills	10E3	40	59.56	2382.48	67	0.7162	34	6	1.70	35.70	2126.53	NT
Mills	10E3	40	282.10	11283.92	67	0.7162					11283.92	T
Mills	10F2	23	234.09	5384.02	67	0.7162	23	0	0.00	23.00	5384.02	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mills	10F2	23	76.68	1763.56	67	0.7162					1763.56	T
Mills	112C2	50	10.35	517.57	67	0.7162	34	16	4.54	38.54	398.95	NT
Mills	112C2	50	230.13	11506.53	67	0.7162					11506.53	T
Mills	112D2	40	16.15	646.14	67	0.7162	34	6	1.70	35.70	576.73	NT
Mills	112D2	40	663.85	26553.95	67	0.7162					26553.95	T
Mills	11B	68	1001.83	68124.37	67	0.7162	34	34	9.65	43.65	43729.03	NT
Mills	11B	68	4124.29	280452.02	67	0.7162					280452.02	T
Mills	1233	65	2.74	178.14	67	0.7162	34	32	9.08	43.08	118.07	NT
Mills	1233	65	194.55	12645.76	67	0.7162					12645.76	T
Mills	1299	95	31.39	2982.13	67	0.7162	34	62	17.60	51.60	1619.63	NT
Mills	1299	95	1391.46	132188.26	67	0.7162					132188.26	T
Mills	12B	80	5498.07	439845.86	67	0.7162	34	46	13.05	47.05	258710.73	NT
Mills	12B	80	14499.98	1159998.27	67	0.7162					1159998.27	T
Mills	12C	65	697.20	45318.08	67	0.7162	34	32	9.08	43.08	30036.55	NT
Mills	12C	65	428.38	27844.59	67	0.7162					27844.59	T
Mills	133	80	698.02	55841.88	67	0.7162	34	46	13.05	47.05	32845.36	NT
Mills	133	80	4111.85	328947.70	67	0.7162					328947.70	T
Mills	133+	85	131.62	11187.74	67	0.7162	34	52	14.76	48.76	6417.50	NT
Mills	133+	85	1533.88	130379.64	67	0.7162					130379.64	T
Mills	137	65	467.66	30398.08	67	0.7162	34	32	9.08	43.08	20147.66	NT
Mills	137	65	3202.00	208130.32	67	0.7162					208130.32	T
Mills	144	70	138.59	9701.46	67	0.7162	34	36	10.22	44.22	6128.11	NT
Mills	144	70	2850.56	199539.00	67	0.7162					199539.00	T
Mills	146	65	186.04	12092.84	67	0.7162	34	32	9.08	43.08	8015.06	NT
Mills	146	65	3089.85	200839.94	67	0.7162					200839.94	T
Mills	149	68	83.13	5652.89	67	0.7162	34	34	9.65	43.65	3628.59	NT
Mills	149	68	886.61	60289.18	67	0.7162					60289.18	T
Mills	156	51	211.59	10790.92	67	0.7162	34	18	5.11	39.11	8274.82	NT
Mills	156	51	3450.93	175997.35	67	0.7162					175997.35	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mills	192D2	15	61.22	918.36	67	0.7162	15	0	0.00	15.00	918.36	NT
Mills	192D2	15	703.76	10556.33	67	0.7162					10556.33	T
Mills	1C	60	52.22	3133.29	67	0.7162	34	26	7.38	41.38	2160.86	NT
Mills	1C	60	293.03	17581.57	67	0.7162					17581.57	T
Mills	1C3	55	132.21	7271.48	67	0.7162	34	22	6.24	40.24	5320.56	NT
Mills	1C3	55	378.28	20805.58	67	0.7162					20805.58	T
Mills	1D	50	199.14	9957.05	67	0.7162	34	16	4.54	38.54	7675.05	NT
Mills	1D	50	2619.40	130970.05	67	0.7162					130970.05	T
Mills	1D3	45	296.65	13349.43	67	0.7162	34	12	3.41	37.41	11096.52	NT
Mills	1D3	45	3918.90	176350.47	67	0.7162					176350.47	T
Mills	1E	35	655.96	22958.59	67	0.7162	34	2	0.57	34.57	22674.95	NT
Mills	1E	35	920.07	32202.58	67	0.7162					32202.58	T
Mills	1E3	35	2074.53	72608.65	67	0.7162	34	2	0.57	34.57	71711.62	NT
Mills	1E3	35	5115.02	179025.85	67	0.7162					179025.85	T
Mills	1F	14	1398.63	19580.78	67	0.7162	14	0	0.00	14.00	19580.78	NT
Mills	1F	14	92.65	1297.08	67	0.7162					1297.08	T
Mills	1F3	15	1508.03	22620.42	67	0.7162	15	0	0.00	15.00	22620.42	NT
Mills	1F3	15	569.40	8540.96	67	0.7162					8540.96	T
Mills	1G	5	0.41	2.03	67	0.7162	5	0	0.00	5.00	2.03	NT
Mills	212	94	1262.95	118717.49	67	0.7162	34	60	17.03	51.03	64445.92	NT
Mills	212	94	4615.33	433840.95	67	0.7162					433840.95	T
Mills	212+	90	234.97	21147.13	67	0.7162	34	56	15.89	49.89	11723.22	NT
Mills	212+	90	1763.25	158692.10	67	0.7162					158692.10	T
Mills	220	85	1987.94	168974.79	67	0.7162	34	52	14.76	48.76	96927.12	NT
Mills	220	85	5638.31	479256.31	67	0.7162					479256.31	T
Mills	22C2	50	10.15	507.47	67	0.7162	34	16	4.54	38.54	391.16	NT
Mills	22C2	50	160.91	8045.63	67	0.7162					8045.63	T
Mills	22D2	46	19.85	912.89	67	0.7162	34	12	3.41	37.41	742.33	NT
Mills	22D2	46	1232.57	56698.29	67	0.7162					56698.29	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mills	234	70	73.30	5131.05	67	0.7162	34	36	10.22	44.22	3241.12	NT
Mills	234	70	1174.40	82207.74	67	0.7162					82207.74	T
Mills	237	9	323.03	2907.24	67	0.7162	9	0	0.00	9.00	2907.24	NT
Mills	237	9	400.24	3602.20	67	0.7162					3602.20	T
Mills	238	10	123.10	1231.00	67	0.7162	10	0	0.00	10.00	1231.00	NT
Mills	238	10	617.14	6171.43	67	0.7162					6171.43	T
Mills	244	47	6.92	325.03	67	0.7162	34	14	3.97	37.97	262.60	NT
Mills	244	47	397.13	18665.16	67	0.7162					18665.16	T
Mills	24D2	48	84.11	4037.15	67	0.7162	34	14	3.97	37.97	3193.83	NT
Mills	24D2	48	637.18	30584.88	67	0.7162					30584.88	T
Mills	24E2	38	55.19	2097.13	67	0.7162	34	4	1.14	35.14	1939.03	NT
Mills	24E2	38	130.45	4956.93	67	0.7162					4956.93	T
Mills	255	65	30.69	1994.98	67	0.7162	34	32	9.08	43.08	1322.26	NT
Mills	255	65	1036.43	67368.20	67	0.7162					67368.20	T
Mills	275	72	20.63	1485.72	67	0.7162	34	38	10.78	44.78	924.12	NT
Mills	275	72	771.07	55517.37	67	0.7162					55517.37	T
Mills	2G	5	1924.91	9624.53	67	0.7162	5	0	0.00	5.00	9624.53	NT
Mills	2G	5	39.28	196.38	67	0.7162					196.38	T
Mills	33D	36	155.24	5588.76	67	0.7162	34	2	0.57	34.57	5366.39	NT
Mills	33D	36	129.95	4678.30	67	0.7162					4678.30	T
Mills	36	79	58.39	4612.92	67	0.7162	34	46	13.05	47.05	2747.59	NT
Mills	36	79	2182.00	172377.98	67	0.7162					172377.98	T
Mills	3E	30	126.36	3790.93	67	0.7162	30	0	0.00	30.00	3790.93	NT
Mills	3E	30	41.32	1239.61	67	0.7162					1239.61	T
Mills	43	80	48.02	3841.47	67	0.7162	34	46	13.05	47.05	2259.49	NT
Mills	43	80	2120.63	169650.66	67	0.7162					169650.66	T
Mills	430	83	155.35	12893.78	67	0.7162	34	50	14.19	48.19	7486.16	NT
Mills	430	83	700.96	58179.59	67	0.7162					58179.59	T
Mills	436	74	19.61	1451.00	67	0.7162	34	40	11.35	45.35	889.26	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mills	436	74	1220.45	90313.41	67	0.7162					90313.41	T
Mills	44	70	30.71	2149.64	67	0.7162	34	36	10.22	44.22	1357.86	NT
Mills	44	70	813.68	56957.27	67	0.7162					56957.27	T
Mills	448	75	0.42	31.51	67	0.7162					31.51	T
Mills	46	84	152.37	12798.86	67	0.7162	34	50	14.19	48.19	7342.59	NT
Mills	46	84	2273.51	190974.95	67	0.7162					190974.95	T
Mills	5030	0	229.86	0.00	67	0.7162	0	0	0.00	0.00	0.00	NT
Mills	5030	0	22.60	0.00	67	0.7162					0.00	T
Mills	5040	5	91.38	456.91	67	0.7162	5	0	0.00	5.00	456.91	NT
Mills	5040	5	31.60	158.01	67	0.7162					158.01	T
Mills	509	90	113.40	10206.34	67	0.7162	34	56	15.89	49.89	5658.03	NT
Mills	509	90	2519.57	226761.09	67	0.7162					226761.09	T
Mills	509B	84	66.57	5592.30	67	0.7162	34	50	14.19	48.19	3208.25	NT
Mills	509B	84	1417.52	119072.01	67	0.7162					119072.01	T
Mills	509C	81	21.59	1748.50	67	0.7162	34	48	13.62	47.62	1028.00	NT
Mills	509C	81	234.19	18969.29	67	0.7162					18969.29	T
Mills	509C2	77	33.45	2575.83	67	0.7162	34	44	12.49	46.49	1555.11	NT
Mills	509C2	77	506.63	39010.68	67	0.7162					39010.68	T
Mills	510B	80	13.14	1051.52	67	0.7162	34	46	13.05	47.05	618.49	NT
Mills	510B	80	244.97	19597.38	67	0.7162					19597.38	T
Mills	514	55	195.42	10747.86	67	0.7162	34	22	6.24	40.24	7864.23	NT
Mills	514	55	1613.50	88742.49	67	0.7162					88742.49	T
Mills	515	51	38.34	1955.39	67	0.7162	34	18	5.11	39.11	1499.46	NT
Mills	515	51	1063.03	54214.52	67	0.7162					54214.52	T
Mills	516	60	60.78	3646.73	67	0.7162	34	26	7.38	41.38	2514.96	NT
Mills	516	60	1249.33	74959.73	67	0.7162					74959.73	T
Mills	538	50	2.15	107.27	67	0.7162					107.27	T
Mills	54	70	207.18	14502.77	67	0.7162	34	36	10.22	44.22	9160.94	NT
Mills	54	70	3833.29	268330.59	67	0.7162					268330.59	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mills	54+	75	26.62	1996.63	67	0.7162	34	42	11.92	45.92	1222.46	NT
Mills	54+	75	622.95	46721.55	67	0.7162					46721.55	T
Mills	555	60	9.81	588.67	67	0.7162	34	26	7.38	41.38	405.98	NT
Mills	555	60	209.67	12580.02	67	0.7162					12580.02	T
Mills	60D2	25	30.28	757.02	67	0.7162	25	0	0.00	25.00	757.02	NT
Mills	60D2	25	835.38	20884.40	67	0.7162					20884.40	T
Mills	636	53	4.14	219.63	67	0.7162	34	20	5.68	39.68	164.42	NT
Mills	636	53	147.21	7801.92	67	0.7162					7801.92	T
Mills	66	37	64.51	2386.90	67	0.7162	34	4	1.14	35.14	2266.60	NT
Mills	66	37	1507.22	55767.26	67	0.7162					55767.26	T
Mills	66+	42	5.16	216.67	67	0.7162	34	8	2.27	36.27	187.11	NT
Mills	66+	42	246.17	10339.35	67	0.7162					10339.35	T
Mills	67	51	4.27	217.67	67	0.7162	34	18	5.11	39.11	166.92	NT
Mills	67	51	255.46	13028.26	67	0.7162					13028.26	T
Mills	670	80	27.38	2190.70	67	0.7162	34	46	13.05	47.05	1288.53	NT
Mills	670	80	646.63	51730.65	67	0.7162					51730.65	T
Mills	70	85	226.42	19246.02	67	0.7162	34	52	14.76	48.76	11039.88	NT
Mills	70	85	2535.66	215531.41	67	0.7162					215531.41	T
Mills	717	5	2831.38	14156.88	67	0.7162	5	0	0.00	5.00	14156.88	NT
Mills	717	5	260.74	1303.68	67	0.7162					1303.68	T
Mills	717C	5	3.69	18.44	67	0.7162	5	0	0.00	5.00	18.44	NT
Mills	717C	5	0.12	0.58	67	0.7162					0.58	T
Mills	733	64	118.25	7568.22	67	0.7162	34	30	8.51	42.51	5027.43	NT
Mills	733	64	479.10	30662.45	67	0.7162					30662.45	T
Mills	849	45	22.32	1004.60	67	0.7162	34	12	3.41	37.41	835.06	NT
Mills	849	45	322.48	14511.70	67	0.7162					14511.70	T
Mills	88	92	42.98	3954.61	67	0.7162	34	58	16.46	50.46	2169.03	NT
Mills	88	92	1655.88	152341.27	67	0.7162					152341.27	T
Mills	8B	90	2170.79	195371.14	67	0.7162	34	56	15.89	49.89	108306.82	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mills	8B	90	12190.99	1097188.92	67	0.7162					1097188.92	T
Mills	8C	66	11.65	768.79	67	0.7162	34	32	9.08	43.08	501.83	NT
Mills	8C	66	267.14	17631.52	67	0.7162					17631.52	T
Mills	9	86	72.40	6226.35	67	0.7162	34	52	14.76	48.76	3530.02	NT
Mills	9	86	1334.69	114783.29	67	0.7162					114783.29	T
Mills	93D2	33	47.96	1582.57	67	0.7162	33	0	0.00	33.00	1582.57	NT
Mills	93D2	33	433.99	14321.71	67	0.7162					14321.71	T
Mills	99C	65	61.70	4010.27	67	0.7162	34	32	9.08	43.08	2657.98	NT
Mills	99C	65	1412.19	91792.23	67	0.7162					91792.23	T
Mills	99C2	61	94.95	5791.94	67	0.7162	34	28	7.95	41.95	3982.81	NT
Mills	99C2	61	2859.59	174435.02	67	0.7162					174435.02	T
Mills	99D	60	89.22	5353.24	67	0.7162	34	26	7.38	41.38	3691.84	NT
Mills	99D	60	1744.49	104669.53	67	0.7162					104669.53	T
Mills	99D2	53	473.88	25115.63	67	0.7162	34	20	5.68	39.68	18801.65	NT
Mills	99D2	53	16277.25	862694.46	67	0.7162					862694.46	T
Mills	99D3	47	18.93	889.61	67	0.7162	34	14	3.97	37.97	718.75	NT
Mills	99D3	47	821.41	38606.10	67	0.7162					38606.10	T
Mills	99E2	44	22.91	1007.90	67	0.7162	34	10	2.84	36.84	843.84	NT
Mills	99E2	44	197.81	8703.54	67	0.7162					8703.54	T
Mills	9B	85	1102.84	93741.55	67	0.7162	34	52	14.76	48.76	53771.92	NT
Mills	9B	85	22292.51	1894863.65	67	0.7162					1894863.65	T
Mills	9C	66	291.90	19265.41	67	0.7162	34	32	9.08	43.08	12575.53	NT
Mills	9C	66	3778.16	249358.84	67	0.7162					249358.84	T
Mills	9C2	77	258.57	19909.51	67	0.7162	34	44	12.49	46.49	12019.96	NT
Mills	9C2	77	6438.79	495787.04	67	0.7162					495787.04	T
Mills	9D	56	210.85	11807.69	67	0.7162	34	22	6.24	40.24	8485.43	NT
Mills	9D	56	2042.47	114378.39	67	0.7162					114378.39	T
Mills	9D2	52	240.77	12519.84	67	0.7162	34	18	5.11	39.11	9415.98	NT
Mills	9D2	52	5115.10	265985.19	67	0.7162					265985.19	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mills	9D3	55	12.37	680.14	67	0.7162	34	22	6.24	40.24	497.66	NT
Mills	9D3	55	216.39	11901.44	67	0.7162					11901.44	T
Mills	AW	0	0.86	0.00	67	0.7162	0	0	0.00	0.00	0.00	NT
Mills	BW	0	17.58	0.00	67	0.7162	0	0	0.00	0.00	0.00	NT
Mills	BW	0	50.26	0.00	67	0.7162					0.00	T
Mills	INT	0	196.02	0.00	67	0.7162	0	0	0.00	0.00	0.00	NT
Mills	INT	0	342.13	0.00	67	0.7162					0.00	T
Mills	SL	0	13.28	0.00	67	0.7162	0	0	0.00	0.00	0.00	NT
Mills	W	0	809.65	0.00	67	0.7162	0	0	0.00	0.00	0.00	NT
Mills	W	0	104.83	0.00	67	0.7162					0.00	T
											0.00	
											0.00	
Mitchell	104B	70	44.16	3091.28	79	0.7482	40	30	7.55	47.55	2100.04	NT
Mitchell	104B	70	669.67	46876.86	79	0.7482					46876.86	T
Mitchell	110	52	61.46	3196.01	79	0.7482	40	12	3.02	43.02	2644.18	NT
Mitchell	110	52	387.73	20161.81	79	0.7482					20161.81	T
Mitchell	110B	47	131.86	6197.40	79	0.7482	40	8	2.01	42.01	5540.00	NT
Mitchell	110B	47	453.24	21302.46	79	0.7482					21302.46	T
Mitchell	110C	44	40.50	1781.92	79	0.7482	40	4	1.01	41.01	1660.71	NT
Mitchell	110C	44	154.45	6795.66	79	0.7482					6795.66	T
Mitchell	1152	68	776.33	52790.43	79	0.7482	40	28	7.05	47.05	36526.63	NT
Mitchell	1152	68	3582.27	243594.46	79	0.7482					243594.46	T
Mitchell	118	95	15.44	1466.44	79	0.7482	40	56	14.10	54.10	835.11	NT
Mitchell	118	95	1003.78	95358.71	79	0.7482					95358.71	T
Mitchell	119	100	31.16	3115.92	79	0.7482	40	60	15.11	55.11	1717.12	NT
Mitchell	119	100	1436.70	143669.98	79	0.7482					143669.98	T
Mitchell	120	100	109.47	10947.05	79	0.7482	40	60	15.11	55.11	6032.70	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	120	100	1378.63	137862.99	79	0.7482					137862.99	T
Mitchell	120B	95	167.29	15892.79	79	0.7482	40	56	14.10	54.10	9050.66	NT
Mitchell	120B	95	2698.94	256398.85	79	0.7482					256398.85	T
Mitchell	120C2	78	27.31	2130.55	79	0.7482	40	38	9.57	49.57	1353.95	NT
Mitchell	120C2	78	447.84	34931.87	79	0.7482					34931.87	T
Mitchell	1226	72	228.00	16416.21	79	0.7482	40	32	8.06	48.06	10957.27	NT
Mitchell	1226	72	3504.09	252294.74	79	0.7482					252294.74	T
Mitchell	135	78	809.35	63129.31	79	0.7482	40	38	9.57	49.57	40118.19	NT
Mitchell	135	78	591.36	46125.90	79	0.7482					46125.90	T
Mitchell	1537	25	0.15	3.84	79	0.7482	25	0	0.00	25.00	3.84	NT
Mitchell	162B	90	174.40	15695.98	79	0.7482	40	50	12.59	52.59	9171.69	NT
Mitchell	162B	90	1256.70	113102.60	79	0.7482					113102.60	T
Mitchell	162C2	73	112.24	8193.38	79	0.7482	40	34	8.56	48.56	5450.42	NT
Mitchell	162C2	73	281.80	20571.15	79	0.7482					20571.15	T
Mitchell	162D2	63	66.73	4204.08	79	0.7482	40	24	6.04	46.04	3072.53	NT
Mitchell	162D2	63	101.51	6394.92	79	0.7482					6394.92	T
Mitchell	163B	85	26.50	2252.36	79	0.7482	40	46	11.58	51.58	1366.86	NT
Mitchell	163B	85	172.64	14674.53	79	0.7482					14674.53	T
Mitchell	163C2	68	42.08	2861.53	79	0.7482	40	28	7.05	47.05	1979.94	NT
Mitchell	163C2	68	252.15	17146.46	79	0.7482					17146.46	T
Mitchell	171	85	64.40	5473.83	79	0.7482	40	46	11.58	51.58	3321.83	NT
Mitchell	171	85	723.42	61490.32	79	0.7482					61490.32	T
Mitchell	171B	82	372.94	30581.17	79	0.7482	40	42	10.58	50.58	18861.72	NT
Mitchell	171B	82	5018.96	411555.07	79	0.7482					411555.07	T
Mitchell	171C	67	89.89	6022.93	79	0.7482	40	28	7.05	47.05	4229.57	NT
Mitchell	171C	67	387.22	25943.84	79	0.7482					25943.84	T
Mitchell	171C2	64	25.86	1654.94	79	0.7482	40	24	6.04	46.04	1190.61	NT
Mitchell	171C2	64	286.11	18311.35	79	0.7482					18311.35	T
Mitchell	175	60	17.31	1038.34	79	0.7482	40	20	5.04	45.04	779.38	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	175	60	422.51	25350.69	79	0.7482					25350.69	T
Mitchell	175B	56	52.89	2961.57	79	0.7482	40	16	4.03	44.03	2328.47	NT
Mitchell	175B	56	1129.45	63248.99	79	0.7482					63248.99	T
Mitchell	177	64	238.65	15273.53	79	0.7482	40	24	6.04	46.04	10988.16	NT
Mitchell	177	64	1281.39	82009.04	79	0.7482					82009.04	T
Mitchell	177B	60	138.13	8288.01	79	0.7482	40	20	5.04	45.04	6220.98	NT
Mitchell	177B	60	1187.94	71276.31	79	0.7482					71276.31	T
Mitchell	178	79	226.04	17856.92	79	0.7482	40	40	10.07	50.07	11318.12	NT
Mitchell	178	79	2187.68	172826.71	79	0.7482					172826.71	T
Mitchell	178B	74	50.49	3736.24	79	0.7482	40	34	8.56	48.56	2451.84	NT
Mitchell	178B	74	438.79	32470.59	79	0.7482					32470.59	T
Mitchell	183B	53	38.70	2051.34	79	0.7482	40	14	3.53	43.53	1684.62	NT
Mitchell	183B	53	174.02	9223.14	79	0.7482					9223.14	T
Mitchell	183C	33	75.22	2482.23	79	0.7482	33	0	0.00	33.00	2482.23	NT
Mitchell	183C	33	108.30	3573.75	79	0.7482					3573.75	T
Mitchell	184	93	587.77	54662.62	79	0.7482	40	54	13.60	53.60	31502.83	NT
Mitchell	184	93	21918.08	2038381.02	79	0.7482					2038381.02	T
Mitchell	188	72	20.29	1460.99	79	0.7482	40	32	8.06	48.06	975.16	NT
Mitchell	188	72	297.16	21395.87	79	0.7482					21395.87	T
Mitchell	1936	25	0.02	0.61	79	0.7482	25	0	0.00	25.00	0.61	NT
Mitchell	198B	80	376.85	30148.37	79	0.7482	40	40	10.07	50.07	18869.86	NT
Mitchell	198B	80	10104.96	808396.49	79	0.7482					808396.49	T
Mitchell	205B	64	77.99	4991.10	79	0.7482	40	24	6.04	46.04	3590.72	NT
Mitchell	205B	64	387.03	24770.13	79	0.7482					24770.13	T
Mitchell	205C	35	128.56	4499.60	79	0.7482	35	0	0.00	35.00	4499.60	NT
Mitchell	205C	35	194.27	6799.34	79	0.7482					6799.34	T
Mitchell	213B	74	0.04	3.04	79	0.7482	40	34	8.56	48.56	2.00	NT
Mitchell	214B	58	231.23	13411.41	79	0.7482	40	18	4.53	44.53	10297.28	NT
Mitchell	214B	58	1072.38	62198.27	79	0.7482					62198.27	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	214C	45	197.69	8896.00	79	0.7482	40	6	1.51	41.51	8206.22	NT
Mitchell	214C	45	394.25	17741.35	79	0.7482					17741.35	T
Mitchell	221	25	101.78	2544.47	79	0.7482	25	0	0.00	25.00	2544.47	NT
Mitchell	221	25	330.33	8258.25	79	0.7482					8258.25	T
Mitchell	235	82	1759.14	144249.42	79	0.7482	40	42	10.58	50.58	88969.52	NT
Mitchell	235	82	1103.09	90453.77	79	0.7482					90453.77	T
Mitchell	265	53	84.11	4457.82	79	0.7482	40	14	3.53	43.53	3660.90	NT
Mitchell	265	53	201.47	10677.67	79	0.7482					10677.67	T
Mitchell	265B	43	105.66	4543.22	79	0.7482	40	4	1.01	41.01	4332.67	NT
Mitchell	265B	43	220.04	9461.78	79	0.7482					9461.78	T
Mitchell	27	73	100.47	7334.36	79	0.7482	40	34	8.56	48.56	4878.98	NT
Mitchell	27	73	393.59	28731.74	79	0.7482					28731.74	T
Mitchell	27B	82	115.36	9459.45	79	0.7482	40	42	10.58	50.58	5834.36	NT
Mitchell	27B	82	471.96	38700.85	79	0.7482					38700.85	T
Mitchell	284	40	16.31	652.47	79	0.7482	40	0	0.00	40.00	652.47	NT
Mitchell	284	40	52.01	2080.39	79	0.7482					2080.39	T
Mitchell	284B	45	58.15	2616.85	79	0.7482	40	6	1.51	41.51	2413.95	NT
Mitchell	284B	45	323.39	14552.52	79	0.7482					14552.52	T
Mitchell	285	30	12.22	366.71	79	0.7482	30	0	0.00	30.00	366.71	NT
Mitchell	285	30	127.73	3831.94	79	0.7482					3831.94	T
Mitchell	285C	5	99.10	495.52	79	0.7482	5	0	0.00	5.00	495.52	NT
Mitchell	285C	5	250.35	1251.75	79	0.7482					1251.75	T
Mitchell	291	90	30.15	2713.49	79	0.7482	40	50	12.59	52.59	1585.58	NT
Mitchell	291	90	545.26	49073.41	79	0.7482					49073.41	T
Mitchell	302B	74	82.26	6087.01	79	0.7482	40	34	8.56	48.56	3994.49	NT
Mitchell	302B	74	549.78	40683.72	79	0.7482					40683.72	T
Mitchell	303B	78	172.72	13472.53	79	0.7482	40	38	9.57	49.57	8561.69	NT
Mitchell	303B	78	1665.38	129899.47	79	0.7482					129899.47	T
Mitchell	315	30	2.49	74.65	79	0.7482	30	0	0.00	30.00	74.65	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	354	5	118.41	592.03	79	0.7482	5	0	0.00	5.00	592.03	NT
Mitchell	354	5	11.25	56.26	79	0.7482					56.26	T
Mitchell	377	93	576.25	53591.43	79	0.7482	40	54	13.60	53.60	30885.49	NT
Mitchell	377	93	15360.46	1428522.82	79	0.7482					1428522.82	T
Mitchell	377B	90	424.59	38213.19	79	0.7482	40	50	12.59	52.59	22329.24	NT
Mitchell	377B	90	8804.78	792429.88	79	0.7482					792429.88	T
Mitchell	382	90	462.32	41608.48	79	0.7482	40	50	12.59	52.59	24313.22	NT
Mitchell	382	90	20055.44	1804989.47	79	0.7482					1804989.47	T
Mitchell	391B	72	344.87	24830.57	79	0.7482	40	32	8.06	48.06	16573.58	NT
Mitchell	391B	72	5086.64	366238.44	79	0.7482					366238.44	T
Mitchell	394	89	137.27	12217.30	79	0.7482	40	50	12.59	52.59	7219.19	NT
Mitchell	394	89	3147.93	280165.77	79	0.7482					280165.77	T
Mitchell	394B	85	199.27	16937.69	79	0.7482	40	46	11.58	51.58	10278.75	NT
Mitchell	394B	85	2789.44	237102.07	79	0.7482					237102.07	T
Mitchell	398	81	43.00	3483.37	79	0.7482	40	42	10.58	50.58	2174.98	NT
Mitchell	398	81	2844.33	230390.75	79	0.7482					230390.75	T
Mitchell	399	91	70.07	6376.10	79	0.7482	40	52	13.09	53.09	3720.11	NT
Mitchell	399	91	2149.63	195616.69	79	0.7482					195616.69	T
Mitchell	399B	84	53.68	4509.32	79	0.7482	40	44	11.08	51.08	2742.06	NT
Mitchell	399B	84	1902.90	159843.73	79	0.7482					159843.73	T
Mitchell	407B	72	601.26	43290.45	79	0.7482	40	32	8.06	48.06	28894.93	NT
Mitchell	407B	72	10350.40	745228.97	79	0.7482					745228.97	T
Mitchell	412B	33	27.83	918.35	79	0.7482	33	0	0.00	33.00	918.35	NT
Mitchell	412B	33	103.25	3407.38	79	0.7482					3407.38	T
Mitchell	412D	5	273.79	1368.93	79	0.7482	5	0	0.00	5.00	1368.93	NT
Mitchell	412D	5	246.45	1232.26	79	0.7482					1232.26	T
Mitchell	412G	5	826.24	4131.19	79	0.7482	5	0	0.00	5.00	4131.19	NT
Mitchell	412G	5	53.47	267.34	79	0.7482					267.34	T
Mitchell	457	82	1.10	89.95	79	0.7482	40	42	10.58	50.58	55.48	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	471	86	258.69	22247.45	79	0.7482	40	46	11.58	51.58	13344.02	NT
Mitchell	471	86	6976.41	599971.50	79	0.7482					599971.50	T
Mitchell	471B	79	87.92	6945.62	79	0.7482	40	40	10.07	50.07	4402.29	NT
Mitchell	471B	79	3350.60	264697.66	79	0.7482					264697.66	T
Mitchell	482	84	81.68	6861.19	79	0.7482	40	44	11.08	51.08	4172.19	NT
Mitchell	482	84	1604.31	134761.92	79	0.7482					134761.92	T
Mitchell	482B	78	238.60	18610.88	79	0.7482	40	38	9.57	49.57	11827.07	NT
Mitchell	482B	78	3236.51	252447.52	79	0.7482					252447.52	T
Mitchell	482C	66	87.30	5761.93	79	0.7482	40	26	6.55	46.55	4063.63	NT
Mitchell	482C	66	647.01	42702.39	79	0.7482					42702.39	T
Mitchell	491B	74	61.04	4516.65	79	0.7482	40	34	8.56	48.56	2963.97	NT
Mitchell	491B	74	473.46	35035.97	79	0.7482					35035.97	T
Mitchell	5010	0	119.18	0.00	79	0.7482	0	0	0.00	0.00	0.00	NT
Mitchell	5010	0	25.82	0.00	79	0.7482					0.00	T
Mitchell	5030	0	235.06	0.00	79	0.7482	0	0	0.00	0.00	0.00	NT
Mitchell	5030	0	13.74	0.00	79	0.7482					0.00	T
Mitchell	5040	5	13.07	65.33	79	0.7482	5	0	0.00	5.00	65.33	NT
Mitchell	5040	5	11.39	56.94	79	0.7482					56.94	T
Mitchell	507	71	13.07	928.19	79	0.7482	40	32	8.06	48.06	628.26	NT
Mitchell	507	71	254.54	18071.99	79	0.7482					18071.99	T
Mitchell	5080	0	110.94	0.00	79	0.7482	0	0	0.00	0.00	0.00	NT
Mitchell	5080	0	5.25	0.00	79	0.7482					0.00	T
Mitchell	535	65	2.46	159.78	79	0.7482	40	26	6.55	46.55	114.42	NT
Mitchell	536	70	131.76	9223.54	79	0.7482	40	30	7.55	47.55	6265.94	NT
Mitchell	536	70	138.70	9709.25	79	0.7482					9709.25	T
Mitchell	575	70	20.17	1411.65	79	0.7482	40	30	7.55	47.55	958.99	NT
Mitchell	575	70	372.92	26104.18	79	0.7482					26104.18	T
Mitchell	575B	67	72.19	4836.85	79	0.7482	40	28	7.05	47.05	3396.65	NT
Mitchell	575B	67	1593.06	106734.73	79	0.7482					106734.73	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	610B	55	57.63	3169.74	79	0.7482	40	16	4.03	44.03	2537.45	NT
Mitchell	610B	55	283.70	15603.34	79	0.7482					15603.34	T
Mitchell	626	67	310.79	20823.23	79	0.7482	40	28	7.05	47.05	14623.01	NT
Mitchell	626	67	2237.41	149906.15	79	0.7482					149906.15	T
Mitchell	714	58	33.00	1913.78	79	0.7482	40	18	4.53	44.53	1469.40	NT
Mitchell	714	58	234.75	13615.69	79	0.7482					13615.69	T
Mitchell	714B	53	443.26	23492.57	79	0.7482	40	14	3.53	43.53	19292.80	NT
Mitchell	714B	53	1289.46	68341.16	79	0.7482					68341.16	T
Mitchell	714C	33	501.16	16538.23	79	0.7482	33	0	0.00	33.00	16538.23	NT
Mitchell	714C	33	819.95	27058.35	79	0.7482					27058.35	T
Mitchell	714D	18	181.69	3270.33	79	0.7482	18	0	0.00	18.00	3270.33	NT
Mitchell	714D	18	57.16	1028.86	79	0.7482					1028.86	T
Mitchell	733	64	126.29	8082.28	79	0.7482	40	24	6.04	46.04	5814.60	NT
Mitchell	733	64	176.96	11325.19	79	0.7482					11325.19	T
Mitchell	760	80	64.43	5154.39	79	0.7482	40	40	10.07	50.07	3226.13	NT
Mitchell	760	80	4358.08	348646.52	79	0.7482					348646.52	T
Mitchell	761	83	432.78	35920.77	79	0.7482	40	44	11.08	51.08	22106.08	NT
Mitchell	761	83	12191.77	1011917.04	79	0.7482					1011917.04	T
Mitchell	771	90	93.23	8390.27	79	0.7482	40	50	12.59	52.59	4902.71	NT
Mitchell	771	90	1843.26	165893.12	79	0.7482					165893.12	T
Mitchell	771B	87	294.98	25662.91	79	0.7482	40	48	12.09	52.09	15364.24	NT
Mitchell	771B	87	4239.64	368848.49	79	0.7482					368848.49	T
Mitchell	776	33	81.57	2691.94	79	0.7482	33	0	0.00	33.00	2691.94	NT
Mitchell	776	33	123.89	4088.36	79	0.7482					4088.36	T
Mitchell	776C	8	210.86	1686.87	79	0.7482	8	0	0.00	8.00	1686.87	NT
Mitchell	776C	8	510.47	4083.80	79	0.7482					4083.80	T
Mitchell	777	58	500.02	29001.11	79	0.7482	40	18	4.53	44.53	22267.05	NT
Mitchell	777	58	2157.17	125115.95	79	0.7482					125115.95	T
Mitchell	777B	53	490.23	25982.35	79	0.7482	40	14	3.53	43.53	21337.49	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	777B	53	2388.86	126609.35	79	0.7482					126609.35	T
Mitchell	777C	34	178.58	6071.82	79	0.7482	34	0	0.00	34.00	6071.82	NT
Mitchell	777C	34	406.80	13831.29	79	0.7482					13831.29	T
Mitchell	778	74	57.53	4257.06	79	0.7482	40	34	8.56	48.56	2793.62	NT
Mitchell	778	74	345.55	25570.37	79	0.7482					25570.37	T
Mitchell	781B	60	187.43	11246.06	79	0.7482	40	20	5.04	45.04	8441.29	NT
Mitchell	781B	60	1628.58	97715.04	79	0.7482					97715.04	T
Mitchell	781C	40	86.21	3448.29	79	0.7482	40	0	0.00	40.00	3448.29	NT
Mitchell	781C	40	410.25	16410.14	79	0.7482					16410.14	T
Mitchell	781C2	35	20.54	718.75	79	0.7482	35	0	0.00	35.00	718.75	NT
Mitchell	781C2	35	390.72	13675.08	79	0.7482					13675.08	T
Mitchell	782	55	75.14	4132.68	79	0.7482	40	16	4.03	44.03	3308.31	NT
Mitchell	782	55	1533.86	84362.07	79	0.7482					84362.07	T
Mitchell	782B	50	59.44	2972.15	79	0.7482	40	10	2.52	42.52	2527.40	NT
Mitchell	782B	50	1136.18	56808.78	79	0.7482					56808.78	T
Mitchell	783B	63	95.72	6030.38	79	0.7482	40	24	6.04	46.04	4407.27	NT
Mitchell	783B	63	1316.54	82942.25	79	0.7482					82942.25	T
Mitchell	783C	43	24.15	1038.66	79	0.7482	40	4	1.01	41.01	990.52	NT
Mitchell	783C	43	277.52	11933.49	79	0.7482					11933.49	T
Mitchell	784B	50	213.46	10673.24	79	0.7482	40	10	2.52	42.52	9076.10	NT
Mitchell	784B	50	3016.58	150829.09	79	0.7482					150829.09	T
Mitchell	797	56	14.56	815.29	79	0.7482	40	16	4.03	44.03	641.01	NT
Mitchell	797	56	437.49	24499.44	79	0.7482					24499.44	T
Mitchell	798B	60	151.45	9086.80	79	0.7482	40	20	5.04	45.04	6820.55	NT
Mitchell	798B	60	4585.43	275125.95	79	0.7482					275125.95	T
Mitchell	804	90	209.47	18852.46	79	0.7482	40	50	12.59	52.59	11016.12	NT
Mitchell	804	90	3342.47	300822.32	79	0.7482					300822.32	T
Mitchell	804B	85	101.02	8586.95	79	0.7482	40	46	11.58	51.58	5211.05	NT
Mitchell	804B	85	1926.01	163710.55	79	0.7482					163710.55	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	805B	70	73.09	5116.08	79	0.7482	40	30	7.55	47.55	3475.57	NT
Mitchell	805B	70	354.66	24826.24	79	0.7482					24826.24	T
Mitchell	813	85	178.80	15198.04	79	0.7482	40	46	11.58	51.58	9223.03	NT
Mitchell	813	85	2117.84	180016.09	79	0.7482					180016.09	T
Mitchell	813B	80	260.75	20860.09	79	0.7482	40	40	10.07	50.07	13056.33	NT
Mitchell	813B	80	1725.33	138026.20	79	0.7482					138026.20	T
Mitchell	83	88	56.16	4942.28	79	0.7482	40	48	12.09	52.09	2925.29	NT
Mitchell	83	88	1563.77	137612.06	79	0.7482					137612.06	T
Mitchell	83B	87	305.54	26582.33	79	0.7482	40	48	12.09	52.09	15914.69	NT
Mitchell	83B	87	4397.64	382594.44	79	0.7482					382594.44	T
Mitchell	83C	72	42.81	3082.24	79	0.7482	40	32	8.06	48.06	2057.29	NT
Mitchell	83C	72	501.78	36128.38	79	0.7482					36128.38	T
Mitchell	83C2	69	5.04	348.08	79	0.7482	40	30	7.55	47.55	239.89	NT
Mitchell	83C2	69	277.98	19180.39	79	0.7482					19180.39	T
Mitchell	84	76	1654.67	125754.72	79	0.7482	40	36	9.06	49.06	81185.93	NT
Mitchell	84	76	18637.00	1416412.23	79	0.7482					1416412.23	T
Mitchell	904	85	10.16	863.41	79	0.7482	40	46	11.58	51.58	523.96	NT
Mitchell	904	85	137.30	11670.80	79	0.7482					11670.80	T
Mitchell	904B	80	48.24	3858.85	79	0.7482	40	40	10.07	50.07	2415.25	NT
Mitchell	904B	80	524.90	41992.20	79	0.7482					41992.20	T
Mitchell	913	80	196.54	15723.03	79	0.7482	40	40	10.07	50.07	9841.05	NT
Mitchell	913	80	1325.63	106050.10	79	0.7482					106050.10	T
Mitchell	913B	75	531.29	39846.76	79	0.7482	40	36	9.06	49.06	26067.65	NT
Mitchell	913B	75	2032.01	152400.92	79	0.7482					152400.92	T
Mitchell	96	71	356.68	25324.24	79	0.7482	40	32	8.06	48.06	17141.16	NT
Mitchell	96	71	790.44	56121.57	79	0.7482					56121.57	T
Mitchell	98	95	45.62	4333.86	79	0.7482	40	56	14.10	54.10	2468.06	NT
Mitchell	98	95	367.15	34879.55	79	0.7482					34879.55	T
Mitchell	98B	90	69.17	6225.30	79	0.7482	40	50	12.59	52.59	3637.65	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Mitchell	98B	90	386.27	34764.46	79	0.7482					34764.46	T
Mitchell	AW	0	3.19	0.00	79	0.7482	0	0	0.00	0.00	0.00	NT
Mitchell	BW	0	1.62	0.00	79	0.7482	0	0	0.00	0.00	0.00	NT
Mitchell	C235	5	1117.67	5588.33	79	0.7482	5	0	0.00	5.00	5588.33	NT
Mitchell	C235	5	66.01	330.04	79	0.7482					330.04	T
Mitchell	C315	5	2756.78	13783.88	79	0.7482	5	0	0.00	5.00	13783.88	NT
Mitchell	C315	5	74.65	373.26	79	0.7482					373.26	T
Mitchell	INT	0	4.14	0.00	79	0.7482	0	0	0.00	0.00	0.00	NT
Mitchell	INT	0	8.63	0.00	79	0.7482					0.00	T
Mitchell	SL	0	0.57	0.00	79	0.7482	0	0	0.00	0.00	0.00	NT
Mitchell	W	0	522.73	0.00	79	0.7482	0	0	0.00	0.00	0.00	NT
Mitchell	W	0	5.27	0.00	79	0.7482					0.00	T
											0.00	
											0.00	
Monona	101E2	35	1.27	44.62	54	0.7419	27	8	2.06	29.06	37.06	NT
Monona	101E2	35	7.81	273.30	54	0.7419					273.30	T
Monona	10B	80	32.53	2602.38	54	0.7419	27	53	13.68	40.68	1323.29	NT
Monona	10B	80	724.20	57936.03	54	0.7419					57936.03	T
Monona	10C	65	339.28	22053.21	54	0.7419	27	38	9.81	36.81	12488.16	NT
Monona	10C	65	406.87	26446.60	54	0.7419					26446.60	T
Monona	10C2	63	1435.42	90431.61	54	0.7419	27	36	9.29	36.29	52093.77	NT
Monona	10C2	63	11794.44	743050.01	54	0.7419					743050.01	T
Monona	10C3	60	14.36	861.34	54	0.7419	27	33	8.52	35.52	509.88	NT
Monona	10C3	60	217.79	13067.20	54	0.7419					13067.20	T
Monona	10D	55	484.21	26631.55	54	0.7419	27	28	7.23	34.23	16572.96	NT
Monona	10D	55	634.31	34886.81	54	0.7419					34886.81	T
Monona	10D2	53	1358.32	71991.15	54	0.7419	27	26	6.71	33.71	45789.90	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	10D2	53	8795.57	466165.18	54	0.7419					466165.18	T
Monona	10D3	50	81.24	4061.95	54	0.7419	27	23	5.94	32.94	2675.71	NT
Monona	10D3	50	1686.71	84335.52	54	0.7419					84335.52	T
Monona	10E	42	530.91	22298.14	54	0.7419	27	15	3.87	30.87	16389.93	NT
Monona	10E	42	461.90	19399.60	54	0.7419					19399.60	T
Monona	10E2	43	810.64	34857.46	54	0.7419	27	16	4.13	31.13	25234.86	NT
Monona	10E2	43	4265.51	183417.14	54	0.7419					183417.14	T
Monona	10E3	40	157.34	6293.48	54	0.7419	27	13	3.36	30.36	4776.01	NT
Monona	10E3	40	1658.32	66332.61	54	0.7419					66332.61	T
Monona	10F	22	1146.76	25228.67	54	0.7419	22	0	0.00	22.00	25228.67	NT
Monona	10F	22	260.07	5721.48	54	0.7419					5721.48	T
Monona	10F2	23	274.34	6309.86	54	0.7419	23	0	0.00	23.00	6309.86	NT
Monona	10F2	23	372.27	8562.15	54	0.7419					8562.15	T
Monona	10F3	20	80.40	1608.00	54	0.7419	20	0	0.00	20.00	1608.00	NT
Monona	10F3	20	322.89	6457.83	54	0.7419					6457.83	T
Monona	10G	15	562.08	8431.18	54	0.7419	15	0	0.00	15.00	8431.18	NT
Monona	10G	15	27.29	409.38	54	0.7419					409.38	T
Monona	1137	61	116.89	7130.19	54	0.7419	27	34	8.78	35.78	4181.73	NT
Monona	1137	61	1123.91	68558.25	54	0.7419					68558.25	T
Monona	1144	66	36.16	2386.63	54	0.7419	27	39	10.07	37.07	1340.34	NT
Monona	1144	66	642.36	42395.82	54	0.7419					42395.82	T
Monona	1145	66	22.01	1452.84	54	0.7419	27	39	10.07	37.07	815.92	NT
Monona	1145	66	167.30	11041.74	54	0.7419					11041.74	T
Monona	1146	58	101.48	5885.77	54	0.7419	27	31	8.00	35.00	3551.87	NT
Monona	1146	58	2174.31	126109.92	54	0.7419					126109.92	T
Monona	1147	64	1.11	71.11	54	0.7419	27	37	9.55	36.55	40.61	NT
Monona	1147	64	75.64	4840.88	54	0.7419					4840.88	T
Monona	1150	64	47.32	3028.23	54	0.7419	27	37	9.55	36.55	1729.39	NT
Monona	1150	64	170.93	10939.23	54	0.7419					10939.23	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	1155	52	0.74	38.72	54	0.7419	27	25	6.45	33.45	24.91	NT
Monona	1155	52	49.69	2584.14	54	0.7419					2584.14	T
Monona	1156	50	222.02	11101.06	54	0.7419	27	23	5.94	32.94	7312.56	NT
Monona	1156	50	3024.20	151210.15	54	0.7419					151210.15	T
Monona	1157	54	4.36	235.63	54	0.7419	27	27	6.97	33.97	148.23	NT
Monona	1157	54	183.58	9913.56	54	0.7419					9913.56	T
Monona	1220	25	425.13	10628.31	54	0.7419	25	0	0.00	25.00	10628.31	NT
Monona	1220	25	61.81	1545.22	54	0.7419					1545.22	T
Monona	123	77	294.33	22663.37	54	0.7419	27	50	12.91	39.91	11745.22	NT
Monona	123	77	3757.02	289290.67	54	0.7419					289290.67	T
Monona	1237	8	559.47	4475.78	54	0.7419	8	0	0.00	8.00	4475.78	NT
Monona	1237	8	731.13	5849.02	54	0.7419					5849.02	T
Monona	1237B	5	734.10	3670.49	54	0.7419	5	0	0.00	5.00	3670.49	NT
Monona	1237B	5	219.20	1095.98	54	0.7419					1095.98	T
Monona	12B	80	1767.68	141414.23	54	0.7419	27	53	13.68	40.68	71907.90	NT
Monona	12B	80	6719.46	537556.91	54	0.7419					537556.91	T
Monona	12C	65	9411.53	611749.23	54	0.7419	27	38	9.81	36.81	346417.59	NT
Monona	12C	65	24283.66	1578437.85	54	0.7419					1578437.85	T
Monona	12D	60	5555.55	333332.98	54	0.7419	27	33	8.52	35.52	197318.12	NT
Monona	12D	60	10938.10	656285.98	54	0.7419					656285.98	T
Monona	133	80	102.35	8188.13	54	0.7419	27	53	13.68	40.68	4163.59	NT
Monona	133	80	1564.18	125134.29	54	0.7419					125134.29	T
Monona	133+	85	74.41	6325.24	54	0.7419	27	58	14.97	41.97	3123.17	NT
Monona	133+	85	469.78	39931.40	54	0.7419					39931.40	T
Monona	137	65	340.67	22143.48	54	0.7419	27	38	9.81	36.81	12539.28	NT
Monona	137	65	4201.54	273100.03	54	0.7419					273100.03	T
Monona	144	70	78.41	5488.60	54	0.7419	27	43	11.10	38.10	2987.24	NT
Monona	144	70	2871.61	201012.92	54	0.7419					201012.92	T
Monona	145	65	25.25	1641.36	54	0.7419	27	38	9.81	36.81	929.46	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	145	65	733.43	47673.15	54	0.7419					47673.15	T
Monona	146	65	230.35	14972.92	54	0.7419	27	38	9.81	36.81	8478.77	NT
Monona	146	65	9112.94	592341.26	54	0.7419					592341.26	T
Monona	147	68	31.84	2164.97	54	0.7419	27	41	10.58	37.58	1196.53	NT
Monona	147	68	1020.55	69397.34	54	0.7419					69397.34	T
Monona	149	68	68.54	4660.63	54	0.7419	27	41	10.58	37.58	2575.83	NT
Monona	149	68	1800.87	122459.45	54	0.7419					122459.45	T
Monona	1514	51	223.71	11408.97	54	0.7419	27	24	6.19	33.19	7425.76	NT
Monona	1514	51	680.21	34690.72	54	0.7419					34690.72	T
Monona	1515	51	113.91	5809.40	54	0.7419	27	24	6.19	33.19	3781.17	NT
Monona	1515	51	2053.35	104720.98	54	0.7419					104720.98	T
Monona	1516	56	46.78	2619.58	54	0.7419	27	29	7.48	34.48	1613.14	NT
Monona	1516	56	812.83	45518.24	54	0.7419					45518.24	T
Monona	1524	17	300.32	5105.49	54	0.7419	17	0	0.00	17.00	5105.49	NT
Monona	1524	17	777.11	13210.91	54	0.7419					13210.91	T
Monona	1525	35	101.52	3553.27	54	0.7419	27	8	2.06	29.06	2950.72	NT
Monona	1525	35	631.98	22119.38	54	0.7419					22119.38	T
Monona	1526	40	51.60	2063.93	54	0.7419	27	13	3.36	30.36	1566.28	NT
Monona	1526	40	219.64	8785.55	54	0.7419					8785.55	T
Monona	155	56	265.24	14853.35	54	0.7419					14853.35	T
Monona	1552	53	7.41	392.74	54	0.7419	27	26	6.71	33.71	249.80	NT
Monona	1552	53	98.57	5224.46	54	0.7419					5224.46	T
Monona	156	51	357.81	18248.22	54	0.7419	27	24	6.19	33.19	11877.23	NT
Monona	156	51	13162.57	671290.89	54	0.7419					671290.89	T
Monona	157	60	21.05	1263.19	54	0.7419	27	33	8.52	35.52	747.75	NT
Monona	157	60	509.29	30557.69	54	0.7419					30557.69	T
Monona	170E	34	0.41	13.91	54	0.7419	27	7	1.81	28.81	11.79	NT
Monona	170E	34	64.12	2180.09	54	0.7419					2180.09	T
Monona	1746	63	74.25	4677.83	54	0.7419	27	36	9.29	36.29	2694.70	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	1746	63	491.45	30961.59	54	0.7419					30961.59	T
Monona	1747	56	8.99	503.44	54	0.7419	27	29	7.48	34.48	310.02	NT
Monona	1747	56	65.89	3689.87	54	0.7419					3689.87	T
Monona	1750	35	102.10	3573.47	54	0.7419	27	8	2.06	29.06	2967.49	NT
Monona	1750	35	439.11	15368.85	54	0.7419					15368.85	T
Monona	17B	57	693.18	39511.25	54	0.7419	27	30	7.74	34.74	24083.15	NT
Monona	17B	57	1687.03	96160.60	54	0.7419					96160.60	T
Monona	1849	43	45.82	1970.11	54	0.7419	27	16	4.13	31.13	1426.25	NT
Monona	1849	43	281.29	12095.59	54	0.7419					12095.59	T
Monona	1B3	65	8.10	526.50	54	0.7419					526.50	T
Monona	1C	60	336.10	20165.79	54	0.7419	27	33	8.52	35.52	11937.24	NT
Monona	1C	60	1939.04	116342.68	54	0.7419					116342.68	T
Monona	1C3	55	462.71	25449.00	54	0.7419	27	28	7.23	34.23	15837.05	NT
Monona	1C3	55	3086.44	169754.10	54	0.7419					169754.10	T
Monona	1D	50	1832.65	91632.64	54	0.7419	27	23	5.94	32.94	60360.80	NT
Monona	1D	50	2784.63	139231.42	54	0.7419					139231.42	T
Monona	1D3	45	1697.54	76389.24	54	0.7419	27	18	4.65	31.65	53719.97	NT
Monona	1D3	45	8543.32	384449.42	54	0.7419					384449.42	T
Monona	1E	35	1601.84	56064.55	54	0.7419	27	8	2.06	29.06	46557.29	NT
Monona	1E	35	3018.64	105652.49	54	0.7419					105652.49	T
Monona	1E3	35	2980.80	104327.92	54	0.7419	27	8	2.06	29.06	86636.29	NT
Monona	1E3	35	18350.48	642266.80	54	0.7419					642266.80	T
Monona	1F	14	11735.33	164294.66	54	0.7419	14	0	0.00	14.00	164294.66	NT
Monona	1F	14	3068.84	42963.71	54	0.7419					42963.71	T
Monona	1F3	15	4509.01	67635.09	54	0.7419	15	0	0.00	15.00	67635.09	NT
Monona	1F3	15	6485.57	97283.59	54	0.7419					97283.59	T
Monona	1G	5	7992.17	39960.87	54	0.7419	5	0	0.00	5.00	39960.87	NT
Monona	1G	5	575.15	2875.75	54	0.7419					2875.75	T
Monona	212	94	550.68	51764.02	54	0.7419	27	67	17.29	44.29	24391.15	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	212	94	5308.89	499035.55	54	0.7419					499035.55	T
Monona	212+	90	201.45	18130.34	54	0.7419	27	63	16.26	43.26	8714.71	NT
Monona	212+	90	1840.59	165652.97	54	0.7419					165652.97	T
Monona	220	85	221.08	18792.10	54	0.7419	27	58	14.97	41.97	9278.83	NT
Monona	220	85	897.44	76282.50	54	0.7419					76282.50	T
Monona	234	70	11.38	796.86	54	0.7419	27	43	11.10	38.10	433.70	NT
Monona	234	70	509.05	35633.69	54	0.7419					35633.69	T
Monona	237	9	335.93	3023.34	54	0.7419	9	0	0.00	9.00	3023.34	NT
Monona	237	9	583.46	5251.18	54	0.7419					5251.18	T
Monona	237B	5	266.95	1334.77	54	0.7419	5	0	0.00	5.00	1334.77	NT
Monona	237B	5	128.25	641.27	54	0.7419					641.27	T
Monona	238	10	0.05	0.49	54	0.7419					0.49	T
Monona	244	47	41.89	1969.03	54	0.7419	27	20	5.16	32.16	1347.41	NT
Monona	244	47	2432.96	114349.08	54	0.7419					114349.08	T
Monona	255	65	54.95	3571.62	54	0.7419	27	38	9.81	36.81	2022.51	NT
Monona	255	65	2298.74	149417.89	54	0.7419					149417.89	T
Monona	257	68	4.45	302.48	54	0.7419	27	41	10.58	37.58	167.17	NT
Monona	257	68	174.92	11894.42	54	0.7419					11894.42	T
Monona	266	85	73.61	6256.71	54	0.7419	27	58	14.97	41.97	3089.33	NT
Monona	266	85	1936.37	164591.80	54	0.7419					164591.80	T
Monona	275	72	94.82	6826.94	54	0.7419	27	45	11.61	38.61	3661.37	NT
Monona	275	72	1148.60	82699.22	54	0.7419					82699.22	T
Monona	2G	5	5181.48	25907.38	54	0.7419	5	0	0.00	5.00	25907.38	NT
Monona	2G	5	82.22	411.09	54	0.7419					411.09	T
Monona	315	30	1.28	38.36	54	0.7419	27	3	0.77	27.77	35.52	NT
Monona	315	30	1.25	37.46	54	0.7419					37.46	T
Monona	33D	36	7.46	268.54	54	0.7419	27	9	2.32	29.32	218.73	NT
Monona	33D	36	8.23	296.40	54	0.7419					296.40	T
Monona	33E	19	70.44	1338.28	54	0.7419	19	0	0.00	19.00	1338.28	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	33E	19	87.24	1657.48	54	0.7419					1657.48	T
Monona	33F	8	216.20	1729.56	54	0.7419	8	0	0.00	8.00	1729.56	NT
Monona	33F	8	65.50	523.96	54	0.7419					523.96	T
Monona	33G	5	198.16	990.79	54	0.7419	5	0	0.00	5.00	990.79	NT
Monona	33G	5	5.43	27.16	54	0.7419					27.16	T
Monona	36	79	270.90	21400.95	54	0.7419	27	52	13.42	40.42	10950.03	NT
Monona	36	79	7842.58	619563.92	54	0.7419					619563.92	T
Monona	366	42	75.47	3169.76	54	0.7419	27	15	3.87	30.87	2329.88	NT
Monona	366	42	2031.13	85307.65	54	0.7419					85307.65	T
Monona	38	30	0.61	18.33	54	0.7419					18.33	T
Monona	3D	39	592.01	23088.42	54	0.7419	27	12	3.10	30.10	17817.86	NT
Monona	3D	39	1192.64	46513.05	54	0.7419					46513.05	T
Monona	3E	30	6439.25	193177.35	54	0.7419	27	3	0.77	27.77	178845.52	NT
Monona	3E	30	3079.42	92382.65	54	0.7419					92382.65	T
Monona	3F	28	793.82	22226.88	54	0.7419	27	1	0.26	27.26	21637.95	NT
Monona	3F	28	102.59	2872.55	54	0.7419					2872.55	T
Monona	430	83	63.71	5287.81	54	0.7419	27	56	14.45	41.45	2640.95	NT
Monona	430	83	673.83	55928.08	54	0.7419					55928.08	T
Monona	436	74	74.35	5501.93	54	0.7419	27	47	12.13	39.13	2909.38	NT
Monona	436	74	3361.04	248716.75	54	0.7419					248716.75	T
Monona	44	70	158.68	11107.66	54	0.7419	27	43	11.10	38.10	6045.47	NT
Monona	44	70	6186.74	433071.53	54	0.7419					433071.53	T
Monona	446	85	1.71	145.77	54	0.7419	27	58	14.97	41.97	71.98	NT
Monona	446	85	145.07	12330.84	54	0.7419					12330.84	T
Monona	46	84	105.82	8888.54	54	0.7419	27	57	14.71	41.71	4413.76	NT
Monona	46	84	1426.07	119789.95	54	0.7419					119789.95	T
Monona	465	33	62.94	2077.17	54	0.7419	27	6	1.55	28.55	1796.98	NT
Monona	465	33	5511.72	181886.78	54	0.7419					181886.78	T
Monona	47B	59	0.02	1.21	54	0.7419	27	32	8.26	35.26	0.72	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	5010	0	82.86	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	5010	0	15.72	0.00	54	0.7419					0.00	T
Monona	5040	5	185.75	928.74	54	0.7419	5	0	0.00	5.00	928.74	NT
Monona	5040	5	55.16	275.82	54	0.7419					275.82	T
Monona	5044	0	313.06	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	5044	0	6.40	0.00	54	0.7419					0.00	T
Monona	5045	0	73.22	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	5045	0	131.65	0.00	54	0.7419					0.00	T
Monona	5046	0	130.35	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	5046	0	36.77	0.00	54	0.7419					0.00	T
Monona	5047	5	94.55	472.73	54	0.7419	5	0	0.00	5.00	472.73	NT
Monona	5047	5	137.48	687.40	54	0.7419					687.40	T
Monona	5051	0	96.69	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	5051	0	22.98	0.00	54	0.7419					0.00	T
Monona	5090	0	0.60	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	5090	0	0.61	0.00	54	0.7419					0.00	T
Monona	510	85	76.73	6521.97	54	0.7419	27	58	14.97	41.97	3220.30	NT
Monona	510	85	1656.88	140834.93	54	0.7419					140834.93	T
Monona	510B	80	255.53	20442.28	54	0.7419	27	53	13.68	40.68	10394.72	NT
Monona	510B	80	3875.74	310059.02	54	0.7419					310059.02	T
Monona	510C	63	74.17	4672.79	54	0.7419	27	36	9.29	36.29	2691.79	NT
Monona	510C	63	375.80	23675.71	54	0.7419					23675.71	T
Monona	510C2	63	238.62	15032.79	54	0.7419	27	36	9.29	36.29	8659.74	NT
Monona	510C2	63	1798.84	113327.23	54	0.7419					113327.23	T
Monona	510C3	59	2.93	172.67	54	0.7419	27	32	8.26	35.26	103.19	NT
Monona	510C3	59	104.33	6155.39	54	0.7419					6155.39	T
Monona	514	55	257.80	14178.79	54	0.7419	27	28	7.23	34.23	8823.54	NT
Monona	514	55	1521.14	83662.71	54	0.7419					83662.71	T
Monona	515	51	202.84	10344.88	54	0.7419	27	24	6.19	33.19	6733.18	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	515	51	1620.09	82624.38	54	0.7419					82624.38	T
Monona	516	60	20.33	1219.61	54	0.7419	27	33	8.52	35.52	721.95	NT
Monona	516	60	618.41	37104.89	54	0.7419					37104.89	T
Monona	54	70	42.50	2975.29	54	0.7419	27	43	11.10	38.10	1619.34	NT
Monona	54	70	2101.97	147138.24	54	0.7419					147138.24	T
Monona	54+	75	7.98	598.22	54	0.7419	27	48	12.39	39.39	314.18	NT
Monona	54+	75	298.13	22359.48	54	0.7419					22359.48	T
Monona	552	42	59.55	2501.07	54	0.7419	27	15	3.87	30.87	1838.38	NT
Monona	552	42	3855.87	161946.53	54	0.7419					161946.53	T
Monona	553	50	168.83	8441.52	54	0.7419	27	23	5.94	32.94	5560.65	NT
Monona	553	50	7586.46	379323.15	54	0.7419					379323.15	T
Monona	66	37	1069.38	39567.19	54	0.7419	27	10	2.58	29.58	31633.43	NT
Monona	66	37	53537.41	1980884.25	54	0.7419					1980884.25	T
Monona	66+	42	44.96	1888.40	54	0.7419	27	15	3.87	30.87	1388.04	NT
Monona	66+	42	419.84	17633.48	54	0.7419					17633.48	T
Monona	67	51	107.68	5491.76	54	0.7419	27	24	6.19	33.19	3574.42	NT
Monona	67	51	6621.76	337709.93	54	0.7419					337709.93	T
Monona	670	80	549.68	43974.22	54	0.7419	27	53	13.68	40.68	22360.51	NT
Monona	670	80	5630.68	450454.52	54	0.7419					450454.52	T
Monona	68	10	0.12	1.21	54	0.7419	10	0	0.00	10.00	1.21	NT
Monona	68	10	356.17	3561.68	54	0.7419					3561.68	T
Monona	70	85	446.44	37947.69	54	0.7419	27	58	14.97	41.97	18737.14	NT
Monona	70	85	4332.16	368233.76	54	0.7419					368233.76	T
Monona	701	74	0.06	4.13	54	0.7419	27	47	12.13	39.13	2.18	NT
Monona	701	74	3.66	271.11	54	0.7419					271.11	T
Monona	717D	5	1635.70	8178.52	54	0.7419	5	0	0.00	5.00	8178.52	NT
Monona	717D	5	169.31	846.54	54	0.7419					846.54	T
Monona	746	65	206.02	13391.23	54	0.7419	27	38	9.81	36.81	7583.10	NT
Monona	746	65	5238.66	340512.70	54	0.7419					340512.70	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monona	747	58	36.09	2093.49	54	0.7419	27	31	8.00	35.00	1263.35	NT
Monona	747	58	1561.07	90541.81	54	0.7419					90541.81	T
Monona	748	73	18.93	1381.67	54	0.7419	27	46	11.87	38.87	735.74	NT
Monona	748	73	1427.88	104235.50	54	0.7419					104235.50	T
Monona	754	74	51.80	3833.14	54	0.7419	27	47	12.13	39.13	2026.94	NT
Monona	754	74	1668.78	123489.51	54	0.7419					123489.51	T
Monona	945	37	100.92	3734.17	54	0.7419	27	10	2.58	29.58	2985.42	NT
Monona	945	37	504.23	18656.69	54	0.7419					18656.69	T
Monona	946	25	889.38	22234.57	54	0.7419	25	0	0.00	25.00	22234.57	NT
Monona	946	25	697.20	17430.01	54	0.7419					17430.01	T
Monona	AW	0	0.54	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	AW	0	1.01	0.00	54	0.7419					0.00	T
Monona	SL	0	1.54	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	W	0	1446.43	0.00	54	0.7419	0	0	0.00	0.00	0.00	NT
Monona	W	0	100.71	0.00	54	0.7419					0.00	T
											0.00	
											0.00	
Monroe	1130	60	12.29	737.66	45	0.7317	22	38	10.20	32.20	395.82	NT
Monroe	1130	60	182.84	10970.70	45	0.7317					10970.70	T
Monroe	1131C	45	136.99	6164.46	45	0.7317	22	22	5.90	27.90	3822.32	NT
Monroe	1131C	45	671.29	30207.98	45	0.7317					30207.98	T
Monroe	11B	68	924.16	62842.96	45	0.7317	22	46	12.34	34.34	31737.36	NT
Monroe	11B	68	785.18	53391.98	45	0.7317					53391.98	T
Monroe	1220	25	1.21	30.37	45	0.7317	22	2	0.54	22.54	27.37	NT
Monroe	1279	88	19.20	1689.22	45	0.7317	22	66	17.71	39.71	762.22	NT
Monroe	1279	88	144.80	12741.99	45	0.7317					12741.99	T
Monroe	130	63	262.23	16520.47	45	0.7317	22	40	10.73	32.73	8583.30	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	130	63	4756.68	299670.60	45	0.7317					299670.60	T
Monroe	131B	67	625.24	41890.75	45	0.7317	22	44	11.81	33.81	21136.19	NT
Monroe	131B	67	6321.54	423543.23	45	0.7317					423543.23	T
Monroe	131C	50	1381.79	69089.35	45	0.7317	22	28	7.51	29.51	40779.85	NT
Monroe	131C	50	7158.03	357901.30	45	0.7317					357901.30	T
Monroe	131C2	45	0.90	40.60	45	0.7317	22	22	5.90	27.90	25.17	NT
Monroe	131C2	45	2.32	104.47	45	0.7317					104.47	T
Monroe	132B	60	446.21	26772.55	45	0.7317	22	38	10.20	32.20	14365.88	NT
Monroe	132B	60	1114.96	66897.50	45	0.7317					66897.50	T
Monroe	132B2	56	8.83	494.70	45	0.7317	22	34	9.12	31.12	274.93	NT
Monroe	132B2	56	0.03	1.62	45	0.7317					1.62	T
Monroe	132C	44	3279.50	144298.22	45	0.7317	22	22	5.90	27.90	91506.71	NT
Monroe	132C	44	2930.14	128926.32	45	0.7317					128926.32	T
Monroe	132C2	40	10.93	437.24	45	0.7317	22	18	4.83	26.83	293.27	NT
Monroe	132C2	40	5.81	232.39	45	0.7317					232.39	T
Monroe	132D2	28	0.05	1.43	45	0.7317	22	6	1.61	23.61	1.21	NT
Monroe	132D2	28	0.09	2.40	45	0.7317					2.40	T
Monroe	133	80	938.02	75041.81	45	0.7317	22	58	15.56	37.56	35233.44	NT
Monroe	133	80	1589.44	127155.41	45	0.7317					127155.41	T
Monroe	133+	85	239.86	20388.02	45	0.7317	22	62	16.63	38.63	9266.86	NT
Monroe	133+	85	731.24	62155.33	45	0.7317					62155.33	T
Monroe	133B	75	1053.71	79027.93	45	0.7317	22	52	13.95	35.95	37882.41	NT
Monroe	133B	75	893.86	67039.38	45	0.7317					67039.38	T
Monroe	13B	65	12566.84	816844.46	45	0.7317	22	42	11.27	33.27	418081.10	NT
Monroe	13B	65	5405.63	351365.93	45	0.7317					351365.93	T
Monroe	179D2	43	1421.07	61106.07	45	0.7317	22	20	5.37	27.37	38889.04	NT
Monroe	179D2	43	3674.65	158010.13	45	0.7317					158010.13	T
Monroe	179E2	33	5544.26	182960.54	45	0.7317	22	10	2.68	24.68	136848.94	NT
Monroe	179E2	33	8500.03	280501.05	45	0.7317					280501.05	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	179E3	30	13.36	400.93	45	0.7317	22	8	2.15	24.15	322.70	NT
Monroe	179F	15	1795.79	26936.86	45	0.7317	15	0	0.00	15.00	26936.86	NT
Monroe	179F	15	1509.53	22642.97	45	0.7317					22642.97	T
Monroe	179F2	14	1891.69	26483.69	45	0.7317	14	0	0.00	14.00	26483.69	NT
Monroe	179F2	14	2817.50	39444.94	45	0.7317					39444.94	T
Monroe	192C2	30	0.10	2.87	45	0.7317	22	8	2.15	24.15	2.31	NT
Monroe	192C2	30	0.03	0.82	45	0.7317					0.82	T
Monroe	192D2	15	61.58	923.66	45	0.7317	15	0	0.00	15.00	923.66	NT
Monroe	192D2	15	353.52	5302.77	45	0.7317					5302.77	T
Monroe	211	60	122.35	7341.30	45	0.7317	22	38	10.20	32.20	3939.27	NT
Monroe	211	60	1049.34	62960.39	45	0.7317					62960.39	T
Monroe	220	85	5523.58	469504.56	45	0.7317	22	62	16.63	38.63	213401.42	NT
Monroe	220	85	3298.91	280407.09	45	0.7317					280407.09	T
Monroe	222C	30	50.05	1501.50	45	0.7317	22	8	2.15	24.15	1208.53	NT
Monroe	222C	30	238.54	7156.35	45	0.7317					7156.35	T
Monroe	222C2	25	508.57	12714.18	45	0.7317	22	2	0.54	22.54	11461.38	NT
Monroe	222C2	25	2126.99	53174.77	45	0.7317					53174.77	T
Monroe	222D2	10	159.17	1591.70	45	0.7317	10	0	0.00	10.00	1591.70	NT
Monroe	222D2	10	689.17	6891.67	45	0.7317					6891.67	T
Monroe	223C2	22	432.12	9506.64	45	0.7317	22	0	0.00	22.00	9506.64	NT
Monroe	223C2	22	1429.20	31442.40	45	0.7317					31442.40	T
Monroe	223D2	9	1478.66	13307.97	45	0.7317	9	0	0.00	9.00	13307.97	NT
Monroe	223D2	9	3396.68	30570.16	45	0.7317					30570.16	T
Monroe	23C	55	89.03	4896.70	45	0.7317	22	32	8.59	30.59	2723.07	NT
Monroe	23C	55	1263.31	69482.30	45	0.7317					69482.30	T
Monroe	23C2	50	418.92	20946.12	45	0.7317	22	28	7.51	29.51	12363.41	NT
Monroe	23C2	50	4110.01	205500.31	45	0.7317					205500.31	T
Monroe	24D2	48	176.05	8450.44	45	0.7317	22	26	6.98	28.98	5101.21	NT
Monroe	24D2	48	735.20	35289.55	45	0.7317					35289.55	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	24E2	38	84.04	3193.39	45	0.7317	22	16	4.29	26.29	2209.56	NT
Monroe	24E2	38	372.02	14136.92	45	0.7317					14136.92	T
Monroe	260	50	110.28	5514.16	45	0.7317	22	28	7.51	29.51	3254.72	NT
Monroe	260	50	545.69	27284.46	45	0.7317					27284.46	T
Monroe	263	53	275.81	14617.96	45	0.7317	22	30	8.05	30.05	8287.83	NT
Monroe	263	53	1605.04	85067.29	45	0.7317					85067.29	T
Monroe	269	58	0.61	35.30	45	0.7317	22	36	9.66	31.66	19.27	NT
Monroe	269	58	0.30	17.31	45	0.7317					17.31	T
Monroe	273B	72	0.08	5.99	45	0.7317	22	50	13.42	35.42	2.95	NT
Monroe	273B	72	1.61	115.93	45	0.7317					115.93	T
Monroe	273C	57	340.03	19381.43	45	0.7317	22	34	9.12	31.12	10582.33	NT
Monroe	273C	57	617.43	35193.72	45	0.7317					35193.72	T
Monroe	279	88	4.23	372.04	45	0.7317	22	66	17.71	39.71	167.87	NT
Monroe	279	88	397.65	34993.64	45	0.7317					34993.64	T
Monroe	280	95	49.29	4682.09	45	0.7317	22	72	19.32	41.32	2036.35	NT
Monroe	280	95	1340.46	127343.87	45	0.7317					127343.87	T
Monroe	281B	90	112.49	10124.36	45	0.7317	22	68	18.24	40.24	4527.21	NT
Monroe	281B	90	1822.91	164062.07	45	0.7317					164062.07	T
Monroe	281C	75	116.40	8730.12	45	0.7317	22	52	13.95	35.95	4184.82	NT
Monroe	281C	75	713.43	53506.95	45	0.7317					53506.95	T
Monroe	281C2	72	102.32	7366.83	45	0.7317	22	50	13.42	35.42	3623.56	NT
Monroe	281C2	72	1412.23	101680.23	45	0.7317					101680.23	T
Monroe	313D		794.41		45	0.7317			0.00	0.00	0.00	NT
Monroe	313D		660.60		45	0.7317					0.00	T
Monroe	313D2	10	991.98	9919.79	45	0.7317	10	0	0.00	10.00	9919.79	NT
Monroe	313D2	10	1769.77	17697.68	45	0.7317					17697.68	T
Monroe	313E		1953.91		45	0.7317			0.00	0.00	0.00	NT
Monroe	313E		700.50		45	0.7317					0.00	T
Monroe	313E2	5	1960.29	9801.47	45	0.7317	5	0	0.00	5.00	9801.47	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	313E2	5	1874.37	9371.87	45	0.7317					9371.87	T
Monroe	313F		3507.42		45	0.7317			0.00	0.00	0.00	NT
Monroe	313F		1154.90		45	0.7317					0.00	T
Monroe	362	70	574.87	40241.11	45	0.7317	22	48	12.88	34.88	20050.65	NT
Monroe	362	70	9644.03	675081.97	45	0.7317					675081.97	T
Monroe	364B	75	667.02	50026.86	45	0.7317	22	52	13.95	35.95	23980.61	NT
Monroe	364B	75	7071.30	530347.47	45	0.7317					530347.47	T
Monroe	364C2	55	0.04	2.22	45	0.7317	22	32	8.59	30.59	1.24	NT
Monroe	406	90	0.08	7.12	45	0.7317	22	68	18.24	40.24	3.18	NT
Monroe	406	90	2.33	209.81	45	0.7317					209.81	T
Monroe	413D2	5	0.23	1.15	45	0.7317	5	0	0.00	5.00	1.15	NT
Monroe	419D2	15	346.74	5201.12	45	0.7317	15	0	0.00	15.00	5201.12	NT
Monroe	419D2	15	1040.15	15602.23	45	0.7317					15602.23	T
Monroe	419E2	5	209.61	1048.06	45	0.7317	5	0	0.00	5.00	1048.06	NT
Monroe	419E2	5	315.11	1575.53	45	0.7317					1575.53	T
Monroe	41D	15	22.07	330.99	45	0.7317	15	0	0.00	15.00	330.99	NT
Monroe	41D	15	48.87	733.00	45	0.7317					733.00	T
Monroe	423D2	13	1852.20	24078.65	45	0.7317	13	0	0.00	13.00	24078.65	NT
Monroe	423D2	13	4489.74	58366.66	45	0.7317					58366.66	T
Monroe	424D2	15	0.00	0.03	45	0.7317	15	0	0.00	15.00	0.03	NT
Monroe	424E2	5	723.73	3618.63	45	0.7317	5	0	0.00	5.00	3618.63	NT
Monroe	424E2	5	603.74	3018.70	45	0.7317					3018.70	T
Monroe	425C	28	339.73	9512.47	45	0.7317	22	6	1.61	23.61	8020.99	NT
Monroe	425C	28	239.63	6709.54	45	0.7317					6709.54	T
Monroe	425C2	24	6.11	146.60	45	0.7317	22	2	0.54	22.54	137.66	NT
Monroe	425D	16	2562.32	40997.05	45	0.7317	16	0	0.00	16.00	40997.05	NT
Monroe	425D	16	1262.46	20199.37	45	0.7317					20199.37	T
Monroe	425D2	12	730.98	8771.78	45	0.7317	12	0	0.00	12.00	8771.78	NT
Monroe	425D2	12	847.59	10171.14	45	0.7317					10171.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	428B	93	60.80	5654.08	45	0.7317	22	70	18.78	40.78	2479.34	NT
Monroe	428B	93	202.32	18815.37	45	0.7317					18815.37	T
Monroe	452C	35	123.05	4306.78	45	0.7317	22	12	3.22	25.22	3103.29	NT
Monroe	452C	35	410.65	14372.85	45	0.7317					14372.85	T
Monroe	453B	48	0.02	0.84	45	0.7317	22	26	6.98	28.98	0.50	NT
Monroe	453B	48	0.02	0.85	45	0.7317					0.85	T
Monroe	467	85	12.43	1056.40	45	0.7317					1056.40	T
Monroe	478G	5	3957.27	19786.35	45	0.7317	5	0	0.00	5.00	19786.35	NT
Monroe	478G	5	720.27	3601.35	45	0.7317					3601.35	T
Monroe	484	90	3738.80	336491.63	45	0.7317	22	68	18.24	40.24	150465.60	NT
Monroe	484	90	2917.04	262533.92	45	0.7317					262533.92	T
Monroe	5020	0	215.09	0.00	45	0.7317	0	0	0.00	0.00	0.00	NT
Monroe	5020	0	45.71	0.00	45	0.7317					0.00	T
Monroe	5020G	0	0.60	0.00	45	0.7317					0.00	T
Monroe	5021	0	232.25	0.00	45	0.7317	0	0	0.00	0.00	0.00	NT
Monroe	5021	0	112.53	0.00	45	0.7317					0.00	T
Monroe	5030	0	135.05	0.00	45	0.7317	0	0	0.00	0.00	0.00	NT
Monroe	5030	0	50.57	0.00	45	0.7317					0.00	T
Monroe	5040	5	40.14	200.70	45	0.7317	5	0	0.00	5.00	200.70	NT
Monroe	5040	5	39.77	198.84	45	0.7317					198.84	T
Monroe	51	70	373.25	26127.47	45	0.7317	22	48	12.88	34.88	13018.35	NT
Monroe	51	70	1713.97	119978.10	45	0.7317					119978.10	T
Monroe	534	43	0.08	3.26	45	0.7317					3.26	T
Monroe	54	70	449.43	31460.14	45	0.7317	22	48	12.88	34.88	15675.42	NT
Monroe	54	70	2235.66	156496.11	45	0.7317					156496.11	T
Monroe	54+	75	310.96	23322.07	45	0.7317	22	52	13.95	35.95	11179.54	NT
Monroe	54+	75	549.20	41189.96	45	0.7317					41189.96	T
Monroe	54A	70	0.05	3.64	45	0.7317	22	48	12.88	34.88	1.81	NT
Monroe	54A	70	0.14	10.13	45	0.7317					10.13	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	54B	65	0.17	11.07	45	0.7317	22	42	11.27	33.27	5.67	NT
Monroe	54B	65	0.66	43.17	45	0.7317					43.17	T
Monroe	56B	72	0.09	6.82	45	0.7317	22	50	13.42	35.42	3.36	NT
Monroe	58D2	28	544.28	15239.98	45	0.7317	22	6	1.61	23.61	12850.46	NT
Monroe	58D2	28	1389.77	38913.47	45	0.7317					38913.47	T
Monroe	58E2	18	695.58	12520.53	45	0.7317	18	0	0.00	18.00	12520.53	NT
Monroe	58E2	18	1028.83	18518.90	45	0.7317					18518.90	T
Monroe	594C2	18	40.63	731.37	45	0.7317	18	0	0.00	18.00	731.37	NT
Monroe	594C2	18	185.67	3342.02	45	0.7317					3342.02	T
Monroe	594D2	5	721.23	3606.14	45	0.7317	5	0	0.00	5.00	3606.14	NT
Monroe	594D2	5	1594.81	7974.07	45	0.7317					7974.07	T
Monroe	65D	35	1554.77	54416.85	45	0.7317	22	12	3.22	25.22	39210.61	NT
Monroe	65D	35	957.38	33508.13	45	0.7317					33508.13	T
Monroe	65D2	38	0.01	0.21	45	0.7317	22	16	4.29	26.29	0.14	NT
Monroe	65D2	38	1.50	57.17	45	0.7317					57.17	T
Monroe	65E	25	2794.61	69865.33	45	0.7317	22	2	0.54	22.54	62981.08	NT
Monroe	65E	25	984.97	24624.26	45	0.7317					24624.26	T
Monroe	65E2	24	1301.21	31228.93	45	0.7317	22	2	0.54	22.54	29324.74	NT
Monroe	65E2	24	1176.93	28246.23	45	0.7317					28246.23	T
Monroe	65F	10	6.69	66.90	45	0.7317	10	0	0.00	10.00	66.90	NT
Monroe	65F2	8	17.84	142.73	45	0.7317	8	0	0.00	8.00	142.73	NT
Monroe	65F2	8	2.40	19.18	45	0.7317					19.18	T
Monroe	65G	5	15026.50	75132.48	45	0.7317	5	0	0.00	5.00	75132.48	NT
Monroe	65G	5	3667.05	18335.25	45	0.7317					18335.25	T
Monroe	688	85	33.87	2878.70	45	0.7317	22	62	16.63	38.63	1308.44	NT
Monroe	688	85	231.12	19645.36	45	0.7317					19645.36	T
Monroe	715	5	1.59	7.97	45	0.7317	5	0	0.00	5.00	7.97	NT
Monroe	715	5	1.00	5.02	45	0.7317					5.02	T
Monroe	730B	61	7.60	463.60	45	0.7317	22	38	10.20	32.20	244.69	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	730B	61	0.10	6.17	45	0.7317					6.17	T
Monroe	731C2	45	1869.34	84120.22	45	0.7317	22	22	5.90	27.90	52159.39	NT
Monroe	731C2	45	13290.16	598057.30	45	0.7317					598057.30	T
Monroe	731D2	31	634.68	19675.05	45	0.7317	22	8	2.15	24.15	15325.21	NT
Monroe	731D2	31	3521.56	109168.41	45	0.7317					109168.41	T
Monroe	732C2	40	921.51	36860.37	45	0.7317	22	18	4.83	26.83	24723.54	NT
Monroe	732C2	40	2497.52	99900.77	45	0.7317					99900.77	T
Monroe	732D2	28	529.63	14829.74	45	0.7317	22	6	1.61	23.61	12504.54	NT
Monroe	732D2	28	919.65	25750.34	45	0.7317					25750.34	T
Monroe	76B	82	63.47	5204.14	45	0.7317	22	60	16.10	38.10	2417.90	NT
Monroe	76B	82	1029.81	84444.72	45	0.7317					84444.72	T
Monroe	76C	70	145.62	10193.10	45	0.7317	22	48	12.88	34.88	5078.84	NT
Monroe	76C	70	847.37	59315.67	45	0.7317					59315.67	T
Monroe	76C2	67	330.20	22123.55	45	0.7317	22	44	11.81	33.81	11162.55	NT
Monroe	76C2	67	2679.77	179544.34	45	0.7317					179544.34	T
Monroe	76D	60	120.35	7221.10	45	0.7317	22	38	10.20	32.20	3874.77	NT
Monroe	76D	60	417.55	25052.98	45	0.7317					25052.98	T
Monroe	76D2	52	331.34	17229.84	45	0.7317	22	30	8.05	30.05	9956.53	NT
Monroe	76D2	52	1417.24	73696.59	45	0.7317					73696.59	T
Monroe	792C2	26	322.28	8379.41	45	0.7317	22	4	1.07	23.07	7436.14	NT
Monroe	792C2	26	1237.40	32172.47	45	0.7317					32172.47	T
Monroe	792D2	11	1676.25	18438.78	45	0.7317	11	0	0.00	11.00	18438.78	NT
Monroe	792D2	11	4484.38	49328.20	45	0.7317					49328.20	T
Monroe	795D	12	470.59	5647.12	45	0.7317	12	0	0.00	12.00	5647.12	NT
Monroe	795D	12	265.72	3188.68	45	0.7317					3188.68	T
Monroe	795D2	5	2.75	13.73	45	0.7317	5	0	0.00	5.00	13.73	NT
Monroe	80B	77	0.01	0.40	45	0.7317	22	54	14.49	36.49	0.19	NT
Monroe	80B	77	0.04	3.36	45	0.7317					3.36	T
Monroe	80C2	57	2.07	117.95	45	0.7317	22	34	9.12	31.12	64.40	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	80C2	57	1.45	82.69	45	0.7317					82.69	T
Monroe	80D	55	210.31	11567.06	45	0.7317	22	32	8.59	30.59	6432.46	NT
Monroe	80D	55	132.15	7268.11	45	0.7317					7268.11	T
Monroe	80D2	52	255.27	13274.29	45	0.7317	22	30	8.05	30.05	7670.75	NT
Monroe	80D2	52	389.85	20272.03	45	0.7317					20272.03	T
Monroe	80E2	45	0.67	30.26	45	0.7317	22	22	5.90	27.90	18.76	NT
Monroe	80E2	45	0.38	17.10	45	0.7317					17.10	T
Monroe	822D2	15	329.94	4949.04	45	0.7317	15	0	0.00	15.00	4949.04	NT
Monroe	822D2	15	1546.77	23201.62	45	0.7317					23201.62	T
Monroe	832C2	30	148.70	4461.10	45	0.7317	22	8	2.15	24.15	3590.65	NT
Monroe	832C2	30	518.99	15569.67	45	0.7317					15569.67	T
Monroe	876B	82	37.29	3057.48	45	0.7317	22	60	16.10	38.10	1420.54	NT
Monroe	876B	82	229.59	18826.67	45	0.7317					18826.67	T
Monroe	876C2	65	180.31	11720.28	45	0.7317	22	42	11.27	33.27	5998.73	NT
Monroe	876C2	65	658.82	42823.51	45	0.7317					42823.51	T
Monroe	8C	66	1.58	104.04	45	0.7317	22	44	11.81	33.81	53.29	NT
Monroe	94D2	10	0.01	0.08	45	0.7317	10	0	0.00	10.00	0.08	NT
Monroe	94D2	10	2.42	24.25	45	0.7317					24.25	T
Monroe	993D2	20	1216.24	24324.71	45	0.7317	20	0	0.00	20.00	24324.71	NT
Monroe	993D2	20	2893.90	57878.10	45	0.7317					57878.10	T
Monroe	993E2	10	330.99	3309.86	45	0.7317	10	0	0.00	10.00	3309.86	NT
Monroe	993E2	10	656.92	6569.16	45	0.7317					6569.16	T
Monroe	AW	0	6.50	0.00	45	0.7317	0	0	0.00	0.00	0.00	NT
Monroe	BW	0	7.94	0.00	45	0.7317	0	0	0.00	0.00	0.00	NT
Monroe	BW	0	20.64	0.00	45	0.7317					0.00	T
Monroe	SL	0	5.73	0.00	45	0.7317	0	0	0.00	0.00	0.00	NT
Monroe	T76B	82	0.00	0.16	45	0.7317	22	60	16.10	38.10	0.08	NT
Monroe	W	0	1688.78	0.00	45	0.7317	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Monroe	W	0	51.50	0.00	45	0.7317					0.00	T
											0.00	
											0.00	
Montgomery	112C2	50	0.41	20.35	64	0.7249					20.35	T
Montgomery	112D2	40	0.55	21.91	64	0.7249					21.91	T
Montgomery	11B	68	12856.08	874213.50	64	0.7249	32	36	9.90	41.90	538716.07	NT
Montgomery	11B	68	24598.67	1672709.84	64	0.7249					1672709.84	T
Montgomery	1220	25	1138.45	28461.16	64	0.7249	25	0	0.00	25.00	28461.16	NT
Montgomery	1220	25	77.74	1943.52	64	0.7249					1943.52	T
Montgomery	1233	65	13.08	849.88	64	0.7249	32	33	9.08	41.08	537.10	NT
Montgomery	1233	65	152.58	9917.60	64	0.7249					9917.60	T
Montgomery	1299	95	34.01	3231.35	64	0.7249	32	63	17.33	49.33	1677.96	NT
Montgomery	1299	95	725.09	68883.80	64	0.7249					68883.80	T
Montgomery	133	80	462.68	37014.08	64	0.7249	32	48	13.20	45.20	20915.18	NT
Montgomery	133	80	3710.71	296856.83	64	0.7249					296856.83	T
Montgomery	133+	85	808.25	68701.05	64	0.7249	32	53	14.58	46.58	37648.42	NT
Montgomery	133+	85	5049.00	429165.10	64	0.7249					429165.10	T
Montgomery	134	65	40.69	2645.14	64	0.7249	32	33	9.08	41.08	1671.66	NT
Montgomery	134	65	823.88	53552.46	64	0.7249					53552.46	T
Montgomery	1368	95	8.79	834.67	64	0.7249	32	63	17.33	49.33	433.43	NT
Montgomery	1368	95	376.59	35775.75	64	0.7249					35775.75	T
Montgomery	172	45	4.67	210.37	64	0.7249	32	13	3.58	35.58	166.32	NT
Montgomery	175D	36	99.48	3581.29	64	0.7249	32	4	1.10	33.10	3292.83	NT
Montgomery	175D	36	110.45	3976.38	64	0.7249					3976.38	T
Montgomery	179D	45	330.60	14877.16	64	0.7249	32	13	3.58	35.58	11761.65	NT
Montgomery	179D	45	74.57	3355.45	64	0.7249					3355.45	T
Montgomery	179D2	43	933.74	40150.85	64	0.7249	32	11	3.03	35.03	32705.29	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Montgomery	179D2	43	1070.74	46041.92	64	0.7249					46041.92	T
Montgomery	179E	35	816.24	28568.42	64	0.7249	32	3	0.83	32.83	26793.34	NT
Montgomery	179E	35	94.43	3305.06	64	0.7249					3305.06	T
Montgomery	179E2	33	1014.66	33483.70	64	0.7249	32	1	0.28	32.28	32748.18	NT
Montgomery	179E2	33	574.07	18944.18	64	0.7249					18944.18	T
Montgomery	179F	15	1004.50	15067.44	64	0.7249	15	0	0.00	15.00	15067.44	NT
Montgomery	179F	15	124.57	1868.54	64	0.7249					1868.54	T
Montgomery	192D2	15	168.80	2532.05	64	0.7249	15	0	0.00	15.00	2532.05	NT
Montgomery	192D2	15	1693.49	25402.42	64	0.7249					25402.42	T
Montgomery	212	94	210.79	19814.73	64	0.7249	32	62	17.06	49.06	10340.80	NT
Montgomery	212	94	1412.30	132756.33	64	0.7249					132756.33	T
Montgomery	212+	90	279.64	25167.66	64	0.7249	32	58	15.96	47.96	13410.39	NT
Montgomery	212+	90	1187.71	106893.78	64	0.7249					106893.78	T
Montgomery	220	85	1844.72	156801.02	64	0.7249	32	53	14.58	46.58	85927.51	NT
Montgomery	220	85	5697.24	484265.24	64	0.7249					484265.24	T
Montgomery	222C2	25	35.55	888.83	64	0.7249	25	0	0.00	25.00	888.83	NT
Montgomery	222C2	25	238.90	5972.39	64	0.7249					5972.39	T
Montgomery	222D2	10	798.75	7987.55	64	0.7249	10	0	0.00	10.00	7987.55	NT
Montgomery	222D2	10	4911.02	49110.18	64	0.7249					49110.18	T
Montgomery	248	60	14.30	857.84	64	0.7249	32	28	7.70	39.70	567.64	NT
Montgomery	24D	50	392.93	19646.68	64	0.7249	32	18	4.95	36.95	14519.60	NT
Montgomery	24D	50	101.50	5074.89	64	0.7249					5074.89	T
Montgomery	24D2	48	2894.07	138915.40	64	0.7249	32	16	4.40	36.40	105348.81	NT
Montgomery	24D2	48	9352.03	448897.44	64	0.7249					448897.44	T
Montgomery	24E	40	431.46	17258.26	64	0.7249	32	8	2.20	34.20	14756.16	NT
Montgomery	24E	40	62.79	2511.43	64	0.7249					2511.43	T
Montgomery	24E2	38	1528.85	58096.46	64	0.7249	32	6	1.65	33.65	51446.86	NT
Montgomery	24E2	38	1784.84	67823.84	64	0.7249					67823.84	T
Montgomery	24F	20	348.95	6978.91	64	0.7249	20	0	0.00	20.00	6978.91	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Montgomery	24F	20	88.95	1778.91	64	0.7249					1778.91	T
Montgomery	269	58	14.17	821.78	64	0.7249	32	26	7.15	39.15	554.74	NT
Montgomery	269	58	303.81	17621.25	64	0.7249					17621.25	T
Montgomery	273B	72	245.52	17677.27	64	0.7249	32	40	11.00	43.00	10558.24	NT
Montgomery	273B	72	275.30	19821.26	64	0.7249					19821.26	T
Montgomery	273C	57	82.71	4714.23	64	0.7249	32	25	6.88	38.88	3215.39	NT
Montgomery	273C	57	207.27	11814.63	64	0.7249					11814.63	T
Montgomery	318F2	5	72.10	360.52	64	0.7249	5	0	0.00	5.00	360.52	NT
Montgomery	318F2	5	40.87	204.37	64	0.7249					204.37	T
Montgomery	33D2	40	124.80	4991.93	64	0.7249	32	8	2.20	34.20	4268.20	NT
Montgomery	33D2	40	500.10	20004.18	64	0.7249					20004.18	T
Montgomery	33E2	30	255.62	7668.60	64	0.7249	30	0	0.00	30.00	7668.60	NT
Montgomery	33E2	30	398.04	11941.14	64	0.7249					11941.14	T
Montgomery	370B	87	192.60	16755.83	64	0.7249	32	55	15.13	47.13	9077.13	NT
Montgomery	370B	87	1651.84	143709.93	64	0.7249					143709.93	T
Montgomery	370C	72	136.59	9834.68	64	0.7249	32	40	11.00	43.00	5874.04	NT
Montgomery	370C	72	56.51	4068.55	64	0.7249					4068.55	T
Montgomery	370C2	67	613.54	41107.43	64	0.7249	32	35	9.63	41.63	25540.91	NT
Montgomery	370C2	67	3850.79	258003.04	64	0.7249					258003.04	T
Montgomery	370D	62	230.90	14315.75	64	0.7249	32	30	8.25	40.25	9294.38	NT
Montgomery	370D	62	72.44	4491.31	64	0.7249					4491.31	T
Montgomery	370D2	57	948.69	54075.58	64	0.7249	32	25	6.88	38.88	36882.87	NT
Montgomery	370D2	57	5254.58	299511.18	64	0.7249					299511.18	T
Montgomery	371C2	64	0.43	27.23	64	0.7249	32	32	8.80	40.80	17.36	NT
Montgomery	371C2	64	9.15	585.36	64	0.7249					585.36	T
Montgomery	371D2	54	16.06	867.35	64	0.7249					867.35	T
Montgomery	421D2	28	0.26	7.23	64	0.7249	28	0	0.00	28.00	7.23	NT
Montgomery	423D2	13	435.31	5659.04	64	0.7249	13	0	0.00	13.00	5659.04	NT
Montgomery	423D2	13	433.79	5639.29	64	0.7249					5639.29	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Montgomery	43	80	41.21	3297.11	64	0.7249	32	48	13.20	45.20	1863.06	NT
Montgomery	43	80	1255.37	100429.47	64	0.7249					100429.47	T
Montgomery	430	83	295.54	24530.08	64	0.7249	32	51	14.03	46.03	13603.88	NT
Montgomery	430	83	2448.40	203217.10	64	0.7249					203217.10	T
Montgomery	435	75	0.29	21.54	64	0.7249					21.54	T
Montgomery	470D2	25	2.05	51.27	64	0.7249					51.27	T
Montgomery	5010	0	51.77	0.00	64	0.7249	0	0	0.00	0.00	0.00	NT
Montgomery	5010	0	11.57	0.00	64	0.7249					0.00	T
Montgomery	5030	0	155.62	0.00	64	0.7249	0	0	0.00	0.00	0.00	NT
Montgomery	5030	0	6.14	0.00	64	0.7249					0.00	T
Montgomery	5040	5	329.85	1649.23	64	0.7249	5	0	0.00	5.00	1649.23	NT
Montgomery	5040	5	155.00	774.99	64	0.7249					774.99	T
Montgomery	509	90	79.62	7166.06	64	0.7249	32	58	15.96	47.96	3818.38	NT
Montgomery	509	90	1208.36	108752.25	64	0.7249					108752.25	T
Montgomery	509B	84	119.68	10053.19	64	0.7249	32	52	14.31	46.31	5541.85	NT
Montgomery	509B	84	1150.77	96665.09	64	0.7249					96665.09	T
Montgomery	509C2	77	44.63	3436.23	64	0.7249	32	45	12.38	44.38	1980.50	NT
Montgomery	509C2	77	417.71	32163.38	64	0.7249					32163.38	T
Montgomery	517D2	20	131.87	2637.39	64	0.7249	20	0	0.00	20.00	2637.39	NT
Montgomery	517D2	20	228.08	4561.51	64	0.7249					4561.51	T
Montgomery	517E	10	115.77	1157.66	64	0.7249	10	0	0.00	10.00	1157.66	NT
Montgomery	517E	10	89.59	895.91	64	0.7249					895.91	T
Montgomery	54	70	352.57	24679.76	64	0.7249	32	38	10.45	42.45	14967.85	NT
Montgomery	54	70	5121.37	358495.75	64	0.7249					358495.75	T
Montgomery	54+	75	98.29	7371.56	64	0.7249	32	43	11.83	43.83	4307.87	NT
Montgomery	54+	75	1431.80	107385.37	64	0.7249					107385.37	T
Montgomery	545B	52	1.14	59.22	64	0.7249	32	20	5.50	37.50	42.71	NT
Montgomery	545B	52	8.33	432.90	64	0.7249					432.90	T
Montgomery	60D2	25	9.99	249.78	64	0.7249	25	0	0.00	25.00	249.78	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Montgomery	60D2	25	190.66	4766.38	64	0.7249					4766.38	T
Montgomery	692D2	10	28.70	287.02	64	0.7249	10	0	0.00	10.00	287.02	NT
Montgomery	692D2	10	190.86	1908.63	64	0.7249					1908.63	T
Montgomery	751D2	45	37.87	1704.22	64	0.7249	32	13	3.58	35.58	1347.33	NT
Montgomery	751D2	45	230.54	10374.34	64	0.7249					10374.34	T
Montgomery	76B	82	23.48	1925.54	64	0.7249	32	50	13.76	45.76	1074.43	NT
Montgomery	76B	82	139.43	11432.94	64	0.7249					11432.94	T
Montgomery	76C	70	169.85	11889.32	64	0.7249	32	38	10.45	42.45	7210.67	NT
Montgomery	76C	70	48.47	3392.97	64	0.7249					3392.97	T
Montgomery	76C2	67	302.46	20265.02	64	0.7249	32	35	9.63	41.63	12591.08	NT
Montgomery	76C2	67	770.43	51619.13	64	0.7249					51619.13	T
Montgomery	76D	60	366.27	21975.95	64	0.7249	32	28	7.70	39.70	14541.78	NT
Montgomery	76D	60	71.69	4301.21	64	0.7249					4301.21	T
Montgomery	76D2	52	776.51	40378.36	64	0.7249	32	20	5.50	37.50	29120.56	NT
Montgomery	76D2	52	1689.48	87853.14	64	0.7249					87853.14	T
Montgomery	822D2	15	771.40	11571.06	64	0.7249	15	0	0.00	15.00	11571.06	NT
Montgomery	822D2	15	3408.53	51127.92	64	0.7249					51127.92	T
Montgomery	870	92	29.65	2727.49	64	0.7249	32	60	16.51	48.51	1438.04	NT
Montgomery	870	92	361.52	33260.08	64	0.7249					33260.08	T
Montgomery	870B	87	96.87	8427.92	64	0.7249	32	55	15.13	47.13	4565.66	NT
Montgomery	870B	87	571.87	49752.53	64	0.7249					49752.53	T
Montgomery	870C2	67	17.51	1173.02	64	0.7249	32	35	9.63	41.63	728.82	NT
Montgomery	870C2	67	146.01	9782.38	64	0.7249					9782.38	T
Montgomery	88	92	64.65	5948.12	64	0.7249	32	60	16.51	48.51	3136.08	NT
Montgomery	88	92	590.46	54322.53	64	0.7249					54322.53	T
Montgomery	8B	90	1527.63	137486.79	64	0.7249	32	58	15.96	47.96	73258.77	NT
Montgomery	8B	90	9096.18	818656.59	64	0.7249					818656.59	T
Montgomery	8C	66	120.54	7955.42	64	0.7249	32	34	9.35	41.35	4984.60	NT
Montgomery	8C	66	601.83	39720.68	64	0.7249					39720.68	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Montgomery	9	86	37.11	3191.35	64	0.7249	32	54	14.86	46.86	1738.74	NT
Montgomery	9	86	916.94	78856.80	64	0.7249					78856.80	T
Montgomery	93D2	33	550.81	18176.63	64	0.7249	32	1	0.28	32.28	17777.35	NT
Montgomery	93D2	33	4735.58	156274.13	64	0.7249					156274.13	T
Montgomery	93E2	23	0.01	0.19	64	0.7249	23	0	0.00	23.00	0.19	NT
Montgomery	93E2	23	0.21	4.85	64	0.7249					4.85	T
Montgomery	99C	65	0.13	8.59	64	0.7249					8.59	T
Montgomery	99C2	61	110.37	6732.27	64	0.7249	32	29	7.98	39.98	4412.17	NT
Montgomery	99C2	61	4522.29	275859.45	64	0.7249					275859.45	T
Montgomery	99D	60	1.41	84.49	64	0.7249					84.49	T
Montgomery	99D2	53	1209.49	64102.74	64	0.7249	32	21	5.78	37.78	45690.86	NT
Montgomery	99D2	53	23424.17	1241480.89	64	0.7249					1241480.89	T
Montgomery	99D3	47	3.25	152.77	64	0.7249	32	15	4.13	36.13	117.43	NT
Montgomery	99D3	47	339.77	15969.18	64	0.7249					15969.18	T
Montgomery	99E2	44	113.94	5013.41	64	0.7249	32	12	3.30	35.30	4022.26	NT
Montgomery	99E2	44	130.56	5744.85	64	0.7249					5744.85	T
Montgomery	9B	85	1388.40	118013.67	64	0.7249	32	53	14.58	46.58	64671.91	NT
Montgomery	9B	85	20452.19	1738436.46	64	0.7249					1738436.46	T
Montgomery	9C	66	188.80	12460.94	64	0.7249	32	34	9.35	41.35	7807.61	NT
Montgomery	9C	66	740.45	48869.93	64	0.7249					48869.93	T
Montgomery	9C2	77	2281.56	175680.34	64	0.7249	32	45	12.38	44.38	101254.62	NT
Montgomery	9C2	77	25921.03	1995919.67	64	0.7249					1995919.67	T
Montgomery	9D	56	175.03	9801.96	64	0.7249	32	24	6.60	38.60	6756.77	NT
Montgomery	9D	56	211.49	11843.43	64	0.7249					11843.43	T
Montgomery	9D2	52	2182.20	113474.26	64	0.7249	32	20	5.50	37.50	81836.77	NT
Montgomery	9D2	52	17850.18	928209.19	64	0.7249					928209.19	T
Montgomery	AW	0	0.22	0.00	64	0.7249	0	0	0.00	0.00	0.00	NT
Montgomery	GaE	35	0.25	8.72	64	0.7249	32	3	0.83	32.83	8.17	NT
Montgomery	INT	0	64.31	0.00	64	0.7249	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Montgomery	INT	0	35.52	0.00	64	0.7249					0.00	T
Montgomery	JdB		0.11		64	0.7249					0.00	T
Montgomery	JoB		0.98		64	0.7249			0.00	0.00	0.00	NT
Montgomery	JoB		2.11		64	0.7249					0.00	T
Montgomery	LaC2	62	0.23	14.35	64	0.7249	32	30	8.25	40.25	9.31	NT
Montgomery	LaD2	52	0.12	6.41	64	0.7249	32	20	5.50	37.50	4.62	NT
Montgomery	MhB		0.23		64	0.7249			0.00	0.00	0.00	NT
Montgomery	MhD2		0.19		64	0.7249			0.00	0.00	0.00	NT
Montgomery	No		44.88		64	0.7249					0.00	T
Montgomery	Nw		0.01		64	0.7249			0.00	0.00	0.00	NT
Montgomery	Nw		17.56		64	0.7249					0.00	T
Montgomery	SbB	87	24.59	2139.26	64	0.7249					2139.26	T
Montgomery	SbC2	67	0.38	25.28	64	0.7249					25.28	T
Montgomery	SbD2	57	0.06	3.33	64	0.7249	32	25	6.88	38.88	2.27	NT
Montgomery	SbD2	57	0.49	27.75	64	0.7249					27.75	T
Montgomery	SL	0	0.79	0.00	64	0.7249	0	0	0.00	0.00	0.00	NT
Montgomery	W	0	916.72	0.00	64	0.7249	0	0	0.00	0.00	0.00	NT
Montgomery	W	0	23.58	0.00	64	0.7249					0.00	T
											0.00	
											0.00	
Muscatine	1043	80	37.48	2998.16	71	0.7632	36	44	10.42	46.42	1739.65	NT
Muscatine	1043	80	1252.82	100225.64	71	0.7632					100225.64	T
Muscatine	1058G	5	0.16	0.81	71	0.7632	5	0	0.00	5.00	0.81	NT
Muscatine	1058G	5	0.01	0.06	71	0.7632					0.06	T
Muscatine	1118	95	0.09	8.92	71	0.7632					8.92	T
Muscatine	1119	100	0.29	29.22	71	0.7632					29.22	T
Muscatine	1152	68	52.71	3584.48	71	0.7632	36	32	7.58	43.58	2297.10	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	1152	68	517.81	35210.76	71	0.7632					35210.76	T
Muscatine	118	95	159.47	15149.51	71	0.7632	36	60	14.21	50.21	8006.59	NT
Muscatine	118	95	8538.16	811125.11	71	0.7632					811125.11	T
Muscatine	119	100	246.67	24666.85	71	0.7632	36	64	15.16	51.16	12618.38	NT
Muscatine	119	100	9101.91	910191.15	71	0.7632					910191.15	T
Muscatine	11B	68	0.00	0.06	71	0.7632	36	32	7.58	43.58	0.04	NT
Muscatine	11B	68	0.08	5.40	71	0.7632					5.40	T
Muscatine	120B	95	357.92	34002.69	71	0.7632	36	60	14.21	50.21	17970.60	NT
Muscatine	120B	95	5470.71	519717.10	71	0.7632					519717.10	T
Muscatine	120B2	93	206.27	19183.06	71	0.7632	36	58	13.73	49.73	10258.69	NT
Muscatine	120B2	93	3489.42	324515.67	71	0.7632					324515.67	T
Muscatine	120C	80	20.30	1623.74	71	0.7632	36	44	10.42	46.42	942.16	NT
Muscatine	120C	80	395.60	31647.66	71	0.7632					31647.66	T
Muscatine	120C2	78	243.24	18972.64	71	0.7632	36	42	9.95	45.95	11175.76	NT
Muscatine	120C2	78	5966.93	465420.81	71	0.7632					465420.81	T
Muscatine	120C3	71	24.27	1723.07	71	0.7632	36	36	8.52	44.52	1080.55	NT
Muscatine	120C3	71	1355.67	96252.75	71	0.7632					96252.75	T
Muscatine	120D2	68	20.76	1411.51	71	0.7632	36	32	7.58	43.58	904.56	NT
Muscatine	120D2	68	426.05	28971.21	71	0.7632					28971.21	T
Muscatine	120D3	65	9.33	606.64	71	0.7632	36	30	7.10	43.10	402.29	NT
Muscatine	120D3	65	440.20	28613.26	71	0.7632					28613.26	T
Muscatine	1212	88	762.89	67134.53	71	0.7632	36	52	12.31	48.31	36858.08	NT
Muscatine	1212	88	331.14	29140.50	71	0.7632					29140.50	T
Muscatine	122	63	31.68	1996.07	71	0.7632	36	28	6.63	42.63	1350.68	NT
Muscatine	122	63	693.69	43702.37	71	0.7632					43702.37	T
Muscatine	1220	25	2.69	67.16	71	0.7632	25	0	0.00	25.00	67.16	NT
Muscatine	1220	25	0.15	3.66	71	0.7632					3.66	T
Muscatine	127	95	1.38	130.93	71	0.7632					130.93	T
Muscatine	1291	95	0.06	5.79	71	0.7632	36	60	14.21	50.21	3.06	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	1291	95	0.06	5.31	71	0.7632					5.31	T
Muscatine	1315	34	0.42	14.43	71	0.7632	34	0	0.00	34.00	14.43	NT
Muscatine	133	80	1225.41	98032.92	71	0.7632	36	44	10.42	46.42	56882.62	NT
Muscatine	133	80	429.49	34359.19	71	0.7632					34359.19	T
Muscatine	133B	75	766.50	57487.51	71	0.7632	36	40	9.47	45.47	34854.30	NT
Muscatine	133B	75	5079.60	380969.63	71	0.7632					380969.63	T
Muscatine	135	78	0.24	18.89	71	0.7632	36	42	9.95	45.95	11.13	NT
Muscatine	135	78	4.19	326.62	71	0.7632					326.62	T
Muscatine	135B	73	937.83	68461.56	71	0.7632	36	38	9.00	45.00	42200.83	NT
Muscatine	135B	73	668.17	48776.08	71	0.7632					48776.08	T
Muscatine	136	70	103.55	7248.31	71	0.7632	36	34	8.05	44.05	4561.38	NT
Muscatine	136	70	907.95	63556.29	71	0.7632					63556.29	T
Muscatine	139	15	692.86	10392.87	71	0.7632	15	0	0.00	15.00	10392.87	NT
Muscatine	139	15	130.54	1958.10	71	0.7632					1958.10	T
Muscatine	140	50	0.00	0.23	71	0.7632	36	14	3.32	39.32	0.18	NT
Muscatine	141	40	74.91	2996.41	71	0.7632	36	4	0.95	36.95	2767.72	NT
Muscatine	141	40	747.46	29898.53	71	0.7632					29898.53	T
Muscatine	1490	25	4.74	118.51	71	0.7632	25	0	0.00	25.00	118.51	NT
Muscatine	1490	25	7.57	189.16	71	0.7632					189.16	T
Muscatine	1520	67	214.08	14343.62	71	0.7632	36	32	7.58	43.58	9329.26	NT
Muscatine	1520	67	4710.07	315574.94	71	0.7632					315574.94	T
Muscatine	160	67	268.56	17993.41	71	0.7632	36	32	7.58	43.58	11703.13	NT
Muscatine	160	67	9646.03	646283.69	71	0.7632					646283.69	T
Muscatine	1621	5	170.21	851.06	71	0.7632	5	0	0.00	5.00	851.06	NT
Muscatine	1621	5	3.72	18.59	71	0.7632					18.59	T
Muscatine	162B	90	387.10	34838.62	71	0.7632	36	54	12.79	48.79	18885.32	NT
Muscatine	162B	90	4358.53	392267.45	71	0.7632					392267.45	T
Muscatine	162C	75	89.63	6722.13	71	0.7632	36	40	9.47	45.47	4075.58	NT
Muscatine	162C	75	400.81	30060.42	71	0.7632					30060.42	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	162C2	73	353.90	25834.52	71	0.7632	36	38	9.00	45.00	15924.82	NT
Muscatine	162C2	73	3699.77	270083.52	71	0.7632					270083.52	T
Muscatine	162C3	70	10.93	765.13	71	0.7632	36	34	8.05	44.05	481.50	NT
Muscatine	162C3	70	496.12	34728.64	71	0.7632					34728.64	T
Muscatine	162D2	63	225.93	14233.52	71	0.7632	36	28	6.63	42.63	9631.44	NT
Muscatine	162D2	63	1240.12	78127.80	71	0.7632					78127.80	T
Muscatine	162D3	60	30.89	1853.12	71	0.7632	36	24	5.68	41.68	1287.40	NT
Muscatine	162D3	60	544.46	32667.46	71	0.7632					32667.46	T
Muscatine	163B	85	494.69	42048.41	71	0.7632	36	50	11.84	47.84	23665.83	NT
Muscatine	163B	85	2383.17	202569.45	71	0.7632					202569.45	T
Muscatine	163B2	83	0.05	4.05	71	0.7632	36	48	11.37	47.37	2.31	NT
Muscatine	163B2	83	0.10	8.50	71	0.7632					8.50	T
Muscatine	163C	70	944.83	66138.13	71	0.7632	36	34	8.05	44.05	41620.91	NT
Muscatine	163C	70	1662.79	116394.96	71	0.7632					116394.96	T
Muscatine	163C2	68	768.90	52285.13	71	0.7632	36	32	7.58	43.58	33506.77	NT
Muscatine	163C2	68	2839.02	193053.47	71	0.7632					193053.47	T
Muscatine	163D	60	483.11	28986.71	71	0.7632	36	24	5.68	41.68	20137.64	NT
Muscatine	163D	60	411.62	24696.91	71	0.7632					24696.91	T
Muscatine	163D2	58	509.26	29537.10	71	0.7632	36	22	5.21	41.21	20986.42	NT
Muscatine	163D2	58	1256.90	72900.13	71	0.7632					72900.13	T
Muscatine	163E	50	538.02	26900.91	71	0.7632	36	14	3.32	39.32	21152.29	NT
Muscatine	163E	50	243.53	12176.67	71	0.7632					12176.67	T
Muscatine	163E2	48	322.59	15484.12	71	0.7632	36	12	2.84	38.84	12529.75	NT
Muscatine	163E2	48	524.10	25156.91	71	0.7632					25156.91	T
Muscatine	163F	30	447.73	13431.86	71	0.7632	30	0	0.00	30.00	13431.86	NT
Muscatine	163F	30	170.39	5111.80	71	0.7632					5111.80	T
Muscatine	163G	19	1466.62	27865.71	71	0.7632	19	0	0.00	19.00	27865.71	NT
Muscatine	163G	19	116.94	2221.82	71	0.7632					2221.82	T
Muscatine	164	60	59.42	3565.19	71	0.7632	36	24	5.68	41.68	2476.81	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	164	60	521.12	31267.46	71	0.7632					31267.46	T
Muscatine	165	90	89.70	8073.02	71	0.7632	36	54	12.79	48.79	4376.23	NT
Muscatine	165	90	941.34	84720.85	71	0.7632					84720.85	T
Muscatine	173	60	80.51	4830.54	71	0.7632	36	24	5.68	41.68	3355.87	NT
Muscatine	173	60	1266.90	76014.17	71	0.7632					76014.17	T
Muscatine	174	75	129.32	9698.98	71	0.7632	36	40	9.47	45.47	5880.43	NT
Muscatine	174	75	2720.23	204017.31	71	0.7632					204017.31	T
Muscatine	174B	70	85.56	5989.31	71	0.7632	36	34	8.05	44.05	3769.09	NT
Muscatine	174B	70	886.44	62050.62	71	0.7632					62050.62	T
Muscatine	175	60	114.19	6851.55	71	0.7632	36	24	5.68	41.68	4759.91	NT
Muscatine	175	60	1454.18	87250.93	71	0.7632					87250.93	T
Muscatine	175B	56	44.56	2495.43	71	0.7632	36	20	4.74	40.74	1815.25	NT
Muscatine	175B	56	625.47	35026.56	71	0.7632					35026.56	T
Muscatine	175C	41	65.86	2700.30	71	0.7632	36	6	1.42	37.42	2464.57	NT
Muscatine	175C	41	521.74	21391.39	71	0.7632					21391.39	T
Muscatine	179D2	43	84.70	3642.19	71	0.7632	36	8	1.89	37.89	3209.73	NT
Muscatine	179D2	43	546.90	23516.81	71	0.7632					23516.81	T
Muscatine	179F	15	120.94	1814.13	71	0.7632	15	0	0.00	15.00	1814.13	NT
Muscatine	179F	15	161.46	2421.90	71	0.7632					2421.90	T
Muscatine	1926	85	47.53	4039.80	71	0.7632	36	50	11.84	47.84	2273.70	NT
Muscatine	1926	85	730.02	62051.52	71	0.7632					62051.52	T
Muscatine	208	55	4.51	248.18	71	0.7632	36	20	4.74	40.74	183.82	NT
Muscatine	208	55	9.54	524.43	71	0.7632					524.43	T
Muscatine	212	94	146.31	13753.57	71	0.7632	36	58	13.73	49.73	7276.87	NT
Muscatine	212	94	349.94	32894.44	71	0.7632					32894.44	T
Muscatine	2221	40	109.88	4395.29	71	0.7632	36	4	0.95	36.95	4059.85	NT
Muscatine	2221	40	139.38	5575.10	71	0.7632					5575.10	T
Muscatine	2226	80	73.66	5893.09	71	0.7632	36	44	10.42	46.42	3419.40	NT
Muscatine	2226	80	1773.28	141862.08	71	0.7632					141862.08	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	2490	55	252.46	13885.17	71	0.7632	36	20	4.74	40.74	10284.11	NT
Muscatine	2490	55	458.60	25222.96	71	0.7632					25222.96	T
Muscatine	249B	40	25.59	1023.53	71	0.7632	36	4	0.95	36.95	945.41	NT
Muscatine	249B	40	31.33	1253.00	71	0.7632					1253.00	T
Muscatine	2587	68	224.56	15270.20	71	0.7632	36	32	7.58	43.58	9785.86	NT
Muscatine	2587	68	3622.67	246341.31	71	0.7632					246341.31	T
Muscatine	2636	25	2403.74	60093.54	71	0.7632	25	0	0.00	25.00	60093.54	NT
Muscatine	2636	25	450.08	11251.88	71	0.7632					11251.88	T
Muscatine	291	90	263.19	23686.76	71	0.7632	36	54	12.79	48.79	12840.12	NT
Muscatine	291	90	7173.35	645601.45	71	0.7632					645601.45	T
Muscatine	291B	85	143.84	12226.47	71	0.7632	36	50	11.84	47.84	6881.34	NT
Muscatine	291B	85	2736.01	232560.80	71	0.7632					232560.80	T
Muscatine	293G	5	306.24	1531.22	71	0.7632	5	0	0.00	5.00	1531.22	NT
Muscatine	293G	5	11.19	55.96	71	0.7632					55.96	T
Muscatine	3133	80	664.25	53139.68	71	0.7632	36	44	10.42	46.42	30833.77	NT
Muscatine	3133	80	4589.39	367150.87	71	0.7632					367150.87	T
Muscatine	3134	65	69.70	4530.21	71	0.7632	36	30	7.10	43.10	3004.16	NT
Muscatine	3134	65	1320.32	85820.78	71	0.7632					85820.78	T
Muscatine	3135	80	354.25	28340.36	71	0.7632	36	44	10.42	46.42	16444.21	NT
Muscatine	3135	80	3733.22	298657.37	71	0.7632					298657.37	T
Muscatine	313G		746.16		71	0.7632			0.00	0.00	0.00	NT
Muscatine	313G		66.63		71	0.7632					0.00	T
Muscatine	315	30	3656.89	109706.60	71	0.7632	30	0	0.00	30.00	109706.60	NT
Muscatine	315	30	546.07	16382.14	71	0.7632					16382.14	T
Muscatine	352B	62	113.01	7006.68	71	0.7632	36	26	6.16	42.16	4764.18	NT
Muscatine	352B	62	844.15	52337.22	71	0.7632					52337.22	T
Muscatine	352C	48	47.08	2259.61	71	0.7632	36	12	2.84	38.84	1828.47	NT
Muscatine	352C	48	219.64	10542.85	71	0.7632					10542.85	T
Muscatine	352C2	40	65.16	2606.40	71	0.7632	36	4	0.95	36.95	2407.47	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	352C2	40	455.91	18236.43	71	0.7632					18236.43	T
Muscatine	352D2	23	102.28	2352.51	71	0.7632	23	0	0.00	23.00	2352.51	NT
Muscatine	352D2	23	303.42	6978.63	71	0.7632					6978.63	T
Muscatine	3960	78	70.59	5506.06	71	0.7632	36	42	9.95	45.95	3243.33	NT
Muscatine	3960	78	992.81	77439.20	71	0.7632					77439.20	T
Muscatine	3961	70	824.49	57714.51	71	0.7632	36	34	8.05	44.05	36319.90	NT
Muscatine	3961	70	2674.09	187186.62	71	0.7632					187186.62	T
Muscatine	41	40	699.14	27965.45	71	0.7632	36	4	0.95	36.95	25831.13	NT
Muscatine	41	40	3921.99	156879.70	71	0.7632					156879.70	T
Muscatine	4160	0	0.27	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	4160	0	1.49	0.00	71	0.7632					0.00	T
Muscatine	4162C	0	7.51	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	4162C	0	13.18	0.00	71	0.7632					0.00	T
Muscatine	4163D	0	5.83	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	4163D	0	9.36	0.00	71	0.7632					0.00	T
Muscatine	41B	40	548.78	21951.16	71	0.7632	36	4	0.95	36.95	20275.85	NT
Muscatine	41B	40	2330.21	93208.41	71	0.7632					93208.41	T
Muscatine	41C	25	0.02	0.42	71	0.7632	25	0	0.00	25.00	0.42	NT
Muscatine	41C	25	2.46	61.49	71	0.7632					61.49	T
Muscatine	41D	15	577.16	8657.41	71	0.7632	15	0	0.00	15.00	8657.41	NT
Muscatine	41D	15	1617.28	24259.24	71	0.7632					24259.24	T
Muscatine	420B	95	4.46	423.55	71	0.7632					423.55	T
Muscatine	450B	68	72.41	4923.99	71	0.7632	36	32	7.58	43.58	3155.52	NT
Muscatine	450B	68	1084.78	73764.80	71	0.7632					73764.80	T
Muscatine	450C2	46	53.71	2470.68	71	0.7632	36	10	2.37	38.37	2060.76	NT
Muscatine	450C2	46	521.28	23978.71	71	0.7632					23978.71	T
Muscatine	462B	90	0.04	3.73	71	0.7632					3.73	T
Muscatine	462C	75	0.12	9.19	71	0.7632					9.19	T
Muscatine	4636	0	0.03	0.00	71	0.7632					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	463B	85	0.02	1.35	71	0.7632					1.35	T
Muscatine	467	85	244.14	20751.84	71	0.7632	36	50	11.84	47.84	11679.63	NT
Muscatine	467	85	470.09	39958.02	71	0.7632					39958.02	T
Muscatine	467B	76	852.58	64796.41	71	0.7632	36	40	9.47	45.47	38768.72	NT
Muscatine	467B	76	2246.64	170744.66	71	0.7632					170744.66	T
Muscatine	4759	0	119.69	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	4759	0	2.88	0.00	71	0.7632					0.00	T
Muscatine	479G	5	364.26	1821.28	71	0.7632	5	0	0.00	5.00	1821.28	NT
Muscatine	479G	5	37.19	185.96	71	0.7632					185.96	T
Muscatine	480C2	63	69.94	4406.11	71	0.7632	36	28	6.63	42.63	2981.50	NT
Muscatine	480C2	63	389.72	24552.63	71	0.7632					24552.63	T
Muscatine	480D2	53	184.99	9804.57	71	0.7632	36	18	4.26	40.26	7448.22	NT
Muscatine	480D2	53	612.66	32470.85	71	0.7632					32470.85	T
Muscatine	480F2	29	509.71	14781.60	71	0.7632	29	0	0.00	29.00	14781.60	NT
Muscatine	480F2	29	312.33	9057.49	71	0.7632					9057.49	T
Muscatine	481D2	63	204.70	12896.04	71	0.7632	36	28	6.63	42.63	8726.40	NT
Muscatine	481D2	63	305.73	19261.23	71	0.7632					19261.23	T
Muscatine	481E2	53	143.01	7579.69	71	0.7632	36	18	4.26	40.26	5758.05	NT
Muscatine	481E2	53	91.83	4867.21	71	0.7632					4867.21	T
Muscatine	485	92	132.73	12211.10	71	0.7632	36	56	13.26	49.26	6538.35	NT
Muscatine	485	92	330.76	30429.87	71	0.7632					30429.87	T
Muscatine	485B	82	93.44	7662.12	71	0.7632	36	46	10.89	46.89	4381.69	NT
Muscatine	485B	82	131.04	10744.90	71	0.7632					10744.90	T
Muscatine	488C2	71	192.76	13686.28	71	0.7632	36	36	8.52	44.52	8582.80	NT
Muscatine	488C2	71	2893.23	205419.49	71	0.7632					205419.49	T
Muscatine	488C3	68	74.39	5058.49	71	0.7632	36	32	7.58	43.58	3241.72	NT
Muscatine	488C3	68	1111.28	75567.21	71	0.7632					75567.21	T
Muscatine	488D2	61	70.42	4295.58	71	0.7632	36	26	6.16	42.16	2968.65	NT
Muscatine	488D2	61	484.30	29542.55	71	0.7632					29542.55	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	488D3	58	32.36	1877.14	71	0.7632	36	22	5.21	41.21	1333.72	NT
Muscatine	488D3	58	364.10	21118.00	71	0.7632					21118.00	T
Muscatine	490	68	37.76	2567.66	71	0.7632	36	32	7.58	43.58	1645.48	NT
Muscatine	490	68	295.75	20110.95	71	0.7632					20110.95	T
Muscatine	4960	0	0.88	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	4960	0	1.53	0.00	71	0.7632					0.00	T
Muscatine	5010	0	379.98	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	5010	0	8.20	0.00	71	0.7632					0.00	T
Muscatine	5040	5	206.84	1034.21	71	0.7632	5	0	0.00	5.00	1034.21	NT
Muscatine	5040	5	246.16	1230.82	71	0.7632					1230.82	T
Muscatine	51B	65	98.25	6386.47	71	0.7632	36	30	7.10	43.10	4235.11	NT
Muscatine	51B	65	1655.65	107617.16	71	0.7632					107617.16	T
Muscatine	539	20	1877.63	37552.62	71	0.7632	20	0	0.00	20.00	37552.62	NT
Muscatine	539	20	1140.05	22801.04	71	0.7632					22801.04	T
Muscatine	566B	81	150.23	12168.53	71	0.7632	36	46	10.89	46.89	7044.65	NT
Muscatine	566B	81	796.02	64477.65	71	0.7632					64477.65	T
Muscatine	566C	65	181.78	11815.69	71	0.7632	36	30	7.10	43.10	7835.44	NT
Muscatine	566C	65	314.04	20412.35	71	0.7632					20412.35	T
Muscatine	567B	63	72.59	4572.90	71	0.7632	36	28	6.63	42.63	3094.36	NT
Muscatine	567B	63	253.79	15988.56	71	0.7632					15988.56	T
Muscatine	573	63	1.32	83.42	71	0.7632	36	28	6.63	42.63	56.45	NT
Muscatine	623C2	68	148.33	10086.40	71	0.7632	36	32	7.58	43.58	6463.84	NT
Muscatine	623C2	68	650.86	44258.61	71	0.7632					44258.61	T
Muscatine	623D2	58	160.55	9311.79	71	0.7632	36	22	5.21	41.21	6616.12	NT
Muscatine	623D2	58	606.58	35181.43	71	0.7632					35181.43	T
Muscatine	63B	40	284.15	11365.94	71	0.7632	36	4	0.95	36.95	10498.49	NT
Muscatine	63B	40	569.96	22798.59	71	0.7632					22798.59	T
Muscatine	63C	21	425.04	8925.81	71	0.7632	21	0	0.00	21.00	8925.81	NT
Muscatine	63C	21	395.39	8303.25	71	0.7632					8303.25	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	63D	11	442.88	4871.72	71	0.7632	11	0	0.00	11.00	4871.72	NT
Muscatine	63D	11	748.29	8231.15	71	0.7632					8231.15	T
Muscatine	63E	5	489.76	2448.78	71	0.7632	5	0	0.00	5.00	2448.78	NT
Muscatine	63E	5	220.71	1103.54	71	0.7632					1103.54	T
Muscatine	63G	5	791.78	3958.89	71	0.7632	5	0	0.00	5.00	3958.89	NT
Muscatine	63G	5	26.96	134.79	71	0.7632					134.79	T
Muscatine	653	51	89.96	4588.18	71	0.7632	36	16	3.79	39.79	3579.57	NT
Muscatine	653	51	3062.36	156180.27	71	0.7632					156180.27	T
Muscatine	65D2	38	130.62	4963.58	71	0.7632	36	2	0.47	36.47	4764.20	NT
Muscatine	65D2	38	315.92	12005.13	71	0.7632					12005.13	T
Muscatine	65E2	24	218.23	5237.54	71	0.7632	24	0	0.00	24.00	5237.54	NT
Muscatine	65E2	24	346.67	8320.15	71	0.7632					8320.15	T
Muscatine	65F	10	488.89	4888.89	71	0.7632	10	0	0.00	10.00	4888.89	NT
Muscatine	65F	10	197.42	1974.21	71	0.7632					1974.21	T
Muscatine	65G	5	2310.08	11550.41	71	0.7632	5	0	0.00	5.00	11550.41	NT
Muscatine	65G	5	340.43	1702.14	71	0.7632					1702.14	T
Muscatine	680G	5	2592.46	12962.28	71	0.7632	5	0	0.00	5.00	12962.28	NT
Muscatine	680G	5	174.80	874.01	71	0.7632					874.01	T
Muscatine	684	43	168.39	7240.57	71	0.7632	36	8	1.89	37.89	6380.86	NT
Muscatine	684	43	1121.61	48229.15	71	0.7632					48229.15	T
Muscatine	727	75	59.00	4425.18	71	0.7632	36	40	9.47	45.47	2682.95	NT
Muscatine	727	75	1374.81	103110.86	71	0.7632					103110.86	T
Muscatine	753B	58	153.75	8917.54	71	0.7632	36	22	5.21	41.21	6336.00	NT
Muscatine	753B	58	334.90	19424.01	71	0.7632					19424.01	T
Muscatine	753C	38	178.41	6779.58	71	0.7632	36	2	0.47	36.47	6507.26	NT
Muscatine	753C	38	98.03	3725.02	71	0.7632					3725.02	T
Muscatine	753C2	33	80.45	2654.92	71	0.7632	33	0	0.00	33.00	2654.92	NT
Muscatine	753C2	33	333.96	11020.79	71	0.7632					11020.79	T
Muscatine	753D2	18	109.00	1962.04	71	0.7632	18	0	0.00	18.00	1962.04	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	753D2	18	233.01	4194.22	71	0.7632					4194.22	T
Muscatine	759	40	486.67	19466.64	71	0.7632	36	4	0.95	36.95	17980.94	NT
Muscatine	759	40	3330.74	133229.45	71	0.7632					133229.45	T
Muscatine	759B	35	47.71	1669.98	71	0.7632	35	0	0.00	35.00	1669.98	NT
Muscatine	759B	35	163.24	5713.44	71	0.7632					5713.44	T
Muscatine	763E3	40	200.71	8028.58	71	0.7632	36	4	0.95	36.95	7415.84	NT
Muscatine	763E3	40	492.36	19694.25	71	0.7632					19694.25	T
Muscatine	763F3	21	171.04	3591.89	71	0.7632	21	0	0.00	21.00	3591.89	NT
Muscatine	763F3	21	274.17	5757.58	71	0.7632					5757.58	T
Muscatine	771C2	70	58.12	4068.63	71	0.7632	36	34	8.05	44.05	2560.40	NT
Muscatine	771C2	70	552.44	38671.14	71	0.7632					38671.14	T
Muscatine	771D2	60	50.77	3046.01	71	0.7632	36	24	5.68	41.68	2116.12	NT
Muscatine	771D2	60	284.33	17060.01	71	0.7632					17060.01	T
Muscatine	793	85	145.58	12374.01	71	0.7632	36	50	11.84	47.84	6964.38	NT
Muscatine	793	85	434.97	36972.19	71	0.7632					36972.19	T
Muscatine	8041B	40	0.04	1.59	71	0.7632	36	4	0.95	36.95	1.47	NT
Muscatine	8041B	40	1.17	46.99	71	0.7632					46.99	T
Muscatine	826	95	131.52	12494.37	71	0.7632	36	60	14.21	50.21	6603.34	NT
Muscatine	826	95	3414.26	324354.70	71	0.7632					324354.70	T
Muscatine	88	92	0.01	0.91	71	0.7632					0.91	T
Muscatine	911B	85	5.10	433.74	71	0.7632					433.74	T
Muscatine	916B	77	391.57	30151.19	71	0.7632	36	42	9.95	45.95	17991.10	NT
Muscatine	916B	77	3602.03	277356.33	71	0.7632					277356.33	T
Muscatine	916B2	75	58.85	4413.51	71	0.7632	36	40	9.47	45.47	2675.88	NT
Muscatine	916B2	75	768.06	57604.28	71	0.7632					57604.28	T
Muscatine	916C	65	98.18	6381.45	71	0.7632	36	30	7.10	43.10	4231.79	NT
Muscatine	916C	65	395.55	25711.02	71	0.7632					25711.02	T
Muscatine	916C2	62	251.33	15582.69	71	0.7632	36	26	6.16	42.16	10595.42	NT
Muscatine	916C2	62	1527.68	94716.18	71	0.7632					94716.18	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	917B	72	350.91	25265.72	71	0.7632	36	36	8.52	44.52	15624.32	NT
Muscatine	917B	72	1327.93	95610.77	71	0.7632					95610.77	T
Muscatine	917C	62	252.35	15645.90	71	0.7632	36	26	6.16	42.16	10638.41	NT
Muscatine	917C	62	460.81	28570.10	71	0.7632					28570.10	T
Muscatine	917C2	57	230.03	13111.67	71	0.7632	36	22	5.21	41.21	9479.41	NT
Muscatine	917C2	57	959.51	54692.32	71	0.7632					54692.32	T
Muscatine	917D2	37	176.30	6523.05	71	0.7632	36	2	0.47	36.47	6430.25	NT
Muscatine	917D2	37	397.20	14696.54	71	0.7632					14696.54	T
Muscatine	920B	82	374.48	30707.16	71	0.7632	36	46	10.89	46.89	17560.30	NT
Muscatine	920B	82	6797.85	557423.70	71	0.7632					557423.70	T
Muscatine	920B2	77	57.66	4439.81	71	0.7632	36	42	9.95	45.95	2649.22	NT
Muscatine	920B2	77	1768.56	136178.85	71	0.7632					136178.85	T
Muscatine	920C	62	71.84	4453.85	71	0.7632	36	26	6.16	42.16	3028.39	NT
Muscatine	920C	62	742.55	46037.83	71	0.7632					46037.83	T
Muscatine	920C2	57	79.49	4530.68	71	0.7632	36	22	5.21	41.21	3275.57	NT
Muscatine	920C2	57	1098.41	62609.62	71	0.7632					62609.62	T
Muscatine	920C3	47	5.63	264.52	71	0.7632	36	12	2.84	38.84	218.60	NT
Muscatine	920C3	47	226.40	10640.59	71	0.7632					10640.59	T
Muscatine	925	45	135.43	6094.38	71	0.7632	36	10	2.37	38.37	5196.20	NT
Muscatine	925	45	1198.43	53929.55	71	0.7632					53929.55	T
Muscatine	930	75	743.94	55795.80	71	0.7632	36	40	9.47	45.47	33828.62	NT
Muscatine	930	75	348.37	26127.86	71	0.7632					26127.86	T
Muscatine	960	62	361.94	22440.49	71	0.7632	36	26	6.16	42.16	15258.37	NT
Muscatine	960	62	298.62	18514.70	71	0.7632					18514.70	T
Muscatine	961	47	3558.99	167272.74	71	0.7632	36	12	2.84	38.84	138237.04	NT
Muscatine	961	47	1316.62	61881.30	71	0.7632					61881.30	T
Muscatine	963	72	26.54	1911.05	71	0.7632	36	36	8.52	44.52	1181.79	NT
Muscatine	963	72	164.29	11828.81	71	0.7632					11828.81	T
Muscatine	977	95	162.09	15398.49	71	0.7632	36	60	14.21	50.21	8138.18	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Muscatine	977	95	2575.53	244675.56	71	0.7632					244675.56	T
Muscatine	977B2	85	50.57	4298.76	71	0.7632	36	50	11.84	47.84	2419.44	NT
Muscatine	977B2	85	427.09	36302.72	71	0.7632					36302.72	T
Muscatine	INT	0	71.52	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	INT	0	2.04	0.00	71	0.7632					0.00	T
Muscatine	SL	0	5.88	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	W	0	1185.28	0.00	71	0.7632	0	0	0.00	0.00	0.00	NT
Muscatine	W	0	57.60	0.00	71	0.7632					0.00	T
											0.00	
											0.00	
O'Brien	1091	82	1.61	131.80	73	0.7682					131.80	T
O'Brien	133	80	3404.46	272356.52	73	0.7682	36	44	10.20	46.20	157283.17	NT
O'Brien	133	80	6950.43	556034.64	73	0.7682					556034.64	T
O'Brien	1658C	25	380.85	9521.16	73	0.7682	25	0	0.00	25.00	9521.16	NT
O'Brien	1658C	25	11.99	299.78	73	0.7682					299.78	T
O'Brien	1785	25	673.63	16840.82	73	0.7682	25	0	0.00	25.00	16840.82	NT
O'Brien	1785	25	64.95	1623.82	73	0.7682					1623.82	T
O'Brien	201B	51	0.20	10.31	73	0.7682	36	14	3.25	39.25	7.93	NT
O'Brien	202	60	11.80	707.77	73	0.7682	36	24	5.56	41.56	490.29	NT
O'Brien	202	60	234.86	14091.85	73	0.7682					14091.85	T
O'Brien	203	71	27.28	1937.07	73	0.7682	36	34	7.88	43.88	1197.19	NT
O'Brien	203	71	344.80	24480.78	73	0.7682					24480.78	T
O'Brien	259	41	29.75	1219.88	73	0.7682	36	4	0.93	36.93	1098.70	NT
O'Brien	259	41	630.83	25864.02	73	0.7682					25864.02	T
O'Brien	26	85	57.90	4921.82	73	0.7682	36	48	11.13	47.13	2728.80	NT
O'Brien	26	85	293.36	24935.31	73	0.7682					24935.31	T
O'Brien	27B	82	188.72	15475.12	73	0.7682	36	46	10.66	46.66	8806.25	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
O'Brien	27B	82	534.74	43848.40	73	0.7682					43848.40	T
O'Brien	27C	61	549.21	33501.94	73	0.7682	36	24	5.56	41.56	22827.01	NT
O'Brien	27C	61	288.11	17574.83	73	0.7682					17574.83	T
O'Brien	282	78	79.62	6210.61	73	0.7682	36	42	9.74	45.74	3641.62	NT
O'Brien	282	78	4283.63	334122.81	73	0.7682					334122.81	T
O'Brien	309B	56	0.12	6.81	73	0.7682					6.81	T
O'Brien	31	75	1699.95	127496.61	73	0.7682	36	38	8.81	44.81	76172.26	NT
O'Brien	31	75	8202.14	615160.61	73	0.7682					615160.61	T
O'Brien	310	79	479.17	37854.73	73	0.7682	36	42	9.74	45.74	21915.30	NT
O'Brien	310	79	10617.72	838799.61	73	0.7682					838799.61	T
O'Brien	310B	71	5067.67	359804.65	73	0.7682	36	34	7.88	43.88	222375.49	NT
O'Brien	310B	71	89856.96	6379843.88	73	0.7682					6379843.88	T
O'Brien	310C2	56	68.21	3820.04	73	0.7682	36	20	4.64	40.64	2771.98	NT
O'Brien	310C2	56	575.26	32214.79	73	0.7682					32214.79	T
O'Brien	311	70	303.80	21265.95	73	0.7682	36	34	7.88	43.88	13331.08	NT
O'Brien	311	70	5562.57	389380.03	73	0.7682					389380.03	T
O'Brien	311B	65	108.34	7042.03	73	0.7682	36	28	6.49	42.49	4603.36	NT
O'Brien	311B	65	1048.81	68172.77	73	0.7682					68172.77	T
O'Brien	32	77	80.34	6186.26	73	0.7682	36	40	9.27	45.27	3637.20	NT
O'Brien	32	77	745.22	57382.07	73	0.7682					57382.07	T
O'Brien	34B	15	0.00	0.01	73	0.7682	15	0	0.00	15.00	0.01	NT
O'Brien	34B	15	0.00	0.04	73	0.7682					0.04	T
O'Brien	376F	16	0.30	4.88	73	0.7682	16	0	0.00	16.00	4.88	NT
O'Brien	433D	36	297.76	10719.48	73	0.7682	36	0	0.00	36.00	10719.48	NT
O'Brien	433D	36	407.69	14676.83	73	0.7682					14676.83	T
O'Brien	433E	25	226.38	5659.52	73	0.7682	25	0	0.00	25.00	5659.52	NT
O'Brien	433E	25	132.81	3320.15	73	0.7682					3320.15	T
O'Brien	433F	5	1005.93	5029.65	73	0.7682	5	0	0.00	5.00	5029.65	NT
O'Brien	433F	5	134.97	674.85	73	0.7682					674.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
O'Brien	433G	5	3597.08	17985.38	73	0.7682	5	0	0.00	5.00	17985.38	NT
O'Brien	433G	5	165.09	825.45	73	0.7682					825.45	T
O'Brien	474B	40	42.09	1683.60	73	0.7682	36	4	0.93	36.93	1554.27	NT
O'Brien	474B	40	173.74	6949.45	73	0.7682					6949.45	T
O'Brien	474C	31	139.56	4326.25	73	0.7682	31	0	0.00	31.00	4326.25	NT
O'Brien	474C	31	119.76	3712.48	73	0.7682					3712.48	T
O'Brien	485	92	320.78	29512.11	73	0.7682	36	56	12.98	48.98	15712.25	NT
O'Brien	485	92	705.27	64884.58	73	0.7682					64884.58	T
O'Brien	5010	0	239.01	0.00	73	0.7682	0	0	0.00	0.00	0.00	NT
O'Brien	5010	0	70.76	0.00	73	0.7682					0.00	T
O'Brien	5040	5	283.41	1417.04	73	0.7682	5	0	0.00	5.00	1417.04	NT
O'Brien	5040	5	180.27	901.36	73	0.7682					901.36	T
O'Brien	505	51	7.28	371.38	73	0.7682	36	14	3.25	39.25	285.78	NT
O'Brien	505	51	190.96	9738.74	73	0.7682					9738.74	T
O'Brien	577C2	67	40.75	2730.07	73	0.7682	36	30	6.95	42.95	1750.26	NT
O'Brien	577C2	67	179.54	12028.90	73	0.7682					12028.90	T
O'Brien	577D	39	134.68	5252.36	73	0.7682	36	2	0.46	36.46	4910.76	NT
O'Brien	577D	39	204.29	7967.36	73	0.7682					7967.36	T
O'Brien	577D2	37	0.04	1.61	73	0.7682					1.61	T
O'Brien	639G	5	210.54	1052.72	73	0.7682	5	0	0.00	5.00	1052.72	NT
O'Brien	639G	5	16.55	82.73	73	0.7682					82.73	T
O'Brien	708B	49	97.46	4775.64	73	0.7682	36	12	2.78	38.78	3779.74	NT
O'Brien	708B	49	670.89	32873.84	73	0.7682					32873.84	T
O'Brien	708C2	30	62.85	1885.51	73	0.7682	30	0	0.00	30.00	1885.51	NT
O'Brien	708C2	30	394.59	11837.68	73	0.7682					11837.68	T
O'Brien	709	63	28.79	1814.04	73	0.7682	36	26	6.03	42.03	1210.13	NT
O'Brien	709	63	210.89	13285.93	73	0.7682					13285.93	T
O'Brien	709B	63	97.31	6130.45	73	0.7682	36	26	6.03	42.03	4089.57	NT
O'Brien	709B	63	998.58	62910.28	73	0.7682					62910.28	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
O'Brien	72B	34	95.36	3242.08	73	0.7682	34	0	0.00	34.00	3242.08	NT
O'Brien	72B	34	387.86	13187.25	73	0.7682					13187.25	T
O'Brien	72D	12	129.19	1550.32	73	0.7682	12	0	0.00	12.00	1550.32	NT
O'Brien	72D	12	311.40	3736.84	73	0.7682					3736.84	T
O'Brien	733	64	2141.49	137055.05	73	0.7682	36	28	6.49	42.49	90992.56	NT
O'Brien	733	64	5003.73	320238.65	73	0.7682					320238.65	T
O'Brien	735	57	0.04	2.34	73	0.7682	36	20	4.64	40.64	1.67	NT
O'Brien	735	57	0.08	4.59	73	0.7682					4.59	T
O'Brien	73E	5	85.54	427.70	73	0.7682	5	0	0.00	5.00	427.70	NT
O'Brien	73E	5	61.26	306.28	73	0.7682					306.28	T
O'Brien	73F	5	186.09	930.47	73	0.7682	5	0	0.00	5.00	930.47	NT
O'Brien	73F	5	30.95	154.74	73	0.7682					154.74	T
O'Brien	77B	76	1869.19	142058.55	73	0.7682	36	40	9.27	45.27	84622.04	NT
O'Brien	77B	76	37577.24	2855870.00	73	0.7682					2855870.00	T
O'Brien	77B2	67	7.86	526.38	73	0.7682					526.38	T
O'Brien	77C2	53	622.32	32983.02	73	0.7682	36	16	3.71	39.71	24711.62	NT
O'Brien	77C2	53	2871.84	152207.67	73	0.7682					152207.67	T
O'Brien	785	68	1631.67	110953.85	73	0.7682	36	32	7.42	43.42	70843.38	NT
O'Brien	785	68	1835.25	124796.84	73	0.7682					124796.84	T
O'Brien	878B	74	87.39	6466.89	73	0.7682	36	38	8.81	44.81	3915.83	NT
O'Brien	878B	74	354.84	26258.43	73	0.7682					26258.43	T
O'Brien	89B	68	19.15	1302.25	73	0.7682	36	32	7.42	43.42	831.48	NT
O'Brien	89B	68	671.09	45633.94	73	0.7682					45633.94	T
O'Brien	89C2	51	8.88	452.94	73	0.7682	36	14	3.25	39.25	348.55	NT
O'Brien	89C2	51	211.25	10773.84	73	0.7682					10773.84	T
O'Brien	91	84	1246.62	104716.00	73	0.7682	36	48	11.13	47.13	58748.67	NT
O'Brien	91	84	58186.87	4887696.87	73	0.7682					4887696.87	T
O'Brien	91B	81	812.72	65830.53	73	0.7682	36	44	10.20	46.20	37547.13	NT
O'Brien	91B	81	33933.47	2748611.43	73	0.7682					2748611.43	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
O'Brien	92	79	1254.17	99079.15	73	0.7682	36	42	9.74	45.74	57360.06	NT
O'Brien	92	79	41712.94	3295322.02	73	0.7682					3295322.02	T
O'Brien	928	78	0.09	7.29	73	0.7682	36	42	9.74	45.74	4.28	NT
O'Brien	928	78	0.76	59.55	73	0.7682					59.55	T
O'Brien	AW	0	20.40	0.00	73	0.7682	0	0	0.00	0.00	0.00	NT
O'Brien	AW	0	0.04	0.00	73	0.7682					0.00	T
O'Brien	INT	0	3.01	0.00	73	0.7682	0	0	0.00	0.00	0.00	NT
O'Brien	INT	0	0.04	0.00	73	0.7682					0.00	T
O'Brien	SL	0	26.03	0.00	73	0.7682	0	0	0.00	0.00	0.00	NT
O'Brien	W	0	282.00	0.00	73	0.7682	0	0	0.00	0.00	0.00	NT
O'Brien	W	0	1.44	0.00	73	0.7682					0.00	T
											0.00	
											0.00	
Osceola	107	70	444.62	31123.56	68	0.7737	34	36	8.15	42.15	18739.41	NT
Osceola	107	70	8833.50	618344.88	68	0.7737					618344.88	T
Osceola	108	52	139.29	7242.98	68	0.7737	34	18	4.07	38.07	5303.17	NT
Osceola	108	52	2358.33	122633.41	68	0.7737					122633.41	T
Osceola	108B	47	56.71	2665.32	68	0.7737	34	13	2.94	36.94	2094.93	NT
Osceola	108B	47	879.40	41331.67	68	0.7737					41331.67	T
Osceola	108B2	38	23.52	893.76	68	0.7737	34	4	0.91	34.91	820.97	NT
Osceola	108B2	38	168.80	6414.56	68	0.7737					6414.56	T
Osceola	135	78	1363.13	106324.01	68	0.7737	34	44	9.96	43.96	59919.30	NT
Osceola	135	78	3881.18	302732.41	68	0.7737					302732.41	T
Osceola	138B	73	1321.64	96479.66	68	0.7737	34	39	8.83	42.83	56600.12	NT
Osceola	138B	73	18632.68	1360185.48	68	0.7737					1360185.48	T
Osceola	138B2	78	98.80	7706.04	68	0.7737	34	44	9.96	43.96	4342.77	NT
Osceola	138B2	78	3560.73	277737.14	68	0.7737					277737.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Osceola	138C	67	126.24	8457.78	68	0.7737	34	33	7.47	41.47	5234.72	NT
Osceola	138C	67	1518.18	101717.76	68	0.7737					101717.76	T
Osceola	138C2	59	220.08	12984.82	68	0.7737	34	25	5.66	39.66	8727.89	NT
Osceola	138C2	59	4990.87	294461.31	68	0.7737					294461.31	T
Osceola	138D2	56	91.39	5118.08	68	0.7737	34	22	4.98	38.98	3562.42	NT
Osceola	138D2	56	1031.48	57762.75	68	0.7737					57762.75	T
Osceola	201B	51	197.86	10091.06	68	0.7737	34	17	3.85	37.85	7488.57	NT
Osceola	201B	51	195.66	9978.50	68	0.7737					9978.50	T
Osceola	202	60	21.63	1297.86	68	0.7737	34	26	5.88	39.88	862.72	NT
Osceola	202	60	976.69	58601.28	68	0.7737					58601.28	T
Osceola	203	71	106.56	7565.49	68	0.7737	34	37	8.37	42.37	4515.12	NT
Osceola	203	71	2371.60	168383.80	68	0.7737					168383.80	T
Osceola	2573	62	17.05	1057.07	68	0.7737	34	28	6.34	40.34	687.71	NT
Osceola	2573	62	475.60	29487.31	68	0.7737					29487.31	T
Osceola	259	41	50.79	2082.36	68	0.7737	34	7	1.58	35.58	1807.29	NT
Osceola	259	41	1366.22	56014.92	68	0.7737					56014.92	T
Osceola	272	52	10.63	552.77	68	0.7737	34	18	4.07	38.07	404.72	NT
Osceola	272	52	247.01	12844.74	68	0.7737					12844.74	T
Osceola	272B	47	68.97	3241.77	68	0.7737	34	13	2.94	36.94	2548.03	NT
Osceola	272B	47	918.20	43155.41	68	0.7737					43155.41	T
Osceola	272C2	42	48.36	2030.99	68	0.7737	34	8	1.81	35.81	1731.68	NT
Osceola	272C2	42	396.27	16643.34	68	0.7737					16643.34	T
Osceola	274	39	4.22	164.60	68	0.7737	34	5	1.13	35.13	148.27	NT
Osceola	274	39	308.00	12012.19	68	0.7737					12012.19	T
Osceola	27B	82	34.23	2807.18	68	0.7737	34	48	10.86	44.86	1535.81	NT
Osceola	27B	82	423.13	34696.48	68	0.7737					34696.48	T
Osceola	282	78	113.90	8884.53	68	0.7737	34	44	9.96	43.96	5006.91	NT
Osceola	282	78	5081.85	396384.37	68	0.7737					396384.37	T
Osceola	28B	14	72.83	1019.66	68	0.7737	14	0	0.00	14.00	1019.66	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Osceola	28B	14	687.11	9619.59	68	0.7737					9619.59	T
Osceola	28B2	34	4.51	153.50	68	0.7737	34	0	0.00	34.00	153.50	NT
Osceola	28B2	34	224.06	7617.88	68	0.7737					7617.88	T
Osceola	308	43	50.41	2167.50	68	0.7737	34	9	2.04	36.04	1816.50	NT
Osceola	308	43	839.56	36101.17	68	0.7737					36101.17	T
Osceola	308B	36	33.48	1205.36	68	0.7737	34	2	0.45	34.45	1153.55	NT
Osceola	308B	36	301.44	10851.69	68	0.7737					10851.69	T
Osceola	309	61	51.45	3138.73	68	0.7737	34	27	6.11	40.11	2063.85	NT
Osceola	309	61	1071.00	65330.82	68	0.7737					65330.82	T
Osceola	309B	56	23.32	1305.72	68	0.7737	34	22	4.98	38.98	908.84	NT
Osceola	309B	56	430.36	24099.95	68	0.7737					24099.95	T
Osceola	31	75	79.19	5938.99	68	0.7737	34	41	9.28	43.28	3427.06	NT
Osceola	31	75	495.59	37169.24	68	0.7737					37169.24	T
Osceola	310	79	195.05	15408.69	68	0.7737	34	45	10.18	44.18	8617.85	NT
Osceola	310	79	2696.70	213039.58	68	0.7737					213039.58	T
Osceola	310B	71	235.66	16732.06	68	0.7737	34	37	8.37	42.37	9985.76	NT
Osceola	310B	71	3931.75	279154.27	68	0.7737					279154.27	T
Osceola	311	70	123.42	8639.33	68	0.7737	34	36	8.15	42.15	5201.72	NT
Osceola	311	70	2534.21	177394.68	68	0.7737					177394.68	T
Osceola	311B	65	38.94	2530.93	68	0.7737	34	31	7.02	41.02	1597.03	NT
Osceola	311B	65	865.28	56243.18	68	0.7737					56243.18	T
Osceola	32	77	312.12	24033.21	68	0.7737	34	43	9.73	43.73	13649.27	NT
Osceola	32	77	2234.54	172059.32	68	0.7737					172059.32	T
Osceola	354	5	353.70	1768.52	68	0.7737	5	0	0.00	5.00	1768.52	NT
Osceola	354	5	33.47	167.34	68	0.7737					167.34	T
Osceola	384	67	49.05	3286.05	68	0.7737	34	33	7.47	41.47	2033.82	NT
Osceola	384	67	2721.90	182367.40	68	0.7737					182367.40	T
Osceola	387B	73	18.56	1354.98	68	0.7737	34	39	8.83	42.83	794.90	NT
Osceola	387B	73	566.98	41389.45	68	0.7737					41389.45	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Osceola	390	59	35.81	2112.56	68	0.7737	34	25	5.66	39.66	1419.98	NT
Osceola	390	59	2612.83	154156.71	68	0.7737					154156.71	T
Osceola	396	72	594.28	42787.80	68	0.7737	34	38	8.60	42.60	25315.76	NT
Osceola	396	72	5173.52	372493.74	68	0.7737					372493.74	T
Osceola	397	72	221.37	15938.85	68	0.7737	34	38	8.60	42.60	9430.35	NT
Osceola	397	72	5439.28	391628.38	68	0.7737					391628.38	T
Osceola	4	41	35.06	1437.43	68	0.7737	34	7	1.58	35.58	1247.55	NT
Osceola	4	41	1263.53	51804.64	68	0.7737					51804.64	T
Osceola	433D2	18	76.91	1384.36	68	0.7737	18	0	0.00	18.00	1384.36	NT
Osceola	433D2	18	302.10	5437.80	68	0.7737					5437.80	T
Osceola	433E2	8	122.89	983.11	68	0.7737	8	0	0.00	8.00	983.11	NT
Osceola	433E2	8	200.04	1600.35	68	0.7737					1600.35	T
Osceola	433G	5	173.04	865.22	68	0.7737	5	0	0.00	5.00	865.22	NT
Osceola	433G	5	60.17	300.86	68	0.7737					300.86	T
Osceola	456	73	450.46	32883.44	68	0.7737	34	39	8.83	42.83	19291.18	NT
Osceola	456	73	19216.09	1402774.25	68	0.7737					1402774.25	T
Osceola	48	41	23.60	967.66	68	0.7737	34	7	1.58	35.58	839.83	NT
Osceola	48	41	515.91	21152.40	68	0.7737					21152.40	T
Osceola	5010	0	235.34	0.00	68	0.7737	0	0	0.00	0.00	0.00	NT
Osceola	5010	0	108.18	0.00	68	0.7737					0.00	T
Osceola	5040	5	97.52	487.60	68	0.7737	5	0	0.00	5.00	487.60	NT
Osceola	5040	5	214.47	1072.34	68	0.7737					1072.34	T
Osceola	507	71	308.28	21887.53	68	0.7737	34	37	8.37	42.37	13062.57	NT
Osceola	507	71	5540.03	393341.86	68	0.7737					393341.86	T
Osceola	55	73	689.31	50319.65	68	0.7737	34	39	8.83	42.83	29520.19	NT
Osceola	55	73	19549.57	1427118.44	68	0.7737					1427118.44	T
Osceola	559	40	45.59	1823.65	68	0.7737	34	6	1.36	35.36	1612.01	NT
Osceola	559	40	1037.69	41507.42	68	0.7737					41507.42	T
Osceola	577	78	287.41	22418.10	68	0.7737	34	44	9.96	43.96	12633.81	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Osceola	577	78	5116.45	399082.91	68	0.7737					399082.91	T
Osceola	577B	73	983.67	71807.58	68	0.7737	34	39	8.83	42.83	42126.16	NT
Osceola	577B	73	15596.40	1138537.52	68	0.7737					1138537.52	T
Osceola	577B2	59	14.64	863.99	68	0.7737	34	25	5.66	39.66	580.74	NT
Osceola	577B2	59	1118.51	65992.27	68	0.7737					65992.27	T
Osceola	577C	53	42.50	2252.64	68	0.7737	34	19	4.30	38.30	1627.84	NT
Osceola	577C	53	323.87	17164.89	68	0.7737					17164.89	T
Osceola	577C2	67	67.71	4536.27	68	0.7737	34	33	7.47	41.47	2807.61	NT
Osceola	577C2	67	879.85	58949.62	68	0.7737					58949.62	T
Osceola	577D2	37	71.84	2657.97	68	0.7737	34	3	0.68	34.68	2491.23	NT
Osceola	577D2	37	217.60	8051.34	68	0.7737					8051.34	T
Osceola	6	43	32.21	1385.16	68	0.7737	34	9	2.04	36.04	1160.85	NT
Osceola	6	43	1763.15	75815.47	68	0.7737					75815.47	T
Osceola	62C2	53	11.77	623.66	68	0.7737	34	19	4.30	38.30	450.68	NT
Osceola	62C2	53	277.91	14729.07	68	0.7737					14729.07	T
Osceola	62D2	38	85.65	3254.54	68	0.7737	34	4	0.91	34.91	2989.48	NT
Osceola	62D2	38	535.23	20338.83	68	0.7737					20338.83	T
Osceola	62E2	28	85.36	2389.97	68	0.7737	28	0	0.00	28.00	2389.97	NT
Osceola	62E2	28	196.88	5512.56	68	0.7737					5512.56	T
Osceola	62G	5	317.21	1586.04	68	0.7737	5	0	0.00	5.00	1586.04	NT
Osceola	62G	5	86.81	434.03	68	0.7737					434.03	T
Osceola	638C2	52	24.55	1276.40	68	0.7737	34	18	4.07	38.07	934.55	NT
Osceola	638C2	52	556.59	28942.61	68	0.7737					28942.61	T
Osceola	638D2	45	65.90	2965.43	68	0.7737	34	11	2.49	36.49	2404.59	NT
Osceola	638D2	45	609.69	27435.98	68	0.7737					27435.98	T
Osceola	638E2	34	79.27	2695.27	68	0.7737	34	0	0.00	34.00	2695.27	NT
Osceola	638E2	34	125.85	4278.93	68	0.7737					4278.93	T
Osceola	655	71	6.72	476.81	68	0.7737	34	37	8.37	42.37	284.56	NT
Osceola	655	71	401.62	28515.14	68	0.7737					28515.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Osceola	735	57	2474.25	141032.24	68	0.7737	34	23	5.20	39.20	97002.71	NT
Osceola	735	57	4887.14	278566.80	68	0.7737					278566.80	T
Osceola	744	59	1.18	69.35	68	0.7737	34	25	5.66	39.66	46.62	NT
Osceola	744	59	341.69	20159.48	68	0.7737					20159.48	T
Osceola	77	82	257.62	21124.45	68	0.7737	34	48	10.86	44.86	11557.24	NT
Osceola	77	82	3781.88	310113.76	68	0.7737					310113.76	T
Osceola	77B	76	777.94	59123.24	68	0.7737	34	42	9.50	43.50	33843.85	NT
Osceola	77B	76	14314.22	1087880.41	68	0.7737					1087880.41	T
Osceola	77B2	67	33.88	2270.09	68	0.7737	34	33	7.47	41.47	1405.01	NT
Osceola	77B2	67	2193.97	146996.29	68	0.7737					146996.29	T
Osceola	77C2	53	7.15	379.00	68	0.7737	34	19	4.30	38.30	273.88	NT
Osceola	77C2	53	198.53	10522.35	68	0.7737					10522.35	T
Osceola	878B	74	35.81	2650.25	68	0.7737	34	40	9.05	43.05	1541.87	NT
Osceola	878B	74	968.10	71639.73	68	0.7737					71639.73	T
Osceola	879	73	15.48	1129.91	68	0.7737	34	39	8.83	42.83	662.87	NT
Osceola	879	73	651.22	47539.36	68	0.7737					47539.36	T
Osceola	90	42	27.47	1153.60	68	0.7737	34	8	1.81	35.81	983.59	NT
Osceola	90	42	391.12	16427.10	68	0.7737					16427.10	T
Osceola	91	84	471.96	39645.04	68	0.7737	34	50	11.32	45.32	21387.08	NT
Osceola	91	84	19622.54	1648293.10	68	0.7737					1648293.10	T
Osceola	91B	81	44.30	3588.59	68	0.7737	34	47	10.64	44.64	1977.54	NT
Osceola	91B	81	2347.90	190180.11	68	0.7737					190180.11	T
Osceola	92	79	259.57	20505.99	68	0.7737	34	45	10.18	44.18	11468.69	NT
Osceola	92	79	9744.21	769792.60	68	0.7737					769792.60	T
Osceola	95	57	1.63	92.82	68	0.7737	34	23	5.20	39.20	63.84	NT
Osceola	95	57	327.36	18659.32	68	0.7737					18659.32	T
Osceola	AW	0	32.13	0.00	68	0.7737	0	0	0.00	0.00	0.00	NT
Osceola	AW	0	0.38	0.00	68	0.7737					0.00	T
Osceola	BW	0	0.59	0.00	68	0.7737	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Osceola	BW	0	2.84	0.00	68	0.7737					0.00	T
Osceola	SL	0	6.25	0.00	68	0.7737	0	0	0.00	0.00	0.00	NT
Osceola	W	0	350.07	0.00	68	0.7737	0	0	0.00	0.00	0.00	NT
Osceola	W	0	6.75	0.00	68	0.7737					0.00	T
											0.00	
											0.00	
Page	11B	68	22756.28	1547427.24	64	0.7459	32	36	9.15	41.15	936366.43	NT
Page	11B	68	39460.50	2683314.03	64	0.7459					2683314.03	T
Page	1220	25	0.00	0.07	64	0.7459	25	0	0.00	25.00	0.07	NT
Page	1220	25	1.60	39.98	64	0.7459					39.98	T
Page	1299	95	0.05	4.41	64	0.7459					4.41	T
Page	133	80	1208.04	96642.92	64	0.7459	32	48	12.20	44.20	53391.35	NT
Page	133	80	6413.66	513092.65	64	0.7459					513092.65	T
Page	133+	85	606.97	51592.66	64	0.7459	32	53	13.47	45.47	27597.40	NT
Page	133+	85	3797.18	322760.07	64	0.7459					322760.07	T
Page	1368	95	0.24	22.80	64	0.7459					22.80	T
Page	172	45	242.05	10892.12	64	0.7459	32	13	3.30	35.30	8545.07	NT
Page	172	45	1849.27	83216.96	64	0.7459					83216.96	T
Page	179D	45	918.05	41312.35	64	0.7459	32	13	3.30	35.30	32410.27	NT
Page	179D	45	301.00	13545.04	64	0.7459					13545.04	T
Page	179D2	43	988.22	42493.45	64	0.7459	32	11	2.80	34.80	34385.20	NT
Page	179D2	43	450.19	19358.08	64	0.7459					19358.08	T
Page	179E2	33	1197.76	39526.21	64	0.7459	32	1	0.25	32.25	38632.79	NT
Page	179E2	33	137.03	4522.10	64	0.7459					4522.10	T
Page	179F2	14	990.58	13868.15	64	0.7459	14	0	0.00	14.00	13868.15	NT
Page	179F2	14	26.05	364.74	64	0.7459					364.74	T
Page	179G2	5	625.21	3126.05	64	0.7459	5	0	0.00	5.00	3126.05	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Page	179G2	5	16.80	84.01	64	0.7459					84.01	T
Page	192C	35	141.79	4962.68	64	0.7459	32	3	0.76	32.76	4645.40	NT
Page	192C	35	371.39	12998.50	64	0.7459					12998.50	T
Page	192C2	30	121.75	3652.40	64	0.7459	30	0	0.00	30.00	3652.40	NT
Page	192C2	30	648.72	19461.69	64	0.7459					19461.69	T
Page	192D	20	1714.32	34286.34	64	0.7459	20	0	0.00	20.00	34286.34	NT
Page	192D	20	4853.97	97079.31	64	0.7459					97079.31	T
Page	192D2	15	1957.31	29359.68	64	0.7459	15	0	0.00	15.00	29359.68	NT
Page	192D2	15	9073.32	136099.83	64	0.7459					136099.83	T
Page	212	94	1918.58	180346.20	64	0.7459	32	62	15.75	47.75	91620.09	NT
Page	212	94	7693.78	723215.71	64	0.7459					723215.71	T
Page	220	85	2529.53	215009.83	64	0.7459	32	53	13.47	45.47	115010.78	NT
Page	220	85	7301.95	620665.60	64	0.7459					620665.60	T
Page	248	60	337.86	20271.54	64	0.7459	32	28	7.11	39.11	13215.29	NT
Page	248	60	3054.44	183266.37	64	0.7459					183266.37	T
Page	248+	65	63.47	4125.28	64	0.7459	32	33	8.39	40.39	2563.09	NT
Page	248+	65	799.29	51954.08	64	0.7459					51954.08	T
Page	24D	50	2657.59	132879.30	64	0.7459	32	18	4.57	36.57	97198.02	NT
Page	24D	50	4380.27	219013.35	64	0.7459					219013.35	T
Page	24D2	48	2114.68	101504.85	64	0.7459	32	16	4.07	36.07	76267.36	NT
Page	24D2	48	5132.39	246354.69	64	0.7459					246354.69	T
Page	24E	40	996.87	39874.67	64	0.7459	32	8	2.03	34.03	33926.17	NT
Page	24E	40	588.07	23522.86	64	0.7459					23522.86	T
Page	24E2	38	599.57	22783.56	64	0.7459	32	6	1.52	33.52	20100.25	NT
Page	24E2	38	418.19	15891.15	64	0.7459					15891.15	T
Page	24F2	18	259.94	4678.83	64	0.7459	18	0	0.00	18.00	4678.83	NT
Page	24F2	18	50.61	910.91	64	0.7459					910.91	T
Page	273B	72	164.52	11845.63	64	0.7459	32	40	10.16	42.16	6936.93	NT
Page	273B	72	393.22	28312.00	64	0.7459					28312.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Page	273C	57	115.69	6594.50	64	0.7459	32	25	6.35	38.35	4437.12	NT
Page	273C	57	220.10	12545.76	64	0.7459					12545.76	T
Page	286B	65	21.23	1380.21	64	0.7459	32	33	8.39	40.39	857.54	NT
Page	286B	65	2.25	146.45	64	0.7459					146.45	T
Page	370	92	1.00	92.22	64	0.7459	32	60	15.25	47.25	47.36	NT
Page	370	92	40.92	3764.20	64	0.7459					3764.20	T
Page	370B	87	1390.82	121001.44	64	0.7459	32	55	13.98	45.98	63943.70	NT
Page	370B	87	12421.91	1080706.32	64	0.7459					1080706.32	T
Page	370B2	81	208.42	16882.15	64	0.7459	32	49	12.45	44.45	9264.53	NT
Page	370B2	81	1239.86	100428.63	64	0.7459					100428.63	T
Page	370C	72	1457.17	104916.12	64	0.7459	32	40	10.16	42.16	61440.04	NT
Page	370C	72	8547.95	615452.16	64	0.7459					615452.16	T
Page	370C2	67	1260.18	84432.32	64	0.7459	32	35	8.89	40.89	51533.33	NT
Page	370C2	67	9006.60	603442.39	64	0.7459					603442.39	T
Page	370D	62	2121.59	131538.83	64	0.7459	32	30	7.62	39.62	84063.92	NT
Page	370D	62	9472.09	587269.53	64	0.7459					587269.53	T
Page	370D2	57	2293.37	130721.95	64	0.7459	32	25	6.35	38.35	87956.38	NT
Page	370D2	57	18925.66	1078762.84	64	0.7459					1078762.84	T
Page	41D	15	119.12	1786.81	64	0.7459	15	0	0.00	15.00	1786.81	NT
Page	41D	15	75.14	1127.17	64	0.7459					1127.17	T
Page	43	80	58.41	4672.88	64	0.7459	32	48	12.20	44.20	2581.58	NT
Page	43	80	1138.69	91095.37	64	0.7459					91095.37	T
Page	5010	0	220.67	0.00	64	0.7459	0	0	0.00	0.00	0.00	NT
Page	5010	0	116.27	0.00	64	0.7459					0.00	T
Page	5020	0	14.05	0.00	64	0.7459	0	0	0.00	0.00	0.00	NT
Page	5020	0	4.78	0.00	64	0.7459					0.00	T
Page	5040	5	8.26	41.28	64	0.7459	5	0	0.00	5.00	41.28	NT
Page	5040	5	7.07	35.37	64	0.7459					35.37	T
Page	509	90	0.01	0.95	64	0.7459					0.95	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Page	509B	84	0.07	6.29	64	0.7459					6.29	T
Page	54	70	302.72	21190.70	64	0.7459	32	38	9.66	41.66	12610.22	NT
Page	54	70	4271.62	299013.58	64	0.7459					299013.58	T
Page	54+	75	28.53	2139.48	64	0.7459	32	43	10.93	42.93	1224.53	NT
Page	54+	75	550.07	41255.36	64	0.7459					41255.36	T
Page	570C	69	0.22	15.51	64	0.7459	32	37	9.40	41.40	9.31	NT
Page	592D	10	2.46	24.64	64	0.7459	10	0	0.00	10.00	24.64	NT
Page	592D2	5	3.25	16.23	64	0.7459	5	0	0.00	5.00	16.23	NT
Page	592D2	5	0.01	0.05	64	0.7459					0.05	T
Page	692C2	26	80.01	2080.28	64	0.7459	26	0	0.00	26.00	2080.28	NT
Page	692C2	26	402.34	10460.74	64	0.7459					10460.74	T
Page	692D	15	184.10	2761.47	64	0.7459	15	0	0.00	15.00	2761.47	NT
Page	692D	15	596.53	8947.90	64	0.7459					8947.90	T
Page	692D2	10	280.21	2802.09	64	0.7459	10	0	0.00	10.00	2802.09	NT
Page	692D2	10	1817.09	18170.85	64	0.7459					18170.85	T
Page	715	5	177.64	888.21	64	0.7459	5	0	0.00	5.00	888.21	NT
Page	715	5	33.30	166.52	64	0.7459					166.52	T
Page	751C	60	108.20	6491.74	64	0.7459	32	28	7.11	39.11	4232.05	NT
Page	751C	60	253.18	15190.64	64	0.7459					15190.64	T
Page	751C2	58	58.86	3413.89	64	0.7459	32	26	6.61	38.61	2272.39	NT
Page	751C2	58	412.94	23950.31	64	0.7459					23950.31	T
Page	751D	50	114.45	5722.48	64	0.7459	32	18	4.57	36.57	4185.85	NT
Page	751D	50	351.12	17555.80	64	0.7459					17555.80	T
Page	751D2	45	80.39	3617.46	64	0.7459	32	13	3.30	35.30	2837.97	NT
Page	751D2	45	717.63	32293.53	64	0.7459					32293.53	T
Page	76B	82	213.03	17468.83	64	0.7459	32	50	12.71	44.71	9523.71	NT
Page	76B	82	189.65	15551.28	64	0.7459					15551.28	T
Page	76C	70	272.17	19052.00	64	0.7459	32	38	9.66	41.66	11337.52	NT
Page	76C	70	274.03	19182.25	64	0.7459					19182.25	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Page	76C2	67	332.03	22245.91	64	0.7459	32	35	8.89	40.89	13577.81	NT
Page	76C2	67	312.08	20909.40	64	0.7459					20909.40	T
Page	76D	60	525.11	31506.82	64	0.7459	32	28	7.11	39.11	20539.72	NT
Page	76D	60	236.09	14165.47	64	0.7459					14165.47	T
Page	76D2	52	859.25	44680.99	64	0.7459	32	20	5.08	37.08	31862.70	NT
Page	76D2	52	613.26	31889.49	64	0.7459					31889.49	T
Page	792C2	26	0.52	13.46	64	0.7459	26	0	0.00	26.00	13.46	NT
Page	822D	20	0.05	1.01	64	0.7459	20	0	0.00	20.00	1.01	NT
Page	870B	87	0.40	34.67	64	0.7459					34.67	T
Page	870C2	67	0.03	2.27	64	0.7459					2.27	T
Page	88	92	117.85	10842.54	64	0.7459	32	60	15.25	47.25	5568.11	NT
Page	88	92	2289.33	210618.04	64	0.7459					210618.04	T
Page	8B	90	1165.53	104897.65	64	0.7459	32	58	14.74	46.74	54474.28	NT
Page	8B	90	5807.24	522651.27	64	0.7459					522651.27	T
Page	93D	30	239.28	7178.42	64	0.7459	30	0	0.00	30.00	7178.42	NT
Page	93D	30	612.90	18387.11	64	0.7459					18387.11	T
Page	93D2	33	351.01	11583.33	64	0.7459	32	1	0.25	32.25	11321.51	NT
Page	93D2	33	1120.59	36979.49	64	0.7459					36979.49	T
Page	93E2	23	134.32	3089.28	64	0.7459	23	0	0.00	23.00	3089.28	NT
Page	93E2	23	86.93	1999.28	64	0.7459					1999.28	T
Page	99C	65	342.48	22261.38	64	0.7459	32	33	8.39	40.39	13831.27	NT
Page	99C	65	2667.51	173388.07	64	0.7459					173388.07	T
Page	99C2	61	442.37	26984.53	64	0.7459	32	29	7.37	39.37	17415.59	NT
Page	99C2	61	7980.73	486824.60	64	0.7459					486824.60	T
Page	99D	60	955.95	57357.20	64	0.7459	32	28	7.11	39.11	37391.92	NT
Page	99D	60	7386.26	443175.34	64	0.7459					443175.34	T
Page	99D2	53	1668.41	88425.73	64	0.7459	32	21	5.34	37.34	62291.93	NT
Page	99D2	53	24342.09	1290130.81	64	0.7459					1290130.81	T
Page	9B	85	1284.73	109201.83	64	0.7459	32	53	13.47	45.47	58413.09	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Page	9B	85	15128.57	1285928.06	64	0.7459					1285928.06	T
Page	9B2	79	86.79	6856.21	64	0.7459	32	47	11.94	43.94	3813.68	NT
Page	9B2	79	1261.27	99640.16	64	0.7459					99640.16	T
Page	9C	66	340.77	22490.65	64	0.7459	32	34	8.64	40.64	13848.58	NT
Page	9C	66	3493.25	230554.53	64	0.7459					230554.53	T
Page	9C2	77	164.35	12655.07	64	0.7459	32	45	11.43	43.43	7138.53	NT
Page	9C2	77	2641.47	203393.44	64	0.7459					203393.44	T
Page	9D	56	0.00	0.27	64	0.7459	32	24	6.10	38.10	0.18	NT
Page	9D	56	0.27	15.18	64	0.7459					15.18	T
Page	9D2	52	0.04	1.98	64	0.7459	32	20	5.08	37.08	1.41	NT
Page	9D2	52	0.47	24.66	64	0.7459					24.66	T
Page	AW	0	1.67	0.00	64	0.7459	0	0	0.00	0.00	0.00	NT
Page	INT	0	24.67	0.00	64	0.7459	0	0	0.00	0.00	0.00	NT
Page	INT	0	17.51	0.00	64	0.7459					0.00	T
Page	SL	0	0.14	0.00	64	0.7459					0.00	T
Page	T299	95	31.29	2972.73	64	0.7459	32	63	16.01	48.01	1502.27	NT
Page	T299	95	310.01	29450.59	64	0.7459					29450.59	T
Page	T368	90	159.91	14391.48	64	0.7459	32	58	14.74	46.74	7473.62	NT
Page	T368	90	1304.50	117405.00	64	0.7459					117405.00	T
Page	T369	85	170.16	14463.25	64	0.7459	32	53	13.47	45.47	7736.53	NT
Page	T369	85	2946.83	250480.25	64	0.7459					250480.25	T
Page	T370B	87	254.11	22107.45	64	0.7459	32	55	13.98	45.98	11682.77	NT
Page	T370B	87	2703.87	235237.10	64	0.7459					235237.10	T
Page	T370C	70	88.47	6192.91	64	0.7459	32	38	9.66	41.66	3685.29	NT
Page	T370C	70	422.14	29550.08	64	0.7459					29550.08	T
Page	T9	90	30.21	2718.92	64	0.7459	32	58	14.74	46.74	1411.96	NT
Page	T9	90	696.19	62656.68	64	0.7459					62656.68	T
Page	T9B	85	61.02	5186.95	64	0.7459	32	53	13.47	45.47	2774.55	NT
Page	T9B	85	764.58	64989.44	64	0.7459					64989.44	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Page	W	0	860.92	0.00	64	0.7459	0	0	0.00	0.00	0.00	NT
Page	W	0	54.22	0.00	64	0.7459					0.00	T
											0.00	
											0.00	
Palo Alto	107	70	755.79	52905.11	70	0.7906	35	35	7.33	42.33	31991.72	NT
Palo Alto	107	70	29606.46	2072451.87	70	0.7906					2072451.87	T
Palo Alto	133	80	1837.72	147017.48	70	0.7906	35	45	9.42	44.42	81636.97	NT
Palo Alto	133	80	3597.85	287828.31	70	0.7906					287828.31	T
Palo Alto	133B	75	74.36	5576.96	70	0.7906	35	40	8.38	43.38	3225.42	NT
Palo Alto	133B	75	901.58	67618.75	70	0.7906					67618.75	T
Palo Alto	135	78	0.05	4.10	70	0.7906	35	43	9.00	44.00	2.31	NT
Palo Alto	135	78	0.58	45.45	70	0.7906					45.45	T
Palo Alto	138B	73	2883.38	210486.84	70	0.7906	35	38	7.96	42.96	123861.99	NT
Palo Alto	138B	73	54083.72	3948111.52	70	0.7906					3948111.52	T
Palo Alto	138C	67	166.16	11132.56	70	0.7906	35	32	6.70	41.70	6928.91	NT
Palo Alto	138C	67	689.53	46198.23	70	0.7906					46198.23	T
Palo Alto	138C2	59	1372.63	80985.05	70	0.7906	35	24	5.03	40.03	54940.26	NT
Palo Alto	138C2	59	23345.18	1377365.89	70	0.7906					1377365.89	T
Palo Alto	138D2	56	186.38	10437.14	70	0.7906	35	21	4.40	39.40	7342.79	NT
Palo Alto	138D2	56	1112.32	62290.13	70	0.7906					62290.13	T
Palo Alto	141	40	9.39	375.74	70	0.7906	35	5	1.05	36.05	338.60	NT
Palo Alto	141	40	199.85	7993.98	70	0.7906					7993.98	T
Palo Alto	150	56	284.95	15957.48	70	0.7906	35	21	4.40	39.40	11226.48	NT
Palo Alto	150	56	2554.60	143057.84	70	0.7906					143057.84	T
Palo Alto	1707B	59	0.03	1.97	70	0.7906					1.97	T
Palo Alto	172	45	631.32	28409.19	70	0.7906	35	10	2.09	37.09	23418.01	NT
Palo Alto	172	45	2722.43	122509.40	70	0.7906					122509.40	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Palo Alto	1735	25	2.12	52.96	70	0.7906	25	0	0.00	25.00	52.96	NT
Palo Alto	1735	25	0.57	14.14	70	0.7906					14.14	T
Palo Alto	181B	54	29.28	1580.92	70	0.7906	35	19	3.98	38.98	1141.15	NT
Palo Alto	181B	54	798.12	43098.25	70	0.7906					43098.25	T
Palo Alto	181C2	38	87.03	3307.05	70	0.7906	35	3	0.63	35.63	3100.64	NT
Palo Alto	181C2	38	800.48	30418.13	70	0.7906					30418.13	T
Palo Alto	203	71	406.47	28859.13	70	0.7906	35	36	7.54	42.54	17290.44	NT
Palo Alto	203	71	3536.60	251098.40	70	0.7906					251098.40	T
Palo Alto	221	25	189.53	4738.28	70	0.7906	25	0	0.00	25.00	4738.28	NT
Palo Alto	221	25	1210.52	30263.04	70	0.7906					30263.04	T
Palo Alto	224	52	679.40	35328.91	70	0.7906	35	17	3.56	38.56	26197.61	NT
Palo Alto	224	52	3891.82	202374.60	70	0.7906					202374.60	T
Palo Alto	253C	23	8.85	203.56	70	0.7906	23	0	0.00	23.00	203.56	NT
Palo Alto	253C	23	140.56	3232.96	70	0.7906					3232.96	T
Palo Alto	259	41	451.70	18519.80	70	0.7906	35	6	1.26	36.26	16377.11	NT
Palo Alto	259	41	3888.87	159443.78	70	0.7906					159443.78	T
Palo Alto	274	39	11.16	435.06	70	0.7906	35	4	0.84	35.84	399.79	NT
Palo Alto	274	39	426.80	16645.29	70	0.7906					16645.29	T
Palo Alto	308	43	45.06	1937.46	70	0.7906	35	8	1.68	36.68	1652.48	NT
Palo Alto	308	43	424.78	18265.54	70	0.7906					18265.54	T
Palo Alto	324	42	22.11	928.45	70	0.7906	35	7	1.47	36.47	806.11	NT
Palo Alto	324	42	377.56	15857.72	70	0.7906					15857.72	T
Palo Alto	324B	37	38.86	1437.75	70	0.7906	35	2	0.42	35.42	1376.31	NT
Palo Alto	324B	37	676.15	25017.63	70	0.7906					25017.63	T
Palo Alto	339	80	18.87	1509.59	70	0.7906	35	45	9.42	44.42	838.25	NT
Palo Alto	339	80	252.27	20181.47	70	0.7906					20181.47	T
Palo Alto	339B	76	15.83	1203.10	70	0.7906	35	41	8.59	43.59	689.97	NT
Palo Alto	339B	76	371.05	28199.44	70	0.7906					28199.44	T
Palo Alto	34	15	360.54	5408.03	70	0.7906	15	0	0.00	15.00	5408.03	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Palo Alto	34	15	2404.34	36065.17	70	0.7906					36065.17	T
Palo Alto	34B	15	105.56	1583.43	70	0.7906	15	0	0.00	15.00	1583.43	NT
Palo Alto	34B	15	303.06	4545.91	70	0.7906					4545.91	T
Palo Alto	34C2	15	61.38	920.66	70	0.7906	15	0	0.00	15.00	920.66	NT
Palo Alto	34C2	15	162.20	2433.01	70	0.7906					2433.01	T
Palo Alto	354	5	523.88	2619.41	70	0.7906	5	0	0.00	5.00	2619.41	NT
Palo Alto	354	5	118.85	594.24	70	0.7906					594.24	T
Palo Alto	390	59	20.66	1218.84	70	0.7906	35	24	5.03	40.03	826.86	NT
Palo Alto	390	59	1101.83	65007.71	70	0.7906					65007.71	T
Palo Alto	485	92	1071.51	98579.06	70	0.7906	35	57	11.94	46.94	50292.25	NT
Palo Alto	485	92	1645.66	151400.60	70	0.7906					151400.60	T
Palo Alto	485B	82	172.80	14169.69	70	0.7906	35	47	9.84	44.84	7748.71	NT
Palo Alto	485B	82	1127.27	92436.02	70	0.7906					92436.02	T
Palo Alto	5010	0	279.58	0.00	70	0.7906	0	0	0.00	0.00	0.00	NT
Palo Alto	5010	0	60.88	0.00	70	0.7906					0.00	T
Palo Alto	5040	5	4.38	21.89	70	0.7906	5	0	0.00	5.00	21.89	NT
Palo Alto	5040	5	10.39	51.95	70	0.7906					51.95	T
Palo Alto	506	69	23.43	1616.34	70	0.7906	35	34	7.12	42.12	986.66	NT
Palo Alto	506	69	654.94	45190.68	70	0.7906					45190.68	T
Palo Alto	507	71	1655.01	117505.86	70	0.7906	35	36	7.54	42.54	70401.57	NT
Palo Alto	507	71	68132.02	4837373.59	70	0.7906					4837373.59	T
Palo Alto	5080	0	0.03	0.00	70	0.7906					0.00	T
Palo Alto	511	57	210.11	11976.23	70	0.7906	35	22	4.61	39.61	8321.76	NT
Palo Alto	511	57	1287.49	73387.12	70	0.7906					73387.12	T
Palo Alto	55	73	1978.66	144442.35	70	0.7906	35	38	7.96	42.96	84997.79	NT
Palo Alto	55	73	60727.71	4433122.74	70	0.7906					4433122.74	T
Palo Alto	559	40	347.17	13886.72	70	0.7906	35	5	1.05	36.05	12514.37	NT
Palo Alto	559	40	4212.68	168507.24	70	0.7906					168507.24	T
Palo Alto	585B	70	634.92	44444.51	70	0.7906	35	35	7.33	42.33	26875.60	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Palo Alto	585B	70	986.63	69064.43	70	0.7906					69064.43	T
Palo Alto	6	43	440.13	18925.46	70	0.7906	35	8	1.68	36.68	16141.75	NT
Palo Alto	6	43	14417.48	619951.85	70	0.7906					619951.85	T
Palo Alto	62C	48	58.67	2815.93	70	0.7906	35	13	2.72	37.72	2212.98	NT
Palo Alto	62C	48	1502.74	72131.56	70	0.7906					72131.56	T
Palo Alto	62D	39	438.94	17118.72	70	0.7906	35	4	0.84	35.84	15730.62	NT
Palo Alto	62D	39	4337.72	169171.25	70	0.7906					169171.25	T
Palo Alto	62E	30	390.02	11700.67	70	0.7906	30	0	0.00	30.00	11700.67	NT
Palo Alto	62E	30	1054.76	31642.75	70	0.7906					31642.75	T
Palo Alto	62F	7	312.42	2186.95	70	0.7906	7	0	0.00	7.00	2186.95	NT
Palo Alto	62F	7	211.47	1480.32	70	0.7906					1480.32	T
Palo Alto	638B	68	3.55	241.34	70	0.7906	35	33	6.91	41.91	148.74	NT
Palo Alto	638B	68	313.34	21307.36	70	0.7906					21307.36	T
Palo Alto	639C	34	1.49	50.51	70	0.7906	34	0	0.00	34.00	50.51	NT
Palo Alto	639C	34	76.97	2616.86	70	0.7906					2616.86	T
Palo Alto	639D	28	37.91	1061.49	70	0.7906	28	0	0.00	28.00	1061.49	NT
Palo Alto	639D	28	204.69	5731.18	70	0.7906					5731.18	T
Palo Alto	639E	17	66.64	1132.90	70	0.7906	17	0	0.00	17.00	1132.90	NT
Palo Alto	639E	17	72.30	1229.12	70	0.7906					1229.12	T
Palo Alto	655	71	23.85	1693.26	70	0.7906	35	36	7.54	42.54	1014.49	NT
Palo Alto	655	71	1622.91	115226.65	70	0.7906					115226.65	T
Palo Alto	658	64	70.08	4484.90	70	0.7906	35	29	6.07	41.07	2878.23	NT
Palo Alto	658	64	1102.01	70528.45	70	0.7906					70528.45	T
Palo Alto	72	35	312.23	10928.18	70	0.7906	35	0	0.00	35.00	10928.18	NT
Palo Alto	72	35	2687.77	94072.12	70	0.7906					94072.12	T
Palo Alto	72B	34	82.16	2793.28	70	0.7906	34	0	0.00	34.00	2793.28	NT
Palo Alto	72B	34	809.01	27506.28	70	0.7906					27506.28	T
Palo Alto	733	64	349.64	22376.92	70	0.7906	35	29	6.07	41.07	14360.60	NT
Palo Alto	733	64	917.33	58709.03	70	0.7906					58709.03	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Palo Alto	73C	5	121.34	606.69	70	0.7906	5	0	0.00	5.00	606.69	NT
Palo Alto	73C	5	504.50	2522.48	70	0.7906					2522.48	T
Palo Alto	73C2	5	0.04	0.22	70	0.7906					0.22	T
Palo Alto	823	38	120.52	4579.70	70	0.7906	35	3	0.63	35.63	4293.86	NT
Palo Alto	823	38	778.96	29600.66	70	0.7906					29600.66	T
Palo Alto	823B	35	91.72	3210.06	70	0.7906	35	0	0.00	35.00	3210.06	NT
Palo Alto	823B	35	370.71	12974.73	70	0.7906					12974.73	T
Palo Alto	895	51	186.68	9520.43	70	0.7906	35	16	3.35	38.35	7159.06	NT
Palo Alto	895	51	570.01	29070.65	70	0.7906					29070.65	T
Palo Alto	90	42	348.09	14619.97	70	0.7906	35	7	1.47	36.47	12693.55	NT
Palo Alto	90	42	2190.15	91986.15	70	0.7906					91986.15	T
Palo Alto	95	57	220.35	12560.18	70	0.7906	35	22	4.61	39.61	8727.52	NT
Palo Alto	95	57	6989.22	398385.71	70	0.7906					398385.71	T
Palo Alto	AW	0	9.48	0.00	70	0.7906	0	0	0.00	0.00	0.00	NT
Palo Alto	AW	0	0.52	0.00	70	0.7906					0.00	T
Palo Alto	BW	0	9.38	0.00	70	0.7906	0	0	0.00	0.00	0.00	NT
Palo Alto	BW	0	0.09	0.00	70	0.7906					0.00	T
Palo Alto	C485	5	2886.40	14432.00	70	0.7906	5	0	0.00	5.00	14432.00	NT
Palo Alto	C485	5	749.32	3746.60	70	0.7906					3746.60	T
Palo Alto	INT	0	53.18	0.00	70	0.7906	0	0	0.00	0.00	0.00	NT
Palo Alto	INT	0	2.19	0.00	70	0.7906					0.00	T
Palo Alto	SL	0	0.54	0.00	70	0.7906	0	0	0.00	0.00	0.00	NT
Palo Alto	T6	54	62.84	3393.56	70	0.7906	35	19	3.98	38.98	2449.56	NT
Palo Alto	T6	54	226.93	12254.44	70	0.7906					12254.44	T
Palo Alto	W	0	378.97	0.00	70	0.7906	0	0	0.00	0.00	0.00	NT
Palo Alto	W	0	16.61	0.00	70	0.7906					0.00	T
											0.00	

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
											0.00	
Plymouth	100B	80	4.54	363.55	58	0.7076	29	51	14.91	43.91	199.56	NT
Plymouth	100B	80	3.11	248.88	58	0.7076					248.88	T
Plymouth	100C2	63	2.27	143.20	58	0.7076	29	34	9.94	38.94	88.51	NT
Plymouth	100C2	63	2.69	169.24	58	0.7076					169.24	T
Plymouth	100D2	53	3.17	167.85	58	0.7076	29	24	7.02	36.02	114.07	NT
Plymouth	100D2	53	1.06	56.14	58	0.7076					56.14	T
Plymouth	108B	47	36.55	1717.90	58	0.7076	29	18	5.26	34.26	1252.36	NT
Plymouth	108B	47	173.33	8146.36	58	0.7076					8146.36	T
Plymouth	10B	80	174.59	13967.53	58	0.7076	29	51	14.91	43.91	7666.85	NT
Plymouth	10B	80	2383.05	190643.64	58	0.7076					190643.64	T
Plymouth	10C2	63	832.31	52435.29	58	0.7076	29	34	9.94	38.94	32411.33	NT
Plymouth	10C2	63	8211.49	517324.10	58	0.7076					517324.10	T
Plymouth	10D2	53	796.44	42211.53	58	0.7076	29	24	7.02	36.02	28686.00	NT
Plymouth	10D2	53	5283.22	280010.78	58	0.7076					280010.78	T
Plymouth	10E2	43	276.54	11891.24	58	0.7076	29	14	4.09	33.09	9151.72	NT
Plymouth	10E2	43	285.24	12265.45	58	0.7076					12265.45	T
Plymouth	114D3	32	45.98	1471.40	58	0.7076	29	3	0.88	29.88	1373.79	NT
Plymouth	114D3	32	412.34	13194.81	58	0.7076					13194.81	T
Plymouth	116	71	11.63	825.74	58	0.7076	29	42	12.28	41.28	480.10	NT
Plymouth	116	71	465.38	33042.20	58	0.7076					33042.20	T
Plymouth	116B	66	15.91	1049.85	58	0.7076	29	37	10.82	39.82	633.39	NT
Plymouth	116B	66	140.35	9263.34	58	0.7076					9263.34	T
Plymouth	12B	80	0.08	6.16	58	0.7076	29	51	14.91	43.91	3.38	NT
Plymouth	12B	80	0.10	7.76	58	0.7076					7.76	T
Plymouth	12C	65	3086.99	200654.64	58	0.7076	29	36	10.53	39.53	122017.78	NT
Plymouth	12C	65	2966.08	192795.29	58	0.7076					192795.29	T
Plymouth	133	80	2160.79	172862.85	58	0.7076	29	51	14.91	43.91	94885.29	NT
Plymouth	133	80	8798.09	703847.05	58	0.7076					703847.05	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Plymouth	133+	85	164.84	14011.31	58	0.7076	29	56	16.37	45.37	7479.47	NT
Plymouth	133+	85	607.51	51637.93	58	0.7076					51637.93	T
Plymouth	149	68	17.48	1188.51	58	0.7076	29	39	11.40	40.40	706.18	NT
Plymouth	149	68	216.37	14713.01	58	0.7076					14713.01	T
Plymouth	14D	25	190.69	4767.19	58	0.7076	25	0	0.00	25.00	4767.19	NT
Plymouth	14D	25	58.91	1472.69	58	0.7076					1472.69	T
Plymouth	156	51	29.40	1499.16	58	0.7076	29	22	6.43	35.43	1041.55	NT
Plymouth	156	51	297.95	15195.65	58	0.7076					15195.65	T
Plymouth	170D	47	3446.32	161977.14	58	0.7076	29	18	5.26	34.26	118082.03	NT
Plymouth	170D	47	1085.46	51016.54	58	0.7076					51016.54	T
Plymouth	170E	34	1.00	34.10	58	0.7076	29	5	1.46	30.46	30.55	NT
Plymouth	170E	34	0.27	9.11	58	0.7076					9.11	T
Plymouth	189	68	294.67	20037.74	58	0.7076	29	39	11.40	40.40	11905.84	NT
Plymouth	189	68	108.06	7348.18	58	0.7076					7348.18	T
Plymouth	18B	70	5572.36	390064.94	58	0.7076	29	41	11.99	40.99	228401.97	NT
Plymouth	18B	70	11146.50	780254.81	58	0.7076					780254.81	T
Plymouth	19B	73	1896.32	138431.10	58	0.7076	29	44	12.87	41.87	79390.43	NT
Plymouth	19B	73	8384.78	612088.82	58	0.7076					612088.82	T
Plymouth	1B3	65	14.81	962.48	58	0.7076	29	36	10.53	39.53	585.28	NT
Plymouth	1B3	65	566.10	36796.38	58	0.7076					36796.38	T
Plymouth	1C3	55	1058.93	58240.96	58	0.7076	29	26	7.60	36.60	38759.25	NT
Plymouth	1C3	55	14951.39	822326.50	58	0.7076					822326.50	T
Plymouth	1D3	45	6001.28	270057.52	58	0.7076	29	16	4.68	33.68	202113.45	NT
Plymouth	1D3	45	35401.54	1593069.50	58	0.7076					1593069.50	T
Plymouth	1E3	35	8132.65	284642.69	58	0.7076	29	6	1.75	30.75	250114.71	NT
Plymouth	1E3	35	13847.07	484647.60	58	0.7076					484647.60	T
Plymouth	1F3	15	7624.27	114364.03	58	0.7076	15	0	0.00	15.00	114364.03	NT
Plymouth	1F3	15	2176.96	32654.40	58	0.7076					32654.40	T
Plymouth	1G	5	0.55	2.75	58	0.7076	5	0	0.00	5.00	2.75	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Plymouth	1G3	5	2455.50	12277.51	58	0.7076	5	0	0.00	5.00	12277.51	NT
Plymouth	1G3	5	109.78	548.90	58	0.7076					548.90	T
Plymouth	212	94	751.59	70649.64	58	0.7076	29	65	19.01	48.01	36080.92	NT
Plymouth	212	94	6562.28	616854.78	58	0.7076					616854.78	T
Plymouth	212B	68	222.86	15154.60	58	0.7076	29	39	11.40	40.40	9004.42	NT
Plymouth	212B	68	302.79	20589.64	58	0.7076					20589.64	T
Plymouth	26	85	126.17	10724.47	58	0.7076	29	56	16.37	45.37	5724.90	NT
Plymouth	26	85	1074.00	91289.68	58	0.7076					91289.68	T
Plymouth	28B	14	41.70	583.84	58	0.7076	14	0	0.00	14.00	583.84	NT
Plymouth	28B	14	358.78	5022.86	58	0.7076					5022.86	T
Plymouth	2G	5	1583.70	7918.51	58	0.7076	5	0	0.00	5.00	7918.51	NT
Plymouth	2G	5	39.33	196.64	58	0.7076					196.64	T
Plymouth	310	79	0.40	31.27	58	0.7076	29	50	14.62	43.62	17.26	NT
Plymouth	310B	71	5136.96	364724.37	58	0.7076	29	42	12.28	41.28	212057.94	NT
Plymouth	310B	71	100672.35	7147736.56	58	0.7076					7147736.56	T
Plymouth	310C2	56	6076.34	340275.15	58	0.7076	29	27	7.89	36.89	224185.42	NT
Plymouth	310C2	56	118761.37	6650636.57	58	0.7076					6650636.57	T
Plymouth	310D2	44	728.92	32072.40	58	0.7076	29	15	4.39	33.39	24335.67	NT
Plymouth	310D2	44	8725.89	383938.99	58	0.7076					383938.99	T
Plymouth	317C2	36	83.31	2999.14	58	0.7076	29	7	2.05	31.05	2586.49	NT
Plymouth	317C2	36	900.66	32423.68	58	0.7076					32423.68	T
Plymouth	33D3	44	85.59	3765.96	58	0.7076	29	15	4.39	33.39	2857.51	NT
Plymouth	33D3	44	581.80	25598.99	58	0.7076					25598.99	T
Plymouth	33E3	20	120.21	2404.28	58	0.7076	20	0	0.00	20.00	2404.28	NT
Plymouth	33E3	20	218.10	4361.99	58	0.7076					4361.99	T
Plymouth	33F3	5	112.80	564.01	58	0.7076	5	0	0.00	5.00	564.01	NT
Plymouth	33F3	5	70.96	354.78	58	0.7076					354.78	T
Plymouth	36	79	175.80	13888.17	58	0.7076	29	50	14.62	43.62	7668.38	NT
Plymouth	36	79	740.62	58509.14	58	0.7076					58509.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Plymouth	378	5	546.61	2733.05	58	0.7076	5	0	0.00	5.00	2733.05	NT
Plymouth	378	5	0.96	4.81	58	0.7076					4.81	T
Plymouth	3E	30	0.16	4.89	58	0.7076	29	1	0.29	29.29	4.78	NT
Plymouth	3F	28	474.81	13294.77	58	0.7076	28	0	0.00	28.00	13294.77	NT
Plymouth	3F	28	11.23	314.37	58	0.7076					314.37	T
Plymouth	4170D	0	0.03	0.00	58	0.7076					0.00	T
Plymouth	467	85	1472.06	125124.85	58	0.7076	29	56	16.37	45.37	66793.70	NT
Plymouth	467	85	5724.46	486578.90	58	0.7076					486578.90	T
Plymouth	467B	76	5336.06	405540.34	58	0.7076	29	47	13.74	42.74	228078.02	NT
Plymouth	467B	76	37362.98	2839586.85	58	0.7076					2839586.85	T
Plymouth	478	5	115.93	579.66	58	0.7076	5	0	0.00	5.00	579.66	NT
Plymouth	478	5	3.34	16.69	58	0.7076					16.69	T
Plymouth	47B	59	0.05	2.73	58	0.7076	29	30	8.77	37.77	1.75	NT
Plymouth	47B	59	0.18	10.62	58	0.7076					10.62	T
Plymouth	5010	0	321.76	0.00	58	0.7076	0	0	0.00	0.00	0.00	NT
Plymouth	5010	0	120.20	0.00	58	0.7076					0.00	T
Plymouth	5040	5	17.00	85.01	58	0.7076	5	0	0.00	5.00	85.01	NT
Plymouth	5040	5	16.35	81.75	58	0.7076					81.75	T
Plymouth	5044	0	0.06	0.00	58	0.7076	0	0	0.00	0.00	0.00	NT
Plymouth	5080	0	17.36	0.00	58	0.7076	0	0	0.00	0.00	0.00	NT
Plymouth	5080	0	0.02	0.00	58	0.7076					0.00	T
Plymouth	607	73	43.18	3152.08	58	0.7076	29	44	12.87	41.87	1807.72	NT
Plymouth	607	73	354.99	25914.57	58	0.7076					25914.57	T
Plymouth	609	20	593.30	11866.03	58	0.7076	20	0	0.00	20.00	11866.03	NT
Plymouth	609	20	396.55	7930.92	58	0.7076					7930.92	T
Plymouth	66	37	187.12	6923.56	58	0.7076	29	8	2.34	31.34	5864.29	NT
Plymouth	66	37	785.07	29047.50	58	0.7076					29047.50	T
Plymouth	670	80	8.31	664.86	58	0.7076	29	51	14.91	43.91	364.94	NT
Plymouth	70	85	2037.13	173156.31	58	0.7076	29	56	16.37	45.37	92433.69	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Plymouth	70	85	5552.38	471952.66	58	0.7076					471952.66	T
Plymouth	701	74	0.74	54.97	58	0.7076	29	45	13.16	42.16	31.31	NT
Plymouth	701	74	0.04	2.76	58	0.7076					2.76	T
Plymouth	717C	5	671.61	3358.07	58	0.7076	5	0	0.00	5.00	3358.07	NT
Plymouth	717C	5	111.63	558.15	58	0.7076					558.15	T
Plymouth	733	64	1272.67	81450.74	58	0.7076	29	35	10.23	39.23	49931.85	NT
Plymouth	733	64	3173.13	203080.26	58	0.7076					203080.26	T
Plymouth	847B	61	1.65	100.83	58	0.7076	29	32	9.36	38.36	63.40	NT
Plymouth	847B	61	6.11	372.94	58	0.7076					372.94	T
Plymouth	8B	90	0.09	7.85	58	0.7076					7.85	T
Plymouth	8C	66	11.60	765.72	58	0.7076	29	37	10.82	39.82	461.97	NT
Plymouth	8C	66	6.12	403.95	58	0.7076					403.95	T
Plymouth	91B	81	426.39	34537.92	58	0.7076	29	52	15.20	44.20	18848.67	NT
Plymouth	91B	81	8305.74	672765.29	58	0.7076					672765.29	T
Plymouth	983D	10	576.43	5764.28	58	0.7076	10	0	0.00	10.00	5764.28	NT
Plymouth	983D	10	68.39	683.86	58	0.7076					683.86	T
Plymouth	AW	0	29.85	0.00	58	0.7076	0	0	0.00	0.00	0.00	NT
Plymouth	AW	0	0.36	0.00	58	0.7076					0.00	T
Plymouth	C212	20	1790.41	35808.14	58	0.7076	20	0	0.00	20.00	35808.14	NT
Plymouth	C212	20	3148.21	62964.26	58	0.7076					62964.26	T
Plymouth	INT	0	12.34	0.00	58	0.7076	0	0	0.00	0.00	0.00	NT
Plymouth	INT	0	3.92	0.00	58	0.7076					0.00	T
Plymouth	SL	0	22.35	0.00	58	0.7076	0	0	0.00	0.00	0.00	NT
Plymouth	SL	0	0.01	0.00	58	0.7076					0.00	T
Plymouth	T10B	80	173.82	13905.70	58	0.7076	29	51	14.91	43.91	7632.91	NT
Plymouth	T10B	80	1085.29	86823.05	58	0.7076					86823.05	T
Plymouth	T310	79	220.02	17381.38	58	0.7076	29	50	14.62	43.62	9597.16	NT
Plymouth	T310	79	3145.44	248489.82	58	0.7076					248489.82	T
Plymouth	T310B	69	1721.91	118811.79	58	0.7076	29	40	11.70	40.70	70074.85	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Plymouth	T310B	69	18525.98	1278292.93	58	0.7076					1278292.93	T
Plymouth	W	0	1165.10	0.00	58	0.7076	0	0	0.00	0.00	0.00	NT
Plymouth	W	0	9.39	0.00	58	0.7076					0.00	T
											0.00	
											0.00	
Pocahontas	1048	5	368.90	1844.52	75	0.7948	5	0	0.00	5.00	1844.52	NT
Pocahontas	1048	5	11.39	56.95	75	0.7948					56.95	T
Pocahontas	107	70	2067.24	144706.73	75	0.7948	38	32	6.57	44.57	92129.40	NT
Pocahontas	107	70	87896.34	6152743.91	75	0.7948					6152743.91	T
Pocahontas	108	52	13.61	707.51	75	0.7948	38	14	2.87	40.87	556.11	NT
Pocahontas	108	52	403.40	20976.69	75	0.7948					20976.69	T
Pocahontas	108B	47	140.86	6620.47	75	0.7948	38	10	2.05	40.05	5641.76	NT
Pocahontas	108B	47	2573.92	120974.43	75	0.7948					120974.43	T
Pocahontas	108C2	25	34.89	872.16	75	0.7948	25	0	0.00	25.00	872.16	NT
Pocahontas	108C2	25	299.43	7485.69	75	0.7948					7485.69	T
Pocahontas	1236C	62	0.08	4.73	75	0.7948	38	24	4.92	42.92	3.28	NT
Pocahontas	133	80	0.09	6.94	75	0.7948	38	42	8.62	46.62	4.05	NT
Pocahontas	135	78	1900.34	148226.75	75	0.7948	38	40	8.21	46.21	87811.04	NT
Pocahontas	135	78	3970.04	309663.07	75	0.7948					309663.07	T
Pocahontas	135B	73	124.22	9068.27	75	0.7948	38	36	7.39	45.39	5638.13	NT
Pocahontas	135B	73	408.29	29805.21	75	0.7948					29805.21	T
Pocahontas	138B	73	2696.12	196816.55	75	0.7948	38	36	7.39	45.39	122369.21	NT
Pocahontas	138B	73	51264.02	3742273.70	75	0.7948					3742273.70	T
Pocahontas	138C	67	7.47	500.47	75	0.7948	38	30	6.16	44.16	329.83	NT
Pocahontas	138C	67	320.43	21468.53	75	0.7948					21468.53	T
Pocahontas	138C2	59	434.62	25642.82	75	0.7948	38	22	4.51	42.51	18477.78	NT
Pocahontas	138C2	59	8450.66	498589.03	75	0.7948					498589.03	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pocahontas	138D2	56	100.82	5645.74	75	0.7948	38	18	3.69	41.69	4203.41	NT
Pocahontas	138D2	56	596.97	33430.58	75	0.7948					33430.58	T
Pocahontas	141	40	9.23	369.25	75	0.7948	38	2	0.41	38.41	354.58	NT
Pocahontas	141	40	272.55	10901.99	75	0.7948					10901.99	T
Pocahontas	150	56	11.94	668.67	75	0.7948	38	18	3.69	41.69	497.84	NT
Pocahontas	150	56	164.09	9189.06	75	0.7948					9189.06	T
Pocahontas	1585	5	0.03	0.13	75	0.7948	5	0	0.00	5.00	0.13	NT
Pocahontas	1585	5	0.01	0.03	75	0.7948					0.03	T
Pocahontas	1585B	25	48.00	1199.95	75	0.7948	25	0	0.00	25.00	1199.95	NT
Pocahontas	1585B	25	26.06	651.54	75	0.7948					651.54	T
Pocahontas	1735	25	895.31	22382.79	75	0.7948	25	0	0.00	25.00	22382.79	NT
Pocahontas	1735	25	84.80	2120.12	75	0.7948					2120.12	T
Pocahontas	202	60	35.22	2113.04	75	0.7948	38	22	4.51	42.51	1497.24	NT
Pocahontas	202	60	1479.71	88782.74	75	0.7948					88782.74	T
Pocahontas	203	71	40.24	2856.80	75	0.7948	38	34	6.98	44.98	1809.71	NT
Pocahontas	203	71	699.80	49686.11	75	0.7948					49686.11	T
Pocahontas	224	52	19.16	996.41	75	0.7948	38	14	2.87	40.87	783.19	NT
Pocahontas	224	52	172.93	8992.56	75	0.7948					8992.56	T
Pocahontas	236B	79	0.17	13.74	75	0.7948	38	42	8.62	46.62	8.11	NT
Pocahontas	236E	43	0.03	1.46	75	0.7948	38	6	1.23	39.23	1.34	NT
Pocahontas	259	41	150.24	6159.71	75	0.7948	38	4	0.82	38.82	5832.31	NT
Pocahontas	259	41	2600.02	106600.81	75	0.7948					106600.81	T
Pocahontas	262G	11	0.11	1.23	75	0.7948	11	0	0.00	11.00	1.23	NT
Pocahontas	274	39	0.27	10.40	75	0.7948	38	2	0.41	38.41	10.24	NT
Pocahontas	274	39	100.06	3902.17	75	0.7948					3902.17	T
Pocahontas	27B	82	13.35	1094.79	75	0.7948	38	44	9.03	47.03	627.89	NT
Pocahontas	27B	82	228.70	18753.28	75	0.7948					18753.28	T
Pocahontas	308B	36	12.87	463.16	75	0.7948	36	0	0.00	36.00	463.16	NT
Pocahontas	308B	36	486.11	17500.12	75	0.7948					17500.12	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pocahontas	330	81	2.67	216.49	75	0.7948	38	44	9.03	47.03	125.70	NT
Pocahontas	330	81	104.23	8442.33	75	0.7948					8442.33	T
Pocahontas	338	78	3.21	250.69	75	0.7948	38	40	8.21	46.21	148.51	NT
Pocahontas	338	78	188.78	14725.19	75	0.7948					14725.19	T
Pocahontas	338B	73	10.51	766.97	75	0.7948	38	36	7.39	45.39	476.86	NT
Pocahontas	338B	73	159.31	11629.48	75	0.7948					11629.48	T
Pocahontas	339B	76	19.65	1493.43	75	0.7948	38	38	7.80	45.80	899.94	NT
Pocahontas	339B	76	216.12	16424.89	75	0.7948					16424.89	T
Pocahontas	34	15	20.64	309.60	75	0.7948	15	0	0.00	15.00	309.60	NT
Pocahontas	34	15	384.80	5772.00	75	0.7948					5772.00	T
Pocahontas	34B	15	85.14	1277.12	75	0.7948	15	0	0.00	15.00	1277.12	NT
Pocahontas	34B	15	1064.26	15963.88	75	0.7948					15963.88	T
Pocahontas	34C2	15	9.77	146.53	75	0.7948	15	0	0.00	15.00	146.53	NT
Pocahontas	34C2	15	225.37	3380.49	75	0.7948					3380.49	T
Pocahontas	388	77	43.95	3384.46	75	0.7948	38	40	8.21	46.21	2031.03	NT
Pocahontas	388	77	2198.79	169307.05	75	0.7948					169307.05	T
Pocahontas	4	41	34.65	1420.62	75	0.7948	38	4	0.82	38.82	1345.11	NT
Pocahontas	4	41	2737.98	112257.27	75	0.7948					112257.27	T
Pocahontas	41B	40	0.75	30.17	75	0.7948	38	2	0.41	38.41	28.97	NT
Pocahontas	41B	40	109.89	4395.61	75	0.7948					4395.61	T
Pocahontas	48	41	144.97	5943.88	75	0.7948	38	4	0.82	38.82	5627.95	NT
Pocahontas	48	41	1196.14	49041.68	75	0.7948					49041.68	T
Pocahontas	485	92	23.20	2134.17	75	0.7948	38	54	11.08	49.08	1138.55	NT
Pocahontas	485	92	146.86	13510.81	75	0.7948					13510.81	T
Pocahontas	485B	82	82.37	6754.59	75	0.7948	38	44	9.03	47.03	3873.91	NT
Pocahontas	485B	82	410.30	33644.69	75	0.7948					33644.69	T
Pocahontas	5010	0	184.97	0.00	75	0.7948	0	0	0.00	0.00	0.00	NT
Pocahontas	5010	0	71.28	0.00	75	0.7948					0.00	T
Pocahontas	5030	0	5.17	0.00	75	0.7948	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pocahontas	5030	0	5.95	0.00	75	0.7948					0.00	T
Pocahontas	5040	5	38.11	190.54	75	0.7948	5	0	0.00	5.00	190.54	NT
Pocahontas	5040	5	167.51	837.57	75	0.7948					837.57	T
Pocahontas	506	69	11.08	764.18	75	0.7948	38	32	6.57	44.57	493.58	NT
Pocahontas	506	69	1411.81	97415.08	75	0.7948					97415.08	T
Pocahontas	507	71	1358.91	96482.35	75	0.7948	38	34	6.98	44.98	61119.26	NT
Pocahontas	507	71	75861.68	5386179.49	75	0.7948					5386179.49	T
Pocahontas	508	70	5.66	396.32	75	0.7948	38	32	6.57	44.57	252.32	NT
Pocahontas	508	70	548.51	38396.05	75	0.7948					38396.05	T
Pocahontas	511	57	264.46	15074.09	75	0.7948	38	20	4.10	42.10	11134.73	NT
Pocahontas	511	57	698.55	39817.32	75	0.7948					39817.32	T
Pocahontas	541C	12	11.65	139.85	75	0.7948	12	0	0.00	12.00	139.85	NT
Pocahontas	541C	12	246.49	2957.90	75	0.7948					2957.90	T
Pocahontas	55	73	1795.01	131035.38	75	0.7948	38	36	7.39	45.39	81470.26	NT
Pocahontas	55	73	48183.21	3517374.00	75	0.7948					3517374.00	T
Pocahontas	559	40	220.04	8801.54	75	0.7948	38	2	0.41	38.41	8451.77	NT
Pocahontas	559	40	3732.36	149294.55	75	0.7948					149294.55	T
Pocahontas	585B	70	0.02	1.34	75	0.7948	38	32	6.57	44.57	0.85	NT
Pocahontas	585B	70	0.05	3.80	75	0.7948					3.80	T
Pocahontas	6	43	175.02	7525.96	75	0.7948	38	6	1.23	39.23	6866.33	NT
Pocahontas	6	43	16925.02	727775.98	75	0.7948					727775.98	T
Pocahontas	62C2	53	110.38	5850.40	75	0.7948	38	16	3.28	41.28	4557.04	NT
Pocahontas	62C2	53	1808.35	95842.51	75	0.7948					95842.51	T
Pocahontas	62D	39	0.01	0.33	75	0.7948					0.33	T
Pocahontas	62D2	38	184.43	7008.31	75	0.7948	38	0	0.00	38.00	7008.31	NT
Pocahontas	62D2	38	1165.89	44303.99	75	0.7948					44303.99	T
Pocahontas	62E	30	173.73	5211.88	75	0.7948	30	0	0.00	30.00	5211.88	NT
Pocahontas	62E	30	213.10	6393.02	75	0.7948					6393.02	T
Pocahontas	62F	7	198.80	1391.62	75	0.7948	7	0	0.00	7.00	1391.62	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pocahontas	62F	7	147.11	1029.77	75	0.7948					1029.77	T
Pocahontas	62G	5	246.65	1233.24	75	0.7948	5	0	0.00	5.00	1233.24	NT
Pocahontas	62G	5	55.23	276.15	75	0.7948					276.15	T
Pocahontas	651	57	7.57	431.63	75	0.7948	38	20	4.10	42.10	318.83	NT
Pocahontas	651	57	134.93	7690.87	75	0.7948					7690.87	T
Pocahontas	655	71	6.39	453.71	75	0.7948	38	34	6.98	44.98	287.41	NT
Pocahontas	655	71	848.28	60227.81	75	0.7948					60227.81	T
Pocahontas	735	57	400.42	22824.22	75	0.7948	38	20	4.10	42.10	16859.49	NT
Pocahontas	735	57	1355.16	77244.36	75	0.7948					77244.36	T
Pocahontas	90	42	110.05	4622.20	75	0.7948	38	4	0.82	38.82	4272.32	NT
Pocahontas	90	42	3511.33	147476.03	75	0.7948					147476.03	T
Pocahontas	95	57	94.62	5393.08	75	0.7948	38	20	4.10	42.10	3983.69	NT
Pocahontas	95	57	7803.10	444776.72	75	0.7948					444776.72	T
Pocahontas	AW	0	6.03	0.00	75	0.7948	0	0	0.00	0.00	0.00	NT
Pocahontas	C485	5	0.07	0.35	75	0.7948	5	0	0.00	5.00	0.35	NT
Pocahontas	SL	0	10.15	0.00	75	0.7948	0	0	0.00	0.00	0.00	NT
Pocahontas	W	0	478.04	0.00	75	0.7948	0	0	0.00	0.00	0.00	NT
Pocahontas	W	0	21.45	0.00	75	0.7948					0.00	T
											0.00	
											0.00	
Polk	107	70	1467.05	102693.24	82	0.7991	41	29	5.83	46.83	68696.06	NT
Polk	107	70	23487.52	1644126.35	82	0.7991					1644126.35	T
Polk	108	52	28.39	1476.16	82	0.7991	41	11	2.21	43.21	1226.63	NT
Polk	108	52	285.92	14867.65	82	0.7991					14867.65	T
Polk	108B	47	17.90	841.13	82	0.7991	41	6	1.21	42.21	755.32	NT
Polk	108B	47	65.17	3063.05	82	0.7991					3063.05	T
Polk	1178	87	0.05	3.97	82	0.7991					3.97	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	119	100	28.75	2875.08	82	0.7991	41	59	11.85	52.85	1519.57	NT
Polk	119	100	466.12	46612.24	82	0.7991					46612.24	T
Polk	11B	68	1715.78	116672.78	82	0.7991	41	27	5.42	46.42	79653.71	NT
Polk	11B	68	2131.56	144946.23	82	0.7991					144946.23	T
Polk	120B	95	198.43	18851.11	82	0.7991	41	54	10.85	51.85	10288.46	NT
Polk	120B	95	2527.31	240094.60	82	0.7991					240094.60	T
Polk	120C2	78	332.04	25899.44	82	0.7991	41	37	7.43	48.43	16081.99	NT
Polk	120C2	78	3743.72	292010.06	82	0.7991					292010.06	T
Polk	120D2	68	117.67	8001.80	82	0.7991	41	27	5.42	46.42	5462.91	NT
Polk	120D2	68	979.43	66601.06	82	0.7991					66601.06	T
Polk	1220	25	1736.90	43422.49	82	0.7991	25	0	0.00	25.00	43422.49	NT
Polk	1220	25	74.26	1856.50	82	0.7991					1856.50	T
Polk	1221	5	34.02	170.10	82	0.7991	5	0	0.00	5.00	170.10	NT
Polk	1221	5	17.59	87.95	82	0.7991					87.95	T
Polk	1226	72	2.37	170.83	82	0.7991	41	31	6.23	47.23	112.06	NT
Polk	1226	72	0.05	3.38	82	0.7991					3.38	T
Polk	1314	25	19.15	478.74	82	0.7991	25	0	0.00	25.00	478.74	NT
Polk	1314	25	0.02	0.41	82	0.7991					0.41	T
Polk	1315	34	0.03	0.85	82	0.7991					0.85	T
Polk	133	80	541.96	43356.61	82	0.7991	41	39	7.84	48.84	26466.55	NT
Polk	133	80	1330.94	106474.94	82	0.7991					106474.94	T
Polk	133+	85	317.17	26959.05	82	0.7991	41	44	8.84	49.84	15807.39	NT
Polk	133+	85	655.71	55735.32	82	0.7991					55735.32	T
Polk	134	65	317.73	20652.27	82	0.7991	41	24	4.82	45.82	14558.77	NT
Polk	134	65	1381.34	89787.19	82	0.7991					89787.19	T
Polk	135	78	2306.87	179935.62	82	0.7991	41	37	7.43	48.43	111729.18	NT
Polk	135	78	7635.98	595606.14	82	0.7991					595606.14	T
Polk	135B	73	0.00	0.05	82	0.7991	41	32	6.43	47.43	0.03	NT
Polk	135B	73	0.00	0.09	82	0.7991					0.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	136B	65	18.96	1232.47	82	0.7991	41	24	4.82	45.82	868.83	NT
Polk	136B	65	109.77	7135.00	82	0.7991					7135.00	T
Polk	138B	73	2675.57	195316.60	82	0.7991	41	32	6.43	47.43	126899.07	NT
Polk	138B	73	33244.62	2426857.19	82	0.7991					2426857.19	T
Polk	138C	67	85.15	5704.78	82	0.7991	41	26	5.22	46.22	3935.73	NT
Polk	138C	67	484.08	32433.41	82	0.7991					32433.41	T
Polk	138C2	59	1505.50	88824.70	82	0.7991	41	18	3.62	44.62	67169.84	NT
Polk	138C2	59	8274.80	488213.19	82	0.7991					488213.19	T
Polk	138D2	56	739.34	41403.09	82	0.7991	41	15	3.01	44.01	32540.98	NT
Polk	138D2	56	1470.70	82358.99	82	0.7991					82358.99	T
Polk	1585	5	3239.91	16199.54	82	0.7991	5	0	0.00	5.00	16199.54	NT
Polk	1585	5	283.05	1415.24	82	0.7991					1415.24	T
Polk	162B	90	109.53	9857.52	82	0.7991	41	49	9.84	50.84	5568.85	NT
Polk	162B	90	860.64	77457.57	82	0.7991					77457.57	T
Polk	162C2	73	385.67	28154.18	82	0.7991	41	32	6.43	47.43	18292.04	NT
Polk	162C2	73	2215.71	161746.70	82	0.7991					161746.70	T
Polk	162D2	63	469.87	29602.10	82	0.7991	41	22	4.42	45.42	21341.61	NT
Polk	162D2	63	1720.38	108383.64	82	0.7991					108383.64	T
Polk	162E2	53	84.29	4467.34	82	0.7991	41	12	2.41	43.41	3659.08	NT
Polk	162E2	53	102.99	5458.27	82	0.7991					5458.27	T
Polk	163B	85	52.11	4429.73	82	0.7991	41	44	8.84	49.84	2597.36	NT
Polk	163B	85	158.98	13513.52	82	0.7991					13513.52	T
Polk	163C	70	18.57	1300.20	82	0.7991	41	29	5.83	46.83	869.76	NT
Polk	163C	70	0.01	0.38	82	0.7991					0.38	T
Polk	163C2	68	169.88	11551.84	82	0.7991	41	27	5.42	46.42	7886.56	NT
Polk	163C2	68	454.45	30902.87	82	0.7991					30902.87	T
Polk	163D2	58	317.64	18422.99	82	0.7991	41	17	3.42	44.42	14107.97	NT
Polk	163D2	58	383.79	22259.64	82	0.7991					22259.64	T
Polk	163E2	48	224.73	10786.86	82	0.7991	41	7	1.41	42.41	9529.81	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	163E2	48	117.39	5634.64	82	0.7991					5634.64	T
Polk	163F	30	125.94	3778.31	82	0.7991	30	0	0.00	30.00	3778.31	NT
Polk	163F	30	5.52	165.64	82	0.7991					165.64	T
Polk	168B	74	55.04	4073.23	82	0.7991	41	33	6.63	47.63	2621.72	NT
Polk	168B	74	48.84	3614.17	82	0.7991					3614.17	T
Polk	168C	58	38.08	2208.46	82	0.7991	41	17	3.42	44.42	1691.20	NT
Polk	168C	58	8.24	477.82	82	0.7991					477.82	T
Polk	168D	50	4.34	216.80	82	0.7991	41	9	1.81	42.81	185.62	NT
Polk	168D	50	5.10	255.06	82	0.7991					255.06	T
Polk	168E	38	108.65	4128.63	82	0.7991	38	0	0.00	38.00	4128.63	NT
Polk	168E	38	11.02	418.80	82	0.7991					418.80	T
Polk	168F	17	818.97	13922.50	82	0.7991	17	0	0.00	17.00	13922.50	NT
Polk	168F	17	36.83	626.14	82	0.7991					626.14	T
Polk	175	60	26.97	1618.15	82	0.7991	41	19	3.82	44.82	1208.68	NT
Polk	175	60	308.00	18480.09	82	0.7991					18480.09	T
Polk	175B	56	177.94	9964.67	82	0.7991	41	15	3.01	44.01	7831.79	NT
Polk	175B	56	869.29	48680.50	82	0.7991					48680.50	T
Polk	175C	41	52.26	2142.79	82	0.7991	41	0	0.00	41.00	2142.79	NT
Polk	175C	41	96.62	3961.40	82	0.7991					3961.40	T
Polk	175D	36	10.81	388.99	82	0.7991	36	0	0.00	36.00	388.99	NT
Polk	175D	36	1.87	67.32	82	0.7991					67.32	T
Polk	179D2	43	241.00	10362.96	82	0.7991	41	2	0.40	41.40	9977.80	NT
Polk	179D2	43	447.13	19226.60	82	0.7991					19226.60	T
Polk	179E	35	190.48	6666.75	82	0.7991	35	0	0.00	35.00	6666.75	NT
Polk	179E	35	182.42	6384.61	82	0.7991					6384.61	T
Polk	179F	15	28.82	432.33	82	0.7991	15	0	0.00	15.00	432.33	NT
Polk	179F	15	2.47	37.07	82	0.7991					37.07	T
Polk	201B	51	1178.19	60087.70	82	0.7991	41	10	2.01	43.01	50672.79	NT
Polk	201B	51	800.77	40839.28	82	0.7991					40839.28	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	203	71	146.49	10400.85	82	0.7991	41	30	6.03	47.03	6889.02	NT
Polk	203	71	1254.05	89037.20	82	0.7991					89037.20	T
Polk	208	55	83.94	4616.46	82	0.7991	41	14	2.81	43.81	3677.44	NT
Polk	208	55	517.07	28438.63	82	0.7991					28438.63	T
Polk	212	94	0.93	87.74	82	0.7991	41	53	10.65	51.65	48.21	NT
Polk	212	94	6.18	580.66	82	0.7991					580.66	T
Polk	220	85	950.75	80813.87	82	0.7991	41	44	8.84	49.84	47385.07	NT
Polk	220	85	2776.38	235992.13	82	0.7991					235992.13	T
Polk	221	25	21.16	528.97	82	0.7991	25	0	0.00	25.00	528.97	NT
Polk	221	25	222.97	5574.32	82	0.7991					5574.32	T
Polk	236B	79	672.89	53158.45	82	0.7991	41	38	7.63	48.63	32725.55	NT
Polk	236B	79	1388.73	109709.58	82	0.7991					109709.58	T
Polk	236C2	62	426.21	26425.11	82	0.7991	41	21	4.22	45.22	19272.82	NT
Polk	236C2	62	729.33	45218.39	82	0.7991					45218.39	T
Polk	236D2	48	189.74	9107.34	82	0.7991	41	7	1.41	42.41	8046.01	NT
Polk	236D2	48	161.28	7741.57	82	0.7991					7741.57	T
Polk	236F	19	409.45	7779.63	82	0.7991	19	0	0.00	19.00	7779.63	NT
Polk	236F	19	28.43	540.14	82	0.7991					540.14	T
Polk	24D2	48	145.17	6968.21	82	0.7991	41	7	1.41	42.41	6156.17	NT
Polk	24D2	48	462.51	22200.46	82	0.7991					22200.46	T
Polk	24E	40	41.77	1670.62	82	0.7991	40	0	0.00	40.00	1670.62	NT
Polk	24E	40	114.30	4572.12	82	0.7991					4572.12	T
Polk	24E2	38	0.43	16.36	82	0.7991					16.36	T
Polk	253B	64	215.95	13820.96	82	0.7991	41	23	4.62	45.62	9851.90	NT
Polk	253B	64	1633.10	104518.28	82	0.7991					104518.28	T
Polk	253C2	46	106.55	4901.25	82	0.7991	41	5	1.00	42.00	4475.54	NT
Polk	253C2	46	527.18	24250.19	82	0.7991					24250.19	T
Polk	259	41	233.82	9586.73	82	0.7991	41	0	0.00	41.00	9586.73	NT
Polk	259	41	2006.39	82261.97	82	0.7991					82261.97	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	27B	82	185.92	15245.68	82	0.7991	41	41	8.24	49.24	9154.27	NT
Polk	27B	82	804.27	65950.22	82	0.7991					65950.22	T
Polk	308	43	23.09	992.98	82	0.7991	41	2	0.40	41.40	956.08	NT
Polk	308	43	351.34	15107.54	82	0.7991					15107.54	T
Polk	308B	36	26.39	949.98	82	0.7991	36	0	0.00	36.00	949.98	NT
Polk	308B	36	80.78	2908.26	82	0.7991					2908.26	T
Polk	315	30	10.47	314.01	82	0.7991	30	0	0.00	30.00	314.01	NT
Polk	356G	5	158.40	792.01	82	0.7991	5	0	0.00	5.00	792.01	NT
Polk	356G	5	4.73	23.64	82	0.7991					23.64	T
Polk	368	95	5.00	474.81	82	0.7991	41	54	10.85	51.85	259.14	NT
Polk	368	95	116.36	11054.05	82	0.7991					11054.05	T
Polk	370B	87	125.37	10907.09	82	0.7991	41	46	9.24	50.24	6298.71	NT
Polk	370B	87	1161.10	101015.45	82	0.7991					101015.45	T
Polk	370C2	67	229.44	15372.68	82	0.7991	41	26	5.22	46.22	10605.64	NT
Polk	370C2	67	1499.75	100483.58	82	0.7991					100483.58	T
Polk	370D2	57	118.55	6757.53	82	0.7991	41	16	3.21	44.21	5241.76	NT
Polk	370D2	57	337.65	19246.13	82	0.7991					19246.13	T
Polk	4	41	0.52	21.52	82	0.7991	41	0	0.00	41.00	21.52	NT
Polk	4	41	66.85	2741.05	82	0.7991					2741.05	T
Polk	4000	0	49.08	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4000	0	3.31	0.00	82	0.7991					0.00	T
Polk	4011B	0	0.28	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4011B	0	0.06	0.00	82	0.7991					0.00	T
Polk	4024D	0	0.04	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4055	0	0.05	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4055	0	2.04	0.00	82	0.7991					0.00	T
Polk	4076B	0	0.01	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4076B	0	4.23	0.00	82	0.7991					0.00	T
Polk	4076C	0	3.98	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	4076C	0	3.31	0.00	82	0.7991					0.00	T
Polk	4076D	0	0.24	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	41	40	122.03	4881.15	82	0.7991	40	0	0.00	40.00	4881.15	NT
Polk	41	40	298.06	11922.22	82	0.7991					11922.22	T
Polk	4107	0	5.10	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4107	0	13.35	0.00	82	0.7991					0.00	T
Polk	4135	0	1.72	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4135	0	1.39	0.00	82	0.7991					0.00	T
Polk	4138B	0	3.44	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4138B	0	24.87	0.00	82	0.7991					0.00	T
Polk	4138C	0	0.29	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4138C	0	1.02	0.00	82	0.7991					0.00	T
Polk	4168B	0	0.21	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4175	0	3.10	0.00	82	0.7991					0.00	T
Polk	4179D	0	0.05	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	419D	15	114.27	1714.10	82	0.7991	15	0	0.00	15.00	1714.10	NT
Polk	419D	15	157.08	2356.23	82	0.7991					2356.23	T
Polk	419F	7	178.09	1246.60	82	0.7991	7	0	0.00	7.00	1246.60	NT
Polk	419F	7	12.10	84.72	82	0.7991					84.72	T
Polk	41B	40	108.06	4322.48	82	0.7991	40	0	0.00	40.00	4322.48	NT
Polk	41B	40	411.56	16462.45	82	0.7991					16462.45	T
Polk	41C	25	45.70	1142.59	82	0.7991	25	0	0.00	25.00	1142.59	NT
Polk	41C	25	141.25	3531.37	82	0.7991					3531.37	T
Polk	41D	15	24.96	374.41	82	0.7991	15	0	0.00	15.00	374.41	NT
Polk	41D	15	41.42	621.31	82	0.7991					621.31	T
Polk	41D2	11	0.02	0.24	82	0.7991	11	0	0.00	11.00	0.24	NT
Polk	41D2	11	0.02	0.24	82	0.7991					0.24	T
Polk	4201B	0	0.06	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4203	0	0.40	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	43	80	66.58	5326.78	82	0.7991	41	39	7.84	48.84	3251.67	NT
Polk	43	80	1242.15	99371.68	82	0.7991					99371.68	T
Polk	4308	0	5.35	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4308	0	6.53	0.00	82	0.7991					0.00	T
Polk	4370C	0	4.45	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4370C	0	2.01	0.00	82	0.7991					0.00	T
Polk	48	41	1.20	49.24	82	0.7991	41	0	0.00	41.00	49.24	NT
Polk	48	41	45.13	1850.34	82	0.7991					1850.34	T
Polk	484	90	224.54	20208.79	82	0.7991	41	49	9.84	50.84	11416.64	NT
Polk	484	90	786.46	70781.26	82	0.7991					70781.26	T
Polk	485	92	1549.55	142558.16	82	0.7991	41	51	10.25	51.25	79407.84	NT
Polk	485	92	3730.31	343188.47	82	0.7991					343188.47	T
Polk	4946	0	13.86	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	4946	0	48.94	0.00	82	0.7991					0.00	T
Polk	5010	0	151.83	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	5010	0	7.66	0.00	82	0.7991					0.00	T
Polk	5020	0	33.92	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	5020	0	15.66	0.00	82	0.7991					0.00	T
Polk	5040	5	98.89	494.46	82	0.7991	5	0	0.00	5.00	494.46	NT
Polk	5040	5	74.63	373.14	82	0.7991					373.14	T
Polk	5047	5	103.80	519.02	82	0.7991	5	0	0.00	5.00	519.02	NT
Polk	5047	5	25.42	127.08	82	0.7991					127.08	T
Polk	5053	0	43.68	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	5053	0	8.09	0.00	82	0.7991					0.00	T
Polk	5060	0	4.08	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	507	71	530.54	37668.63	82	0.7991	41	30	6.03	47.03	24949.90	NT
Polk	507	71	22751.71	1615371.64	82	0.7991					1615371.64	T
Polk	508	70	1.59	111.64	82	0.7991	41	29	5.83	46.83	74.68	NT
Polk	508	70	161.42	11299.46	82	0.7991					11299.46	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	5080	0	351.31	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	51	70	2.28	159.77	82	0.7991					159.77	T
Polk	54	70	2.65	185.55	82	0.7991	41	29	5.83	46.83	124.12	NT
Polk	54	70	5.17	361.93	82	0.7991					361.93	T
Polk	55	73	1275.24	93092.62	82	0.7991	41	32	6.43	47.43	60483.17	NT
Polk	55	73	22919.31	1673109.52	82	0.7991					1673109.52	T
Polk	559	40	0.07	2.93	82	0.7991					2.93	T
Polk	6	43	27.17	1168.50	82	0.7991	41	2	0.40	41.40	1125.07	NT
Polk	6	43	877.77	37744.02	82	0.7991					37744.02	T
Polk	62C2	53	5.05	267.71	82	0.7991	41	12	2.41	43.41	219.27	NT
Polk	62C2	53	58.61	3106.36	82	0.7991					3106.36	T
Polk	62C3	46	0.13	5.92	82	0.7991	41	5	1.00	42.00	5.41	NT
Polk	62D2	38	323.38	12288.42	82	0.7991	38	0	0.00	38.00	12288.42	NT
Polk	62D2	38	540.03	20521.01	82	0.7991					20521.01	T
Polk	62E	30	0.00	0.01	82	0.7991					0.01	T
Polk	62E2	28	1395.90	39085.29	82	0.7991	28	0	0.00	28.00	39085.29	NT
Polk	62E2	28	609.82	17074.90	82	0.7991					17074.90	T
Polk	62F	7	246.04	1722.30	82	0.7991	7	0	0.00	7.00	1722.30	NT
Polk	62F	7	44.48	311.39	82	0.7991					311.39	T
Polk	638C2	52	53.28	2770.50	82	0.7991	41	11	2.21	43.21	2302.18	NT
Polk	638C2	52	301.15	15659.61	82	0.7991					15659.61	T
Polk	638D2	45	152.43	6859.19	82	0.7991	41	4	0.80	41.80	6371.98	NT
Polk	638D2	45	184.70	8311.43	82	0.7991					8311.43	T
Polk	65E	25	119.47	2986.71	82	0.7991	25	0	0.00	25.00	2986.71	NT
Polk	65E	25	42.04	1051.04	82	0.7991					1051.04	T
Polk	65F	10	221.73	2217.35	82	0.7991	10	0	0.00	10.00	2217.35	NT
Polk	65F	10	15.63	156.26	82	0.7991					156.26	T
Polk	7	91	187.96	17104.62	82	0.7991	41	50	10.05	51.05	9594.57	NT
Polk	7	91	1396.38	127070.33	82	0.7991					127070.33	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	736B	87	0.05	4.26	82	0.7991	41	46	9.24	50.24	2.46	NT
Polk	736B	87	0.00	0.01	82	0.7991					0.01	T
Polk	76B	82	90.04	7383.57	82	0.7991	41	41	8.24	49.24	4433.46	NT
Polk	76B	82	146.01	11972.96	82	0.7991					11972.96	T
Polk	76C2	67	157.84	10574.95	82	0.7991	41	26	5.22	46.22	7295.67	NT
Polk	76C2	67	468.75	31406.42	82	0.7991					31406.42	T
Polk	76D2	52	126.96	6602.02	82	0.7991	41	11	2.21	43.21	5486.02	NT
Polk	76D2	52	271.47	14116.57	82	0.7991					14116.57	T
Polk	7B	85	0.19	16.09	82	0.7991					16.09	T
Polk	80B	77	2.69	207.28	82	0.7991	41	36	7.23	48.23	129.84	NT
Polk	80B	77	1.64	126.63	82	0.7991					126.63	T
Polk	80C2	57	17.21	981.19	82	0.7991	41	16	3.21	44.21	761.10	NT
Polk	80C2	57	19.03	1084.72	82	0.7991					1084.72	T
Polk	80D2	52	85.47	4444.60	82	0.7991	41	11	2.21	43.21	3693.29	NT
Polk	80D2	52	24.91	1295.18	82	0.7991					1295.18	T
Polk	822D2	15	46.15	692.21	82	0.7991	15	0	0.00	15.00	692.21	NT
Polk	822D2	15	105.23	1578.46	82	0.7991					1578.46	T
Polk	828B	45	21.65	974.36	82	0.7991	41	4	0.80	41.80	905.15	NT
Polk	828B	45	263.52	11858.45	82	0.7991					11858.45	T
Polk	828C2	30	59.26	1777.89	82	0.7991	30	0	0.00	30.00	1777.89	NT
Polk	828C2	30	535.19	16055.64	82	0.7991					16055.64	T
Polk	829D2	28	53.49	1497.70	82	0.7991	28	0	0.00	28.00	1497.70	NT
Polk	829D2	28	174.07	4873.88	82	0.7991					4873.88	T
Polk	829E2	11	23.80	261.83	82	0.7991	11	0	0.00	11.00	261.83	NT
Polk	829E2	11	56.47	621.19	82	0.7991					621.19	T
Polk	88	92	76.71	7057.05	82	0.7991	41	51	10.25	51.25	3930.92	NT
Polk	88	92	968.92	89140.73	82	0.7991					89140.73	T
Polk	8B	90	75.93	6833.81	82	0.7991	41	49	9.84	50.84	3860.65	NT
Polk	8B	90	428.99	38608.91	82	0.7991					38608.91	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Polk	90	42	12.23	513.66	82	0.7991	41	1	0.20	41.20	503.89	NT
Polk	90	42	369.73	15528.82	82	0.7991					15528.82	T
Polk	95	57	20.63	1175.94	82	0.7991	41	16	3.21	44.21	912.17	NT
Polk	95	57	1171.81	66793.00	82	0.7991					66793.00	T
Polk	956	57	0.73	41.87	82	0.7991	41	16	3.21	44.21	32.48	NT
Polk	956	57	122.51	6983.09	82	0.7991					6983.09	T
Polk	96	71	97.78	6942.09	82	0.7991	41	30	6.03	47.03	4598.11	NT
Polk	96	71	1590.97	112959.04	82	0.7991					112959.04	T
Polk	98	95	7.28	691.33	82	0.7991					691.33	T
Polk	993E	12	0.52	6.30	82	0.7991	12	0	0.00	12.00	6.30	NT
Polk	C220	25	0.63	15.86	82	0.7991	25	0	0.00	25.00	15.86	NT
Polk	C220	25	0.90	22.48	82	0.7991					22.48	T
Polk	INT	0	0.04	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	s.l.	0	10.87	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	s.l.	0	0.06	0.00	82	0.7991					0.00	T
Polk	W	0	758.40	0.00	82	0.7991	0	0	0.00	0.00	0.00	NT
Polk	W	0	16.90	0.00	82	0.7991					0.00	T
											0.00	
											0.00	
Pottawattamie	100C2	63	0.13	8.29	65	0.7433					8.29	T
Pottawattamie	100E2	43	0.12	5.34	65	0.7433	32	10	2.57	34.57	4.29	NT
Pottawattamie	100E2	43	0.03	1.21	65	0.7433					1.21	T
Pottawattamie	100F2	23	0.27	6.32	65	0.7433	23	0	0.00	23.00	6.32	NT
Pottawattamie	10B	80	10.93	874.32	65	0.7433	32	48	12.32	44.32	484.39	NT
Pottawattamie	10B	80	281.21	22497.01	65	0.7433					22497.01	T
Pottawattamie	10C	65	29.11	1891.99	65	0.7433	32	32	8.21	40.21	1170.54	NT
Pottawattamie	10C	65	228.64	14861.49	65	0.7433					14861.49	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	10C2	63	142.57	8981.92	65	0.7433	32	30	7.70	39.70	5660.18	NT
Pottawattamie	10C2	63	2506.71	157922.64	65	0.7433					157922.64	T
Pottawattamie	10C3	60	22.70	1362.13	65	0.7433	32	28	7.19	39.19	889.64	NT
Pottawattamie	10C3	60	592.09	35525.16	65	0.7433					35525.16	T
Pottawattamie	10D	55	62.01	3410.73	65	0.7433	32	22	5.65	37.65	2334.64	NT
Pottawattamie	10D	55	373.52	20543.42	65	0.7433					20543.42	T
Pottawattamie	10D2	53	682.82	36189.57	65	0.7433	32	20	5.13	37.13	25355.91	NT
Pottawattamie	10D2	53	17630.00	934390.04	65	0.7433					934390.04	T
Pottawattamie	10D3	50	83.41	4170.59	65	0.7433	32	18	4.62	36.62	3054.59	NT
Pottawattamie	10D3	50	3063.96	153197.97	65	0.7433					153197.97	T
Pottawattamie	10E	42	16.23	681.63	65	0.7433	32	10	2.57	34.57	561.00	NT
Pottawattamie	10E	42	23.49	986.57	65	0.7433					986.57	T
Pottawattamie	10E2	43	51.09	2196.72	65	0.7433	32	10	2.57	34.57	1765.91	NT
Pottawattamie	10E2	43	652.65	28063.86	65	0.7433					28063.86	T
Pottawattamie	10E3	40	72.68	2907.34	65	0.7433	32	8	2.05	34.05	2475.14	NT
Pottawattamie	10E3	40	1434.63	57385.34	65	0.7433					57385.34	T
Pottawattamie	10F	22	13.71	301.67	65	0.7433	22	0	0.00	22.00	301.67	NT
Pottawattamie	10F	22	9.98	219.58	65	0.7433					219.58	T
Pottawattamie	10F2	23	1.10	25.32	65	0.7433	23	0	0.00	23.00	25.32	NT
Pottawattamie	11B	68	6105.60	415180.62	65	0.7433	32	36	9.24	41.24	251802.16	NT
Pottawattamie	11B	68	35831.08	2436513.22	65	0.7433					2436513.22	T
Pottawattamie	1233	65	1.34	86.85	65	0.7433	32	32	8.21	40.21	53.73	NT
Pottawattamie	1233	65	172.94	11241.31	65	0.7433					11241.31	T
Pottawattamie	1299	95	16.31	1549.58	65	0.7433	32	62	15.92	47.92	781.56	NT
Pottawattamie	1299	95	600.02	57001.83	65	0.7433					57001.83	T
Pottawattamie	12B	80	187.18	14974.73	65	0.7433	32	48	12.32	44.32	8296.30	NT
Pottawattamie	12B	80	1352.27	108181.84	65	0.7433					108181.84	T
Pottawattamie	12C	65	96.79	6291.20	65	0.7433	32	32	8.21	40.21	3892.26	NT
Pottawattamie	12C	65	386.50	25122.36	65	0.7433					25122.36	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	12D	60	2.89	173.31	65	0.7433	32	28	7.19	39.19	113.19	NT
Pottawattamie	12D	60	23.32	1398.95	65	0.7433					1398.95	T
Pottawattamie	133	80	302.57	24205.86	65	0.7433	32	48	12.32	44.32	13410.53	NT
Pottawattamie	133	80	2104.25	168339.81	65	0.7433					168339.81	T
Pottawattamie	133+	85	488.06	41485.38	65	0.7433	32	52	13.35	45.35	22132.89	NT
Pottawattamie	133+	85	3320.89	282275.94	65	0.7433					282275.94	T
Pottawattamie	137	65	36.29	2358.54	65	0.7433	32	32	8.21	40.21	1459.19	NT
Pottawattamie	137	65	119.67	7778.67	65	0.7433					7778.67	T
Pottawattamie	144	70	7.93	555.06	65	0.7433	32	38	9.75	41.75	331.09	NT
Pottawattamie	144	70	57.97	4058.23	65	0.7433					4058.23	T
Pottawattamie	146	65	2.37	154.19	65	0.7433	32	32	8.21	40.21	95.39	NT
Pottawattamie	146	65	46.52	3023.85	65	0.7433					3023.85	T
Pottawattamie	149	68	4.21	286.48	65	0.7433	32	36	9.24	41.24	173.75	NT
Pottawattamie	149	68	49.55	3369.37	65	0.7433					3369.37	T
Pottawattamie	156	51	37.00	1887.16	65	0.7433	32	18	4.62	36.62	1355.08	NT
Pottawattamie	156	51	150.42	7671.57	65	0.7433					7671.57	T
Pottawattamie	179F	15	763.02	11445.35	65	0.7433	15	0	0.00	15.00	11445.35	NT
Pottawattamie	179F	15	338.25	5073.74	65	0.7433					5073.74	T
Pottawattamie	192C2	30	2.38	71.44	65	0.7433	30	0	0.00	30.00	71.44	NT
Pottawattamie	192C2	30	101.84	3055.20	65	0.7433					3055.20	T
Pottawattamie	192D2	15	13.44	201.55	65	0.7433	15	0	0.00	15.00	201.55	NT
Pottawattamie	192D2	15	1034.85	15522.72	65	0.7433					15522.72	T
Pottawattamie	1C	60	1.91	114.43	65	0.7433	32	28	7.19	39.19	74.74	NT
Pottawattamie	1C	60	12.18	730.93	65	0.7433					730.93	T
Pottawattamie	1C3	55	21.64	1190.14	65	0.7433	32	22	5.65	37.65	814.65	NT
Pottawattamie	1C3	55	817.21	44946.37	65	0.7433					44946.37	T
Pottawattamie	1D	50	0.00	0.00	65	0.7433	32	18	4.62	36.62	0.00	NT
Pottawattamie	1D	50	2.71	135.64	65	0.7433					135.64	T
Pottawattamie	1D3	45	66.24	2980.78	65	0.7433	32	12	3.08	35.08	2323.71	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	1D3	45	4117.82	185301.99	65	0.7433					185301.99	T
Pottawattamie	1E	35	8.69	304.03	65	0.7433	32	2	0.51	32.51	282.43	NT
Pottawattamie	1E	35	5.92	207.13	65	0.7433					207.13	T
Pottawattamie	1E3	35	96.28	3369.91	65	0.7433	32	2	0.51	32.51	3130.49	NT
Pottawattamie	1E3	35	1258.79	44057.67	65	0.7433					44057.67	T
Pottawattamie	1F	14	35.60	498.34	65	0.7433	14	0	0.00	14.00	498.34	NT
Pottawattamie	1F	14	1.96	27.42	65	0.7433					27.42	T
Pottawattamie	1F3	15	42.60	639.07	65	0.7433	15	0	0.00	15.00	639.07	NT
Pottawattamie	1F3	15	40.10	601.57	65	0.7433					601.57	T
Pottawattamie	1G	5	9.16	45.80	65	0.7433	5	0	0.00	5.00	45.80	NT
Pottawattamie	1G	5	0.04	0.18	65	0.7433					0.18	T
Pottawattamie	212	94	330.99	31112.87	65	0.7433	32	62	15.92	47.92	15859.42	NT
Pottawattamie	212	94	1635.72	153757.97	65	0.7433					153757.97	T
Pottawattamie	212+	90	200.11	18010.30	65	0.7433	32	58	14.89	46.89	9383.09	NT
Pottawattamie	212+	90	855.65	77008.24	65	0.7433					77008.24	T
Pottawattamie	220	85	2088.02	177481.36	65	0.7433	32	52	13.35	45.35	94688.19	NT
Pottawattamie	220	85	5664.93	481519.23	65	0.7433					481519.23	T
Pottawattamie	222D2	10	26.69	266.95	65	0.7433	10	0	0.00	10.00	266.95	NT
Pottawattamie	222D2	10	679.38	6793.84	65	0.7433					6793.84	T
Pottawattamie	22C3	47	2.77	130.02	65	0.7433	32	14	3.59	35.59	98.46	NT
Pottawattamie	22C3	47	193.73	9105.22	65	0.7433					9105.22	T
Pottawattamie	22D3	43	4.60	197.65	65	0.7433	32	10	2.57	34.57	158.89	NT
Pottawattamie	22D3	43	720.49	30981.00	65	0.7433					30981.00	T
Pottawattamie	22E3	43	0.08	3.44	65	0.7433	32	10	2.57	34.57	2.76	NT
Pottawattamie	22E3	43	15.68	674.25	65	0.7433					674.25	T
Pottawattamie	234	70	27.80	1945.78	65	0.7433	32	38	9.75	41.75	1160.65	NT
Pottawattamie	234	70	764.89	53542.41	65	0.7433					53542.41	T
Pottawattamie	237	9	218.39	1965.54	65	0.7433	9	0	0.00	9.00	1965.54	NT
Pottawattamie	237	9	104.57	941.14	65	0.7433					941.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	238	10	0.22	2.17	65	0.7433	10	0	0.00	10.00	2.17	NT
Pottawattamie	238	10	0.11	1.05	65	0.7433					1.05	T
Pottawattamie	24D2	48	157.04	7537.80	65	0.7433	32	16	4.11	36.11	5670.18	NT
Pottawattamie	24D2	48	2120.97	101806.51	65	0.7433					101806.51	T
Pottawattamie	24E2	38	242.39	9210.74	65	0.7433	32	6	1.54	33.54	8129.74	NT
Pottawattamie	24E2	38	712.11	27060.18	65	0.7433					27060.18	T
Pottawattamie	24E3	35	5.03	176.11	65	0.7433	32	2	0.51	32.51	163.59	NT
Pottawattamie	24E3	35	148.01	5180.39	65	0.7433					5180.39	T
Pottawattamie	255	65	14.00	910.29	65	0.7433	32	32	8.21	40.21	563.18	NT
Pottawattamie	255	65	383.38	24919.52	65	0.7433					24919.52	T
Pottawattamie	275	72	0.28	20.44	65	0.7433	32	40	10.27	42.27	12.00	NT
Pottawattamie	275	72	0.24	17.01	65	0.7433					17.01	T
Pottawattamie	2G	5	144.76	723.81	65	0.7433	5	0	0.00	5.00	723.81	NT
Pottawattamie	2G	5	0.64	3.20	65	0.7433					3.20	T
Pottawattamie	33D2	40	22.15	886.04	65	0.7433	32	8	2.05	34.05	754.32	NT
Pottawattamie	33D2	40	356.50	14259.98	65	0.7433					14259.98	T
Pottawattamie	33E2	30	107.18	3215.47	65	0.7433	30	0	0.00	30.00	3215.47	NT
Pottawattamie	33E2	30	379.13	11373.80	65	0.7433					11373.80	T
Pottawattamie	36	79	5.11	403.32	65	0.7433	32	46	11.81	43.81	223.65	NT
Pottawattamie	36	79	243.26	19217.28	65	0.7433					19217.28	T
Pottawattamie	38	30	0.63	18.79	65	0.7433	30	0	0.00	30.00	18.79	NT
Pottawattamie	38	30	13.65	409.39	65	0.7433					409.39	T
Pottawattamie	3E	30	4.63	138.94	65	0.7433	30	0	0.00	30.00	138.94	NT
Pottawattamie	43	80	49.73	3978.41	65	0.7433	32	48	12.32	44.32	2204.12	NT
Pottawattamie	43	80	1927.56	154205.00	65	0.7433					154205.00	T
Pottawattamie	430	83	1019.57	84624.70	65	0.7433	32	50	12.84	44.84	45712.63	NT
Pottawattamie	430	83	5919.35	491306.07	65	0.7433					491306.07	T
Pottawattamie	431B	73	0.07	5.23	65	0.7433	32	40	10.27	42.27	3.03	NT
Pottawattamie	431B	73	0.25	18.04	65	0.7433					18.04	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	436	74	0.03	2.10	65	0.7433	32	42	10.78	42.78	1.21	NT
Pottawattamie	436	74	26.01	1924.87	65	0.7433					1924.87	T
Pottawattamie	44	70	1.60	111.78	65	0.7433	32	38	9.75	41.75	66.68	NT
Pottawattamie	44	70	9.00	629.97	65	0.7433					629.97	T
Pottawattamie	46	84	4.30	360.83	65	0.7433	32	52	13.35	45.35	194.80	NT
Pottawattamie	46	84	174.33	14643.67	65	0.7433					14643.67	T
Pottawattamie	5030	0	211.18	0.00	65	0.7433	0	0	0.00	0.00	0.00	NT
Pottawattamie	5030	0	71.08	0.00	65	0.7433					0.00	T
Pottawattamie	5040	5	25.65	128.23	65	0.7433	5	0	0.00	5.00	128.23	NT
Pottawattamie	5040	5	70.81	354.07	65	0.7433					354.07	T
Pottawattamie	5053	0	0.07	0.00	65	0.7433	0	0	0.00	0.00	0.00	NT
Pottawattamie	5080	0	11.05	0.00	65	0.7433	0	0	0.00	0.00	0.00	NT
Pottawattamie	509	90	89.54	8058.26	65	0.7433	32	58	14.89	46.89	4198.23	NT
Pottawattamie	509	90	1593.95	143455.75	65	0.7433					143455.75	T
Pottawattamie	509B	84	102.63	8621.28	65	0.7433	32	52	13.35	45.35	4654.30	NT
Pottawattamie	509B	84	919.45	77234.10	65	0.7433					77234.10	T
Pottawattamie	509C2	77	57.39	4419.28	65	0.7433	32	44	11.29	43.29	2484.83	NT
Pottawattamie	509C2	77	596.64	45941.60	65	0.7433					45941.60	T
Pottawattamie	510B	80	2.04	162.82	65	0.7433	32	48	12.32	44.32	90.21	NT
Pottawattamie	510B	80	22.76	1821.19	65	0.7433					1821.19	T
Pottawattamie	510C2	63	1.96	123.51	65	0.7433	32	30	7.70	39.70	77.83	NT
Pottawattamie	510C2	63	32.72	2061.51	65	0.7433					2061.51	T
Pottawattamie	514	55	65.26	3589.30	65	0.7433	32	22	5.65	37.65	2456.87	NT
Pottawattamie	514	55	76.46	4205.26	65	0.7433					4205.26	T
Pottawattamie	515	51	17.29	881.78	65	0.7433	32	18	4.62	36.62	633.17	NT
Pottawattamie	515	51	25.65	1308.15	65	0.7433					1308.15	T
Pottawattamie	54	70	238.38	16686.30	65	0.7433	32	38	9.75	41.75	9953.28	NT
Pottawattamie	54	70	6235.23	436466.10	65	0.7433					436466.10	T
Pottawattamie	54+	75	169.17	12687.73	65	0.7433	32	42	10.78	42.78	7237.32	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	54+	75	2317.80	173835.01	65	0.7433					173835.01	T
Pottawattamie	553	50	0.02	0.88	65	0.7433					0.88	T
Pottawattamie	59E2	33	0.02	0.60	65	0.7433	32	0	0.00	32.00	0.58	NT
Pottawattamie	60D2	25	15.86	396.49	65	0.7433	25	0	0.00	25.00	396.49	NT
Pottawattamie	60D2	25	421.03	10525.73	65	0.7433					10525.73	T
Pottawattamie	66	37	17.24	637.74	65	0.7433	32	4	1.03	33.03	569.26	NT
Pottawattamie	66	37	403.81	14940.84	65	0.7433					14940.84	T
Pottawattamie	66+	42	0.10	4.00	65	0.7433	32	10	2.57	34.57	3.29	NT
Pottawattamie	66+	42	103.31	4338.94	65	0.7433					4338.94	T
Pottawattamie	670	80	3.11	248.44	65	0.7433	32	48	12.32	44.32	137.64	NT
Pottawattamie	670	80	19.34	1547.45	65	0.7433					1547.45	T
Pottawattamie	70	85	48.46	4119.15	65	0.7433	32	52	13.35	45.35	2197.61	NT
Pottawattamie	70	85	239.60	20366.02	65	0.7433					20366.02	T
Pottawattamie	717C	5	0.30	1.50	65	0.7433	5	0	0.00	5.00	1.50	NT
Pottawattamie	76C	70	204.75	14332.39	65	0.7433	32	38	9.75	41.75	8549.19	NT
Pottawattamie	76C	70	102.20	7153.75	65	0.7433					7153.75	T
Pottawattamie	76D	60	92.09	5525.52	65	0.7433	32	28	7.19	39.19	3608.86	NT
Pottawattamie	76D	60	134.37	8062.14	65	0.7433					8062.14	T
Pottawattamie	76F	26	453.53	11791.74	65	0.7433	26	0	0.00	26.00	11791.74	NT
Pottawattamie	76F	26	180.83	4701.68	65	0.7433					4701.68	T
Pottawattamie	88	92	33.62	3093.26	65	0.7433	32	60	15.40	47.40	1593.77	NT
Pottawattamie	88	92	1051.79	96764.67	65	0.7433					96764.67	T
Pottawattamie	8B	90	1683.41	151507.13	65	0.7433	32	58	14.89	46.89	78932.86	NT
Pottawattamie	8B	90	23639.73	2127575.67	65	0.7433					2127575.67	T
Pottawattamie	8C	66	585.71	38656.70	65	0.7433	32	34	8.73	40.73	23854.58	NT
Pottawattamie	8C	66	3866.32	255177.32	65	0.7433					255177.32	T
Pottawattamie	9	86	94.84	8155.83	65	0.7433	32	54	13.86	45.86	4349.32	NT
Pottawattamie	9	86	2328.74	200271.61	65	0.7433					200271.61	T
Pottawattamie	93D2	33	252.91	8346.14	65	0.7433	32	0	0.00	32.00	8093.22	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	93D2	33	4585.77	151330.44	65	0.7433					151330.44	T
Pottawattamie	93D3	20	23.02	460.45	65	0.7433	20	0	0.00	20.00	460.45	NT
Pottawattamie	93D3	20	519.18	10383.68	65	0.7433					10383.68	T
Pottawattamie	99C2	61	126.10	7692.04	65	0.7433	32	28	7.19	39.19	4941.52	NT
Pottawattamie	99C2	61	5346.60	326142.89	65	0.7433					326142.89	T
Pottawattamie	99D2	53	1383.81	73341.77	65	0.7433	32	20	5.13	37.13	51386.29	NT
Pottawattamie	99D2	53	48008.77	2544465.06	65	0.7433					2544465.06	T
Pottawattamie	99D3	47	85.67	4026.44	65	0.7433	32	14	3.59	35.59	3049.28	NT
Pottawattamie	99D3	47	3065.85	144095.12	65	0.7433					144095.12	T
Pottawattamie	99E2	44	212.42	9346.47	65	0.7433	32	12	3.08	35.08	7451.77	NT
Pottawattamie	99E2	44	1164.08	51219.36	65	0.7433					51219.36	T
Pottawattamie	99E3	37	95.64	3538.58	65	0.7433	32	4	1.03	33.03	3158.59	NT
Pottawattamie	99E3	37	930.52	34429.31	65	0.7433					34429.31	T
Pottawattamie	9B	85	1966.58	167159.53	65	0.7433	32	52	13.35	45.35	89181.38	NT
Pottawattamie	9B	85	32365.57	2751073.66	65	0.7433					2751073.66	T
Pottawattamie	9C	66	270.49	17852.42	65	0.7433	32	34	8.73	40.73	11016.51	NT
Pottawattamie	9C	66	3331.02	219847.41	65	0.7433					219847.41	T
Pottawattamie	9C2	77	723.40	55701.89	65	0.7433	32	44	11.29	43.29	31319.51	NT
Pottawattamie	9C2	77	13867.48	1067796.17	65	0.7433					1067796.17	T
Pottawattamie	9D	56	124.78	6987.80	65	0.7433	32	24	6.16	38.16	4761.79	NT
Pottawattamie	9D	56	497.22	27844.49	65	0.7433					27844.49	T
Pottawattamie	9D2	52	275.40	14320.60	65	0.7433	32	20	5.13	37.13	10226.56	NT
Pottawattamie	9D2	52	6908.20	359226.54	65	0.7433					359226.54	T
Pottawattamie	AdD2		0.17		65	0.7433					0.00	T
Pottawattamie	AdE2		0.74		65	0.7433					0.00	T
Pottawattamie	AsD3	20	0.00	0.00	65	0.7433	20	0	0.00	20.00	0.00	NT
Pottawattamie	AsD3	20	0.06	1.22	65	0.7433					1.22	T
Pottawattamie	Cg		0.05		65	0.7433					0.00	T
Pottawattamie	HaD2		0.04		65	0.7433					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	INT	0	2.65	0.00	65	0.7433	0	0	0.00	0.00	0.00	NT
Pottawattamie	INT	0	16.26	0.00	65	0.7433					0.00	T
Pottawattamie	JdA		0.00		65	0.7433					0.00	T
Pottawattamie	JdB		0.87		65	0.7433					0.00	T
Pottawattamie	JoB		0.36		65	0.7433			0.00	0.00	0.00	NT
Pottawattamie	JoB		15.98		65	0.7433					0.00	T
Pottawattamie	Ke	86	0.02	2.15	65	0.7433	32	54	13.86	45.86	1.15	NT
Pottawattamie	Ke	86	0.05	4.10	65	0.7433					4.10	T
Pottawattamie	LaC	67	0.01	0.92	65	0.7433					0.92	T
Pottawattamie	MhB		2.01		65	0.7433					0.00	T
Pottawattamie	MhC		18.20		65	0.7433					0.00	T
Pottawattamie	MhC3		0.61		65	0.7433					0.00	T
Pottawattamie	MhD		0.50		65	0.7433					0.00	T
Pottawattamie	MhD2		9.74		65	0.7433					0.00	T
Pottawattamie	MhD3		0.06		65	0.7433					0.00	T
Pottawattamie	MhE2		22.60		65	0.7433					0.00	T
Pottawattamie	MhE3		0.01		65	0.7433					0.00	T
Pottawattamie	MmA		0.11		65	0.7433					0.00	T
Pottawattamie	MmB		0.18		65	0.7433					0.00	T
Pottawattamie	MmC2		0.34		65	0.7433					0.00	T
Pottawattamie	Ne		0.14		65	0.7433			0.00	0.00	0.00	NT
Pottawattamie	Ne		3.81		65	0.7433					0.00	T
Pottawattamie	No		1.04		65	0.7433			0.00	0.00	0.00	NT
Pottawattamie	No		0.20		65	0.7433					0.00	T
Pottawattamie	SL	0	16.98	0.00	65	0.7433	0	0	0.00	0.00	0.00	NT
Pottawattamie	SL	0	0.17	0.00	65	0.7433					0.00	T
Pottawattamie	W	0	471.26	0.00	65	0.7433	0	0	0.00	0.00	0.00	NT
Pottawattamie	W	0	33.27	0.00	65	0.7433					0.00	T
Pottawattamie	Wa	45	0.05	2.07	65	0.7433					2.07	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Pottawattamie	Wb	60	1.78	106.96	65	0.7433					106.96	T
Pottawattamie	Zo	70	0.01	1.00	65	0.7433					1.00	T
											0.00	
											0.00	
Poweshiek	118	95	59.47	5649.57	66	0.7278	33	62	16.88	49.88	2966.11	NT
Poweshiek	118	95	2151.41	204384.26	66	0.7278					204384.26	T
Poweshiek	119	100	421.33	42132.54	66	0.7278	33	67	18.24	51.24	21587.62	NT
Poweshiek	119	100	8649.65	864964.77	66	0.7278					864964.77	T
Poweshiek	11B	68	7600.55	516837.43	66	0.7278	33	35	9.53	42.53	323228.61	NT
Poweshiek	11B	68	17047.72	1159244.69	66	0.7278					1159244.69	T
Poweshiek	120	100	33.96	3396.41	66	0.7278	33	67	18.24	51.24	1740.23	NT
Poweshiek	120	100	447.65	44764.94	66	0.7278					44764.94	T
Poweshiek	120B	95	1470.18	139666.96	66	0.7278	33	62	16.88	49.88	73327.21	NT
Poweshiek	120B	95	22643.42	2151124.62	66	0.7278					2151124.62	T
Poweshiek	120C	80	167.90	13431.88	66	0.7278	33	47	12.79	45.79	7688.64	NT
Poweshiek	120C	80	2161.14	172891.16	66	0.7278					172891.16	T
Poweshiek	120C2	78	1376.92	107399.82	66	0.7278	33	45	12.25	45.25	62304.29	NT
Poweshiek	120C2	78	26315.74	2052627.79	66	0.7278					2052627.79	T
Poweshiek	120D2	68	293.39	19950.24	66	0.7278	33	35	9.53	42.53	12476.82	NT
Poweshiek	120D2	68	6559.52	446047.61	66	0.7278					446047.61	T
Poweshiek	122	63	5.02	316.34	66	0.7278	33	30	8.17	41.17	206.71	NT
Poweshiek	122	63	475.86	29979.32	66	0.7278					29979.32	T
Poweshiek	1220	25	1407.95	35198.66	66	0.7278	25	0	0.00	25.00	35198.66	NT
Poweshiek	1220	25	712.22	17805.52	66	0.7278					17805.52	T
Poweshiek	133	80	1598.83	127906.41	66	0.7278	33	47	12.79	45.79	73215.87	NT
Poweshiek	133	80	5185.52	414841.55	66	0.7278					414841.55	T
Poweshiek	133+	85	1402.16	119183.52	66	0.7278	33	52	14.15	47.15	66117.97	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Poweshiek	133+	85	5858.16	497943.29	66	0.7278					497943.29	T
Poweshiek	162B	90	119.17	10725.59	66	0.7278	33	57	15.52	48.52	5781.74	NT
Poweshiek	162B	90	1136.06	102245.39	66	0.7278					102245.39	T
Poweshiek	162C2	73	715.05	52198.95	66	0.7278	33	40	10.89	43.89	31382.30	NT
Poweshiek	162C2	73	4326.98	315869.47	66	0.7278					315869.47	T
Poweshiek	162D	65	87.22	5669.43	66	0.7278	33	32	8.71	41.71	3638.06	NT
Poweshiek	162D	65	42.75	2779.02	66	0.7278					2779.02	T
Poweshiek	162D2	63	841.07	52987.58	66	0.7278	33	30	8.17	41.17	34623.60	NT
Poweshiek	162D2	63	4331.27	272869.71	66	0.7278					272869.71	T
Poweshiek	163B	85	0.04	3.32	66	0.7278	33	52	14.15	47.15	1.84	NT
Poweshiek	163B	85	0.04	3.08	66	0.7278					3.08	T
Poweshiek	163C	70	52.85	3699.60	66	0.7278	33	37	10.07	43.07	2276.39	NT
Poweshiek	163C	70	67.41	4718.90	66	0.7278					4718.90	T
Poweshiek	163C2	68	137.41	9343.76	66	0.7278	33	35	9.53	42.53	5843.56	NT
Poweshiek	163C2	68	584.85	39770.07	66	0.7278					39770.07	T
Poweshiek	163D	60	10.54	632.10	66	0.7278	33	27	7.35	40.35	425.08	NT
Poweshiek	163D2	58	541.07	31381.85	66	0.7278	33	25	6.81	39.81	21537.15	NT
Poweshiek	163D2	58	1173.63	68070.59	66	0.7278					68070.59	T
Poweshiek	163E2	48	731.69	35120.91	66	0.7278	33	15	4.08	37.08	27133.10	NT
Poweshiek	163E2	48	1463.36	70241.15	66	0.7278					70241.15	T
Poweshiek	163F	30	3.71	111.43	66	0.7278	30	0	0.00	30.00	111.43	NT
Poweshiek	163F	30	0.22	6.48	66	0.7278					6.48	T
Poweshiek	163F2	28	0.30	8.30	66	0.7278	28	0	0.00	28.00	8.30	NT
Poweshiek	163F2	28	1.40	39.23	66	0.7278					39.23	T
Poweshiek	163F3	25	0.00	0.00	66	0.7278					0.00	T
Poweshiek	163G	19	12.15	230.87	66	0.7278	19	0	0.00	19.00	230.87	NT
Poweshiek	179D	45	69.25	3116.28	66	0.7278	33	12	3.27	36.27	2511.48	NT
Poweshiek	179D	45	64.99	2924.37	66	0.7278					2924.37	T
Poweshiek	179D2	43	349.72	15038.05	66	0.7278	33	10	2.72	35.72	12492.78	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Poweshiek	179D2	43	2910.31	125143.47	66	0.7278					125143.47	T
Poweshiek	179E	35	318.30	11140.38	66	0.7278	33	2	0.54	33.54	10677.07	NT
Poweshiek	179E	35	432.29	15130.25	66	0.7278					15130.25	T
Poweshiek	179E2	33	3704.62	122252.31	66	0.7278	33	0	0.00	33.00	122252.31	NT
Poweshiek	179E2	33	10365.56	342063.63	66	0.7278					342063.63	T
Poweshiek	179F	15	801.78	12026.73	66	0.7278	15	0	0.00	15.00	12026.73	NT
Poweshiek	179F	15	869.00	13034.99	66	0.7278					13034.99	T
Poweshiek	179F2	14	0.00	0.02	66	0.7278					0.02	T
Poweshiek	192D2	15	482.70	7240.48	66	0.7278	15	0	0.00	15.00	7240.48	NT
Poweshiek	192D2	15	5000.96	75014.47	66	0.7278					75014.47	T
Poweshiek	20C	75	28.46	2134.40	66	0.7278	33	42	11.43	44.43	1264.49	NT
Poweshiek	20C	75	1054.02	79051.45	66	0.7278					79051.45	T
Poweshiek	20C2	73	334.39	24410.62	66	0.7278	33	40	10.89	43.89	14675.80	NT
Poweshiek	20C2	73	10363.74	756553.32	66	0.7278					756553.32	T
Poweshiek	20D2	63	233.10	14685.54	66	0.7278	33	30	8.17	41.17	9595.95	NT
Poweshiek	20D2	63	5646.34	355719.13	66	0.7278					355719.13	T
Poweshiek	220	85	1637.07	139150.98	66	0.7278	33	52	14.15	47.15	77195.07	NT
Poweshiek	220	85	3999.63	339968.84	66	0.7278					339968.84	T
Poweshiek	222C	30	28.89	866.78	66	0.7278	30	0	0.00	30.00	866.78	NT
Poweshiek	222C	30	238.43	7153.00	66	0.7278					7153.00	T
Poweshiek	222C2	25	18.74	468.60	66	0.7278	25	0	0.00	25.00	468.60	NT
Poweshiek	222C2	25	525.26	13131.46	66	0.7278					13131.46	T
Poweshiek	222D2	10	276.34	2763.38	66	0.7278	10	0	0.00	10.00	2763.38	NT
Poweshiek	222D2	10	2501.78	25017.75	66	0.7278					25017.75	T
Poweshiek	24D2	48	251.38	12066.03	66	0.7278	33	15	4.08	37.08	9321.76	NT
Poweshiek	24D2	48	4999.28	239965.30	66	0.7278					239965.30	T
Poweshiek	24E	40	185.75	7429.81	66	0.7278	33	7	1.91	34.91	6483.51	NT
Poweshiek	24E	40	236.75	9469.89	66	0.7278					9469.89	T
Poweshiek	24E2	38	1029.62	39125.59	66	0.7278	33	5	1.36	34.36	35378.80	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Poweshiek	24E2	38	7660.75	291108.39	66	0.7278					291108.39	T
Poweshiek	24F	20	193.58	3871.67	66	0.7278	20	0	0.00	20.00	3871.67	NT
Poweshiek	24F	20	253.42	5068.38	66	0.7278					5068.38	T
Poweshiek	273B	72	188.65	13582.70	66	0.7278	33	39	10.62	43.62	8228.06	NT
Poweshiek	273B	72	928.26	66834.90	66	0.7278					66834.90	T
Poweshiek	273C	57	61.88	3527.16	66	0.7278	33	24	6.53	39.53	2446.29	NT
Poweshiek	273C	57	422.77	24098.12	66	0.7278					24098.12	T
Poweshiek	279	88	23.92	2104.66	66	0.7278	33	55	14.97	47.97	1147.30	NT
Poweshiek	279	88	2470.75	217425.72	66	0.7278					217425.72	T
Poweshiek	280	95	274.47	26074.23	66	0.7278	33	62	16.88	49.88	13689.36	NT
Poweshiek	280	95	7859.41	746643.81	66	0.7278					746643.81	T
Poweshiek	281B	90	871.60	78443.61	66	0.7278	33	57	15.52	48.52	42285.81	NT
Poweshiek	281B	90	15926.37	1433373.53	66	0.7278					1433373.53	T
Poweshiek	281C	75	35.23	2642.50	66	0.7278	33	42	11.43	44.43	1565.50	NT
Poweshiek	281C	75	501.31	37598.60	66	0.7278					37598.60	T
Poweshiek	281C2	72	1052.37	75770.37	66	0.7278	33	39	10.62	43.62	45899.80	NT
Poweshiek	281C2	72	17094.01	1230768.97	66	0.7278					1230768.97	T
Poweshiek	281D2	61	242.39	14785.56	66	0.7278	33	28	7.62	40.62	9846.12	NT
Poweshiek	281D2	61	2516.62	153513.74	66	0.7278					153513.74	T
Poweshiek	291	90	12.87	1158.36	66	0.7278	33	57	15.52	48.52	624.43	NT
Poweshiek	291	90	220.42	19838.17	66	0.7278					19838.17	T
Poweshiek	293D	29	1.10	31.81	66	0.7278	29	0	0.00	29.00	31.81	NT
Poweshiek	293D2	28	87.26	2443.20	66	0.7278	28	0	0.00	28.00	2443.20	NT
Poweshiek	293D2	28	390.20	10925.46	66	0.7278					10925.46	T
Poweshiek	293E2	18	217.30	3911.40	66	0.7278	18	0	0.00	18.00	3911.40	NT
Poweshiek	293E2	18	296.86	5343.51	66	0.7278					5343.51	T
Poweshiek	293F	9	121.57	1094.14	66	0.7278	9	0	0.00	9.00	1094.14	NT
Poweshiek	293F	9	33.20	298.76	66	0.7278					298.76	T
Poweshiek	377C2	73	5.67	414.27	66	0.7278	33	40	10.89	43.89	249.06	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Poweshiek	377C2	73	229.16	16728.74	66	0.7278					16728.74	T
Poweshiek	377D2	63	26.90	1694.42	66	0.7278	33	30	8.17	41.17	1107.18	NT
Poweshiek	377D2	63	413.21	26032.20	66	0.7278					26032.20	T
Poweshiek	41C	25	19.29	482.18	66	0.7278	25	0	0.00	25.00	482.18	NT
Poweshiek	41C	25	249.66	6241.39	66	0.7278					6241.39	T
Poweshiek	41D	15	50.71	760.67	66	0.7278	15	0	0.00	15.00	760.67	NT
Poweshiek	41D	15	196.41	2946.15	66	0.7278					2946.15	T
Poweshiek	422	85	25.55	2172.01	66	0.7278	33	52	14.15	47.15	1204.94	NT
Poweshiek	422	85	233.50	19847.16	66	0.7278					19847.16	T
Poweshiek	424D2	15	180.47	2707.05	66	0.7278	15	0	0.00	15.00	2707.05	NT
Poweshiek	424D2	15	148.97	2234.50	66	0.7278					2234.50	T
Poweshiek	425D2	12	346.37	4156.48	66	0.7278	12	0	0.00	12.00	4156.48	NT
Poweshiek	425D2	12	390.77	4689.26	66	0.7278					4689.26	T
Poweshiek	428B	93	83.34	7751.03	66	0.7278	33	60	16.33	49.33	4111.55	NT
Poweshiek	428B	93	1278.59	118908.42	66	0.7278					118908.42	T
Poweshiek	43	80	11.63	930.01	66	0.7278	33	47	12.79	45.79	532.35	NT
Poweshiek	43	80	287.07	22965.56	66	0.7278					22965.56	T
Poweshiek	430	83	1485.10	123263.61	66	0.7278	33	50	13.61	46.61	69220.68	NT
Poweshiek	430	83	4402.48	365406.23	66	0.7278					365406.23	T
Poweshiek	442E2	35	13.77	481.86	66	0.7278	33	2	0.54	33.54	461.82	NT
Poweshiek	442E2	35	168.38	5893.14	66	0.7278					5893.14	T
Poweshiek	451D2	33	13.23	436.74	66	0.7278	33	0	0.00	33.00	436.74	NT
Poweshiek	451D2	33	163.54	5396.96	66	0.7278					5396.96	T
Poweshiek	453	53	14.59	773.38	66	0.7278	33	20	5.44	38.44	560.98	NT
Poweshiek	453	53	130.18	6899.51	66	0.7278					6899.51	T
Poweshiek	462B	90	61.42	5527.49	66	0.7278	33	57	15.52	48.52	2979.65	NT
Poweshiek	462B	90	566.15	50953.27	66	0.7278					50953.27	T
Poweshiek	462C2	71	17.85	1267.65	66	0.7278	33	38	10.34	43.34	773.87	NT
Poweshiek	462C2	71	445.38	31622.19	66	0.7278					31622.19	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Poweshiek	484	90	560.86	50476.97	66	0.7278	33	57	15.52	48.52	27210.12	NT
Poweshiek	484	90	2369.92	213292.47	66	0.7278					213292.47	T
Poweshiek	488C2	71	9.76	693.07	66	0.7278	33	38	10.34	43.34	423.10	NT
Poweshiek	488C2	71	310.31	22032.14	66	0.7278					22032.14	T
Poweshiek	488D2	61	222.53	13574.61	66	0.7278	33	28	7.62	40.62	9039.71	NT
Poweshiek	488D2	61	1186.92	72402.26	66	0.7278					72402.26	T
Poweshiek	5	83	777.93	64567.88	66	0.7278	33	50	13.61	46.61	36259.15	NT
Poweshiek	5	83	1799.04	149320.73	66	0.7278					149320.73	T
Poweshiek	5030	0	74.30	0.00	66	0.7278	0	0	0.00	0.00	0.00	NT
Poweshiek	5030	0	10.08	0.00	66	0.7278					0.00	T
Poweshiek	5040	5	36.91	184.54	66	0.7278	5	0	0.00	5.00	184.54	NT
Poweshiek	5040	5	25.68	128.38	66	0.7278					128.38	T
Poweshiek	5080	0	12.38	0.00	66	0.7278	0	0	0.00	0.00	0.00	NT
Poweshiek	5080	0	108.96	0.00	66	0.7278					0.00	T
Poweshiek	51	70	24.85	1739.81	66	0.7278	33	37	10.07	43.07	1070.51	NT
Poweshiek	51	70	570.79	39955.19	66	0.7278					39955.19	T
Poweshiek	54	70	102.46	7172.38	66	0.7278	33	37	10.07	43.07	4413.21	NT
Poweshiek	54	70	2004.59	140320.97	66	0.7278					140320.97	T
Poweshiek	570B2	83	0.05	4.13	66	0.7278					4.13	T
Poweshiek	570C2	64	333.93	21371.34	66	0.7278	33	31	8.44	41.44	13837.34	NT
Poweshiek	570C2	64	7701.42	492891.05	66	0.7278					492891.05	T
Poweshiek	570D2	54	158.63	8566.16	66	0.7278	33	21	5.72	38.72	6141.65	NT
Poweshiek	570D2	54	2362.09	127552.97	66	0.7278					127552.97	T
Poweshiek	571C2	62	168.69	10459.01	66	0.7278	33	29	7.89	40.89	6898.53	NT
Poweshiek	571C2	62	1362.22	84457.34	66	0.7278					84457.34	T
Poweshiek	571D2	52	372.59	19374.73	66	0.7278	33	19	5.17	38.17	14222.47	NT
Poweshiek	571D2	52	1676.75	87190.76	66	0.7278					87190.76	T
Poweshiek	592D2	5	32.43	162.15	66	0.7278	5	0	0.00	5.00	162.15	NT
Poweshiek	592D2	5	289.92	1449.58	66	0.7278					1449.58	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Poweshiek	5B	83	0.77	64.23	66	0.7278	33	50	13.61	46.61	36.07	NT
Poweshiek	5B	83	1.40	115.88	66	0.7278					115.88	T
Poweshiek	65D	35	153.86	5385.26	66	0.7278	33	2	0.54	33.54	5161.29	NT
Poweshiek	65D	35	247.98	8679.30	66	0.7278					8679.30	T
Poweshiek	65E	25	2169.00	54224.93	66	0.7278	25	0	0.00	25.00	54224.93	NT
Poweshiek	65E	25	1457.02	36425.53	66	0.7278					36425.53	T
Poweshiek	65E2	24	0.03	0.70	66	0.7278	24	0	0.00	24.00	0.70	NT
Poweshiek	65E3	25	100.56	2514.04	66	0.7278	25	0	0.00	25.00	2514.04	NT
Poweshiek	65E3	25	289.47	7236.66	66	0.7278					7236.66	T
Poweshiek	65F	10	1431.37	14313.66	66	0.7278	10	0	0.00	10.00	14313.66	NT
Poweshiek	65F	10	512.76	5127.62	66	0.7278					5127.62	T
Poweshiek	65F3	5	41.25	206.24	66	0.7278	5	0	0.00	5.00	206.24	NT
Poweshiek	65F3	5	72.31	361.54	66	0.7278					361.54	T
Poweshiek	65G	5	300.50	1502.52	66	0.7278	5	0	0.00	5.00	1502.52	NT
Poweshiek	65G	5	16.78	83.90	66	0.7278					83.90	T
Poweshiek	683D2	58	10.36	600.86	66	0.7278	33	25	6.81	39.81	412.36	NT
Poweshiek	683D2	58	397.42	23050.45	66	0.7278					23050.45	T
Poweshiek	687	85	42.06	3574.69	66	0.7278	33	52	14.15	47.15	1983.09	NT
Poweshiek	687	85	513.65	43660.47	66	0.7278					43660.47	T
Poweshiek	688	85	39.37	3346.85	66	0.7278	33	52	14.15	47.15	1856.69	NT
Poweshiek	688	85	598.54	50876.15	66	0.7278					50876.15	T
Poweshiek	7	91	20.08	1827.03	66	0.7278	33	58	15.79	48.79	979.52	NT
Poweshiek	7	91	444.06	40409.43	66	0.7278					40409.43	T
Poweshiek	75	75	12.65	948.75	66	0.7278	33	42	11.43	44.43	562.07	NT
Poweshiek	75	75	307.85	23089.05	66	0.7278					23089.05	T
Poweshiek	76B	82	301.89	24754.60	66	0.7278	33	49	13.34	46.34	13988.70	NT
Poweshiek	76B	82	2574.17	211081.87	66	0.7278					211081.87	T
Poweshiek	76C	70	89.65	6275.85	66	0.7278	33	37	10.07	43.07	3861.56	NT
Poweshiek	76C	70	163.56	11449.07	66	0.7278					11449.07	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Poweshiek	76C2	67	992.91	66525.30	66	0.7278	33	34	9.25	42.25	41955.42	NT
Poweshiek	76C2	67	6688.01	448096.42	66	0.7278					448096.42	T
Poweshiek	76D	60	49.44	2966.40	66	0.7278	33	27	7.35	40.35	1994.87	NT
Poweshiek	76D	60	49.92	2995.00	66	0.7278					2995.00	T
Poweshiek	76D2	52	547.07	28447.61	66	0.7278	33	19	5.17	38.17	20882.62	NT
Poweshiek	76D2	52	2881.45	149835.47	66	0.7278					149835.47	T
Poweshiek	792D2	11	1521.84	16740.27	66	0.7278	11	0	0.00	11.00	16740.27	NT
Poweshiek	792D2	11	6094.73	67042.01	66	0.7278					67042.01	T
Poweshiek	80C	67	232.60	15584.15	66	0.7278	33	34	9.25	42.25	9828.43	NT
Poweshiek	80C	67	245.90	16475.41	66	0.7278					16475.41	T
Poweshiek	80C2	57	202.21	11525.90	66	0.7278	33	24	6.53	39.53	7993.88	NT
Poweshiek	80C2	57	578.08	32950.53	66	0.7278					32950.53	T
Poweshiek	80D	55	320.73	17640.40	66	0.7278	33	22	5.99	38.99	12504.92	NT
Poweshiek	80D	55	147.12	8091.48	66	0.7278					8091.48	T
Poweshiek	80D2	52	351.60	18283.30	66	0.7278	33	19	5.17	38.17	13421.28	NT
Poweshiek	80D2	52	535.28	27834.63	66	0.7278					27834.63	T
Poweshiek	80E2	45	85.47	3846.35	66	0.7278	33	12	3.27	36.27	3099.85	NT
Poweshiek	80E2	45	117.24	5275.71	66	0.7278					5275.71	T
Poweshiek	822D2	15	643.69	9655.41	66	0.7278	15	0	0.00	15.00	9655.41	NT
Poweshiek	822D2	15	5191.54	77873.07	66	0.7278					77873.07	T
Poweshiek	822E2	5	75.03	375.15	66	0.7278	5	0	0.00	5.00	375.15	NT
Poweshiek	822E2	5	435.88	2179.38	66	0.7278					2179.38	T
Poweshiek	876B	82	31.05	2546.16	66	0.7278	33	49	13.34	46.34	1438.82	NT
Poweshiek	876B	82	383.59	31454.43	66	0.7278					31454.43	T
Poweshiek	876C2	65	26.46	1719.85	66	0.7278	33	32	8.71	41.71	1103.63	NT
Poweshiek	876C2	65	412.48	26811.22	66	0.7278					26811.22	T
Poweshiek	88	92	33.54	3086.12	66	0.7278	33	59	16.06	49.06	1645.70	NT
Poweshiek	88	92	1133.38	104270.63	66	0.7278					104270.63	T
Poweshiek	881B	90	30.12	2711.11	66	0.7278	33	57	15.52	48.52	1461.45	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Poweshiek	881B	90	827.64	74487.60	66	0.7278					74487.60	T
Poweshiek	881C2	70	4.74	331.51	66	0.7278	33	37	10.07	43.07	203.98	NT
Poweshiek	881C2	70	326.92	22884.30	66	0.7278					22884.30	T
Poweshiek	8B	90	94.54	8509.03	66	0.7278	33	57	15.52	48.52	4586.88	NT
Poweshiek	8B	90	2110.81	189972.69	66	0.7278					189972.69	T
Poweshiek	8C	66	41.34	2728.35	66	0.7278	33	33	8.98	41.98	1735.50	NT
Poweshiek	8C	66	369.06	24357.96	66	0.7278					24357.96	T
Poweshiek	93D2	33	519.23	17134.62	66	0.7278	33	0	0.00	33.00	17134.62	NT
Poweshiek	93D2	33	8673.82	286235.93	66	0.7278					286235.93	T
Poweshiek	93E2	23	77.58	1784.45	66	0.7278	23	0	0.00	23.00	1784.45	NT
Poweshiek	93E2	23	1148.38	26412.80	66	0.7278					26412.80	T
Poweshiek	993D2	20	843.36	16867.10	66	0.7278	20	0	0.00	20.00	16867.10	NT
Poweshiek	993D2	20	5210.84	104216.77	66	0.7278					104216.77	T
Poweshiek	993E2	10	424.60	4246.04	66	0.7278	10	0	0.00	10.00	4246.04	NT
Poweshiek	993E2	10	1485.99	14859.95	66	0.7278					14859.95	T
Poweshiek	AW	0	10.55	0.00	66	0.7278	0	0	0.00	0.00	0.00	NT
Poweshiek	AW	0	0.38	0.00	66	0.7278					0.00	T
Poweshiek	BW	0	10.64	0.00	66	0.7278	0	0	0.00	0.00	0.00	NT
Poweshiek	BW	0	5.82	0.00	66	0.7278					0.00	T
Poweshiek	INT	0	6.77	0.00	66	0.7278	0	0	0.00	0.00	0.00	NT
Poweshiek	INT	0	27.93	0.00	66	0.7278					0.00	T
Poweshiek	SL	0	5.21	0.00	66	0.7278	0	0	0.00	0.00	0.00	NT
Poweshiek	SL	0	0.00	0.00	66	0.7278					0.00	T
Poweshiek	W	0	1156.17	0.00	66	0.7278	0	0	0.00	0.00	0.00	NT
Poweshiek	W	0	23.95	0.00	66	0.7278					0.00	T
											0.00	
											0.00	

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	1131C	45	0.15	6.55	45	0.7239					6.55	T
Ringgold	1220	25	1279.98	31999.44	45	0.7239	22	2	0.55	22.55	28866.31	NT
Ringgold	1220	25	201.24	5030.91	45	0.7239					5030.91	T
Ringgold	131B	67	4.20	281.19	45	0.7239	22	44	12.15	34.15	143.31	NT
Ringgold	131B	67	129.08	8648.10	45	0.7239					8648.10	T
Ringgold	131C	50	836.80	41840.03	45	0.7239	22	28	7.73	29.73	24878.75	NT
Ringgold	131C	50	4415.89	220794.47	45	0.7239					220794.47	T
Ringgold	131C2	45	365.79	16460.42	45	0.7239	22	22	6.07	28.07	10269.18	NT
Ringgold	131C2	45	3094.63	139258.40	45	0.7239					139258.40	T
Ringgold	131D	36	68.05	2449.84	45	0.7239	22	14	3.87	25.87	1760.17	NT
Ringgold	131D	36	199.80	7192.75	45	0.7239					7192.75	T
Ringgold	131D2	31	38.64	1197.93	45	0.7239	22	8	2.21	24.21	935.49	NT
Ringgold	131D2	31	214.51	6649.94	45	0.7239					6649.94	T
Ringgold	132C	44	116.68	5133.93	45	0.7239	22	22	6.07	28.07	3275.70	NT
Ringgold	132C	44	87.01	3828.62	45	0.7239					3828.62	T
Ringgold	132C2	40	0.04	1.42	45	0.7239	22	18	4.97	26.97	0.95	NT
Ringgold	132C2	40	2.33	93.05	45	0.7239					93.05	T
Ringgold	13B	65	16851.41	1095341.93	45	0.7239	22	42	11.60	33.60	566143.49	NT
Ringgold	13B	65	13787.42	896182.24	45	0.7239					896182.24	T
Ringgold	1715	25	0.21	5.13	45	0.7239	22	2	0.55	22.55	4.63	NT
Ringgold	1715	25	0.35	8.73	45	0.7239					8.73	T
Ringgold	172	45	293.51	13208.10	45	0.7239	22	22	6.07	28.07	8240.15	NT
Ringgold	172	45	3555.59	160001.55	45	0.7239					160001.55	T
Ringgold	172+	52	99.56	5177.13	45	0.7239	22	30	8.28	30.28	3014.98	NT
Ringgold	172+	52	1159.49	60293.34	45	0.7239					60293.34	T
Ringgold	175C	41	36.24	1485.69	45	0.7239	22	18	4.97	26.97	977.29	NT
Ringgold	175C	41	85.73	3514.92	45	0.7239					3514.92	T
Ringgold	175D	36	98.23	3536.34	45	0.7239	22	14	3.87	25.87	2540.80	NT
Ringgold	175D	36	189.09	6807.21	45	0.7239					6807.21	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	179D	45	728.18	32768.25	45	0.7239	22	22	6.07	28.07	20443.16	NT
Ringgold	179D	45	1125.45	50645.38	45	0.7239					50645.38	T
Ringgold	179D2	43	3992.10	171660.23	45	0.7239	22	20	5.52	27.52	109870.53	NT
Ringgold	179D2	43	12493.21	537208.20	45	0.7239					537208.20	T
Ringgold	179D3	40	33.33	1333.26	45	0.7239	22	18	4.97	26.97	898.94	NT
Ringgold	179D3	40	200.06	8002.58	45	0.7239					8002.58	T
Ringgold	179E	35	1608.04	56281.48	45	0.7239	22	12	3.31	25.31	40704.70	NT
Ringgold	179E	35	1261.99	44169.61	45	0.7239					44169.61	T
Ringgold	179E2	33	6782.88	223835.16	45	0.7239	22	10	2.76	24.76	167950.98	NT
Ringgold	179E2	33	14717.92	485691.20	45	0.7239					485691.20	T
Ringgold	179F	15	2155.54	32333.17	45	0.7239	15	0	0.00	15.00	32333.17	NT
Ringgold	179F	15	555.31	8329.59	45	0.7239					8329.59	T
Ringgold	179F2	14	1739.26	24349.58	45	0.7239	14	0	0.00	14.00	24349.58	NT
Ringgold	179F2	14	1541.13	21575.76	45	0.7239					21575.76	T
Ringgold	192C	35	128.49	4497.12	45	0.7239	22	12	3.31	25.31	3252.47	NT
Ringgold	192C	35	944.43	33054.96	45	0.7239					33054.96	T
Ringgold	192C2	30	671.49	20144.67	45	0.7239	22	8	2.21	24.21	16255.94	NT
Ringgold	192C2	30	6768.64	203059.13	45	0.7239					203059.13	T
Ringgold	192D2	15	173.25	2598.74	45	0.7239	15	0	0.00	15.00	2598.74	NT
Ringgold	192D2	15	1530.48	22957.24	45	0.7239					22957.24	T
Ringgold	211	60	37.95	2276.96	45	0.7239					2276.96	T
Ringgold	212	94	620.30	58308.01	45	0.7239	22	72	19.88	41.88	25977.58	NT
Ringgold	212	94	772.15	72582.53	45	0.7239					72582.53	T
Ringgold	220	85	6791.87	577309.37	45	0.7239	22	62	17.12	39.12	265685.92	NT
Ringgold	220	85	7910.04	672353.80	45	0.7239					672353.80	T
Ringgold	222C	30	422.47	12674.20	45	0.7239	22	8	2.21	24.21	10227.57	NT
Ringgold	222C	30	2829.32	84879.48	45	0.7239					84879.48	T
Ringgold	222C2	25	634.92	15872.93	45	0.7239	22	2	0.55	22.55	14318.78	NT
Ringgold	222C2	25	6382.03	159550.80	45	0.7239					159550.80	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	222D	15	103.74	1556.13	45	0.7239	15	0	0.00	15.00	1556.13	NT
Ringgold	222D	15	545.58	8183.73	45	0.7239					8183.73	T
Ringgold	222D2	10	83.85	838.49	45	0.7239	10	0	0.00	10.00	838.49	NT
Ringgold	222D2	10	662.68	6626.82	45	0.7239					6626.82	T
Ringgold	23C	55	1114.99	61324.31	45	0.7239	22	32	8.84	30.84	34380.86	NT
Ringgold	23C	55	11495.64	632259.94	45	0.7239					632259.94	T
Ringgold	23C2	50	600.98	30048.79	45	0.7239	22	28	7.73	29.73	17867.49	NT
Ringgold	23C2	50	11558.79	577939.34	45	0.7239					577939.34	T
Ringgold	24D	50	315.26	15762.92	45	0.7239	22	28	7.73	29.73	9372.89	NT
Ringgold	24D	50	1319.31	65965.28	45	0.7239					65965.28	T
Ringgold	24D2	48	2174.30	104366.49	45	0.7239	22	26	7.18	29.18	63443.09	NT
Ringgold	24D2	48	10181.18	488696.67	45	0.7239					488696.67	T
Ringgold	24E	40	151.38	6055.23	45	0.7239	22	18	4.97	26.97	4082.71	NT
Ringgold	24E	40	712.48	28499.37	45	0.7239					28499.37	T
Ringgold	24E2	38	515.03	19571.21	45	0.7239	22	16	4.42	26.42	13605.90	NT
Ringgold	24E2	38	2646.91	100582.39	45	0.7239					100582.39	T
Ringgold	24F2	18	0.01	0.18	45	0.7239	18	0	0.00	18.00	0.18	NT
Ringgold	269	58	488.65	28341.56	45	0.7239	22	36	9.94	31.94	15607.21	NT
Ringgold	269	58	5171.41	299942.07	45	0.7239					299942.07	T
Ringgold	269+	63	129.85	8180.76	45	0.7239	22	40	11.04	33.04	4290.88	NT
Ringgold	269+	63	1062.98	66967.99	45	0.7239					66967.99	T
Ringgold	269B	53	857.15	45429.20	45	0.7239	22	30	8.28	30.28	25957.22	NT
Ringgold	269B	53	2818.64	149387.75	45	0.7239					149387.75	T
Ringgold	269B+	58	131.63	7634.49	45	0.7239	22	36	9.94	31.94	4204.18	NT
Ringgold	269B+	58	601.24	34871.65	45	0.7239					34871.65	T
Ringgold	273B	72	293.45	21128.60	45	0.7239	22	50	13.81	35.81	10507.08	NT
Ringgold	273B	72	1025.90	73864.61	45	0.7239					73864.61	T
Ringgold	273C	57	673.25	38375.45	45	0.7239	22	34	9.39	31.39	21131.67	NT
Ringgold	273C	57	1395.73	79556.74	45	0.7239					79556.74	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	287B	70	4214.74	295032.11	45	0.7239	22	48	13.25	35.25	148581.54	NT
Ringgold	287B	70	4142.82	289997.62	45	0.7239					289997.62	T
Ringgold	362	70	18.53	1296.96	45	0.7239	22	48	13.25	35.25	653.16	NT
Ringgold	362	70	955.99	66919.58	45	0.7239					66919.58	T
Ringgold	364B	75	451.30	33847.24	45	0.7239	22	52	14.36	36.36	16407.88	NT
Ringgold	364B	75	8112.85	608463.73	45	0.7239					608463.73	T
Ringgold	368B	90	173.25	15592.67	45	0.7239	22	68	18.77	40.77	7064.31	NT
Ringgold	368B	90	3387.22	304849.49	45	0.7239					304849.49	T
Ringgold	369	87	5.07	440.88	45	0.7239	22	64	17.67	39.67	201.03	NT
Ringgold	369	87	325.41	28310.50	45	0.7239					28310.50	T
Ringgold	370B	87	140.41	12215.50	45	0.7239	22	64	17.67	39.67	5570.04	NT
Ringgold	370B	87	1878.68	163444.75	45	0.7239					163444.75	T
Ringgold	370C	72	167.55	12063.72	45	0.7239	22	50	13.81	35.81	5999.19	NT
Ringgold	370C	72	1265.69	91129.89	45	0.7239					91129.89	T
Ringgold	370C2	67	54.59	3657.24	45	0.7239	22	44	12.15	34.15	1864.02	NT
Ringgold	370C2	67	480.99	32226.38	45	0.7239					32226.38	T
Ringgold	370D	62	3.43	212.37	45	0.7239	22	40	11.04	33.04	113.19	NT
Ringgold	370D	62	94.57	5863.52	45	0.7239					5863.52	T
Ringgold	423C	31	145.43	4508.23	45	0.7239	22	8	2.21	24.21	3520.61	NT
Ringgold	423C	31	412.75	12795.11	45	0.7239					12795.11	T
Ringgold	423C2	27	313.21	8456.78	45	0.7239	22	4	1.10	23.10	7236.62	NT
Ringgold	423C2	27	1918.10	51788.79	45	0.7239					51788.79	T
Ringgold	423D	18	137.82	2480.70	45	0.7239	18	0	0.00	18.00	2480.70	NT
Ringgold	423D	18	295.47	5318.46	45	0.7239					5318.46	T
Ringgold	423D2	13	227.49	2957.40	45	0.7239	13	0	0.00	13.00	2957.40	NT
Ringgold	423D2	13	1202.76	15635.89	45	0.7239					15635.89	T
Ringgold	425C	28	177.11	4958.98	45	0.7239	22	6	1.66	23.66	4189.73	NT
Ringgold	425C	28	35.34	989.46	45	0.7239					989.46	T
Ringgold	425D	16	613.37	9813.94	45	0.7239	16	0	0.00	16.00	9813.94	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	425D	16	121.56	1944.91	45	0.7239					1944.91	T
Ringgold	425D2	12	2.95	35.38	45	0.7239					35.38	T
Ringgold	428B	93	47.31	4400.28	45	0.7239	22	70	19.33	41.33	1955.38	NT
Ringgold	428B	93	260.14	24193.38	45	0.7239					24193.38	T
Ringgold	430	83	648.80	53850.19	45	0.7239	22	60	16.57	38.57	25021.52	NT
Ringgold	430	83	1431.79	118838.97	45	0.7239					118838.97	T
Ringgold	451D2	33	92.92	3066.30	45	0.7239	22	10	2.76	24.76	2300.74	NT
Ringgold	451D2	33	348.60	11503.71	45	0.7239					11503.71	T
Ringgold	451E2	23	0.16	3.64	45	0.7239					3.64	T
Ringgold	451F2	7	121.42	849.96	45	0.7239	7	0	0.00	7.00	849.96	NT
Ringgold	451F2	7	116.57	815.99	45	0.7239					815.99	T
Ringgold	452C	35	228.30	7990.33	45	0.7239	22	12	3.31	25.31	5778.88	NT
Ringgold	452C	35	1535.51	53742.68	45	0.7239					53742.68	T
Ringgold	452C2	30	103.46	3103.83	45	0.7239	22	8	2.21	24.21	2504.66	NT
Ringgold	452C2	30	724.76	21742.82	45	0.7239					21742.82	T
Ringgold	470D	29	64.60	1873.49	45	0.7239	22	6	1.66	23.66	1528.29	NT
Ringgold	470D	29	305.24	8852.09	45	0.7239					8852.09	T
Ringgold	470D2	25	454.05	11351.27	45	0.7239	22	2	0.55	22.55	10239.84	NT
Ringgold	470D2	25	2224.46	55611.39	45	0.7239					55611.39	T
Ringgold	484	90	0.19	17.37	45	0.7239	22	68	18.77	40.77	7.87	NT
Ringgold	484	90	0.57	50.94	45	0.7239					50.94	T
Ringgold	5010	0	0.96	0.00	45	0.7239	0	0	0.00	0.00	0.00	NT
Ringgold	5010	0	6.04	0.00	45	0.7239					0.00	T
Ringgold	5030	0	41.73	0.00	45	0.7239	0	0	0.00	0.00	0.00	NT
Ringgold	5040	5	20.57	102.86	45	0.7239	5	0	0.00	5.00	102.86	NT
Ringgold	5040	5	39.53	197.65	45	0.7239					197.65	T
Ringgold	51	70	0.16	11.34	45	0.7239					11.34	T
Ringgold	51B	65	0.05	3.20	45	0.7239	22	42	11.60	33.60	1.65	NT
Ringgold	51B	65	0.33	21.59	45	0.7239					21.59	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	534	43	86.47	3718.09	45	0.7239	22	20	5.52	27.52	2379.75	NT
Ringgold	534	43	974.80	41916.30	45	0.7239					41916.30	T
Ringgold	534+	48	12.19	585.30	45	0.7239	22	26	7.18	29.18	355.79	NT
Ringgold	534+	48	373.77	17940.98	45	0.7239					17940.98	T
Ringgold	54	70	515.55	36088.29	45	0.7239	22	48	13.25	35.25	18174.48	NT
Ringgold	54	70	3209.16	224641.48	45	0.7239					224641.48	T
Ringgold	54+	75	210.63	15797.36	45	0.7239	22	52	14.36	36.36	7657.97	NT
Ringgold	54+	75	1499.57	112467.97	45	0.7239					112467.97	T
Ringgold	54B	65	234.17	15220.94	45	0.7239	22	42	11.60	33.60	7867.16	NT
Ringgold	54B	65	772.21	50193.56	45	0.7239					50193.56	T
Ringgold	570C	69	585.04	40368.10	45	0.7239	22	46	12.70	34.70	20301.41	NT
Ringgold	570C	69	6389.04	440843.65	45	0.7239					440843.65	T
Ringgold	570C2	64	198.27	12689.59	45	0.7239	22	42	11.60	33.60	6661.28	NT
Ringgold	570C2	64	3152.89	201785.20	45	0.7239					201785.20	T
Ringgold	570D	59	27.71	1634.71	45	0.7239	22	36	9.94	31.94	884.95	NT
Ringgold	570D	59	306.08	18058.70	45	0.7239					18058.70	T
Ringgold	570D2	54	22.54	1217.05	45	0.7239	22	32	8.84	30.84	694.97	NT
Ringgold	570D2	54	124.36	6715.38	45	0.7239					6715.38	T
Ringgold	587	65	0.37	24.01	45	0.7239					24.01	T
Ringgold	592C	25	71.11	1777.77	45	0.7239	22	2	0.55	22.55	1603.71	NT
Ringgold	592C	25	247.35	6183.81	45	0.7239					6183.81	T
Ringgold	592C2	21	112.94	2371.74	45	0.7239	21	0	0.00	21.00	2371.74	NT
Ringgold	592C2	21	929.51	19519.71	45	0.7239					19519.71	T
Ringgold	592D	10	233.37	2333.74	45	0.7239	10	0	0.00	10.00	2333.74	NT
Ringgold	592D	10	543.44	5434.39	45	0.7239					5434.39	T
Ringgold	592D2	5	976.89	4884.47	45	0.7239	5	0	0.00	5.00	4884.47	NT
Ringgold	592D2	5	4240.45	21202.24	45	0.7239					21202.24	T
Ringgold	592E2	5	71.56	357.78	45	0.7239	5	0	0.00	5.00	357.78	NT
Ringgold	592E2	5	68.02	340.08	45	0.7239					340.08	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	65D	35	72.24	2528.25	45	0.7239	22	12	3.31	25.31	1828.51	NT
Ringgold	65D	35	5.38	188.13	45	0.7239					188.13	T
Ringgold	65E	25	497.35	12433.66	45	0.7239	22	2	0.55	22.55	11216.26	NT
Ringgold	65E	25	57.27	1431.83	45	0.7239					1431.83	T
Ringgold	65F	10	4.10	40.95	45	0.7239	10	0	0.00	10.00	40.95	NT
Ringgold	65F	10	0.00	0.04	45	0.7239					0.04	T
Ringgold	65F2	8	0.02	0.15	45	0.7239					0.15	T
Ringgold	65G	5	2157.01	10785.07	45	0.7239	5	0	0.00	5.00	10785.07	NT
Ringgold	65G	5	136.54	682.69	45	0.7239					682.69	T
Ringgold	69C	50	220.79	11039.41	45	0.7239	22	28	7.73	29.73	6564.21	NT
Ringgold	69C	50	2659.22	132960.87	45	0.7239					132960.87	T
Ringgold	69C2	41	37.59	1541.26	45	0.7239	22	18	4.97	26.97	1013.84	NT
Ringgold	69C2	41	894.97	36693.89	45	0.7239					36693.89	T
Ringgold	76C	70	373.30	26131.25	45	0.7239	22	48	13.25	35.25	13160.00	NT
Ringgold	76C	70	1742.26	121958.43	45	0.7239					121958.43	T
Ringgold	76C2	67	140.54	9416.17	45	0.7239	22	44	12.15	34.15	4799.21	NT
Ringgold	76C2	67	1152.26	77201.44	45	0.7239					77201.44	T
Ringgold	76D	60	59.29	3557.53	45	0.7239	22	38	10.49	32.49	1926.51	NT
Ringgold	76D	60	200.17	12010.32	45	0.7239					12010.32	T
Ringgold	792C	31	1075.90	33352.87	45	0.7239	22	8	2.21	24.21	26046.22	NT
Ringgold	792C	31	2187.62	67816.30	45	0.7239					67816.30	T
Ringgold	792C2	26	2244.41	58354.65	45	0.7239	22	4	1.10	23.10	51855.73	NT
Ringgold	792C2	26	11937.29	310369.48	45	0.7239					310369.48	T
Ringgold	792D	18	715.80	12884.46	45	0.7239	18	0	0.00	18.00	12884.46	NT
Ringgold	792D	18	765.92	13786.51	45	0.7239					13786.51	T
Ringgold	792D2	11	2388.71	26275.79	45	0.7239	11	0	0.00	11.00	26275.79	NT
Ringgold	792D2	11	7565.39	83219.26	45	0.7239					83219.26	T
Ringgold	822C	29	168.77	4894.42	45	0.7239	22	6	1.66	23.66	3992.59	NT
Ringgold	822C	29	1151.16	33383.70	45	0.7239					33383.70	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	822C2	24	900.84	21620.21	45	0.7239	22	2	0.55	22.55	20315.97	NT
Ringgold	822C2	24	8014.42	192346.03	45	0.7239					192346.03	T
Ringgold	822D	20	288.38	5767.69	45	0.7239	20	0	0.00	20.00	5767.69	NT
Ringgold	822D	20	1544.27	30885.49	45	0.7239					30885.49	T
Ringgold	822D2	15	469.99	7049.89	45	0.7239	15	0	0.00	15.00	7049.89	NT
Ringgold	822D2	15	3019.47	45292.04	45	0.7239					45292.04	T
Ringgold	831C2	40	70.24	2809.66	45	0.7239	22	18	4.97	26.97	1894.40	NT
Ringgold	831C2	40	212.45	8498.15	45	0.7239					8498.15	T
Ringgold	870B	87	20.51	1784.79	45	0.7239	22	64	17.67	39.67	813.83	NT
Ringgold	870B	87	284.82	24779.64	45	0.7239					24779.64	T
Ringgold	870C2	67	43.89	2940.46	45	0.7239	22	44	12.15	34.15	1498.69	NT
Ringgold	870C2	67	337.52	22613.63	45	0.7239					22613.63	T
Ringgold	88	92	18.30	1683.58	45	0.7239	22	70	19.33	41.33	756.27	NT
Ringgold	88	92	407.49	37489.19	45	0.7239					37489.19	T
Ringgold	93D	30	55.29	1658.84	45	0.7239	22	8	2.21	24.21	1338.62	NT
Ringgold	93D	30	297.05	8911.42	45	0.7239					8911.42	T
Ringgold	93D2	33	444.12	14655.85	45	0.7239	22	10	2.76	24.76	10996.78	NT
Ringgold	93D2	33	2653.96	87580.55	45	0.7239					87580.55	T
Ringgold	94D	25	76.23	1905.85	45	0.7239	22	2	0.55	22.55	1719.25	NT
Ringgold	94D	25	124.15	3103.81	45	0.7239					3103.81	T
Ringgold	94D2	10	789.42	7894.20	45	0.7239	10	0	0.00	10.00	7894.20	NT
Ringgold	94D2	10	2394.26	23942.60	45	0.7239					23942.60	T
Ringgold	993D	34	75.61	2570.61	45	0.7239	22	12	3.31	25.31	1913.83	NT
Ringgold	993D	34	132.73	4512.91	45	0.7239					4512.91	T
Ringgold	993D2	20	801.50	16030.07	45	0.7239	20	0	0.00	20.00	16030.07	NT
Ringgold	993D2	20	3131.40	62628.07	45	0.7239					62628.07	T
Ringgold	AW	0	4.34	0.00	45	0.7239	0	0	0.00	0.00	0.00	NT
Ringgold	SL	0	6.35	0.00	45	0.7239	0	0	0.00	0.00	0.00	NT
Ringgold	SL	0	0.26	0.00	45	0.7239					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Ringgold	T131B	67	0.07	4.38	45	0.7239					4.38	T
Ringgold	W	0	2580.92	0.00	45	0.7239	0	0	0.00	0.00	0.00	NT
Ringgold	W	0	128.20	0.00	45	0.7239					0.00	T
											0.00	
											0.00	
Sac	107	70	466.61	32662.89	73	0.7064	36	34	9.98	45.98	21455.98	NT
Sac	107	70	18854.24	1319796.47	73	0.7064					1319796.47	T
Sac	108	52	244.00	12688.03	73	0.7064	36	16	4.70	40.70	9930.24	NT
Sac	108	52	1844.55	95916.78	73	0.7064					95916.78	T
Sac	108B	47	291.43	13697.01	73	0.7064	36	10	2.94	38.94	11346.95	NT
Sac	108B	47	1989.61	93511.53	73	0.7064					93511.53	T
Sac	108C2	25	50.60	1265.03	73	0.7064	25	0	0.00	25.00	1265.03	NT
Sac	108C2	25	174.37	4359.30	73	0.7064					4359.30	T
Sac	10D3	50	65.03	3251.41	73	0.7064	36	14	4.11	40.11	2608.30	NT
Sac	10D3	50	889.00	44450.14	73	0.7064					44450.14	T
Sac	10E3	40	128.18	5127.03	73	0.7064	36	4	1.17	37.17	4764.86	NT
Sac	10E3	40	653.66	26146.47	73	0.7064					26146.47	T
Sac	11B	68	27.00	1835.81	73	0.7064	36	32	9.40	45.40	1225.54	NT
Sac	11B	68	826.80	56222.20	73	0.7064					56222.20	T
Sac	133	80	2894.08	231526.77	73	0.7064	36	44	12.92	48.92	141573.99	NT
Sac	133	80	8882.62	710609.98	73	0.7064					710609.98	T
Sac	134	65	88.12	5727.61	73	0.7064	36	28	8.22	44.22	3896.61	NT
Sac	134	65	686.03	44591.79	73	0.7064					44591.79	T
Sac	135	78	784.90	61222.46	73	0.7064	36	42	12.33	48.33	37935.32	NT
Sac	135	78	1767.72	137882.22	73	0.7064					137882.22	T
Sac	135B	73	55.45	4047.49	73	0.7064	36	36	10.57	46.57	2582.05	NT
Sac	135B	73	1048.13	76513.81	73	0.7064					76513.81	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sac	138B	73	2294.98	167533.44	73	0.7064	36	36	10.57	46.57	106876.24	NT
Sac	138B	73	38698.78	2825011.05	73	0.7064					2825011.05	T
Sac	138B2	78	0.00	0.14	73	0.7064	36	42	12.33	48.33	0.09	NT
Sac	138B2	78	0.03	2.27	73	0.7064					2.27	T
Sac	138C	67	129.69	8689.27	73	0.7064	36	30	8.81	44.81	5811.18	NT
Sac	138C	67	334.61	22418.60	73	0.7064					22418.60	T
Sac	138C2	59	572.22	33761.15	73	0.7064	36	22	6.46	42.46	24296.13	NT
Sac	138C2	59	8160.97	481497.08	73	0.7064					481497.08	T
Sac	138D2	56	69.59	3896.80	73	0.7064	36	20	5.87	41.87	2913.70	NT
Sac	138D2	56	296.26	16590.69	73	0.7064					16590.69	T
Sac	174B	70	11.18	782.31	73	0.7064	36	34	9.98	45.98	513.90	NT
Sac	174B	70	168.99	11829.64	73	0.7064					11829.64	T
Sac	174C2	26	34.98	909.52	73	0.7064	26	0	0.00	26.00	909.52	NT
Sac	174C2	26	467.18	12146.63	73	0.7064					12146.63	T
Sac	174D2	16	46.09	737.48	73	0.7064	16	0	0.00	16.00	737.48	NT
Sac	174D2	16	401.24	6419.91	73	0.7064					6419.91	T
Sac	1D3	45	71.29	3208.14	73	0.7064	36	8	2.35	38.35	2733.96	NT
Sac	1D3	45	702.03	31591.40	73	0.7064					31591.40	T
Sac	1E3	35	44.35	1552.24	73	0.7064	35	0	0.00	35.00	1552.24	NT
Sac	1E3	35	426.51	14928.02	73	0.7064					14928.02	T
Sac	1F3	15	86.45	1296.69	73	0.7064	15	0	0.00	15.00	1296.69	NT
Sac	1F3	15	151.86	2277.84	73	0.7064					2277.84	T
Sac	201B	51	216.17	11024.86	73	0.7064	36	14	4.11	40.11	8670.82	NT
Sac	201B	51	226.05	11528.77	73	0.7064					11528.77	T
Sac	202	60	19.54	1172.25	73	0.7064	36	24	7.05	43.05	841.02	NT
Sac	202	60	738.07	44284.11	73	0.7064					44284.11	T
Sac	203	71	74.51	5289.96	73	0.7064	36	34	9.98	45.98	3425.98	NT
Sac	203	71	1197.43	85017.38	73	0.7064					85017.38	T
Sac	221	25	6.91	172.83	73	0.7064	25	0	0.00	25.00	172.83	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sac	221	25	357.21	8930.17	73	0.7064					8930.17	T
Sac	234	70	164.31	11501.60	73	0.7064	36	34	9.98	45.98	7555.30	NT
Sac	234	70	476.45	33351.60	73	0.7064					33351.60	T
Sac	236B	79	267.31	21117.75	73	0.7064	36	42	12.33	48.33	12919.57	NT
Sac	236B	79	422.94	33412.59	73	0.7064					33412.59	T
Sac	24C2	58	43.76	2538.05	73	0.7064	36	22	6.46	42.46	1857.99	NT
Sac	24C2	58	764.28	44328.28	73	0.7064					44328.28	T
Sac	24D2	48	55.66	2671.58	73	0.7064	36	12	3.52	39.52	2199.78	NT
Sac	24D2	48	466.94	22413.21	73	0.7064					22413.21	T
Sac	24E2	38	70.92	2695.02	73	0.7064	36	2	0.59	36.59	2594.82	NT
Sac	24E2	38	148.93	5659.43	73	0.7064					5659.43	T
Sac	259	41	81.86	3356.06	73	0.7064	36	4	1.17	37.17	3042.91	NT
Sac	259	41	684.19	28051.59	73	0.7064					28051.59	T
Sac	26B	73	174.31	12724.70	73	0.7064	36	36	10.57	46.57	8117.59	NT
Sac	26B	73	1518.23	110830.60	73	0.7064					110830.60	T
Sac	274	39	7.88	307.29	73	0.7064	36	2	0.59	36.59	288.27	NT
Sac	274	39	387.77	15122.94	73	0.7064					15122.94	T
Sac	27C	61	103.57	6317.88	73	0.7064	36	24	7.05	43.05	4458.40	NT
Sac	27C	61	376.76	22982.63	73	0.7064					22982.63	T
Sac	308	43	51.11	2197.57	73	0.7064	36	6	1.76	37.76	1929.85	NT
Sac	308	43	400.37	17215.73	73	0.7064					17215.73	T
Sac	308B	36	55.15	1985.45	73	0.7064	36	0	0.00	36.00	1985.45	NT
Sac	308B	36	181.54	6535.31	73	0.7064					6535.31	T
Sac	31	75	730.34	54775.55	73	0.7064	36	38	11.16	47.16	34440.53	NT
Sac	31	75	10878.65	815899.11	73	0.7064					815899.11	T
Sac	310	79	63.50	5016.57	73	0.7064	36	42	12.33	48.33	3069.08	NT
Sac	310	79	1073.22	84784.69	73	0.7064					84784.69	T
Sac	310B	71	1730.54	122868.13	73	0.7064	36	34	9.98	45.98	79574.25	NT
Sac	310B	71	45842.85	3254842.07	73	0.7064					3254842.07	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sac	310B2	69	1.15	79.45	73	0.7064	36	32	9.40	45.40	52.27	NT
Sac	310B2	69	451.51	31153.99	73	0.7064					31153.99	T
Sac	310C	56	73.95	4141.33	73	0.7064	36	20	5.87	41.87	3096.53	NT
Sac	310C	56	2508.04	140450.21	73	0.7064					140450.21	T
Sac	310C2	56	53.43	2992.24	73	0.7064	36	20	5.87	41.87	2237.34	NT
Sac	310C2	56	3901.52	218484.91	73	0.7064					218484.91	T
Sac	315	30	1361.59	40847.74	73	0.7064	30	0	0.00	30.00	40847.74	NT
Sac	315	30	242.59	7277.73	73	0.7064					7277.73	T
Sac	323B	72	15.06	1083.98	73	0.7064	36	36	10.57	46.57	701.12	NT
Sac	323B	72	243.65	17542.66	73	0.7064					17542.66	T
Sac	325	87	46.65	4058.57	73	0.7064	36	50	14.68	50.68	2364.23	NT
Sac	325	87	154.37	13430.26	73	0.7064					13430.26	T
Sac	33E	19	36.57	694.92	73	0.7064	19	0	0.00	19.00	694.92	NT
Sac	33E	19	105.97	2013.49	73	0.7064					2013.49	T
Sac	33F	8	230.47	1843.75	73	0.7064	8	0	0.00	8.00	1843.75	NT
Sac	33F	8	102.99	823.95	73	0.7064					823.95	T
Sac	354	5	206.90	1034.49	73	0.7064	5	0	0.00	5.00	1034.49	NT
Sac	354	5	8.84	44.22	73	0.7064					44.22	T
Sac	384	67	3.77	252.71	73	0.7064	36	30	8.81	44.81	169.00	NT
Sac	384	67	390.51	26163.86	73	0.7064					26163.86	T
Sac	390	59	13.82	815.10	73	0.7064	36	22	6.46	42.46	586.59	NT
Sac	390	59	1647.90	97225.83	73	0.7064					97225.83	T
Sac	397B	78	42.55	3319.06	73	0.7064	36	42	12.33	48.33	2056.59	NT
Sac	397B	78	397.73	31023.18	73	0.7064					31023.18	T
Sac	41D	15	13.50	202.51	73	0.7064	15	0	0.00	15.00	202.51	NT
Sac	41D	15	96.34	1445.09	73	0.7064					1445.09	T
Sac	428	92	48.67	4477.89	73	0.7064	36	56	16.44	52.44	2552.47	NT
Sac	428	92	1834.14	168741.16	73	0.7064					168741.16	T
Sac	430	83	345.60	28685.03	73	0.7064	36	46	13.51	49.51	17109.27	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sac	430	83	2156.90	179023.03	73	0.7064					179023.03	T
Sac	430B	74	49.94	3695.51	73	0.7064	36	38	11.16	47.16	2354.98	NT
Sac	430B	74	366.92	27152.18	73	0.7064					27152.18	T
Sac	431B	73	0.00	0.00	73	0.7064	36	36	10.57	46.57	0.00	NT
Sac	474C	31	0.17	5.24	73	0.7064					5.24	T
Sac	485	92	449.66	41368.45	73	0.7064	36	56	16.44	52.44	23580.73	NT
Sac	485	92	930.40	85597.15	73	0.7064					85597.15	T
Sac	485B	82	354.55	29073.44	73	0.7064	36	46	13.51	49.51	17552.42	NT
Sac	485B	82	1978.48	162235.01	73	0.7064					162235.01	T
Sac	5010	0	837.08	0.00	73	0.7064	0	0	0.00	0.00	0.00	NT
Sac	5010	0	178.03	0.00	73	0.7064					0.00	T
Sac	5040	5	145.95	729.76	73	0.7064	5	0	0.00	5.00	729.76	NT
Sac	5040	5	203.35	1016.74	73	0.7064					1016.74	T
Sac	506	69	3.27	225.69	73	0.7064	36	32	9.40	45.40	148.48	NT
Sac	506	69	678.95	46847.68	73	0.7064					46847.68	T
Sac	507	71	407.52	28934.04	73	0.7064	36	34	9.98	45.98	18738.83	NT
Sac	507	71	24150.65	1714696.38	73	0.7064					1714696.38	T
Sac	511	57	154.27	8793.58	73	0.7064	36	20	5.87	41.87	6459.73	NT
Sac	511	57	2519.55	143614.13	73	0.7064					143614.13	T
Sac	54	70	196.44	13751.01	73	0.7064	36	34	9.98	45.98	9032.92	NT
Sac	54	70	1288.68	90207.36	73	0.7064					90207.36	T
Sac	55	73	708.30	51705.67	73	0.7064	36	36	10.57	46.57	32985.10	NT
Sac	55	73	26675.85	1947337.14	73	0.7064					1947337.14	T
Sac	559	40	12.78	511.23	73	0.7064	36	4	1.17	37.17	475.11	NT
Sac	559	40	500.85	20034.11	73	0.7064					20034.11	T
Sac	577C2	67	42.23	2829.67	73	0.7064	36	30	8.81	44.81	1892.42	NT
Sac	577C2	67	634.27	42495.99	73	0.7064					42495.99	T
Sac	577D2	37	41.20	1524.32	73	0.7064	36	0	0.00	36.00	1483.12	NT
Sac	577D2	37	244.40	9042.80	73	0.7064					9042.80	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sac	5B	83	630.20	52306.58	73	0.7064	36	46	13.51	49.51	31198.42	NT
Sac	5B	83	4409.06	365951.80	73	0.7064					365951.80	T
Sac	6	43	70.98	3052.04	73	0.7064	36	6	1.76	37.76	2680.23	NT
Sac	6	43	5095.10	219089.44	73	0.7064					219089.44	T
Sac	606	54	3.70	199.66	73	0.7064	36	18	5.28	41.28	152.64	NT
Sac	606	54	169.24	9138.80	73	0.7064					9138.80	T
Sac	62C	48	73.67	3536.18	73	0.7064	36	12	3.52	39.52	2911.69	NT
Sac	62C	48	1468.19	70473.04	73	0.7064					70473.04	T
Sac	62D	39	406.09	15837.41	73	0.7064	36	2	0.59	36.59	14857.61	NT
Sac	62D	39	1798.07	70124.67	73	0.7064					70124.67	T
Sac	62E	30	441.84	13255.32	73	0.7064	30	0	0.00	30.00	13255.32	NT
Sac	62E	30	619.83	18594.90	73	0.7064					18594.90	T
Sac	62F	7	536.40	3754.79	73	0.7064	7	0	0.00	7.00	3754.79	NT
Sac	62F	7	228.01	1596.08	73	0.7064					1596.08	T
Sac	62G	5	1029.09	5145.45	73	0.7064	5	0	0.00	5.00	5145.45	NT
Sac	62G	5	70.53	352.63	73	0.7064					352.63	T
Sac	733	64	393.04	25154.36	73	0.7064	36	28	8.22	44.22	17380.40	NT
Sac	733	64	1742.81	111539.60	73	0.7064					111539.60	T
Sac	73C	5	77.83	389.17	73	0.7064	5	0	0.00	5.00	389.17	NT
Sac	73C	5	403.94	2019.69	73	0.7064					2019.69	T
Sac	73D	5	131.60	657.99	73	0.7064	5	0	0.00	5.00	657.99	NT
Sac	73D	5	246.17	1230.83	73	0.7064					1230.83	T
Sac	77B	76	165.34	12565.89	73	0.7064	36	40	11.74	47.74	7894.02	NT
Sac	77B	76	4012.34	304937.88	73	0.7064					304937.88	T
Sac	77B2	67	13.79	924.18	73	0.7064	36	30	8.81	44.81	618.07	NT
Sac	77B2	67	237.87	15937.47	73	0.7064					15937.47	T
Sac	77C	55	26.93	1481.31	73	0.7064	36	18	5.28	41.28	1111.92	NT
Sac	77C	55	356.03	19581.69	73	0.7064					19581.69	T
Sac	77C2	53	112.16	5944.37	73	0.7064	36	16	4.70	40.70	4564.56	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sac	77C2	53	3060.77	162220.64	73	0.7064					162220.64	T
Sac	78B	69	102.62	7080.65	73	0.7064	36	32	9.40	45.40	4658.37	NT
Sac	78B	69	3446.02	237775.05	73	0.7064					237775.05	T
Sac	78B2	65	15.27	992.54	73	0.7064	36	28	8.22	44.22	675.24	NT
Sac	78B2	65	840.93	54660.50	73	0.7064					54660.50	T
Sac	78C	52	18.15	943.98	73	0.7064	36	16	4.70	40.70	738.80	NT
Sac	78C	52	589.97	30678.34	73	0.7064					30678.34	T
Sac	78C2	51	149.99	7649.42	73	0.7064	36	14	4.11	40.11	6016.11	NT
Sac	78C2	51	4157.57	212035.99	73	0.7064					212035.99	T
Sac	823B	35	79.85	2794.74	73	0.7064	35	0	0.00	35.00	2794.74	NT
Sac	823B	35	741.57	25954.81	73	0.7064					25954.81	T
Sac	823C2	29	57.21	1659.16	73	0.7064	29	0	0.00	29.00	1659.16	NT
Sac	823C2	29	364.22	10562.41	73	0.7064					10562.41	T
Sac	8C	66	39.79	2625.92	73	0.7064	36	30	8.81	44.81	1782.76	NT
Sac	8C	66	352.03	23233.87	73	0.7064					23233.87	T
Sac	91	84	628.31	52777.93	73	0.7064	36	48	14.09	50.09	31473.74	NT
Sac	91	84	29034.62	2438908.34	73	0.7064					2438908.34	T
Sac	91B	81	0.48	38.87	73	0.7064					38.87	T
Sac	92	79	110.23	8707.99	73	0.7064	36	42	12.33	48.33	5327.44	NT
Sac	92	79	5750.21	454266.44	73	0.7064					454266.44	T
Sac	95	57	83.82	4777.75	73	0.7064	36	20	5.87	41.87	3509.72	NT
Sac	95	57	2348.22	133848.53	73	0.7064					133848.53	T
Sac	9B	85	124.47	10579.72	73	0.7064	36	48	14.09	50.09	6234.92	NT
Sac	9B	85	2366.59	201160.26	73	0.7064					201160.26	T
Sac	9B2	79	94.29	7448.93	73	0.7064	36	42	12.33	48.33	4557.16	NT
Sac	9B2	79	1930.33	152496.42	73	0.7064					152496.42	T
Sac	9C	66	38.80	2561.02	73	0.7064	36	30	8.81	44.81	1738.70	NT
Sac	9C	66	374.48	24715.92	73	0.7064					24715.92	T
Sac	9C2	77	477.83	36793.11	73	0.7064	36	40	11.74	47.74	22813.64	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sac	9C2	77	12298.49	946983.68	73	0.7064					946983.68	T
Sac	9D2	52	170.40	8861.03	73	0.7064	36	16	4.70	40.70	6935.05	NT
Sac	9D2	52	2411.51	125398.31	73	0.7064					125398.31	T
Sac	9D3	55	89.83	4940.65	73	0.7064	36	18	5.28	41.28	3708.61	NT
Sac	9D3	55	2551.28	140320.30	73	0.7064					140320.30	T
Sac	AW	0	4.77	0.00	73	0.7064	0	0	0.00	0.00	0.00	NT
Sac	BW	0	12.99	0.00	73	0.7064					0.00	T
Sac	C201B	25	584.67	14616.81	73	0.7064	25	0	0.00	25.00	14616.81	NT
Sac	C201B	25	129.91	3247.82	73	0.7064					3247.82	T
Sac	C5B	25	113.29	2832.36	73	0.7064	25	0	0.00	25.00	2832.36	NT
Sac	C5B	25	77.11	1927.70	73	0.7064					1927.70	T
Sac	INT	0	2.81	0.00	73	0.7064	0	0	0.00	0.00	0.00	NT
Sac	INT	0	2.16	0.00	73	0.7064					0.00	T
Sac	SL	0	0.79	0.00	73	0.7064	0	0	0.00	0.00	0.00	NT
Sac	T310	79	77.61	6130.83	73	0.7064	36	42	12.33	48.33	3750.76	NT
Sac	T310	79	1275.94	100799.33	73	0.7064					100799.33	T
Sac	T310B	69	41.47	2861.42	73	0.7064	36	32	9.40	45.40	1882.54	NT
Sac	T310B	69	659.55	45508.71	73	0.7064					45508.71	T
Sac	W	0	952.44	0.00	73	0.7064	0	0	0.00	0.00	0.00	NT
Sac	W	0	4.12	0.00	73	0.7064					0.00	T
											0.00	
											0.00	
Scott	1118	95	5.23	497.31	79	0.7329	40	56	14.96	54.96	287.70	NT
Scott	1118	95	506.89	48154.46	79	0.7329					48154.46	T
Scott	1119	100	22.28	2227.92	79	0.7329	40	60	16.03	56.03	1248.22	NT
Scott	1119	100	855.25	85524.69	79	0.7329					85524.69	T
Scott	1142	25	0.76	19.03	79	0.7329	25	0	0.00	25.00	19.03	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	1142	25	0.12	2.88	79	0.7329					2.88	T
Scott	1152	68	36.41	2475.86	79	0.7329	40	28	7.48	47.48	1728.69	NT
Scott	1152	68	538.43	36612.99	79	0.7329					36612.99	T
Scott	118	95	180.70	17166.49	79	0.7329	40	56	14.96	54.96	9930.83	NT
Scott	118	95	10057.62	955473.53	79	0.7329					955473.53	T
Scott	119	100	676.63	67662.83	79	0.7329	40	60	16.03	56.03	37908.77	NT
Scott	119	100	20440.11	2044011.30	79	0.7329					2044011.30	T
Scott	119B	95	37.76	3586.90	79	0.7329	40	56	14.96	54.96	2075.03	NT
Scott	119B	95	1997.47	189759.41	79	0.7329					189759.41	T
Scott	11B	68	727.82	49491.43	79	0.7329	40	28	7.48	47.48	34555.79	NT
Scott	11B	68	4738.27	322202.36	79	0.7329					322202.36	T
Scott	120B	95	2001.77	190167.71	79	0.7329	40	56	14.96	54.96	110012.22	NT
Scott	120B	95	34290.60	3257607.42	79	0.7329					3257607.42	T
Scott	120B2	93	41.56	3865.23	79	0.7329	40	54	14.42	54.42	2261.93	NT
Scott	120B2	93	1183.05	110024.10	79	0.7329					110024.10	T
Scott	120C	80	149.08	11926.24	79	0.7329	40	40	10.68	50.68	7555.87	NT
Scott	120C	80	3014.82	241185.95	79	0.7329					241185.95	T
Scott	120C2	78	1129.54	88103.99	79	0.7329	40	38	10.15	50.15	56646.12	NT
Scott	120C2	78	23175.92	1807721.79	79	0.7329					1807721.79	T
Scott	120C3	71	4.19	297.66	79	0.7329	40	32	8.55	48.55	203.53	NT
Scott	120C3	71	201.71	14321.71	79	0.7329					14321.71	T
Scott	120D2	68	418.13	28432.53	79	0.7329	40	28	7.48	47.48	19852.09	NT
Scott	120D2	68	4406.49	299641.42	79	0.7329					299641.42	T
Scott	120D3	65	92.90	6038.58	79	0.7329	40	26	6.94	46.94	4361.21	NT
Scott	120D3	65	1662.63	108070.99	79	0.7329					108070.99	T
Scott	120E2	58	39.62	2297.67	79	0.7329	40	18	4.81	44.81	1775.06	NT
Scott	120E2	58	95.58	5543.43	79	0.7329					5543.43	T
Scott	120E3	55	19.56	1075.91	79	0.7329	40	16	4.27	44.27	866.08	NT
Scott	120E3	55	168.05	9242.66	79	0.7329					9242.66	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	121	95	0.05	4.77	79	0.7329	40	56	14.96	54.96	2.76	NT
Scott	121	95	0.07	6.57	79	0.7329					6.57	T
Scott	122	63	0.02	1.41	79	0.7329					1.41	T
Scott	1226	72	63.29	4556.62	79	0.7329	40	32	8.55	48.55	3072.37	NT
Scott	1226	72	1295.88	93303.52	79	0.7329					93303.52	T
Scott	133	80	1014.81	81184.59	79	0.7329	40	40	10.68	50.68	51434.50	NT
Scott	133	80	7579.38	606350.70	79	0.7329					606350.70	T
Scott	139	15	141.49	2122.34	79	0.7329	15	0	0.00	15.00	2122.34	NT
Scott	139	15	49.89	748.32	79	0.7329					748.32	T
Scott	142	83	1.06	87.61	79	0.7329	40	44	11.75	51.75	54.62	NT
Scott	142	83	1.93	160.01	79	0.7329					160.01	T
Scott	142B	65	0.06	3.86	79	0.7329	40	26	6.94	46.94	2.79	NT
Scott	1539	25	2049.72	51242.94	79	0.7329	25	0	0.00	25.00	51242.94	NT
Scott	1539	25	64.14	1603.60	79	0.7329					1603.60	T
Scott	160	67	3.99	267.09	79	0.7329	40	28	7.48	47.48	189.27	NT
Scott	160	67	568.19	38069.05	79	0.7329					38069.05	T
Scott	162B	90	408.47	36762.07	79	0.7329	40	50	13.36	53.36	21793.78	NT
Scott	162B	90	2988.35	268951.37	79	0.7329					268951.37	T
Scott	162C	75	0.14	10.67	79	0.7329	40	36	9.62	49.62	7.06	NT
Scott	162C	75	2.26	169.47	79	0.7329					169.47	T
Scott	162C2	73	693.60	50632.67	79	0.7329	40	34	9.08	49.08	34042.77	NT
Scott	162C2	73	4893.37	357216.08	79	0.7329					357216.08	T
Scott	162C3	70	14.65	1025.26	79	0.7329	40	30	8.01	48.01	703.23	NT
Scott	162C3	70	122.73	8591.21	79	0.7329					8591.21	T
Scott	162D	65	0.40	25.77	79	0.7329					25.77	T
Scott	162D2	63	733.51	46211.22	79	0.7329	40	24	6.41	46.41	34042.56	NT
Scott	162D2	63	3057.79	192640.87	79	0.7329					192640.87	T
Scott	162D3	60	61.97	3718.42	79	0.7329	40	20	5.34	45.34	2810.01	NT
Scott	162D3	60	809.42	48565.36	79	0.7329					48565.36	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	162E2	53	387.90	20558.81	79	0.7329	40	14	3.74	43.74	16966.60	NT
Scott	162E2	53	472.42	25038.00	79	0.7329					25038.00	T
Scott	162E3	50	120.62	6031.23	79	0.7329	40	10	2.67	42.67	5147.18	NT
Scott	162E3	50	615.76	30788.09	79	0.7329					30788.09	T
Scott	162F2	33	313.09	10331.92	79	0.7329	33	0	0.00	33.00	10331.92	NT
Scott	162F2	33	202.61	6685.97	79	0.7329					6685.97	T
Scott	163B	85	0.76	64.99	79	0.7329	40	46	12.29	52.29	39.98	NT
Scott	163B	85	4.80	407.91	79	0.7329					407.91	T
Scott	163B2	83	288.64	23957.30	79	0.7329	40	44	11.75	51.75	14937.93	NT
Scott	163B2	83	1294.56	107448.40	79	0.7329					107448.40	T
Scott	163C	70	149.00	10430.09	79	0.7329	40	30	8.01	48.01	7154.00	NT
Scott	163C	70	57.27	4009.04	79	0.7329					4009.04	T
Scott	163C2	68	810.63	55122.64	79	0.7329	40	28	7.48	47.48	38487.60	NT
Scott	163C2	68	2074.02	141033.28	79	0.7329					141033.28	T
Scott	163C3	65	45.05	2928.21	79	0.7329	40	26	6.94	46.94	2114.83	NT
Scott	163C3	65	144.51	9393.43	79	0.7329					9393.43	T
Scott	163D	60	192.91	11574.31	79	0.7329	40	20	5.34	45.34	8746.70	NT
Scott	163D	60	35.77	2146.08	79	0.7329					2146.08	T
Scott	163D2	58	721.16	41827.30	79	0.7329	40	18	4.81	44.81	32313.61	NT
Scott	163D2	58	909.68	52761.19	79	0.7329					52761.19	T
Scott	163D3	55	119.82	6589.91	79	0.7329	40	16	4.27	44.27	5304.71	NT
Scott	163D3	55	395.17	21734.52	79	0.7329					21734.52	T
Scott	163E	50	210.70	10534.88	79	0.7329	40	10	2.67	42.67	8990.68	NT
Scott	163E	50	51.42	2571.20	79	0.7329					2571.20	T
Scott	163E2	48	686.27	32940.87	79	0.7329	40	8	2.14	42.14	28917.15	NT
Scott	163E2	48	442.79	21253.95	79	0.7329					21253.95	T
Scott	163E3	46	152.41	7010.81	79	0.7329	40	6	1.60	41.60	6340.61	NT
Scott	163E3	46	473.72	21791.26	79	0.7329					21791.26	T
Scott	163F	30	433.88	13016.41	79	0.7329	30	0	0.00	30.00	13016.41	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	163F	30	61.49	1844.78	79	0.7329					1844.78	T
Scott	163F2	28	454.03	12712.75	79	0.7329	28	0	0.00	28.00	12712.75	NT
Scott	163F2	28	221.77	6209.58	79	0.7329					6209.58	T
Scott	163F3	25	37.82	945.54	79	0.7329	25	0	0.00	25.00	945.54	NT
Scott	163F3	25	82.66	2066.60	79	0.7329					2066.60	T
Scott	163G	19	1167.45	22181.63	79	0.7329	19	0	0.00	19.00	22181.63	NT
Scott	163G	19	78.29	1487.52	79	0.7329					1487.52	T
Scott	1730B	25	509.29	12732.33	79	0.7329	25	0	0.00	25.00	12732.33	NT
Scott	1730B	25	46.11	1152.76	79	0.7329					1152.76	T
Scott	174	75	40.85	3064.11	79	0.7329	40	36	9.62	49.62	2027.03	NT
Scott	174	75	633.51	47513.21	79	0.7329					47513.21	T
Scott	175	60	59.36	3561.35	79	0.7329	40	20	5.34	45.34	2691.31	NT
Scott	175	60	472.90	28373.99	79	0.7329					28373.99	T
Scott	175B	56	195.96	10973.65	79	0.7329	40	16	4.27	44.27	8675.77	NT
Scott	175B	56	1385.19	77570.61	79	0.7329					77570.61	T
Scott	175C	41	76.96	3155.33	79	0.7329	40	2	0.53	40.53	3119.49	NT
Scott	175C	41	940.10	38544.07	79	0.7329					38544.07	T
Scott	179D2	43	11.87	510.23	79	0.7329	40	4	1.07	41.07	487.31	NT
Scott	179D2	43	98.35	4229.22	79	0.7329					4229.22	T
Scott	179E2	33	139.30	4596.84	79	0.7329	33	0	0.00	33.00	4596.84	NT
Scott	179E2	33	107.13	3535.39	79	0.7329					3535.39	T
Scott	179E3	30	33.07	992.05	79	0.7329	30	0	0.00	30.00	992.05	NT
Scott	179E3	30	285.74	8572.34	79	0.7329					8572.34	T
Scott	179F2	14	143.59	2010.26	79	0.7329	14	0	0.00	14.00	2010.26	NT
Scott	179F2	14	71.15	996.11	79	0.7329					996.11	T
Scott	179F3	10	47.02	470.18	79	0.7329	10	0	0.00	10.00	470.18	NT
Scott	179F3	10	149.21	1492.14	79	0.7329					1492.14	T
Scott	184	93	4.77	443.26	79	0.7329	40	54	14.42	54.42	259.40	NT
Scott	184	93	416.82	38764.10	79	0.7329					38764.10	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	20C2	73	136.26	9946.68	79	0.7329	40	34	9.08	49.08	6687.63	NT
Scott	20C2	73	2725.19	198938.72	79	0.7329					198938.72	T
Scott	20C3	70	37.65	2635.29	79	0.7329	40	30	8.01	48.01	1807.54	NT
Scott	20C3	70	694.28	48599.36	79	0.7329					48599.36	T
Scott	20D2	63	115.85	7298.85	79	0.7329	40	24	6.41	46.41	5376.86	NT
Scott	20D2	63	1704.18	107363.30	79	0.7329					107363.30	T
Scott	20D3	58	185.17	10739.65	79	0.7329	40	18	4.81	44.81	8296.89	NT
Scott	20D3	58	3880.39	225062.73	79	0.7329					225062.73	T
Scott	220	85	567.92	48273.05	79	0.7329	40	46	12.29	52.29	29694.51	NT
Scott	220	85	712.51	60563.71	79	0.7329					60563.71	T
Scott	24D3	45	16.37	736.84	79	0.7329	40	6	1.60	41.60	681.21	NT
Scott	24D3	45	188.15	8466.53	79	0.7329					8466.53	T
Scott	24E2	38	65.49	2488.76	79	0.7329	38	0	0.00	38.00	2488.76	NT
Scott	24E2	38	129.60	4924.97	79	0.7329					4924.97	T
Scott	24E3	35	85.19	2981.58	79	0.7329	35	0	0.00	35.00	2981.58	NT
Scott	24E3	35	397.27	13904.50	79	0.7329					13904.50	T
Scott	254	62	93.66	5806.71	79	0.7329	40	22	5.88	45.88	4296.61	NT
Scott	254	62	852.72	52868.95	79	0.7329					52868.95	T
Scott	2636	25	8.40	209.92	79	0.7329	25	0	0.00	25.00	209.92	NT
Scott	273C	57	98.59	5619.70	79	0.7329	40	18	4.81	44.81	4417.66	NT
Scott	273C	57	100.52	5729.73	79	0.7329					5729.73	T
Scott	284	40	170.76	6830.32	79	0.7329	40	0	0.00	40.00	6830.32	NT
Scott	284	40	935.36	37414.41	79	0.7329					37414.41	T
Scott	291	90	85.71	7713.77	79	0.7329	40	50	13.36	53.36	4572.98	NT
Scott	291	90	1316.34	118470.35	79	0.7329					118470.35	T
Scott	293C	45	121.68	5475.51	79	0.7329	40	6	1.60	41.60	5062.12	NT
Scott	293C	45	198.89	8950.20	79	0.7329					8950.20	T
Scott	293E	25	201.90	5047.61	79	0.7329	25	0	0.00	25.00	5047.61	NT
Scott	293E	25	257.29	6432.29	79	0.7329					6432.29	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	293F	9	378.41	3405.71	79	0.7329	9	0	0.00	9.00	3405.71	NT
Scott	293F	9	60.03	540.30	79	0.7329					540.30	T
Scott	3133	80	0.00	0.24	79	0.7329	40	40	10.68	50.68	0.15	NT
Scott	3133	80	0.08	6.60	79	0.7329					6.60	T
Scott	313G		312.31		79	0.7329			0.00	0.00	0.00	NT
Scott	313G		7.87		79	0.7329					0.00	T
Scott	315	30	33.75	1012.64	79	0.7329	30	0	0.00	30.00	1012.64	NT
Scott	352B	62	12.04	746.39	79	0.7329	40	22	5.88	45.88	552.28	NT
Scott	352B	62	154.93	9605.83	79	0.7329					9605.83	T
Scott	352C2	40	23.05	922.06	79	0.7329	40	0	0.00	40.00	922.06	NT
Scott	352C2	40	201.76	8070.21	79	0.7329					8070.21	T
Scott	354	5	706.68	3533.42	79	0.7329	5	0	0.00	5.00	3533.42	NT
Scott	354	5	55.43	277.14	79	0.7329					277.14	T
Scott	377B	90	89.60	8063.62	79	0.7329	40	50	13.36	53.36	4780.38	NT
Scott	377B	90	1872.55	168529.81	79	0.7329					168529.81	T
Scott	377C	75	32.19	2414.06	79	0.7329	40	36	9.62	49.62	1597.00	NT
Scott	377C	75	901.03	67577.60	79	0.7329					67577.60	T
Scott	377C2	73	49.74	3630.98	79	0.7329	40	34	9.08	49.08	2441.28	NT
Scott	377C2	73	1226.81	89557.49	79	0.7329					89557.49	T
Scott	382	90	1.38	124.59	79	0.7329	40	50	13.36	53.36	73.86	NT
Scott	382	90	176.52	15886.96	79	0.7329					15886.96	T
Scott	4000	0	66.52	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	4000	0	12.89	0.00	79	0.7329					0.00	T
Scott	41	40	56.81	2272.33	79	0.7329	40	0	0.00	40.00	2272.33	NT
Scott	41	40	345.72	13828.96	79	0.7329					13828.96	T
Scott	4162C	0	49.20	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	4162C	0	58.57	0.00	79	0.7329					0.00	T
Scott	4162D	0	25.45	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	4162D	0	37.12	0.00	79	0.7329					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	4163E	0	0.02	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	4163E	0	0.02	0.00	79	0.7329					0.00	T
Scott	41B	40	169.51	6780.20	79	0.7329	40	0	0.00	40.00	6780.20	NT
Scott	41B	40	948.63	37945.39	79	0.7329					37945.39	T
Scott	41C	25	233.03	5825.81	79	0.7329	25	0	0.00	25.00	5825.81	NT
Scott	41C	25	1197.40	29934.89	79	0.7329					29934.89	T
Scott	41D	15	76.64	1149.58	79	0.7329	15	0	0.00	15.00	1149.58	NT
Scott	41D	15	120.08	1801.17	79	0.7329					1801.17	T
Scott	420B	95	30.00	2849.87	79	0.7329	40	56	14.96	54.96	1648.65	NT
Scott	420B	95	576.70	54786.35	79	0.7329					54786.35	T
Scott	4220	0	8.19	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	4220	0	10.58	0.00	79	0.7329					0.00	T
Scott	426B	85	32.89	2795.48	79	0.7329	40	46	12.29	52.29	1719.60	NT
Scott	426B	85	491.11	41744.58	79	0.7329					41744.58	T
Scott	426C	70	41.96	2937.08	79	0.7329	40	30	8.01	48.01	2014.54	NT
Scott	426C	70	332.85	23299.32	79	0.7329					23299.32	T
Scott	426C2	68	47.91	3257.88	79	0.7329	40	28	7.48	47.48	2274.71	NT
Scott	426C2	68	490.28	33338.94	79	0.7329					33338.94	T
Scott	426D2	68	28.73	1953.91	79	0.7329	40	28	7.48	47.48	1364.26	NT
Scott	426D2	68	146.55	9965.36	79	0.7329					9965.36	T
Scott	428B	93	54.13	5034.51	79	0.7329	40	54	14.42	54.42	2946.18	NT
Scott	428B	93	1471.81	136878.13	79	0.7329					136878.13	T
Scott	4291	0	12.34	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	4291	0	4.67	0.00	79	0.7329					0.00	T
Scott	430	83	1211.96	100593.01	79	0.7329	40	44	11.75	51.75	62722.05	NT
Scott	430	83	3456.93	286925.31	79	0.7329					286925.31	T
Scott	430B	74	493.60	36526.06	79	0.7329	40	34	9.08	49.08	24226.35	NT
Scott	430B	74	1230.11	91027.97	79	0.7329					91027.97	T
Scott	442C2	55	48.06	2643.25	79	0.7329	40	16	4.27	44.27	2127.75	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	442C2	55	644.09	35424.68	79	0.7329					35424.68	T
Scott	442D2	43	64.93	2791.93	79	0.7329	40	4	1.07	41.07	2666.51	NT
Scott	442D2	43	664.52	28574.17	79	0.7329					28574.17	T
Scott	442E2	35	68.74	2406.06	79	0.7329	35	0	0.00	35.00	2406.06	NT
Scott	442E2	35	223.58	7825.19	79	0.7329					7825.19	T
Scott	450B	68	15.48	1052.39	79	0.7329	40	28	7.48	47.48	734.80	NT
Scott	450B	68	223.42	15192.39	79	0.7329					15192.39	T
Scott	450C2	46	3.29	151.44	79	0.7329	40	6	1.60	41.60	136.96	NT
Scott	450C2	46	168.25	7739.58	79	0.7329					7739.58	T
Scott	467B	76	1.82	138.34	79	0.7329	40	36	9.62	49.62	90.31	NT
Scott	467B	76	0.04	2.76	79	0.7329					2.76	T
Scott	478G	5	0.05	0.24	79	0.7329	5	0	0.00	5.00	0.24	NT
Scott	480C2	63	0.15	9.24	79	0.7329					9.24	T
Scott	481D2	63	3.16	199.25	79	0.7329	40	24	6.41	46.41	146.78	NT
Scott	484	90	210.45	18940.84	79	0.7329	40	50	13.36	53.36	11228.76	NT
Scott	484	90	441.77	39759.06	79	0.7329					39759.06	T
Scott	488C2	71	0.02	1.51	79	0.7329					1.51	T
Scott	4977B	0	6.53	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	4977B	0	7.55	0.00	79	0.7329					0.00	T
Scott	499G	5	56.54	282.68	79	0.7329	5	0	0.00	5.00	282.68	NT
Scott	499G	5	20.93	104.67	79	0.7329					104.67	T
Scott	5010	0	24.23	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	5010	0	2.43	0.00	79	0.7329					0.00	T
Scott	5030	0	481.66	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	5030	0	5.73	0.00	79	0.7329					0.00	T
Scott	5040	5	167.75	838.75	79	0.7329	5	0	0.00	5.00	838.75	NT
Scott	5040	5	150.97	754.86	79	0.7329					754.86	T
Scott	5080	0	94.56	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	5080	0	4.15	0.00	79	0.7329					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	539	20	182.97	3659.36	79	0.7329	20	0	0.00	20.00	3659.36	NT
Scott	539	20	261.56	5231.24	79	0.7329					5231.24	T
Scott	54	70	271.37	18996.21	79	0.7329	40	30	8.01	48.01	13029.50	NT
Scott	54	70	494.40	34607.98	79	0.7329					34607.98	T
Scott	566C	65	0.09	6.03	79	0.7329					6.03	T
Scott	623C2	68	0.06	4.29	79	0.7329	40	28	7.48	47.48	2.99	NT
Scott	623C2	68	0.80	54.37	79	0.7329					54.37	T
Scott	623D2	58	0.16	9.43	79	0.7329	40	18	4.81	44.81	7.28	NT
Scott	623D2	58	3.31	192.22	79	0.7329					192.22	T
Scott	63C	21	63.20	1327.16	79	0.7329	21	0	0.00	21.00	1327.16	NT
Scott	63C	21	85.20	1789.21	79	0.7329					1789.21	T
Scott	63E	5	106.52	532.61	79	0.7329	5	0	0.00	5.00	532.61	NT
Scott	63E	5	130.70	653.50	79	0.7329					653.50	T
Scott	65D2	38	1.24	47.06	79	0.7329	38	0	0.00	38.00	47.06	NT
Scott	65E2	24	114.02	2736.54	79	0.7329	24	0	0.00	24.00	2736.54	NT
Scott	65E2	24	138.60	3326.30	79	0.7329					3326.30	T
Scott	65F	10	226.57	2265.69	79	0.7329	10	0	0.00	10.00	2265.69	NT
Scott	65F	10	46.33	463.32	79	0.7329					463.32	T
Scott	65F2	8	0.00	0.03	79	0.7329					0.03	T
Scott	65G	5	1231.43	6157.13	79	0.7329	5	0	0.00	5.00	6157.13	NT
Scott	65G	5	53.10	265.48	79	0.7329					265.48	T
Scott	673D3	50	53.70	2684.92	79	0.7329	40	10	2.67	42.67	2291.37	NT
Scott	673D3	50	525.20	26260.01	79	0.7329					26260.01	T
Scott	673E3	40	207.47	8298.87	79	0.7329	40	0	0.00	40.00	8298.87	NT
Scott	673E3	40	1936.79	77471.72	79	0.7329					77471.72	T
Scott	673F3	20	4.76	95.29	79	0.7329	20	0	0.00	20.00	95.29	NT
Scott	673F3	20	1.81	36.20	79	0.7329					36.20	T
Scott	763E3	40	270.97	10838.86	79	0.7329	40	0	0.00	40.00	10838.86	NT
Scott	763E3	40	2197.96	87918.24	79	0.7329					87918.24	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	763F3	21	132.09	2773.86	79	0.7329	21	0	0.00	21.00	2773.86	NT
Scott	763F3	21	626.90	13164.87	79	0.7329					13164.87	T
Scott	767E3	37	44.63	1651.13	79	0.7329	37	0	0.00	37.00	1651.13	NT
Scott	767E3	37	498.81	18455.84	79	0.7329					18455.84	T
Scott	767F3	17	179.05	3043.91	79	0.7329	17	0	0.00	17.00	3043.91	NT
Scott	767F3	17	179.77	3056.16	79	0.7329					3056.16	T
Scott	814	71	29.24	2075.81	79	0.7329	40	32	8.55	48.55	1419.36	NT
Scott	814	71	37.32	2649.57	79	0.7329					2649.57	T
Scott	820	40	487.70	19507.95	79	0.7329	40	0	0.00	40.00	19507.95	NT
Scott	820	40	625.53	25021.05	79	0.7329					25021.05	T
Scott	820B	75	1349.59	101219.61	79	0.7329	40	36	9.62	49.62	66960.96	NT
Scott	820B	75	2555.28	191646.27	79	0.7329					191646.27	T
Scott	826	95	91.85	8726.11	79	0.7329	40	56	14.96	54.96	5048.07	NT
Scott	826	95	2228.99	211754.13	79	0.7329					211754.13	T
Scott	83B	87	14.35	1248.65	79	0.7329	40	48	12.82	52.82	758.10	NT
Scott	83B	87	265.82	23126.59	79	0.7329					23126.59	T
Scott	83C2	69	66.50	4588.25	79	0.7329	40	30	8.01	48.01	3192.69	NT
Scott	83C2	69	846.70	58422.21	79	0.7329					58422.21	T
Scott	83D2	58	29.49	1710.25	79	0.7329	40	18	4.81	44.81	1321.25	NT
Scott	83D2	58	277.31	16084.07	79	0.7329					16084.07	T
Scott	83D3	56	56.03	3137.94	79	0.7329	40	16	4.27	44.27	2480.85	NT
Scott	83D3	56	358.28	20063.62	79	0.7329					20063.62	T
Scott	84	76	114.31	8687.62	79	0.7329	40	36	9.62	49.62	5671.60	NT
Scott	84	76	921.36	70023.46	79	0.7329					70023.46	T
Scott	911B	85	0.07	6.08	79	0.7329	40	46	12.29	52.29	3.74	NT
Scott	911B	85	2.56	217.69	79	0.7329					217.69	T
Scott	916B	77	9.51	732.37	79	0.7329	40	38	10.15	50.15	476.99	NT
Scott	916B	77	165.08	12711.45	79	0.7329					12711.45	T
Scott	916C2	62	20.90	1295.85	79	0.7329	40	22	5.88	45.88	958.85	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	916C2	62	238.62	14794.66	79	0.7329					14794.66	T
Scott	916D2	52	33.39	1736.53	79	0.7329	40	12	3.21	43.21	1442.83	NT
Scott	916D2	52	127.79	6645.08	79	0.7329					6645.08	T
Scott	920B	82	161.52	13244.93	79	0.7329	40	42	11.22	51.22	8272.94	NT
Scott	920B	82	2256.60	185040.85	79	0.7329					185040.85	T
Scott	920C2	57	46.24	2635.68	79	0.7329	40	18	4.81	44.81	2071.92	NT
Scott	920C2	57	1152.99	65720.60	79	0.7329					65720.60	T
Scott	920D2	47	14.98	704.09	79	0.7329	40	8	2.14	42.14	631.23	NT
Scott	920D2	47	272.93	12827.56	79	0.7329					12827.56	T
Scott	926	90	16.82	1513.57	79	0.7329	40	50	13.36	53.36	897.29	NT
Scott	926	90	451.04	40593.52	79	0.7329					40593.52	T
Scott	950	45	24.34	1095.26	79	0.7329	40	6	1.60	41.60	1012.57	NT
Scott	950	45	282.71	12722.00	79	0.7329					12722.00	T
Scott	950B	40	37.21	1488.56	79	0.7329	40	0	0.00	40.00	1488.56	NT
Scott	950B	40	83.84	3353.56	79	0.7329					3353.56	T
Scott	960	62	305.72	18954.40	79	0.7329	40	22	5.88	45.88	14025.09	NT
Scott	960	62	918.71	56959.95	79	0.7329					56959.95	T
Scott	961	47	888.94	41779.95	79	0.7329	40	8	2.14	42.14	37456.88	NT
Scott	961	47	1339.38	62950.99	79	0.7329					62950.99	T
Scott	976	95	1.65	156.96	79	0.7329	40	56	14.96	54.96	90.80	NT
Scott	977	95	172.33	16371.77	79	0.7329	40	56	14.96	54.96	9471.09	NT
Scott	977	95	1713.00	162734.54	79	0.7329					162734.54	T
Scott	INT	0	48.04	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	INT	0	18.17	0.00	79	0.7329					0.00	T
Scott	SL	0	11.38	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT
Scott	SL	0	0.49	0.00	79	0.7329					0.00	T
Scott	W	0	345.69	0.00	79	0.7329	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Scott	W	0	8.81	0.00	79	0.7329					0.00	T
											0.00	
											0.00	
Shelby	10	85	0.02	1.81	65	0.6565					1.81	T
Shelby	100B	80	755.42	60433.78	65	0.6565	32	48	16.49	48.49	36628.92	NT
Shelby	100B	80	13324.25	1065939.75	65	0.6565					1065939.75	T
Shelby	100C2	63	570.20	35922.50	65	0.6565	32	30	10.31	42.31	24122.25	NT
Shelby	100C2	63	11346.63	714837.47	65	0.6565					714837.47	T
Shelby	100D2	53	920.94	48810.04	65	0.6565	32	20	6.87	38.87	35797.10	NT
Shelby	100D2	53	30869.89	1636103.99	65	0.6565					1636103.99	T
Shelby	100D3	50	291.05	14552.42	65	0.6565	32	18	6.18	38.18	11113.10	NT
Shelby	100D3	50	9982.49	499124.74	65	0.6565					499124.74	T
Shelby	100E2	43	695.03	29886.13	65	0.6565	32	10	3.44	35.44	24628.26	NT
Shelby	100E2	43	14058.23	604503.86	65	0.6565					604503.86	T
Shelby	100F2	23	738.79	16992.22	65	0.6565	23	0	0.00	23.00	16992.22	NT
Shelby	100F2	23	2858.84	65753.21	65	0.6565					65753.21	T
Shelby	101F3	19	3.97	75.41	65	0.6565	19	0	0.00	19.00	75.41	NT
Shelby	101F3	19	59.51	1130.62	65	0.6565					1130.62	T
Shelby	10B	80	3.44	275.50	65	0.6565	32	48	16.49	48.49	166.98	NT
Shelby	10B	80	2.99	239.03	65	0.6565					239.03	T
Shelby	10B2	78	0.17	13.14	65	0.6565					13.14	T
Shelby	10C	65	0.00	0.04	65	0.6565	32	32	10.99	42.99	0.03	NT
Shelby	10C	65	0.18	11.97	65	0.6565					11.97	T
Shelby	10C2	63	29.97	1887.98	65	0.6565	32	30	10.31	42.31	1267.80	NT
Shelby	10C2	63	430.10	27096.35	65	0.6565					27096.35	T
Shelby	10C3	60	0.33	19.56	65	0.6565					19.56	T
Shelby	10D	55	1.30	71.59	65	0.6565					71.59	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Shelby	10D2	53	23.61	1251.38	65	0.6565	32	20	6.87	38.87	917.76	NT
Shelby	10D2	53	287.35	15229.65	65	0.6565					15229.65	T
Shelby	10D3	50	0.46	23.15	65	0.6565					23.15	T
Shelby	10E	42	0.04	1.61	65	0.6565					1.61	T
Shelby	10E2	43	33.21	1427.83	65	0.6565	32	10	3.44	35.44	1176.63	NT
Shelby	10E2	43	342.58	14730.97	65	0.6565					14730.97	T
Shelby	10E3	40	0.06	2.53	65	0.6565	32	8	2.75	34.75	2.19	NT
Shelby	10E3	40	1.57	62.80	65	0.6565					62.80	T
Shelby	10F2	23	69.62	1601.26	65	0.6565	23	0	0.00	23.00	1601.26	NT
Shelby	10F2	23	118.54	2726.51	65	0.6565					2726.51	T
Shelby	12B	80	158.76	12700.43	65	0.6565	32	48	16.49	48.49	7697.73	NT
Shelby	12B	80	432.37	34589.51	65	0.6565					34589.51	T
Shelby	12B+	76	2.74	208.21	65	0.6565	32	44	15.11	47.11	129.07	NT
Shelby	12B+	76	26.36	2003.38	65	0.6565					2003.38	T
Shelby	12C	65	61.03	3966.79	65	0.6565	32	32	10.99	42.99	2623.70	NT
Shelby	12C	65	210.45	13679.07	65	0.6565					13679.07	T
Shelby	17B	57	0.20	11.39	65	0.6565	32	24	8.24	40.24	8.04	NT
Shelby	17B	57	2.24	127.89	65	0.6565					127.89	T
Shelby	1C3	55	27.73	1525.36	65	0.6565	32	22	7.56	39.56	1097.07	NT
Shelby	1C3	55	1010.42	55573.04	65	0.6565					55573.04	T
Shelby	1D	50	0.00	0.02	65	0.6565					0.02	T
Shelby	1D3	45	93.16	4192.03	65	0.6565	32	12	4.12	36.12	3364.99	NT
Shelby	1D3	45	6516.82	293256.89	65	0.6565					293256.89	T
Shelby	1E3	35	295.10	10328.58	65	0.6565	32	2	0.69	32.69	9646.01	NT
Shelby	1E3	35	10349.00	362215.01	65	0.6565					362215.01	T
Shelby	1F3	15	53.70	805.51	65	0.6565	15	0	0.00	15.00	805.51	NT
Shelby	1F3	15	413.58	6203.72	65	0.6565					6203.72	T
Shelby	212	94	357.41	33596.58	65	0.6565	32	62	21.30	53.30	19048.91	NT
Shelby	212	94	3878.07	364538.81	65	0.6565					364538.81	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Shelby	220	85	3321.46	282324.17	65	0.6565	32	52	17.86	49.86	165614.68	NT
Shelby	220	85	6320.08	537207.11	65	0.6565					537207.11	T
Shelby	222D2	10	13.72	137.23	65	0.6565	10	0	0.00	10.00	137.23	NT
Shelby	222D2	10	473.38	4733.76	65	0.6565					4733.76	T
Shelby	22E3	43	2.92	125.46	65	0.6565					125.46	T
Shelby	24D2	48	0.08	3.76	65	0.6565					3.76	T
Shelby	24E2	38	171.73	6525.68	65	0.6565	32	6	2.06	34.06	5849.24	NT
Shelby	24E2	38	4019.39	152736.66	65	0.6565					152736.66	T
Shelby	24F2	18	190.10	3421.83	65	0.6565	18	0	0.00	18.00	3421.83	NT
Shelby	24F2	18	978.55	17613.90	65	0.6565					17613.90	T
Shelby	33D2	40	0.10	3.83	65	0.6565					3.83	T
Shelby	33E3	20	0.01	0.21	65	0.6565	20	0	0.00	20.00	0.21	NT
Shelby	33E3	20	0.17	3.47	65	0.6565					3.47	T
Shelby	35D2	40	46.78	1871.30	65	0.6565	32	8	2.75	34.75	1625.60	NT
Shelby	35D2	40	529.33	21173.07	65	0.6565					21173.07	T
Shelby	430	83	1490.29	123694.00	65	0.6565	32	50	17.18	49.18	73284.97	NT
Shelby	430	83	12666.18	1051293.25	65	0.6565					1051293.25	T
Shelby	431B	73	7983.03	582761.33	65	0.6565	32	40	13.74	45.74	365143.88	NT
Shelby	431B	73	62303.32	4548142.54	65	0.6565					4548142.54	T
Shelby	5010	0	18.29	0.00	65	0.6565	0	0	0.00	0.00	0.00	NT
Shelby	5010	0	4.91	0.00	65	0.6565					0.00	T
Shelby	5040	5	56.38	281.88	65	0.6565	5	0	0.00	5.00	281.88	NT
Shelby	5040	5	31.02	155.12	65	0.6565					155.12	T
Shelby	5080	0	40.47	0.00	65	0.6565	0	0	0.00	0.00	0.00	NT
Shelby	5080	0	0.47	0.00	65	0.6565					0.00	T
Shelby	509	90	42.15	3793.88	65	0.6565	32	58	19.92	51.92	2188.78	NT
Shelby	509	90	618.93	55703.37	65	0.6565					55703.37	T
Shelby	509B	84	214.53	18020.79	65	0.6565	32	52	17.86	49.86	10697.05	NT
Shelby	509B	84	2716.07	228149.68	65	0.6565					228149.68	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Shelby	509C	81	161.72	13099.54	65	0.6565	32	48	16.49	48.49	7841.61	NT
Shelby	509C	81	1794.55	145358.95	65	0.6565					145358.95	T
Shelby	509C2	77	0.06	4.64	65	0.6565					4.64	T
Shelby	509D2	54	93.96	5073.87	65	0.6565	32	22	7.56	39.56	3716.80	NT
Shelby	509D2	54	1009.68	54522.93	65	0.6565					54522.93	T
Shelby	54	70	45.84	3208.92	65	0.6565	32	38	13.05	45.05	2065.30	NT
Shelby	54	70	2497.51	174825.51	65	0.6565					174825.51	T
Shelby	54+	75	170.89	12816.46	65	0.6565	32	42	14.43	46.43	7933.73	NT
Shelby	54+	75	5521.56	414117.19	65	0.6565					414117.19	T
Shelby	59E2	33	110.41	3643.62	65	0.6565	32	0	0.00	32.00	3533.21	NT
Shelby	59E2	33	1097.33	36211.81	65	0.6565					36211.81	T
Shelby	59F2	16	244.66	3914.58	65	0.6565	16	0	0.00	16.00	3914.58	NT
Shelby	59F2	16	348.56	5576.92	65	0.6565					5576.92	T
Shelby	630	85	1.60	136.03	65	0.6565	32	52	17.86	49.86	79.80	NT
Shelby	630	85	87.39	7428.47	65	0.6565					7428.47	T
Shelby	700B	80	179.15	14331.90	65	0.6565	32	48	16.49	48.49	8686.56	NT
Shelby	700B	80	1453.83	116306.63	65	0.6565					116306.63	T
Shelby	700C2	63	30.51	1921.92	65	0.6565	32	30	10.31	42.31	1290.59	NT
Shelby	700C2	63	387.28	24398.80	65	0.6565					24398.80	T
Shelby	700D2	53	18.86	999.53	65	0.6565	32	20	6.87	38.87	733.05	NT
Shelby	700D2	53	91.67	4858.33	65	0.6565					4858.33	T
Shelby	717C	5	1.02	5.09	65	0.6565					5.09	T
Shelby	88	92	4.05	372.56	65	0.6565					372.56	T
Shelby	8B	90	252.87	22758.24	65	0.6565	32	58	19.92	51.92	13129.73	NT
Shelby	8B	90	4622.80	416052.06	65	0.6565					416052.06	T
Shelby	8C	66	473.60	31257.82	65	0.6565	32	34	11.68	43.68	20686.52	NT
Shelby	8C	66	5200.46	343230.27	65	0.6565					343230.27	T
Shelby	9	86	248.79	21396.03	65	0.6565	32	54	18.55	50.55	12576.14	NT
Shelby	9	86	4666.49	401317.92	65	0.6565					401317.92	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Shelby	93D2	33	200.67	6622.21	65	0.6565	32	0	0.00	32.00	6421.54	NT
Shelby	93D2	33	5932.26	195764.73	65	0.6565					195764.73	T
Shelby	99D2	53	1117.56	59230.60	65	0.6565	32	20	6.87	38.87	43439.50	NT
Shelby	99D2	53	40785.29	2161620.41	65	0.6565					2161620.41	T
Shelby	99D3	47	0.01	0.48	65	0.6565	32	14	4.81	36.81	0.37	NT
Shelby	99D3	47	0.65	30.35	65	0.6565					30.35	T
Shelby	99E2	44	757.24	33318.43	65	0.6565	32	12	4.12	36.12	27352.92	NT
Shelby	99E2	44	13448.89	591751.06	65	0.6565					591751.06	T
Shelby	99F2	26	263.46	6850.08	65	0.6565	26	0	0.00	26.00	6850.08	NT
Shelby	99F2	26	2015.49	52402.84	65	0.6565					52402.84	T
Shelby	9B	85	1219.04	103618.69	65	0.6565	32	52	17.86	49.86	60783.94	NT
Shelby	9B	85	18570.60	1578501.34	65	0.6565					1578501.34	T
Shelby	9C2	77	634.29	48840.28	65	0.6565	32	44	15.11	47.11	29883.91	NT
Shelby	9C2	77	15739.31	1211926.58	65	0.6565					1211926.58	T
Shelby	9D2	52	661.54	34400.12	65	0.6565	32	20	6.87	38.87	25714.09	NT
Shelby	9D2	52	12625.90	656546.63	65	0.6565					656546.63	T
Shelby	AW	0	3.39	0.00	65	0.6565	0	0	0.00	0.00	0.00	NT
Shelby	AW	0	0.81	0.00	65	0.6565					0.00	T
Shelby	JdB		0.21		65	0.6565			0.00	0.00	0.00	NT
Shelby	JdB		0.46		65	0.6565					0.00	T
Shelby	JoB		0.08		65	0.6565					0.00	T
Shelby	MhA		0.05		65	0.6565					0.00	T
Shelby	MhB		0.08		65	0.6565			0.00	0.00	0.00	NT
Shelby	MhB		0.22		65	0.6565					0.00	T
Shelby	MhC2		0.20		65	0.6565			0.00	0.00	0.00	NT
Shelby	MhC2		0.10		65	0.6565					0.00	T
Shelby	MhD2		0.17		65	0.6565			0.00	0.00	0.00	NT
Shelby	MhD2		0.60		65	0.6565					0.00	T
Shelby	MmB		0.18		65	0.6565			0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Shelby	MmB		0.29		65	0.6565					0.00	T
Shelby	MmC2		0.05		65	0.6565			0.00	0.00	0.00	NT
Shelby	No		0.36		65	0.6565			0.00	0.00	0.00	NT
Shelby	No		0.96		65	0.6565					0.00	T
Shelby	SL	0	49.17	0.00	65	0.6565	0	0	0.00	0.00	0.00	NT
Shelby	SyD2		0.01		65	0.6565					0.00	T
Shelby	W	0	542.89	0.00	65	0.6565	0	0	0.00	0.00	0.00	NT
Shelby	W	0	18.84	0.00	65	0.6565					0.00	T
											0.00	
											0.00	
Sioux	108	52	287.70	14960.59	65	0.7031	32	20	5.94	37.94	10914.90	NT
Sioux	108	52	1819.25	94601.04	65	0.7031					94601.04	T
Sioux	108B	47	65.75	3090.43	65	0.7031	32	14	4.16	36.16	2377.44	NT
Sioux	108B	47	547.32	25724.23	65	0.7031					25724.23	T
Sioux	116	71	199.55	14167.96	65	0.7031	32	38	11.28	43.28	8636.91	NT
Sioux	116	71	2868.40	203656.60	65	0.7031					203656.60	T
Sioux	11B	68	930.43	63269.47	65	0.7031	32	36	10.69	42.69	39718.71	NT
Sioux	11B	68	8765.96	596085.10	65	0.7031					596085.10	T
Sioux	133	80	3678.49	294279.31	65	0.7031	32	48	14.25	46.25	170134.64	NT
Sioux	133	80	15089.35	1207147.78	65	0.7031					1207147.78	T
Sioux	1B3	65	77.91	5063.84	65	0.7031	32	32	9.50	41.50	3233.13	NT
Sioux	1B3	65	929.96	60447.08	65	0.7031					60447.08	T
Sioux	1C3	55	297.23	16347.66	65	0.7031	32	22	6.53	38.53	11452.81	NT
Sioux	1C3	55	4671.45	256929.75	65	0.7031					256929.75	T
Sioux	1D3	45	195.69	8806.17	65	0.7031	32	12	3.56	35.56	6959.38	NT
Sioux	1D3	45	2344.49	105501.86	65	0.7031					105501.86	T
Sioux	203	71	28.98	2057.88	65	0.7031	32	38	11.28	43.28	1254.50	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sioux	203	71	431.98	30670.36	65	0.7031					30670.36	T
Sioux	259	41	45.88	1880.99	65	0.7031	32	8	2.38	34.38	1577.06	NT
Sioux	259	41	485.93	19923.01	65	0.7031					19923.01	T
Sioux	26	85	237.17	20159.80	65	0.7031	32	52	15.44	47.44	11251.25	NT
Sioux	26	85	1385.57	117773.58	65	0.7031					117773.58	T
Sioux	27B	82	424.04	34771.14	65	0.7031	32	50	14.85	46.85	19864.07	NT
Sioux	27B	82	1296.91	106347.00	65	0.7031					106347.00	T
Sioux	28B	14	131.45	1840.33	65	0.7031	14	0	0.00	14.00	1840.33	NT
Sioux	28B	14	576.99	8077.90	65	0.7031					8077.90	T
Sioux	28C2	22	120.07	2641.54	65	0.7031	22	0	0.00	22.00	2641.54	NT
Sioux	28C2	22	630.36	13867.83	65	0.7031					13867.83	T
Sioux	28D2	12	100.02	1200.26	65	0.7031	12	0	0.00	12.00	1200.26	NT
Sioux	28D2	12	130.86	1570.32	65	0.7031					1570.32	T
Sioux	308	43	302.27	12997.79	65	0.7031	32	10	2.97	34.97	10570.23	NT
Sioux	308	43	3097.77	133204.12	65	0.7031					133204.12	T
Sioux	308B	36	50.54	1819.50	65	0.7031	32	4	1.19	33.19	1677.36	NT
Sioux	308B	36	344.73	12410.20	65	0.7031					12410.20	T
Sioux	309	61	55.95	3412.76	65	0.7031	32	28	8.31	40.31	2255.40	NT
Sioux	309	61	647.42	39492.62	65	0.7031					39492.62	T
Sioux	309B	56	52.03	2913.92	65	0.7031	32	24	7.13	39.13	2035.88	NT
Sioux	309B	56	330.93	18532.08	65	0.7031					18532.08	T
Sioux	309B2	51	9.39	478.69	65	0.7031	32	18	5.34	37.34	350.52	NT
Sioux	309B2	51	228.26	11641.46	65	0.7031					11641.46	T
Sioux	309C2	31	15.49	480.13	65	0.7031	31	0	0.00	31.00	480.13	NT
Sioux	309C2	31	231.99	7191.67	65	0.7031					7191.67	T
Sioux	31	75	949.03	71177.13	65	0.7031	32	42	12.47	44.47	42203.10	NT
Sioux	31	75	6951.26	521344.37	65	0.7031					521344.37	T
Sioux	310	79	907.95	71727.72	65	0.7031	32	46	13.66	45.66	41454.45	NT
Sioux	310	79	16923.89	1336987.40	65	0.7031					1336987.40	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sioux	310B	71	4668.25	331445.40	65	0.7031	32	38	11.28	43.28	202051.92	NT
Sioux	310B	71	59395.51	4217081.17	65	0.7031					4217081.17	T
Sioux	310B2	69	4653.96	321123.40	65	0.7031	32	36	10.69	42.69	198670.20	NT
Sioux	310B2	69	99806.94	6886678.78	65	0.7031					6886678.78	T
Sioux	310C2	56	1322.49	74059.69	65	0.7031	32	24	7.13	39.13	51743.39	NT
Sioux	310C2	56	31803.94	1781020.74	65	0.7031					1781020.74	T
Sioux	310D2	44	73.64	3240.09	65	0.7031	32	12	3.56	35.56	2618.79	NT
Sioux	310D2	44	736.54	32407.90	65	0.7031					32407.90	T
Sioux	32	77	35.08	2700.92	65	0.7031	32	44	13.06	45.06	1580.69	NT
Sioux	32	77	590.00	45429.87	65	0.7031					45429.87	T
Sioux	33C	42	0.12	5.23	65	0.7031					5.23	T
Sioux	33C2	44	26.27	1155.73	65	0.7031	32	12	3.56	35.56	934.12	NT
Sioux	33C2	44	268.24	11802.47	65	0.7031					11802.47	T
Sioux	33D2	40	128.96	5158.59	65	0.7031	32	8	2.38	34.38	4433.19	NT
Sioux	33D2	40	480.79	19231.64	65	0.7031					19231.64	T
Sioux	33E2	30	300.20	9006.00	65	0.7031	30	0	0.00	30.00	9006.00	NT
Sioux	33E2	30	263.07	7892.04	65	0.7031					7892.04	T
Sioux	33G	5	1786.52	8932.58	65	0.7031	5	0	0.00	5.00	8932.58	NT
Sioux	33G	5	124.03	620.16	65	0.7031					620.16	T
Sioux	401B3	58	9.63	558.32	65	0.7031	32	26	7.72	39.72	382.35	NT
Sioux	401B3	58	282.02	16356.99	65	0.7031					16356.99	T
Sioux	401C3	43	45.73	1966.40	65	0.7031	32	10	2.97	34.97	1599.14	NT
Sioux	401C3	43	745.87	32072.50	65	0.7031					32072.50	T
Sioux	401D3	33	74.92	2472.51	65	0.7031	32	0	0.00	32.00	2397.58	NT
Sioux	401D3	33	855.44	28229.57	65	0.7031					28229.57	T
Sioux	401E3	23	94.49	2173.25	65	0.7031	23	0	0.00	23.00	2173.25	NT
Sioux	401E3	23	55.09	1267.12	65	0.7031					1267.12	T
Sioux	410	70	22.36	1565.45	65	0.7031	32	38	11.28	43.28	967.95	NT
Sioux	410	70	398.21	27874.62	65	0.7031					27874.62	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sioux	410B	65	373.31	24265.32	65	0.7031	32	32	9.50	41.50	15492.77	NT
Sioux	410B	65	2004.83	130313.86	65	0.7031					130313.86	T
Sioux	410B2	63	535.01	33705.87	65	0.7031	32	30	8.91	40.91	21885.81	NT
Sioux	410B2	63	7640.81	481371.11	65	0.7031					481371.11	T
Sioux	410C2	48	362.80	17414.24	65	0.7031	32	16	4.75	36.75	13332.93	NT
Sioux	410C2	48	5327.14	255702.66	65	0.7031					255702.66	T
Sioux	410D2	33	14.96	493.58	65	0.7031	32	0	0.00	32.00	478.63	NT
Sioux	410D2	33	251.99	8315.73	65	0.7031					8315.73	T
Sioux	428B	93	363.54	33808.93	65	0.7031	32	60	17.81	49.81	18109.23	NT
Sioux	428B	93	5697.88	529902.94	65	0.7031					529902.94	T
Sioux	458	66	0.73	48.31	65	0.7031	32	34	10.09	42.09	30.81	NT
Sioux	467	85	2126.38	180742.01	65	0.7031	32	52	15.44	47.44	100872.75	NT
Sioux	467	85	11905.85	1011997.57	65	0.7031					1011997.57	T
Sioux	467B	76	0.00	0.05	65	0.7031	32	44	13.06	45.06	0.03	NT
Sioux	467B	76	0.02	1.23	65	0.7031					1.23	T
Sioux	474	49	44.47	2179.16	65	0.7031	32	16	4.75	36.75	1634.39	NT
Sioux	474	49	315.24	15446.74	65	0.7031					15446.74	T
Sioux	474B	40	120.89	4835.48	65	0.7031	32	8	2.38	34.38	4155.52	NT
Sioux	474B	40	1108.81	44352.52	65	0.7031					44352.52	T
Sioux	474B2	42	63.41	2663.38	65	0.7031	32	10	2.97	34.97	2217.52	NT
Sioux	474B2	42	601.65	25269.29	65	0.7031					25269.29	T
Sioux	474C2	27	129.29	3490.83	65	0.7031	27	0	0.00	27.00	3490.83	NT
Sioux	474C2	27	799.59	21588.92	65	0.7031					21588.92	T
Sioux	474D2	19	85.00	1615.00	65	0.7031	19	0	0.00	19.00	1615.00	NT
Sioux	474D2	19	312.58	5939.11	65	0.7031					5939.11	T
Sioux	485	92	663.73	61062.86	65	0.7031	32	60	17.81	49.81	33062.89	NT
Sioux	485	92	2506.63	230609.56	65	0.7031					230609.56	T
Sioux	486	70	411.15	28780.45	65	0.7031	32	38	11.28	43.28	17795.44	NT
Sioux	486	70	2845.70	199199.12	65	0.7031					199199.12	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sioux	5010	0	444.84	0.00	65	0.7031	0	0	0.00	0.00	0.00	NT
Sioux	5010	0	60.09	0.00	65	0.7031					0.00	T
Sioux	5040	5	184.59	922.94	65	0.7031	5	0	0.00	5.00	922.94	NT
Sioux	5040	5	177.49	887.45	65	0.7031					887.45	T
Sioux	5044	0	1976.56	0.00	65	0.7031	0	0	0.00	0.00	0.00	NT
Sioux	5044	0	710.16	0.00	65	0.7031					0.00	T
Sioux	54	70	6.96	486.95	65	0.7031	32	38	11.28	43.28	301.09	NT
Sioux	54	70	230.63	16144.37	65	0.7031					16144.37	T
Sioux	615	25	329.73	8243.35	65	0.7031	25	0	0.00	25.00	8243.35	NT
Sioux	615	25	335.44	8386.03	65	0.7031					8386.03	T
Sioux	670	80	149.56	11964.57	65	0.7031	32	48	14.25	46.25	6917.20	NT
Sioux	670	80	695.83	55666.18	65	0.7031					55666.18	T
Sioux	72	35	24.85	869.91	65	0.7031	32	2	0.59	32.59	810.11	NT
Sioux	72	35	103.71	3629.83	65	0.7031					3629.83	T
Sioux	72B	34	24.79	842.74	65	0.7031	32	2	0.59	32.59	807.88	NT
Sioux	72B	34	301.13	10238.47	65	0.7031					10238.47	T
Sioux	72D2	9	127.49	1147.39	65	0.7031	9	0	0.00	9.00	1147.39	NT
Sioux	72D2	9	340.45	3064.06	65	0.7031					3064.06	T
Sioux	733	64	1262.58	80804.96	65	0.7031	32	32	9.50	41.50	52397.98	NT
Sioux	733	64	3714.68	237739.45	65	0.7031					237739.45	T
Sioux	77B	76	0.25	19.01	65	0.7031					19.01	T
Sioux	77B2	67	0.11	7.28	65	0.7031					7.28	T
Sioux	785	68	293.14	19933.36	65	0.7031	32	36	10.69	42.69	12513.58	NT
Sioux	785	68	511.00	34747.99	65	0.7031					34747.99	T
Sioux	78B2	65	45.51	2958.28	65	0.7031	32	32	9.50	41.50	1888.78	NT
Sioux	78B2	65	754.64	49051.50	65	0.7031					49051.50	T
Sioux	78C2	51	98.99	5048.43	65	0.7031	32	18	5.34	37.34	3696.65	NT
Sioux	78C2	51	1436.56	73264.59	65	0.7031					73264.59	T
Sioux	78D2	38	35.99	1367.67	65	0.7031	32	6	1.78	33.78	1215.84	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sioux	78D2	38	357.37	13580.19	65	0.7031					13580.19	T
Sioux	801B2	39	14.72	573.90	65	0.7031	32	6	1.78	33.78	497.10	NT
Sioux	801B2	39	190.53	7430.86	65	0.7031					7430.86	T
Sioux	801C2	22	48.55	1068.11	65	0.7031	22	0	0.00	22.00	1068.11	NT
Sioux	801C2	22	726.86	15991.01	65	0.7031					15991.01	T
Sioux	801D2	12	111.17	1334.09	65	0.7031	12	0	0.00	12.00	1334.09	NT
Sioux	801D2	12	526.50	6318.01	65	0.7031					6318.01	T
Sioux	801F	5	77.80	389.01	65	0.7031	5	0	0.00	5.00	389.01	NT
Sioux	801F	5	53.80	268.99	65	0.7031					268.99	T
Sioux	810	78	644.93	50304.78	65	0.7031	32	46	13.66	45.66	29445.97	NT
Sioux	810	78	8846.43	690021.29	65	0.7031					690021.29	T
Sioux	810B	73	465.63	33990.97	65	0.7031	32	40	11.88	43.88	20429.97	NT
Sioux	810B	73	5961.99	435225.49	65	0.7031					435225.49	T
Sioux	810B2	63	145.85	9188.85	65	0.7031	32	30	8.91	40.91	5966.48	NT
Sioux	810B2	63	2458.84	154907.08	65	0.7031					154907.08	T
Sioux	812	69	85.72	5914.50	65	0.7031	32	36	10.69	42.69	3659.14	NT
Sioux	812	69	1096.10	75630.80	65	0.7031					75630.80	T
Sioux	812B	64	65.79	4210.77	65	0.7031	32	32	9.50	41.50	2730.47	NT
Sioux	812B	64	407.68	26091.30	65	0.7031					26091.30	T
Sioux	812B2	62	27.15	1683.37	65	0.7031	32	30	8.91	40.91	1110.67	NT
Sioux	812B2	62	408.19	25307.70	65	0.7031					25307.70	T
Sioux	878B	74	26.69	1975.05	65	0.7031	32	42	12.47	44.47	1186.90	NT
Sioux	878B	74	213.69	15813.11	65	0.7031					15813.11	T
Sioux	878B2	76	16.06	1220.77	65	0.7031	32	44	13.06	45.06	723.85	NT
Sioux	878B2	76	239.02	18165.25	65	0.7031					18165.25	T
Sioux	878C2	44	100.33	4414.53	65	0.7031	32	12	3.56	35.56	3568.03	NT
Sioux	878C2	44	757.49	33329.68	65	0.7031					33329.68	T
Sioux	8B	90	289.62	26065.61	65	0.7031	32	58	17.22	49.22	14255.05	NT
Sioux	8B	90	6547.21	589248.92	65	0.7031					589248.92	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Sioux	91	84	1238.53	104036.51	65	0.7031	32	52	15.44	47.44	58754.37	NT
Sioux	91	84	38376.71	3223643.33	65	0.7031					3223643.33	T
Sioux	91B	81	948.11	76796.64	65	0.7031	32	48	14.25	46.25	43851.07	NT
Sioux	91B	81	25425.39	2059456.78	65	0.7031					2059456.78	T
Sioux	92	79	481.74	38057.41	65	0.7031	32	46	13.66	45.66	21994.97	NT
Sioux	92	79	12025.12	949984.39	65	0.7031					949984.39	T
Sioux	AW	0	40.48	0.00	65	0.7031	0	0	0.00	0.00	0.00	NT
Sioux	AW	0	0.04	0.00	65	0.7031					0.00	T
Sioux	INT	0	61.90	0.00	65	0.7031	0	0	0.00	0.00	0.00	NT
Sioux	INT	0	42.15	0.00	65	0.7031					0.00	T
Sioux	SL	0	42.87	0.00	65	0.7031	0	0	0.00	0.00	0.00	NT
Sioux	SL	0	0.74	0.00	65	0.7031					0.00	T
Sioux	T310B	69	0.01	0.41	65	0.7031	32	36	10.69	42.69	0.25	NT
Sioux	T310B	69	0.03	1.83	65	0.7031					1.83	T
Sioux	W	0	1113.02	0.00	65	0.7031	0	0	0.00	0.00	0.00	NT
Sioux	W	0	13.09	0.00	65	0.7031					0.00	T
											0.00	
											0.00	
Story	107	70	1708.61	119602.57	82	0.7907	41	29	6.07	47.07	80423.67	NT
Story	107	70	59353.84	4154768.73	82	0.7907					4154768.73	T
Story	108	52	49.72	2585.66	82	0.7907	41	11	2.30	43.30	2153.17	NT
Story	108	52	460.43	23942.15	82	0.7907					23942.15	T
Story	108B	47	47.73	2243.53	82	0.7907	41	6	1.26	42.26	2017.07	NT
Story	108B	47	227.00	10669.13	82	0.7907					10669.13	T
Story	1178	87	15.10	1313.45	82	0.7907	41	46	9.63	50.63	764.34	NT
Story	1178	87	335.97	29229.21	82	0.7907					29229.21	T
Story	1226	72	0.27	19.56	82	0.7907					19.56	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Story	1314	25	777.93	19448.22	82	0.7907	25	0	0.00	25.00	19448.22	NT
Story	1314	25	74.59	1864.84	82	0.7907					1864.84	T
Story	135	78	1912.54	149178.14	82	0.7907	41	37	7.74	48.74	93225.05	NT
Story	135	78	7850.65	612350.64	82	0.7907					612350.64	T
Story	136B	65	66.52	4323.78	82	0.7907	41	24	5.02	46.02	3061.45	NT
Story	136B	65	424.65	27602.46	82	0.7907					27602.46	T
Story	138B	73	3915.97	285866.06	82	0.7907	41	32	6.70	47.70	186782.53	NT
Story	138B	73	72824.79	5316209.68	82	0.7907					5316209.68	T
Story	138C	67	181.35	12150.40	82	0.7907	41	26	5.44	46.44	8422.19	NT
Story	138C	67	432.27	28962.26	82	0.7907					28962.26	T
Story	138C2	59	1292.98	76286.08	82	0.7907	41	18	3.77	44.77	57883.55	NT
Story	138C2	59	15378.96	907358.92	82	0.7907					907358.92	T
Story	138D2	56	250.58	14032.35	82	0.7907	41	15	3.14	44.14	11060.37	NT
Story	138D2	56	856.60	47969.56	82	0.7907					47969.56	T
Story	1485	25	0.73	18.29	82	0.7907	25	0	0.00	25.00	18.29	NT
Story	1585	5	1919.50	9597.52	82	0.7907	5	0	0.00	5.00	9597.52	NT
Story	1585	5	254.32	1271.59	82	0.7907					1271.59	T
Story	163F	30	0.04	1.16	82	0.7907	30	0	0.00	30.00	1.16	NT
Story	168B	74	290.15	21471.08	82	0.7907	41	33	6.91	47.91	13900.18	NT
Story	168B	74	521.96	38625.33	82	0.7907					38625.33	T
Story	168C	58	375.18	21760.22	82	0.7907	41	17	3.56	44.56	16717.14	NT
Story	168C	58	353.26	20488.92	82	0.7907					20488.92	T
Story	168E	38	63.75	2422.61	82	0.7907	38	0	0.00	38.00	2422.61	NT
Story	168E	38	29.17	1108.58	82	0.7907					1108.58	T
Story	168F	17	354.31	6023.33	82	0.7907	17	0	0.00	17.00	6023.33	NT
Story	168F	17	38.94	661.93	82	0.7907					661.93	T
Story	175	60	11.89	713.65	82	0.7907	41	19	3.98	44.98	534.96	NT
Story	175	60	199.00	11940.01	82	0.7907					11940.01	T
Story	175B	56	62.25	3485.97	82	0.7907	41	15	3.14	44.14	2747.66	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Story	175B	56	368.95	20661.16	82	0.7907					20661.16	T
Story	175C	41	23.08	946.40	82	0.7907	41	0	0.00	41.00	946.40	NT
Story	175C	41	117.63	4822.63	82	0.7907					4822.63	T
Story	178	79	2.05	162.07	82	0.7907					162.07	T
Story	201B	51	2039.81	104030.44	82	0.7907	41	10	2.09	43.09	87901.64	NT
Story	201B	51	1199.98	61198.91	82	0.7907					61198.91	T
Story	202	60	18.86	1131.47	82	0.7907	41	19	3.98	44.98	848.17	NT
Story	202	60	174.90	10494.06	82	0.7907					10494.06	T
Story	203	71	17.62	1250.73	82	0.7907	41	30	6.28	47.28	832.86	NT
Story	203	71	418.07	29682.85	82	0.7907					29682.85	T
Story	221	25	26.84	670.89	82	0.7907	25	0	0.00	25.00	670.89	NT
Story	221	25	382.04	9551.12	82	0.7907					9551.12	T
Story	236B	79	425.74	33633.67	82	0.7907	41	38	7.95	48.95	20841.55	NT
Story	236B	79	1285.70	101570.43	82	0.7907					101570.43	T
Story	236C	61	469.21	28621.55	82	0.7907	41	20	4.19	45.19	21201.53	NT
Story	236C	61	382.61	23339.09	82	0.7907					23339.09	T
Story	236C2	62	256.31	15891.37	82	0.7907	41	21	4.40	45.40	11635.38	NT
Story	236C2	62	849.76	52684.88	82	0.7907					52684.88	T
Story	236D	47	116.15	5459.03	82	0.7907	41	6	1.26	42.26	4908.00	NT
Story	236D	47	67.26	3161.38	82	0.7907					3161.38	T
Story	236D2	48	100.34	4816.35	82	0.7907	41	7	1.47	42.47	4260.97	NT
Story	236D2	48	303.03	14545.42	82	0.7907					14545.42	T
Story	236E	43	280.08	12043.54	82	0.7907	41	2	0.42	41.42	11600.62	NT
Story	236E	43	81.63	3510.14	82	0.7907					3510.14	T
Story	236F	19	1002.67	19050.68	82	0.7907	19	0	0.00	19.00	19050.68	NT
Story	236F	19	123.51	2346.64	82	0.7907					2346.64	T
Story	253B	64	71.18	4555.44	82	0.7907	41	23	4.81	45.81	3260.97	NT
Story	253B	64	1382.90	88505.45	82	0.7907					88505.45	T
Story	259	41	65.15	2671.31	82	0.7907	41	0	0.00	41.00	2671.31	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Story	259	41	888.96	36447.27	82	0.7907					36447.27	T
Story	274	39	4.31	168.03	82	0.7907	39	0	0.00	39.00	168.03	NT
Story	274	39	43.82	1709.04	82	0.7907					1709.04	T
Story	27B	82	345.09	28297.29	82	0.7907	41	41	8.58	49.58	17109.96	NT
Story	27B	82	1834.05	150392.19	82	0.7907					150392.19	T
Story	27C	61	103.05	6286.11	82	0.7907	41	20	4.19	45.19	4656.46	NT
Story	27C	61	206.82	12616.05	82	0.7907					12616.05	T
Story	284	40	39.39	1575.56	82	0.7907	40	0	0.00	40.00	1575.56	NT
Story	284	40	320.00	12800.18	82	0.7907					12800.18	T
Story	284B	45	52.59	2366.54	82	0.7907	41	4	0.84	41.84	2200.21	NT
Story	284B	45	446.00	20070.20	82	0.7907					20070.20	T
Story	288	81	102.35	8290.71	82	0.7907	41	40	8.37	49.37	5053.44	NT
Story	288	81	1875.57	151921.46	82	0.7907					151921.46	T
Story	323C	75	1.28	95.82	82	0.7907	41	34	7.12	48.12	61.47	NT
Story	323C	75	0.31	23.16	82	0.7907					23.16	T
Story	34C	14	69.33	970.60	82	0.7907	14	0	0.00	14.00	970.60	NT
Story	34C	14	223.99	3135.82	82	0.7907					3135.82	T
Story	356G	5	1440.96	7204.81	82	0.7907	5	0	0.00	5.00	7204.81	NT
Story	356G	5	48.87	244.34	82	0.7907					244.34	T
Story	386	81	99.87	8089.78	82	0.7907	41	40	8.37	49.37	4930.97	NT
Story	386	81	606.37	49116.35	82	0.7907					49116.35	T
Story	388	77	149.51	11512.00	82	0.7907	41	36	7.53	48.53	7256.27	NT
Story	388	77	4972.59	382889.72	82	0.7907					382889.72	T
Story	4000	0	0.14	0.00	82	0.7907					0.00	T
Story	41B	40	38.35	1534.15	82	0.7907	40	0	0.00	40.00	1534.15	NT
Story	41B	40	349.24	13969.57	82	0.7907					13969.57	T
Story	41C	25	87.57	2189.16	82	0.7907	25	0	0.00	25.00	2189.16	NT
Story	41C	25	224.07	5601.75	82	0.7907					5601.75	T
Story	41D	15	37.50	562.55	82	0.7907	15	0	0.00	15.00	562.55	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Story	41D	15	30.81	462.17	82	0.7907					462.17	T
Story	485	92	690.00	63480.43	82	0.7907	41	51	10.67	51.67	35655.51	NT
Story	485	92	3717.39	342000.31	82	0.7907					342000.31	T
Story	5010	0	173.98	0.00	82	0.7907	0	0	0.00	0.00	0.00	NT
Story	5010	0	39.51	0.00	82	0.7907					0.00	T
Story	5030	0	2.99	0.00	82	0.7907	0	0	0.00	0.00	0.00	NT
Story	5030	0	2.25	0.00	82	0.7907					0.00	T
Story	5040	5	88.85	444.27	82	0.7907	5	0	0.00	5.00	444.27	NT
Story	5040	5	122.32	611.62	82	0.7907					611.62	T
Story	506	69	396.59	27364.51	82	0.7907					27364.51	T
Story	507	71	766.54	54424.67	82	0.7907	41	30	6.28	47.28	36241.46	NT
Story	507	71	30273.74	2149435.22	82	0.7907					2149435.22	T
Story	52B	78	68.77	5364.28	82	0.7907	41	37	7.74	48.74	3352.27	NT
Story	52B	78	450.79	35161.24	82	0.7907					35161.24	T
Story	536	70	183.03	12812.01	82	0.7907	41	29	6.07	47.07	8615.11	NT
Story	536	70	444.54	31117.45	82	0.7907					31117.45	T
Story	54	70	72.16	5051.12	82	0.7907	41	29	6.07	47.07	3396.50	NT
Story	54	70	2239.34	156753.93	82	0.7907					156753.93	T
Story	55	73	1596.57	116549.67	82	0.7907	41	32	6.70	47.70	76152.59	NT
Story	55	73	45231.94	3301931.79	82	0.7907					3301931.79	T
Story	559	40	66.76	2670.48	82	0.7907	40	0	0.00	40.00	2670.48	NT
Story	559	40	942.32	37692.87	82	0.7907					37692.87	T
Story	6	43	98.38	4230.22	82	0.7907	41	2	0.42	41.42	4074.65	NT
Story	6	43	4842.70	208236.05	82	0.7907					208236.05	T
Story	62C3	46	33.50	1540.88	82	0.7907	41	5	1.05	42.05	1408.45	NT
Story	62C3	46	427.08	19645.68	82	0.7907					19645.68	T
Story	62D	39	152.23	5936.82	82	0.7907	39	0	0.00	39.00	5936.82	NT
Story	62D	39	170.91	6665.34	82	0.7907					6665.34	T
Story	62D2	38	2.79	106.14	82	0.7907	38	0	0.00	38.00	106.14	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Story	62D2	38	1.11	42.11	82	0.7907					42.11	T
Story	62D3	36	300.16	10805.58	82	0.7907	36	0	0.00	36.00	10805.58	NT
Story	62D3	36	1678.37	60421.41	82	0.7907					60421.41	T
Story	62E	30	663.78	19913.49	82	0.7907	30	0	0.00	30.00	19913.49	NT
Story	62E	30	476.45	14293.48	82	0.7907					14293.48	T
Story	62E3	26	203.14	5281.76	82	0.7907	26	0	0.00	26.00	5281.76	NT
Story	62E3	26	658.21	17113.40	82	0.7907					17113.40	T
Story	62F	7	711.53	4980.68	82	0.7907	7	0	0.00	7.00	4980.68	NT
Story	62F	7	199.74	1398.18	82	0.7907					1398.18	T
Story	638C2	52	149.79	7789.31	82	0.7907	41	11	2.30	43.30	6486.45	NT
Story	638C2	52	3503.45	182179.53	82	0.7907					182179.53	T
Story	638D2	45	304.25	13691.22	82	0.7907	41	4	0.84	41.84	12728.94	NT
Story	638D2	45	1769.46	79625.49	82	0.7907					79625.49	T
Story	65F	10	167.75	1677.48	82	0.7907	10	0	0.00	10.00	1677.48	NT
Story	65F	10	5.44	54.43	82	0.7907					54.43	T
Story	828B	45	63.11	2839.91	82	0.7907	41	4	0.84	41.84	2640.30	NT
Story	828B	45	1027.40	46233.21	82	0.7907					46233.21	T
Story	828C2	30	83.48	2504.47	82	0.7907	30	0	0.00	30.00	2504.47	NT
Story	828C2	30	576.15	17284.64	82	0.7907					17284.64	T
Story	90	42	31.48	1322.09	82	0.7907	41	1	0.21	41.21	1297.20	NT
Story	90	42	884.20	37136.27	82	0.7907					37136.27	T
Story	95	57	218.98	12481.99	82	0.7907	41	16	3.35	44.35	9711.60	NT
Story	95	57	13865.29	790321.27	82	0.7907					790321.27	T
Story	956	57	10.00	570.02	82	0.7907	41	16	3.35	44.35	443.50	NT
Story	956	57	2585.72	147385.77	82	0.7907					147385.77	T
Story	AW	0	3.04	0.00	82	0.7907	0	0	0.00	0.00	0.00	NT
Story	AW	0	3.93	0.00	82	0.7907					0.00	T
Story	INT	0	11.00	0.00	82	0.7907	0	0	0.00	0.00	0.00	NT
Story	INT	0	0.04	0.00	82	0.7907					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Story	SL	0	10.54	0.00	82	0.7907	0	0	0.00	0.00	0.00	NT
Story	SL	0	1.41	0.00	82	0.7907					0.00	T
Story	W	0	740.36	0.00	82	0.7907	0	0	0.00	0.00	0.00	NT
Story	W	0	10.96	0.00	82	0.7907					0.00	T
											0.00	
											0.00	
Tama	1088	88	0.00	0.00	74	0.7621	37	51	12.13	49.13	0.00	NT
Tama	1088	88	1.30	114.64	74	0.7621					114.64	T
Tama	110C	44	26.17	1151.39	74	0.7621	37	7	1.67	38.67	1011.79	NT
Tama	110C	44	217.32	9562.05	74	0.7621					9562.05	T
Tama	1133	25	6392.82	159820.40	74	0.7621	25	0	0.00	25.00	159820.40	NT
Tama	1133	25	1329.91	33247.86	74	0.7621					33247.86	T
Tama	118	95	75.97	7216.73	74	0.7621	37	58	13.80	50.80	3858.91	NT
Tama	118	95	7514.48	713875.84	74	0.7621					713875.84	T
Tama	119	100	309.05	30905.18	74	0.7621	37	63	14.99	51.99	16066.89	NT
Tama	119	100	14412.44	1441243.97	74	0.7621					1441243.97	T
Tama	119B	95	28.56	2712.79	74	0.7621	37	58	13.80	50.80	1450.58	NT
Tama	119B	95	2363.47	224529.48	74	0.7621					224529.48	T
Tama	11B	68	3108.85	211402.06	74	0.7621	37	31	7.37	44.37	137955.08	NT
Tama	11B	68	24173.28	1643783.09	74	0.7621					1643783.09	T
Tama	120	100	18.27	1827.17	74	0.7621	37	63	14.99	51.99	949.90	NT
Tama	120	100	445.12	44512.02	74	0.7621					44512.02	T
Tama	120B	95	2316.35	220053.67	74	0.7621	37	58	13.80	50.80	117666.63	NT
Tama	120B	95	51330.65	4876411.80	74	0.7621					4876411.80	T
Tama	120B2	93	58.35	5426.52	74	0.7621	37	56	13.32	50.32	2936.30	NT
Tama	120B2	93	1574.42	146421.24	74	0.7621					146421.24	T
Tama	120C	80	299.81	23984.75	74	0.7621	37	43	10.23	47.23	14159.91	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	120C	80	7608.49	608679.39	74	0.7621					608679.39	T
Tama	120C2	78	823.10	64202.08	74	0.7621	37	41	9.75	46.75	38483.30	NT
Tama	120C2	78	28541.42	2226230.39	74	0.7621					2226230.39	T
Tama	120C3	71	1.73	123.17	74	0.7621	37	34	8.09	45.09	78.22	NT
Tama	120C3	71	198.58	14099.13	74	0.7621					14099.13	T
Tama	120D2	68	159.26	10829.76	74	0.7621	37	31	7.37	44.37	7067.20	NT
Tama	120D2	68	4595.52	312495.50	74	0.7621					312495.50	T
Tama	120D3	65	31.41	2041.67	74	0.7621	37	28	6.66	43.66	1371.41	NT
Tama	120D3	65	1292.33	84001.48	74	0.7621					84001.48	T
Tama	120E2	58	21.38	1239.82	74	0.7621	37	21	5.00	42.00	897.71	NT
Tama	120E2	58	273.26	15849.05	74	0.7621					15849.05	T
Tama	122	63	151.67	9555.09	74	0.7621					9555.09	T
Tama	1220	25	2006.00	50150.08	74	0.7621	25	0	0.00	25.00	50150.08	NT
Tama	1220	25	304.33	7608.13	74	0.7621					7608.13	T
Tama	1226	72	76.06	5476.23	74	0.7621	37	35	8.33	45.33	3447.48	NT
Tama	1226	72	144.02	10369.10	74	0.7621					10369.10	T
Tama	133	80	4788.69	383095.02	74	0.7621	37	43	10.23	47.23	226168.29	NT
Tama	133	80	13267.30	1061383.65	74	0.7621					1061383.65	T
Tama	133+	85	1502.54	127715.77	74	0.7621	37	48	11.42	48.42	72751.71	NT
Tama	133+	85	4191.58	356284.03	74	0.7621					356284.03	T
Tama	134	65	166.90	10848.75	74	0.7621	37	28	6.66	43.66	7287.22	NT
Tama	134	65	659.51	42868.30	74	0.7621					42868.30	T
Tama	1485	25	275.39	6884.79	74	0.7621	25	0	0.00	25.00	6884.79	NT
Tama	1485	25	13.62	340.53	74	0.7621					340.53	T
Tama	162B	90	189.34	17040.55	74	0.7621	37	53	12.61	49.61	9392.88	NT
Tama	162B	90	1830.76	164768.31	74	0.7621					164768.31	T
Tama	162C	75	187.44	14057.89	74	0.7621	37	38	9.04	46.04	8629.71	NT
Tama	162C	75	2183.85	163789.08	74	0.7621					163789.08	T
Tama	162C2	73	371.59	27125.96	74	0.7621	37	36	8.56	45.56	16931.21	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	162C2	73	4520.48	329994.94	74	0.7621					329994.94	T
Tama	162D	65	43.16	2805.09	74	0.7621	37	28	6.66	43.66	1884.21	NT
Tama	162D	65	385.27	25042.58	74	0.7621					25042.58	T
Tama	162D2	63	371.87	23427.83	74	0.7621	37	26	6.19	43.19	16059.37	NT
Tama	162D2	63	6828.46	430192.74	74	0.7621					430192.74	T
Tama	162D3	60	18.61	1116.87	74	0.7621	37	23	5.47	42.47	790.59	NT
Tama	162D3	60	621.63	37297.62	74	0.7621					37297.62	T
Tama	162E2	53	292.02	15476.96	74	0.7621	37	16	3.81	40.81	11916.21	NT
Tama	162E2	53	3378.99	179086.34	74	0.7621					179086.34	T
Tama	162E3	50	120.39	6019.27	74	0.7621	37	13	3.09	40.09	4826.57	NT
Tama	162E3	50	1576.01	78800.69	74	0.7621					78800.69	T
Tama	162F	35	51.87	1815.38	74	0.7621	35	0	0.00	35.00	1815.38	NT
Tama	162F	35	48.50	1697.57	74	0.7621					1697.57	T
Tama	162F2	33	86.64	2859.27	74	0.7621	33	0	0.00	33.00	2859.27	NT
Tama	162F2	33	506.16	16703.34	74	0.7621					16703.34	T
Tama	162F3	30	11.95	358.56	74	0.7621	30	0	0.00	30.00	358.56	NT
Tama	162F3	30	259.99	7799.63	74	0.7621					7799.63	T
Tama	163B	85	248.91	21157.49	74	0.7621	37	48	11.42	48.42	12052.11	NT
Tama	163B	85	1563.58	132904.22	74	0.7621					132904.22	T
Tama	163C	70	909.09	63636.46	74	0.7621	37	33	7.85	44.85	40773.42	NT
Tama	163C	70	3489.14	244240.01	74	0.7621					244240.01	T
Tama	163C2	68	650.83	44256.28	74	0.7621	37	31	7.37	44.37	28880.41	NT
Tama	163C2	68	3579.08	243377.42	74	0.7621					243377.42	T
Tama	163D	60	1266.09	75965.43	74	0.7621	37	23	5.47	42.47	53773.02	NT
Tama	163D	60	1336.37	80182.45	74	0.7621					80182.45	T
Tama	163D2	58	1543.84	89542.63	74	0.7621	37	21	5.00	42.00	64834.89	NT
Tama	163D2	58	8658.04	502166.58	74	0.7621					502166.58	T
Tama	163D3	55	20.35	1119.52	74	0.7621	37	18	4.28	41.28	840.30	NT
Tama	163D3	55	449.64	24730.20	74	0.7621					24730.20	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	163E	50	808.01	40400.61	74	0.7621	37	13	3.09	40.09	32395.39	NT
Tama	163E	50	484.26	24212.88	74	0.7621					24212.88	T
Tama	163E2	48	1448.55	69530.24	74	0.7621	37	11	2.62	39.62	57386.93	NT
Tama	163E2	48	7133.59	342412.55	74	0.7621					342412.55	T
Tama	163E3	46	289.23	13304.52	74	0.7621	37	9	2.14	39.14	11320.73	NT
Tama	163E3	46	2728.32	125502.65	74	0.7621					125502.65	T
Tama	163F	30	3750.31	112509.33	74	0.7621	30	0	0.00	30.00	112509.33	NT
Tama	163F	30	1290.57	38717.15	74	0.7621					38717.15	T
Tama	163F2	28	2745.12	76863.30	74	0.7621	28	0	0.00	28.00	76863.30	NT
Tama	163F2	28	5226.22	146334.20	74	0.7621					146334.20	T
Tama	163F3	25	381.52	9538.05	74	0.7621	25	0	0.00	25.00	9538.05	NT
Tama	163F3	25	1568.24	39206.01	74	0.7621					39206.01	T
Tama	163G	19	4602.09	87439.74	74	0.7621	19	0	0.00	19.00	87439.74	NT
Tama	163G	19	1364.15	25918.83	74	0.7621					25918.83	T
Tama	164	60	40.46	2427.52	74	0.7621	37	23	5.47	42.47	1718.35	NT
Tama	164	60	83.75	5025.04	74	0.7621					5025.04	T
Tama	174B	70	4.20	294.27	74	0.7621	37	33	7.85	44.85	188.55	NT
Tama	174B	70	96.25	6737.77	74	0.7621					6737.77	T
Tama	174C	55	12.96	712.56	74	0.7621	37	18	4.28	41.28	534.84	NT
Tama	174C	55	371.99	20459.33	74	0.7621					20459.33	T
Tama	175B	56	33.98	1902.70	74	0.7621	37	19	4.52	41.52	1410.72	NT
Tama	175B	56	96.15	5384.61	74	0.7621					5384.61	T
Tama	175C	41	9.77	400.54	74	0.7621	37	4	0.95	37.95	370.76	NT
Tama	175C	41	261.69	10729.15	74	0.7621					10729.15	T
Tama	179D2	43	33.73	1450.28	74	0.7621	37	6	1.43	38.43	1296.06	NT
Tama	179D2	43	529.00	22747.01	74	0.7621					22747.01	T
Tama	179D3	40	9.88	395.23	74	0.7621	37	3	0.71	37.71	372.64	NT
Tama	179D3	40	160.07	6402.78	74	0.7621					6402.78	T
Tama	179E2	33	55.23	1822.61	74	0.7621	33	0	0.00	33.00	1822.61	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	179E2	33	574.93	18972.83	74	0.7621					18972.83	T
Tama	179E3	30	17.61	528.17	74	0.7621	30	0	0.00	30.00	528.17	NT
Tama	179E3	30	304.06	9121.93	74	0.7621					9121.93	T
Tama	179F2	14	39.20	548.83	74	0.7621	14	0	0.00	14.00	548.83	NT
Tama	179F2	14	213.77	2992.81	74	0.7621					2992.81	T
Tama	179F3	10	2.21	22.08	74	0.7621	10	0	0.00	10.00	22.08	NT
Tama	179F3	10	147.99	1479.92	74	0.7621					1479.92	T
Tama	20C2	73	3.70	269.93	74	0.7621	37	36	8.56	45.56	168.48	NT
Tama	20C2	73	260.14	18990.43	74	0.7621					18990.43	T
Tama	20D2	63	19.48	1227.43	74	0.7621	37	26	6.19	43.19	841.38	NT
Tama	20D2	63	734.98	46303.93	74	0.7621					46303.93	T
Tama	20D3	58	14.95	866.87	74	0.7621	37	21	5.00	42.00	627.67	NT
Tama	20D3	58	772.48	44803.88	74	0.7621					44803.88	T
Tama	20E2	53	7.38	391.03	74	0.7621	37	16	3.81	40.81	301.07	NT
Tama	20E2	53	211.92	11231.54	74	0.7621					11231.54	T
Tama	20E3	48	0.44	21.31	74	0.7621	37	11	2.62	39.62	17.58	NT
Tama	20E3	48	193.17	9272.37	74	0.7621					9272.37	T
Tama	220	85	229.99	19549.28	74	0.7621	37	48	11.42	48.42	11136.01	NT
Tama	220	85	605.66	51481.15	74	0.7621					51481.15	T
Tama	222D2	10	4.70	47.02	74	0.7621	10	0	0.00	10.00	47.02	NT
Tama	222D2	10	174.66	1746.60	74	0.7621					1746.60	T
Tama	24D2	48	18.33	879.75	74	0.7621	37	11	2.62	39.62	726.10	NT
Tama	24D2	48	660.92	31724.16	74	0.7621					31724.16	T
Tama	24D3	45	2.20	98.87	74	0.7621	37	8	1.90	38.90	85.48	NT
Tama	24D3	45	259.63	11683.42	74	0.7621					11683.42	T
Tama	24E2	38	17.99	683.60	74	0.7621	37	1	0.24	37.24	669.89	NT
Tama	24E2	38	520.92	19795.07	74	0.7621					19795.07	T
Tama	24E3	35	20.63	721.93	74	0.7621	35	0	0.00	35.00	721.93	NT
Tama	24E3	35	557.71	19519.98	74	0.7621					19519.98	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	269	58	54.28	3148.13	74	0.7621	37	21	5.00	42.00	2279.46	NT
Tama	269	58	1039.08	60266.39	74	0.7621					60266.39	T
Tama	291	90	9.99	898.93	74	0.7621	37	53	12.61	49.61	495.50	NT
Tama	291	90	252.08	22687.46	74	0.7621					22687.46	T
Tama	293D	29	367.07	10644.96	74	0.7621	29	0	0.00	29.00	10644.96	NT
Tama	293D	29	466.29	13522.40	74	0.7621					13522.40	T
Tama	293D2	28	85.53	2394.87	74	0.7621	28	0	0.00	28.00	2394.87	NT
Tama	293D2	28	533.95	14950.73	74	0.7621					14950.73	T
Tama	293E	25	206.66	5166.40	74	0.7621	25	0	0.00	25.00	5166.40	NT
Tama	293E	25	218.51	5462.82	74	0.7621					5462.82	T
Tama	293E2	18	175.27	3154.90	74	0.7621	18	0	0.00	18.00	3154.90	NT
Tama	293E2	18	701.72	12631.02	74	0.7621					12631.02	T
Tama	293F	9	477.82	4300.36	74	0.7621	9	0	0.00	9.00	4300.36	NT
Tama	293F	9	209.66	1886.94	74	0.7621					1886.94	T
Tama	293F2	8	63.78	510.24	74	0.7621	8	0	0.00	8.00	510.24	NT
Tama	293F2	8	224.05	1792.41	74	0.7621					1792.41	T
Tama	293G	5	699.15	3495.74	74	0.7621	5	0	0.00	5.00	3495.74	NT
Tama	293G	5	79.95	399.75	74	0.7621					399.75	T
Tama	315	30	10.79	323.83	74	0.7621	30	0	0.00	30.00	323.83	NT
Tama	350	73	26.36	1924.06	74	0.7621	37	36	8.56	45.56	1200.94	NT
Tama	350	73	359.76	26262.19	74	0.7621					26262.19	T
Tama	350B	68	90.26	6137.92	74	0.7621	37	31	7.37	44.37	4005.43	NT
Tama	350B	68	935.18	63592.00	74	0.7621					63592.00	T
Tama	350C	49	58.49	2866.07	74	0.7621	37	12	2.85	39.85	2331.15	NT
Tama	350C	49	355.78	17433.19	74	0.7621					17433.19	T
Tama	354	5	428.82	2144.10	74	0.7621	5	0	0.00	5.00	2144.10	NT
Tama	354	5	234.61	1173.04	74	0.7621					1173.04	T
Tama	377B	90	490.27	44124.74	74	0.7621	37	53	12.61	49.61	24321.90	NT
Tama	377B	90	11064.13	995771.50	74	0.7621					995771.50	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	377B2	88	63.29	5569.50	74	0.7621	37	51	12.13	49.13	3109.61	NT
Tama	377B2	88	1640.53	144366.42	74	0.7621					144366.42	T
Tama	377C	75	137.01	10275.64	74	0.7621	37	38	9.04	46.04	6307.90	NT
Tama	377C	75	3436.04	257702.82	74	0.7621					257702.82	T
Tama	377C2	73	828.01	60445.07	74	0.7621	37	36	8.56	45.56	37727.99	NT
Tama	377C2	73	26105.26	1905684.11	74	0.7621					1905684.11	T
Tama	377D2	63	159.85	10070.36	74	0.7621	37	26	6.19	43.19	6903.06	NT
Tama	377D2	63	5106.57	321714.08	74	0.7621					321714.08	T
Tama	377D3	60	19.74	1184.50	74	0.7621	37	23	5.47	42.47	838.46	NT
Tama	377D3	60	797.23	47833.93	74	0.7621					47833.93	T
Tama	420B	95	141.64	13455.79	74	0.7621	37	58	13.80	50.80	7195.05	NT
Tama	420B	95	2643.07	251091.83	74	0.7621					251091.83	T
Tama	420C	80	20.27	1621.58	74	0.7621	37	43	10.23	47.23	957.33	NT
Tama	420C	80	201.52	16121.99	74	0.7621					16121.99	T
Tama	424E2	5	9.54	47.69	74	0.7621	5	0	0.00	5.00	47.69	NT
Tama	424E2	5	183.53	917.64	74	0.7621					917.64	T
Tama	424F2	5	120.85	604.24	74	0.7621	5	0	0.00	5.00	604.24	NT
Tama	424F2	5	379.88	1899.41	74	0.7621					1899.41	T
Tama	424F3	5	39.15	195.73	74	0.7621	5	0	0.00	5.00	195.73	NT
Tama	424F3	5	237.53	1187.66	74	0.7621					1187.66	T
Tama	428B	93	69.46	6460.02	74	0.7621	37	56	13.32	50.32	3495.52	NT
Tama	428B	93	2883.81	268194.41	74	0.7621					268194.41	T
Tama	429D2	48	68.31	3278.83	74	0.7621	37	11	2.62	39.62	2706.19	NT
Tama	429D2	48	853.42	40964.17	74	0.7621					40964.17	T
Tama	429E2	38	47.34	1798.86	74	0.7621	37	1	0.24	37.24	1762.78	NT
Tama	429E2	38	541.61	20581.10	74	0.7621					20581.10	T
Tama	429E3	35	10.98	384.45	74	0.7621	35	0	0.00	35.00	384.45	NT
Tama	429E3	35	223.05	7806.74	74	0.7621					7806.74	T
Tama	429F2	18	32.27	580.90	74	0.7621	18	0	0.00	18.00	580.90	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	429F2	18	305.86	5505.47	74	0.7621					5505.47	T
Tama	43	80	2244.33	179546.26	74	0.7621	37	43	10.23	47.23	105998.95	NT
Tama	43	80	10058.17	804653.98	74	0.7621					804653.98	T
Tama	430	83	553.78	45964.11	74	0.7621	37	46	10.94	47.94	26550.31	NT
Tama	430	83	1401.51	116325.14	74	0.7621					116325.14	T
Tama	430B	74	1418.39	104961.14	74	0.7621	37	37	8.80	45.80	64965.70	NT
Tama	430B	74	1957.08	144824.23	74	0.7621					144824.23	T
Tama	462B	90	98.91	8901.76	74	0.7621	37	53	12.61	49.61	4906.72	NT
Tama	462B	90	562.65	50638.47	74	0.7621					50638.47	T
Tama	462C	75	73.06	5479.65	74	0.7621	37	38	9.04	46.04	3363.79	NT
Tama	462C	75	606.37	45478.00	74	0.7621					45478.00	T
Tama	478G	5	132.01	660.04	74	0.7621	5	0	0.00	5.00	660.04	NT
Tama	478G	5	11.73	58.65	74	0.7621					58.65	T
Tama	484	90	435.30	39176.80	74	0.7621	37	53	12.61	49.61	21594.56	NT
Tama	484	90	464.35	41791.88	74	0.7621					41791.88	T
Tama	485	92	31.45	2892.95	74	0.7621	37	55	13.08	50.08	1574.91	NT
Tama	485	92	306.10	28161.15	74	0.7621					28161.15	T
Tama	5	83	0.06	5.13	74	0.7621	37	46	10.94	47.94	2.96	NT
Tama	5	83	0.00	0.24	74	0.7621					0.24	T
Tama	5010	0	29.15	0.00	74	0.7621	0	0	0.00	0.00	0.00	NT
Tama	5010	0	30.76	0.00	74	0.7621					0.00	T
Tama	5030	0	227.46	0.00	74	0.7621	0	0	0.00	0.00	0.00	NT
Tama	5030	0	3.61	0.00	74	0.7621					0.00	T
Tama	5040	5	108.60	543.01	74	0.7621	5	0	0.00	5.00	543.01	NT
Tama	5040	5	137.70	688.52	74	0.7621					688.52	T
Tama	5080	0	1.21	0.00	74	0.7621	0	0	0.00	0.00	0.00	NT
Tama	5080	0	0.24	0.00	74	0.7621					0.00	T
Tama	54	70	0.18	12.50	74	0.7621	37	33	7.85	44.85	8.01	NT
Tama	5B	83	4359.94	361875.27	74	0.7621	37	46	10.94	47.94	209030.49	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	5B	83	7712.62	640147.76	74	0.7621					640147.76	T
Tama	63D	11	85.96	945.53	74	0.7621	11	0	0.00	11.00	945.53	NT
Tama	63D	11	359.64	3956.02	74	0.7621					3956.02	T
Tama	63F	5	101.59	507.95	74	0.7621	5	0	0.00	5.00	507.95	NT
Tama	63F	5	121.73	608.67	74	0.7621					608.67	T
Tama	65D2	38	61.27	2328.30	74	0.7621	37	1	0.24	37.24	2281.61	NT
Tama	65D2	38	203.14	7719.42	74	0.7621					7719.42	T
Tama	65E2	24	263.45	6322.68	74	0.7621	24	0	0.00	24.00	6322.68	NT
Tama	65E2	24	583.12	13994.98	74	0.7621					13994.98	T
Tama	65E3	25	71.96	1798.96	74	0.7621	25	0	0.00	25.00	1798.96	NT
Tama	65E3	25	474.24	11855.96	74	0.7621					11855.96	T
Tama	65F	10	339.88	3398.76	74	0.7621	10	0	0.00	10.00	3398.76	NT
Tama	65F	10	170.08	1700.81	74	0.7621					1700.81	T
Tama	65F2	8	549.62	4396.98	74	0.7621	8	0	0.00	8.00	4396.98	NT
Tama	65F2	8	1066.95	8535.61	74	0.7621					8535.61	T
Tama	65F3	5	143.35	716.77	74	0.7621	5	0	0.00	5.00	716.77	NT
Tama	65F3	5	756.12	3780.61	74	0.7621					3780.61	T
Tama	65G	5	1289.97	6449.83	74	0.7621	5	0	0.00	5.00	6449.83	NT
Tama	65G	5	671.48	3357.39	74	0.7621					3357.39	T
Tama	673D2	58	12.64	733.02	74	0.7621	37	21	5.00	42.00	530.75	NT
Tama	673D2	58	182.26	10570.80	74	0.7621					10570.80	T
Tama	673D3	50	6.27	313.65	74	0.7621	37	13	3.09	40.09	251.51	NT
Tama	673D3	50	172.89	8644.37	74	0.7621					8644.37	T
Tama	673E2	48	199.81	9590.79	74	0.7621	37	11	2.62	39.62	7915.78	NT
Tama	673E2	48	1305.00	62639.99	74	0.7621					62639.99	T
Tama	673E3	40	200.74	8029.74	74	0.7621	37	3	0.71	37.71	7570.78	NT
Tama	673E3	40	1696.06	67842.33	74	0.7621					67842.33	T
Tama	673F2	28	721.05	20189.45	74	0.7621	28	0	0.00	28.00	20189.45	NT
Tama	673F2	28	1485.46	41592.82	74	0.7621					41592.82	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	673F3	20	251.27	5025.34	74	0.7621	20	0	0.00	20.00	5025.34	NT
Tama	673F3	20	1063.13	21262.63	74	0.7621					21262.63	T
Tama	673G	20	280.32	5606.42	74	0.7621	20	0	0.00	20.00	5606.42	NT
Tama	673G	20	274.02	5480.33	74	0.7621					5480.33	T
Tama	683C2	68	22.20	1509.82	74	0.7621	37	31	7.37	44.37	985.27	NT
Tama	683C2	68	947.90	64457.37	74	0.7621					64457.37	T
Tama	683D	60	0.32	18.95	74	0.7621	37	23	5.47	42.47	13.42	NT
Tama	683D	60	0.20	12.13	74	0.7621					12.13	T
Tama	683D2	58	151.98	8814.97	74	0.7621	37	21	5.00	42.00	6382.63	NT
Tama	683D2	58	3114.52	180642.25	74	0.7621					180642.25	T
Tama	683D3	56	23.40	1310.67	74	0.7621	37	19	4.52	41.52	971.77	NT
Tama	683D3	56	924.91	51794.82	74	0.7621					51794.82	T
Tama	683E2	48	40.96	1966.02	74	0.7621	37	11	2.62	39.62	1622.66	NT
Tama	683E2	48	635.04	30481.70	74	0.7621					30481.70	T
Tama	683E3	46	19.51	897.26	74	0.7621	37	9	2.14	39.14	763.47	NT
Tama	683E3	46	530.42	24399.18	74	0.7621					24399.18	T
Tama	7	91	364.67	33185.24	74	0.7621	37	54	12.85	49.85	18177.71	NT
Tama	7	91	5845.17	531910.61	74	0.7621					531910.61	T
Tama	771B	87	17.93	1560.21	74	0.7621	37	50	11.90	48.90	876.86	NT
Tama	771B	87	357.61	31111.83	74	0.7621					31111.83	T
Tama	771C	72	5.25	378.06	74	0.7621	37	35	8.33	45.33	238.00	NT
Tama	771C	72	137.89	9928.30	74	0.7621					9928.30	T
Tama	771C2	70	60.50	4234.76	74	0.7621	37	33	7.85	44.85	2713.31	NT
Tama	771C2	70	674.17	47191.99	74	0.7621					47191.99	T
Tama	771D2	60	21.27	1276.00	74	0.7621	37	23	5.47	42.47	903.23	NT
Tama	771D2	60	246.75	14805.01	74	0.7621					14805.01	T
Tama	7B	85	197.62	16797.66	74	0.7621	37	48	11.42	48.42	9568.58	NT
Tama	7B	85	2144.00	182240.38	74	0.7621					182240.38	T
Tama	822D2	15	0.03	0.47	74	0.7621					0.47	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	83B	87	2.42	210.40	74	0.7621	37	50	11.90	48.90	118.25	NT
Tama	83B	87	207.59	18060.09	74	0.7621					18060.09	T
Tama	83C2	69	16.66	1149.85	74	0.7621	37	32	7.61	44.61	743.45	NT
Tama	83C2	69	557.12	38441.28	74	0.7621					38441.28	T
Tama	877B	93	0.03	2.41	74	0.7621	37	56	13.32	50.32	1.30	NT
Tama	877B	93	1.38	128.50	74	0.7621					128.50	T
Tama	88	92	1093.98	100645.94	74	0.7621	37	55	13.08	50.08	54791.32	NT
Tama	88	92	11040.23	1015701.18	74	0.7621					1015701.18	T
Tama	884	95	0.50	47.82	74	0.7621					47.82	T
Tama	8B	90	73.90	6650.97	74	0.7621	37	53	12.61	49.61	3666.07	NT
Tama	8B	90	1710.65	153958.11	74	0.7621					153958.11	T
Tama	8C	66	0.02	1.11	74	0.7621					1.11	T
Tama	911B	85	0.05	4.03	74	0.7621	37	48	11.42	48.42	2.30	NT
Tama	911B	85	1.71	145.27	74	0.7621					145.27	T
Tama	926	90	139.81	12583.01	74	0.7621	37	53	12.61	49.61	6935.85	NT
Tama	926	90	557.26	50153.37	74	0.7621					50153.37	T
Tama	933	80	0.02	1.32	74	0.7621	37	43	10.23	47.23	0.78	NT
Tama	933	80	0.21	16.52	74	0.7621					16.52	T
Tama	933B	80	254.71	20376.48	74	0.7621	37	43	10.23	47.23	12029.69	NT
Tama	933B	80	5678.98	454318.09	74	0.7621					454318.09	T
Tama	978	90	102.87	9257.85	74	0.7621	37	53	12.61	49.61	5103.00	NT
Tama	978	90	384.90	34641.37	74	0.7621					34641.37	T
Tama	982	93	1.76	164.02	74	0.7621					164.02	T
Tama	993E2	10	1.09	10.93	74	0.7621	10	0	0.00	10.00	10.93	NT
Tama	993E2	10	126.06	1260.60	74	0.7621					1260.60	T
Tama	993E3	5	6.66	33.29	74	0.7621	5	0	0.00	5.00	33.29	NT
Tama	993E3	5	103.64	518.18	74	0.7621					518.18	T
Tama	C133	5	0.20	1.02	74	0.7621					1.02	T
Tama	INT	0	22.90	0.00	74	0.7621	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Tama	SL	0	54.56	0.00	74	0.7621	0	0	0.00	0.00	0.00	NT
Tama	SL	0	0.78	0.00	74	0.7621					0.00	T
Tama	T120	100	0.00	0.27	74	0.7621					0.27	T
Tama	W	0	1308.40	0.00	74	0.7621	0	0	0.00	0.00	0.00	NT
Tama	W	0	29.06	0.00	74	0.7621					0.00	T
											0.00	
											0.00	
Taylor	11B	68	8.23	559.60	45	0.7273	22	46	12.54	34.54	284.28	NT
Taylor	11B	68	3.94	268.08	45	0.7273					268.08	T
Taylor	1220	25	384.97	9624.36	45	0.7273	22	2	0.55	22.55	8679.40	NT
Taylor	1220	25	69.11	1727.72	45	0.7273					1727.72	T
Taylor	133	80	141.86	11349.19	45	0.7273	22	58	15.82	37.82	5364.85	NT
Taylor	133	80	1349.78	107982.03	45	0.7273					107982.03	T
Taylor	133+	85	340.78	28966.14	45	0.7273	22	62	16.91	38.91	13258.79	NT
Taylor	133+	85	1334.11	113399.32	45	0.7273					113399.32	T
Taylor	133B	75	196.72	14754.03	45	0.7273	22	52	14.18	36.18	7117.42	NT
Taylor	133B	75	754.38	56578.64	45	0.7273					56578.64	T
Taylor	133B+	81	48.19	3903.71	45	0.7273	22	58	15.82	37.82	1822.53	NT
Taylor	133B+	81	207.94	16843.30	45	0.7273					16843.30	T
Taylor	1368B	90	21.96	1976.07	45	0.7273	22	68	18.54	40.54	890.19	NT
Taylor	1368B	90	279.10	25118.56	45	0.7273					25118.56	T
Taylor	172	45	52.06	2342.76	45	0.7273	22	22	6.00	28.00	1457.69	NT
Taylor	172	45	1071.07	48197.95	45	0.7273					48197.95	T
Taylor	179D	45	871.58	39220.91	45	0.7273	22	22	6.00	28.00	24403.60	NT
Taylor	179D	45	391.58	17621.13	45	0.7273					17621.13	T
Taylor	179D2	43	3733.21	160528.08	45	0.7273	22	20	5.45	27.45	102491.58	NT
Taylor	179D2	43	3816.56	164112.03	45	0.7273					164112.03	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Taylor	179E	35	1039.30	36375.48	45	0.7273	22	12	3.27	25.27	26265.59	NT
Taylor	179E	35	170.34	5962.05	45	0.7273					5962.05	T
Taylor	179E2	33	2862.08	94448.61	45	0.7273	22	10	2.73	24.73	70770.63	NT
Taylor	179E2	33	1283.15	42344.01	45	0.7273					42344.01	T
Taylor	179F	15	572.83	8592.45	45	0.7273	15	0	0.00	15.00	8592.45	NT
Taylor	179F	15	26.00	390.02	45	0.7273					390.02	T
Taylor	179F2	14	405.66	5679.31	45	0.7273	14	0	0.00	14.00	5679.31	NT
Taylor	179F2	14	141.44	1980.22	45	0.7273					1980.22	T
Taylor	192C	35	621.78	21762.47	45	0.7273	22	12	3.27	25.27	15714.00	NT
Taylor	192C	35	1624.84	56869.35	45	0.7273					56869.35	T
Taylor	192C2	30	1926.19	57785.77	45	0.7273	22	8	2.18	24.18	46578.41	NT
Taylor	192C2	30	7511.74	225352.32	45	0.7273					225352.32	T
Taylor	192D	20	93.68	1873.61	45	0.7273	20	0	0.00	20.00	1873.61	NT
Taylor	192D	20	181.97	3639.31	45	0.7273					3639.31	T
Taylor	192D2	15	287.58	4313.72	45	0.7273	15	0	0.00	15.00	4313.72	NT
Taylor	192D2	15	838.71	12580.67	45	0.7273					12580.67	T
Taylor	212	94	17.29	1624.79	45	0.7273	22	72	19.63	41.63	719.65	NT
Taylor	212	94	178.09	16740.86	45	0.7273					16740.86	T
Taylor	220	85	5116.80	434927.77	45	0.7273	22	62	16.91	38.91	199081.28	NT
Taylor	220	85	7102.72	603731.32	45	0.7273					603731.32	T
Taylor	222C	30	659.06	19771.82	45	0.7273	22	8	2.18	24.18	15937.14	NT
Taylor	222C	30	2333.76	70012.75	45	0.7273					70012.75	T
Taylor	222C2	25	899.85	22496.27	45	0.7273	22	2	0.55	22.55	20287.50	NT
Taylor	222C2	25	4578.06	114451.53	45	0.7273					114451.53	T
Taylor	222D2	10	43.34	433.42	45	0.7273	10	0	0.00	10.00	433.42	NT
Taylor	222D2	10	219.33	2193.29	45	0.7273					2193.29	T
Taylor	248	60	259.48	15568.65	45	0.7273	22	38	10.36	32.36	8397.37	NT
Taylor	248	60	3048.71	182922.47	45	0.7273					182922.47	T
Taylor	248+	65	108.31	7040.28	45	0.7273	22	42	11.45	33.45	3623.40	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Taylor	248+	65	801.42	52092.34	45	0.7273					52092.34	T
Taylor	24D	50	930.58	46528.93	45	0.7273	22	28	7.64	29.64	27578.26	NT
Taylor	24D	50	1248.85	62442.67	45	0.7273					62442.67	T
Taylor	24D2	48	4002.29	192109.91	45	0.7273	22	26	7.09	29.09	116427.41	NT
Taylor	24D2	48	9718.15	466471.12	45	0.7273					466471.12	T
Taylor	24E	40	152.60	6103.82	45	0.7273	22	18	4.91	26.91	4106.13	NT
Taylor	24E	40	149.32	5972.73	45	0.7273					5972.73	T
Taylor	24E2	38	663.42	25210.04	45	0.7273	22	16	4.36	26.36	17489.93	NT
Taylor	24E2	38	962.27	36566.41	45	0.7273					36566.41	T
Taylor	269	58	285.83	16577.90	45	0.7273	22	36	9.82	31.82	9094.18	NT
Taylor	269	58	3394.89	196903.89	45	0.7273					196903.89	T
Taylor	269+	63	132.23	8330.34	45	0.7273	22	40	10.91	32.91	4351.35	NT
Taylor	269+	63	994.65	62662.92	45	0.7273					62662.92	T
Taylor	273B	72	275.85	19860.88	45	0.7273	22	50	13.64	35.64	9829.75	NT
Taylor	273B	72	743.00	53495.77	45	0.7273					53495.77	T
Taylor	273C	57	209.68	11951.90	45	0.7273	22	34	9.27	31.27	6557.15	NT
Taylor	273C	57	427.59	24372.42	45	0.7273					24372.42	T
Taylor	286B	65	17437.35	1133427.69	45	0.7273	22	42	11.45	33.45	583338.61	NT
Taylor	286B	65	12569.41	817011.67	45	0.7273					817011.67	T
Taylor	368	95	27.11	2575.36	45	0.7273	22	72	19.63	41.63	1128.67	NT
Taylor	368	95	1020.55	96952.47	45	0.7273					96952.47	T
Taylor	368B	90	163.47	14712.15	45	0.7273	22	68	18.54	40.54	6627.60	NT
Taylor	368B	90	3386.97	304827.62	45	0.7273					304827.62	T
Taylor	369	87	11.53	1002.73	45	0.7273	22	64	17.45	39.45	454.72	NT
Taylor	369	87	934.60	81310.02	45	0.7273					81310.02	T
Taylor	370B	87	1336.63	116287.12	45	0.7273	22	64	17.45	39.45	52733.94	NT
Taylor	370B	87	16419.28	1428477.00	45	0.7273					1428477.00	T
Taylor	370B2	81	0.05	4.11	45	0.7273	22	58	15.82	37.82	1.92	NT
Taylor	370B2	81	1.77	143.62	45	0.7273					143.62	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Taylor	370C	72	1848.99	133127.56	45	0.7273	22	50	13.64	35.64	65888.90	NT
Taylor	370C	72	8650.26	622818.50	45	0.7273					622818.50	T
Taylor	370C2	67	700.41	46927.20	45	0.7273	22	44	12.00	34.00	23812.96	NT
Taylor	370C2	67	5178.39	346952.17	45	0.7273					346952.17	T
Taylor	370D	62	60.60	3757.44	45	0.7273	22	40	10.91	32.91	1994.35	NT
Taylor	370D	62	479.36	29720.17	45	0.7273					29720.17	T
Taylor	370D2	57	63.49	3619.19	45	0.7273	22	34	9.27	31.27	1985.59	NT
Taylor	370D2	57	398.69	22725.37	45	0.7273					22725.37	T
Taylor	371C2	64	0.27	17.01	45	0.7273	22	42	11.45	33.45	8.89	NT
Taylor	371C2	64	0.36	23.24	45	0.7273					23.24	T
Taylor	371D2	54	0.01	0.60	45	0.7273					0.60	T
Taylor	421C2	38	0.10	3.74	45	0.7273					3.74	T
Taylor	421D2	28	0.01	0.16	45	0.7273	22	6	1.64	23.64	0.14	NT
Taylor	421D2	28	0.04	1.23	45	0.7273					1.23	T
Taylor	423C2	27	406.61	10978.49	45	0.7273	22	4	1.09	23.09	9388.97	NT
Taylor	423C2	27	763.48	20613.93	45	0.7273					20613.93	T
Taylor	423D2	13	591.05	7683.67	45	0.7273	13	0	0.00	13.00	7683.67	NT
Taylor	423D2	13	753.10	9790.29	45	0.7273					9790.29	T
Taylor	428B	93	27.15	2524.74	45	0.7273	22	70	19.09	41.09	1115.47	NT
Taylor	428B	93	212.26	19740.20	45	0.7273					19740.20	T
Taylor	430	83	264.91	21987.46	45	0.7273	22	60	16.36	38.36	10162.45	NT
Taylor	430	83	523.61	43459.46	45	0.7273					43459.46	T
Taylor	452C	35	75.54	2643.94	45	0.7273	22	12	3.27	25.27	1909.10	NT
Taylor	452C	35	146.72	5135.24	45	0.7273					5135.24	T
Taylor	452C2	30	48.60	1457.89	45	0.7273	22	8	2.18	24.18	1175.13	NT
Taylor	452C2	30	248.41	7452.45	45	0.7273					7452.45	T
Taylor	470D	29	270.55	7846.05	45	0.7273	22	6	1.64	23.64	6394.86	NT
Taylor	470D	29	515.57	14951.56	45	0.7273					14951.56	T
Taylor	470D2	25	3229.98	80749.48	45	0.7273	22	2	0.55	22.55	72821.17	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Taylor	470D2	25	8912.66	222816.44	45	0.7273					222816.44	T
Taylor	5030	0	125.88	0.00	45	0.7273	0	0	0.00	0.00	0.00	NT
Taylor	5030	0	11.59	0.00	45	0.7273					0.00	T
Taylor	5040	5	49.21	246.03	45	0.7273	5	0	0.00	5.00	246.03	NT
Taylor	5040	5	87.70	438.51	45	0.7273					438.51	T
Taylor	51	70	87.46	6122.36	45	0.7273	22	48	13.09	35.09	3069.02	NT
Taylor	51	70	779.23	54546.15	45	0.7273					54546.15	T
Taylor	51+	70	24.53	1716.99	45	0.7273	22	48	13.09	35.09	860.69	NT
Taylor	51+	70	199.91	13993.58	45	0.7273					13993.58	T
Taylor	51B	65	511.19	33227.44	45	0.7273	22	42	11.45	33.45	17101.09	NT
Taylor	51B	65	2004.48	130291.29	45	0.7273					130291.29	T
Taylor	51B+	65	283.55	18431.01	45	0.7273	22	42	11.45	33.45	9485.85	NT
Taylor	51B+	65	874.18	56821.40	45	0.7273					56821.40	T
Taylor	545B	52	0.18	9.13	45	0.7273	22	30	8.18	30.18	5.30	NT
Taylor	545B	52	0.46	24.04	45	0.7273					24.04	T
Taylor	570C	69	4033.89	278338.67	45	0.7273	22	46	12.54	34.54	139347.63	NT
Taylor	570C	69	27671.26	1909316.99	45	0.7273					1909316.99	T
Taylor	570C2	64	1343.52	85985.36	45	0.7273	22	42	11.45	33.45	44945.36	NT
Taylor	570C2	64	14856.08	950789.00	45	0.7273					950789.00	T
Taylor	570D	59	57.95	3419.19	45	0.7273	22	36	9.82	31.82	1843.88	NT
Taylor	570D	59	280.82	16568.42	45	0.7273					16568.42	T
Taylor	570D2	54	105.56	5700.23	45	0.7273	22	32	8.73	30.73	3243.47	NT
Taylor	570D2	54	489.52	26434.17	45	0.7273					26434.17	T
Taylor	592C	25	87.06	2176.46	45	0.7273	22	2	0.55	22.55	1962.77	NT
Taylor	592C	25	507.07	12676.77	45	0.7273					12676.77	T
Taylor	592C2	21	233.89	4911.70	45	0.7273	21	0	0.00	21.00	4911.70	NT
Taylor	592C2	21	1106.93	23245.59	45	0.7273					23245.59	T
Taylor	592D	10	385.13	3851.32	45	0.7273	10	0	0.00	10.00	3851.32	NT
Taylor	592D	10	688.06	6880.56	45	0.7273					6880.56	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Taylor	592D2	5	1814.94	9074.71	45	0.7273	5	0	0.00	5.00	9074.71	NT
Taylor	592D2	5	6214.69	31073.47	45	0.7273					31073.47	T
Taylor	5B	83	4974.49	412882.53	45	0.7273	22	60	16.36	38.36	190831.32	NT
Taylor	5B	83	5551.71	460791.76	45	0.7273					460791.76	T
Taylor	69C	50	921.17	46058.32	45	0.7273	22	28	7.64	29.64	27299.32	NT
Taylor	69C	50	6861.68	343084.24	45	0.7273					343084.24	T
Taylor	69C2	41	144.65	5930.63	45	0.7273	22	18	4.91	26.91	3892.32	NT
Taylor	69C2	41	1566.88	64242.07	45	0.7273					64242.07	T
Taylor	76C	70	550.04	38502.47	45	0.7273	22	48	13.09	35.09	19300.52	NT
Taylor	76C	70	956.06	66924.12	45	0.7273					66924.12	T
Taylor	76C2	67	801.75	53717.30	45	0.7273	22	44	12.00	34.00	27258.57	NT
Taylor	76C2	67	3248.49	217648.59	45	0.7273					217648.59	T
Taylor	76D	60	33.99	2039.16	45	0.7273	22	38	10.36	32.36	1099.87	NT
Taylor	76D	60	84.38	5063.10	45	0.7273					5063.10	T
Taylor	76D2	52	121.14	6299.11	45	0.7273	22	30	8.18	30.18	3656.03	NT
Taylor	76D2	52	480.71	24996.72	45	0.7273					24996.72	T
Taylor	792C	31	718.04	22259.18	45	0.7273	22	8	2.18	24.18	17363.31	NT
Taylor	792C	31	654.33	20284.16	45	0.7273					20284.16	T
Taylor	792C2	26	1610.67	41877.37	45	0.7273	22	4	1.09	23.09	37191.62	NT
Taylor	792C2	26	3191.27	82972.91	45	0.7273					82972.91	T
Taylor	792D	18	413.76	7447.66	45	0.7273	18	0	0.00	18.00	7447.66	NT
Taylor	792D	18	94.45	1700.08	45	0.7273					1700.08	T
Taylor	792D2	11	1321.92	14541.10	45	0.7273	11	0	0.00	11.00	14541.10	NT
Taylor	792D2	11	1118.59	12304.49	45	0.7273					12304.49	T
Taylor	822C	29	2063.40	59838.60	45	0.7273	22	6	1.64	23.64	48770.93	NT
Taylor	822C	29	5569.03	161501.83	45	0.7273					161501.83	T
Taylor	822C2	24	3720.40	89289.65	45	0.7273	22	2	0.55	22.55	83877.95	NT
Taylor	822C2	24	16494.67	395872.03	45	0.7273					395872.03	T
Taylor	822D	20	616.43	12328.67	45	0.7273	20	0	0.00	20.00	12328.67	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Taylor	822D	20	1270.63	25412.60	45	0.7273					25412.60	T
Taylor	822D2	15	1449.21	21738.22	45	0.7273	15	0	0.00	15.00	21738.22	NT
Taylor	822D2	15	5302.72	79540.81	45	0.7273					79540.81	T
Taylor	870B	87	23.50	2044.79	45	0.7273	22	64	17.45	39.45	927.27	NT
Taylor	870B	87	264.21	22986.35	45	0.7273					22986.35	T
Taylor	870C2	67	69.83	4678.74	45	0.7273	22	44	12.00	34.00	2374.20	NT
Taylor	870C2	67	283.79	19014.07	45	0.7273					19014.07	T
Taylor	88	92	20.55	1891.03	45	0.7273	22	70	19.09	41.09	844.57	NT
Taylor	88	92	491.93	45257.98	45	0.7273					45257.98	T
Taylor	8B	90	42.82	3853.67	45	0.7273	22	68	18.54	40.54	1736.02	NT
Taylor	8B	90	336.90	30320.63	45	0.7273					30320.63	T
Taylor	8C	66	18.66	1231.42	45	0.7273	22	44	12.00	34.00	634.34	NT
Taylor	8C	66	122.50	8084.86	45	0.7273					8084.86	T
Taylor	93D	30	232.14	6964.19	45	0.7273	22	8	2.18	24.18	5613.50	NT
Taylor	93D	30	436.59	13097.61	45	0.7273					13097.61	T
Taylor	93D2	33	1759.51	58063.98	45	0.7273	22	10	2.73	24.73	43507.52	NT
Taylor	93D2	33	4695.26	154943.69	45	0.7273					154943.69	T
Taylor	993D	34	235.28	7999.51	45	0.7273	22	12	3.27	25.27	5946.08	NT
Taylor	993D	34	124.31	4226.61	45	0.7273					4226.61	T
Taylor	993D2	20	1267.88	25357.54	45	0.7273	20	0	0.00	20.00	25357.54	NT
Taylor	993D2	20	1701.13	34022.66	45	0.7273					34022.66	T
Taylor	AW	0	0.13	0.00	45	0.7273	0	0	0.00	0.00	0.00	NT
Taylor	SL	0	7.14	0.00	45	0.7273	0	0	0.00	0.00	0.00	NT
Taylor	T370B	87	0.42	36.90	45	0.7273	22	64	17.45	39.45	16.73	NT
Taylor	T370B	87	15.18	1320.77	45	0.7273					1320.77	T
Taylor	W	0	2152.44	0.00	45	0.7273	0	0	0.00	0.00	0.00	NT
Taylor	W	0	120.93	0.00	45	0.7273					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
											0.00	
											0.00	
Union	1131C	45	0.00	0.13	59	0.7284					0.13	T
Union	11B	68	15938.27	1083802.04	59	0.7284	30	38	10.32	40.32	642643.61	NT
Union	11B	68	16258.10	1105550.86	59	0.7284					1105550.86	T
Union	122	63	0.43	27.27	59	0.7284	30	34	9.23	39.23	16.98	NT
Union	122	63	163.38	10292.86	59	0.7284					10292.86	T
Union	131B	67	0.00	0.19	59	0.7284	30	38	10.32	40.32	0.12	NT
Union	131B	67	0.08	5.47	59	0.7284					5.47	T
Union	131C	50	1681.57	84078.73	59	0.7284	30	20	5.43	35.43	59581.55	NT
Union	131C	50	2732.54	136626.75	59	0.7284					136626.75	T
Union	131C2	45	535.97	24118.52	59	0.7284	30	16	4.35	34.35	18408.11	NT
Union	131C2	45	1144.39	51497.38	59	0.7284					51497.38	T
Union	131D	36	149.99	5399.58	59	0.7284	30	6	1.63	31.63	4744.07	NT
Union	131D	36	153.17	5514.02	59	0.7284					5514.02	T
Union	132C	44	328.61	14458.83	59	0.7284	30	14	3.80	33.80	11107.80	NT
Union	132C	44	224.12	9861.10	59	0.7284					9861.10	T
Union	133	80	964.24	77139.35	59	0.7284	30	50	13.58	43.58	42021.66	NT
Union	133	80	2107.55	168603.98	59	0.7284					168603.98	T
Union	133B	75	401.27	30095.16	59	0.7284	30	46	12.49	42.49	17051.36	NT
Union	133B	75	1012.65	75948.95	59	0.7284					75948.95	T
Union	13B	65	4504.25	292776.14	59	0.7284	30	36	9.78	39.78	179168.19	NT
Union	13B	65	1002.31	65150.08	59	0.7284					65150.08	T
Union	1715	25	0.43	10.73	59	0.7284	25	0	0.00	25.00	10.73	NT
Union	1715	25	0.22	5.40	59	0.7284					5.40	T
Union	175D	36	127.76	4599.25	59	0.7284	30	6	1.63	31.63	4040.90	NT
Union	175D	36	124.67	4488.26	59	0.7284					4488.26	T
Union	179D	45	646.01	29070.36	59	0.7284	30	16	4.35	34.35	22187.53	NT
Union	179D	45	403.38	18152.14	59	0.7284					18152.14	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Union	179D2	43	1835.69	78934.55	59	0.7284	30	14	3.80	33.80	62050.64	NT
Union	179D2	43	1279.98	55039.29	59	0.7284					55039.29	T
Union	179E	35	2020.03	70700.90	59	0.7284	30	6	1.63	31.63	63892.61	NT
Union	179E	35	458.04	16031.38	59	0.7284					16031.38	T
Union	179E2	33	4304.19	142038.13	59	0.7284	30	4	1.09	31.09	133801.64	NT
Union	179E2	33	1503.84	49626.66	59	0.7284					49626.66	T
Union	179F	15	2791.24	41868.54	59	0.7284	15	0	0.00	15.00	41868.54	NT
Union	179F	15	297.21	4458.15	59	0.7284					4458.15	T
Union	192C	35	414.95	14523.40	59	0.7284	30	6	1.63	31.63	13124.84	NT
Union	192C	35	585.10	20478.61	59	0.7284					20478.61	T
Union	192C2	30	1085.14	32554.16	59	0.7284	30	0	0.00	30.00	32554.16	NT
Union	192C2	30	2870.79	86123.70	59	0.7284					86123.70	T
Union	192D2	15	223.75	3356.30	59	0.7284	15	0	0.00	15.00	3356.30	NT
Union	192D2	15	448.75	6731.22	59	0.7284					6731.22	T
Union	212	94	865.59	81365.80	59	0.7284	30	64	17.38	47.38	41013.91	NT
Union	212	94	790.49	74306.43	59	0.7284					74306.43	T
Union	220	85	2690.08	228656.70	59	0.7284	30	56	15.21	45.21	121617.39	NT
Union	220	85	3689.78	313630.89	59	0.7284					313630.89	T
Union	222C	30	1348.89	40466.61	59	0.7284	30	0	0.00	30.00	40466.61	NT
Union	222C	30	3887.11	116613.38	59	0.7284					116613.38	T
Union	222C2	25	1800.69	45017.36	59	0.7284	25	0	0.00	25.00	45017.36	NT
Union	222C2	25	7219.58	180489.53	59	0.7284					180489.53	T
Union	222D	15	274.76	4121.34	59	0.7284	15	0	0.00	15.00	4121.34	NT
Union	222D	15	854.79	12821.83	59	0.7284					12821.83	T
Union	222D2	10	325.66	3256.55	59	0.7284	10	0	0.00	10.00	3256.55	NT
Union	222D2	10	1488.23	14882.25	59	0.7284					14882.25	T
Union	23C	55	748.19	41150.23	59	0.7284	30	26	7.06	37.06	27728.97	NT
Union	23C	55	4150.56	228280.78	59	0.7284					228280.78	T
Union	23C2	50	0.02	0.82	59	0.7284					0.82	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Union	248	60	235.11	14106.46	59	0.7284	30	30	8.15	38.15	8968.89	NT
Union	248	60	1600.74	96044.19	59	0.7284					96044.19	T
Union	24C	60	105.96	6357.86	59	0.7284	30	30	8.15	38.15	4042.33	NT
Union	24C	60	256.11	15366.89	59	0.7284					15366.89	T
Union	24C2	58	225.76	13093.82	59	0.7284	30	28	7.60	37.60	8489.49	NT
Union	24C2	58	782.13	45363.37	59	0.7284					45363.37	T
Union	24D	50	792.04	39601.88	59	0.7284	30	20	5.43	35.43	28063.48	NT
Union	24D	50	1330.75	66537.46	59	0.7284					66537.46	T
Union	24D2	48	4113.60	197452.88	59	0.7284	30	18	4.89	34.89	143518.63	NT
Union	24D2	48	8402.16	403303.68	59	0.7284					403303.68	T
Union	24D3	45	111.65	5024.45	59	0.7284	30	16	4.35	34.35	3834.84	NT
Union	24D3	45	263.13	11840.69	59	0.7284					11840.69	T
Union	24E	40	871.98	34879.29	59	0.7284	30	10	2.72	32.72	28527.77	NT
Union	24E	40	650.03	26001.20	59	0.7284					26001.20	T
Union	24E2	38	1612.96	61292.59	59	0.7284	30	8	2.17	32.17	51893.53	NT
Union	24E2	38	1575.68	59875.82	59	0.7284					59875.82	T
Union	24F2	18	202.82	3650.74	59	0.7284	18	0	0.00	18.00	3650.74	NT
Union	24F2	18	102.66	1847.96	59	0.7284					1847.96	T
Union	269	58	48.33	2803.25	59	0.7284	30	28	7.60	37.60	1817.51	NT
Union	269	58	538.03	31205.59	59	0.7284					31205.59	T
Union	273B	72	188.04	13539.14	59	0.7284	30	42	11.41	41.41	7786.36	NT
Union	273B	72	549.16	39539.46	59	0.7284					39539.46	T
Union	362	70	26.42	1849.59	59	0.7284	30	40	10.86	40.86	1079.74	NT
Union	362	70	881.82	61727.06	59	0.7284					61727.06	T
Union	364B	75	320.01	24000.79	59	0.7284	30	46	12.49	42.49	13598.40	NT
Union	364B	75	2920.91	219068.23	59	0.7284					219068.23	T
Union	368	95	239.19	22722.92	59	0.7284	30	66	17.93	47.93	11463.26	NT
Union	368	95	5577.84	529894.70	59	0.7284					529894.70	T
Union	368B	90	297.80	26801.80	59	0.7284	30	60	16.30	46.30	13786.85	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Union	368B	90	2865.27	257874.19	59	0.7284					257874.19	T
Union	369	87	92.35	8034.68	59	0.7284	30	58	15.75	45.75	4225.39	NT
Union	369	87	2269.57	197452.59	59	0.7284					197452.59	T
Union	370B	87	2389.11	207852.97	59	0.7284	30	58	15.75	45.75	109308.68	NT
Union	370B	87	20982.81	1825504.47	59	0.7284					1825504.47	T
Union	370C	72	1058.91	76241.64	59	0.7284	30	42	11.41	41.41	43846.57	NT
Union	370C	72	4364.91	314273.46	59	0.7284					314273.46	T
Union	370C2	67	116.84	7828.57	59	0.7284	30	38	10.32	40.32	4711.26	NT
Union	370C2	67	748.02	50117.57	59	0.7284					50117.57	T
Union	370D	62	159.65	9898.25	59	0.7284	30	32	8.69	38.69	6177.02	NT
Union	370D	62	729.54	45231.70	59	0.7284					45231.70	T
Union	371C	69	2879.44	198681.67	59	0.7284	30	40	10.86	40.86	117665.62	NT
Union	371C	69	18519.50	1277845.40	59	0.7284					1277845.40	T
Union	371C2	64	103.59	6629.64	59	0.7284	30	34	9.23	39.23	4064.22	NT
Union	371C2	64	716.85	45878.51	59	0.7284					45878.51	T
Union	425C	28	378.63	10601.72	59	0.7284	28	0	0.00	28.00	10601.72	NT
Union	425C	28	37.17	1040.76	59	0.7284					1040.76	T
Union	425D	16	0.50	7.99	59	0.7284	16	0	0.00	16.00	7.99	NT
Union	451C2	43	83.55	3592.59	59	0.7284	30	14	3.80	33.80	2824.15	NT
Union	451C2	43	150.72	6480.97	59	0.7284					6480.97	T
Union	451D2	33	608.44	20078.54	59	0.7284	30	4	1.09	31.09	18914.23	NT
Union	451D2	33	689.34	22748.20	59	0.7284					22748.20	T
Union	451E2	23	493.85	11358.47	59	0.7284	23	0	0.00	23.00	11358.47	NT
Union	451E2	23	141.53	3255.24	59	0.7284					3255.24	T
Union	452C	35	93.61	3276.39	59	0.7284	30	6	1.63	31.63	2960.88	NT
Union	452C	35	122.07	4272.57	59	0.7284					4272.57	T
Union	5010	0	92.91	0.00	59	0.7284	0	0	0.00	0.00	0.00	NT
Union	5010	0	3.67	0.00	59	0.7284					0.00	T
Union	5030	0	50.44	0.00	59	0.7284	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Union	5030	0	2.28	0.00	59	0.7284					0.00	T
Union	5040	5	175.11	875.56	59	0.7284	5	0	0.00	5.00	875.56	NT
Union	5040	5	56.95	284.75	59	0.7284					284.75	T
Union	5080	0	40.77	0.00	59	0.7284	0	0	0.00	0.00	0.00	NT
Union	51	70	165.69	11598.00	59	0.7284	30	40	10.86	40.86	6770.58	NT
Union	51	70	1445.40	101177.89	59	0.7284					101177.89	T
Union	592C2	21	337.70	7091.69	59	0.7284	21	0	0.00	21.00	7091.69	NT
Union	592C2	21	540.50	11350.52	59	0.7284					11350.52	T
Union	592D2	5	143.33	716.64	59	0.7284	5	0	0.00	5.00	716.64	NT
Union	592D2	5	230.41	1152.06	59	0.7284					1152.06	T
Union	65E	25	593.05	14826.29	59	0.7284	25	0	0.00	25.00	14826.29	NT
Union	65E	25	88.77	2219.15	59	0.7284					2219.15	T
Union	65F	10	1088.57	10885.70	59	0.7284	10	0	0.00	10.00	10885.70	NT
Union	65F	10	16.27	162.66	59	0.7284					162.66	T
Union	69C	50	690.97	34548.27	59	0.7284	30	20	5.43	35.43	24482.28	NT
Union	69C	50	5859.74	292987.19	59	0.7284					292987.19	T
Union	76B	82	181.62	14892.79	59	0.7284	30	52	14.12	44.12	8013.63	NT
Union	76B	82	425.22	34868.25	59	0.7284					34868.25	T
Union	76C	70	1665.17	116561.68	59	0.7284	30	40	10.86	40.86	68045.38	NT
Union	76C	70	3208.57	224599.94	59	0.7284					224599.94	T
Union	76C2	67	289.07	19367.83	59	0.7284	30	38	10.32	40.32	11655.62	NT
Union	76C2	67	672.61	45064.96	59	0.7284					45064.96	T
Union	76D	60	178.74	10724.27	59	0.7284	30	30	8.15	38.15	6818.49	NT
Union	76D	60	341.37	20482.37	59	0.7284					20482.37	T
Union	792C	31	848.70	26309.85	59	0.7284	30	2	0.54	30.54	25922.16	NT
Union	792C	31	527.36	16348.10	59	0.7284					16348.10	T
Union	792C2	26	1449.84	37695.92	59	0.7284	26	0	0.00	26.00	37695.92	NT
Union	792C2	26	1523.85	39620.12	59	0.7284					39620.12	T
Union	792D2	11	1225.00	13475.05	59	0.7284	11	0	0.00	11.00	13475.05	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Union	792D2	11	635.97	6995.69	59	0.7284					6995.69	T
Union	822C	29	91.22	2645.34	59	0.7284	29	0	0.00	29.00	2645.34	NT
Union	822C	29	287.72	8343.82	59	0.7284					8343.82	T
Union	822C2	24	645.73	15497.54	59	0.7284	24	0	0.00	24.00	15497.54	NT
Union	822C2	24	2119.82	50875.64	59	0.7284					50875.64	T
Union	822D	20	151.84	3036.78	59	0.7284	20	0	0.00	20.00	3036.78	NT
Union	822D	20	257.03	5140.57	59	0.7284					5140.57	T
Union	822D2	15	144.79	2171.92	59	0.7284	15	0	0.00	15.00	2171.92	NT
Union	822D2	15	369.67	5545.11	59	0.7284					5545.11	T
Union	831C2	40	0.06	2.51	59	0.7284					2.51	T
Union	8B	90	66.88	6019.45	59	0.7284	30	60	16.30	46.30	3096.41	NT
Union	8B	90	316.06	28445.56	59	0.7284					28445.56	T
Union	93D	30	681.51	20445.32	59	0.7284	30	0	0.00	30.00	20445.32	NT
Union	93D	30	1577.95	47338.36	59	0.7284					47338.36	T
Union	93D2	33	3274.55	108060.21	59	0.7284	30	4	1.09	31.09	101794.03	NT
Union	93D2	33	8610.74	284154.42	59	0.7284					284154.42	T
Union	93E2	23	255.69	5880.77	59	0.7284	23	0	0.00	23.00	5880.77	NT
Union	93E2	23	362.17	8329.90	59	0.7284					8329.90	T
Union	94D2	10	628.58	6285.75	59	0.7284	10	0	0.00	10.00	6285.75	NT
Union	94D2	10	733.56	7335.61	59	0.7284					7335.61	T
Union	993D2	20	2908.15	58162.97	59	0.7284	20	0	0.00	20.00	58162.97	NT
Union	993D2	20	2240.94	44818.75	59	0.7284					44818.75	T
Union	993E2	10	181.81	1818.14	59	0.7284	10	0	0.00	10.00	1818.14	NT
Union	993E2	10	80.05	800.48	59	0.7284					800.48	T
Union	AW	0	7.73	0.00	59	0.7284	0	0	0.00	0.00	0.00	NT
Union	BW	0	0.03	0.00	59	0.7284	0	0	0.00	0.00	0.00	NT
Union	BW	0	3.92	0.00	59	0.7284					0.00	T
Union	C220	25	757.08	18926.93	59	0.7284	25	0	0.00	25.00	18926.93	NT
Union	C220	25	308.39	7709.64	59	0.7284					7709.64	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Union	CwB	65	0.13	8.16	59	0.7284					8.16	T
Union	CyB	10	0.47	4.71	59	0.7284	10	0	0.00	10.00	4.71	NT
Union	CyB	10	0.19	1.88	59	0.7284					1.88	T
Union	GaE2	33	0.87	28.55	59	0.7284	30	4	1.09	31.09	26.89	NT
Union	GaE2	33	0.14	4.59	59	0.7284					4.59	T
Union	GaF2	13	1.01	13.08	59	0.7284	13	0	0.00	13.00	13.08	NT
Union	INT	0	14.95	0.00	59	0.7284	0	0	0.00	0.00	0.00	NT
Union	INT	0	2.75	0.00	59	0.7284					0.00	T
Union	Ke	86	1.15	99.05	59	0.7284	30	56	15.21	45.21	52.07	NT
Union	Ke	86	3.63	312.32	59	0.7284					312.32	T
Union	LaB	82	0.14	11.41	59	0.7284	30	52	14.12	44.12	6.14	NT
Union	LaC	67	0.05	3.57	59	0.7284	30	38	10.32	40.32	2.15	NT
Union	LaC2	62	0.66	41.12	59	0.7284	30	32	8.69	38.69	25.66	NT
Union	LaC2	62	0.08	4.72	59	0.7284					4.72	T
Union	LaD	57	0.02	1.20	59	0.7284	30	28	7.60	37.60	0.79	NT
Union	LaD2	52	0.08	4.17	59	0.7284	30	22	5.98	35.98	2.88	NT
Union	LaD2	52	0.00	0.15	59	0.7284					0.15	T
Union	LcD2	15	0.49	7.28	59	0.7284	15	0	0.00	15.00	7.28	NT
Union	LcD3	5	0.01	0.03	59	0.7284					0.03	T
Union	Nn	25	2.05	51.26	59	0.7284	25	0	0.00	25.00	51.26	NT
Union	OmB	72	0.01	0.49	59	0.7284	30	42	11.41	41.41	0.28	NT
Union	OmB	72	0.43	30.73	59	0.7284					30.73	T
Union	SbB	87	0.04	3.52	59	0.7284	30	58	15.75	45.75	1.85	NT
Union	SbB	87	0.23	20.29	59	0.7284					20.29	T
Union	SbC2	67	0.05	3.54	59	0.7284					3.54	T
Union	ShE2	38	0.09	3.49	59	0.7284	30	8	2.17	32.17	2.95	NT
Union	SL	0	27.96	0.00	59	0.7284	0	0	0.00	0.00	0.00	NT
Union	SL	0	0.00	0.00	59	0.7284					0.00	T
Union	SlD2	25	0.47	11.74	59	0.7284					11.74	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Union	T130	63	23.60	1486.92	59	0.7284	30	34	9.23	39.23	926.01	NT
Union	T130	63	191.44	12060.87	59	0.7284					12060.87	T
Union	T131B	67	141.92	9508.88	59	0.7284	30	38	10.32	40.32	5722.47	NT
Union	T131B	67	747.49	50081.78	59	0.7284					50081.78	T
Union	T131C	49	194.70	9540.19	59	0.7284	30	20	5.43	35.43	6898.53	NT
Union	T131C	49	751.42	36819.61	59	0.7284					36819.61	T
Union	T76B	82	93.72	7684.78	59	0.7284	30	52	14.12	44.12	4135.09	NT
Union	T76B	82	423.62	34736.92	59	0.7284					34736.92	T
Union	T76C	67	117.73	7887.86	59	0.7284	30	38	10.32	40.32	4746.94	NT
Union	T76C	67	209.56	14040.79	59	0.7284					14040.79	T
Union	W	0	2988.06	0.00	59	0.7284	0	0	0.00	0.00	0.00	NT
Union	W	0	42.47	0.00	59	0.7284					0.00	T
Union	Wb	60	2.13	127.94	59	0.7284					127.94	T
Union	ZoA	70	0.15	10.63	59	0.7284	30	40	10.86	40.86	6.21	NT
Union	ZoB	65	0.01	0.94	59	0.7284	30	36	9.78	39.78	0.57	NT
											0.00	
											0.00	
Van Buren	1057	68	0.31	21.11	50	0.7177					21.11	T
Van Buren	1130	60	156.07	9364.18	50	0.7177	25	35	9.88	34.88	5443.79	NT
Van Buren	1130	60	1913.67	114820.19	50	0.7177					114820.19	T
Van Buren	1260	50	154.97	7748.35	50	0.7177	25	25	7.06	32.06	4967.85	NT
Van Buren	1260	50	1528.28	76413.83	50	0.7177					76413.83	T
Van Buren	130	63	173.80	10949.45	50	0.7177	25	38	10.73	35.73	6209.45	NT
Van Buren	130	63	3950.82	248901.45	50	0.7177					248901.45	T
Van Buren	131B	67	705.88	47294.21	50	0.7177	25	42	11.86	36.86	26016.47	NT
Van Buren	131B	67	5366.62	359563.68	50	0.7177					359563.68	T
Van Buren	131B2	63	133.95	8438.66	50	0.7177	25	38	10.73	35.73	4785.58	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	131B2	63	1277.45	80479.47	50	0.7177					80479.47	T
Van Buren	131C	50	131.37	6568.68	50	0.7177	25	25	7.06	32.06	4211.51	NT
Van Buren	131C	50	199.38	9969.04	50	0.7177					9969.04	T
Van Buren	131C2	45	1168.40	52577.94	50	0.7177	25	20	5.65	30.65	35806.74	NT
Van Buren	131C2	45	4874.36	219346.31	50	0.7177					219346.31	T
Van Buren	132B	60	1181.08	70865.04	50	0.7177	25	35	9.88	34.88	41196.80	NT
Van Buren	132B	60	5362.13	321728.04	50	0.7177					321728.04	T
Van Buren	132C	44	1406.98	61907.23	50	0.7177	25	19	5.36	30.36	42721.20	NT
Van Buren	132C	44	1049.44	46175.29	50	0.7177					46175.29	T
Van Buren	132C2	40	4941.67	197666.83	50	0.7177	25	15	4.23	29.23	144467.27	NT
Van Buren	132C2	40	10395.71	415828.25	50	0.7177					415828.25	T
Van Buren	132D2	28	3.81	106.54	50	0.7177	25	3	0.85	25.85	98.35	NT
Van Buren	132D2	28	0.72	20.07	50	0.7177					20.07	T
Van Buren	139	15	39.70	595.45	50	0.7177	15	0	0.00	15.00	595.45	NT
Van Buren	139	15	8.72	130.82	50	0.7177					130.82	T
Van Buren	139B	10	84.83	848.30	50	0.7177	10	0	0.00	10.00	848.30	NT
Van Buren	139B	10	245.51	2455.06	50	0.7177					2455.06	T
Van Buren	13B	65	2768.88	179976.99	50	0.7177	25	40	11.29	36.29	100488.08	NT
Van Buren	13B	65	730.60	47488.72	50	0.7177					47488.72	T
Van Buren	163C2	68	0.21	14.07	50	0.7177					14.07	T
Van Buren	1715	25	1893.71	47342.63	50	0.7177	25	0	0.00	25.00	47342.63	NT
Van Buren	1715	25	693.16	17329.07	50	0.7177					17329.07	T
Van Buren	172	45	256.33	11534.90	50	0.7177	25	20	5.65	30.65	7855.53	NT
Van Buren	172	45	879.48	39576.64	50	0.7177					39576.64	T
Van Buren	173	60	46.96	2817.56	50	0.7177	25	35	9.88	34.88	1637.97	NT
Van Buren	173	60	298.82	17929.23	50	0.7177					17929.23	T
Van Buren	175	60	0.04	2.12	50	0.7177					2.12	T
Van Buren	179D2	43	2162.57	92990.72	50	0.7177	25	18	5.08	30.08	65053.28	NT
Van Buren	179D2	43	1742.39	74922.65	50	0.7177					74922.65	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	179E2	33	2021.35	66704.54	50	0.7177	25	8	2.26	27.26	55098.76	NT
Van Buren	179E2	33	837.55	27639.25	50	0.7177					27639.25	T
Van Buren	197	25	226.17	5654.29	50	0.7177	25	0	0.00	25.00	5654.29	NT
Van Buren	197	25	30.99	774.85	50	0.7177					774.85	T
Van Buren	1977	85	150.93	12828.86	50	0.7177	25	60	16.94	41.94	6329.61	NT
Van Buren	1977	85	876.94	74539.90	50	0.7177					74539.90	T
Van Buren	208	55	562.16	30918.89	50	0.7177	25	30	8.47	33.47	18814.99	NT
Van Buren	208	55	189.11	10401.03	50	0.7177					10401.03	T
Van Buren	211	60	9.09	545.50	50	0.7177	25	35	9.88	34.88	317.12	NT
Van Buren	211	60	902.86	54171.68	50	0.7177					54171.68	T
Van Buren	220	85	4517.59	383995.34	50	0.7177	25	60	16.94	41.94	189458.78	NT
Van Buren	220	85	2289.89	194640.76	50	0.7177					194640.76	T
Van Buren	222C2	25	808.75	20218.72	50	0.7177	25	0	0.00	25.00	20218.72	NT
Van Buren	222C2	25	2364.43	59110.65	50	0.7177					59110.65	T
Van Buren	223C2	22	3427.53	75405.60	50	0.7177	22	0	0.00	22.00	75405.60	NT
Van Buren	223C2	22	7299.37	160586.13	50	0.7177					160586.13	T
Van Buren	231	63	359.84	22670.11	50	0.7177	25	38	10.73	35.73	12856.26	NT
Van Buren	231	63	9311.85	586646.55	50	0.7177					586646.55	T
Van Buren	23C2	50	159.00	7950.11	50	0.7177	25	25	7.06	32.06	5097.22	NT
Van Buren	23C2	50	1469.24	73462.17	50	0.7177					73462.17	T
Van Buren	260	50	127.65	6382.47	50	0.7177	25	25	7.06	32.06	4092.12	NT
Van Buren	260	50	1468.21	73410.50	50	0.7177					73410.50	T
Van Buren	261	54	138.16	7460.70	50	0.7177	25	29	8.19	33.19	4585.11	NT
Van Buren	261	54	2074.87	112043.02	50	0.7177					112043.02	T
Van Buren	263	53	5.64	298.66	50	0.7177	25	28	7.90	32.90	185.42	NT
Van Buren	263	53	65.09	3449.80	50	0.7177					3449.80	T
Van Buren	273B	72	96.69	6961.96	50	0.7177	25	47	13.27	38.27	3700.29	NT
Van Buren	273B	72	106.79	7689.10	50	0.7177					7689.10	T
Van Buren	273C	57	29.45	1678.66	50	0.7177	25	32	9.03	34.03	1002.30	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	273C	57	18.19	1036.67	50	0.7177					1036.67	T
Van Buren	3051	77	28.61	2202.62	50	0.7177	25	52	14.68	39.68	1135.05	NT
Van Buren	3051	77	292.43	22517.03	50	0.7177					22517.03	T
Van Buren	3054	77	16.83	1296.24	50	0.7177	25	52	14.68	39.68	667.98	NT
Van Buren	3054	77	198.17	15258.84	50	0.7177					15258.84	T
Van Buren	312B	60	395.28	23717.06	50	0.7177	25	35	9.88	34.88	13787.71	NT
Van Buren	312B	60	3437.48	206248.73	50	0.7177					206248.73	T
Van Buren	312B2	55	206.32	11347.71	50	0.7177	25	30	8.47	33.47	6905.39	NT
Van Buren	312B2	55	1787.39	98306.50	50	0.7177					98306.50	T
Van Buren	3133	80	37.34	2986.90	50	0.7177	25	55	15.53	40.53	1513.11	NT
Van Buren	3133	80	342.53	27402.73	50	0.7177					27402.73	T
Van Buren	3139	17	86.71	1474.06	50	0.7177	17	0	0.00	17.00	1474.06	NT
Van Buren	3139	17	309.62	5263.48	50	0.7177					5263.48	T
Van Buren	313D2	10	333.52	3335.22	50	0.7177	10	0	0.00	10.00	3335.22	NT
Van Buren	313D2	10	118.96	1189.61	50	0.7177					1189.61	T
Van Buren	313E2	5	1003.28	5016.39	50	0.7177	5	0	0.00	5.00	5016.39	NT
Van Buren	313E2	5	215.09	1075.45	50	0.7177					1075.45	T
Van Buren	313F2	5	595.41	2977.04	50	0.7177	5	0	0.00	5.00	2977.04	NT
Van Buren	313F2	5	74.99	374.93	50	0.7177					374.93	T
Van Buren	313G		1518.82		50	0.7177			0.00	0.00	0.00	NT
Van Buren	313G		45.70		50	0.7177					0.00	T
Van Buren	315	30	1611.36	48340.83	50	0.7177	25	5	1.41	26.41	42558.46	NT
Van Buren	315	30	278.16	8344.82	50	0.7177					8344.82	T
Van Buren	3208	61	72.08	4396.61	50	0.7177	25	36	10.16	35.16	2534.38	NT
Van Buren	3208	61	252.36	15394.22	50	0.7177					15394.22	T
Van Buren	3220	95	647.82	61543.37	50	0.7177	25	70	19.76	44.76	28997.29	NT
Van Buren	3220	95	569.34	54087.32	50	0.7177					54087.32	T
Van Buren	3315	65	64.00	4160.25	50	0.7177	25	40	11.29	36.29	2322.83	NT
Van Buren	3315	65	171.35	11137.46	50	0.7177					11137.46	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	3484	95	39.63	3764.50	50	0.7177	25	70	19.76	44.76	1773.71	NT
Van Buren	3484	95	303.72	28853.37	50	0.7177					28853.37	T
Van Buren	3520	72	90.45	6512.05	50	0.7177	25	47	13.27	38.27	3461.16	NT
Van Buren	3520	72	697.66	50231.68	50	0.7177					50231.68	T
Van Buren	3587	72	6.08	437.74	50	0.7177	25	47	13.27	38.27	232.66	NT
Van Buren	3587	72	163.37	11762.77	50	0.7177					11762.77	T
Van Buren	362	70	338.21	23674.35	50	0.7177	25	45	12.70	37.70	12751.51	NT
Van Buren	362	70	16245.68	1137197.87	50	0.7177					1137197.87	T
Van Buren	363	65	5.74	372.95	50	0.7177	25	40	11.29	36.29	208.23	NT
Van Buren	363	65	1253.67	81488.52	50	0.7177					81488.52	T
Van Buren	364B	75	364.14	27310.73	50	0.7177	25	50	14.12	39.12	14243.46	NT
Van Buren	364B	75	6905.32	517899.19	50	0.7177					517899.19	T
Van Buren	364B2	70	169.90	11892.83	50	0.7177	25	45	12.70	37.70	6405.74	NT
Van Buren	364B2	70	2857.59	200031.37	50	0.7177					200031.37	T
Van Buren	3720	67	11.23	752.33	50	0.7177	25	42	11.86	36.86	413.86	NT
Van Buren	3720	67	62.35	4177.54	50	0.7177					4177.54	T
Van Buren	405	55	0.04	2.19	50	0.7177					2.19	T
Van Buren	423D2	13	1763.60	22926.83	50	0.7177	13	0	0.00	13.00	22926.83	NT
Van Buren	423D2	13	1779.91	23138.87	50	0.7177					23138.87	T
Van Buren	424D2	15	1916.89	28753.39	50	0.7177	15	0	0.00	15.00	28753.39	NT
Van Buren	424D2	15	1530.39	22955.81	50	0.7177					22955.81	T
Van Buren	424E2	5	1246.59	6232.94	50	0.7177	5	0	0.00	5.00	6232.94	NT
Van Buren	424E2	5	524.50	2622.52	50	0.7177					2622.52	T
Van Buren	425C	28	0.01	0.18	50	0.7177	25	3	0.85	25.85	0.17	NT
Van Buren	425C2	24	0.18	4.39	50	0.7177	24	0	0.00	24.00	4.39	NT
Van Buren	425C2	24	0.05	1.25	50	0.7177					1.25	T
Van Buren	425D	16	1816.29	29060.60	50	0.7177	16	0	0.00	16.00	29060.60	NT
Van Buren	425D	16	229.33	3669.29	50	0.7177					3669.29	T
Van Buren	425D2	12	3089.39	37072.73	50	0.7177	12	0	0.00	12.00	37072.73	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	425D2	12	2068.33	24819.96	50	0.7177					24819.96	T
Van Buren	425D3	9	0.41	3.67	50	0.7177	9	0	0.00	9.00	3.67	NT
Van Buren	432C2	38	58.94	2239.58	50	0.7177	25	13	3.67	28.67	1689.70	NT
Van Buren	432C2	38	49.56	1883.21	50	0.7177					1883.21	T
Van Buren	432D	30	974.24	29227.27	50	0.7177	25	5	1.41	26.41	25731.20	NT
Van Buren	432D	30	165.40	4961.99	50	0.7177					4961.99	T
Van Buren	432D2	26	4723.50	122810.97	50	0.7177	25	1	0.28	25.28	119420.92	NT
Van Buren	432D2	26	3958.07	102909.91	50	0.7177					102909.91	T
Van Buren	453	53	13.79	731.03	50	0.7177	25	28	7.90	32.90	453.85	NT
Van Buren	453	53	147.47	7815.92	50	0.7177					7815.92	T
Van Buren	460	73	259.15	18917.92	50	0.7177	25	48	13.55	38.55	9990.32	NT
Van Buren	460	73	342.99	25038.52	50	0.7177					25038.52	T
Van Buren	499F	5	0.11	0.56	50	0.7177	5	0	0.00	5.00	0.56	NT
Van Buren	5010	0	143.37	0.00	50	0.7177	0	0	0.00	0.00	0.00	NT
Van Buren	5010	0	21.42	0.00	50	0.7177					0.00	T
Van Buren	5020	0	212.15	0.00	50	0.7177	0	0	0.00	0.00	0.00	NT
Van Buren	5020	0	54.93	0.00	50	0.7177					0.00	T
Van Buren	5030	0	394.68	0.00	50	0.7177	0	0	0.00	0.00	0.00	NT
Van Buren	5030	0	3.57	0.00	50	0.7177					0.00	T
Van Buren	5040	5	206.83	1034.13	50	0.7177	5	0	0.00	5.00	1034.13	NT
Van Buren	5040	5	25.39	126.94	50	0.7177					126.94	T
Van Buren	5047	5	8.91	44.54	50	0.7177	5	0	0.00	5.00	44.54	NT
Van Buren	5047	5	1.84	9.20	50	0.7177					9.20	T
Van Buren	51	70	731.71	51219.58	50	0.7177	25	45	12.70	37.70	27587.96	NT
Van Buren	51	70	1734.36	121405.26	50	0.7177					121405.26	T
Van Buren	51+	70	179.17	12542.02	50	0.7177	25	45	12.70	37.70	6755.40	NT
Van Buren	51+	70	414.50	29015.16	50	0.7177					29015.16	T
Van Buren	51B	65	176.46	11469.97	50	0.7177	25	40	11.29	36.29	6404.13	NT
Van Buren	51B	65	336.95	21902.01	50	0.7177					21902.01	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	520	65	656.92	42699.82	50	0.7177	25	40	11.29	36.29	23840.95	NT
Van Buren	520	65	1065.30	69244.33	50	0.7177					69244.33	T
Van Buren	520B	60	591.11	35466.51	50	0.7177	25	35	9.88	34.88	20618.16	NT
Van Buren	520B	60	1026.66	61599.34	50	0.7177					61599.34	T
Van Buren	531B	58	840.43	48744.86	50	0.7177	25	33	9.32	34.32	28840.06	NT
Van Buren	531B	58	5663.61	328489.59	50	0.7177					328489.59	T
Van Buren	531B2	51	223.17	11381.68	50	0.7177	25	26	7.34	32.34	7217.28	NT
Van Buren	531B2	51	1628.38	83047.63	50	0.7177					83047.63	T
Van Buren	531C2	32	2518.65	80596.76	50	0.7177	25	7	1.98	26.98	67943.32	NT
Van Buren	531C2	32	6843.89	219004.43	50	0.7177					219004.43	T
Van Buren	532B	48	315.85	15160.69	50	0.7177	25	23	6.49	31.49	9946.96	NT
Van Buren	532B	48	1129.88	54234.33	50	0.7177					54234.33	T
Van Buren	532C	32	769.57	24626.18	50	0.7177	25	7	1.98	26.98	20759.95	NT
Van Buren	532C	32	272.81	8730.07	50	0.7177					8730.07	T
Van Buren	532C2	28	1963.63	54981.75	50	0.7177	25	3	0.85	25.85	50753.85	NT
Van Buren	532C2	28	3785.50	105994.10	50	0.7177					105994.10	T
Van Buren	534	43	100.40	4317.41	50	0.7177	25	18	5.08	30.08	3020.32	NT
Van Buren	534	43	500.79	21533.91	50	0.7177					21533.91	T
Van Buren	54	70	160.63	11243.78	50	0.7177	25	45	12.70	37.70	6056.14	NT
Van Buren	54	70	506.81	35476.67	50	0.7177					35476.67	T
Van Buren	54+	75	0.20	14.66	50	0.7177	25	50	14.12	39.12	7.64	NT
Van Buren	587	65	0.71	46.28	50	0.7177					46.28	T
Van Buren	58D	30	7.76	232.78	50	0.7177	25	5	1.41	26.41	204.93	NT
Van Buren	58D	30	3.04	91.21	50	0.7177					91.21	T
Van Buren	58D2	28	552.31	15464.77	50	0.7177	25	3	0.85	25.85	14275.58	NT
Van Buren	58D2	28	371.32	10396.99	50	0.7177					10396.99	T
Van Buren	58E	20	0.02	0.31	50	0.7177	20	0	0.00	20.00	0.31	NT
Van Buren	58E2	18	804.35	14478.24	50	0.7177	18	0	0.00	18.00	14478.24	NT
Van Buren	58E2	18	159.18	2865.19	50	0.7177					2865.19	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	58F2	5	171.16	855.80	50	0.7177	5	0	0.00	5.00	855.80	NT
Van Buren	58F2	5	32.53	162.66	50	0.7177					162.66	T
Van Buren	58G	5	781.95	3909.74	50	0.7177	5	0	0.00	5.00	3909.74	NT
Van Buren	58G	5	38.54	192.71	50	0.7177					192.71	T
Van Buren	592D2	5	65.16	325.78	50	0.7177	5	0	0.00	5.00	325.78	NT
Van Buren	592D2	5	89.79	448.94	50	0.7177					448.94	T
Van Buren	594D2	5	730.29	3651.47	50	0.7177	5	0	0.00	5.00	3651.47	NT
Van Buren	594D2	5	427.95	2139.73	50	0.7177					2139.73	T
Van Buren	598G	5	3.89	19.47	50	0.7177	5	0	0.00	5.00	19.47	NT
Van Buren	598G	5	0.63	3.16	50	0.7177					3.16	T
Van Buren	599G	5	731.46	3657.29	50	0.7177	5	0	0.00	5.00	3657.29	NT
Van Buren	599G	5	33.78	168.88	50	0.7177					168.88	T
Van Buren	65D	35	206.08	7212.85	50	0.7177	25	10	2.82	27.82	5733.81	NT
Van Buren	65D	35	29.30	1025.65	50	0.7177					1025.65	T
Van Buren	65D2	38	1721.98	65435.40	50	0.7177	25	13	3.67	28.67	49369.11	NT
Van Buren	65D2	38	853.20	32421.69	50	0.7177					32421.69	T
Van Buren	65E	25	1599.50	39987.60	50	0.7177	25	0	0.00	25.00	39987.60	NT
Van Buren	65E	25	101.86	2546.40	50	0.7177					2546.40	T
Van Buren	65E2	24	8725.88	209421.15	50	0.7177	24	0	0.00	24.00	209421.15	NT
Van Buren	65E2	24	2871.58	68917.96	50	0.7177					68917.96	T
Van Buren	65F	10	13.75	137.50	50	0.7177	10	0	0.00	10.00	137.50	NT
Van Buren	65F	10	0.00	0.05	50	0.7177					0.05	T
Van Buren	65F2	8	5078.47	40627.79	50	0.7177	8	0	0.00	8.00	40627.79	NT
Van Buren	65F2	8	940.21	7521.69	50	0.7177					7521.69	T
Van Buren	65G	5	12117.10	60585.50	50	0.7177	5	0	0.00	5.00	60585.50	NT
Van Buren	65G	5	486.52	2432.60	50	0.7177					2432.60	T
Van Buren	699G	5	1352.72	6763.60	50	0.7177	5	0	0.00	5.00	6763.60	NT
Van Buren	699G	5	35.11	175.54	50	0.7177					175.54	T
Van Buren	715	5	0.90	4.51	50	0.7177	5	0	0.00	5.00	4.51	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	715	5	1.30	6.49	50	0.7177					6.49	T
Van Buren	719B	55	105.46	5800.12	50	0.7177	25	30	8.47	33.47	3529.53	NT
Van Buren	719B	55	233.00	12815.09	50	0.7177					12815.09	T
Van Buren	720	60	54.07	3244.24	50	0.7177	25	35	9.88	34.88	1886.01	NT
Van Buren	720	60	133.76	8025.68	50	0.7177					8025.68	T
Van Buren	729	77	505.16	38897.62	50	0.7177	25	52	14.68	39.68	20044.70	NT
Van Buren	729	77	73.18	5634.82	50	0.7177					5634.82	T
Van Buren	730B	61	7162.42	436907.76	50	0.7177	25	36	10.16	35.16	251850.82	NT
Van Buren	730B	61	889.20	54241.38	50	0.7177					54241.38	T
Van Buren	731C2	45	0.05	2.14	50	0.7177	25	20	5.65	30.65	1.46	NT
Van Buren	731C2	45	0.10	4.53	50	0.7177					4.53	T
Van Buren	732C2	40	0.64	25.55	50	0.7177	25	15	4.23	29.23	18.68	NT
Van Buren	732C2	40	0.03	1.34	50	0.7177					1.34	T
Van Buren	792C2	26	0.32	8.28	50	0.7177	25	1	0.28	25.28	8.05	NT
Van Buren	792D2	11	1223.95	13463.48	50	0.7177	11	0	0.00	11.00	13463.48	NT
Van Buren	792D2	11	1415.88	15574.69	50	0.7177					15574.69	T
Van Buren	795C2	15	843.84	12657.65	50	0.7177	15	0	0.00	15.00	12657.65	NT
Van Buren	795C2	15	1037.96	15569.47	50	0.7177					15569.47	T
Van Buren	795D	12	545.75	6549.05	50	0.7177	12	0	0.00	12.00	6549.05	NT
Van Buren	795D	12	71.22	854.62	50	0.7177					854.62	T
Van Buren	795D2	5	4808.51	24042.57	50	0.7177	5	0	0.00	5.00	24042.57	NT
Van Buren	795D2	5	3306.50	16532.48	50	0.7177					16532.48	T
Van Buren	80B	77	29.32	2257.32	50	0.7177	25	52	14.68	39.68	1163.24	NT
Van Buren	80B	77	28.21	2172.35	50	0.7177					2172.35	T
Van Buren	80C	67	96.95	6495.42	50	0.7177	25	42	11.86	36.86	3573.12	NT
Van Buren	80C	67	3.10	207.81	50	0.7177					207.81	T
Van Buren	80C2	57	200.25	11414.50	50	0.7177	25	32	9.03	34.03	6815.38	NT
Van Buren	80C2	57	276.69	15771.16	50	0.7177					15771.16	T
Van Buren	80D	55	304.72	16759.64	50	0.7177	25	30	8.47	33.47	10198.70	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	80D	55	54.96	3022.97	50	0.7177					3022.97	T
Van Buren	80D2	52	483.88	25161.59	50	0.7177	25	27	7.62	32.62	15785.07	NT
Van Buren	80D2	52	373.90	19442.95	50	0.7177					19442.95	T
Van Buren	831B	65	276.21	17953.45	50	0.7177	25	40	11.29	36.29	10024.10	NT
Van Buren	831B	65	1392.95	90541.46	50	0.7177					90541.46	T
Van Buren	831C2	40	236.57	9462.92	50	0.7177	25	15	4.23	29.23	6916.09	NT
Van Buren	831C2	40	856.79	34271.70	50	0.7177					34271.70	T
Van Buren	832B	55	652.88	35908.41	50	0.7177	25	30	8.47	33.47	21851.25	NT
Van Buren	832B	55	2999.80	164988.85	50	0.7177					164988.85	T
Van Buren	832C	44	73.32	3226.15	50	0.7177	25	19	5.36	30.36	2226.31	NT
Van Buren	832C	44	91.39	4021.10	50	0.7177					4021.10	T
Van Buren	832C2	30	2026.95	60808.49	50	0.7177	25	5	1.41	26.41	53534.78	NT
Van Buren	832C2	30	3376.01	101280.32	50	0.7177					101280.32	T
Van Buren	832D2	28	751.55	21043.44	50	0.7177	25	3	0.85	25.85	19425.28	NT
Van Buren	832D2	28	742.87	20800.42	50	0.7177					20800.42	T
Van Buren	880B	78	290.57	22664.20	50	0.7177	25	53	14.96	39.96	11611.59	NT
Van Buren	880B	78	745.28	58132.09	50	0.7177					58132.09	T
Van Buren	880C	65	155.34	10097.42	50	0.7177	25	40	11.29	36.29	5637.78	NT
Van Buren	880C	65	182.64	11871.37	50	0.7177					11871.37	T
Van Buren	880C2	60	621.49	37289.27	50	0.7177	25	35	9.88	34.88	21677.81	NT
Van Buren	880C2	60	983.47	59008.04	50	0.7177					59008.04	T
Van Buren	880D	55	173.26	9529.12	50	0.7177	25	30	8.47	33.47	5798.73	NT
Van Buren	880D	55	53.15	2923.39	50	0.7177					2923.39	T
Van Buren	880D2	50	726.03	36301.55	50	0.7177	25	25	7.06	32.06	23274.74	NT
Van Buren	880D2	50	483.22	24160.88	50	0.7177					24160.88	T
Van Buren	977	95	49.76	4727.51	50	0.7177	25	70	19.76	44.76	2227.45	NT
Van Buren	977	95	622.30	59118.81	50	0.7177					59118.81	T
Van Buren	993D2	20	685.86	13717.17	50	0.7177	20	0	0.00	20.00	13717.17	NT
Van Buren	993D2	20	669.68	13393.68	50	0.7177					13393.68	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Van Buren	994D2	28	868.81	24326.78	50	0.7177	25	3	0.85	25.85	22456.14	NT
Van Buren	994D2	28	608.31	17032.80	50	0.7177					17032.80	T
Van Buren	994E2	5	1035.19	5175.97	50	0.7177	5	0	0.00	5.00	5175.97	NT
Van Buren	994E2	5	363.95	1819.77	50	0.7177					1819.77	T
Van Buren	AW	0	5.99	0.00	50	0.7177	0	0	0.00	0.00	0.00	NT
Van Buren	AW	0	0.02	0.00	50	0.7177					0.00	T
Van Buren	SL	0	33.61	0.00	50	0.7177	0	0	0.00	0.00	0.00	NT
Van Buren	W	0	1721.23	0.00	50	0.7177	0	0	0.00	0.00	0.00	NT
Van Buren	W	0	45.40	0.00	50	0.7177					0.00	T
											0.00	
											0.00	
Wapello	1075B	81	39.38	3190.10	56	0.7618	28	53	12.62	40.62	1599.96	NT
Wapello	1075B	81	271.00	21951.22	56	0.7618					21951.22	T
Wapello	1130	60	5.66	339.34	56	0.7618	28	32	7.62	35.62	201.47	NT
Wapello	1130	60	110.36	6621.45	56	0.7618					6621.45	T
Wapello	1131B	65	42.77	2779.97	56	0.7618	28	37	8.81	36.81	1574.46	NT
Wapello	1131B	65	334.49	21742.14	56	0.7618					21742.14	T
Wapello	1131C	45	0.77	34.64	56	0.7618	28	17	4.05	32.05	24.67	NT
Wapello	1132B	60	28.24	1694.12	56	0.7618	28	32	7.62	35.62	1005.81	NT
Wapello	1132B	60	142.75	8565.01	56	0.7618					8565.01	T
Wapello	1139	45	0.00	0.00	56	0.7618	28	17	4.05	32.05	0.00	NT
Wapello	1139	45	0.00	0.01	56	0.7618					0.01	T
Wapello	11B	68	1865.40	126847.28	56	0.7618	28	40	9.53	37.53	70004.78	NT
Wapello	11B	68	6200.64	421643.30	56	0.7618					421643.30	T
Wapello	122	63	2.71	170.57	56	0.7618	28	35	8.34	36.34	98.38	NT
Wapello	122	63	163.21	10282.12	56	0.7618					10282.12	T
Wapello	1220	25	2765.67	69141.87	56	0.7618	25	0	0.00	25.00	69141.87	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	1220	25	1346.51	33662.67	56	0.7618					33662.67	T
Wapello	1279	88	16.36	1439.93	56	0.7618	28	60	14.29	42.29	692.02	NT
Wapello	1279	88	397.89	35014.58	56	0.7618					35014.58	T
Wapello	1280	95	7.02	667.00	56	0.7618	28	67	15.96	43.96	308.64	NT
Wapello	1280	95	444.90	42265.75	56	0.7618					42265.75	T
Wapello	130	63	52.45	3304.51	56	0.7618	28	35	8.34	36.34	1905.97	NT
Wapello	130	63	570.90	35966.45	56	0.7618					35966.45	T
Wapello	1315	34	1089.11	37029.59	56	0.7618	28	6	1.43	29.43	32051.51	NT
Wapello	1315	34	333.04	11323.33	56	0.7618					11323.33	T
Wapello	131B	67	474.09	31764.15	56	0.7618	28	39	9.29	37.29	17678.79	NT
Wapello	131B	67	3500.86	234557.33	56	0.7618					234557.33	T
Wapello	131C	50	123.88	6193.97	56	0.7618	28	22	5.24	33.24	4117.80	NT
Wapello	131C	50	428.29	21414.50	56	0.7618					21414.50	T
Wapello	131C2	45	0.12	5.47	56	0.7618	28	17	4.05	32.05	3.89	NT
Wapello	131C2	45	0.02	1.12	56	0.7618					1.12	T
Wapello	132B	60	314.74	18884.37	56	0.7618	28	32	7.62	35.62	11211.78	NT
Wapello	132B	60	1179.82	70789.23	56	0.7618					70789.23	T
Wapello	132C	44	759.79	33430.58	56	0.7618	28	16	3.81	31.81	24169.70	NT
Wapello	132C	44	351.12	15449.28	56	0.7618					15449.28	T
Wapello	132C2	40	0.68	27.12	56	0.7618	28	12	2.86	30.86	20.92	NT
Wapello	132C2	40	3.65	146.10	56	0.7618					146.10	T
Wapello	132D2	28	1.24	34.59	56	0.7618					34.59	T
Wapello	133	80	889.70	71175.96	56	0.7618	28	52	12.39	40.39	35931.76	NT
Wapello	133	80	2686.20	214896.15	56	0.7618					214896.15	T
Wapello	133+	85	218.70	18589.28	56	0.7618	28	57	13.58	41.58	9092.87	NT
Wapello	133+	85	821.45	69822.83	56	0.7618					69822.83	T
Wapello	13B	65	562.06	36533.95	56	0.7618	28	37	8.81	36.81	20691.37	NT
Wapello	13B	65	453.89	29502.83	56	0.7618					29502.83	T
Wapello	1715	25	0.29	7.34	56	0.7618	25	0	0.00	25.00	7.34	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	1715	25	0.02	0.42	56	0.7618					0.42	T
Wapello	173	60	30.23	1813.84	56	0.7618	28	32	7.62	35.62	1076.89	NT
Wapello	173	60	300.85	18051.09	56	0.7618					18051.09	T
Wapello	178	79	9.89	780.92	56	0.7618	28	51	12.15	40.15	396.87	NT
Wapello	178	79	264.38	20885.84	56	0.7618					20885.84	T
Wapello	179D2	43	0.04	1.90	56	0.7618	28	15	3.57	31.57	1.40	NT
Wapello	179D2	43	0.36	15.49	56	0.7618					15.49	T
Wapello	179E	35	148.84	5209.45	56	0.7618	28	7	1.67	29.67	4415.74	NT
Wapello	179E	35	167.97	5878.84	56	0.7618					5878.84	T
Wapello	179E2	33	1170.98	38642.39	56	0.7618	28	5	1.19	29.19	34182.12	NT
Wapello	179E2	33	1012.02	33396.80	56	0.7618					33396.80	T
Wapello	179F	15	1112.44	16686.56	56	0.7618	15	0	0.00	15.00	16686.56	NT
Wapello	179F	15	527.69	7915.34	56	0.7618					7915.34	T
Wapello	179F2	14	0.39	5.51	56	0.7618	14	0	0.00	14.00	5.51	NT
Wapello	192C2	30	41.23	1236.80	56	0.7618	28	2	0.48	28.48	1173.99	NT
Wapello	192C2	30	652.59	19577.56	56	0.7618					19577.56	T
Wapello	192D	20	33.23	664.61	56	0.7618					664.61	T
Wapello	192D2	15	99.80	1497.03	56	0.7618	15	0	0.00	15.00	1497.03	NT
Wapello	192D2	15	953.51	14302.65	56	0.7618					14302.65	T
Wapello	1977	85	17.79	1512.45	56	0.7618	28	57	13.58	41.58	739.81	NT
Wapello	1977	85	278.86	23703.21	56	0.7618					23703.21	T
Wapello	208	55	72.08	3964.55	56	0.7618	28	27	6.43	34.43	2481.91	NT
Wapello	208	55	320.70	17638.77	56	0.7618					17638.77	T
Wapello	211	60	38.19	2291.33	56	0.7618	28	32	7.62	35.62	1360.38	NT
Wapello	211	60	849.85	50990.95	56	0.7618					50990.95	T
Wapello	220	85	1043.03	88657.63	56	0.7618	28	57	13.58	41.58	43366.52	NT
Wapello	220	85	3356.69	285318.23	56	0.7618					285318.23	T
Wapello	222C	30	124.05	3721.56	56	0.7618	28	2	0.48	28.48	3532.56	NT
Wapello	222C	30	626.29	18788.83	56	0.7618					18788.83	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	222C2	25	186.27	4656.63	56	0.7618	25	0	0.00	25.00	4656.63	NT
Wapello	222C2	25	1470.86	36771.49	56	0.7618					36771.49	T
Wapello	223C2	22	1048.24	23061.22	56	0.7618	22	0	0.00	22.00	23061.22	NT
Wapello	223C2	22	3614.76	79524.82	56	0.7618					79524.82	T
Wapello	223D2	9	277.69	2499.18	56	0.7618	9	0	0.00	9.00	2499.18	NT
Wapello	223D2	9	507.36	4566.22	56	0.7618					4566.22	T
Wapello	230C	52	133.65	6949.65	56	0.7618	28	24	5.72	33.72	4506.15	NT
Wapello	230C	52	1185.40	61641.01	56	0.7618					61641.01	T
Wapello	23C	55	38.79	2133.66	56	0.7618	28	27	6.43	34.43	1335.72	NT
Wapello	23C	55	341.61	18788.65	56	0.7618					18788.65	T
Wapello	23C2	50	161.42	8071.06	56	0.7618	28	22	5.24	33.24	5365.71	NT
Wapello	23C2	50	2167.15	108357.41	56	0.7618					108357.41	T
Wapello	24D2	48	1.78	85.22	56	0.7618	28	20	4.76	32.76	58.17	NT
Wapello	24D2	48	1.22	58.49	56	0.7618					58.49	T
Wapello	260	50	47.06	2352.89	56	0.7618	28	22	5.24	33.24	1564.22	NT
Wapello	260	50	261.08	13054.20	56	0.7618					13054.20	T
Wapello	263	53	0.00	0.18	56	0.7618	28	25	5.96	33.96	0.12	NT
Wapello	269	58	224.66	13030.03	56	0.7618	28	30	7.15	35.15	7895.75	NT
Wapello	269	58	1764.62	102347.68	56	0.7618					102347.68	T
Wapello	276C2	64	454.67	29099.16	56	0.7618	28	36	8.58	36.58	16629.80	NT
Wapello	276C2	64	2968.46	189981.73	56	0.7618					189981.73	T
Wapello	279	88	512.49	45099.25	56	0.7618	28	60	14.29	42.29	21674.29	NT
Wapello	279	88	7481.69	658388.74	56	0.7618					658388.74	T
Wapello	280	95	233.43	22175.45	56	0.7618	28	67	15.96	43.96	10261.26	NT
Wapello	280	95	6356.48	603865.57	56	0.7618					603865.57	T
Wapello	280B	90	72.41	6516.61	56	0.7618	28	62	14.77	42.77	3096.72	NT
Wapello	280B	90	2264.61	203814.78	56	0.7618					203814.78	T
Wapello	281B	90	243.82	21943.67	56	0.7618	28	62	14.77	42.77	10427.73	NT
Wapello	281B	90	5957.74	536197.02	56	0.7618					536197.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	281C	75	170.75	12806.16	56	0.7618	28	47	11.20	39.20	6692.57	NT
Wapello	281C	75	3988.03	299101.97	56	0.7618					299101.97	T
Wapello	281C2	72	0.31	22.30	56	0.7618	28	44	10.48	38.48	11.92	NT
Wapello	281C2	72	0.21	15.04	56	0.7618					15.04	T
Wapello	281D2	61	8.27	504.67	56	0.7618					504.67	T
Wapello	313D2	10	0.01	0.11	56	0.7618	10	0	0.00	10.00	0.11	NT
Wapello	313E		1039.28		56	0.7618			0.00	0.00	0.00	NT
Wapello	313E		258.92		56	0.7618					0.00	T
Wapello	313E2	5	1970.27	9851.33	56	0.7618	5	0	0.00	5.00	9851.33	NT
Wapello	313E2	5	1073.96	5369.78	56	0.7618					5369.78	T
Wapello	313F		4590.88		56	0.7618			0.00	0.00	0.00	NT
Wapello	313F		604.41		56	0.7618					0.00	T
Wapello	313G		0.63		56	0.7618			0.00	0.00	0.00	NT
Wapello	315	30	87.60	2627.99	56	0.7618	28	2	0.48	28.48	2494.52	NT
Wapello	315	30	337.53	10125.94	56	0.7618					10125.94	T
Wapello	362	70	184.00	12879.99	56	0.7618	28	42	10.00	38.00	6992.80	NT
Wapello	362	70	8578.95	600526.23	56	0.7618					600526.23	T
Wapello	363	65	6.79	441.39	56	0.7618	28	37	8.81	36.81	249.99	NT
Wapello	363	65	558.23	36284.80	56	0.7618					36284.80	T
Wapello	364B	75	360.54	27040.66	56	0.7618	28	47	11.20	39.20	14131.59	NT
Wapello	364B	75	7518.08	563856.16	56	0.7618					563856.16	T
Wapello	380B	85	37.96	3226.80	56	0.7618	28	57	13.58	41.58	1578.38	NT
Wapello	380B	85	862.98	73353.20	56	0.7618					73353.20	T
Wapello	405	55	0.01	0.50	56	0.7618					0.50	T
Wapello	41B	40	41.17	1646.82	56	0.7618	28	12	2.86	30.86	1270.45	NT
Wapello	41B	40	96.19	3847.65	56	0.7618					3847.65	T
Wapello	41C	25	92.76	2318.92	56	0.7618	25	0	0.00	25.00	2318.92	NT
Wapello	41C	25	88.83	2220.86	56	0.7618					2220.86	T
Wapello	41E	5	19.03	95.16	56	0.7618	5	0	0.00	5.00	95.16	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	41E	5	6.61	33.05	56	0.7618					33.05	T
Wapello	424D2	15	1060.37	15905.48	56	0.7618	15	0	0.00	15.00	15905.48	NT
Wapello	424D2	15	756.36	11345.41	56	0.7618					11345.41	T
Wapello	424E	22	540.65	11894.26	56	0.7618	22	0	0.00	22.00	11894.26	NT
Wapello	424E	22	82.98	1825.64	56	0.7618					1825.64	T
Wapello	424E2	5	1835.08	9175.41	56	0.7618	5	0	0.00	5.00	9175.41	NT
Wapello	424E2	5	1127.18	5635.90	56	0.7618					5635.90	T
Wapello	425D	16	1556.69	24906.99	56	0.7618	16	0	0.00	16.00	24906.99	NT
Wapello	425D	16	332.51	5320.08	56	0.7618					5320.08	T
Wapello	425D2	12	3645.14	43741.68	56	0.7618	12	0	0.00	12.00	43741.68	NT
Wapello	425D2	12	2746.74	32960.90	56	0.7618					32960.90	T
Wapello	451D2	33	235.68	7777.59	56	0.7618	28	5	1.19	29.19	6879.87	NT
Wapello	451D2	33	410.10	13533.29	56	0.7618					13533.29	T
Wapello	453	53	131.80	6985.59	56	0.7618	28	25	5.96	33.96	4475.39	NT
Wapello	453	53	1314.04	69643.93	56	0.7618					69643.93	T
Wapello	478G	5	200.57	1002.86	56	0.7618	5	0	0.00	5.00	1002.86	NT
Wapello	478G	5	4.00	20.02	56	0.7618					20.02	T
Wapello	5010	0	123.00	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	5010	0	8.10	0.00	56	0.7618					0.00	T
Wapello	5020	0	751.20	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	5020	0	60.96	0.00	56	0.7618					0.00	T
Wapello	5030	0	118.78	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	5030	0	11.37	0.00	56	0.7618					0.00	T
Wapello	5040	5	0.27	1.34	56	0.7618	5	0	0.00	5.00	1.34	NT
Wapello	5040	5	0.05	0.23	56	0.7618					0.23	T
Wapello	5080	0	69.58	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	5080	0	0.05	0.00	56	0.7618					0.00	T
Wapello	51	70	49.20	3444.26	56	0.7618	28	42	10.00	38.00	1869.96	NT
Wapello	51	70	216.13	15129.11	56	0.7618					15129.11	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	51+	70	0.10	7.25	56	0.7618	28	42	10.00	38.00	3.94	NT
Wapello	51+	70	0.74	51.92	56	0.7618					51.92	T
Wapello	520	65	217.70	14150.82	56	0.7618	28	37	8.81	36.81	8014.46	NT
Wapello	520	65	1607.38	104479.96	56	0.7618					104479.96	T
Wapello	520B	60	0.23	13.59	56	0.7618	28	32	7.62	35.62	8.07	NT
Wapello	520B	60	0.19	11.17	56	0.7618					11.17	T
Wapello	54	70	180.41	12628.51	56	0.7618	28	42	10.00	38.00	6856.27	NT
Wapello	54	70	1740.05	121803.29	56	0.7618					121803.29	T
Wapello	56B	72	207.14	14914.19	56	0.7618	28	44	10.48	38.48	7970.97	NT
Wapello	56B	72	361.73	26044.54	56	0.7618					26044.54	T
Wapello	570B	84	2.53	212.71	56	0.7618					212.71	T
Wapello	570C	69	71.31	4920.09	56	0.7618	28	41	9.77	37.77	2692.94	NT
Wapello	570C	69	1350.23	93166.14	56	0.7618					93166.14	T
Wapello	570C2	64	4.16	266.10	56	0.7618	28	36	8.58	36.58	152.08	NT
Wapello	570C2	64	1.09	70.02	56	0.7618					70.02	T
Wapello	571C	67	0.15	9.94	56	0.7618	28	39	9.29	37.29	5.53	NT
Wapello	571C	67	0.19	12.61	56	0.7618					12.61	T
Wapello	571C2	62	0.02	1.33	56	0.7618	28	34	8.10	36.10	0.77	NT
Wapello	571C2	62	0.15	9.51	56	0.7618					9.51	T
Wapello	571D2	52	0.08	4.16	56	0.7618	28	24	5.72	33.72	2.70	NT
Wapello	571D2	52	0.20	10.27	56	0.7618					10.27	T
Wapello	581C2	68	220.41	14987.86	56	0.7618	28	40	9.53	37.53	8271.53	NT
Wapello	581C2	68	5319.94	361756.20	56	0.7618					361756.20	T
Wapello	587	65	0.01	0.67	56	0.7618	28	37	8.81	36.81	0.38	NT
Wapello	58D2	28	138.60	3880.74	56	0.7618	28	0	0.00	28.00	3880.74	NT
Wapello	58D2	28	136.13	3811.65	56	0.7618					3811.65	T
Wapello	58E	20	71.22	1424.34	56	0.7618	20	0	0.00	20.00	1424.34	NT
Wapello	58E	20	20.05	401.08	56	0.7618					401.08	T
Wapello	58E2	18	396.39	7135.05	56	0.7618	18	0	0.00	18.00	7135.05	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	58E2	18	179.13	3224.26	56	0.7618					3224.26	T
Wapello	58G	5	220.63	1103.13	56	0.7618	5	0	0.00	5.00	1103.13	NT
Wapello	58G	5	37.35	186.76	56	0.7618					186.76	T
Wapello	592C2	21	117.70	2471.77	56	0.7618	21	0	0.00	21.00	2471.77	NT
Wapello	592C2	21	426.10	8948.14	56	0.7618					8948.14	T
Wapello	592D2	5	396.76	1983.82	56	0.7618	5	0	0.00	5.00	1983.82	NT
Wapello	592D2	5	672.78	3363.89	56	0.7618					3363.89	T
Wapello	594C2	18	186.04	3348.65	56	0.7618	18	0	0.00	18.00	3348.65	NT
Wapello	594C2	18	304.59	5482.60	56	0.7618					5482.60	T
Wapello	594D2	5	1568.46	7842.32	56	0.7618	5	0	0.00	5.00	7842.32	NT
Wapello	594D2	5	1804.93	9024.66	56	0.7618					9024.66	T
Wapello	594E2	5	1011.95	5059.74	56	0.7618	5	0	0.00	5.00	5059.74	NT
Wapello	594E2	5	531.69	2658.44	56	0.7618					2658.44	T
Wapello	6313	0	24.63	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	6313	0	41.52	0.00	56	0.7618					0.00	T
Wapello	65D2	38	4.30	163.29	56	0.7618	28	10	2.38	30.38	130.56	NT
Wapello	65D2	38	1.15	43.76	56	0.7618					43.76	T
Wapello	65E	25	524.79	13119.85	56	0.7618	25	0	0.00	25.00	13119.85	NT
Wapello	65E	25	142.85	3571.23	56	0.7618					3571.23	T
Wapello	65E2	24	1221.06	29305.41	56	0.7618	24	0	0.00	24.00	29305.41	NT
Wapello	65E2	24	635.93	15262.21	56	0.7618					15262.21	T
Wapello	65F	10	9411.31	94113.10	56	0.7618	10	0	0.00	10.00	94113.10	NT
Wapello	65F	10	2098.88	20988.79	56	0.7618					20988.79	T
Wapello	65F2	8	1.91	15.29	56	0.7618	8	0	0.00	8.00	15.29	NT
Wapello	65F2	8	2.35	18.76	56	0.7618					18.76	T
Wapello	65G	5	3502.62	17513.08	56	0.7618	5	0	0.00	5.00	17513.08	NT
Wapello	65G	5	255.78	1278.89	56	0.7618					1278.89	T
Wapello	688	85	63.18	5370.60	56	0.7618	28	57	13.58	41.58	2627.01	NT
Wapello	688	85	567.46	48233.82	56	0.7618					48233.82	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	69C2	41	0.02	0.81	56	0.7618	28	13	3.10	31.10	0.62	NT
Wapello	69C2	41	0.11	4.32	56	0.7618					4.32	T
Wapello	7	91	22.67	2063.18	56	0.7618	28	63	15.01	43.01	975.06	NT
Wapello	7	91	240.49	21885.03	56	0.7618					21885.03	T
Wapello	715	5	608.98	3044.89	56	0.7618	5	0	0.00	5.00	3044.89	NT
Wapello	715	5	1733.34	8666.72	56	0.7618					8666.72	T
Wapello	730B	61	8309.56	506883.19	56	0.7618	28	33	7.86	35.86	297985.83	NT
Wapello	730B	61	3103.27	189299.19	56	0.7618					189299.19	T
Wapello	731C2	45	1809.74	81438.28	56	0.7618	28	17	4.05	32.05	58001.07	NT
Wapello	731C2	45	9883.84	444772.98	56	0.7618					444772.98	T
Wapello	731D2	31	0.08	2.60	56	0.7618	28	3	0.71	28.71	2.41	NT
Wapello	732C2	40	4650.06	186002.28	56	0.7618	28	12	2.86	30.86	143493.32	NT
Wapello	732C2	40	8400.32	336012.66	56	0.7618					336012.66	T
Wapello	732D2	28	705.59	19756.62	56	0.7618	28	0	0.00	28.00	19756.62	NT
Wapello	732D2	28	1240.74	34740.59	56	0.7618					34740.59	T
Wapello	75	75	0.41	30.98	56	0.7618					30.98	T
Wapello	75B	81	42.49	3442.09	56	0.7618	28	53	12.62	40.62	1726.34	NT
Wapello	75B	81	302.63	24512.81	56	0.7618					24512.81	T
Wapello	76B	82	73.38	6017.52	56	0.7618	28	54	12.86	40.86	2998.69	NT
Wapello	76B	82	543.34	44554.01	56	0.7618					44554.01	T
Wapello	76C	70	62.75	4392.77	56	0.7618	28	42	10.00	38.00	2384.92	NT
Wapello	76C	70	284.44	19910.88	56	0.7618					19910.88	T
Wapello	76C2	67	0.00	0.16	56	0.7618	28	39	9.29	37.29	0.09	NT
Wapello	76C2	67	0.17	11.62	56	0.7618					11.62	T
Wapello	779	85	3.07	261.27	56	0.7618	28	57	13.58	41.58	127.80	NT
Wapello	779	85	538.08	45737.10	56	0.7618					45737.10	T
Wapello	792C2	26	27.50	715.07	56	0.7618	26	0	0.00	26.00	715.07	NT
Wapello	792C2	26	114.00	2964.07	56	0.7618					2964.07	T
Wapello	792D	18	272.15	4898.66	56	0.7618	18	0	0.00	18.00	4898.66	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	792D	18	348.23	6268.21	56	0.7618					6268.21	T
Wapello	792D2	11	2906.61	31972.72	56	0.7618	11	0	0.00	11.00	31972.72	NT
Wapello	792D2	11	4676.60	51442.59	56	0.7618					51442.59	T
Wapello	795D	12	7.51	90.06	56	0.7618	12	0	0.00	12.00	90.06	NT
Wapello	795D2	5	274.28	1371.41	56	0.7618	5	0	0.00	5.00	1371.41	NT
Wapello	795D2	5	234.06	1170.30	56	0.7618					1170.30	T
Wapello	80B	77	40.61	3127.05	56	0.7618	28	49	11.67	39.67	1611.11	NT
Wapello	80B	77	259.38	19971.91	56	0.7618					19971.91	T
Wapello	80C	67	667.18	44701.05	56	0.7618	28	39	9.29	37.29	24879.00	NT
Wapello	80C	67	372.40	24950.73	56	0.7618					24950.73	T
Wapello	80C2	57	811.31	46244.46	56	0.7618	28	29	6.91	34.91	28320.92	NT
Wapello	80C2	57	2615.39	149077.46	56	0.7618					149077.46	T
Wapello	80D2	52	893.37	46455.08	56	0.7618	28	24	5.72	33.72	30121.47	NT
Wapello	80D2	52	1505.67	78294.74	56	0.7618					78294.74	T
Wapello	831C2	40	249.89	9995.48	56	0.7618	28	12	2.86	30.86	7711.11	NT
Wapello	831C2	40	945.57	37822.99	56	0.7618					37822.99	T
Wapello	832C2	30	386.31	11589.30	56	0.7618	28	2	0.48	28.48	11000.72	NT
Wapello	832C2	30	963.89	28916.65	56	0.7618					28916.65	T
Wapello	876B	82	47.18	3868.48	56	0.7618	28	54	12.86	40.86	1927.77	NT
Wapello	876B	82	655.79	53774.80	56	0.7618					53774.80	T
Wapello	876C	72	57.49	4139.53	56	0.7618	28	44	10.48	38.48	2212.40	NT
Wapello	876C	72	359.63	25893.25	56	0.7618					25893.25	T
Wapello	876C2	65	220.94	14361.17	56	0.7618	28	37	8.81	36.81	8133.59	NT
Wapello	876C2	65	1218.43	79197.79	56	0.7618					79197.79	T
Wapello	88	92	109.74	10096.28	56	0.7618	28	64	15.24	43.24	4745.78	NT
Wapello	88	92	1695.82	156015.27	56	0.7618					156015.27	T
Wapello	880B	78	67.78	5287.08	56	0.7618	28	50	11.91	39.91	2705.22	NT
Wapello	880B	78	287.75	22444.49	56	0.7618					22444.49	T
Wapello	880C	65	157.18	10216.84	56	0.7618	28	37	8.81	36.81	5786.41	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	880C	65	240.14	15609.24	56	0.7618					15609.24	T
Wapello	880C2	60	477.97	28678.47	56	0.7618	28	32	7.62	35.62	17026.60	NT
Wapello	880C2	60	1518.34	91100.19	56	0.7618					91100.19	T
Wapello	881B	90	19.56	1760.02	56	0.7618	28	62	14.77	42.77	836.37	NT
Wapello	881B	90	625.62	56305.89	56	0.7618					56305.89	T
Wapello	881C2	70	54.70	3829.01	56	0.7618	28	42	10.00	38.00	2078.84	NT
Wapello	881C2	70	913.72	63960.37	56	0.7618					63960.37	T
Wapello	892D2	9	111.72	1005.44	56	0.7618	9	0	0.00	9.00	1005.44	NT
Wapello	892D2	9	402.10	3618.92	56	0.7618					3618.92	T
Wapello	911B	85	0.00	0.05	56	0.7618					0.05	T
Wapello	93D2	33	44.24	1460.03	56	0.7618	28	5	1.19	29.19	1291.51	NT
Wapello	93D2	33	424.20	13998.71	56	0.7618					13998.71	T
Wapello	977	95	62.56	5942.98	56	0.7618	28	67	15.96	43.96	2750.00	NT
Wapello	977	95	860.29	81727.19	56	0.7618					81727.19	T
Wapello	977B	90	40.01	3600.89	56	0.7618	28	62	14.77	42.77	1711.16	NT
Wapello	977B	90	279.54	25158.50	56	0.7618					25158.50	T
Wapello	993D2	20	923.63	18472.53	56	0.7618	20	0	0.00	20.00	18472.53	NT
Wapello	993D2	20	1522.09	30441.81	56	0.7618					30441.81	T
Wapello	994E2	5	0.49	2.45	56	0.7618	5	0	0.00	5.00	2.45	NT
Wapello	AW	0	1.18	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	AW	0	0.35	0.00	56	0.7618					0.00	T
Wapello	BW	0	1.91	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	BW	0	9.26	0.00	56	0.7618					0.00	T
Wapello	INT	0	27.83	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	INT	0	15.35	0.00	56	0.7618					0.00	T
Wapello	SL	0	2.48	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT
Wapello	W	0	1313.21	0.00	56	0.7618	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wapello	W	0	137.52	0.00	56	0.7618					0.00	T
											0.00	
											0.00	
Warren	119	100	8.97	896.58	62	0.7334	31	69	18.40	49.40	442.87	NT
Warren	119	100	235.81	23581.34	62	0.7334					23581.34	T
Warren	11B	68	4258.05	289547.62	62	0.7334	31	37	9.86	40.86	174001.94	NT
Warren	11B	68	2236.92	152110.24	62	0.7334					152110.24	T
Warren	120	100	9.22	922.13	62	0.7334	31	69	18.40	49.40	455.49	NT
Warren	120	100	176.11	17611.10	62	0.7334					17611.10	T
Warren	120B	95	206.79	19644.65	62	0.7334	31	64	17.06	48.06	9938.62	NT
Warren	120B	95	2230.68	211914.93	62	0.7334					211914.93	T
Warren	120C2	78	298.66	23295.42	62	0.7334	31	47	12.53	43.53	13000.70	NT
Warren	120C2	78	2510.49	195818.00	62	0.7334					195818.00	T
Warren	120D2	68	217.96	14821.35	62	0.7334	31	37	9.86	40.86	8906.80	NT
Warren	120D2	68	910.68	61926.11	62	0.7334					61926.11	T
Warren	122	63	0.11	6.86	62	0.7334	31	32	8.53	39.53	4.31	NT
Warren	122	63	150.35	9471.85	62	0.7334					9471.85	T
Warren	1220	25	13.72	342.89	62	0.7334	25	0	0.00	25.00	342.89	NT
Warren	1220	25	0.00	0.11	62	0.7334					0.11	T
Warren	131B	67	53.23	3566.49	62	0.7334	31	36	9.60	40.60	2161.06	NT
Warren	131B	67	396.46	26563.02	62	0.7334					26563.02	T
Warren	131C2	45	1468.83	66097.14	62	0.7334	31	14	3.73	34.73	51015.83	NT
Warren	131C2	45	3586.18	161378.00	62	0.7334					161378.00	T
Warren	131D2	31	103.34	3203.54	62	0.7334	31	0	0.00	31.00	3203.54	NT
Warren	131D2	31	345.00	10694.87	62	0.7334					10694.87	T
Warren	132B	60	20.86	1251.65	62	0.7334	31	29	7.73	38.73	807.97	NT
Warren	132B	60	91.60	5496.09	62	0.7334					5496.09	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	132C2	40	336.18	13447.13	62	0.7334	31	9	2.40	33.40	11228.15	NT
Warren	132C2	40	271.77	10870.96	62	0.7334					10870.96	T
Warren	133	80	1443.31	115464.82	62	0.7334	31	49	13.06	44.06	63597.16	NT
Warren	133	80	3163.64	253091.03	62	0.7334					253091.03	T
Warren	133B	75	3827.99	287099.10	62	0.7334	31	44	11.73	42.73	163571.46	NT
Warren	133B	75	3352.76	251457.16	62	0.7334					251457.16	T
Warren	134	65	0.74	47.80	62	0.7334					47.80	T
Warren	13B	65	0.38	24.72	62	0.7334	31	34	9.06	40.06	15.24	NT
Warren	162	91	27.51	2503.30	62	0.7334	31	60	16.00	47.00	1292.80	NT
Warren	162	91	126.94	11551.31	62	0.7334					11551.31	T
Warren	162B	90	225.36	20282.68	62	0.7334	31	59	15.73	46.73	10531.09	NT
Warren	162B	90	1098.79	98891.52	62	0.7334					98891.52	T
Warren	162C2	73	630.23	46006.77	62	0.7334	31	42	11.20	42.20	26593.93	NT
Warren	162C2	73	1761.51	128590.32	62	0.7334					128590.32	T
Warren	162D2	63	875.49	55155.80	62	0.7334	31	32	8.53	39.53	34609.13	NT
Warren	162D2	63	1414.30	89101.09	62	0.7334					89101.09	T
Warren	163B	85	66.49	5651.68	62	0.7334	31	54	14.40	45.40	3018.42	NT
Warren	163B	85	309.96	26346.94	62	0.7334					26346.94	T
Warren	163C2	68	327.43	22264.91	62	0.7334	31	37	9.86	40.86	13379.97	NT
Warren	163C2	68	624.90	42493.23	62	0.7334					42493.23	T
Warren	163D2	58	413.55	23986.03	62	0.7334	31	27	7.20	38.20	15796.95	NT
Warren	163D2	58	439.04	25464.16	62	0.7334					25464.16	T
Warren	163E2	48	376.22	18058.46	62	0.7334	31	17	4.53	35.53	13367.85	NT
Warren	163E2	48	243.16	11671.79	62	0.7334					11671.79	T
Warren	163F2	28	303.48	8497.38	62	0.7334	28	0	0.00	28.00	8497.38	NT
Warren	163F2	28	25.37	710.31	62	0.7334					710.31	T
Warren	172	45	166.99	7514.43	62	0.7334	31	14	3.73	34.73	5799.87	NT
Warren	172	45	981.57	44170.51	62	0.7334					44170.51	T
Warren	179D2	43	364.90	15690.54	62	0.7334	31	12	3.20	34.20	12479.16	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	179D2	43	378.32	16267.68	62	0.7334					16267.68	T
Warren	179E	35	0.29	10.20	62	0.7334	31	4	1.07	32.07	9.34	NT
Warren	179E2	33	6329.55	208875.07	62	0.7334	31	2	0.53	31.53	199590.89	NT
Warren	179E2	33	3119.36	102938.86	62	0.7334					102938.86	T
Warren	179F	15	0.52	7.75	62	0.7334	15	0	0.00	15.00	7.75	NT
Warren	179F	15	0.03	0.52	62	0.7334					0.52	T
Warren	179F2	14	7065.22	98913.02	62	0.7334	14	0	0.00	14.00	98913.02	NT
Warren	179F2	14	1845.78	25840.93	62	0.7334					25840.93	T
Warren	179G	5	879.16	4395.78	62	0.7334	5	0	0.00	5.00	4395.78	NT
Warren	179G	5	145.03	725.14	62	0.7334					725.14	T
Warren	185D2	20	976.83	19536.69	62	0.7334	20	0	0.00	20.00	19536.69	NT
Warren	185D2	20	1807.58	36151.51	62	0.7334					36151.51	T
Warren	185E2	7	1127.87	7895.08	62	0.7334	7	0	0.00	7.00	7895.08	NT
Warren	185E2	7	861.27	6028.92	62	0.7334					6028.92	T
Warren	185E3	5	241.19	1205.96	62	0.7334	5	0	0.00	5.00	1205.96	NT
Warren	185E3	5	197.48	987.42	62	0.7334					987.42	T
Warren	192D2	15	485.98	7289.71	62	0.7334	15	0	0.00	15.00	7289.71	NT
Warren	192D2	15	439.07	6586.04	62	0.7334					6586.04	T
Warren	212	94	1741.93	163741.77	62	0.7334	31	63	16.80	47.80	83257.12	NT
Warren	212	94	3771.21	354493.51	62	0.7334					354493.51	T
Warren	220	85	1343.69	114214.04	62	0.7334	31	54	14.40	45.40	60998.90	NT
Warren	220	85	2090.41	177684.83	62	0.7334					177684.83	T
Warren	222C	30	156.53	4696.05	62	0.7334	30	0	0.00	30.00	4696.05	NT
Warren	222C	30	387.29	11618.64	62	0.7334					11618.64	T
Warren	222C2	25	408.47	10211.71	62	0.7334	25	0	0.00	25.00	10211.71	NT
Warren	222C2	25	862.51	21562.86	62	0.7334					21562.86	T
Warren	222D2	10	546.64	5466.36	62	0.7334	10	0	0.00	10.00	5466.36	NT
Warren	222D2	10	686.26	6862.64	62	0.7334					6862.64	T
Warren	230C	52	0.00	0.11	62	0.7334					0.11	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	23C	55	67.87	3732.83	62	0.7334	31	24	6.40	37.40	2538.22	NT
Warren	23C	55	552.87	30407.69	62	0.7334					30407.69	T
Warren	23C2	50	878.39	43919.63	62	0.7334	31	19	5.07	36.07	31679.58	NT
Warren	23C2	50	4979.16	248957.87	62	0.7334					248957.87	T
Warren	248	60	527.76	31665.84	62	0.7334	31	29	7.73	38.73	20441.04	NT
Warren	248	60	3882.22	232932.96	62	0.7334					232932.96	T
Warren	24D2	48	168.45	8085.79	62	0.7334	31	17	4.53	35.53	5985.54	NT
Warren	24D2	48	234.19	11240.95	62	0.7334					11240.95	T
Warren	24E2	38	919.59	34944.36	62	0.7334	31	7	1.87	32.87	30223.37	NT
Warren	24E2	38	563.53	21414.33	62	0.7334					21414.33	T
Warren	24F2	18	448.98	8081.56	62	0.7334	18	0	0.00	18.00	8081.56	NT
Warren	24F2	18	124.21	2235.83	62	0.7334					2235.83	T
Warren	269	58	27.99	1623.28	62	0.7334	31	27	7.20	38.20	1069.07	NT
Warren	269	58	265.39	15392.48	62	0.7334					15392.48	T
Warren	273B	72	205.43	14791.05	62	0.7334	31	41	10.93	41.93	8613.85	NT
Warren	273B	72	284.35	20473.41	62	0.7334					20473.41	T
Warren	273C	57	527.69	30078.32	62	0.7334	31	26	6.93	37.93	20016.12	NT
Warren	273C	57	511.35	29146.94	62	0.7334					29146.94	T
Warren	313D		485.65		62	0.7334			0.00	0.00	0.00	NT
Warren	313D		599.62		62	0.7334					0.00	T
Warren	313D2	10	0.01	0.07	62	0.7334	10	0	0.00	10.00	0.07	NT
Warren	313D2	10	0.15	1.45	62	0.7334					1.45	T
Warren	313E		2373.40		62	0.7334			0.00	0.00	0.00	NT
Warren	313E		1404.07		62	0.7334					0.00	T
Warren	313E2	5	0.11	0.53	62	0.7334	5	0	0.00	5.00	0.53	NT
Warren	313E2	5	0.05	0.26	62	0.7334					0.26	T
Warren	313E3		798.12		62	0.7334			0.00	0.00	0.00	NT
Warren	313E3		713.41		62	0.7334					0.00	T
Warren	313F		4315.70		62	0.7334			0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	313F		671.50		62	0.7334					0.00	T
Warren	313F2	5	0.44	2.21	62	0.7334	5	0	0.00	5.00	2.21	NT
Warren	313F2	5	0.02	0.09	62	0.7334					0.09	T
Warren	315	30	822.52	24675.53	62	0.7334	30	0	0.00	30.00	24675.53	NT
Warren	315	30	603.27	18098.23	62	0.7334					18098.23	T
Warren	362	70	0.11	7.48	62	0.7334					7.48	T
Warren	364B	75	0.36	26.86	62	0.7334					26.86	T
Warren	368	95	464.39	44117.21	62	0.7334	31	64	17.06	48.06	22319.78	NT
Warren	368	95	5438.10	516619.60	62	0.7334					516619.60	T
Warren	368B	90	671.76	60458.83	62	0.7334	31	59	15.73	46.73	31391.17	NT
Warren	368B	90	5582.51	502425.93	62	0.7334					502425.93	T
Warren	369	87	203.16	17674.81	62	0.7334	31	56	14.93	45.93	9331.00	NT
Warren	369	87	6221.97	541311.73	62	0.7334					541311.73	T
Warren	370	92	98.80	9089.34	62	0.7334	31	61	16.26	47.26	4669.41	NT
Warren	370	92	867.11	79773.90	62	0.7334					79773.90	T
Warren	370B	87	1970.00	171390.32	62	0.7334	31	56	14.93	45.93	90481.48	NT
Warren	370B	87	13266.28	1154166.30	62	0.7334					1154166.30	T
Warren	370C	72	340.50	24515.82	62	0.7334	31	41	10.93	41.93	14277.26	NT
Warren	370C	72	922.24	66401.10	62	0.7334					66401.10	T
Warren	370C2	67	4280.36	286784.38	62	0.7334	31	36	9.60	40.60	173772.50	NT
Warren	370C2	67	14241.53	954182.73	62	0.7334					954182.73	T
Warren	370D2	57	525.85	29973.26	62	0.7334	31	26	6.93	37.93	19946.20	NT
Warren	370D2	57	1642.53	93624.13	62	0.7334					93624.13	T
Warren	422	85	925.39	78657.79	62	0.7334	31	54	14.40	45.40	42009.18	NT
Warren	422	85	3011.46	255973.82	62	0.7334					255973.82	T
Warren	425D	16	469.91	7518.62	62	0.7334	16	0	0.00	16.00	7518.62	NT
Warren	425D	16	119.82	1917.07	62	0.7334					1917.07	T
Warren	427C2	45	76.09	3423.83	62	0.7334	31	14	3.73	34.73	2642.61	NT
Warren	427C2	45	134.13	6036.03	62	0.7334					6036.03	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	427D2	30	190.63	5718.77	62	0.7334	30	0	0.00	30.00	5718.77	NT
Warren	427D2	30	193.07	5792.08	62	0.7334					5792.08	T
Warren	428B	93	887.20	82509.57	62	0.7334	31	62	16.53	47.53	42167.89	NT
Warren	428B	93	2190.36	203703.65	62	0.7334					203703.65	T
Warren	43	80	280.97	22477.22	62	0.7334	31	49	13.06	44.06	12380.29	NT
Warren	43	80	1551.59	124127.20	62	0.7334					124127.20	T
Warren	430	83	573.77	47622.50	62	0.7334	31	52	13.86	44.86	25740.94	NT
Warren	430	83	1339.71	111195.59	62	0.7334					111195.59	T
Warren	434D	55	146.30	8046.65	62	0.7334	31	24	6.40	37.40	5471.49	NT
Warren	434D	55	170.94	9401.62	62	0.7334					9401.62	T
Warren	451D2	33	383.06	12641.10	62	0.7334	31	2	0.53	31.53	12079.22	NT
Warren	451D2	33	788.97	26035.97	62	0.7334					26035.97	T
Warren	478	5	357.08	1785.40	62	0.7334	5	0	0.00	5.00	1785.40	NT
Warren	478	5	9.00	45.00	62	0.7334					45.00	T
Warren	4946	0	0.54	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Warren	5010	0	45.87	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Warren	5010	0	1.60	0.00	62	0.7334					0.00	T
Warren	502	0	165.75	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Warren	502	0	5.59	0.00	62	0.7334					0.00	T
Warren	5040	5	65.56	327.82	62	0.7334	5	0	0.00	5.00	327.82	NT
Warren	5040	5	11.68	58.41	62	0.7334					58.41	T
Warren	51	70	71.21	4984.53	62	0.7334	31	39	10.40	41.40	2947.81	NT
Warren	51	70	308.98	21628.65	62	0.7334					21628.65	T
Warren	51B	65	97.03	6307.08	62	0.7334	31	34	9.06	40.06	3887.53	NT
Warren	51B	65	293.77	19095.32	62	0.7334					19095.32	T
Warren	54	70	5058.99	354129.33	62	0.7334	31	39	10.40	41.40	209429.05	NT
Warren	54	70	14538.66	1017705.89	62	0.7334					1017705.89	T
Warren	570B	84	21.23	1783.49	62	0.7334	31	53	14.13	45.13	958.20	NT
Warren	570B	84	315.64	26513.62	62	0.7334					26513.62	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	570C2	64	236.60	15142.34	62	0.7334	31	33	8.80	39.80	9416.12	NT
Warren	570C2	64	1245.24	79695.31	62	0.7334					79695.31	T
Warren	592C2	21	157.34	3304.15	62	0.7334	21	0	0.00	21.00	3304.15	NT
Warren	592C2	21	457.32	9603.63	62	0.7334					9603.63	T
Warren	592D2	5	502.45	2512.23	62	0.7334	5	0	0.00	5.00	2512.23	NT
Warren	592D2	5	736.82	3684.11	62	0.7334					3684.11	T
Warren	63C2	17	68.81	1169.71	62	0.7334	17	0	0.00	17.00	1169.71	NT
Warren	63C2	17	39.59	672.98	62	0.7334					672.98	T
Warren	63D2	11	100.21	1102.26	62	0.7334	11	0	0.00	11.00	1102.26	NT
Warren	63D2	11	41.46	456.11	62	0.7334					456.11	T
Warren	65D	35	125.70	4399.36	62	0.7334	31	4	1.07	32.07	4030.62	NT
Warren	65D	35	62.08	2172.76	62	0.7334					2172.76	T
Warren	65D2	38	0.07	2.49	62	0.7334	31	7	1.87	32.87	2.16	NT
Warren	65D2	38	0.08	3.05	62	0.7334					3.05	T
Warren	65E	25	951.68	23792.11	62	0.7334	25	0	0.00	25.00	23792.11	NT
Warren	65E	25	216.18	5404.44	62	0.7334					5404.44	T
Warren	65E3	25	402.61	10065.21	62	0.7334	25	0	0.00	25.00	10065.21	NT
Warren	65E3	25	176.47	4411.86	62	0.7334					4411.86	T
Warren	65F	10	1884.40	18843.97	62	0.7334	10	0	0.00	10.00	18843.97	NT
Warren	65F	10	134.80	1347.98	62	0.7334					1347.98	T
Warren	65G	5	1040.64	5203.22	62	0.7334	5	0	0.00	5.00	5203.22	NT
Warren	65G	5	30.24	151.19	62	0.7334					151.19	T
Warren	687B	80	51.50	4119.94	62	0.7334	31	49	13.06	44.06	2269.23	NT
Warren	687B	80	321.24	25699.39	62	0.7334					25699.39	T
Warren	69C	50	383.58	19179.07	62	0.7334	31	19	5.07	36.07	13834.02	NT
Warren	69C	50	1708.86	85443.09	62	0.7334					85443.09	T
Warren	69C2	41	847.95	34765.92	62	0.7334	31	10	2.67	33.67	28547.06	NT
Warren	69C2	41	3740.96	153379.54	62	0.7334					153379.54	T
Warren	7	91	26.83	2441.30	62	0.7334	31	60	16.00	47.00	1260.79	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	7	91	452.20	41149.80	62	0.7334					41149.80	T
Warren	75	75	62.62	4696.81	62	0.7334	31	44	11.73	42.73	2675.96	NT
Warren	75	75	502.25	37668.85	62	0.7334					37668.85	T
Warren	76B	82	946.65	77625.23	62	0.7334	31	51	13.60	44.60	42217.33	NT
Warren	76B	82	3661.17	300215.97	62	0.7334					300215.97	T
Warren	76C	70	199.12	13938.70	62	0.7334	31	39	10.40	41.40	8243.23	NT
Warren	76C	70	525.52	36786.74	62	0.7334					36786.74	T
Warren	76C2	67	5338.60	357685.93	62	0.7334	31	36	9.60	40.60	216734.18	NT
Warren	76C2	67	12113.34	811593.88	62	0.7334					811593.88	T
Warren	76D2	52	1342.54	69811.99	62	0.7334	31	21	5.60	36.60	49135.02	NT
Warren	76D2	52	3038.01	157976.69	62	0.7334					157976.69	T
Warren	792D2	11	2899.60	31895.55	62	0.7334	11	0	0.00	11.00	31895.55	NT
Warren	792D2	11	2049.76	22547.41	62	0.7334					22547.41	T
Warren	7B	85	38.41	3264.52	62	0.7334	31	54	14.40	45.40	1743.50	NT
Warren	7B	85	300.64	25554.11	62	0.7334					25554.11	T
Warren	80B	77	198.14	15256.67	62	0.7334	31	46	12.26	43.26	8572.19	NT
Warren	80B	77	298.53	22986.59	62	0.7334					22986.59	T
Warren	80C2	57	1354.46	77204.14	62	0.7334	31	26	6.93	37.93	51376.78	NT
Warren	80C2	57	1081.26	61631.74	62	0.7334					61631.74	T
Warren	80D2	52	791.31	41148.01	62	0.7334	31	21	5.60	36.60	28960.76	NT
Warren	80D2	52	689.78	35868.63	62	0.7334					35868.63	T
Warren	822D2	15	5156.04	77340.54	62	0.7334	15	0	0.00	15.00	77340.54	NT
Warren	822D2	15	6084.93	91273.94	62	0.7334					91273.94	T
Warren	822D3	10	314.99	3149.87	62	0.7334	10	0	0.00	10.00	3149.87	NT
Warren	822D3	10	310.55	3105.50	62	0.7334					3105.50	T
Warren	864B	82	439.68	36053.74	62	0.7334	31	51	13.60	44.60	19608.22	NT
Warren	864B	82	6471.38	530653.12	62	0.7334					530653.12	T
Warren	88	92	319.01	29349.03	62	0.7334	31	61	16.26	47.26	15077.30	NT
Warren	88	92	2558.34	235367.06	62	0.7334					235367.06	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	88B	85	63.53	5400.45	62	0.7334	31	54	14.40	45.40	2884.25	NT
Warren	88B	85	390.37	33181.79	62	0.7334					33181.79	T
Warren	8B	90	51.64	4647.64	62	0.7334	31	59	15.73	46.73	2413.13	NT
Warren	8B	90	481.50	43335.25	62	0.7334					43335.25	T
Warren	93D2	33	2623.45	86574.00	62	0.7334	31	2	0.53	31.53	82725.92	NT
Warren	93D2	33	3348.41	110497.58	62	0.7334					110497.58	T
Warren	93E2	23	1722.54	39618.34	62	0.7334	23	0	0.00	23.00	39618.34	NT
Warren	93E2	23	1053.31	24226.19	62	0.7334					24226.19	T
Warren	93E3	5	150.42	752.08	62	0.7334	5	0	0.00	5.00	752.08	NT
Warren	93E3	5	221.10	1105.52	62	0.7334					1105.52	T
Warren	94D2	10	1145.49	11454.93	62	0.7334	10	0	0.00	10.00	11454.93	NT
Warren	94D2	10	1811.11	18111.10	62	0.7334					18111.10	T
Warren	94E2	5	312.71	1563.53	62	0.7334	5	0	0.00	5.00	1563.53	NT
Warren	94E2	5	374.02	1870.11	62	0.7334					1870.11	T
Warren	980B	25	7820.90	195522.52	62	0.7334	25	0	0.00	25.00	195522.52	NT
Warren	980B	25	1359.46	33986.40	62	0.7334					33986.40	T
Warren	993D2	20	3120.77	62415.35	62	0.7334	20	0	0.00	20.00	62415.35	NT
Warren	993D2	20	3606.43	72128.52	62	0.7334					72128.52	T
Warren	993E2	10	4969.20	49691.98	62	0.7334	10	0	0.00	10.00	49691.98	NT
Warren	993E2	10	2533.06	25330.60	62	0.7334					25330.60	T
Warren	993E3	5	581.36	2906.82	62	0.7334	5	0	0.00	5.00	2906.82	NT
Warren	993E3	5	453.19	2265.97	62	0.7334					2265.97	T
Warren	AW	0	3.11	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Warren	AW	0	0.05	0.00	62	0.7334					0.00	T
Warren	BW	0	49.88	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Warren	BW	0	7.86	0.00	62	0.7334					0.00	T
Warren	C220	25	2475.30	61882.52	62	0.7334	25	0	0.00	25.00	61882.52	NT
Warren	C220	25	496.16	12403.93	62	0.7334					12403.93	T
Warren	C315	5	1074.75	5373.75	62	0.7334	5	0	0.00	5.00	5373.75	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	C315	5	237.63	1188.13	62	0.7334					1188.13	T
Warren	CmF2	5	0.52	2.59	62	0.7334	5	0	0.00	5.00	2.59	NT
Warren	CsC2	58	0.00	0.10	62	0.7334	31	27	7.20	38.20	0.07	NT
Warren	CsD2	43	0.02	0.96	62	0.7334	31	12	3.20	34.20	0.77	NT
Warren	CsD2	43	0.46	19.70	62	0.7334					19.70	T
Warren	CyB	10	0.65	6.47	62	0.7334	10	0	0.00	10.00	6.47	NT
Warren	ElB	84	0.03	2.58	62	0.7334					2.58	T
Warren	GaD2	43	0.03	1.44	62	0.7334	31	12	3.20	34.20	1.14	NT
Warren	GaD2	43	0.04	1.54	62	0.7334					1.54	T
Warren	GaE2	33	0.57	18.84	62	0.7334	31	2	0.53	31.53	18.00	NT
Warren	GaE2	33	0.39	12.78	62	0.7334					12.78	T
Warren	GaF2	13	0.07	0.94	62	0.7334	13	0	0.00	13.00	0.94	NT
Warren	GaF2	13	0.53	6.83	62	0.7334					6.83	T
Warren	GaG	5	0.16	0.79	62	0.7334	5	0	0.00	5.00	0.79	NT
Warren	INT	0	133.25	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Warren	INT	0	59.37	0.00	62	0.7334					0.00	T
Warren	Ke	86	0.32	27.73	62	0.7334	31	55	14.66	45.66	14.72	NT
Warren	Ke	86	0.31	26.53	62	0.7334					26.53	T
Warren	LaC2	62	0.45	27.81	62	0.7334	31	31	8.26	39.26	17.61	NT
Warren	LaC2	62	3.34	206.97	62	0.7334					206.97	T
Warren	LaD2	52	0.00	0.03	62	0.7334					0.03	T
Warren	LcC2	30	0.01	0.27	62	0.7334	30	0	0.00	30.00	0.27	NT
Warren	LcD2	15	0.13	1.90	62	0.7334	15	0	0.00	15.00	1.90	NT
Warren	LcD2	15	0.56	8.35	62	0.7334					8.35	T
Warren	LcD3	5	0.04	0.20	62	0.7334	5	0	0.00	5.00	0.20	NT
Warren	LdE2	28	0.00	0.08	62	0.7334	28	0	0.00	28.00	0.08	NT
Warren	LdF	10	0.09	0.89	62	0.7334	10	0	0.00	10.00	0.89	NT
Warren	MbB	90	0.08	6.80	62	0.7334	31	59	15.73	46.73	3.53	NT
Warren	MbB	90	0.15	13.91	62	0.7334					13.91	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	NlC2	64	0.10	6.58	62	0.7334	31	33	8.80	39.80	4.09	NT
Warren	NlC2	64	0.10	6.66	62	0.7334					6.66	T
Warren	SbB	87	0.06	5.44	62	0.7334	31	56	14.93	45.93	2.87	NT
Warren	SbB	87	0.00	0.00	62	0.7334					0.00	T
Warren	SbC	72	0.01	0.62	62	0.7334	31	41	10.93	41.93	0.36	NT
Warren	SbC	72	0.11	8.24	62	0.7334					8.24	T
Warren	SbC2	67	0.30	20.08	62	0.7334	31	36	9.60	40.60	12.17	NT
Warren	SbC2	67	0.11	7.49	62	0.7334					7.49	T
Warren	ShE2	38	0.14	5.31	62	0.7334	31	7	1.87	32.87	4.59	NT
Warren	ShE2	38	0.02	0.92	62	0.7334					0.92	T
Warren	ShF2	18	0.52	9.42	62	0.7334	18	0	0.00	18.00	9.42	NT
Warren	ShF2	18	0.02	0.40	62	0.7334					0.40	T
Warren	SL	0	34.66	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Warren	SlE2	10	0.98	9.82	62	0.7334	10	0	0.00	10.00	9.82	NT
Warren	T119	100	2.49	248.90	62	0.7334	31	69	18.40	49.40	122.94	NT
Warren	T119	100	168.34	16834.11	62	0.7334					16834.11	T
Warren	T120B	93	51.18	4760.01	62	0.7334	31	62	16.53	47.53	2432.68	NT
Warren	T120B	93	809.16	75251.53	62	0.7334					75251.53	T
Warren	T162B	87	25.76	2240.76	62	0.7334	31	56	14.93	45.93	1182.96	NT
Warren	T162B	87	145.71	12677.07	62	0.7334					12677.07	T
Warren	T368	90	11.60	1044.17	62	0.7334	31	59	15.73	46.73	542.15	NT
Warren	T368	90	472.39	42515.41	62	0.7334					42515.41	T
Warren	T370	92	13.91	1280.05	62	0.7334	31	61	16.26	47.26	657.59	NT
Warren	T370	92	296.54	27281.40	62	0.7334					27281.40	T
Warren	T370B	87	150.59	13101.53	62	0.7334	31	56	14.93	45.93	6916.64	NT
Warren	T370B	87	1913.53	166477.53	62	0.7334					166477.53	T
Warren	T370C2	67	187.82	12583.65	62	0.7334	31	36	9.60	40.60	7624.86	NT
Warren	T370C2	67	1126.28	75460.69	62	0.7334					75460.69	T
Warren	T76B	82	218.73	17935.50	62	0.7334	31	51	13.60	44.60	9754.42	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Warren	T76B	82	1393.83	114294.36	62	0.7334					114294.36	T
Warren	T76C2	72	233.90	16840.83	62	0.7334	31	41	10.93	41.93	9807.58	NT
Warren	T76C2	72	1176.92	84737.94	62	0.7334					84737.94	T
Warren	W	0	2898.01	0.00	62	0.7334	0	0	0.00	0.00	0.00	NT
Warren	W	0	46.39	0.00	62	0.7334					0.00	T
Warren	Wb	60	0.11	6.52	62	0.7334					6.52	T
Warren	ZoA	70	0.05	3.70	62	0.7334					3.70	T
											0.00	
											0.00	
Washington	1075	85	17.84	1516.48	70	0.753	35	50	12.35	47.35	844.77	NT
Washington	1075	85	305.36	25955.48	70	0.753					25955.48	T
Washington	1133	25	0.98	24.50	70	0.753	25	0	0.00	25.00	24.50	NT
Washington	1180	76	21.35	1622.28	70	0.753	35	41	10.13	45.13	963.27	NT
Washington	1180	76	363.40	27618.61	70	0.753					27618.61	T
Washington	11B	68	196.02	13329.37	70	0.753	35	33	8.15	43.15	8458.47	NT
Washington	11B	68	808.98	55010.48	70	0.753					55010.48	T
Washington	122	63	0.36	22.90	70	0.753	35	28	6.92	41.92	15.24	NT
Washington	122	63	595.98	37546.88	70	0.753					37546.88	T
Washington	1220	25	29.47	736.74	70	0.753	25	0	0.00	25.00	736.74	NT
Washington	1220	25	0.55	13.67	70	0.753					13.67	T
Washington	1280	95	9.87	937.76	70	0.753	35	60	14.82	49.82	491.78	NT
Washington	1280	95	810.33	76981.49	70	0.753					76981.49	T
Washington	1315	34	18.72	636.44	70	0.753	34	0	0.00	34.00	636.44	NT
Washington	1315	34	0.21	7.23	70	0.753					7.23	T
Washington	133	80	1037.00	82960.04	70	0.753	35	45	11.12	46.12	47821.28	NT
Washington	133	80	2957.94	236635.12	70	0.753					236635.12	T
Washington	133+	85	787.70	66954.14	70	0.753	35	50	12.35	47.35	37297.40	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	133+	85	2361.41	200720.08	70	0.753					200720.08	T
Washington	133B	75	0.01	0.55	70	0.753	35	40	9.88	44.88	0.33	NT
Washington	133B	75	0.10	7.68	70	0.753					7.68	T
Washington	1354	5	471.86	2359.29	70	0.753	5	0	0.00	5.00	2359.29	NT
Washington	1354	5	335.72	1678.59	70	0.753					1678.59	T
Washington	13B	65	0.21	13.92	70	0.753	35	30	7.41	42.41	9.08	NT
Washington	13B	65	0.01	0.94	70	0.753					0.94	T
Washington	1484	25	411.38	10284.46	70	0.753	25	0	0.00	25.00	10284.46	NT
Washington	1484	25	41.38	1034.59	70	0.753					1034.59	T
Washington	163E	50	562.08	28104.08	70	0.753	35	15	3.71	38.71	21755.37	NT
Washington	163E	50	128.03	6401.30	70	0.753					6401.30	T
Washington	163E2	48	491.89	23610.59	70	0.753	35	13	3.21	38.21	18795.50	NT
Washington	163E2	48	854.85	41032.73	70	0.753					41032.73	T
Washington	163E3	46	88.91	4089.72	70	0.753	35	11	2.72	37.72	3353.31	NT
Washington	163E3	46	544.63	25053.02	70	0.753					25053.02	T
Washington	163F	30	707.97	21239.18	70	0.753	30	0	0.00	30.00	21239.18	NT
Washington	163F	30	111.69	3350.57	70	0.753					3350.57	T
Washington	163G	19	222.08	4219.51	70	0.753	19	0	0.00	19.00	4219.51	NT
Washington	163G	19	10.82	205.61	70	0.753					205.61	T
Washington	1715	25	0.22	5.47	70	0.753	25	0	0.00	25.00	5.47	NT
Washington	1715	25	6.01	150.37	70	0.753					150.37	T
Washington	1730B	25	0.04	1.06	70	0.753	25	0	0.00	25.00	1.06	NT
Washington	175	60	97.72	5863.35	70	0.753	35	25	6.18	41.18	4023.73	NT
Washington	175	60	142.95	8577.05	70	0.753					8577.05	T
Washington	179D2	43	443.43	19067.53	70	0.753	35	8	1.98	36.98	16396.30	NT
Washington	179D2	43	1465.67	63023.84	70	0.753					63023.84	T
Washington	179E2	33	606.63	20018.77	70	0.753	33	0	0.00	33.00	20018.77	NT
Washington	179E2	33	649.60	21436.93	70	0.753					21436.93	T
Washington	180	76	51.97	3949.92	70	0.753	35	41	10.13	45.13	2345.37	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	180	76	834.56	63426.29	70	0.753					63426.29	T
Washington	192C2	30	32.03	960.85	70	0.753	30	0	0.00	30.00	960.85	NT
Washington	192C2	30	275.57	8267.13	70	0.753					8267.13	T
Washington	192D2	15	32.75	491.18	70	0.753	15	0	0.00	15.00	491.18	NT
Washington	192D2	15	312.27	4684.06	70	0.753					4684.06	T
Washington	219	80	71.99	5758.98	70	0.753	35	45	11.12	46.12	3319.69	NT
Washington	219	80	215.35	17228.30	70	0.753					17228.30	T
Washington	220	85	4534.36	385421.00	70	0.753	35	50	12.35	47.35	214702.17	NT
Washington	220	85	2563.54	217901.23	70	0.753					217901.23	T
Washington	2226	80	45.95	3676.25	70	0.753	35	45	11.12	46.12	2119.13	NT
Washington	2226	80	192.78	15422.41	70	0.753					15422.41	T
Washington	222C2	25	139.04	3475.91	70	0.753	25	0	0.00	25.00	3475.91	NT
Washington	222C2	25	1410.65	35266.34	70	0.753					35266.34	T
Washington	222C3	15	126.87	1903.02	70	0.753	15	0	0.00	15.00	1903.02	NT
Washington	222C3	15	1041.35	15620.32	70	0.753					15620.32	T
Washington	222D2	10	141.00	1410.02	70	0.753	10	0	0.00	10.00	1410.02	NT
Washington	222D2	10	744.27	7442.72	70	0.753					7442.72	T
Washington	222D3	5	31.17	155.84	70	0.753	5	0	0.00	5.00	155.84	NT
Washington	222D3	5	337.66	1688.29	70	0.753					1688.29	T
Washington	223C2	22	282.67	6218.69	70	0.753	22	0	0.00	22.00	6218.69	NT
Washington	223C2	22	1450.05	31901.21	70	0.753					31901.21	T
Washington	223D2	9	549.23	4943.09	70	0.753	9	0	0.00	9.00	4943.09	NT
Washington	223D2	9	1807.73	16269.59	70	0.753					16269.59	T
Washington	2242	75	2377.60	178319.86	70	0.753	35	40	9.88	44.88	106706.61	NT
Washington	2242	75	1208.13	90609.62	70	0.753					90609.62	T
Washington	24D2	48	58.94	2828.98	70	0.753	35	13	3.21	38.21	2252.04	NT
Washington	24D2	48	463.89	22266.67	70	0.753					22266.67	T
Washington	263	53	25.88	1371.70	70	0.753	35	18	4.45	39.45	1020.91	NT
Washington	263	53	266.12	14104.20	70	0.753					14104.20	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	264B	70	166.23	11636.20	70	0.753	35	35	8.65	43.65	7255.17	NT
Washington	264B	70	459.16	32141.31	70	0.753					32141.31	T
Washington	269	58	31.07	1801.82	70	0.753	35	23	5.68	40.68	1263.79	NT
Washington	269	58	324.74	18834.88	70	0.753					18834.88	T
Washington	279	88	410.18	36095.69	70	0.753	35	53	13.09	48.09	19725.88	NT
Washington	279	88	21682.14	1908028.07	70	0.753					1908028.07	T
Washington	280	95	1218.27	115735.40	70	0.753	35	60	14.82	49.82	60694.08	NT
Washington	280	95	27584.20	2620499.46	70	0.753					2620499.46	T
Washington	280B	90	0.36	31.99	70	0.753					31.99	T
Washington	281B	90	1134.37	102093.36	70	0.753	35	55	13.59	48.59	55113.40	NT
Washington	281B	90	16174.45	1455700.31	70	0.753					1455700.31	T
Washington	281B2	85	102.20	8686.98	70	0.753	35	50	12.35	47.35	4839.16	NT
Washington	281B2	85	1209.45	102803.39	70	0.753					102803.39	T
Washington	281C	75	80.45	6033.78	70	0.753	35	40	9.88	44.88	3610.61	NT
Washington	281C	75	497.36	37301.71	70	0.753					37301.71	T
Washington	281C2	72	541.59	38994.16	70	0.753	35	37	9.14	44.14	23905.05	NT
Washington	281C2	72	10551.49	759707.19	70	0.753					759707.19	T
Washington	281C3	65	79.73	5182.20	70	0.753	35	30	7.41	42.41	3381.19	NT
Washington	281C3	65	1758.24	114285.42	70	0.753					114285.42	T
Washington	281D2	61	56.99	3476.18	70	0.753	35	26	6.42	41.42	2360.49	NT
Washington	281D2	61	411.37	25093.33	70	0.753					25093.33	T
Washington	281D3	55	8.28	455.19	70	0.753	35	20	4.94	39.94	330.55	NT
Washington	281D3	55	225.65	12411.02	70	0.753					12411.02	T
Washington	293E2	18	472.00	8496.01	70	0.753	18	0	0.00	18.00	8496.01	NT
Washington	293E2	18	198.88	3579.92	70	0.753					3579.92	T
Washington	293F	9	0.72	6.47	70	0.753	9	0	0.00	9.00	6.47	NT
Washington	294C2	50	24.67	1233.52	70	0.753	35	15	3.71	38.71	954.87	NT
Washington	294C2	50	364.20	18210.01	70	0.753					18210.01	T
Washington	294D2	40	32.83	1313.33	70	0.753	35	5	1.24	36.24	1189.72	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	294D2	40	191.18	7647.25	70	0.753					7647.25	T
Washington	295C2	44	110.55	4864.31	70	0.753	35	9	2.22	37.22	4115.09	NT
Washington	295C2	44	302.04	13289.91	70	0.753					13289.91	T
Washington	295D2	34	250.65	8522.18	70	0.753	34	0	0.00	34.00	8522.18	NT
Washington	295D2	34	486.48	16540.31	70	0.753					16540.31	T
Washington	295D3	29	59.67	1730.32	70	0.753	29	0	0.00	29.00	1730.32	NT
Washington	295D3	29	210.72	6110.90	70	0.753					6110.90	T
Washington	320	83	0.12	10.17	70	0.753	35	48	11.86	46.86	5.74	NT
Washington	320	83	0.40	33.16	70	0.753					33.16	T
Washington	352B	62	0.04	2.26	70	0.753	35	27	6.67	41.67	1.52	NT
Washington	352B	62	0.37	22.99	70	0.753					22.99	T
Washington	41C	25	83.14	2078.40	70	0.753	25	0	0.00	25.00	2078.40	NT
Washington	41C	25	248.86	6221.53	70	0.753					6221.53	T
Washington	422	85	165.73	14087.41	70	0.753	35	50	12.35	47.35	7847.52	NT
Washington	422	85	569.21	48383.15	70	0.753					48383.15	T
Washington	424D	20	223.09	4461.88	70	0.753	20	0	0.00	20.00	4461.88	NT
Washington	424D	20	66.46	1329.27	70	0.753					1329.27	T
Washington	424D2	15	1062.08	15931.20	70	0.753	15	0	0.00	15.00	15931.20	NT
Washington	424D2	15	1641.88	24628.20	70	0.753					24628.20	T
Washington	424D3	5	233.19	1165.95	70	0.753	5	0	0.00	5.00	1165.95	NT
Washington	424D3	5	954.80	4774.00	70	0.753					4774.00	T
Washington	424E2	5	679.04	3395.22	70	0.753	5	0	0.00	5.00	3395.22	NT
Washington	424E2	5	913.36	4566.78	70	0.753					4566.78	T
Washington	425D2	12	255.20	3062.39	70	0.753	12	0	0.00	12.00	3062.39	NT
Washington	425D2	12	513.86	6166.33	70	0.753					6166.33	T
Washington	428B	93	138.07	12840.08	70	0.753	35	58	14.33	49.33	6810.21	NT
Washington	428B	93	988.97	91974.44	70	0.753					91974.44	T
Washington	43	80	229.09	18327.56	70	0.753	35	45	11.12	46.12	10564.69	NT
Washington	43	80	3052.68	244214.68	70	0.753					244214.68	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	430	83	282.38	23437.54	70	0.753	35	48	11.86	46.86	13231.20	NT
Washington	430	83	890.15	73882.22	70	0.753					73882.22	T
Washington	453	53	297.03	15742.75	70	0.753	35	18	4.45	39.45	11716.77	NT
Washington	453	53	3663.65	194173.26	70	0.753					194173.26	T
Washington	484	90	2018.65	181678.12	70	0.753	35	55	13.59	48.59	98075.90	NT
Washington	484	90	2497.05	224734.94	70	0.753					224734.94	T
Washington	499F	5	563.12	2815.59	70	0.753	5	0	0.00	5.00	2815.59	NT
Washington	499F	5	64.62	323.10	70	0.753					323.10	T
Washington	5030	0	282.06	0.00	70	0.753	0	0	0.00	0.00	0.00	NT
Washington	5030	0	2.39	0.00	70	0.753					0.00	T
Washington	5040	5	47.01	235.07	70	0.753	5	0	0.00	5.00	235.07	NT
Washington	5040	5	33.63	168.17	70	0.753					168.17	T
Washington	51	70	0.02	1.29	70	0.753	35	35	8.65	43.65	0.80	NT
Washington	51	70	2.59	181.19	70	0.753					181.19	T
Washington	520	65	408.36	26543.62	70	0.753	35	30	7.41	42.41	17318.69	NT
Washington	520	65	1453.59	94483.07	70	0.753					94483.07	T
Washington	520B	60	308.15	18488.93	70	0.753	35	25	6.18	41.18	12688.03	NT
Washington	520B	60	1333.84	80030.43	70	0.753					80030.43	T
Washington	539	20	18.05	361.04	70	0.753	20	0	0.00	20.00	361.04	NT
Washington	539	20	63.94	1278.85	70	0.753					1278.85	T
Washington	54	70	365.18	25562.86	70	0.753	35	35	8.65	43.65	15938.44	NT
Washington	54	70	1904.03	133281.96	70	0.753					133281.96	T
Washington	570B	84	615.49	51701.02	70	0.753	35	49	12.10	47.10	28991.35	NT
Washington	570B	84	11595.80	974047.60	70	0.753					974047.60	T
Washington	570B2	83	134.05	11126.44	70	0.753	35	48	11.86	46.86	6281.21	NT
Washington	570B2	83	3159.52	262240.09	70	0.753					262240.09	T
Washington	570C2	64	259.22	16590.02	70	0.753	35	29	7.16	42.16	10929.46	NT
Washington	570C2	64	3455.81	221171.64	70	0.753					221171.64	T
Washington	570C3	62	98.05	6078.87	70	0.753	35	27	6.67	41.67	4085.49	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	570C3	62	2224.93	137945.65	70	0.753					137945.65	T
Washington	571B	82	175.93	14426.07	70	0.753	35	47	11.61	46.61	8199.81	NT
Washington	571B	82	3291.92	269937.26	70	0.753					269937.26	T
Washington	571B2	77	86.42	6654.35	70	0.753	35	42	10.37	45.37	3921.23	NT
Washington	571B2	77	1794.09	138144.95	70	0.753					138144.95	T
Washington	571C2	62	469.63	29117.12	70	0.753	35	27	6.67	41.67	19569.05	NT
Washington	571C2	62	4461.79	276631.14	70	0.753					276631.14	T
Washington	571C3	57	191.37	10907.88	70	0.753	35	22	5.43	40.43	7737.70	NT
Washington	571C3	57	2947.63	168014.64	70	0.753					168014.64	T
Washington	572B	77	34.27	2638.68	70	0.753	35	42	10.37	45.37	1554.90	NT
Washington	572B	77	467.66	36009.65	70	0.753					36009.65	T
Washington	572C2	57	349.42	19917.11	70	0.753	35	22	5.43	40.43	14128.57	NT
Washington	572C2	57	2293.88	130750.90	70	0.753					130750.90	T
Washington	587	65	0.08	5.28	70	0.753	35	30	7.41	42.41	3.44	NT
Washington	587	65	0.92	59.98	70	0.753					59.98	T
Washington	58D2	28	61.17	1712.73	70	0.753	28	0	0.00	28.00	1712.73	NT
Washington	58D2	28	169.90	4757.24	70	0.753					4757.24	T
Washington	58E2	18	85.77	1543.81	70	0.753	18	0	0.00	18.00	1543.81	NT
Washington	58E2	18	73.68	1326.21	70	0.753					1326.21	T
Washington	592D2	5	49.58	247.92	70	0.753	5	0	0.00	5.00	247.92	NT
Washington	592D2	5	130.55	652.73	70	0.753					652.73	T
Washington	5B	83	1.09	90.49	70	0.753	35	48	11.86	46.86	51.09	NT
Washington	5B	83	0.01	0.95	70	0.753					0.95	T
Washington	6422	51	0.30	15.12	70	0.753	35	16	3.95	38.95	11.55	NT
Washington	65D	35	520.14	18204.83	70	0.753	35	0	0.00	35.00	18204.83	NT
Washington	65D	35	108.08	3782.66	70	0.753					3782.66	T
Washington	65D2	38	736.46	27985.67	70	0.753	35	3	0.74	35.74	26321.99	NT
Washington	65D2	38	1290.96	49056.40	70	0.753					49056.40	T
Washington	65E	25	1835.60	45889.99	70	0.753	25	0	0.00	25.00	45889.99	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	65E	25	298.04	7450.95	70	0.753					7450.95	T
Washington	65E2	24	1878.53	45084.60	70	0.753	24	0	0.00	24.00	45084.60	NT
Washington	65E2	24	1915.17	45964.19	70	0.753					45964.19	T
Washington	65F	10	1997.86	19978.59	70	0.753	10	0	0.00	10.00	19978.59	NT
Washington	65F	10	423.74	4237.37	70	0.753					4237.37	T
Washington	65F2	8	304.69	2437.53	70	0.753	8	0	0.00	8.00	2437.53	NT
Washington	65F2	8	164.66	1317.24	70	0.753					1317.24	T
Washington	65G	5	2873.22	14366.10	70	0.753	5	0	0.00	5.00	14366.10	NT
Washington	65G	5	201.15	1005.76	70	0.753					1005.76	T
Washington	687	85	0.00	0.10	70	0.753	35	50	12.35	47.35	0.06	NT
Washington	687B	80	296.04	23683.60	70	0.753	35	45	11.12	46.12	13652.11	NT
Washington	687B	80	1413.61	113088.48	70	0.753					113088.48	T
Washington	688	85	144.46	12279.52	70	0.753	35	50	12.35	47.35	6840.41	NT
Washington	688	85	1195.37	101606.50	70	0.753					101606.50	T
Washington	715	5	2401.89	12009.47	70	0.753	5	0	0.00	5.00	12009.47	NT
Washington	715	5	877.70	4388.50	70	0.753					4388.50	T
Washington	729	77	1.08	82.92	70	0.753	35	42	10.37	45.37	48.86	NT
Washington	729B	83	2953.59	245148.11	70	0.753	35	48	11.86	46.86	138393.49	NT
Washington	729B	83	1862.22	154563.86	70	0.753					154563.86	T
Washington	730B	61	0.01	0.60	70	0.753	35	26	6.42	41.42	0.41	NT
Washington	730B	61	1.49	90.88	70	0.753					90.88	T
Washington	74	78	5.79	451.50	70	0.753	35	43	10.62	45.62	264.07	NT
Washington	74	78	366.33	28573.57	70	0.753					28573.57	T
Washington	75	75	284.71	21353.26	70	0.753	35	40	9.88	44.88	12777.79	NT
Washington	75	75	4712.31	353423.39	70	0.753					353423.39	T
Washington	75B	81	0.13	10.13	70	0.753					10.13	T
Washington	76B	82	916.02	75113.74	70	0.753	35	47	11.61	46.61	42694.83	NT
Washington	76B	82	8107.46	664811.81	70	0.753					664811.81	T
Washington	76B2	80	113.45	9075.61	70	0.753	35	45	11.12	46.12	5231.52	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	76B2	80	1421.26	113700.66	70	0.753					113700.66	T
Washington	76C	70	111.70	7819.35	70	0.753	35	35	8.65	43.65	4875.36	NT
Washington	76C	70	174.47	12213.21	70	0.753					12213.21	T
Washington	76C2	67	1016.06	68076.15	70	0.753	35	32	7.90	42.90	43593.12	NT
Washington	76C2	67	8606.00	576601.99	70	0.753					576601.99	T
Washington	76C3	60	190.11	11406.46	70	0.753	35	25	6.18	41.18	7827.68	NT
Washington	76C3	60	2664.23	159854.06	70	0.753					159854.06	T
Washington	76D2	52	302.85	15748.20	70	0.753	35	17	4.20	39.20	11871.42	NT
Washington	76D2	52	2127.99	110655.32	70	0.753					110655.32	T
Washington	76D3	50	127.74	6386.76	70	0.753	35	15	3.71	38.71	4943.99	NT
Washington	76D3	50	1331.38	66569.03	70	0.753					66569.03	T
Washington	779	85	80.47	6839.99	70	0.753	35	50	12.35	47.35	3810.28	NT
Washington	779	85	9575.61	813926.59	70	0.753					813926.59	T
Washington	792C2	26	54.63	1420.36	70	0.753	26	0	0.00	26.00	1420.36	NT
Washington	792C2	26	367.95	9566.79	70	0.753					9566.79	T
Washington	792D2	11	459.43	5053.71	70	0.753	11	0	0.00	11.00	5053.71	NT
Washington	792D2	11	1639.06	18029.71	70	0.753					18029.71	T
Washington	793B	80	112.37	8989.65	70	0.753	35	45	11.12	46.12	5181.97	NT
Washington	793B	80	153.08	12246.08	70	0.753					12246.08	T
Washington	795D2	5	406.57	2032.83	70	0.753	5	0	0.00	5.00	2032.83	NT
Washington	795D2	5	635.13	3175.66	70	0.753					3175.66	T
Washington	7B	85	64.08	5446.83	70	0.753	35	50	12.35	47.35	3034.21	NT
Washington	7B	85	1001.00	85084.80	70	0.753					85084.80	T
Washington	80B	77	1191.60	91752.97	70	0.753	35	42	10.37	45.37	54067.52	NT
Washington	80B	77	7165.42	551737.26	70	0.753					551737.26	T
Washington	80C	67	1221.66	81851.25	70	0.753	35	32	7.90	42.90	52414.12	NT
Washington	80C	67	655.51	43919.47	70	0.753					43919.47	T
Washington	80C2	57	2365.51	134834.02	70	0.753	35	22	5.43	40.43	95647.00	NT
Washington	80C2	57	11605.39	661507.27	70	0.753					661507.27	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	80C3	55	357.90	19684.35	70	0.753	35	20	4.94	39.94	14294.42	NT
Washington	80C3	55	3253.06	178918.04	70	0.753					178918.04	T
Washington	80D	55	1453.52	79943.44	70	0.753	35	20	4.94	39.94	58053.47	NT
Washington	80D	55	545.40	29997.05	70	0.753					29997.05	T
Washington	80D2	52	2435.91	126667.55	70	0.753	35	17	4.20	39.20	95485.41	NT
Washington	80D2	52	6628.91	344703.38	70	0.753					344703.38	T
Washington	80D3	38	1075.36	40863.61	70	0.753	35	3	0.74	35.74	38434.38	NT
Washington	80D3	38	5263.53	200013.97	70	0.753					200013.97	T
Washington	80E2	45	0.88	39.68	70	0.753	35	10	2.47	37.47	33.04	NT
Washington	80E2	45	0.59	26.33	70	0.753					26.33	T
Washington	80F2	20	0.42	8.35	70	0.753	20	0	0.00	20.00	8.35	NT
Washington	876B	82	95.34	7818.05	70	0.753	35	47	11.61	46.61	4443.80	NT
Washington	876B	82	861.40	70634.76	70	0.753					70634.76	T
Washington	876C2	65	119.39	7760.21	70	0.753	35	30	7.41	42.41	5063.24	NT
Washington	876C2	65	1209.96	78647.53	70	0.753					78647.53	T
Washington	87B	60	2973.39	178403.60	70	0.753	35	25	6.18	41.18	122429.47	NT
Washington	87B	60	6014.11	360846.33	70	0.753					360846.33	T
Washington	88	92	135.45	12461.71	70	0.753	35	57	14.08	49.08	6647.91	NT
Washington	88	92	1655.48	152303.91	70	0.753					152303.91	T
Washington	880B	78	220.17	17173.04	70	0.753	35	43	10.62	45.62	10044.25	NT
Washington	880B	78	1020.34	79586.60	70	0.753					79586.60	T
Washington	880C2	60	319.55	19173.16	70	0.753	35	25	6.18	41.18	13157.58	NT
Washington	880C2	60	1337.93	80275.92	70	0.753					80275.92	T
Washington	880D2	50	88.87	4443.26	70	0.753	35	15	3.71	38.71	3439.53	NT
Washington	880D2	50	208.54	10427.03	70	0.753					10427.03	T
Washington	881B	90	43.74	3936.42	70	0.753	35	55	13.59	48.59	2125.01	NT
Washington	881B	90	840.35	75631.61	70	0.753					75631.61	T
Washington	93D2	33	178.70	5897.07	70	0.753	33	0	0.00	33.00	5897.07	NT
Washington	93D2	33	1469.46	48492.25	70	0.753					48492.25	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Washington	93D3	20	81.30	1625.91	70	0.753	20	0	0.00	20.00	1625.91	NT
Washington	93D3	20	825.09	16501.73	70	0.753					16501.73	T
Washington	977	95	3.59	340.93	70	0.753	35	60	14.82	49.82	178.79	NT
Washington	993D2	20	843.08	16861.66	70	0.753	20	0	0.00	20.00	16861.66	NT
Washington	993D2	20	3446.79	68935.87	70	0.753					68935.87	T
Washington	993D3	15	195.29	2929.42	70	0.753	15	0	0.00	15.00	2929.42	NT
Washington	993D3	15	1451.69	21775.37	70	0.753					21775.37	T
Washington	993E2	10	129.74	1297.37	70	0.753	10	0	0.00	10.00	1297.37	NT
Washington	993E2	10	327.49	3274.88	70	0.753					3274.88	T
Washington	994D3	10	98.38	983.82	70	0.753	10	0	0.00	10.00	983.82	NT
Washington	994D3	10	314.70	3146.98	70	0.753					3146.98	T
Washington	INT	0	0.15	0.00	70	0.753	0	0	0.00	0.00	0.00	NT
Washington	SL	0	10.22	0.00	70	0.753	0	0	0.00	0.00	0.00	NT
Washington	SL	0	0.32	0.00	70	0.753					0.00	T
Washington	W	0	1109.14	0.00	70	0.753	0	0	0.00	0.00	0.00	NT
Washington	W	0	50.11	0.00	70	0.753					0.00	T
											0.00	
											0.00	
Wayne	1131C	45	4.10	184.71	42	0.7729	21	24	5.45	26.45	108.57	NT
Wayne	131B	67	0.05	3.49	42	0.7729					3.49	T
Wayne	131C2	45	0.07	3.15	42	0.7729					3.15	T
Wayne	132C	44	0.01	0.31	42	0.7729	21	23	5.22	26.22	0.18	NT
Wayne	132C	44	0.00	0.21	42	0.7729					0.21	T
Wayne	132C2	40	0.02	0.91	42	0.7729	21	19	4.31	25.31	0.58	NT
Wayne	132C2	40	0.07	2.79	42	0.7729					2.79	T
Wayne	133A	80	0.95	75.99	42	0.7729	21	59	13.40	34.40	32.68	NT
Wayne	13B	65	58.30	3789.27	42	0.7729	21	44	9.99	30.99	1806.75	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	13B	65	4.42	287.17	42	0.7729					287.17	T
Wayne	1715	25	37.97	949.36	42	0.7729	21	4	0.91	21.91	831.96	NT
Wayne	1715	25	0.10	2.43	42	0.7729					2.43	T
Wayne	172	45	0.02	0.72	42	0.7729	21	24	5.45	26.45	0.42	NT
Wayne	179E	35	2.74	95.93	42	0.7729					95.93	T
Wayne	179E2	33	36.22	1195.20	42	0.7729	21	12	2.73	23.73	859.28	NT
Wayne	179E2	33	1.42	47.02	42	0.7729					47.02	T
Wayne	179F	15	7.52	112.79	42	0.7729	15	0	0.00	15.00	112.79	NT
Wayne	179F	15	0.15	2.26	42	0.7729					2.26	T
Wayne	179F2	14	1.57	22.01	42	0.7729	14	0	0.00	14.00	22.01	NT
Wayne	179F2	14	0.05	0.64	42	0.7729					0.64	T
Wayne	192C	35	3.46	120.93	42	0.7729	21	14	3.18	24.18	83.54	NT
Wayne	192C	35	2.26	79.07	42	0.7729					79.07	T
Wayne	192C2	30	1.32	39.56	42	0.7729	21	9	2.04	23.04	30.39	NT
Wayne	192C2	30	0.64	19.06	42	0.7729					19.06	T
Wayne	192D2	15	1.76	26.44	42	0.7729	15	0	0.00	15.00	26.44	NT
Wayne	192D2	15	0.13	1.93	42	0.7729					1.93	T
Wayne	211	60	0.09	5.17	42	0.7729	21	39	8.86	29.86	2.57	NT
Wayne	211	60	0.77	46.18	42	0.7729					46.18	T
Wayne	220	85	1.70	144.23	42	0.7729	21	64	14.53	35.53	60.29	NT
Wayne	222C2	25	0.61	15.18	42	0.7729	21	4	0.91	21.91	13.31	NT
Wayne	222C2	25	0.88	22.04	42	0.7729					22.04	T
Wayne	232C	33	5.13	169.41	42	0.7729	21	12	2.73	23.73	121.80	NT
Wayne	232C2	29	0.17	4.96	42	0.7729	21	8	1.82	22.82	3.90	NT
Wayne	23C	55	0.01	0.32	42	0.7729	21	34	7.72	28.72	0.16	NT
Wayne	23C2	50	0.05	2.29	42	0.7729	21	29	6.59	27.59	1.27	NT
Wayne	23C2	50	0.32	16.10	42	0.7729					16.10	T
Wayne	24D2	48	0.00	0.05	42	0.7729	21	27	6.13	27.13	0.03	NT
Wayne	24D2	48	3.50	167.84	42	0.7729					167.84	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	24D3	45	0.02	0.96	42	0.7729	21	24	5.45	26.45	0.56	NT
Wayne	24D3	45	0.08	3.82	42	0.7729					3.82	T
Wayne	24E2	38	2.71	103.10	42	0.7729	21	17	3.86	24.86	67.45	NT
Wayne	24E2	38	1.62	61.66	42	0.7729					61.66	T
Wayne	24F2	18	0.44	7.91	42	0.7729					7.91	T
Wayne	269	58	0.47	27.51	42	0.7729	21	37	8.40	29.40	13.95	NT
Wayne	269	58	0.76	43.81	42	0.7729					43.81	T
Wayne	273B	72	7.09	510.61	42	0.7729	21	51	11.58	32.58	231.07	NT
Wayne	273B	72	0.03	2.37	42	0.7729					2.37	T
Wayne	312B	60	0.54	32.48	42	0.7729	21	39	8.86	29.86	16.16	NT
Wayne	312B	60	0.39	23.19	42	0.7729					23.19	T
Wayne	312C	40	0.14	5.66	42	0.7729					5.66	T
Wayne	312C2	35	0.06	2.10	42	0.7729	21	14	3.18	24.18	1.45	NT
Wayne	312C2	35	0.41	14.50	42	0.7729					14.50	T
Wayne	364B	75	0.04	2.72	42	0.7729	21	54	12.26	33.26	1.20	NT
Wayne	364B	75	0.46	34.25	42	0.7729					34.25	T
Wayne	406	90	1.16	104.08	42	0.7729	21	69	15.67	36.67	42.41	NT
Wayne	423D2	13	0.57	7.46	42	0.7729	13	0	0.00	13.00	7.46	NT
Wayne	425C	28	17.09	478.46	42	0.7729	21	7	1.59	22.59	386.01	NT
Wayne	425D	16	13.22	211.50	42	0.7729	16	0	0.00	16.00	211.50	NT
Wayne	425D	16	0.00	0.06	42	0.7729					0.06	T
Wayne	425D2	12	52.48	629.79	42	0.7729	12	0	0.00	12.00	629.79	NT
Wayne	425D2	12	0.05	0.65	42	0.7729					0.65	T
Wayne	452C	35	2.96	103.73	42	0.7729	21	14	3.18	24.18	71.66	NT
Wayne	484	90	1.58	141.83	42	0.7729	21	69	15.67	36.67	57.79	NT
Wayne	5030	0	8.88	0.00	42	0.7729	0	0	0.00	0.00	0.00	NT
Wayne	5030	0	4.18	0.00	42	0.7729					0.00	T
Wayne	51	70	1.95	136.23	42	0.7729	21	49	11.13	32.13	62.53	NT
Wayne	51B	65	8.02	521.49	42	0.7729	21	44	9.99	30.99	248.65	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	51B	65	0.01	0.60	42	0.7729					0.60	T
Wayne	520B	60	2.05	122.71	42	0.7729	21	39	8.86	29.86	61.06	NT
Wayne	531B	58	0.13	7.39	42	0.7729					7.39	T
Wayne	531C	36	10.30	370.91	42	0.7729	21	15	3.41	24.41	251.46	NT
Wayne	531C	36	0.22	7.83	42	0.7729					7.83	T
Wayne	531C2	32	0.14	4.60	42	0.7729	21	11	2.50	23.50	3.38	NT
Wayne	531C2	32	0.04	1.36	42	0.7729					1.36	T
Wayne	532C	32	6.31	201.91	42	0.7729	21	11	2.50	23.50	148.27	NT
Wayne	54	70	0.19	13.60	42	0.7729	21	49	11.13	32.13	6.24	NT
Wayne	54+	75	8.27	619.93	42	0.7729	21	54	12.26	33.26	274.95	NT
Wayne	56C	52	10.38	539.85	42	0.7729	21	31	7.04	28.04	291.11	NT
Wayne	56C	52	0.02	1.26	42	0.7729					1.26	T
Wayne	587	65	1.42	92.58	42	0.7729	21	44	9.99	30.99	44.14	NT
Wayne	587	65	0.60	38.72	42	0.7729					38.72	T
Wayne	58E2	18	0.02	0.31	42	0.7729	18	0	0.00	18.00	0.31	NT
Wayne	592D2	5	7.91	39.55	42	0.7729	5	0	0.00	5.00	39.55	NT
Wayne	592D3	5	0.01	0.03	42	0.7729					0.03	T
Wayne	594D2	5	8.49	42.45	42	0.7729	5	0	0.00	5.00	42.45	NT
Wayne	65D	35	4.84	169.53	42	0.7729	21	14	3.18	24.18	117.12	NT
Wayne	65E	25	4.10	102.52	42	0.7729	21	4	0.91	21.91	89.84	NT
Wayne	65E2	24	13.99	335.79	42	0.7729	21	3	0.68	21.68	303.35	NT
Wayne	65F2	8	121.65	973.18	42	0.7729	8	0	0.00	8.00	973.18	NT
Wayne	65G	5	66.03	330.17	42	0.7729	5	0	0.00	5.00	330.17	NT
Wayne	715	5	6.17	30.84	42	0.7729	5	0	0.00	5.00	30.84	NT
Wayne	715	5	0.00	0.00	42	0.7729					0.00	T
Wayne	730C	45	13.54	609.49	42	0.7729	21	24	5.45	26.45	358.25	NT
Wayne	792C2	26	0.01	0.30	42	0.7729					0.30	T
Wayne	792C3	16	0.05	0.81	42	0.7729					0.81	T
Wayne	792D2	11	16.90	185.92	42	0.7729	11	0	0.00	11.00	185.92	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	792D2	11	1.25	13.80	42	0.7729					13.80	T
Wayne	792D3	5	0.00	0.02	42	0.7729					0.02	T
Wayne	822D2	15	0.69	10.41	42	0.7729	15	0	0.00	15.00	10.41	NT
Wayne	822D2	15	0.29	4.31	42	0.7729					4.31	T
Wayne	822D3	10	0.01	0.13	42	0.7729					0.13	T
Wayne	93D2	33	0.13	4.38	42	0.7729	21	12	2.73	23.73	3.15	NT
Wayne	93D2	33	0.22	7.16	42	0.7729					7.16	T
Wayne	93D3	20	0.00	0.08	42	0.7729	20	0	0.00	20.00	0.08	NT
Wayne	93D3	20	0.06	1.12	42	0.7729					1.12	T
Wayne	994E2	5	3.80	18.99	42	0.7729	5	0	0.00	5.00	18.99	NT
Wayne	AaC	35	923.46	32321.03	42	0.7729	21	14	3.18	24.18	22328.66	NT
Wayne	AaC	35	1623.14	56809.80	42	0.7729					56809.80	T
Wayne	AaC2	30	3405.95	102178.54	42	0.7729	21	9	2.04	23.04	78486.40	NT
Wayne	AaC2	30	14713.14	441394.26	42	0.7729					441394.26	T
Wayne	AaD	20	324.26	6485.27	42	0.7729	20	0	0.00	20.00	6485.27	NT
Wayne	AaD	20	146.56	2931.25	42	0.7729					2931.25	T
Wayne	AaD2	15	823.43	12351.44	42	0.7729	15	0	0.00	15.00	12351.44	NT
Wayne	AaD2	15	1694.48	25417.21	42	0.7729					25417.21	T
Wayne	AdC2	30	6.86	205.92	42	0.7729	21	9	2.04	23.04	158.17	NT
Wayne	AdC2	30	28.63	858.91	42	0.7729					858.91	T
Wayne	AdC3	20	104.30	2086.00	42	0.7729	20	0	0.00	20.00	2086.00	NT
Wayne	AdC3	20	323.50	6469.97	42	0.7729					6469.97	T
Wayne	AdD3	5	184.14	920.72	42	0.7729	5	0	0.00	5.00	920.72	NT
Wayne	AdD3	5	602.60	3012.98	42	0.7729					3012.98	T
Wayne	AsD2	25	931.67	23291.75	42	0.7729	21	4	0.91	21.91	20411.40	NT
Wayne	AsD2	25	2518.94	62973.54	42	0.7729					62973.54	T
Wayne	AsD3	20	878.62	17572.47	42	0.7729	20	0	0.00	20.00	17572.47	NT
Wayne	AsD3	20	2371.33	47426.67	42	0.7729					47426.67	T
Wayne	CaD2	33	1205.64	39786.13	42	0.7729	21	12	2.73	23.73	28604.05	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	CaD2	33	1825.57	60243.96	42	0.7729					60243.96	T
Wayne	CaE2	23	199.07	4578.69	42	0.7729	21	2	0.45	21.45	4270.96	NT
Wayne	CaE2	23	179.76	4134.59	42	0.7729					4134.59	T
Wayne	CbD3	30	923.37	27701.19	42	0.7729	21	9	2.04	23.04	21278.11	NT
Wayne	CbD3	30	2081.74	62452.34	42	0.7729					62452.34	T
Wayne	CbE3	20	217.34	4346.74	42	0.7729	20	0	0.00	20.00	4346.74	NT
Wayne	CbE3	20	215.44	4308.81	42	0.7729					4308.81	T
Wayne	Ch	65	239.21	15548.34	42	0.7729	21	44	9.99	30.99	7413.54	NT
Wayne	Ch	65	219.27	14252.49	42	0.7729					14252.49	T
Wayne	ClC	30	426.65	12799.48	42	0.7729	21	9	2.04	23.04	9831.67	NT
Wayne	ClC	30	2232.86	66985.89	42	0.7729					66985.89	T
Wayne	ClC2	25	4722.17	118054.15	42	0.7729	21	4	0.91	21.91	103455.10	NT
Wayne	ClC2	25	34010.05	850251.18	42	0.7729					850251.18	T
Wayne	ClD2	10	284.94	2849.40	42	0.7729	10	0	0.00	10.00	2849.40	NT
Wayne	ClD2	10	1339.43	13394.30	42	0.7729					13394.30	T
Wayne	CmC3	5	360.26	1801.30	42	0.7729	5	0	0.00	5.00	1801.30	NT
Wayne	CmC3	5	2211.84	11059.22	42	0.7729					11059.22	T
Wayne	Co	80	1724.58	137966.52	42	0.7729	21	59	13.40	34.40	59323.71	NT
Wayne	Co	80	1265.28	101222.21	42	0.7729					101222.21	T
Wayne	CoB	75	904.19	67814.62	42	0.7729	21	54	12.26	33.26	30076.60	NT
Wayne	CoB	75	1942.86	145714.21	42	0.7729					145714.21	T
Wayne	Cz	75	135.33	10149.70	42	0.7729	21	54	12.26	33.26	4501.52	NT
Wayne	Cz	75	212.83	15962.57	42	0.7729					15962.57	T
Wayne	Ed	60	550.98	33059.09	42	0.7729	21	39	8.86	29.86	16450.70	NT
Wayne	Ed	60	24135.03	1448101.96	42	0.7729					1448101.96	T
Wayne	GaD2	43	224.74	9663.75	42	0.7729	21	22	5.00	26.00	5842.34	NT
Wayne	GaD2	43	239.09	10280.73	42	0.7729					10280.73	T
Wayne	GaE	35	1614.43	56504.94	42	0.7729	21	14	3.18	24.18	39035.87	NT
Wayne	GaE	35	483.24	16913.33	42	0.7729					16913.33	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	GaE2	33	4696.52	154985.22	42	0.7729	21	12	2.73	23.73	111425.92	NT
Wayne	GaE2	33	2587.05	85372.72	42	0.7729					85372.72	T
Wayne	GaF	13	758.83	9864.81	42	0.7729	13	0	0.00	13.00	9864.81	NT
Wayne	GaF	13	115.72	1504.42	42	0.7729					1504.42	T
Wayne	GaF2	13	1923.24	25002.17	42	0.7729	13	0	0.00	13.00	25002.17	NT
Wayne	GaF2	13	531.67	6911.68	42	0.7729					6911.68	T
Wayne	GrE3	30	675.67	20270.16	42	0.7729	21	9	2.04	23.04	15570.12	NT
Wayne	GrE3	30	738.89	22166.78	42	0.7729					22166.78	T
Wayne	GuB	75	315.15	23636.04	42	0.7729	21	54	12.26	33.26	10482.87	NT
Wayne	GuB	75	5013.17	375987.46	42	0.7729					375987.46	T
Wayne	GuC	55	304.13	16727.39	42	0.7729	21	34	7.72	28.72	8735.16	NT
Wayne	GuC	55	2576.00	141679.98	42	0.7729					141679.98	T
Wayne	GuC2	50	211.53	10576.32	42	0.7729	21	29	6.59	27.59	5835.15	NT
Wayne	GuC2	50	3443.00	172150.13	42	0.7729					172150.13	T
Wayne	Ha	70	42.60	2981.81	42	0.7729	21	49	11.13	32.13	1368.56	NT
Wayne	Ha	70	2228.45	155991.60	42	0.7729					155991.60	T
Wayne	Hu	58	318.39	18466.33	42	0.7729	21	37	8.40	29.40	9361.38	NT
Wayne	Hu	58	387.26	22460.90	42	0.7729					22460.90	T
Wayne	HuB	53	323.12	17125.51	42	0.7729	21	32	7.27	28.27	9133.78	NT
Wayne	HuB	53	467.12	24757.12	42	0.7729					24757.12	T
Wayne	INT	0	2.62	0.00	42	0.7729	0	0	0.00	0.00	0.00	NT
Wayne	INT	0	0.65	0.00	42	0.7729					0.00	T
Wayne	KnB	54	153.60	8294.46	42	0.7729	21	33	7.49	28.49	4376.75	NT
Wayne	KnB	54	773.64	41776.41	42	0.7729					41776.41	T
Wayne	KnC	36	418.43	15063.45	42	0.7729	21	15	3.41	24.41	10212.39	NT
Wayne	KnC	36	2185.20	78667.33	42	0.7729					78667.33	T
Wayne	KnC2	31	192.56	5969.34	42	0.7729	21	10	2.27	23.27	4481.05	NT
Wayne	KnC2	31	1371.39	42512.94	42	0.7729					42512.94	T
Wayne	LaC2	62	317.89	19709.20	42	0.7729	21	41	9.31	30.31	9635.60	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	LaC2	62	2430.90	150715.80	42	0.7729					150715.80	T
Wayne	LaD2	52	2315.09	120384.67	42	0.7729	21	31	7.04	28.04	64915.35	NT
Wayne	LaD2	52	8963.26	466089.29	42	0.7729					466089.29	T
Wayne	LmD3	5	532.54	2662.69	42	0.7729	5	0	0.00	5.00	2662.69	NT
Wayne	LmD3	5	2420.14	12100.69	42	0.7729					12100.69	T
Wayne	Ln	89	3908.42	347849.77	42	0.7729	21	68	15.44	36.44	142433.93	NT
Wayne	Ln	89	1534.29	136551.45	42	0.7729					136551.45	T
Wayne	LoF2	10	635.68	6356.76	42	0.7729	10	0	0.00	10.00	6356.76	NT
Wayne	LoF2	10	112.77	1127.75	42	0.7729					1127.75	T
Wayne	LvC	36	94.76	3411.49	42	0.7729	21	15	3.41	24.41	2312.85	NT
Wayne	LvC	36	490.95	17674.24	42	0.7729					17674.24	T
Wayne	LvC2	31	56.80	1760.66	42	0.7729	21	10	2.27	23.27	1321.69	NT
Wayne	LvC2	31	242.46	7516.41	42	0.7729					7516.41	T
Wayne	MyC2	20	52.33	1046.66	42	0.7729	20	0	0.00	20.00	1046.66	NT
Wayne	MyC2	20	292.71	5854.17	42	0.7729					5854.17	T
Wayne	OmB	72	875.90	63065.11	42	0.7729	21	51	11.58	32.58	28538.80	NT
Wayne	OmB	72	1800.73	129652.28	42	0.7729					129652.28	T
Wayne	OvB	60	21201.57	1272094.18	42	0.7729	21	39	8.86	29.86	633013.15	NT
Wayne	OvB	60	13719.47	823167.92	42	0.7729					823167.92	T
Wayne	PeC	49	76.51	3748.76	42	0.7729	21	28	6.36	27.36	2093.09	NT
Wayne	PeC	49	109.57	5369.17	42	0.7729					5369.17	T
Wayne	PeC2	45	94.90	4270.42	42	0.7729	21	24	5.45	26.45	2510.09	NT
Wayne	PeC2	45	124.39	5597.47	42	0.7729					5597.47	T
Wayne	PhB	65	83.41	5421.34	42	0.7729	21	44	9.99	30.99	2584.93	NT
Wayne	PhB	65	189.15	12294.51	42	0.7729					12294.51	T
Wayne	PhC2	40	196.40	7855.97	42	0.7729	21	19	4.31	25.31	4971.83	NT
Wayne	PhC2	40	462.93	18517.10	42	0.7729					18517.10	T
Wayne	RaC	32	73.08	2338.42	42	0.7729	21	11	2.50	23.50	1717.14	NT
Wayne	RaC	32	127.09	4066.88	42	0.7729					4066.88	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	RaC2	28	334.69	9371.38	42	0.7729	21	7	1.59	22.59	7560.59	NT
Wayne	RaC2	28	459.86	12875.99	42	0.7729					12875.99	T
Wayne	SeB	60	1115.70	66942.02	42	0.7729	21	39	8.86	29.86	33311.35	NT
Wayne	SeB	60	22279.32	1336759.23	42	0.7729					1336759.23	T
Wayne	SfC	40	1370.94	54837.43	42	0.7729	21	19	4.31	25.31	34705.10	NT
Wayne	SfC	40	18731.99	749279.76	42	0.7729					749279.76	T
Wayne	SfC2	35	614.44	21505.31	42	0.7729	21	14	3.18	24.18	14856.73	NT
Wayne	SfC2	35	9457.86	331024.99	42	0.7729					331024.99	T
Wayne	ShD	50	190.95	9547.63	42	0.7729	21	29	6.59	27.59	5267.60	NT
Wayne	ShD	50	544.08	27203.93	42	0.7729					27203.93	T
Wayne	ShD2	48	4095.92	196604.19	42	0.7729	21	27	6.13	27.13	111129.29	NT
Wayne	ShD2	48	14144.65	678943.21	42	0.7729					678943.21	T
Wayne	ShE	40	587.19	23487.44	42	0.7729	21	19	4.31	25.31	14864.56	NT
Wayne	ShE	40	764.14	30565.58	42	0.7729					30565.58	T
Wayne	ShE2	38	4542.07	172598.60	42	0.7729	21	17	3.86	24.86	112919.00	NT
Wayne	ShE2	38	10222.76	388464.92	42	0.7729					388464.92	T
Wayne	ShF2	18	456.80	8222.42	42	0.7729	18	0	0.00	18.00	8222.42	NT
Wayne	ShF2	18	354.19	6375.42	42	0.7729					6375.42	T
Wayne	SoD3	45	1196.75	53853.55	42	0.7729	21	24	5.45	26.45	31654.40	NT
Wayne	SoD3	45	4772.58	214766.19	42	0.7729					214766.19	T
Wayne	SoE3	35	1283.33	44916.56	42	0.7729	21	14	3.18	24.18	31030.16	NT
Wayne	SoE3	35	2508.39	87793.82	42	0.7729					87793.82	T
Wayne	Ve	70	2319.06	162334.15	42	0.7729	21	49	11.13	32.13	74506.50	NT
Wayne	Ve	70	1758.03	123062.36	42	0.7729					123062.36	T
Wayne	VeB	65	342.24	22245.88	42	0.7729	21	44	9.99	30.99	10606.97	NT
Wayne	VeB	65	546.50	35522.59	42	0.7729					35522.59	T
Wayne	W	0	882.10	0.00	42	0.7729	0	0	0.00	0.00	0.00	NT
Wayne	W	0	117.39	0.00	42	0.7729					0.00	T
Wayne	Wa	45	45.14	2031.37	42	0.7729	21	24	5.45	26.45	1194.01	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wayne	Wa	45	165.79	7460.68	42	0.7729					7460.68	T
Wayne	Zo	70	257.63	18034.23	42	0.7729	21	49	11.13	32.13	8277.17	NT
Wayne	Zo	70	364.87	25541.24	42	0.7729					25541.24	T
											0.00	
											0.00	
Webster	1007	73	133.85	9770.72	77	0.8255	38	34	5.93	43.93	5880.23	NT
Webster	1007	73	226.58	16540.46	77	0.8255					16540.46	T
Webster	1055B	77	124.68	9600.23	77	0.8255	38	38	6.63	44.63	5564.52	NT
Webster	1055B	77	119.52	9203.17	77	0.8255					9203.17	T
Webster	107	70	1877.75	131442.80	77	0.8255	38	32	5.58	43.58	81840.04	NT
Webster	107	70	79694.87	5578641.07	77	0.8255					5578641.07	T
Webster	108	52	228.55	11884.59	77	0.8255	38	14	2.44	40.44	9243.24	NT
Webster	108	52	1511.47	78596.61	77	0.8255					78596.61	T
Webster	108B	47	273.60	12859.01	77	0.8255	38	8	1.40	39.40	10778.59	NT
Webster	108B	47	908.19	42684.80	77	0.8255					42684.80	T
Webster	108C	27	42.88	1157.70	77	0.8255	27	0	0.00	27.00	1157.70	NT
Webster	108C	27	70.94	1915.30	77	0.8255					1915.30	T
Webster	1138B	80	166.24	13299.15	77	0.8255	38	42	7.33	45.33	7535.47	NT
Webster	1138B	80	2941.75	235340.31	77	0.8255					235340.31	T
Webster	1236B	77	1048.82	80759.35	77	0.8255	38	38	6.63	44.63	46810.00	NT
Webster	1236B	77	1647.77	126877.94	77	0.8255					126877.94	T
Webster	1236C	62	220.68	13682.19	77	0.8255	38	24	4.19	42.19	9310.07	NT
Webster	1236C	62	237.09	14699.87	77	0.8255					14699.87	T
Webster	1259	52	6.55	340.81	77	0.8255	38	14	2.44	40.44	265.06	NT
Webster	1259	52	121.45	6315.59	77	0.8255					6315.59	T
Webster	135	78	1531.15	119429.97	77	0.8255	38	40	6.98	44.98	68871.28	NT
Webster	135	78	3068.67	239356.53	77	0.8255					239356.53	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Webster	136	70	42.94	3005.79	77	0.8255	38	32	5.58	43.58	1871.49	NT
Webster	136	70	144.32	10102.64	77	0.8255					10102.64	T
Webster	138B	73	2295.93	167602.82	77	0.8255	38	34	5.93	43.93	100867.05	NT
Webster	138B	73	40866.18	2983231.17	77	0.8255					2983231.17	T
Webster	138C	67	7.65	512.33	77	0.8255					512.33	T
Webster	138C2	59	626.53	36965.00	77	0.8255	38	20	3.49	41.49	25994.54	NT
Webster	138C2	59	7376.61	435219.84	77	0.8255					435219.84	T
Webster	1507	75	90.66	6799.75	77	0.8255	38	36	6.28	44.28	4014.76	NT
Webster	1507	75	10515.69	788676.65	77	0.8255					788676.65	T
Webster	1536	25	2.67	66.68	77	0.8255	25	0	0.00	25.00	66.68	NT
Webster	1536	25	0.63	15.66	77	0.8255					15.66	T
Webster	1555	86	457.68	39360.37	77	0.8255	38	48	8.38	46.38	21225.31	NT
Webster	1555	86	10229.27	879717.05	77	0.8255					879717.05	T
Webster	1636	25	0.13	3.14	77	0.8255	25	0	0.00	25.00	3.14	NT
Webster	168B	74	0.50	36.95	77	0.8255	38	36	6.28	44.28	22.11	NT
Webster	168B	74	0.03	2.11	77	0.8255					2.11	T
Webster	168C	58	0.15	8.89	77	0.8255	38	20	3.49	41.49	6.36	NT
Webster	168C	58	0.15	8.64	77	0.8255					8.64	T
Webster	168C2	56	0.04	2.48	77	0.8255					2.48	T
Webster	1836B	68	200.34	13623.03	77	0.8255	38	30	5.24	43.24	8661.65	NT
Webster	1836B	68	451.90	30729.25	77	0.8255					30729.25	T
Webster	201B	51	372.91	19018.52	77	0.8255	38	12	2.09	40.09	14951.54	NT
Webster	201B	51	415.41	21185.74	77	0.8255					21185.74	T
Webster	203	71	87.64	6222.51	77	0.8255	38	32	5.58	43.58	3819.74	NT
Webster	203	71	1042.27	74001.31	77	0.8255					74001.31	T
Webster	227	62	23.01	1426.63	77	0.8255	38	24	4.19	42.19	970.76	NT
Webster	227	62	448.07	27780.17	77	0.8255					27780.17	T
Webster	227B	57	77.14	4397.11	77	0.8255	38	18	3.14	41.14	3173.71	NT
Webster	227B	57	624.24	35581.61	77	0.8255					35581.61	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Webster	228	82	29.91	2452.57	77	0.8255	38	44	7.68	45.68	1366.20	NT
Webster	228	82	841.12	68971.95	77	0.8255					68971.95	T
Webster	236B	79	0.08	6.33	77	0.8255	38	40	6.98	44.98	3.61	NT
Webster	236D	47	72.27	3396.48	77	0.8255	38	8	1.40	39.40	2846.97	NT
Webster	236D	47	47.84	2248.54	77	0.8255					2248.54	T
Webster	236E	43	149.12	6412.27	77	0.8255	38	4	0.70	38.70	5770.75	NT
Webster	236E	43	17.25	741.89	77	0.8255					741.89	T
Webster	236F	19	339.54	6451.31	77	0.8255	19	0	0.00	19.00	6451.31	NT
Webster	236F	19	41.28	784.29	77	0.8255					784.29	T
Webster	259	41	85.72	3514.39	77	0.8255	38	2	0.35	38.35	3287.16	NT
Webster	259	41	489.41	20065.87	77	0.8255					20065.87	T
Webster	262G	11	12422.62	136648.84	77	0.8255	11	0	0.00	11.00	136648.84	NT
Webster	262G	11	592.27	6514.93	77	0.8255					6514.93	T
Webster	2700C	62	194.62	12066.71	77	0.8255	38	24	4.19	42.19	8210.81	NT
Webster	2700C	62	159.20	9870.40	77	0.8255					9870.40	T
Webster	2700D	52	80.12	4166.35	77	0.8255	38	14	2.44	40.44	3240.38	NT
Webster	2700D	52	74.39	3868.20	77	0.8255					3868.20	T
Webster	274	39	2.02	78.96	77	0.8255	38	0	0.00	38.00	76.94	NT
Webster	274	39	262.87	10252.12	77	0.8255					10252.12	T
Webster	278	72	38.41	2765.45	77	0.8255	38	34	5.93	43.93	1687.43	NT
Webster	278	72	834.11	60055.56	77	0.8255					60055.56	T
Webster	27B	82	383.42	31440.41	77	0.8255	38	44	7.68	45.68	17513.84	NT
Webster	27B	82	930.85	76329.66	77	0.8255					76329.66	T
Webster	27C	61	0.05	3.34	77	0.8255	38	22	3.84	41.84	2.29	NT
Webster	307	61	69.61	4246.16	77	0.8255	38	22	3.84	41.84	2912.38	NT
Webster	307	61	104.80	6392.64	77	0.8255					6392.64	T
Webster	308B	36	0.05	1.67	77	0.8255					1.67	T
Webster	315B	5	937.85	4689.25	77	0.8255	5	0	0.00	5.00	4689.25	NT
Webster	315B	5	45.42	227.12	77	0.8255					227.12	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Webster	323B	72	61.80	4449.77	77	0.8255	38	34	5.93	43.93	2715.16	NT
Webster	323B	72	350.49	25235.60	77	0.8255					25235.60	T
Webster	325	87	702.41	61109.64	77	0.8255	38	48	8.38	46.38	32574.95	NT
Webster	325	87	1733.35	150801.73	77	0.8255					150801.73	T
Webster	338	78	4.44	346.57	77	0.8255	38	40	6.98	44.98	199.86	NT
Webster	338	78	214.58	16737.24	77	0.8255					16737.24	T
Webster	34	15	8.70	130.44	77	0.8255	15	0	0.00	15.00	130.44	NT
Webster	34	15	71.46	1071.87	77	0.8255					1071.87	T
Webster	342	47	18.50	869.49	77	0.8255					869.49	T
Webster	342B	42	77.08	3237.22	77	0.8255	38	4	0.70	38.70	2982.71	NT
Webster	342B	42	321.49	13502.44	77	0.8255					13502.44	T
Webster	344B	25	47.06	1176.55	77	0.8255	25	0	0.00	25.00	1176.55	NT
Webster	344B	25	76.01	1900.28	77	0.8255					1900.28	T
Webster	345	45	16.30	733.29	77	0.8255	38	6	1.05	39.05	636.28	NT
Webster	345	45	99.01	4455.33	77	0.8255					4455.33	T
Webster	34B	15	153.79	2306.92	77	0.8255	15	0	0.00	15.00	2306.92	NT
Webster	34B	15	397.41	5961.09	77	0.8255					5961.09	T
Webster	355	82	329.88	27050.21	77	0.8255	38	44	7.68	45.68	15068.29	NT
Webster	355	82	546.14	44783.63	77	0.8255					44783.63	T
Webster	356G	5	3.70	18.51	77	0.8255	5	0	0.00	5.00	18.51	NT
Webster	383	76	987.13	75021.59	77	0.8255	38	38	6.63	44.63	44056.43	NT
Webster	383	76	47403.89	3602695.75	77	0.8255					3602695.75	T
Webster	385	82	352.37	28894.58	77	0.8255	38	44	7.68	45.68	16095.69	NT
Webster	385	82	7382.95	605401.93	77	0.8255					605401.93	T
Webster	385B	83	9.59	796.10	77	0.8255					796.10	T
Webster	386	81	125.66	10178.86	77	0.8255	38	42	7.33	45.33	5696.27	NT
Webster	386	81	1006.02	81487.94	77	0.8255					81487.94	T
Webster	387B	73	25.70	1876.34	77	0.8255	38	34	5.93	43.93	1129.22	NT
Webster	387B	73	641.39	46821.23	77	0.8255					46821.23	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Webster	4000	0	111.49	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	4000	0	1.45	0.00	77	0.8255					0.00	T
Webster	4055	0	16.29	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	4055	0	2.88	0.00	77	0.8255					0.00	T
Webster	4107	0	11.22	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	4107	0	8.60	0.00	77	0.8255					0.00	T
Webster	4138B	0	34.02	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	4138B	0	2.47	0.00	77	0.8255					0.00	T
Webster	413G	5	1388.11	6940.55	77	0.8255	5	0	0.00	5.00	6940.55	NT
Webster	413G	5	72.60	363.00	77	0.8255					363.00	T
Webster	4235B	0	0.00	0.00	77	0.8255					0.00	T
Webster	4325	0	0.01	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	4325	0	0.04	0.00	77	0.8255					0.00	T
Webster	4507	0	3.13	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	4507	0	1.90	0.00	77	0.8255					0.00	T
Webster	4551D	0	0.01	0.00	77	0.8255					0.00	T
Webster	457	82	311.12	25511.63	77	0.8255	38	44	7.68	45.68	14211.22	NT
Webster	457	82	300.34	24628.17	77	0.8255					24628.17	T
Webster	485	92	293.24	26977.87	77	0.8255	38	54	9.42	47.42	13906.21	NT
Webster	485	92	806.94	74238.37	77	0.8255					74238.37	T
Webster	485B	82	344.55	28252.93	77	0.8255	38	44	7.68	45.68	15738.26	NT
Webster	485B	82	593.95	48703.64	77	0.8255					48703.64	T
Webster	4946B	0	5.89	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	4946B	0	30.57	0.00	77	0.8255					0.00	T
Webster	5010	0	608.39	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	5010	0	157.38	0.00	77	0.8255					0.00	T
Webster	5030	0	129.13	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	5030	0	1.21	0.00	77	0.8255					0.00	T
Webster	5035	0	2189.10	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Webster	5035	0	52.44	0.00	77	0.8255					0.00	T
Webster	5040	5	529.82	2649.08	77	0.8255	5	0	0.00	5.00	2649.08	NT
Webster	5040	5	590.61	2953.07	77	0.8255					2953.07	T
Webster	5049	0	10.77	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	5049	0	6.84	0.00	77	0.8255					0.00	T
Webster	506	69	127.07	8767.58	77	0.8255	38	30	5.24	43.24	5493.72	NT
Webster	506	69	3605.72	248794.81	77	0.8255					248794.81	T
Webster	5060	0	197.79	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	5060	0	0.63	0.00	77	0.8255					0.00	T
Webster	507	71	800.72	56851.24	77	0.8255	38	32	5.58	43.58	34898.66	NT
Webster	507	71	47210.22	3351925.29	77	0.8255					3351925.29	T
Webster	5080	0	12.11	0.00	77	0.8255					0.00	T
Webster	511	57	1.93	110.18	77	0.8255	38	18	3.14	41.14	79.52	NT
Webster	511	57	171.72	9788.24	77	0.8255					9788.24	T
Webster	526	62	13.68	847.89	77	0.8255	38	24	4.19	42.19	576.95	NT
Webster	526	62	288.16	17865.92	77	0.8255					17865.92	T
Webster	536	70	323.11	22617.43	77	0.8255	38	32	5.58	43.58	14082.26	NT
Webster	536	70	519.80	36385.87	77	0.8255					36385.87	T
Webster	541C	12	67.46	809.46	77	0.8255	12	0	0.00	12.00	809.46	NT
Webster	541C	12	150.38	1804.60	77	0.8255					1804.60	T
Webster	5457	25	74.42	1860.47	77	0.8255	25	0	0.00	25.00	1860.47	NT
Webster	5457	25	92.22	2305.59	77	0.8255					2305.59	T
Webster	55	73	1957.77	142917.12	77	0.8255	38	34	5.93	43.93	86010.65	NT
Webster	55	73	50367.72	3676843.56	77	0.8255					3676843.56	T
Webster	5507	61	30.73	1874.29	77	0.8255	38	22	3.84	41.84	1285.55	NT
Webster	5507	61	3605.51	219936.13	77	0.8255					219936.13	T
Webster	551B	60	18.93	1135.82	77	0.8255	38	22	3.84	41.84	792.03	NT
Webster	551B	60	48.27	2896.50	77	0.8255					2896.50	T
Webster	551D	35	57.56	2014.65	77	0.8255	35	0	0.00	35.00	2014.65	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Webster	551D	35	11.42	399.58	77	0.8255					399.58	T
Webster	559	40	15.49	619.66	77	0.8255	38	2	0.35	38.35	594.09	NT
Webster	559	40	928.60	37143.99	77	0.8255					37143.99	T
Webster	561	62	48.12	2983.35	77	0.8255	38	24	4.19	42.19	2030.02	NT
Webster	561	62	1095.52	67922.18	77	0.8255					67922.18	T
Webster	566B	81	0.08	6.13	77	0.8255					6.13	T
Webster	566C	65	307.19	19967.27	77	0.8255	38	26	4.54	42.54	13066.89	NT
Webster	566C	65	198.10	12876.43	77	0.8255					12876.43	T
Webster	566D	55	0.03	1.69	77	0.8255	38	16	2.79	40.79	1.25	NT
Webster	566D	55	0.03	1.48	77	0.8255					1.48	T
Webster	568D	52	293.53	15263.35	77	0.8255	38	14	2.44	40.44	11871.07	NT
Webster	568D	52	120.63	6272.75	77	0.8255					6272.75	T
Webster	568E	42	89.57	3762.04	77	0.8255	38	4	0.70	38.70	3466.27	NT
Webster	568E	42	20.16	846.67	77	0.8255					846.67	T
Webster	583	69	200.37	13825.19	77	0.8255	38	30	5.24	43.24	8662.78	NT
Webster	583	69	679.89	46912.28	77	0.8255					46912.28	T
Webster	6	43	278.25	11964.87	77	0.8255	38	4	0.70	38.70	10767.83	NT
Webster	6	43	19819.06	852219.38	77	0.8255					852219.38	T
Webster	606	54	3.94	212.85	77	0.8255	38	16	2.79	40.79	160.79	NT
Webster	606	54	649.50	35073.04	77	0.8255					35073.04	T
Webster	625	70	445.46	31182.20	77	0.8255	38	32	5.58	43.58	19414.93	NT
Webster	625	70	690.22	48315.16	77	0.8255					48315.16	T
Webster	62D2	38	0.09	3.25	77	0.8255					3.25	T
Webster	62E	30	0.10	3.08	77	0.8255	30	0	0.00	30.00	3.08	NT
Webster	62F	7	536.71	3756.95	77	0.8255	7	0	0.00	7.00	3756.95	NT
Webster	62F	7	102.32	716.26	77	0.8255					716.26	T
Webster	62G	5	0.04	0.18	77	0.8255	5	0	0.00	5.00	0.18	NT
Webster	636	53	109.62	5809.86	77	0.8255	38	14	2.44	40.44	4433.36	NT
Webster	636	53	161.69	8569.63	77	0.8255					8569.63	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Webster	636B	47	44.51	2091.97	77	0.8255	38	8	1.40	39.40	1753.51	NT
Webster	636B	47	76.05	3574.40	77	0.8255					3574.40	T
Webster	638C2	52	94.28	4902.33	77	0.8255	38	14	2.44	40.44	3812.79	NT
Webster	638C2	52	849.86	44192.87	77	0.8255					44192.87	T
Webster	650	51	15.03	766.29	77	0.8255	38	12	2.09	40.09	602.42	NT
Webster	650	51	164.03	8365.35	77	0.8255					8365.35	T
Webster	715	5	2473.78	12368.90	77	0.8255	5	0	0.00	5.00	12368.90	NT
Webster	715	5	245.27	1226.34	77	0.8255					1226.34	T
Webster	735	57	69.48	3960.39	77	0.8255	38	18	3.14	41.14	2858.50	NT
Webster	735	57	431.08	24571.29	77	0.8255					24571.29	T
Webster	740D	7	94.71	662.97	77	0.8255	7	0	0.00	7.00	662.97	NT
Webster	740D	7	73.22	512.52	77	0.8255					512.52	T
Webster	775B	52	77.83	4047.03	77	0.8255	38	14	2.44	40.44	3147.57	NT
Webster	775B	52	118.57	6165.79	77	0.8255					6165.79	T
Webster	775C	37	77.58	2870.51	77	0.8255	37	0	0.00	37.00	2870.51	NT
Webster	775C	37	89.11	3296.98	77	0.8255					3296.98	T
Webster	777B	53	118.17	6263.17	77	0.8255	38	14	2.44	40.44	4779.27	NT
Webster	777B	53	185.35	9823.69	77	0.8255					9823.69	T
Webster	835D2	35	271.36	9497.60	77	0.8255	35	0	0.00	35.00	9497.60	NT
Webster	835D2	35	1178.55	41249.42	77	0.8255					41249.42	T
Webster	835E2	36	228.50	8225.93	77	0.8255	36	0	0.00	36.00	8225.93	NT
Webster	835E2	36	186.71	6721.50	77	0.8255					6721.50	T
Webster	836B	67	611.02	40938.27	77	0.8255	38	28	4.89	42.89	26204.16	NT
Webster	836B	67	565.70	37901.63	77	0.8255					37901.63	T
Webster	854D	5	42.34	211.72	77	0.8255	5	0	0.00	5.00	211.72	NT
Webster	854D	5	20.99	104.93	77	0.8255					104.93	T
Webster	855	77	512.69	39476.81	77	0.8255	38	38	6.63	44.63	22881.68	NT
Webster	855	77	1346.50	103680.30	77	0.8255					103680.30	T
Webster	879	73	0.03	2.43	77	0.8255					2.43	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Webster	90	42	63.45	2664.89	77	0.8255	38	4	0.70	38.70	2455.38	NT
Webster	90	42	1863.11	78250.78	77	0.8255					78250.78	T
Webster	95	57	99.35	5662.84	77	0.8255	38	18	3.14	41.14	4087.28	NT
Webster	95	57	9643.63	549686.68	77	0.8255					549686.68	T
Webster	956	57	39.17	2232.83	77	0.8255	38	18	3.14	41.14	1611.60	NT
Webster	956	57	1501.77	85600.68	77	0.8255					85600.68	T
Webster	AW	0	7.69	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	AW	0	12.92	0.00	77	0.8255					0.00	T
Webster	SL	0	81.30	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	SL	0	2.00	0.00	77	0.8255					0.00	T
Webster	W	0	1541.02	0.00	77	0.8255	0	0	0.00	0.00	0.00	NT
Webster	W	0	12.96	0.00	77	0.8255					0.00	T
											0.00	
											0.00	
Winnebago	107	70	820.25	57417.48	69	0.739	34	36	9.40	43.40	35595.56	NT
Winnebago	107	70	19215.10	1345057.17	69	0.739					1345057.17	T
Winnebago	1133	25	817.25	20431.19	69	0.739	25	0	0.00	25.00	20431.19	NT
Winnebago	1133	25	261.36	6534.09	69	0.739					6534.09	T
Winnebago	1152	68	1.42	96.62	69	0.739	34	34	8.87	42.87	60.92	NT
Winnebago	1152	68	1.98	134.39	69	0.739					134.39	T
Winnebago	135	78	724.93	56544.57	69	0.739	34	44	11.48	45.48	32972.73	NT
Winnebago	135	78	1856.12	144777.60	69	0.739					144777.60	T
Winnebago	135B	73	71.23	5199.48	69	0.739	34	38	9.92	43.92	3128.09	NT
Winnebago	135B	73	756.22	55203.94	69	0.739					55203.94	T
Winnebago	138B	73	1242.19	90679.96	69	0.739	34	38	9.92	43.92	54554.55	NT
Winnebago	138B	73	19704.64	1438438.44	69	0.739					1438438.44	T
Winnebago	138C	67	35.17	2356.36	69	0.739	34	32	8.35	42.35	1489.50	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winnebago	138C	67	180.75	12110.56	69	0.739					12110.56	T
Winnebago	138C2	59	530.33	31289.25	69	0.739	34	24	6.26	40.26	21353.05	NT
Winnebago	138C2	59	13645.11	805061.21	69	0.739					805061.21	T
Winnebago	138D2	56	69.36	3883.93	69	0.739	34	22	5.74	39.74	2756.34	NT
Winnebago	138D2	56	1213.89	67977.64	69	0.739					67977.64	T
Winnebago	150	56	73.41	4110.76	69	0.739	34	22	5.74	39.74	2917.32	NT
Winnebago	150	56	601.59	33688.89	69	0.739					33688.89	T
Winnebago	168B	74	57.95	4288.58	69	0.739	34	40	10.44	44.44	2575.47	NT
Winnebago	168B	74	583.87	43206.28	69	0.739					43206.28	T
Winnebago	168C	58	52.57	3048.93	69	0.739	34	24	6.26	40.26	2116.59	NT
Winnebago	168C	58	336.16	19497.31	69	0.739					19497.31	T
Winnebago	168D2	47	46.10	2166.74	69	0.739	34	12	3.13	37.13	1711.82	NT
Winnebago	168D2	47	284.89	13389.93	69	0.739					13389.93	T
Winnebago	168E	38	40.09	1523.35	69	0.739	34	4	1.04	35.04	1404.85	NT
Winnebago	168E	38	78.37	2978.10	69	0.739					2978.10	T
Winnebago	175B	56	48.12	2694.61	69	0.739	34	22	5.74	39.74	1912.31	NT
Winnebago	175B	56	684.41	38326.95	69	0.739					38326.95	T
Winnebago	221	25	264.67	6616.68	69	0.739	25	0	0.00	25.00	6616.68	NT
Winnebago	221	25	4550.07	113751.71	69	0.739					113751.71	T
Winnebago	224	52	78.14	4063.25	69	0.739	34	18	4.70	38.70	3023.84	NT
Winnebago	224	52	1231.72	64049.55	69	0.739					64049.55	T
Winnebago	236B	79	463.10	36584.66	69	0.739	34	44	11.48	45.48	21063.50	NT
Winnebago	236B	79	3173.01	250668.06	69	0.739					250668.06	T
Winnebago	236C2	62	417.89	25909.02	69	0.739	34	28	7.31	41.31	17262.09	NT
Winnebago	236C2	62	2793.90	173221.83	69	0.739					173221.83	T
Winnebago	236D2	48	285.12	13685.81	69	0.739	34	14	3.65	37.65	10735.95	NT
Winnebago	236D2	48	1562.01	74976.32	69	0.739					74976.32	T
Winnebago	236E2	38	149.50	5681.13	69	0.739	34	4	1.04	35.04	5239.20	NT
Winnebago	236E2	38	530.30	20151.38	69	0.739					20151.38	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winnebago	236F	19	97.37	1850.04	69	0.739	19	0	0.00	19.00	1850.04	NT
Winnebago	236F	19	146.00	2773.97	69	0.739					2773.97	T
Winnebago	274	39	1.55	60.43	69	0.739					60.43	T
Winnebago	28	38	0.01	0.26	69	0.739					0.26	T
Winnebago	2811	5	660.79	3303.97	69	0.739	5	0	0.00	5.00	3303.97	NT
Winnebago	2811	5	159.01	795.05	69	0.739					795.05	T
Winnebago	28B	14	30.26	423.62	69	0.739	14	0	0.00	14.00	423.62	NT
Winnebago	28B	14	592.09	8289.31	69	0.739					8289.31	T
Winnebago	307	61	43.51	2654.09	69	0.739	34	26	6.79	40.79	1774.59	NT
Winnebago	307	61	679.45	41446.68	69	0.739					41446.68	T
Winnebago	321	35	190.77	6676.85	69	0.739	34	0	0.00	34.00	6486.08	NT
Winnebago	321	35	594.43	20804.93	69	0.739					20804.93	T
Winnebago	325	87	245.90	21393.23	69	0.739	34	52	13.57	47.57	11697.92	NT
Winnebago	325	87	2314.13	201329.40	69	0.739					201329.40	T
Winnebago	329	83	1.01	83.64	69	0.739					83.64	T
Winnebago	335	59	0.03	1.60	69	0.739					1.60	T
Winnebago	348	70	0.34	23.75	69	0.739					23.75	T
Winnebago	349	71	14.75	1047.30	69	0.739	34	36	9.40	43.40	640.12	NT
Winnebago	349	71	358.74	25470.49	69	0.739					25470.49	T
Winnebago	384	67	30.97	2075.18	69	0.739	34	32	8.35	42.35	1311.76	NT
Winnebago	384	67	857.55	57455.62	69	0.739					57455.62	T
Winnebago	384B	66	13.27	875.99	69	0.739	34	32	8.35	42.35	562.12	NT
Winnebago	384B	66	503.02	33199.37	69	0.739					33199.37	T
Winnebago	386	81	126.54	10249.42	69	0.739	34	46	12.01	46.01	5821.42	NT
Winnebago	386	81	1412.74	114431.64	69	0.739					114431.64	T
Winnebago	390	59	265.87	15686.08	69	0.739	34	24	6.26	40.26	10704.82	NT
Winnebago	390	59	3516.78	207489.84	69	0.739					207489.84	T
Winnebago	485B	82	273.46	22424.07	69	0.739	34	48	12.53	46.53	12723.74	NT
Winnebago	485B	82	3671.24	301041.79	69	0.739					301041.79	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winnebago	5010	0	99.93	0.00	69	0.739	0	0	0.00	0.00	0.00	NT
Winnebago	5010	0	32.10	0.00	69	0.739					0.00	T
Winnebago	5040	5	49.94	249.72	69	0.739	5	0	0.00	5.00	249.72	NT
Winnebago	5040	5	187.91	939.53	69	0.739					939.53	T
Winnebago	507	71	1553.37	110289.48	69	0.739	34	36	9.40	43.40	67410.17	NT
Winnebago	507	71	39182.22	2781937.96	69	0.739					2781937.96	T
Winnebago	511	57	75.98	4330.82	69	0.739	34	22	5.74	39.74	3019.57	NT
Winnebago	511	57	734.78	41882.24	69	0.739					41882.24	T
Winnebago	55	73	1161.48	84788.07	69	0.739	34	38	9.92	43.92	51009.90	NT
Winnebago	55	73	23719.55	1731527.40	69	0.739					1731527.40	T
Winnebago	559	40	0.01	0.59	69	0.739					0.59	T
Winnebago	583	69	143.40	9894.81	69	0.739	34	34	8.87	42.87	6148.26	NT
Winnebago	583	69	1399.51	96566.46	69	0.739					96566.46	T
Winnebago	585B	70	97.16	6801.47	69	0.739	34	36	9.40	43.40	4216.52	NT
Winnebago	585B	70	244.72	17130.67	69	0.739					17130.67	T
Winnebago	6	43	389.97	16768.55	69	0.739	34	8	2.09	36.09	14073.10	NT
Winnebago	6	43	12010.89	516468.38	69	0.739					516468.38	T
Winnebago	621	25	356.98	8924.54	69	0.739	25	0	0.00	25.00	8924.54	NT
Winnebago	621	25	3629.30	90732.38	69	0.739					90732.38	T
Winnebago	62C2	53	19.22	1018.49	69	0.739	34	18	4.70	38.70	743.65	NT
Winnebago	62C2	53	697.01	36941.55	69	0.739					36941.55	T
Winnebago	62D2	38	47.59	1808.32	69	0.739	34	4	1.04	35.04	1667.65	NT
Winnebago	62D2	38	961.26	36527.91	69	0.739					36527.91	T
Winnebago	62E2	28	78.67	2202.64	69	0.739	28	0	0.00	28.00	2202.64	NT
Winnebago	62E2	28	616.06	17249.67	69	0.739					17249.67	T
Winnebago	638B2	71	66.51	4722.51	69	0.739	34	36	9.40	43.40	2886.45	NT
Winnebago	638B2	71	2995.33	212668.28	69	0.739					212668.28	T
Winnebago	638C2	52	150.37	7819.43	69	0.739	34	18	4.70	38.70	5819.16	NT
Winnebago	638C2	52	5449.50	283374.23	69	0.739					283374.23	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winnebago	638D2	45	191.41	8613.35	69	0.739	34	10	2.61	36.61	7007.44	NT
Winnebago	638D2	45	4330.82	194886.89	69	0.739					194886.89	T
Winnebago	638E2	34	60.29	2049.99	69	0.739	34	0	0.00	34.00	2049.99	NT
Winnebago	638E2	34	628.87	21381.45	69	0.739					21381.45	T
Winnebago	655	71	52.16	3703.10	69	0.739	34	36	9.40	43.40	2263.38	NT
Winnebago	655	71	2283.29	162113.89	69	0.739					162113.89	T
Winnebago	658	64	142.39	9112.83	69	0.739	34	30	7.83	41.83	5956.09	NT
Winnebago	658	64	2697.90	172665.59	69	0.739					172665.59	T
Winnebago	73B	18	20.98	377.68	69	0.739	18	0	0.00	18.00	377.68	NT
Winnebago	73B	18	367.88	6621.89	69	0.739					6621.89	T
Winnebago	73E	5	37.68	188.41	69	0.739	5	0	0.00	5.00	188.41	NT
Winnebago	73E	5	231.57	1157.84	69	0.739					1157.84	T
Winnebago	777	58	21.36	1239.03	69	0.739	34	24	6.26	40.26	860.14	NT
Winnebago	777	58	193.71	11235.35	69	0.739					11235.35	T
Winnebago	777B	53	89.28	4731.86	69	0.739	34	18	4.70	38.70	3454.97	NT
Winnebago	777B	53	725.37	38444.73	69	0.739					38444.73	T
Winnebago	777C	34	104.93	3567.78	69	0.739	34	0	0.00	34.00	3567.78	NT
Winnebago	777C	34	453.93	15433.75	69	0.739					15433.75	T
Winnebago	787B	62	49.16	3047.79	69	0.739	34	28	7.31	41.31	2030.62	NT
Winnebago	787B	62	899.08	55742.83	69	0.739					55742.83	T
Winnebago	787C2	50	54.85	2742.65	69	0.739	34	16	4.18	38.18	2094.07	NT
Winnebago	787C2	50	965.96	48297.76	69	0.739					48297.76	T
Winnebago	787D2	40	22.84	913.42	69	0.739	34	6	1.57	35.57	812.17	NT
Winnebago	787D2	40	405.88	16235.35	69	0.739					16235.35	T
Winnebago	811	42	172.94	7263.40	69	0.739	34	8	2.09	36.09	6240.99	NT
Winnebago	811	42	2134.13	89633.28	69	0.739					89633.28	T
Winnebago	823	38	119.66	4547.10	69	0.739	34	4	1.04	35.04	4193.39	NT
Winnebago	823	38	1401.48	53256.30	69	0.739					53256.30	T
Winnebago	823B	35	114.08	3992.87	69	0.739	34	0	0.00	34.00	3878.78	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winnebago	823B	35	1416.67	49583.53	69	0.739					49583.53	T
Winnebago	836B	67	340.21	22794.11	69	0.739	34	32	8.35	42.35	14408.60	NT
Winnebago	836B	67	2321.49	155539.87	69	0.739					155539.87	T
Winnebago	836C2	41	448.04	18369.55	69	0.739	34	6	1.57	35.57	15934.91	NT
Winnebago	836C2	41	2765.36	113379.78	69	0.739					113379.78	T
Winnebago	836D2	27	338.54	9140.54	69	0.739	27	0	0.00	27.00	9140.54	NT
Winnebago	836D2	27	1767.57	47724.27	69	0.739					47724.27	T
Winnebago	836E2	16	148.54	2376.60	69	0.739	16	0	0.00	16.00	2376.60	NT
Winnebago	836E2	16	442.31	7077.04	69	0.739					7077.04	T
Winnebago	836F	5	182.60	913.02	69	0.739	5	0	0.00	5.00	913.02	NT
Winnebago	836F	5	126.54	632.70	69	0.739					632.70	T
Winnebago	855	77	184.29	14190.66	69	0.739	34	42	10.96	44.96	8286.24	NT
Winnebago	855	77	1581.16	121749.22	69	0.739					121749.22	T
Winnebago	879	73	0.00	0.00	69	0.739					0.00	T
Winnebago	90	42	292.54	12286.82	69	0.739	34	8	2.09	36.09	10557.30	NT
Winnebago	90	42	4546.54	190954.65	69	0.739					190954.65	T
Winnebago	95	57	236.59	13485.57	69	0.739	34	22	5.74	39.74	9402.52	NT
Winnebago	95	57	9715.19	553765.64	69	0.739					553765.64	T
Winnebago	AW	0	8.77	0.00	69	0.739	0	0	0.00	0.00	0.00	NT
Winnebago	AW	0	0.00	0.00	69	0.739					0.00	T
Winnebago	INT	0	13.17	0.00	69	0.739	0	0	0.00	0.00	0.00	NT
Winnebago	INT	0	1.12	0.00	69	0.739					0.00	T
Winnebago	SL	0	15.54	0.00	69	0.739	0	0	0.00	0.00	0.00	NT
Winnebago	W	0	306.35	0.00	69	0.739	0	0	0.00	0.00	0.00	NT
Winnebago	W	0	39.83	0.00	69	0.739					0.00	T
											0.00	
											0.00	

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	1026	90	25.93	2333.91	63	0.753	32	58	14.33	46.33	1201.34	NT
Winneshiek	1026	90	150.15	13513.86	63	0.753					13513.86	T
Winneshiek	1084	90	351.69	31651.75	63	0.753	32	58	14.33	46.33	16292.21	NT
Winneshiek	1084	90	491.31	44217.80	63	0.753					44217.80	T
Winneshiek	109B	25	63.98	1599.62	63	0.753	25	0	0.00	25.00	1599.62	NT
Winneshiek	109B	25	339.13	8478.35	63	0.753					8478.35	T
Winneshiek	109C	10	99.04	990.39	63	0.753	10	0	0.00	10.00	990.39	NT
Winneshiek	109C	10	352.55	3525.47	63	0.753					3525.47	T
Winneshiek	109D	5	85.73	428.63	63	0.753	5	0	0.00	5.00	428.63	NT
Winneshiek	109D	5	85.09	425.44	63	0.753					425.44	T
Winneshiek	1152	68	266.29	18107.43	63	0.753	32	36	8.89	40.89	10888.96	NT
Winneshiek	1152	68	1245.83	84716.67	63	0.753					84716.67	T
Winneshiek	135	78	1298.83	101309.12	63	0.753	32	46	11.36	43.36	56320.08	NT
Winneshiek	135	78	1139.18	88856.24	63	0.753					88856.24	T
Winneshiek	136B	65	79.15	5144.73	63	0.753	32	34	8.40	40.40	3197.49	NT
Winneshiek	136B	65	287.51	18688.12	63	0.753					18688.12	T
Winneshiek	142B	65	5.30	344.24	63	0.753	32	34	8.40	40.40	213.95	NT
Winneshiek	142B	65	0.04	2.63	63	0.753					2.63	T
Winneshiek	1489B	82	2938.90	240989.80	63	0.753	32	50	12.35	44.35	130340.21	NT
Winneshiek	1489B	82	6402.93	525040.59	63	0.753					525040.59	T
Winneshiek	1496	30	0.03	0.83	63	0.753					0.83	T
Winneshiek	1496B	25	0.12	3.03	63	0.753	25	0	0.00	25.00	3.03	NT
Winneshiek	158	85	0.12	10.53	63	0.753	32	54	13.34	45.34	5.62	NT
Winneshiek	158	85	0.28	23.93	63	0.753					23.93	T
Winneshiek	162B	90	1304.44	117399.74	63	0.753	32	58	14.33	46.33	60429.56	NT
Winneshiek	162B	90	15989.20	1439028.14	63	0.753					1439028.14	T
Winneshiek	162C	75	2912.87	218465.36	63	0.753	32	44	10.87	42.87	124868.97	NT
Winneshiek	162C	75	39216.95	2941271.04	63	0.753					2941271.04	T
Winneshiek	162C2	73	0.04	2.69	63	0.753	32	42	10.37	42.37	1.56	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	162C2	73	20.03	1462.14	63	0.753					1462.14	T
Winneshiek	162D	65	1887.21	122668.74	63	0.753	32	34	8.40	40.40	76239.57	NT
Winneshiek	162D	65	15179.55	986670.96	63	0.753					986670.96	T
Winneshiek	162D2	63	0.30	18.96	63	0.753	32	32	7.90	39.90	12.01	NT
Winneshiek	162D2	63	6.35	399.96	63	0.753					399.96	T
Winneshiek	162E2	53	815.99	43247.25	63	0.753	32	22	5.43	37.43	30545.61	NT
Winneshiek	162E2	53	2335.51	123782.19	63	0.753					123782.19	T
Winneshiek	163B	85	909.88	77339.69	63	0.753	32	54	13.34	45.34	41252.08	NT
Winneshiek	163B	85	8324.96	707621.95	63	0.753					707621.95	T
Winneshiek	163B2	83	0.09	7.46	63	0.753	32	52	12.84	44.84	4.03	NT
Winneshiek	163C	70	0.76	53.38	63	0.753	32	38	9.39	41.39	31.56	NT
Winneshiek	163C	70	0.25	17.75	63	0.753					17.75	T
Winneshiek	163C2	68	5002.72	340185.09	63	0.753	32	36	8.89	40.89	204571.31	NT
Winneshiek	163C2	68	35039.52	2382687.49	63	0.753					2382687.49	T
Winneshiek	163D	60	0.23	13.53	63	0.753	32	28	6.92	38.92	8.78	NT
Winneshiek	163D2	58	7888.94	457558.65	63	0.753	32	26	6.42	38.42	303108.94	NT
Winneshiek	163D2	58	32148.01	1864584.31	63	0.753					1864584.31	T
Winneshiek	163D3	55	0.15	8.41	63	0.753	32	24	5.93	37.93	5.80	NT
Winneshiek	163D3	55	0.38	20.85	63	0.753					20.85	T
Winneshiek	163E	50	0.03	1.67	63	0.753	32	18	4.45	36.45	1.22	NT
Winneshiek	163E	50	0.07	3.64	63	0.753					3.64	T
Winneshiek	163E2	48	5907.88	283578.48	63	0.753	32	16	3.95	35.95	212400.28	NT
Winneshiek	163E2	48	10529.41	505411.56	63	0.753					505411.56	T
Winneshiek	163E3	46	1.14	52.39	63	0.753	32	14	3.46	35.46	40.38	NT
Winneshiek	163E3	46	2.14	98.41	63	0.753					98.41	T
Winneshiek	163F	30	1738.18	52145.55	63	0.753	30	0	0.00	30.00	52145.55	NT
Winneshiek	163F	30	782.69	23480.56	63	0.753					23480.56	T
Winneshiek	163F2	28	0.10	2.85	63	0.753	28	0	0.00	28.00	2.85	NT
Winneshiek	163G	19	293.01	5567.27	63	0.753	19	0	0.00	19.00	5567.27	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	163G	19	87.15	1655.77	63	0.753					1655.77	T
Winneshiek	171B	82	0.08	6.66	63	0.753	32	50	12.35	44.35	3.60	NT
Winneshiek	171B	82	0.34	27.74	63	0.753					27.74	T
Winneshiek	171C	67	0.25	16.67	63	0.753	32	36	8.89	40.89	10.17	NT
Winneshiek	171C	67	0.11	7.24	63	0.753					7.24	T
Winneshiek	175B	56	227.51	12740.72	63	0.753	32	24	5.93	37.93	8629.11	NT
Winneshiek	175B	56	1729.41	96846.90	63	0.753					96846.90	T
Winneshiek	1763E2	45	95.78	4310.17	63	0.753	32	14	3.46	35.46	3396.22	NT
Winneshiek	1763E2	45	352.48	15861.45	63	0.753					15861.45	T
Winneshiek	1763F2	27	281.42	7598.32	63	0.753	27	0	0.00	27.00	7598.32	NT
Winneshiek	1763F2	27	542.30	14642.18	63	0.753					14642.18	T
Winneshiek	177C2	37	54.02	1998.71	63	0.753	32	6	1.48	33.48	1808.67	NT
Winneshiek	177C2	37	186.16	6887.76	63	0.753					6887.76	T
Winneshiek	178	79	744.63	58825.73	63	0.753	32	48	11.86	43.86	32656.47	NT
Winneshiek	178	79	3770.06	297834.49	63	0.753					297834.49	T
Winneshiek	178B	74	425.39	31478.74	63	0.753	32	42	10.37	42.37	18025.41	NT
Winneshiek	178B	74	2430.16	179831.51	63	0.753					179831.51	T
Winneshiek	1793G	5	0.75	3.74	63	0.753	5	0	0.00	5.00	3.74	NT
Winneshiek	183D2	13	0.06	0.76	63	0.753					0.76	T
Winneshiek	183E	5	0.43	2.17	63	0.753	5	0	0.00	5.00	2.17	NT
Winneshiek	183E	5	0.01	0.05	63	0.753					0.05	T
Winneshiek	183E2	5	0.21	1.07	63	0.753	5	0	0.00	5.00	1.07	NT
Winneshiek	183F	5	0.05	0.24	63	0.753	5	0	0.00	5.00	0.24	NT
Winneshiek	1936	25	2025.01	50625.27	63	0.753	25	0	0.00	25.00	50625.27	NT
Winneshiek	1936	25	141.82	3545.38	63	0.753					3545.38	T
Winneshiek	196	57	245.98	14020.63	63	0.753	32	26	6.42	38.42	9450.89	NT
Winneshiek	196	57	150.54	8580.57	63	0.753					8580.57	T
Winneshiek	196+	60	167.34	10040.14	63	0.753	32	28	6.92	38.92	6512.03	NT
Winneshiek	196+	60	86.94	5216.27	63	0.753					5216.27	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	196B	33	192.41	6349.49	63	0.753	32	2	0.49	32.49	6252.13	NT
Winneshiek	196B	33	66.02	2178.60	63	0.753					2178.60	T
Winneshiek	198B	80	615.59	49247.13	63	0.753	32	48	11.86	43.86	26997.28	NT
Winneshiek	198B	80	8896.89	711750.94	63	0.753					711750.94	T
Winneshiek	210G	5	4.32	21.60	63	0.753	5	0	0.00	5.00	21.60	NT
Winneshiek	210G	5	0.05	0.25	63	0.753					0.25	T
Winneshiek	221	25	143.31	3582.63	63	0.753	25	0	0.00	25.00	3582.63	NT
Winneshiek	221	25	434.16	10854.00	63	0.753					10854.00	T
Winneshiek	221+	25	112.60	2814.92	63	0.753	25	0	0.00	25.00	2814.92	NT
Winneshiek	221+	25	197.71	4942.76	63	0.753					4942.76	T
Winneshiek	235	82	106.72	8750.70	63	0.753	32	50	12.35	44.35	4732.85	NT
Winneshiek	235	82	379.13	31088.92	63	0.753					31088.92	T
Winneshiek	241B	35	66.10	2313.47	63	0.753	32	4	0.99	32.99	2180.48	NT
Winneshiek	241B	35	985.15	34480.34	63	0.753					34480.34	T
Winneshiek	241C	20	227.85	4557.05	63	0.753	20	0	0.00	20.00	4557.05	NT
Winneshiek	241C	20	1317.54	26350.80	63	0.753					26350.80	T
Winneshiek	241D	10	64.10	641.01	63	0.753	10	0	0.00	10.00	641.01	NT
Winneshiek	241D	10	247.67	2476.70	63	0.753					2476.70	T
Winneshiek	2486	86	270.39	23253.81	63	0.753	32	54	13.34	45.34	12259.08	NT
Winneshiek	2486	86	1100.39	94633.89	63	0.753					94633.89	T
Winneshiek	2551	58	66.67	3866.89	63	0.753	32	26	6.42	38.42	2561.62	NT
Winneshiek	2551	58	410.71	23821.13	63	0.753					23821.13	T
Winneshiek	2670	83	1.35	111.90	63	0.753	32	52	12.84	44.84	60.46	NT
Winneshiek	2670	83	0.13	10.71	63	0.753					10.71	T
Winneshiek	2671	88	4877.48	429218.49	63	0.753	32	56	13.83	45.83	223544.79	NT
Winneshiek	2671	88	4235.88	372757.65	63	0.753					372757.65	T
Winneshiek	27B	82	69.72	5717.04	63	0.753	32	50	12.35	44.35	3092.08	NT
Winneshiek	27B	82	347.68	28510.00	63	0.753					28510.00	T
Winneshiek	284B	45	0.07	3.02	63	0.753					3.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	284C2	25	0.01	0.22	63	0.753					0.22	T
Winneshiek	285B	25	54.07	1351.80	63	0.753	25	0	0.00	25.00	1351.80	NT
Winneshiek	285B	25	70.83	1770.63	63	0.753					1770.63	T
Winneshiek	285F	5	523.97	2619.84	63	0.753	5	0	0.00	5.00	2619.84	NT
Winneshiek	285F	5	123.19	615.96	63	0.753					615.96	T
Winneshiek	291B	85	21.55	1832.11	63	0.753	32	54	13.34	45.34	977.22	NT
Winneshiek	291B	85	486.56	41357.57	63	0.753					41357.57	T
Winneshiek	302B	74	170.93	12648.50	63	0.753	32	42	10.37	42.37	7242.81	NT
Winneshiek	302B	74	489.25	36204.78	63	0.753					36204.78	T
Winneshiek	302C	58	108.23	6277.22	63	0.753	32	26	6.42	38.42	4158.33	NT
Winneshiek	302C	58	248.63	14420.26	63	0.753					14420.26	T
Winneshiek	302C2	60	19.58	1174.83	63	0.753	32	28	6.92	38.92	762.00	NT
Winneshiek	302C2	60	171.82	10309.03	63	0.753					10309.03	T
Winneshiek	320	83	303.65	25202.86	63	0.753	32	52	12.84	44.84	13616.83	NT
Winneshiek	320	83	320.00	26560.38	63	0.753					26560.38	T
Winneshiek	391B	72	312.97	22534.14	63	0.753	32	40	9.88	41.88	13107.36	NT
Winneshiek	391B	72	2484.93	178914.71	63	0.753					178914.71	T
Winneshiek	394B	85	110.84	9421.17	63	0.753	32	54	13.34	45.34	5025.14	NT
Winneshiek	394B	85	2212.69	188078.33	63	0.753					188078.33	T
Winneshiek	394C	70	14.23	996.22	63	0.753	32	38	9.39	41.39	589.00	NT
Winneshiek	394C	70	254.94	17845.47	63	0.753					17845.47	T
Winneshiek	395B	87	34.80	3027.49	63	0.753	32	56	13.83	45.83	1594.90	NT
Winneshiek	395B	87	594.75	51743.17	63	0.753					51743.17	T
Winneshiek	407B	72	0.03	2.44	63	0.753	32	40	9.88	41.88	1.42	NT
Winneshiek	407B	72	0.21	15.12	63	0.753					15.12	T
Winneshiek	41	40	54.26	2170.43	63	0.753	32	8	1.98	33.98	1843.56	NT
Winneshiek	41	40	49.43	1977.04	63	0.753					1977.04	T
Winneshiek	412C	13	0.01	0.16	63	0.753	13	0	0.00	13.00	0.16	NT
Winneshiek	412C	13	0.02	0.25	63	0.753					0.25	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	412E	5	0.14	0.71	63	0.753	5	0	0.00	5.00	0.71	NT
Winneshiek	41B	40	20.20	808.05	63	0.753	32	8	1.98	33.98	686.36	NT
Winneshiek	41B	40	50.43	2017.38	63	0.753					2017.38	T
Winneshiek	41D	15	40.11	601.66	63	0.753	15	0	0.00	15.00	601.66	NT
Winneshiek	41D	15	55.66	834.87	63	0.753					834.87	T
Winneshiek	444	63	15.33	965.56	63	0.753	32	32	7.90	39.90	611.58	NT
Winneshiek	444	63	361.78	22792.28	63	0.753					22792.28	T
Winneshiek	444B	60	207.47	12448.48	63	0.753	32	28	6.92	38.92	8074.08	NT
Winneshiek	444B	60	2205.68	132340.67	63	0.753					132340.67	T
Winneshiek	444C	45	170.52	7673.57	63	0.753	32	14	3.46	35.46	6046.43	NT
Winneshiek	444C	45	473.03	21286.21	63	0.753					21286.21	T
Winneshiek	468B	62	11.43	708.76	63	0.753	32	30	7.41	39.41	450.52	NT
Winneshiek	468B	62	271.87	16856.12	63	0.753					16856.12	T
Winneshiek	471	86	27.50	2365.08	63	0.753	32	54	13.34	45.34	1246.84	NT
Winneshiek	471	86	321.16	27619.91	63	0.753					27619.91	T
Winneshiek	471B	79	83.91	6629.02	63	0.753	32	48	11.86	43.86	3680.03	NT
Winneshiek	471B	79	1352.95	106883.33	63	0.753					106883.33	T
Winneshiek	478G	5	19.23	96.14	63	0.753	5	0	0.00	5.00	96.14	NT
Winneshiek	478G	5	0.04	0.22	63	0.753					0.22	T
Winneshiek	480B	80	42.43	3394.15	63	0.753	32	48	11.86	43.86	1860.67	NT
Winneshiek	480B	80	304.70	24375.87	63	0.753					24375.87	T
Winneshiek	480C2	63	291.95	18392.69	63	0.753	32	32	7.90	39.90	11649.87	NT
Winneshiek	480C2	63	1914.29	120600.20	63	0.753					120600.20	T
Winneshiek	480D2	53	299.44	15870.33	63	0.753	32	22	5.43	37.43	11209.24	NT
Winneshiek	480D2	53	1941.96	102924.10	63	0.753					102924.10	T
Winneshiek	480E2	43	316.58	13612.89	63	0.753	32	12	2.96	34.96	11068.86	NT
Winneshiek	480E2	43	757.53	32573.72	63	0.753					32573.72	T
Winneshiek	480E3	37	17.71	655.29	63	0.753	32	6	1.48	33.48	592.99	NT
Winneshiek	480E3	37	103.41	3826.12	63	0.753					3826.12	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	480F2	29	302.94	8785.28	63	0.753	29	0	0.00	29.00	8785.28	NT
Winneshiek	480F2	29	135.04	3916.25	63	0.753					3916.25	T
Winneshiek	482B	78	794.49	61970.02	63	0.753	32	46	11.36	43.36	34450.56	NT
Winneshiek	482B	78	9107.40	710376.90	63	0.753					710376.90	T
Winneshiek	482C2	62	0.00	0.22	63	0.753					0.22	T
Winneshiek	484	90	122.82	11053.56	63	0.753	32	58	14.33	46.33	5689.64	NT
Winneshiek	484	90	387.40	34865.71	63	0.753					34865.71	T
Winneshiek	485	92	693.23	63777.48	63	0.753	32	60	14.82	46.82	32457.19	NT
Winneshiek	485	92	546.63	50289.56	63	0.753					50289.56	T
Winneshiek	487B	68	5181.41	352336.13	63	0.753	32	36	8.89	40.89	211878.37	NT
Winneshiek	487B	68	5312.42	361244.62	63	0.753					361244.62	T
Winneshiek	489	85	714.56	60737.60	63	0.753	32	54	13.34	45.34	32396.72	NT
Winneshiek	489	85	1655.87	140748.68	63	0.753					140748.68	T
Winneshiek	491D2	48	62.06	2978.74	63	0.753	32	16	3.95	35.95	2231.08	NT
Winneshiek	491D2	48	245.04	11761.93	63	0.753					11761.93	T
Winneshiek	491E2	38	169.77	6451.29	63	0.753	32	6	1.48	33.48	5684.26	NT
Winneshiek	491E2	38	328.53	12484.22	63	0.753					12484.22	T
Winneshiek	496B	25	0.02	0.60	63	0.753	25	0	0.00	25.00	0.60	NT
Winneshiek	499C	5	0.38	1.91	63	0.753	5	0	0.00	5.00	1.91	NT
Winneshiek	499D	5	772.90	3864.51	63	0.753	5	0	0.00	5.00	3864.51	NT
Winneshiek	499D	5	994.97	4974.86	63	0.753					4974.86	T
Winneshiek	499E	5	2.69	13.47	63	0.753	5	0	0.00	5.00	13.47	NT
Winneshiek	499E	5	1.39	6.93	63	0.753					6.93	T
Winneshiek	499F	5	5.64	28.19	63	0.753	5	0	0.00	5.00	28.19	NT
Winneshiek	499F	5	0.03	0.13	63	0.753					0.13	T
Winneshiek	499G	5	4783.02	23915.11	63	0.753	5	0	0.00	5.00	23915.11	NT
Winneshiek	499G	5	1054.68	5273.38	63	0.753					5273.38	T
Winneshiek	5010	0	44.95	0.00	63	0.753	0	0	0.00	0.00	0.00	NT
Winneshiek	5010	0	3.87	0.00	63	0.753					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	5030	0	325.47	0.00	63	0.753	0	0	0.00	0.00	0.00	NT
Winneshiek	5030	0	3.61	0.00	63	0.753					0.00	T
Winneshiek	5040	5	29.77	148.84	63	0.753	5	0	0.00	5.00	148.84	NT
Winneshiek	5040	5	3.48	17.40	63	0.753					17.40	T
Winneshiek	5080	0	66.71	0.00	63	0.753	0	0	0.00	0.00	0.00	NT
Winneshiek	512B	40	145.92	5836.86	63	0.753	32	8	1.98	33.98	4957.83	NT
Winneshiek	512B	40	1125.10	45004.08	63	0.753					45004.08	T
Winneshiek	512C	25	433.25	10831.25	63	0.753	25	0	0.00	25.00	10831.25	NT
Winneshiek	512C	25	2015.96	50399.07	63	0.753					50399.07	T
Winneshiek	512C2	20	414.83	8296.61	63	0.753	20	0	0.00	20.00	8296.61	NT
Winneshiek	512C2	20	3569.39	71387.89	63	0.753					71387.89	T
Winneshiek	512D	15	0.04	0.61	63	0.753	15	0	0.00	15.00	0.61	NT
Winneshiek	512D	15	0.01	0.12	63	0.753					0.12	T
Winneshiek	512D2	15	947.09	14206.29	63	0.753	15	0	0.00	15.00	14206.29	NT
Winneshiek	512D2	15	3959.90	59398.44	63	0.753					59398.44	T
Winneshiek	512E2	5	1198.70	5993.51	63	0.753	5	0	0.00	5.00	5993.51	NT
Winneshiek	512E2	5	1597.40	7986.99	63	0.753					7986.99	T
Winneshiek	551	58	0.09	5.42	63	0.753					5.42	T
Winneshiek	582B	78	593.02	46255.75	63	0.753	32	46	11.36	43.36	25714.64	NT
Winneshiek	582B	78	8532.66	665547.33	63	0.753					665547.33	T
Winneshiek	582C	64	331.83	21237.30	63	0.753	32	32	7.90	39.90	13241.46	NT
Winneshiek	582C	64	4506.90	288441.37	63	0.753					288441.37	T
Winneshiek	582C2	62	160.83	9971.47	63	0.753	32	30	7.41	39.41	6338.32	NT
Winneshiek	582C2	62	2238.30	138774.88	63	0.753					138774.88	T
Winneshiek	626	67	77.36	5183.38	63	0.753	32	36	8.89	40.89	3163.56	NT
Winneshiek	626	67	610.36	40893.94	63	0.753					40893.94	T
Winneshiek	63B	40	55.91	2236.24	63	0.753	32	8	1.98	33.98	1899.46	NT
Winneshiek	63B	40	64.35	2573.89	63	0.753					2573.89	T
Winneshiek	63D	11	101.15	1112.70	63	0.753	11	0	0.00	11.00	1112.70	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	63D	11	79.47	874.20	63	0.753					874.20	T
Winneshiek	703C2	36	0.39	13.96	63	0.753	32	4	0.99	32.99	12.79	NT
Winneshiek	703C2	36	2.58	92.87	63	0.753					92.87	T
Winneshiek	703D	26	0.53	13.89	63	0.753	26	0	0.00	26.00	13.89	NT
Winneshiek	703D	26	0.02	0.51	63	0.753					0.51	T
Winneshiek	703D2	21	5.95	125.05	63	0.753	21	0	0.00	21.00	125.05	NT
Winneshiek	703D2	21	0.76	16.06	63	0.753					16.06	T
Winneshiek	703E	11	3.33	36.67	63	0.753	11	0	0.00	11.00	36.67	NT
Winneshiek	703E2	6	3.52	21.14	63	0.753	6	0	0.00	6.00	21.14	NT
Winneshiek	703E2	6	1.81	10.86	63	0.753					10.86	T
Winneshiek	703F	5	0.21	1.04	63	0.753	5	0	0.00	5.00	1.04	NT
Winneshiek	703F	5	0.10	0.49	63	0.753					0.49	T
Winneshiek	714	58	0.00	0.10	63	0.753	32	26	6.42	38.42	0.06	NT
Winneshiek	714B	53	1.12	59.31	63	0.753	32	22	5.43	37.43	41.89	NT
Winneshiek	714B	53	0.13	6.83	63	0.753					6.83	T
Winneshiek	714C	33	0.18	6.03	63	0.753	32	2	0.49	32.49	5.94	NT
Winneshiek	714C	33	0.03	0.90	63	0.753					0.90	T
Winneshiek	721D	28	0.02	0.65	63	0.753	28	0	0.00	28.00	0.65	NT
Winneshiek	721D	28	0.87	24.33	63	0.753					24.33	T
Winneshiek	762B	90	245.47	22092.19	63	0.753	32	58	14.33	46.33	11371.59	NT
Winneshiek	762B	90	4401.74	396156.47	63	0.753					396156.47	T
Winneshiek	762C	75	117.74	8830.39	63	0.753	32	44	10.87	42.87	5047.22	NT
Winneshiek	762C	75	2163.72	162279.22	63	0.753					162279.22	T
Winneshiek	763E3	40	0.23	9.26	63	0.753	32	8	1.98	33.98	7.87	NT
Winneshiek	763E3	40	0.03	1.25	63	0.753					1.25	T
Winneshiek	775B	52	107.12	5570.49	63	0.753	32	20	4.94	36.94	3957.19	NT
Winneshiek	775B	52	477.91	24851.41	63	0.753					24851.41	T
Winneshiek	775C	37	70.08	2592.95	63	0.753	32	6	1.48	33.48	2346.41	NT
Winneshiek	775C	37	195.45	7231.57	63	0.753					7231.57	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	775D	26	41.47	1078.10	63	0.753	26	0	0.00	26.00	1078.10	NT
Winneshiek	775D	26	75.28	1957.39	63	0.753					1957.39	T
Winneshiek	777	58	0.51	29.52	63	0.753	32	26	6.42	38.42	19.55	NT
Winneshiek	777	58	0.67	38.85	63	0.753					38.85	T
Winneshiek	777B	53	0.41	21.86	63	0.753	32	22	5.43	37.43	15.44	NT
Winneshiek	777B	53	0.14	7.36	63	0.753					7.36	T
Winneshiek	782B	50	11.91	595.59	63	0.753	32	18	4.45	36.45	434.14	NT
Winneshiek	782B	50	184.08	9204.22	63	0.753					9204.22	T
Winneshiek	793	85	35.77	3040.11	63	0.753	32	54	13.34	45.34	1621.56	NT
Winneshiek	793	85	150.38	12782.05	63	0.753					12782.05	T
Winneshiek	793B	80	107.33	8586.32	63	0.753	32	48	11.86	43.86	4707.02	NT
Winneshiek	793B	80	272.31	21785.16	63	0.753					21785.16	T
Winneshiek	806B	56	160.82	9005.70	63	0.753	32	24	5.93	37.93	6099.43	NT
Winneshiek	806B	56	850.40	47622.17	63	0.753					47622.17	T
Winneshiek	806C2	23	232.28	5342.54	63	0.753	23	0	0.00	23.00	5342.54	NT
Winneshiek	806C2	23	570.12	13112.71	63	0.753					13112.71	T
Winneshiek	806D	13	129.85	1688.07	63	0.753	13	0	0.00	13.00	1688.07	NT
Winneshiek	806D	13	179.51	2333.68	63	0.753					2333.68	T
Winneshiek	813B	80	37.99	3039.01	63	0.753	32	48	11.86	43.86	1665.99	NT
Winneshiek	813B	80	449.19	35935.41	63	0.753					35935.41	T
Winneshiek	814	71	20.81	1477.47	63	0.753	32	40	9.88	41.88	871.50	NT
Winneshiek	814	71	562.53	39939.89	63	0.753					39939.89	T
Winneshiek	814B	58	242.04	14038.33	63	0.753	32	26	6.42	38.42	9299.67	NT
Winneshiek	814B	58	4084.95	236927.29	63	0.753					236927.29	T
Winneshiek	814C	43	217.74	9362.84	63	0.753	32	12	2.96	34.96	7613.08	NT
Winneshiek	814C	43	1243.98	53491.25	63	0.753					53491.25	T
Winneshiek	814D	26	103.19	2683.00	63	0.753	26	0	0.00	26.00	2683.00	NT
Winneshiek	814D	26	216.04	5617.07	63	0.753					5617.07	T
Winneshiek	837D	33	1.59	52.49	63	0.753	32	2	0.49	32.49	51.69	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	837D	33	0.98	32.44	63	0.753					32.44	T
Winneshiek	837D2	28	651.53	18242.79	63	0.753	28	0	0.00	28.00	18242.79	NT
Winneshiek	837D2	28	938.92	26289.64	63	0.753					26289.64	T
Winneshiek	837E	18	1.21	21.83	63	0.753	18	0	0.00	18.00	21.83	NT
Winneshiek	837E	18	0.04	0.73	63	0.753					0.73	T
Winneshiek	837E2	13	1352.43	17581.65	63	0.753	13	0	0.00	13.00	17581.65	NT
Winneshiek	837E2	13	900.22	11702.90	63	0.753					11702.90	T
Winneshiek	837F	5	0.06	0.29	63	0.753	5	0	0.00	5.00	0.29	NT
Winneshiek	838D	38	57.23	2174.91	63	0.753	32	6	1.48	33.48	1916.32	NT
Winneshiek	838D	38	185.24	7039.28	63	0.753					7039.28	T
Winneshiek	838E	23	106.48	2449.05	63	0.753	23	0	0.00	23.00	2449.05	NT
Winneshiek	838E	23	177.28	4077.55	63	0.753					4077.55	T
Winneshiek	83B	87	0.19	16.34	63	0.753	32	56	13.83	45.83	8.61	NT
Winneshiek	84	76	1050.82	79862.68	63	0.753	32	44	10.87	42.87	45046.75	NT
Winneshiek	84	76	4849.89	368591.98	63	0.753					368591.98	T
Winneshiek	840E	5	38.19	190.97	63	0.753	5	0	0.00	5.00	190.97	NT
Winneshiek	840E	5	30.31	151.53	63	0.753					151.53	T
Winneshiek	840G	5	14667.07	73335.34	63	0.753	5	0	0.00	5.00	73335.34	NT
Winneshiek	840G	5	750.68	3753.39	63	0.753					3753.39	T
Winneshiek	841G	5	3416.94	17084.72	63	0.753	5	0	0.00	5.00	17084.72	NT
Winneshiek	841G	5	190.48	952.40	63	0.753					952.40	T
Winneshiek	85	88	343.47	30225.40	63	0.753	32	56	13.83	45.83	15741.94	NT
Winneshiek	85	88	529.65	46609.42	63	0.753					46609.42	T
Winneshiek	85B	83	1.68	139.13	63	0.753	32	52	12.84	44.84	75.17	NT
Winneshiek	85B	83	2.86	237.64	63	0.753					237.64	T
Winneshiek	861E	50	387.37	19368.68	63	0.753	32	18	4.45	36.45	14118.22	NT
Winneshiek	861E	50	295.59	14779.70	63	0.753					14779.70	T
Winneshiek	861F	30	155.76	4672.80	63	0.753	30	0	0.00	30.00	4672.80	NT
Winneshiek	861F	30	32.49	974.76	63	0.753					974.76	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	862D	65	1.22	79.29	63	0.753	32	34	8.40	40.40	49.28	NT
Winneshiek	862E	55	4.70	258.28	63	0.753	32	24	5.93	37.93	178.11	NT
Winneshiek	862F	35	0.74	25.95	63	0.753	32	4	0.99	32.99	24.46	NT
Winneshiek	903C	39	74.91	2921.60	63	0.753	32	8	1.98	33.98	2545.24	NT
Winneshiek	903C	39	393.26	15337.12	63	0.753					15337.12	T
Winneshiek	903D2	28	188.29	5272.15	63	0.753	28	0	0.00	28.00	5272.15	NT
Winneshiek	903D2	28	820.98	22987.35	63	0.753					22987.35	T
Winneshiek	903E2	13	306.18	3980.35	63	0.753	13	0	0.00	13.00	3980.35	NT
Winneshiek	903E2	13	480.35	6244.60	63	0.753					6244.60	T
Winneshiek	912E	10	0.80	7.99	63	0.753	10	0	0.00	10.00	7.99	NT
Winneshiek	912E	10	0.26	2.55	63	0.753					2.55	T
Winneshiek	912F	5	375.71	1878.53	63	0.753	5	0	0.00	5.00	1878.53	NT
Winneshiek	912F	5	121.37	606.83	63	0.753					606.83	T
Winneshiek	914B	53	816.33	43265.54	63	0.753	32	22	5.43	37.43	30558.53	NT
Winneshiek	914B	53	8673.04	459671.31	63	0.753					459671.31	T
Winneshiek	914C	41	356.29	14607.77	63	0.753	32	10	2.47	34.47	12281.22	NT
Winneshiek	914C	41	2197.44	90095.24	63	0.753					90095.24	T
Winneshiek	914D	18	155.83	2804.97	63	0.753	18	0	0.00	18.00	2804.97	NT
Winneshiek	914D	18	305.08	5491.37	63	0.753					5491.37	T
Winneshiek	914E	12	149.66	1795.86	63	0.753	12	0	0.00	12.00	1795.86	NT
Winneshiek	914E	12	193.39	2320.63	63	0.753					2320.63	T
Winneshiek	926	90	34.34	3090.61	63	0.753	32	58	14.33	46.33	1590.84	NT
Winneshiek	926	90	240.56	21650.80	63	0.753					21650.80	T
Winneshiek	930	75	2.78	208.62	63	0.753					208.62	T
Winneshiek	965C2	45	303.71	13666.77	63	0.753	32	14	3.46	35.46	10768.81	NT
Winneshiek	965C2	45	644.84	29017.72	63	0.753					29017.72	T
Winneshiek	965D2	30	1309.59	39287.57	63	0.753	30	0	0.00	30.00	39287.57	NT
Winneshiek	965D2	30	2953.38	88601.53	63	0.753					88601.53	T
Winneshiek	965E2	20	3682.50	73650.00	63	0.753	20	0	0.00	20.00	73650.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Winneshiek	965E2	20	4430.62	88612.31	63	0.753					88612.31	T
Winneshiek	965G	8	950.22	7601.76	63	0.753	8	0	0.00	8.00	7601.76	NT
Winneshiek	965G	8	273.90	2191.21	63	0.753					2191.21	T
Winneshiek	978	90	32.09	2887.73	63	0.753	32	58	14.33	46.33	1486.41	NT
Winneshiek	978	90	213.38	19204.37	63	0.753					19204.37	T
Winneshiek	978B	85	59.05	5019.43	63	0.753	32	54	13.34	45.34	2677.30	NT
Winneshiek	978B	85	220.73	18761.95	63	0.753					18761.95	T
Winneshiek	98	95	43.60	4141.59	63	0.753	32	64	15.81	47.81	2084.22	NT
Winneshiek	98	95	333.65	31696.65	63	0.753					31696.65	T
Winneshiek	98B	90	75.19	6767.01	63	0.753	32	58	14.33	46.33	3483.21	NT
Winneshiek	98B	90	236.11	21249.92	63	0.753					21249.92	T
Winneshiek	AW	0	6.42	0.00	63	0.753	0	0	0.00	0.00	0.00	NT
Winneshiek	AW	0	0.01	0.00	63	0.753					0.00	T
Winneshiek	C158	25	0.48	11.88	63	0.753	25	0	0.00	25.00	11.88	NT
Winneshiek	SL	0	0.03	0.00	63	0.753	0	0	0.00	0.00	0.00	NT
Winneshiek	W	0	430.82	0.00	63	0.753	0	0	0.00	0.00	0.00	NT
Winneshiek	W	0	16.65	0.00	63	0.753					0.00	T
											0.00	
											0.00	
Woodbury	100B	80	356.04	28483.11	51	0.6929	26	54	16.58	42.58	15161.34	NT
Woodbury	100B	80	5977.63	478210.22	51	0.6929					478210.22	T
Woodbury	100C2	63	1172.25	73851.78	51	0.6929	26	38	11.67	37.67	44158.44	NT
Woodbury	100C2	63	16127.99	1016063.43	51	0.6929					1016063.43	T
Woodbury	100D2	53	1855.85	98360.09	51	0.6929	26	28	8.60	34.60	64210.21	NT
Woodbury	100D2	53	21906.96	1161069.05	51	0.6929					1161069.05	T
Woodbury	100E2	43	579.82	24932.31	51	0.6929	26	18	5.53	31.53	18280.49	NT
Woodbury	100E2	43	2026.18	87125.54	51	0.6929					87125.54	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	101E2	35	1370.94	47982.86	51	0.6929	26	10	3.07	29.07	39854.56	NT
Woodbury	101E2	35	2722.40	95284.15	51	0.6929					95284.15	T
Woodbury	10B	80	26.09	2086.82	51	0.6929	26	54	16.58	42.58	1110.80	NT
Woodbury	10B	80	400.87	32069.59	51	0.6929					32069.59	T
Woodbury	10B2	78	92.22	7192.99	51	0.6929	26	52	15.97	41.97	3870.31	NT
Woodbury	10B2	78	1199.48	93559.46	51	0.6929					93559.46	T
Woodbury	10C	65	11.38	739.42	51	0.6929	26	40	12.28	38.28	435.50	NT
Woodbury	10C2	63	1020.79	64309.63	51	0.6929	26	38	11.67	37.67	38452.87	NT
Woodbury	10C2	63	7996.17	503758.49	51	0.6929					503758.49	T
Woodbury	10D	55	4.25	234.02	51	0.6929	26	30	9.21	35.21	149.83	NT
Woodbury	10D2	53	1448.61	76776.43	51	0.6929	26	28	8.60	34.60	50120.24	NT
Woodbury	10D2	53	11516.35	610366.64	51	0.6929					610366.64	T
Woodbury	10D3	50	171.18	8558.94	51	0.6929	26	24	7.37	33.37	5712.31	NT
Woodbury	10D3	50	1516.97	75848.27	51	0.6929					75848.27	T
Woodbury	10E	42	23.96	1006.50	51	0.6929	26	16	4.91	30.91	740.82	NT
Woodbury	10E	42	2.91	122.34	51	0.6929					122.34	T
Woodbury	10E2	43	7.46	320.80	51	0.6929	26	18	5.53	31.53	235.21	NT
Woodbury	10E2	43	0.03	1.49	51	0.6929					1.49	T
Woodbury	10E3	40	124.10	4964.00	51	0.6929	26	14	4.30	30.30	3760.16	NT
Woodbury	10E3	40	646.50	25860.05	51	0.6929					25860.05	T
Woodbury	10F	22	2366.11	52054.47	51	0.6929	22	0	0.00	22.00	52054.47	NT
Woodbury	10F	22	592.49	13034.75	51	0.6929					13034.75	T
Woodbury	1137	61	24.19	1475.60	51	0.6929	26	36	11.06	37.06	896.38	NT
Woodbury	1137	61	176.74	10781.20	51	0.6929					10781.20	T
Woodbury	1144	66	3.62	238.99	51	0.6929	26	40	12.28	38.28	138.63	NT
Woodbury	1144	66	40.88	2698.09	51	0.6929					2698.09	T
Woodbury	1146	58	15.18	880.42	51	0.6929	26	32	9.83	35.83	543.85	NT
Woodbury	1146	58	398.16	23093.55	51	0.6929					23093.55	T
Woodbury	11B	68	0.01	0.82	51	0.6929	26	42	12.90	38.90	0.47	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	1220	25	183.14	4578.51	51	0.6929	25	0	0.00	25.00	4578.51	NT
Woodbury	1220	25	27.14	678.42	51	0.6929					678.42	T
Woodbury	123	77	39.90	3072.23	51	0.6929	26	52	15.97	41.97	1674.53	NT
Woodbury	123	77	1078.48	83043.22	51	0.6929					83043.22	T
Woodbury	1237B	5	32.21	161.07	51	0.6929	5	0	0.00	5.00	161.07	NT
Woodbury	1237B	5	37.12	185.59	51	0.6929					185.59	T
Woodbury	1237C	5	35.68	178.38	51	0.6929	5	0	0.00	5.00	178.38	NT
Woodbury	1237C	5	0.57	2.83	51	0.6929					2.83	T
Woodbury	1238	18	185.12	3332.21	51	0.6929	18	0	0.00	18.00	3332.21	NT
Woodbury	1238	18	122.73	2209.12	51	0.6929					2209.12	T
Woodbury	12B	80	1342.32	107385.61	51	0.6929	26	54	16.58	42.58	57160.56	NT
Woodbury	12B	80	8326.98	666158.45	51	0.6929					666158.45	T
Woodbury	12C	65	6888.76	447769.56	51	0.6929	26	40	12.28	38.28	263729.38	NT
Woodbury	12C	65	20541.03	1335166.82	51	0.6929					1335166.82	T
Woodbury	12D	60	0.30	17.81	51	0.6929	26	34	10.44	36.44	10.82	NT
Woodbury	12D	60	0.09	5.23	51	0.6929					5.23	T
Woodbury	137	65	734.99	47774.56	51	0.6929	26	40	12.28	38.28	28138.48	NT
Woodbury	137	65	4587.00	298154.98	51	0.6929					298154.98	T
Woodbury	144	70	354.03	24781.80	51	0.6929	26	44	13.51	39.51	13988.41	NT
Woodbury	144	70	2365.59	165591.43	51	0.6929					165591.43	T
Woodbury	1513	36	11.13	400.79	51	0.6929	26	10	3.07	29.07	323.65	NT
Woodbury	1513	36	278.70	10033.38	51	0.6929					10033.38	T
Woodbury	1524	17	71.01	1207.22	51	0.6929	17	0	0.00	17.00	1207.22	NT
Woodbury	1524	17	343.37	5837.27	51	0.6929					5837.27	T
Woodbury	1525	35	88.17	3085.84	51	0.6929	26	10	3.07	29.07	2563.10	NT
Woodbury	1525	35	307.42	10759.58	51	0.6929					10759.58	T
Woodbury	156	51	643.12	32799.07	51	0.6929	26	26	7.98	33.98	21856.15	NT
Woodbury	156	51	5891.01	300441.29	51	0.6929					300441.29	T
Woodbury	170D	47	6.53	306.91	51	0.6929	26	22	6.76	32.76	213.90	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	170D	47	1.18	55.65	51	0.6929					55.65	T
Woodbury	170E	34	2040.04	69361.30	51	0.6929	26	8	2.46	28.46	58052.96	NT
Woodbury	170E	34	4119.39	140059.30	51	0.6929					140059.30	T
Woodbury	17B	57	24.55	1399.34	51	0.6929	26	32	9.83	35.83	879.55	NT
Woodbury	17B	57	63.27	3606.38	51	0.6929					3606.38	T
Woodbury	18B	70	8.40	588.14	51	0.6929	26	44	13.51	39.51	331.98	NT
Woodbury	18B	70	34.76	2432.86	51	0.6929					2432.86	T
Woodbury	1B3	65	24.18	1571.99	51	0.6929	26	40	12.28	38.28	925.88	NT
Woodbury	1B3	65	395.33	25696.17	51	0.6929					25696.17	T
Woodbury	1C	60	1.82	109.17	51	0.6929					109.17	T
Woodbury	1C3	55	3408.23	187452.81	51	0.6929	26	30	9.21	35.21	120014.10	NT
Woodbury	1C3	55	32041.99	1762309.67	51	0.6929					1762309.67	T
Woodbury	1D3	45	6721.12	302450.45	51	0.6929	26	20	6.14	32.14	216030.28	NT
Woodbury	1D3	45	49347.95	2220657.55	51	0.6929					2220657.55	T
Woodbury	1E	35	0.00	0.07	51	0.6929	26	10	3.07	29.07	0.06	NT
Woodbury	1E3	35	9101.75	318561.10	51	0.6929	26	10	3.07	29.07	264596.85	NT
Woodbury	1E3	35	35646.16	1247615.57	51	0.6929					1247615.57	T
Woodbury	1F	14	6.10	85.35	51	0.6929	14	0	0.00	14.00	85.35	NT
Woodbury	1F	14	3.11	43.54	51	0.6929					43.54	T
Woodbury	1F3	15	6101.55	91523.32	51	0.6929	15	0	0.00	15.00	91523.32	NT
Woodbury	1F3	15	3150.37	47255.51	51	0.6929					47255.51	T
Woodbury	1G	5	617.35	3086.75	51	0.6929	5	0	0.00	5.00	3086.75	NT
Woodbury	1G	5	49.62	248.10	51	0.6929					248.10	T
Woodbury	1G3	5	0.22	1.09	51	0.6929	5	0	0.00	5.00	1.09	NT
Woodbury	1G3	5	0.06	0.31	51	0.6929					0.31	T
Woodbury	212	94	486.06	45689.67	51	0.6929	26	68	20.88	46.88	22787.87	NT
Woodbury	212	94	4104.32	385806.51	51	0.6929					385806.51	T
Woodbury	212+	90	89.87	8088.60	51	0.6929	26	64	19.65	45.65	4103.11	NT
Woodbury	212+	90	782.26	70403.11	51	0.6929					70403.11	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	212B	68	0.11	7.16	51	0.6929	26	42	12.90	38.90	4.10	NT
Woodbury	212B	68	4.58	311.19	51	0.6929					311.19	T
Woodbury	220	85	60.11	5109.16	51	0.6929	26	60	18.43	44.43	2670.35	NT
Woodbury	220	85	723.02	61456.54	51	0.6929					61456.54	T
Woodbury	237	9	105.90	953.14	51	0.6929	9	0	0.00	9.00	953.14	NT
Woodbury	237	9	90.66	815.91	51	0.6929					815.91	T
Woodbury	237B	5	167.88	839.40	51	0.6929	5	0	0.00	5.00	839.40	NT
Woodbury	237B	5	200.94	1004.72	51	0.6929					1004.72	T
Woodbury	244	47	69.15	3250.23	51	0.6929	26	22	6.76	32.76	2265.22	NT
Woodbury	244	47	5180.16	243467.40	51	0.6929					243467.40	T
Woodbury	2515	46	75.66	3480.24	51	0.6929	26	20	6.14	32.14	2431.78	NT
Woodbury	2515	46	1068.88	49168.36	51	0.6929					49168.36	T
Woodbury	255	65	21.11	1372.27	51	0.6929	26	40	12.28	38.28	808.25	NT
Woodbury	255	65	1144.45	74389.04	51	0.6929					74389.04	T
Woodbury	26	85	91.91	7812.52	51	0.6929	26	60	18.43	44.43	4083.28	NT
Woodbury	26	85	2138.06	181734.74	51	0.6929					181734.74	T
Woodbury	266	85	125.65	10680.05	51	0.6929	26	60	18.43	44.43	5582.02	NT
Woodbury	266	85	1977.05	168049.16	51	0.6929					168049.16	T
Woodbury	266+	90	104.75	9427.90	51	0.6929	26	64	19.65	45.65	4782.50	NT
Woodbury	266+	90	839.60	75564.06	51	0.6929					75564.06	T
Woodbury	26B	73	0.00	0.03	51	0.6929					0.03	T
Woodbury	277B	77	18.15	1397.25	51	0.6929	26	52	15.97	41.97	761.58	NT
Woodbury	277B	77	135.94	10467.44	51	0.6929					10467.44	T
Woodbury	277C	62	481.09	29827.55	51	0.6929	26	36	11.06	37.06	17827.06	NT
Woodbury	277C	62	338.85	21008.90	51	0.6929					21008.90	T
Woodbury	277E	42	87.08	3657.34	51	0.6929	26	16	4.91	30.91	2691.94	NT
Woodbury	277E	42	48.34	2030.38	51	0.6929					2030.38	T
Woodbury	2G	5	1151.36	5756.81	51	0.6929	5	0	0.00	5.00	5756.81	NT
Woodbury	2G	5	66.93	334.65	51	0.6929					334.65	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	309	61	0.68	41.23	51	0.6929	26	36	11.06	37.06	25.04	NT
Woodbury	309	61	1.74	106.03	51	0.6929					106.03	T
Woodbury	310B	71	486.49	34540.97	51	0.6929	26	46	14.13	40.13	19521.29	NT
Woodbury	310B	71	9142.19	649095.54	51	0.6929					649095.54	T
Woodbury	310C2	56	838.11	46933.93	51	0.6929	26	30	9.21	35.21	29512.23	NT
Woodbury	310C2	56	11359.58	636136.32	51	0.6929					636136.32	T
Woodbury	3146	57	294.36	16778.49	51	0.6929	26	32	9.83	35.83	10546.07	NT
Woodbury	3146	57	3147.62	179414.50	51	0.6929					179414.50	T
Woodbury	3275	65	155.29	10093.68	51	0.6929	26	40	12.28	38.28	5945.02	NT
Woodbury	3275	65	2006.05	130393.43	51	0.6929					130393.43	T
Woodbury	33D	36	0.03	1.23	51	0.6929					1.23	T
Woodbury	33F	8	0.03	0.22	51	0.6929	8	0	0.00	8.00	0.22	NT
Woodbury	3440	63	74.28	4679.37	51	0.6929	26	38	11.67	37.67	2797.95	NT
Woodbury	3440	63	2871.37	180896.27	51	0.6929					180896.27	T
Woodbury	3513	44	106.37	4680.22	51	0.6929	26	18	5.53	31.53	3353.57	NT
Woodbury	3513	44	536.42	23602.63	51	0.6929					23602.63	T
Woodbury	3549	63	307.43	19368.31	51	0.6929	26	38	11.67	37.67	11580.96	NT
Woodbury	3549	63	3536.52	222800.52	51	0.6929					222800.52	T
Woodbury	35F	15	1031.33	15469.92	51	0.6929	15	0	0.00	15.00	15469.92	NT
Woodbury	35F	15	520.38	7805.77	51	0.6929					7805.77	T
Woodbury	35G	5	2783.03	13915.17	51	0.6929	5	0	0.00	5.00	13915.17	NT
Woodbury	35G	5	107.68	538.38	51	0.6929					538.38	T
Woodbury	36	79	130.87	10338.93	51	0.6929	26	54	16.58	42.58	5573.00	NT
Woodbury	36	79	3902.54	308300.99	51	0.6929					308300.99	T
Woodbury	366	42	18.94	795.55	51	0.6929	26	16	4.91	30.91	585.55	NT
Woodbury	366	42	475.08	19953.55	51	0.6929					19953.55	T
Woodbury	3686	39	22.60	881.24	51	0.6929	26	14	4.30	30.30	684.65	NT
Woodbury	3686	39	1953.19	76174.48	51	0.6929					76174.48	T
Woodbury	3D	39	22.60	881.55	51	0.6929	26	14	4.30	30.30	684.88	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	3D	39	5.11	199.13	51	0.6929					199.13	T
Woodbury	3E	30	561.84	16855.16	51	0.6929	26	4	1.23	27.23	15297.97	NT
Woodbury	3E	30	251.32	7539.56	51	0.6929					7539.56	T
Woodbury	3F	28	0.10	2.84	51	0.6929	26	2	0.61	26.61	2.70	NT
Woodbury	4000	0	24.13	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4000	0	0.01	0.00	51	0.6929					0.00	T
Woodbury	4001C	0	49.41	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4001C	0	2.86	0.00	51	0.6929					0.00	T
Woodbury	4001D	0	13.44	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4001D	0	8.99	0.00	51	0.6929					0.00	T
Woodbury	4001E	0	143.06	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4001E	0	45.03	0.00	51	0.6929					0.00	T
Woodbury	4001F	0	13.71	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4001F	0	1.24	0.00	51	0.6929					0.00	T
Woodbury	4010B	0	4.02	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4010B	0	27.32	0.00	51	0.6929					0.00	T
Woodbury	4010C	0	19.50	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4010C	0	13.94	0.00	51	0.6929					0.00	T
Woodbury	4010D	0	19.80	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4010D	0	5.76	0.00	51	0.6929					0.00	T
Woodbury	4010E	0	1.26	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4010E	0	5.59	0.00	51	0.6929					0.00	T
Woodbury	4012B	0	6.06	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4012B	0	9.87	0.00	51	0.6929					0.00	T
Woodbury	4012C	0	14.37	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4012C	0	6.45	0.00	51	0.6929					0.00	T
Woodbury	4170D	0	10.50	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4170D	0	2.19	0.00	51	0.6929					0.00	T
Woodbury	436	74	48.90	3618.95	51	0.6929	26	48	14.74	40.74	1992.42	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	436	74	1609.44	119098.61	51	0.6929					119098.61	T
Woodbury	446	85	5.50	467.80	51	0.6929	26	60	18.43	44.43	244.50	NT
Woodbury	446	85	9.94	844.92	51	0.6929					844.92	T
Woodbury	46	84	100.40	8433.94	51	0.6929	26	58	17.81	43.81	4398.88	NT
Woodbury	46	84	3241.96	272324.93	51	0.6929					272324.93	T
Woodbury	4600	0	93.47	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4600	0	27.29	0.00	51	0.6929					0.00	T
Woodbury	465	33	108.55	3582.14	51	0.6929	26	8	2.46	28.46	3088.98	NT
Woodbury	465	33	6298.77	207859.38	51	0.6929					207859.38	T
Woodbury	4670	0	4.06	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	4670	0	5.74	0.00	51	0.6929					0.00	T
Woodbury	467B	76	0.81	61.43	51	0.6929	26	50	15.36	41.36	33.43	NT
Woodbury	467B	76	0.70	53.50	51	0.6929					53.50	T
Woodbury	47B	59	2784.05	164258.78	51	0.6929	26	34	10.44	36.44	101454.57	NT
Woodbury	47B	59	6330.76	373514.87	51	0.6929					373514.87	T
Woodbury	485	92	281.00	25851.54	51	0.6929	26	66	20.27	46.27	13001.25	NT
Woodbury	485	92	213.33	19626.50	51	0.6929					19626.50	T
Woodbury	5010	0	603.45	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	5010	0	127.42	0.00	51	0.6929					0.00	T
Woodbury	5040	5	393.64	1968.20	51	0.6929	5	0	0.00	5.00	1968.20	NT
Woodbury	5040	5	325.06	1625.31	51	0.6929					1625.31	T
Woodbury	5044	0	950.52	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	5044	0	427.69	0.00	51	0.6929					0.00	T
Woodbury	5080	0	82.67	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	5080	0	0.42	0.00	51	0.6929					0.00	T
Woodbury	510	85	137.10	11653.86	51	0.6929	26	60	18.43	44.43	6091.00	NT
Woodbury	510	85	1238.46	105268.98	51	0.6929					105268.98	T
Woodbury	510B	80	172.71	13816.75	51	0.6929	26	54	16.58	42.58	7354.55	NT
Woodbury	510B	80	2200.04	176003.47	51	0.6929					176003.47	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	510B2	72	116.34	8376.66	51	0.6929	26	46	14.13	40.13	4668.43	NT
Woodbury	510B2	72	1041.79	75008.99	51	0.6929					75008.99	T
Woodbury	510C2	63	210.88	13285.41	51	0.6929	26	38	11.67	37.67	7943.79	NT
Woodbury	510C2	63	2297.92	144769.08	51	0.6929					144769.08	T
Woodbury	515	51	104.20	5314.44	51	0.6929	26	26	7.98	33.98	3541.35	NT
Woodbury	515	51	864.26	44077.12	51	0.6929					44077.12	T
Woodbury	518	22	236.97	5213.42	51	0.6929	22	0	0.00	22.00	5213.42	NT
Woodbury	518	22	663.08	14587.70	51	0.6929					14587.70	T
Woodbury	527	75	133.23	9992.27	51	0.6929	26	50	15.36	41.36	5509.74	NT
Woodbury	527	75	1057.37	79302.66	51	0.6929					79302.66	T
Woodbury	527B	70	64.08	4485.56	51	0.6929	26	44	13.51	39.51	2531.93	NT
Woodbury	527B	70	337.39	23617.35	51	0.6929					23617.35	T
Woodbury	54	70	43.97	3078.19	51	0.6929	26	44	13.51	39.51	1737.53	NT
Woodbury	54	70	901.50	63105.19	51	0.6929					63105.19	T
Woodbury	549	58	3.41	198.00	51	0.6929	26	32	9.83	35.83	122.31	NT
Woodbury	549	58	108.57	6296.78	51	0.6929					6296.78	T
Woodbury	552	42	55.53	2332.20	51	0.6929	26	16	4.91	30.91	1716.59	NT
Woodbury	552	42	2857.38	120009.79	51	0.6929					120009.79	T
Woodbury	59E	28	91.34	2557.51	51	0.6929	26	2	0.61	26.61	2430.93	NT
Woodbury	59E	28	215.31	6028.63	51	0.6929					6028.63	T
Woodbury	630	85	306.24	26030.67	51	0.6929	26	60	18.43	44.43	13605.16	NT
Woodbury	630	85	1616.91	137437.46	51	0.6929					137437.46	T
Woodbury	66	37	531.64	19670.78	51	0.6929	26	12	3.69	29.69	15781.92	NT
Woodbury	66	37	21469.93	794387.23	51	0.6929					794387.23	T
Woodbury	666B	64	1358.94	86972.10	51	0.6929	26	38	11.67	37.67	51190.96	NT
Woodbury	666B	64	3522.72	225454.35	51	0.6929					225454.35	T
Woodbury	67	51	118.77	6057.42	51	0.6929	26	26	7.98	33.98	4036.45	NT
Woodbury	67	51	5538.69	282473.20	51	0.6929					282473.20	T
Woodbury	670	80	2778.88	222310.49	51	0.6929	26	54	16.58	42.58	118334.21	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	670	80	13527.59	1082207.16	51	0.6929					1082207.16	T
Woodbury	70	85	3.53	300.35	51	0.6929	26	60	18.43	44.43	156.98	NT
Woodbury	70	85	94.77	8055.48	51	0.6929					8055.48	T
Woodbury	700	85	98.22	8348.84	51	0.6929	26	60	18.43	44.43	4363.59	NT
Woodbury	700	85	1581.88	134459.74	51	0.6929					134459.74	T
Woodbury	700B	80	23.73	1898.47	51	0.6929	26	54	16.58	42.58	1010.54	NT
Woodbury	700B	80	642.24	51379.55	51	0.6929					51379.55	T
Woodbury	700C2	63	88.99	5606.48	51	0.6929	26	38	11.67	37.67	3352.30	NT
Woodbury	700C2	63	624.04	39314.83	51	0.6929					39314.83	T
Woodbury	700D2	53	108.39	5744.55	51	0.6929	26	28	8.60	34.60	3750.08	NT
Woodbury	700D2	53	613.08	32493.10	51	0.6929					32493.10	T
Woodbury	701	74	1543.97	114253.47	51	0.6929	26	48	14.74	40.74	62902.40	NT
Woodbury	701	74	6402.98	473820.16	51	0.6929					473820.16	T
Woodbury	709	63	90.44	5697.59	51	0.6929	26	38	11.67	37.67	3406.78	NT
Woodbury	709	63	386.55	24352.58	51	0.6929					24352.58	T
Woodbury	709B	63	199.93	12595.35	51	0.6929	26	38	11.67	37.67	7531.18	NT
Woodbury	709B	63	645.92	40692.89	51	0.6929					40692.89	T
Woodbury	717C	5	0.83	4.17	51	0.6929	5	0	0.00	5.00	4.17	NT
Woodbury	717C	5	0.03	0.16	51	0.6929					0.16	T
Woodbury	717D	5	1947.01	9735.03	51	0.6929	5	0	0.00	5.00	9735.03	NT
Woodbury	717D	5	316.46	1582.31	51	0.6929					1582.31	T
Woodbury	733	64	47.34	3029.61	51	0.6929	26	38	11.67	37.67	1783.20	NT
Woodbury	733	64	177.01	11328.54	51	0.6929					11328.54	T
Woodbury	734	56	54.76	3066.75	51	0.6929	26	30	9.21	35.21	1928.38	NT
Woodbury	734	56	3248.08	181892.65	51	0.6929					181892.65	T
Woodbury	734+	61	66.43	4052.38	51	0.6929	26	36	11.06	37.06	2461.69	NT
Woodbury	734+	61	1268.33	77368.31	51	0.6929					77368.31	T
Woodbury	740C	5	11.54	57.69	51	0.6929	5	0	0.00	5.00	57.69	NT
Woodbury	740C	5	16.88	84.41	51	0.6929					84.41	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	740D	7	32.93	230.51	51	0.6929	7	0	0.00	7.00	230.51	NT
Woodbury	740D	7	18.22	127.51	51	0.6929					127.51	T
Woodbury	740E	5	45.98	229.92	51	0.6929	5	0	0.00	5.00	229.92	NT
Woodbury	740E	5	32.37	161.85	51	0.6929					161.85	T
Woodbury	740F	7	16.06	112.44	51	0.6929	7	0	0.00	7.00	112.44	NT
Woodbury	740F	7	2.42	16.91	51	0.6929					16.91	T
Woodbury	750	33	35.92	1185.27	51	0.6929	26	8	2.46	28.46	1022.09	NT
Woodbury	750	33	571.70	18866.21	51	0.6929					18866.21	T
Woodbury	754	74	14.38	1064.42	51	0.6929	26	48	14.74	40.74	586.02	NT
Woodbury	754	74	617.56	45699.70	51	0.6929					45699.70	T
Woodbury	810B	73	50.98	3721.45	51	0.6929	26	48	14.74	40.74	2076.92	NT
Woodbury	810B	73	358.04	26137.19	51	0.6929					26137.19	T
Woodbury	810C2	54	24.90	1344.35	51	0.6929	26	28	8.60	34.60	861.35	NT
Woodbury	810C2	54	87.06	4701.23	51	0.6929					4701.23	T
Woodbury	847B	61	1105.52	67436.75	51	0.6929	26	36	11.06	37.06	40965.73	NT
Woodbury	847B	61	2397.13	146225.08	51	0.6929					146225.08	T
Woodbury	8B	90	1831.59	164843.11	51	0.6929	26	64	19.65	45.65	83620.15	NT
Woodbury	8B	90	8945.79	805120.66	51	0.6929					805120.66	T
Woodbury	8C	66	3061.03	202028.30	51	0.6929	26	40	12.28	38.28	117188.66	NT
Woodbury	8C	66	11337.07	748246.62	51	0.6929					748246.62	T
Woodbury	945	37	190.93	7064.32	51	0.6929	26	12	3.69	29.69	5667.73	NT
Woodbury	945	37	435.34	16107.62	51	0.6929					16107.62	T
Woodbury	SL	0	33.49	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT
Woodbury	SL	0	18.29	0.00	51	0.6929					0.00	T
Woodbury	T10B	80	0.02	1.25	51	0.6929	26	54	16.58	42.58	0.66	NT
Woodbury	T10B	80	0.52	41.80	51	0.6929					41.80	T
Woodbury	T310B	69	0.15	10.64	51	0.6929	26	44	13.51	39.51	6.09	NT
Woodbury	T310B	69	1.71	118.08	51	0.6929					118.08	T
Woodbury	W	0	1690.81	0.00	51	0.6929	0	0	0.00	0.00	0.00	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Woodbury	W	0	36.22	0.00	51	0.6929					0.00	T
											0.00	
											0.00	
Worth	107	70	857.66	60036.20	74	0.7495	37	33	8.27	45.27	38823.27	NT
Worth	107	70	12666.81	886677.04	74	0.7495					886677.04	T
Worth	1152	68	972.39	66122.24	74	0.7495	37	31	7.77	44.77	43529.34	NT
Worth	1152	68	9478.32	644525.97	74	0.7495					644525.97	T
Worth	1226	72	392.67	28271.92	74	0.7495	37	35	8.77	45.77	17971.32	NT
Worth	1226	72	6477.67	466391.90	74	0.7495					466391.90	T
Worth	135	78	790.67	61672.02	74	0.7495	37	41	10.27	47.27	37375.22	NT
Worth	135	78	854.80	66674.28	74	0.7495					66674.28	T
Worth	138	90	25.48	2293.01	74	0.7495	37	53	13.28	50.28	1280.94	NT
Worth	138	90	316.26	28463.84	74	0.7495					28463.84	T
Worth	138B	73	1006.17	73450.67	74	0.7495	37	36	9.02	46.02	46302.10	NT
Worth	138B	73	11218.29	818935.27	74	0.7495					818935.27	T
Worth	138C2	59	278.76	16447.05	74	0.7495	37	22	5.51	42.51	11850.52	NT
Worth	138C2	59	2717.46	160330.23	74	0.7495					160330.23	T
Worth	150	56	0.69	38.84	74	0.7495					38.84	T
Worth	153	60	13.86	831.69	74	0.7495	37	23	5.76	42.76	592.74	NT
Worth	153	60	257.97	15478.28	74	0.7495					15478.28	T
Worth	169B	85	246.36	20940.80	74	0.7495	37	48	12.02	49.02	12077.67	NT
Worth	169B	85	4087.98	347478.72	74	0.7495					347478.72	T
Worth	171	85	16.38	1392.07	74	0.7495	37	48	12.02	49.02	802.88	NT
Worth	171	85	238.76	20294.76	74	0.7495					20294.76	T
Worth	171B	82	105.26	8631.53	74	0.7495	37	45	11.27	48.27	5081.29	NT
Worth	171B	82	1677.90	137587.67	74	0.7495					137587.67	T
Worth	173	60	52.21	3132.59	74	0.7495	37	23	5.76	42.76	2232.57	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Worth	173	60	250.13	15007.85	74	0.7495					15007.85	T
Worth	174	75	19.29	1446.63	74	0.7495	37	38	9.52	46.52	897.28	NT
Worth	174	75	570.13	42759.67	74	0.7495					42759.67	T
Worth	174B	70	146.71	10269.47	74	0.7495	37	33	8.27	45.27	6640.90	NT
Worth	174B	70	2079.30	145551.22	74	0.7495					145551.22	T
Worth	175	60	15.02	900.96	74	0.7495	37	23	5.76	42.76	642.10	NT
Worth	175	60	298.50	17910.14	74	0.7495					17910.14	T
Worth	175B	56	109.77	6147.16	74	0.7495	37	19	4.76	41.76	4583.97	NT
Worth	175B	56	1147.47	64258.22	74	0.7495					64258.22	T
Worth	175C	41	32.27	1323.27	74	0.7495	37	4	1.00	38.00	1226.51	NT
Worth	175C	41	163.61	6708.16	74	0.7495					6708.16	T
Worth	177	64	360.52	23073.55	74	0.7495	37	27	6.76	43.76	15777.80	NT
Worth	177	64	5381.48	344414.54	74	0.7495					344414.54	T
Worth	177B	60	476.07	28564.19	74	0.7495	37	23	5.76	42.76	20357.46	NT
Worth	177B	60	3263.67	195819.95	74	0.7495					195819.95	T
Worth	177C	40	133.44	5337.72	74	0.7495	37	3	0.75	37.75	5037.68	NT
Worth	177C	40	333.07	13322.98	74	0.7495					13322.98	T
Worth	178	79	259.54	20503.39	74	0.7495	37	42	10.52	47.52	12333.44	NT
Worth	178	79	2648.96	209268.18	74	0.7495					209268.18	T
Worth	178B	74	76.04	5627.06	74	0.7495	37	37	9.27	46.27	3518.32	NT
Worth	178B	74	600.77	44456.78	74	0.7495					44456.78	T
Worth	184	93	438.27	40758.98	74	0.7495	37	56	14.03	51.03	22363.97	NT
Worth	184	93	10749.62	999714.75	74	0.7495					999714.75	T
Worth	188	72	167.00	12023.96	74	0.7495	37	35	8.77	45.77	7643.15	NT
Worth	188	72	837.03	60266.08	74	0.7495					60266.08	T
Worth	198	79	73.87	5835.51	74	0.7495	37	42	10.52	47.52	3510.24	NT
Worth	198	79	2735.57	216109.82	74	0.7495					216109.82	T
Worth	213	79	29.25	2310.96	74	0.7495	37	42	10.52	47.52	1390.12	NT
Worth	213	79	328.30	25936.05	74	0.7495					25936.05	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Worth	213B	74	26.60	1968.20	74	0.7495	37	37	9.27	46.27	1230.62	NT
Worth	213B	74	210.83	15601.68	74	0.7495					15601.68	T
Worth	214	63	64.48	4062.26	74	0.7495	37	26	6.51	43.51	2805.73	NT
Worth	214	63	750.60	47288.10	74	0.7495					47288.10	T
Worth	214B	58	100.88	5851.24	74	0.7495	37	21	5.26	42.26	4263.38	NT
Worth	214B	58	526.06	30511.24	74	0.7495					30511.24	T
Worth	221	25	330.17	8254.13	74	0.7495	25	0	0.00	25.00	8254.13	NT
Worth	221	25	2137.00	53425.09	74	0.7495					53425.09	T
Worth	221B	45	313.03	14086.30	74	0.7495	37	8	2.00	39.00	12209.38	NT
Worth	221B	45	420.41	18918.36	74	0.7495					18918.36	T
Worth	235	82	413.78	33929.82	74	0.7495	37	45	11.27	48.27	19974.11	NT
Worth	235	82	539.33	44224.99	74	0.7495					44224.99	T
Worth	236B	79	1162.87	91866.56	74	0.7495	37	42	10.52	47.52	55260.64	NT
Worth	236B	79	6682.76	527937.97	74	0.7495					527937.97	T
Worth	236B2	76	56.80	4317.14	74	0.7495	37	39	9.77	46.77	2656.72	NT
Worth	236B2	76	951.70	72329.39	74	0.7495					72329.39	T
Worth	236C	61	274.36	16736.24	74	0.7495	37	24	6.01	43.01	11800.97	NT
Worth	236C	61	323.88	19756.70	74	0.7495					19756.70	T
Worth	236C2	62	511.75	31728.22	74	0.7495	37	25	6.26	43.26	22139.39	NT
Worth	236C2	62	3264.20	202380.20	74	0.7495					202380.20	T
Worth	236D2	48	203.36	9761.31	74	0.7495	37	11	2.76	39.76	8084.70	NT
Worth	236D2	48	627.59	30124.12	74	0.7495					30124.12	T
Worth	236E2	38	214.32	8144.22	74	0.7495	37	1	0.25	37.25	7983.59	NT
Worth	236E2	38	263.39	10008.84	74	0.7495					10008.84	T
Worth	236F	19	139.99	2659.90	74	0.7495	19	0	0.00	19.00	2659.90	NT
Worth	236F	19	42.62	809.84	74	0.7495					809.84	T
Worth	274	39	29.09	1134.58	74	0.7495	37	2	0.50	37.50	1090.97	NT
Worth	274	39	340.39	13275.10	74	0.7495					13275.10	T
Worth	27B	82	108.86	8926.15	74	0.7495	37	45	11.27	48.27	5254.73	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Worth	27B	82	599.26	49139.55	74	0.7495					49139.55	T
Worth	284	40	16.19	647.55	74	0.7495	37	3	0.75	37.75	611.15	NT
Worth	284	40	100.32	4012.63	74	0.7495					4012.63	T
Worth	284B	45	111.66	5024.83	74	0.7495	37	8	2.00	39.00	4355.30	NT
Worth	284B	45	310.31	13964.10	74	0.7495					13964.10	T
Worth	29	85	100.97	8582.52	74	0.7495	37	48	12.02	49.02	4949.99	NT
Worth	29	85	1503.34	127784.08	74	0.7495					127784.08	T
Worth	321	35	22.49	787.07	74	0.7495	35	0	0.00	35.00	787.07	NT
Worth	321	35	94.22	3297.67	74	0.7495					3297.67	T
Worth	325	87	175.66	15282.78	74	0.7495	37	50	12.53	49.53	8699.77	NT
Worth	325	87	861.84	74980.32	74	0.7495					74980.32	T
Worth	329	83	702.95	58344.86	74	0.7495	37	46	11.52	48.52	34109.25	NT
Worth	329	83	6387.24	530140.93	74	0.7495					530140.93	T
Worth	335	59	450.84	26599.30	74	0.7495	37	22	5.51	42.51	19165.47	NT
Worth	335	59	4132.81	243836.00	74	0.7495					243836.00	T
Worth	354	5	2224.29	11121.45	74	0.7495	5	0	0.00	5.00	11121.45	NT
Worth	354	5	561.88	2809.39	74	0.7495					2809.39	T
Worth	377	93	41.54	3863.07	74	0.7495	37	56	14.03	51.03	2119.62	NT
Worth	377	93	642.50	59752.69	74	0.7495					59752.69	T
Worth	377B	90	222.61	20034.58	74	0.7495	37	53	13.28	50.28	11191.87	NT
Worth	377B	90	2913.86	262247.79	74	0.7495					262247.79	T
Worth	382	90	289.45	26050.68	74	0.7495	37	53	13.28	50.28	14552.63	NT
Worth	382	90	17281.51	1555335.79	74	0.7495					1555335.79	T
Worth	399	91	130.16	11844.51	74	0.7495	37	54	13.53	50.53	6576.57	NT
Worth	399	91	2880.01	262081.21	74	0.7495					262081.21	T
Worth	407	73	26.36	1924.26	74	0.7495	37	36	9.02	46.02	1213.02	NT
Worth	407	73	778.75	56848.58	74	0.7495					56848.58	T
Worth	41B	40	44.12	1764.61	74	0.7495	37	3	0.75	37.75	1665.42	NT
Worth	41B	40	264.82	10592.85	74	0.7495					10592.85	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Worth	41C	25	45.52	1137.90	74	0.7495	25	0	0.00	25.00	1137.90	NT
Worth	41C	25	176.73	4418.13	74	0.7495					4418.13	T
Worth	471	86	117.79	10129.96	74	0.7495	37	49	12.27	49.27	5804.05	NT
Worth	471	86	3427.78	294788.79	74	0.7495					294788.79	T
Worth	5010	0	327.70	0.00	74	0.7495	0	0	0.00	0.00	0.00	NT
Worth	5010	0	29.43	0.00	74	0.7495					0.00	T
Worth	5030	0	287.13	0.00	74	0.7495	0	0	0.00	0.00	0.00	NT
Worth	5030	0	5.66	0.00	74	0.7495					0.00	T
Worth	5040	5	34.60	173.02	74	0.7495	5	0	0.00	5.00	173.02	NT
Worth	5040	5	109.63	548.15	74	0.7495					548.15	T
Worth	507	71	445.32	31617.58	74	0.7495	37	34	8.52	45.52	20269.54	NT
Worth	507	71	8037.96	570695.23	74	0.7495					570695.23	T
Worth	5080	0	2.32	0.00	74	0.7495	0	0	0.00	0.00	0.00	NT
Worth	55	73	418.75	30568.99	74	0.7495	37	36	9.02	46.02	19270.19	NT
Worth	55	73	7641.94	557861.56	74	0.7495					557861.56	T
Worth	558	60	16.74	1004.31	74	0.7495	37	23	5.76	42.76	715.76	NT
Worth	558	60	812.49	48749.12	74	0.7495					48749.12	T
Worth	559	40	447.43	17897.02	74	0.7495	37	3	0.75	37.75	16890.99	NT
Worth	559	40	3976.12	159044.69	74	0.7495					159044.69	T
Worth	583	69	99.75	6882.82	74	0.7495	37	32	8.02	45.02	4490.39	NT
Worth	583	69	1482.64	102302.18	74	0.7495					102302.18	T
Worth	6	43	224.28	9644.03	74	0.7495	37	6	1.50	38.50	8635.45	NT
Worth	6	43	2401.75	103275.11	74	0.7495					103275.11	T
Worth	621	25	298.29	7457.30	74	0.7495	25	0	0.00	25.00	7457.30	NT
Worth	621	25	2374.41	59360.22	74	0.7495					59360.22	T
Worth	626	67	136.88	9170.72	74	0.7495	37	30	7.52	44.52	6093.05	NT
Worth	626	67	1757.96	117783.59	74	0.7495					117783.59	T
Worth	62D3	36	59.02	2124.63	74	0.7495	36	0	0.00	36.00	2124.63	NT
Worth	62D3	36	543.64	19571.02	74	0.7495					19571.02	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Worth	62E3	26	41.76	1085.72	74	0.7495	26	0	0.00	26.00	1085.72	NT
Worth	62E3	26	118.96	3092.84	74	0.7495					3092.84	T
Worth	638B2	71	2.39	169.71	74	0.7495	37	34	8.52	45.52	108.80	NT
Worth	638B2	71	243.05	17256.28	74	0.7495					17256.28	T
Worth	638C2	52	32.71	1700.81	74	0.7495	37	15	3.76	40.76	1333.09	NT
Worth	638C2	52	967.16	50292.17	74	0.7495					50292.17	T
Worth	651	57	241.79	13781.78	74	0.7495	37	20	5.01	42.01	10157.42	NT
Worth	651	57	761.67	43415.14	74	0.7495					43415.14	T
Worth	695	52	248.36	12914.95	74	0.7495	37	15	3.76	40.76	10122.71	NT
Worth	695	52	656.04	34114.22	74	0.7495					34114.22	T
Worth	706	63	5.20	327.85	74	0.7495	37	26	6.51	43.51	226.44	NT
Worth	706	63	146.33	9219.02	74	0.7495					9219.02	T
Worth	706B	58	19.69	1142.13	74	0.7495	37	21	5.26	42.26	832.19	NT
Worth	706B	58	398.43	23108.77	74	0.7495					23108.77	T
Worth	733	64	530.52	33953.08	74	0.7495	37	27	6.76	43.76	23217.28	NT
Worth	733	64	254.91	16314.06	74	0.7495					16314.06	T
Worth	73C	5	427.70	2138.48	74	0.7495	5	0	0.00	5.00	2138.48	NT
Worth	73C	5	1070.69	5353.44	74	0.7495					5353.44	T
Worth	73D	5	195.86	979.31	74	0.7495	5	0	0.00	5.00	979.31	NT
Worth	73D	5	222.48	1112.40	74	0.7495					1112.40	T
Worth	73F	5	200.17	1000.87	74	0.7495	5	0	0.00	5.00	1000.87	NT
Worth	73F	5	46.45	232.23	74	0.7495					232.23	T
Worth	755	93	96.10	8937.58	74	0.7495	37	56	14.03	51.03	4903.94	NT
Worth	755	93	2130.85	198169.38	74	0.7495					198169.38	T
Worth	761	83	119.01	9877.83	74	0.7495	37	46	11.52	48.52	5774.72	NT
Worth	761	83	4921.80	408509.79	74	0.7495					408509.79	T
Worth	777	58	93.15	5402.87	74	0.7495	37	21	5.26	42.26	3936.69	NT
Worth	777	58	968.85	56193.39	74	0.7495					56193.39	T
Worth	777B	53	277.56	14710.82	74	0.7495	37	16	4.01	41.01	11382.29	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Worth	777B	53	1705.10	90370.18	74	0.7495					90370.18	T
Worth	777C2	28	116.91	3273.60	74	0.7495	28	0	0.00	28.00	3273.60	NT
Worth	777C2	28	345.79	9682.23	74	0.7495					9682.23	T
Worth	782	55	46.19	2540.37	74	0.7495	37	18	4.51	41.51	1917.24	NT
Worth	782	55	1282.61	70543.48	74	0.7495					70543.48	T
Worth	782B	50	43.19	2159.27	74	0.7495	37	13	3.26	40.26	1738.49	NT
Worth	782B	50	1101.33	55066.64	74	0.7495					55066.64	T
Worth	782C2	30	18.52	555.63	74	0.7495	30	0	0.00	30.00	555.63	NT
Worth	782C2	30	177.04	5311.22	74	0.7495					5311.22	T
Worth	83	88	31.67	2787.05	74	0.7495	37	51	12.78	49.78	1576.44	NT
Worth	83	88	589.32	51860.37	74	0.7495					51860.37	T
Worth	836B	67	255.67	17129.92	74	0.7495	37	30	7.52	44.52	11381.17	NT
Worth	836B	67	2451.59	164256.26	74	0.7495					164256.26	T
Worth	836B2	61	37.02	2258.04	74	0.7495	37	24	6.01	43.01	1592.18	NT
Worth	836B2	61	480.55	29313.57	74	0.7495					29313.57	T
Worth	836C2	41	231.61	9495.90	74	0.7495	37	4	1.00	38.00	8801.54	NT
Worth	836C2	41	1700.50	69720.60	74	0.7495					69720.60	T
Worth	836D2	27	152.69	4122.59	74	0.7495	27	0	0.00	27.00	4122.59	NT
Worth	836D2	27	459.85	12415.85	74	0.7495					12415.85	T
Worth	83B	87	156.30	13598.29	74	0.7495	37	50	12.53	49.53	7740.87	NT
Worth	83B	87	2253.69	196071.03	74	0.7495					196071.03	T
Worth	83C2	69	16.12	1112.31	74	0.7495	37	32	8.02	45.02	725.67	NT
Worth	83C2	69	286.13	19743.10	74	0.7495					19743.10	T
Worth	84	76	252.39	19181.49	74	0.7495	37	39	9.77	46.77	11804.06	NT
Worth	84	76	7100.42	539632.03	74	0.7495					539632.03	T
Worth	855	77	57.45	4423.93	74	0.7495	37	40	10.02	47.02	2701.47	NT
Worth	855	77	1001.26	77096.73	74	0.7495					77096.73	T
Worth	95	57	247.94	14132.52	74	0.7495	37	20	5.01	42.01	10415.92	NT
Worth	95	57	4386.70	250041.71	74	0.7495					250041.71	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Worth	956	57	257.34	14668.23	74	0.7495	37	20	5.01	42.01	10810.74	NT
Worth	956	57	6336.86	361201.14	74	0.7495					361201.14	T
Worth	977	95	26.87	2552.51	74	0.7495	37	58	14.53	51.53	1384.51	NT
Worth	977	95	386.37	36705.27	74	0.7495					36705.27	T
Worth	AW	0	1.00	0.00	74	0.7495	0	0	0.00	0.00	0.00	NT
Worth	BW	0	11.76	0.00	74	0.7495	0	0	0.00	0.00	0.00	NT
Worth	BW	0	0.63	0.00	74	0.7495					0.00	T
Worth	C315	5	281.10	1405.49	74	0.7495	5	0	0.00	5.00	1405.49	NT
Worth	C315	5	51.45	257.23	74	0.7495					257.23	T
Worth	INT	0	8.51	0.00	74	0.7495	0	0	0.00	0.00	0.00	NT
Worth	INT	0	13.33	0.00	74	0.7495					0.00	T
Worth	T506	80	78.11	6248.45	74	0.7495	37	43	10.77	47.77	3731.22	NT
Worth	T506	80	622.15	49771.60	74	0.7495					49771.60	T
Worth	W	0	584.67	0.00	74	0.7495	0	0	0.00	0.00	0.00	NT
Worth	W	0	1.69	0.00	74	0.7495					0.00	T
											0.00	
											0.00	
Wright	107	70	1130.19	79113.43	75	0.7977	38	32	6.47	44.47	50263.70	NT
Wright	107	70	35921.44	2514500.74	75	0.7977					2514500.74	T
Wright	108	52	226.39	11772.51	75	0.7977	38	14	2.83	40.83	9244.18	NT
Wright	108	52	2064.46	107352.08	75	0.7977					107352.08	T
Wright	108B	47	309.96	14567.94	75	0.7977	38	10	2.02	40.02	12405.38	NT
Wright	108B	47	2941.09	138231.34	75	0.7977					138231.34	T
Wright	108C2	25	67.11	1677.71	75	0.7977	25	0	0.00	25.00	1677.71	NT
Wright	108C2	25	487.08	12176.99	75	0.7977					12176.99	T
Wright	1135	25	757.38	18934.50	75	0.7977	25	0	0.00	25.00	18934.50	NT
Wright	1135	25	84.65	2116.26	75	0.7977					2116.26	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wright	1152	68	0.11	7.74	75	0.7977					7.74	T
Wright	1221	5	155.15	775.76	75	0.7977	5	0	0.00	5.00	775.76	NT
Wright	1221	5	21.77	108.85	75	0.7977					108.85	T
Wright	1226	72	0.76	54.67	75	0.7977					54.67	T
Wright	135	78	1391.40	108529.21	75	0.7977	38	40	8.09	46.09	64132.42	NT
Wright	135	78	2196.30	171311.15	75	0.7977					171311.15	T
Wright	138B	73	1482.14	108196.52	75	0.7977	38	36	7.28	45.28	67115.64	NT
Wright	138B	73	30708.72	2241736.48	75	0.7977					2241736.48	T
Wright	138B2	78	2.11	164.57	75	0.7977	38	40	8.09	46.09	97.25	NT
Wright	138B2	78	92.07	7181.63	75	0.7977					7181.63	T
Wright	138C2	59	816.86	48194.96	75	0.7977	38	22	4.45	42.45	34676.36	NT
Wright	138C2	59	10924.75	644560.07	75	0.7977					644560.07	T
Wright	138D2	56	138.58	7760.46	75	0.7977	38	18	3.64	41.64	5770.65	NT
Wright	138D2	56	858.50	48076.26	75	0.7977					48076.26	T
Wright	1507	75	431.86	32389.35	75	0.7977	38	38	7.69	45.69	19730.47	NT
Wright	1507	75	22537.94	1690345.48	75	0.7977					1690345.48	T
Wright	1536	25	237.57	5939.32	75	0.7977	25	0	0.00	25.00	5939.32	NT
Wright	1536	25	11.47	286.86	75	0.7977					286.86	T
Wright	1585	5	2365.67	11828.34	75	0.7977	5	0	0.00	5.00	11828.34	NT
Wright	1585	5	316.57	1582.86	75	0.7977					1582.86	T
Wright	168B	74	199.56	14767.78	75	0.7977	38	36	7.28	45.28	9036.85	NT
Wright	168B	74	112.18	8301.45	75	0.7977					8301.45	T
Wright	168C2	56	146.92	8227.54	75	0.7977	38	18	3.64	41.64	6117.97	NT
Wright	168C2	56	36.88	2065.16	75	0.7977					2065.16	T
Wright	168D2	47	145.59	6842.87	75	0.7977	38	10	2.02	40.02	5827.06	NT
Wright	168D2	47	139.51	6556.75	75	0.7977					6556.75	T
Wright	168E	38	204.77	7781.30	75	0.7977	38	0	0.00	38.00	7781.30	NT
Wright	168E	38	32.51	1235.40	75	0.7977					1235.40	T
Wright	1733	25	0.02	0.53	75	0.7977	25	0	0.00	25.00	0.53	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wright	174C	55	0.10	5.47	75	0.7977					5.47	T
Wright	175B	56	41.73	2336.64	75	0.7977	38	18	3.64	41.64	1737.52	NT
Wright	175B	56	323.64	18123.87	75	0.7977					18123.87	T
Wright	175C	41	11.27	461.87	75	0.7977	38	4	0.81	38.81	437.19	NT
Wright	175C	41	52.29	2143.71	75	0.7977					2143.71	T
Wright	177	64	0.28	17.93	75	0.7977	38	26	5.26	43.26	12.12	NT
Wright	177	64	1.02	65.05	75	0.7977					65.05	T
Wright	201B	51	396.91	20242.60	75	0.7977	38	14	2.83	40.83	16206.86	NT
Wright	201B	51	1139.84	58131.63	75	0.7977					58131.63	T
Wright	203	71	103.05	7316.81	75	0.7977	38	34	6.88	44.88	4624.86	NT
Wright	203	71	1480.47	105113.50	75	0.7977					105113.50	T
Wright	221	25	227.17	5679.18	75	0.7977	25	0	0.00	25.00	5679.18	NT
Wright	221	25	2343.56	58588.90	75	0.7977					58588.90	T
Wright	224	52	0.06	2.99	75	0.7977					2.99	T
Wright	236B	79	318.55	25165.36	75	0.7977	38	42	8.50	46.50	14811.44	NT
Wright	236B	79	1062.29	83921.05	75	0.7977					83921.05	T
Wright	236C2	62	143.50	8896.83	75	0.7977	38	24	4.86	42.86	6149.60	NT
Wright	236C2	62	475.50	29481.24	75	0.7977					29481.24	T
Wright	236D2	48	23.01	1104.48	75	0.7977	38	10	2.02	40.02	920.93	NT
Wright	236D2	48	8.49	407.72	75	0.7977					407.72	T
Wright	259	41	352.84	14466.55	75	0.7977	38	4	0.81	38.81	13693.55	NT
Wright	259	41	2801.81	114874.16	75	0.7977					114874.16	T
Wright	27B	82	218.27	17898.28	75	0.7977	38	44	8.90	46.90	10237.21	NT
Wright	27B	82	2457.21	201491.34	75	0.7977					201491.34	T
Wright	288	81	699.29	56642.27	75	0.7977	38	44	8.90	46.90	32797.41	NT
Wright	288	81	21176.43	1715290.99	75	0.7977					1715290.99	T
Wright	28B	14	0.04	0.53	75	0.7977	14	0	0.00	14.00	0.53	NT
Wright	28B	14	0.19	2.65	75	0.7977					2.65	T
Wright	308	43	125.28	5387.08	75	0.7977	38	6	1.21	39.21	4912.74	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wright	308	43	2153.60	92604.65	75	0.7977					92604.65	T
Wright	308B	36	69.80	2512.85	75	0.7977	36	0	0.00	36.00	2512.85	NT
Wright	308B	36	838.42	30183.27	75	0.7977					30183.27	T
Wright	339	80	18.22	1457.64	75	0.7977	38	42	8.50	46.50	847.19	NT
Wright	339	80	474.92	37993.33	75	0.7977					37993.33	T
Wright	355	82	96.73	7932.03	75	0.7977	38	44	8.90	46.90	4536.85	NT
Wright	355	82	246.96	20250.67	75	0.7977					20250.67	T
Wright	356G	5	547.34	2736.68	75	0.7977	5	0	0.00	5.00	2736.68	NT
Wright	356G	5	21.45	107.26	75	0.7977					107.26	T
Wright	388	77	375.52	28915.09	75	0.7977	38	40	8.09	46.09	17308.50	NT
Wright	388	77	18241.37	1404585.56	75	0.7977					1404585.56	T
Wright	4	41	6.87	281.71	75	0.7977	38	4	0.81	38.81	266.66	NT
Wright	4	41	606.56	24868.79	75	0.7977					24868.79	T
Wright	4000	0	0.38	0.00	75	0.7977	0	0	0.00	0.00	0.00	NT
Wright	4000	0	16.33	0.00	75	0.7977					0.00	T
Wright	48	41	8.35	342.19	75	0.7977	38	4	0.81	38.81	323.90	NT
Wright	48	41	502.45	20600.39	75	0.7977					20600.39	T
Wright	485	92	208.85	19214.41	75	0.7977	38	54	10.92	48.92	10217.93	NT
Wright	485	92	598.56	55067.24	75	0.7977					55067.24	T
Wright	485B	82	0.03	2.27	75	0.7977	38	44	8.90	46.90	1.30	NT
Wright	5010	0	354.98	0.00	75	0.7977	0	0	0.00	0.00	0.00	NT
Wright	5010	0	77.20	0.00	75	0.7977					0.00	T
Wright	5040	5	317.43	1587.15	75	0.7977	5	0	0.00	5.00	1587.15	NT
Wright	5040	5	141.00	704.98	75	0.7977					704.98	T
Wright	5043	0	0.32	0.00	75	0.7977	0	0	0.00	0.00	0.00	NT
Wright	5043	0	45.92	0.00	75	0.7977					0.00	T
Wright	506	69	14.69	1013.75	75	0.7977	38	32	6.47	44.47	653.41	NT
Wright	506	69	584.63	40339.75	75	0.7977					40339.75	T
Wright	507	71	1180.84	83839.74	75	0.7977	38	34	6.88	44.88	52994.04	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wright	507	71	54304.07	3855589.08	75	0.7977					3855589.08	T
Wright	508	70	13.65	955.22	75	0.7977	38	32	6.47	44.47	606.88	NT
Wright	508	70	634.11	44387.71	75	0.7977					44387.71	T
Wright	524	54	0.14	7.76	75	0.7977					7.76	T
Wright	52B	78	674.96	52646.99	75	0.7977	38	40	8.09	46.09	31110.32	NT
Wright	52B	78	14324.09	1117278.91	75	0.7977					1117278.91	T
Wright	52C	65	0.05	3.46	75	0.7977					3.46	T
Wright	52C2	63	266.09	16763.44	75	0.7977	38	26	5.26	43.26	11510.84	NT
Wright	52C2	63	3889.36	245029.89	75	0.7977					245029.89	T
Wright	52D2	53	83.31	4415.21	75	0.7977	38	16	3.24	41.24	3435.27	NT
Wright	52D2	53	548.17	29053.15	75	0.7977					29053.15	T
Wright	52E2	43	0.05	2.31	75	0.7977	38	6	1.21	39.21	2.11	NT
Wright	52E2	43	0.05	2.23	75	0.7977					2.23	T
Wright	536	70	72.23	5055.89	75	0.7977	38	32	6.47	44.47	3212.20	NT
Wright	536	70	90.21	6314.95	75	0.7977					6314.95	T
Wright	55	73	1682.29	122807.48	75	0.7977	38	36	7.28	45.28	76179.00	NT
Wright	55	73	41142.34	3003390.94	75	0.7977					3003390.94	T
Wright	559	40	130.30	5212.07	75	0.7977	38	2	0.40	38.40	5004.18	NT
Wright	559	40	2789.45	111578.12	75	0.7977					111578.12	T
Wright	562D2	39	0.06	2.35	75	0.7977					2.35	T
Wright	6	43	187.74	8072.77	75	0.7977	38	6	1.21	39.21	7361.96	NT
Wright	6	43	9573.69	411668.54	75	0.7977					411668.54	T
Wright	62C2	53	63.38	3359.21	75	0.7977	38	16	3.24	41.24	2613.64	NT
Wright	62C2	53	1023.03	54220.57	75	0.7977					54220.57	T
Wright	62D2	38	298.19	11331.31	75	0.7977	38	0	0.00	38.00	11331.31	NT
Wright	62D2	38	1860.48	70698.15	75	0.7977					70698.15	T
Wright	62E2	28	508.90	14249.07	75	0.7977	28	0	0.00	28.00	14249.07	NT
Wright	62E2	28	430.69	12059.43	75	0.7977					12059.43	T
Wright	62F	7	126.36	884.50	75	0.7977	7	0	0.00	7.00	884.50	NT

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.

County	MUSYM	CSR (soil)	SOILACRES	CSRpts	Avg Till CSR	Debasement Value	CSR (Base)	CSR (Increment)	CSR (Debased Incr)	CSR (Recombined)	CSR pts (final)	TILL / NT
Wright	62F	7	53.63	375.43	75	0.7977					375.43	T
Wright	638D2	45	47.11	2120.03	75	0.7977	38	8	1.62	39.62	1866.50	NT
Wright	638D2	45	424.44	19099.76	75	0.7977					19099.76	T
Wright	640F2	5	0.04	0.19	75	0.7977	5	0	0.00	5.00	0.19	NT
Wright	640F2	5	0.06	0.31	75	0.7977					0.31	T
Wright	828B	45	37.81	1701.43	75	0.7977	38	8	1.62	39.62	1497.95	NT
Wright	828B	45	656.23	29530.46	75	0.7977					29530.46	T
Wright	828C2	30	221.40	6642.02	75	0.7977	30	0	0.00	30.00	6642.02	NT
Wright	828C2	30	1774.23	53226.91	75	0.7977					53226.91	T
Wright	829D2	28	316.51	8862.39	75	0.7977	28	0	0.00	28.00	8862.39	NT
Wright	829D2	28	1317.90	36901.23	75	0.7977					36901.23	T
Wright	90	42	67.64	2840.90	75	0.7977	38	4	0.81	38.81	2625.07	NT
Wright	90	42	2366.73	99402.66	75	0.7977					99402.66	T
Wright	95	57	176.52	10061.68	75	0.7977	38	20	4.05	42.05	7421.99	NT
Wright	95	57	16458.10	938111.50	75	0.7977					938111.50	T
Wright	956	57	64.60	3682.31	75	0.7977	38	20	4.05	42.05	2716.25	NT
Wright	956	57	8440.45	481105.73	75	0.7977					481105.73	T
Wright	96	71	0.10	7.33	75	0.7977					7.33	T
Wright	AW	0	28.11	0.00	75	0.7977	0	0	0.00	0.00	0.00	NT
Wright	INT	0	15.72	0.00	75	0.7977	0	0	0.00	0.00	0.00	NT
Wright	INT	0	2.23	0.00	75	0.7977					0.00	T
Wright	SL	0	0.00	0.00	75	0.7977	0	0	0.00	0.00	0.00	NT
Wright	SL	0	2.92	0.00	75	0.7977					0.00	T
Wright	W	0	1104.71	0.00	75	0.7977	0	0	0.00	0.00	0.00	NT
Wright	W	0	29.94	0.00	75	0.7977					0.00	T

Please be advised that this is an informal opinion of the author and is based on the data presented here whose foundation is the FSA CLU 2008 digital layer, NRCS soils data as well as GIS software.